SUPPLEMENT

TO THE

FIFTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

PART I.

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

And to be purchased, either directly or through any Bookseller, from
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C. and
32, ABINGDON STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER STREET, EDINBURGH, and
90, WEST NILE STREET, GLASGOW; or
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON STREET, DUBLIN.

1895.

[C.—7769.] *Price 3s. 6d.*

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No.

WELLCOME HISTORICAL MEDICAL LIBRARY

CONTENTS.

REPORT.

	PAGE
Preliminary Remarks	iii
Changes in the Death-rate of England and Wales	vi
New English Life Table	ix
Changes in Classification of Diseases	xx
Faulty Certification of Causes of Death	xxii
Balance of Gain and Loss in the Mortality from Specified Causes	xxiii
Mortality from Zymotic Diseases	xxiv
Mortality from Constitutional Diseases	xxviii
Mortality from Diseases of the Nervous System	xxxi
Mortality from Diseases of the Circulatory System	xxxii
Mortality from Diseases of the Respiratory System	xxxii
Mortality from Diseases of the Digestive System	xxxiv
Mortality from Diseases of the Urinary System	xxxv
Mortality from Violence	xxxvi
Local Variations of the Death-rates in 1881–90	xxxvi
Correction of Crude Death-rates	xxxvi
Density of Population in relation to Mortality	xlvi
Mortality in "Urban" and in "Rural" England	xlviii
Local Distribution of Mortality from Zymotic Diseases	xlviii
Local Distribution of Cancer Mortality	lii
Local Distribution of Mortality from Phthisis	lvii

TABLES.

List and Explanation of Preliminary Tables	lxi
Preliminary Tables	lxii

PAGE

Mean Population, Marriages, Births, and Deaths, with Annual Rates per 1,000, during the Ten Years 1881–90, in England and Wales, and in Registration Counties and Districts . 3

Changes in the Areas of Registration Counties, Districts, and Sub-Districts during the Ten Years 1881–90 . . . 729

Alphabetical Index of Registration Districts 739

Alphabetical Index of Certain Towns 743

General Alphabetical Index 744

LETTER

TO

The Registrar-General on the Mortality in England and Wales during the Period of Ten Years 1881–90, by John Tatham, Esq., M.A., M.D.

General Register Office,
Somerset House, London,
1st February 1896.

Sir,

I have the honour to submit for your consideration the following remarks on the Vital Statistics of England and Wales in the decennial period last completed: these remarks, together with the appropriate tables, form Part I. of the Supplementary Report for the years 1881–90.

In the course of his preparations for taking the census of 1891, Dr. Ogle projected a scheme for ascertaining, by appeal to a basis of fact larger and more trustworthy than any previously available, the effect of certain definite occupations on the health and longevity of persons engaged therein. Complete records of the deaths of males over fifteen years of age, occurring in England and Wales during the three years 1890–2, were thought to be not more than sufficient for this investigation; accordingly these deaths, numbering more than half a million, have been extracted from the registers, and by means of the population figures obtained at the last census, the rates of mortality from several different causes have been worked out for a large number of occupations.

With the help of a temporarily increased staff the work has proceeded uninterruptedly ever since the census year, and the whole of the tabular matter in connection therewith is now in a forward condition. Nevertheless, much still remains to be done before this valuable mass of information can assume a form in which the true relations of the facts shall be demonstrable. It has, therefore, been thought inadvisable to delay the publication of the greater part of this Supplement, for the sole purpose of including under the same cover the section relating to occupational mortality. The latter important section will therefore shortly be issued as Part II. of the Supplementary Report for 1881–90.

For the unique and valuable fund of information respecting deaths and their causes which throughout the last half-century has been accumulating in the General Register Office, the State is manifestly indebted to the generous co-operation of the medical profession; failing which, the organization of a system of vital statistics which should be worthy of the English nation would have been impossible. It is therefore clearly incumbent on the officer who is responsible for the classification and analysis of the national mortality records to take care that every detail shall be utilized which may serve to increase our knowledge of the intimate nature of preventable diseases, and may thus tend to diminish their prevalence, as well as to mitigate their baneful effects on human health and life.

Influenced by the above-mentioned considerations, I have striven to develop to the utmost the practical value of these volumes as a work of reference for students of Preventive Medicine; for I feel assured that to have succeeded in this endeavour would constitute the highest tribute I could offer to the memory of Dr. William Farr, whose life-long labours in behalf of that science which must ever be identified with his name, still continue to influence beneficially the health conditions of his fellow men. I trust that I may venture to entertain the hope that these

volumes may be regarded as a not unworthy contribution to the series of supplementary reports of which the first and second were written by Dr. Farr himself, and the third was from the pen of my eminent predecessor, Dr. William Ogle.

It is desirable to explain that the elaborate series of decennial tables in the present volume are by no means mere summaries of facts already published in the successive annual reports of the Registrar-General; those reports contain certain details for each year as to causes of death in each of the 632 Registration Districts of England and Wales, but they give no information respecting the combination of cause with sex or with age. The decennial tables herewith submitted have been prepared from hitherto unpublished manuscripts in the custody of this office; and in order to obtain a comparative statement of the mortality in each district amongst males and females at certain age-groups and from specified causes, it has been necessary to extract from the original tabling sheets of each of the registration districts, the facts required to compile the tables on pages 97–728.

With the object of presenting to readers of this volume as much useful material as could be brought within reasonable limits, I have carefully revised some of the tables appended hereto, and have considerably added on the present occasion to the amount of routine information which has appeared in previous decennial supplements.*

Throughout the period that has elapsed since the passing of the first Public Health Act, there has been observed in relation to sanitary progress a steadily growing public interest, the development of which has doubtless been encouraged by the knowledge that in the reports emanating from the General Register Office may be found statistics by which the local variations of healthiness in every part of England and Wales can be measured, as can also the beneficial effect of works undertaken from time to time for the improvement of the health of the community.

Ever since the commencement of civil registration in 1837, records have been kept in this office of the numbers of births, marriages, and deaths taking place in each successive year throughout England and Wales. Particulars have also been tabulated with ever increasing care since 1847,† in regard to causes of death and age at death, in the case of every such occurrence in any registration district of this country. In issuing a work

---

* Information given in the tables of the present volume, in addition to, or in modification of that contained in the tables of the Supplement for 1871–80.

In each of the district tables (pages 97–728).

(*a*) Four vertical columns showing the deaths and crude death-rates at all ages of *males and females separately*, from each of the specified death-causes, in addition to the columns for persons.

(*b*) Six lines showing populations, deaths, and death-rates at 12 groups of ages among males and females separately, together with the lines for persons, as before.

(*c*) Death-rates in standard population in each district.

(*d*) Decennial increase or decrease (per cent.) of population in each district.

For each of the 45 registration counties (pages 6–95).

Two tables are now given, one for males, the other for females, showing—(1) Mean population, (2) deaths, (3) death-rates at the several age-groups and "in standard population" for males and females separately. The corresponding rates for *Persons* are shown in another table (page xxxix). The *facts of Death* at the several ages and from specified causes relating to *Persons* can be obtained by adding the figures for males and females given in these Tables.

In Table 2 (Children under 5 Years), pages lxxxii–xcvi. The figures for the last four columns of Table 2, as it appeared in the previous Supplement are now given in the county and district tables (pages 6–728). They are therefore omitted from Table 2 in this volume, and the available space in that table has been utilized by the insertion of the death-rates under five years from diphtheria, fever, tubercular diseases, and respiratory diseases. All the principal zymotic diseases of children are now included in this table.

† From 1837 to 1842 the deaths were abstracted by age and by cause, separately. From 1843 to 1846 by age only, and from 1847 onwards by age and cause in combination.

like the present, which shows in detail the vital statistics of each of the 632 registration districts, during a period of ten years, it is impossible not to feel regret that the elaborate series of tables therein contained cannot, except in a few instances, be utilised for definite administrative purposes, because of the overlapping and confusion of areas which still very frequently persist.

In 1888 the Commissioners who had been appointed under the Act of the previous year* made a valuable series of recommendations for the simplification of areas, such, for example, as parishes, boroughs, sanitary districts, unions, and counties. In cases involving so many and such complex interests improvement must necessarily be slow; but it is a fact that the adjustments effected by the County Councils under the provisions of the Local Government Acts of 1888 and 1894, on the basis of the commissioners' recommendations, have already resulted in the simplification of a considerable number of territorial boundaries, and, not rarely, in closely assimilating the limits of administrative and registration areas. Many urban sanitary districts, for example, which before 1888 had extended into two, three, or even four separate registration districts, have under these Acts, been made to lie wholly within one registration district, and in a few instances an urban sanitary district has been made co-extensive with a registration district or sub-district. Obviously, therefore, in every case where an administrative area such as an urban sanitary district is made to correspond exactly with a registration district, the decennial tables of the present and previous supplements referring to such area, will furnish a valuable test of the success of local effort for the improvement of the Public Health. The urban sanitary districts of Leicester, Portsmouth, Norwich, Devonport, Plymouth, and Barrow-in-Furness are already coterminous with the corresponding registration districts. This process of adjustment is still going on in various parts of the kingdom under the sanction of the Local Government Board, and it is greatly to be hoped that the many remaining anomalies of the kind here alluded to may ere long be rectified. At present, however, the fact remains that there are still in England and Wales eleven urban sanitary districts, including three county boroughs, which extend not only into more than one registration district, but even into more than one registration county.†

---

* *i.e.*, the Local Government (Boundaries) Act, 1887, 50 & 51 Vict. c. 61.

† The following are a few instances out of many in which the operations of the county councils under the Local Government Acts of 1888 and 1894 have tended to the simplification of areas.

Yorkshire, West Riding.

Before the passing of the Local Government Acts, 1888 and 1894, the registration county of Yorkshire, West Riding, included the whole of the administrative county of that name, together with the county boroughs of Bradford, Halifax, Huddersfield, Leeds, and Sheffield, but with the exception of 11 entire parishes and part of another parish situate in Nottinghamshire, 19 entire parishes and part of one other parish situate in Lancashire, and 4 entire parishes and parts of two other parishes situate in Yorkshire, East Riding; it also contained 5 entire parishes belonging to Derbyshire, part of one parish belonging to Lancashire, 10 entire parishes belonging to Lincolnshire, 2 entire parishes and part of one other parish belonging to Nottinghamshire, 8 entire parishes belonging to Yorkshire, East Riding, and 24 entire parishes and 4 parts of parishes belonging to Yorkshire, North Riding. Before 1888, therefore, the differences between the registration and administrative counties of York, West Riding, amounted to 83 parishes and 10 parts of parishes.

The effect of the alterations under these Acts has been to reduce this difference from 83 parishes and 10 parts of parishes to 74 parishes only, and to reduce the difference in population from 48,070 to 38,410.

Dorsetshire.

Before the passing of the Acts registration Dorsetshire contained the whole administrative county of Dorset with the exception of 10 parishes situate in Wilts, Devon, and Somerset; it also contained 8 other parishes situate in the county of Somerset. Registration Dorset therefore differed from administrative Dorset by 18 parishes. The effect of the alterations under the Acts has been to reduce the difference between the registra-

Changes in the Death-rate of England and Wales.

In the decennial period, 1871–80, there had occurred a mortality equal to 21·27 annual deaths, from all causes, in each thousand of the population. In the succeeding ten years, namely, the period to which the present volume relates, the mean annual proportion fell to 19·08 in a thousand. This decline in the mortality at all ages was shared by both sexes in almost equal proportions; the rate among males having fallen by 10·6 per cent. and that among females by 10·0 per cent. The figures show a decreased mortality among *females* at every one of the age-periods into which the span of life has been divided for the purposes of the Registrar-General's Reports, and among *males*, a decrease at all but the age-period 65–75 years. The experience of 1881–90, although agreeing with that of the preceding decennium in showing a greater reduction of mortality at the earlier ages, nevertheless differs from it in other important respects. For example, Dr. Ogle, commenting, in the last Decennial Supplement, on the varying incidence of mortality at the several ages, showed that, whilst the rates had fallen at the earlier periods of life, they had risen at the later periods. As has been already stated, this was by no means the case in the decennium under present notice, where a decrease was observed in both sexes at every age-period save one. Again, as compared with the mortality in the preceding decennium, the rate among females in 1871–80 was found to have decreased more rapidly than among males; this inequality has now been redressed, for in 1881–90 the male rate decreased actually faster than the female. Perhaps, however, the most significant difference between the two sets of figures lies in the fact that whereas in 1871–80 there had been a considerable rise in the male mortality after the age of 45, and in the female mortality after 55, recent figures show that this blemish has been almost completely removed, the only rise of mortality in the whole course of life during 1881–90 having been the trivial one of less than one per cent. at the age-group 65–75, among males (*see* Table A.)

In the recent decennium the mortality among infants under one year of age, which is generally accepted as the most sensitive test of the health of a given population, has shown a decline. The rate of mortality among infants of both sexes under the age of twelve months, was equal to 142 per 1000 births registered, as compared with 149 per 1000 in the preceding decennium. In 1881–90 the infantile rate among males was equal to 155 per 1000 births, and among females, to 128 per 1000; the rates in 1871–80 having been 163 and 134 respectively.

---

tion and the administrative county from 18 parishes to 3; and to reduce the difference in population from 9738 to 3359.

Surrey.

Before the passing of the Local Government Acts, 1888 and 1894, registration Surrey included the whole of the administrative county of Surrey, together with the county borough of Croydon, but with the exception of the parishes of Lingfield situate in Sussex, and Thorpe and Egham situate in Berkshire. It also contained the parishes of Penge belonging to the county of London, Aldershot and Dockenfield belonging to the county of Hants, and Hampton, Hampton Wick, and Teddington belonging to the county of Middlesex, therefore differing from administrative Surrey by 9 parishes. The effect of the alterations under the Acts has been to reduce the difference between the registration and administrative county from 9 parishes to 7, and to reduce the difference in population from 78,421 to 77,613.

Westmorland.

Before the passing of the Acts of 1888 and 1894, the registration county of Westmorland differed from the administrative county only in this, that the former area included the Lancashire civil parish of Dalton whereas the latter area did not include it. Under these Acts the parish of Dalton was transferred from Lancashire to administrative Westmorland, so that the Administrative county of Westmorland now exactly corresponds with the registration county of the same name.

TABLE A.—ENGLAND AND WALES.—**Annual Rate of Mortality** among **Persons, Males, and Females,** in successive Decennia.

PERSONS.

Ages.	1841–50.	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	22·28	22·17	22·42	21·27	19·08	−10·3
0—	66·03	67·60	68·30	63·12	56·82	−10·0
5—	9·03	8·46	7·95	6·43	5·29	−17·7
10—	5·27	4·97	4·47	3·70	3·02	−18·4
15—	7·46	7·04	6·39	5·33	4·35	−18·4
20—	9·28	8·67	8·19	7·04	5·61	−20·3
25—	10·25	9·76	9·79	8·93	7·53	−15·7
35—	12·85	12·31	12·72	12·62	11·42	− 9·5
45—	17·03	16·54	17·30	17·72	17·06	− 3·7
55—	29·86	28·86	30·28	31·49	31·33	− 0·5
65—	63·59	61·74	62·45	64·85	64·65	− 0·3
75 & upds.	162·81	159·78	158·79	161·59	153·67	− 4·9

MALES.

Ages.	1841–50.	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	23·11	23·05	23·61	22·61	20·22	−10·6
0—	71·20	72·43	73·16	68·14	61·69	− 9·5
5—	9·16	8·51	8·15	6·67	5·34	−19·9
10—	5·12	4·88	4·46	3·69	2·94	−20·3
15—	7·05	6·69	6·16	5·23	4·30	−17·8
20—	9·50	8·83	8·45	7·32	5·71	−22·0
25—	9·94	9·57	9·90	9·30	7·73	−16·9
35—	12·85	12·48	13·46	13·74	12·35	−10·1
45—	18·22	17·96	19·16	20·05	19·28	− 3·8
55—	31·81	30·85	33·00	34·76	34·66	− 0·3
65—	67·51	65·33	66·69	69·57	70·17	+ 0·9
75 & upds.	168·56	165·40	164·64	169·08	162·18	− 4·1

FEMALES.

Ages.	1841–50	1851–60.	1861–70.	1871–80.	1881–90.	Increase or Decrease per cent. in 1881–90 compared with preceding Decennium.
All Ages	21·58	21·32	21·28	20·00	18·01	−10·0
0—	61·09	62·74	63·43	58·10	51·99	−10·5
5—	8·89	8·42	7·76	6·20	5·25	−15·3
10—	5·42	5·06	4·48	3·70	3·09	−16·5
15—	7·88	7·38	6·62	5·43	4·40	−19·0
20—	9·08	8·53	7·96	6·78	5·51	−18·7
25—	10·55	9·92	9·68	8·58	7·34	−14·5
35—	12·91	12·15	12·03	11·58	10·55	− 8·9
45—	16·04	15·20	15·55	15·59	15·04	− 3·5
55—	28·44	27·01	27·77	28·54	28·40	− 0·5
65—	60·97	58·66	58·80	60·82	60·08	− 1·2
75 & upds.	157·89	155·45	154·28	155·83	147·32	− 5·5

There is no doubt that a considerable proportion of the diminution in the death-rate since the year 1870 is the direct result of what is implied by the term "improved sanitation"; but that the whole of the difference between the rates of the two most recent decennia cannot thus be accounted for will be obvious on reflection. The published returns show that the birth-rate of England and Wales has been steadily decreasing in recent years. In the year 1878 the rate was 35·6 per 1000 of the population, but since that date the fall has been steady, and the rate at the end of the last decennium did not exceed 30·2. It is evident that this change in the rate of birth, continued as it has been for so many years, must have seriously affected the age constitution of the population, and, as the death-rates at the different ages vary enormously, the aggregate rate of mortality must have been modified accordingly. Table B. shows the mean age-distribution of the population of England and Wales in each of the last three intercensal periods. On comparing the columns referring to the decennial periods ending respectively with 1880 and 1890 it will be seen that the numbers both of males and of females living between the ages of 10 and 45 years, were relatively greater in 1881–90 than in the preceding decennium. Sanitary conditions remaining unchanged, the effect of this variation in the age-constitution of the population will be to *reduce the mortality at all ages;* and that this has actually been the case may readily be shown.

The crude death-rate at all ages in the decennium 1871–80 was equal to 21·27 per 1000 living; but if the number of persons living in the several age-groups during that decennium had been in the same proportion as in 1881–90, the death-rate in the earlier decennium would have been, not 21·27 per 1000, but 20·84. It is this latter figure, therefore, and not the former, that should be used for the purpose of showing the actual decrease in the death-rate since 1880.*

TABLE B.—ENGLAND AND WALES.—**Males** and **Females** at **Eleven Groups of Ages** in a **Million Persons Living** at all Ages, **1861–70, 1871–80,** and **1881–90.**

Age-Periods.	Persons.			Males.			Females.		
	1861–70.	1871–80.	1881–90.	1861–70.	1871–80.	1881–90.	1861–70.	1871–80.	1881–90.
All Ages	1,000,000	1,000,000	1,000,000	487,048	486,762	485,527	512,952	513,238	514,473
0–	134,930	135,400	128,679	67,589	67,660	64,122	67,341	67,740	64,557
5–	118,064	120,237	119,006	58,997	59,963	59,333	59,067	60,274	59,673
10–	105,889	107,310	109,571	53,313	53,875	54,806	52,567	53,435	54,765
15–	96,147	97,103	100,007	47,749	48,329	49,720	48,398	48,774	50,287
20–	89,631	88,997	90,486	42,361	42,399	42,922	47,270	46,598	47,564
25–	147,190	146,529	148,630	69,792	70,063	71,131	77,398	76,466	77,499
35–	115,240	113,211	114,039	55,454	54,405	55,095	59,786	58,806	58,944
45–	87,313	85,674	84,950	42,270	40,997	40,472	45,043	44,677	44,478
55–	58,700	59,050	58,044	28,171	27,998	27,151	30,529	31,052	30,893
65–	33,267	33,226	33,510	15,410	15,305	15,184	17,857	17,921	18,326
75 & upds.	13,638	13,263	13,078	5,942	5,768	5,591	7,696	7,495	7,487

* For observations on the "Crude death-rate" and the means appropriate for its correction, *see* pages xxxvi–xxxviii.

New English Life Table.

A Life Table based on the mortality in the ten years, 1871–80, was published in the last Decennial Report. The changes of the death-rate during the decennium 1881–90, which have already been noted, suggest that since 1880 a further increase in the average lifetime of the population has taken place. The new Life Tables on pages x–xix show that this has actually been the case. In Tables C., D., and E. the figures of the new Life Table are given in detail. In Tables F. and G. the number surviving at each age out of a million of each sex born, and also the expectation of life at each age, are placed in comparison with the corresponding figures based on the mortality of 1838–54, and of 1871–80. It will be useful to indicate briefly the main features of the three Life Tables.

Males.—By the Table of 1838–54, a million males born are reduced to half a million during the 45th year of age; by the Table of 1871–80 this amount of reduction is not reached until the 48th year, and by the new Table it is further postponed until the 52nd year. At the end of the first year of age the number of survivors by the new Table occupies an intermediate position between the numbers by the two previous Tables; at every other age until 79 the new Table shows a larger number of survivors than is shown by either of the older Tables; from age 84 onwards the survivors are fewer by the new Table than by either of the others. This change is probably due, in part at least, to more accurate statement of age in recent than in earlier years.*

The average life-time of males, or the expectation of life at birth, which had been 39·91 years by the first of the three Life Tables, and 41·35 years by the second, is further increased by the new Life Table to 43·66 years; that is to say, a male exposed throughout life to the rate of mortality obtaining in England and Wales in 1881–90, would on an average live 2·31 years longer than he would have lived had he been subject to the rates prevalent in 1871–80, and 3·75 years longer than he would have lived had he been subject to the rates prevalent in 1838–54. In the last Decennial Report it was shown that the expectations of life among males by the Life Table therein published were higher than those by the earlier Table for ages below 19, equal thereto at age 19, and lower at all subsequent ages. The new Life Table shows improved expectations of life, compared with those in the earlier Tables, up to 26 years of age; from age 27 until age 44 the expectations are lower than those in the first Table, but higher than those in the 1871–80 Table; for ages 45 and upwards the expectations of life are lower by the new Table than by either of the others.

According to the first Life Table, the 495,770 survivors at age 45, out of a million males born, will live about 11,284,000 years of life, or an average of 22·76 years each; according to the second Life Table the 522,374 survivors at the same age will live about 11,529,000 years of life, or an average of 22·07 years each; and according to the new Life Table the 564,437 survivors at the same age will live 12,451,000 years of life, or an average of 22·06 years each. The successive additions to the working time of life may be shown in a striking form by considering the years lived between the ages 20 and 60. A short calculation shows that

* As an example, it is evident that the inclusion within the age-group 65–75 of a number of persons under 65 years of age, would reduce the calculated mortality of the age-group; and the rate would be still further reduced if a number of persons whose ages had nearly reached the upper limit of the group were returned in the next age-group, 75–85. There is little doubt that a tendency does exist to overstate the ages of old people, both in the census returns and in the death register; but there is reason to believe that such overstatement is less frequent now than formerly.

TABLE C.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Males.**

Age x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	81,996	509,180	457,817	22,231,338	43·66
1	24,478	427,184	414,945	21,773,521	50·97
2	9,596	402,706	397,908	21,358,576	53·04
3	6,048	393,110	390,086	20,960,668	53·32
4	4,416	387,062	384,854	20,570,582	53·15
5	3,185	382,646	381,054	20,185,728	52·75
6	2,278	379,461	378,322	19,804,674	52·19
7	1,629	377,183	376,368	19,426,352	51·50
8	1,185	375,554	374,962	19,049,984	50·73
9	897	374,369	373,920	18,675,922	49·88
10	730	373,472	373,107	18,301,102	49·00
11	661	372,742	372,412	17,927,995	48·10
12	674	372,081	371,744	17,555,583	47·18
13	754	371,407	371,030	17,183,839	46·27
14	889	370,653	370,208	16,812,809	45·36
15	1,062	369,764	369,233	16,442,601	44·47
16	1,247	368,702	368,079	16,073,368	43·59
17	1,418	367,455	366,746	15,705,289	42·74
18	1,557	366,037	365,258	15,338,543	41·90
19	1,661	364,480	363,650	14,973,285	41·08
20	1,741	362,819	361,948	14,609,635	40·27
21	1,811	361,078	360,173	14,247,687	39·46
22	1,890	359,267	358,322	13,887,514	38·66
23	1,991	357,377	356,381	13,529,192	37·86
24	2,113	355,386	354,330	13,172,811	37·07
25	2,248	353,273	352,149	12,818,481	36·28
26	2,383	351,025	349,833	12,466,332	35·51
27	2,507	348,642	347,389	12,116,499	34·75
28	2,623	346,135	344,823	11,769,110	34·00
29	2,729	343,512	342,148	11,424,287	33·26
30	2,826	340,783	339,370	11,082,139	32·52
31	2,921	337,957	336,496	10,742,769	31·79
32	3,015	335,036	333,529	10,406,273	31·06
33	3,113	332,021	330,464	10,072,744	30·34
34	3,214	328,908	327,301	9,742,280	29·62
35	3,318	325,694	324,035	9,414,979	28·91
36	3,423	322,376	320,665	9,090,944	28·20
37	3,533	318,953	317,186	8,770,279	27·50
38	3,644	315,420	313,598	8,453,093	26·80
39	3,761	311,776	309,896	8,139,495	26·11
40	3,880	308,015	306,075	7,829,599	25·42
41	4,001	304,135	302,134	7,523,524	24·74
42	4,122	300,134	298,073	7,221,390	24·06
43	4,244	296,012	293,890	6,923,317	23·39
44	4,368	291,768	289,584	6,629,427	22·72
45	4,493	287,400	285,154	6,339,843	22·06
46	4,624	282,907	280,595	6,054,689	21·40
47	4,760	278,283	275,903	5,774,094	20·75
48	4,903	273,523	271,071	5,498,191	20·10
49	5,049	268,620	266,096	5,227,120	19·46

TABLE C.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Males**—*continued.*

Age x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	5,214	263,571	260,964	4,961,024	18·82
51	5,383	258,357	255,665	4,700,060	18·19
52	5,558	252,974	250,195	4,444,395	17·57
53	5,742	247,416	244,545	4,194,200	16·95
54	5,933	241,674	238,708	3,949,655	16·34
55	6,134	235,741	232,674	3,710,947	15·74
56	6,344	229,607	226,435	3,478,273	15·15
57	6,565	223,263	219,980	3,251,838	14·57
58	6,799	216,698	213,299	3,031,858	13·99
59	7,042	209,899	206,378	2,818,559	13·43
60	7,286	202,857	199,214	2,612,181	12·88
61	7,525	195,571	191,808	2,412,967	12·34
62	7,750	188,046	184,171	2,221,159	11·81
63	7,955	180,296	176,319	2,036,988	11·30
64	8,139	172,341	168,271	1,860,669	10·80
65	8,303	164,202	160,051	1,692,398	10·31
66	8,446	155,899	151,676	1,532,347	9·83
67	8,566	147,453	143,170	1,380,671	9·36
68	8,659	138,887	134,557	1,237,501	8·91
69	8,721	130,228	125,868	1,102,944	8·47
70	8,749	121,507	117,132	977,076	8·04
71	8,737	112,758	108,390	859,944	7·63
72	8,679	104,021	99,681	751,554	7·23
73	8,572	95,342	91,056	651,873	6·84
74	8,412	86,770	82,564	560,817	6·46
75	8,194	78,358	74,261	478,253	6·10
76	7,918	70,164	66,205	403,992	5·76
77	7,580	62,246	58,456	337,787	5·43
78	7,185	54,666	51,074	279,331	5·11
79	6,735	47,481	44,113	228,257	4·81
80	6,234	40,746	37,629	184,144	4·52
81	5,695	34,512	31,665	146,515	4·25
82	5,125	28,817	26,254	114,850	3·99
83	4,537	23,692	21,424	88,596	3·74
84	3,948	19,155	17,181	67,172	3·51
85	3,369	15,207	13,522	49,991	3·29
86	2,816	11,838	10,430	36,469	3·08
87	2,302	9,022	7,871	26,039	2·89
88	1,837	6,720	5,801	18,168	2·70
89	1,428	4,883	4,169	12,367	2·53
90	1,079	3,455	2,916	8,198	2·37
91	791	2,376	1,980	5,282	2·22
92	562	1,585	1,304	3,302	2·08
93	385	1,023	830	1,998	1·95
94	255	638	510	1,168	1·83
95	162	383	302	658	1·72
96	99	221	171	356	1·61
97	58	122	93	185	1·51
98	32	64	48	91	1·42
99	17	32	24	43	1·33
100	8	15	11	19	1·24
101	4	7	5	8	1·13
102	2	3	2	3	0·98
103	1	1	1	1	0·69

Note.—The figures at the higher ages in the l_x, P_x, and Q_x Columns were calculated to one or more places of decimals. For convenience the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE D.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Females.**

Age. x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
0	64,359	490,820	451,096	23,155,981	47·18
1	22,481	426,461	415,220	22,704,885	53·24
2	9,291	403,980	399,335	22,289,665	55·18
3	5,973	394,689	391,702	21,890,330	55·46
4	4,284	388,716	386,574	21,498,628	55·31
5	3,022	384,432	382,921	21,112,054	54·92
6	2,105	381,410	380,358	20,729,133	54·35
7	1,462	379,305	378,574	20,348,775	53·65
8	1,034	377,843	377,326	19,970,201	52·85
9	767	376,809	376,425	19,592,875	52·00
10	627	376,042	375,729	19,216,450	51·10
11	586	375,415	375,122	18,840,721	50·19
12	628	374,829	374,515	18,465,599	49·26
13	737	374,201	373,832	18,091,084	48·35
14	901	373,464	373,014	17,717,252	47·44
15	1,098	372,563	372,014	17,344,238	46·55
16	1,303	371,465	370,813	16,972,224	45·69
17	1,485	370,162	369,420	16,601,411	44·85
18	1,627	368,677	367,863	16,231,991	44·03
19	1,722	367,050	366,189	15,864,128	43·22
20	1,787	365,328	364,435	15,497,939	42·42
21	1,838	363,541	362,622	15,133,504	41·63
22	1,897	361,703	360,754	14,770,882	40·84
23	1,979	359,806	358,817	14,410,128	40·05
24	2,086	357,827	356,784	14,051,311	39·27
25	2,208	355,741	354,637	13,694,527	38·50
26	2,327	353,533	352,369	13,339,890	37·73
27	2,438	351,206	349,987	12,987,521	36·98
28	2,540	348,768	347,498	12,637,534	36·23
29	2,630	346,228	344,913	12,290,036	35·50
30	2,712	343,598	342,242	11,945,123	34·76
31	2,788	340,886	339,492	11,602,881	34·04
32	2,856	338,098	336,670	11,263,389	33·31
33	2,922	335,242	333,781	10,926,719	32·59
34	2,984	332,320	330,828	10,592,938	31·88
35	3,043	329,336	327,815	10,262,110	31·16
36	3,098	326,293	324,744	9,934,295	30·45
37	3,152	323,195	321,619	9,609,551	29·73
38	3,201	320,043	318,442	9,287,932	29·02
39	3,251	316,842	315,217	8,969,490	28·31
40	3,302	313,591	311,940	8,654,273	27·60
41	3,356	310,289	308,611	8,342,333	26·89
42	3,418	306,933	305,224	8,033,722	26·17
43	3,488	303,515	301,771	7,728,498	25·46
44	3,568	300,027	298,243	7,426,727	24·75
45	3,660	296,459	294,629	7,128,484	24·05
46	3,763	292,799	290,917	6,833,855	23·34
47	3,882	289,036	287,095	6,542,938	22·64
48	4,016	285,154	283,146	6,255,843	21·94
49	4,169	281,138	279,054	5,972,697	21·24

TABLE D.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881-90.—Females**—*continued.*

Age. x	Dying in each Year of Age. d_x	Born, and Surviving at each Age. l_x	Population, or Years of Life lived, in each Year of Age. P_x	Population, or Years of Life lived, in and above each Year of Age. Q_x	Expectation of Life at each Age. E_x
50	4,334	276,969	274,802	5,693,643	20·56
51	4,512	272,635	270,379	5,418,841	19·88
52	4,697	268,123	265,774	5,148,462	19·20
53	4,890	263,426	260,981	4,882,688	18·54
54	5,089	258,536	255,992	4,621,707	17·88
55	5,297	253,447	250,798	4,365,715	17·23
56	5,516	248,150	245,392	4,114,917	16·58
57	5,749	242,634	239,760	3,869,525	15·95
58	5,994	236,885	233,888	3,629,765	15·32
59	6,251	230,891	227,765	3,395,877	14·71
60	6,520	224,640	221,380	3,168,112	14·10
61	6,797	218,120	214,722	2,946,732	13·51
62	7,082	211,323	207,782	2,732,010	12·93
63	7,370	204,241	200,556	2,524,228	12·36
64	7,659	196,871	193,041	2,323,672	11·80
65	7,944	189,212	185,240	2,130,631	11·26
66	8,224	181,268	177,156	1,945,391	10·73
67	8,489	173,044	168,800	1,768,235	10·22
68	8,736	164,555	160,187	1,599,435	9·72
69	8,956	155,819	151,341	1,439,248	9·24
70	9,143	146,863	142,291	1,287,907	8·77
71	9,288	137,720	133,076	1,145,616	8·32
72	9,384	128,432	123,740	1,012,540	7·88
73	9,422	119,048	114,337	888,800	7·47
74	9,396	109,626	104,928	774,463	7·06
75	9,301	100,230	95,580	669,535	6·68
76	9,129	90,929	86,364	573,955	6·31
77	8,880	81,800	77,360	487,591	5·96
78	8,553	72,920	68,644	410,231	5·63
79	8,150	64,367	60,292	341,587	5·31
80	7,678	56,217	52,378	281,295	5·00
81	7,142	48,539	44,968	228,917	4·72
82	6,556	41,397	38,119	183,949	4·44
83	5,932	34,841	31,875	145,830	4·19
84	5,284	28,909	26,267	113,955	3·94
85	4,631	23,625	21,310	87,688	3·71
86	3,987	18,994	17,000	66,379	3·49
87	3,369	15,007	13,323	49,378	3·29
88	2,790	11,638	10,243	36,056	3·10
89	2,262	8,848	7,717	25,813	2·92
90	1,793	6,586	5,689	18,096	2·75
91	1,387	4,793	4,099	12,406	2·59
92	1,047	3,406	2,883	8,307	2·44
93	768	2,359	1,975	5,424	2·30
94	548	1,591	1,317	3,449	2·17
95	380	1,043	853	2,132	2·05
96	255	663	536	1,280	1·93
97	165	408	326	744	1·82
98	103	243	191	419	1·72
99	62	140	108	227	1·63
100	36	77	59	119	1·54
101	20	41	31	60	1·45
102	11	21	16	29	1·37
103	5	10	7	13	1·28
104	3	5	3	6	1·17
105	1	2	2	2	1·01
106	1	1	1	1	·70

Note.—The figures at the higher ages in the l_x, P_x, and Q_x Columns were calculated to one or more places of decimals. For convenience, the nearest whole numbers only are printed, but the Expectations of Life are derived from the more exact values.

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years **1881–90.—Males and Females.**

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (509,180 Males and 490,820 Females) born	
	Males.	Females.			The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
0	·83896	·86887	1,000,000	1,000,000	1,000,000	45,387,319
1	·94270	·94729	838,964	868,874	853,645	44,478,406
2	·97617	·97700	790,891	823,072	806,686	43,648,241
3	·98461	·98487	772,046	804,142	787,799	42,850,998
4	·98859	·98898	760,167	791,973	775,778	42,069,210
5	·99168	·99214	751,494	783,244	767,078	41,297,782
6	·99400	·99448	745,239	777,087	760,871	40,533,807
7	·99568	·99615	740,766	772,798	756,488	39,775,127
8	·99684	·99727	737,566	769,819	753,397	39,020,185
9	·99761	·99796	735,238	767,714	751,178	38,267,897
10	·99805	99833	733,477	766,151	749,514	37,517,552
11	·99823	·99844	732,044	764,874	748,157	36,768,716
12	·99819	·99833	730,745	763,679	746,910	36,021,182
13	·99797	·99803	729,423	762,400	745,608	35,274,923
14	·99760	·99759	727,941	760,897	744,117	34,530,061
15	·99713	·99705	726,194	759,062	742,327	33,786,839
16	·99662	·99649	724,109	756,826	740,167	33,045,592
17	·99614	·99599	721,660	754,171	737,617	32,306,700
18	·99575	·99559	718,876	751,145	734,714	31,570,534
19	·99544	·99531	715,818	747,831	731,530	30,837,413
20	·99520	·99511	712,555	744,321	728,147	30,107,574
21	·99498	·99494	709,136	740,681	724,619	29,381,191
22	·99474	·99476	705,579	736,937	720,970	28,658,396
23	·99443	·99450	701,867	733,072	717,183	27,939,320
24	·99406	·99417	697,958	729,039	713,213	27,224,122
25	·99364	·99379	693,809	724,788	709,014	26,513,008
26	·99321	·99342	689,392	720,290	704,558	25,806,222
27	·99281	·99306	684,714	715,549	699,848	25,104,020
28	·99242	·99272	679,788	710,581	694,903	24,406,644
29	·99206	·99240	674,637	705,408	689,740	23,714,323
30	·99171	·99211	669,279	700,049	684,381	23,027,262
31	·99136	·99182	663,728	694,523	678,843	22,345,650
32	·99100	·99155	657,992	688,844	673,134	21,669,662
33	·99063	·99128	652,070	683,024	667,263	20,999,463
34	·99023	·99102	645,957	677,071	661,228	20,335,218
35	·98981	·99076	639,645	670,992	655,030	19,677,089
36	·98938	·99050	633,129	664,792	648,669	19,025,239
37	·98893	·99025	626,405	658,479	642,148	18,379,830
38	·98845	·99000	619,467	652,058	635,463	17,741,025
39	·98794	·98974	612,309	645,535	628,618	17,108,985
40	·98740	·98947	604,923	638,912	621,606	16,483,872
41	·98685	·98918	597,304	632,185	614,424	15,865,857
42	·98627	·98886	589,446	625,347	607,067	15,255,112
43	·98566	·98851	581,350	618,384	599,527	14,651,815
44	·98503	·98811	573,014	611,277	591,795	14,056,154
45	·98437	·98765	564,437	604,007	583,859	13,468,327
46	·98366	·98715	555,612	596,550	575,706	12,888,544
47	·98290	·98657	546,532	588,833	567,319	12,317,032
48	·98207	·98591	537,184	580,975	558,677	11,754,034
49	·98120	·98517	527,554	572,791	549,758	11,199,817

TABLE E.—**Life Table for England and Wales,** based on the Mortality in the Ten Years, **1881–90.—Males and Females**—*continued.*

Age. x	Chance of Living One Year from each Age. p_x		Of 1,000,000 Males born, the Number Surviving at each Age. l_x	Of 1,000,000 Females born, the Number Surviving at each Age. l_x	Of 1,000,000 of both Sexes (509,180 Males and 490,820 Females) born	
	Males.	Females.			The Number Surviving at each Age. l_x	Population, or Years of Life lived, in and above each Year. Q_x
50	·98022	·98435	517,639	564,299	540,540	10,654,667
51	·97917	·98345	507,398	555,468	530,992	10,118,901
52	·97803	·98248	496,827	546,276	521,097	9,592,857
53	·97679	·98144	485,911	536,706	510,842	9,076,888
54	·97545	·98032	474,634	526,743	500,210	8,571,362
55	·97398	·97910	462,981	516,375	489,188	8,076,662
56	·97237	·97777	450,934	505,583	477,757	7,593,190
57	·97060	·97631	438,476	494,343	465,897	7,121,363
58	·96862	·97470	425,583	482,631	453,583	6,661,623
59	·96645	·97293	412,230	470,419	440,790	6,214,436
60	·96408	·97098	398,400	457,682	427,497	5,780,293
61	·96152	·96884	384,090	444,399	413,691	5,359,699
62	·95879	·96649	369,311	430,550	399,369	4,953,169
63	·95588	·96392	354,091	416,122	384,537	4,561,216
64	·95277	·96110	338,468	401,107	369,212	4,184,341
65	·94943	·95801	322,482	385,503	353,414	3,823,029
66	·94583	·95463	306,176	369,316	337,167	3,477,738
67	·94191	·95094	289,589	352,562	320,497	3,148,906
68	·93765	·94691	272,766	335,266	303,442	2,836,936
69	·93303	·94252	255,761	317,468	286,047	2,542,192
70	·92800	·93775	238,632	299,220	268,370	2,264,983
71	·92252	·93256	221,450	280,592	250,478	2,005,560
72	·91656	·92694	204,292	261,669	232,453	1,764,094
73	·91009	·92085	187,246	242,550	214,390	1,540,673
74	·90306	·91429	170,411	223,353	196,396	1,335,280
75	·89542	·90721	153,890	204,208	178,588	1,147,788
76	·88716	·89960	137,797	185,260	161,093	977,947
77	·87822	·89144	122,248	166,661	144,046	825,378
78	·86857	·88271	107,360	148,568	127,586	689,562
79	·85817	·87338	93,249	131,142	111,848	569,844
80	·84699	·86343	80,023	114,536	96,963	465,439
81	·83500	·85285	67,779	98,894	83,051	375,432
82	·82217	·84163	56,595	84,342	70,214	298,799
83	·80848	·82975	46,531	70,985	58,533	234,426
84	·79391	·81720	37,619	58,900	48,064	181,127
85	·77845	·80398	29,866	48,133	38,832	137,679
86	·76209	·79009	23,249	38,698	30,832	102,848
87	·74482	·77551	17,718	30,575	24,029	75,417
88	·72666	·76026	13,197	23,711	18,358	54,224
89	·70762	·74435	9,590	18,027	13,731	38,180
90	·68772	·72778	6,786	13,418	10,041	26,294
91	·66699	·71057	4,667	9,765	7,169	17,688
92	·64546	·69274	3,113	6,939	4,991	11,609
93	·62319	·67432	2,009	4,807	3,382	7,422
94	·60024	·65533	1,252	3,241	2,229	4,617
95	·57666	·63581	752	2,124	1,426	2,790
96	·55253	·61580	433	1,351	884	1,636
97	·52794	·59534	239	832	530	929
98	·50297	·57448	126	495	307	510
99	·47773	·55326	64	284	172	270
100	·45230	·53175	30	157	92	138
101	·42681	·51001	14	84	48	68
102	·40137	·48808	6	43	24	32
103	·37608	·46605	2	21	11	14
104	—	·44397	1	10	5	6
105	—	·42192	—	4	2	2
106	—	·39997	—	2	1	1
107	—	—	—	1	—	—

TABLE F.—**Comparison** of **Three English Life Tables,** based respectively upon the Mortality in **1838–54,** in **1871–80,** and in **1881–90.—Males.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
0	1,000,000	1,000,000	1,000,000	39·91	41·35	43·66	0
1	836,405	841,417	838,964	46·65	48·05	50·97	1
2	782,626	790,201	790,891	48·83	50·14	53·04	2
3	754,849	763,737	772,046	49·61	50·86	53·32	3
4	736,845	746,587	760,167	49·81	51·01	53·15	4
5	723,716	734,068	751,494	49·71	50·87	52·75	5
6	713,881	726,815	745,239	49·39	50·38	52·19	6
7	706,156	721,103	740,766	48·92	49·77	51·50	7
8	699,688	716,309	737,566	48·37	49·10	50·73	8
9	694,346	712,337	735,238	47·74	48·37	49·88	9
10	689,857	708,990	733,477	47·05	47·60	49·00	10
11	685,982	706,146	732,044	46·31	46·79	48·10	11
12	682,512	703,595	730,745	45·54	45·96	47·18	12
13	679,256	701,200	729,423	44·76	45·11	46·27	13
14	676,057	698,840	727,941	43·97	44·26	45·36	14
15	672,776	696,419	726,194	43·18	43·41	44·47	15
16	669,296	693,695	724,109	42·40	42·58	43·59	16
17	665,529	690,746	721,660	41·64	41·76	42·74	17
18	661,402	687,507	718,876	40·90	40·96	41·90	18
19	656,868	683,941	715,818	40·17	40·17	41·08	19
20	651,903	680,033	712,555	39·48	39·40	40·27	20
21	646,502	675,769	709,136	38·80	38·64	39·46	21
22	641,028	671,344	705,579	38·13	37·89	38·66	22
23	635,486	666,754	701,867	37·46	37·15	37·86	23
24	629,882	661,997	697,958	36·79	36·41	37·07	24
25	624,221	657,077	693,809	36·12	35·68	36·28	25
26	618,503	651,998	689,392	35·44	34·96	35·51	26
27	612,731	646,757	684,714	34·77	34·24	34·75	27
28	606,906	641,353	679,788	34·10	33·52	34·00	28
29	601,026	635,778	674,637	33·43	32·81	33·26	29
30	595,089	630,038	669,279	32·76	32·10	32·52	30
31	589,094	624,124	663,728	32·09	31·40	31·79	31
32	583,036	618,056	657,992	31·42	30·71	31·06	32
33	576,912	611,827	652,070	30·74	30·01	30·34	33
34	570,716	605,430	645,957	30·07	29·33	29·62	34
35	564,441	598,860	639,645	29·40	28·64	28·91	35
36	558,083	592,107	633,129	28·73	27·96	28·20	36
37	551,634	585,167	626,405	28·06	27·29	27·50	37
38	545,084	578,019	619,467	27·39	26·62	26·80	38
39	538,428	570,656	612,309	26·72	25·96	26·11	39
40	531,657	563,077	604,923	26·06	25·30	25·42	40
41	524,761	555,254	597,304	25·39	24·65	24·74	41
42	517,734	547,288	589,446	24·73	24·00	24·06	42
43	510,567	539,161	581,350	24·07	23·35	23·39	43
44	503,247	530,858	573,014	23·41	22·71	22·72	44
45	495,770	522,374	564,437	22·76	22·07	22·06	45
46	488,126	513,702	555,612	22·11	21·44	21·40	46
47	480,308	504,836	546,532	21·46	20·80	20·75	47
48	472,306	495,761	537,184	20·82	20·18	20·10	48
49	464,114	486,479	527,554	20·17	19·55	19·46	49

TABLE F.—**Comparison** of **Three English Life Tables,** based respectively upon the Mortality in **1838–54,** in **1871–80,** and in **1881–90.**—**Males**—*cont.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
50	455,727	476,980	517,639	19·54	18·93	18·82	50
51	447,139	467,254	507,398	18·90	18·31	18·19	51
52	438,099	457,022	496,827	18·28	17·71	17·57	52
53	428,801	446,510	485,911	17·67	17·12	16·95	53
54	419,256	435,729	474,634	17·06	16·53	16·34	54
55	409,460	424,677	462,981	16·45	15·95	15·74	55
56	399,408	413,351	450,934	15·86	15·37	15·15	56
57	389,088	401,740	438,476	15·26	14·80	14·57	57
58	378,481	389,827	425,583	14·68	14·24	13·99	58
59	367,570	377,591	412,230	14·10	13·68	13·43	59
60	356,330	365,011	398,400	13·53	13·14	12·88	60
61	344,744	352,071	384,090	12·96	12·60	12·34	61
62	332,789	338,820	369,311	12·41	12·07	11·81	62
63	320,451	325,256	354,091	11·87	11·56	11·30	63
64	307,720	311,368	338,468	11·34	11·05	10·80	64
65	294,588	297,156	322,482	10·82	10·55	10·31	65
66	281,064	282,638	306,176	10·32	10·07	9·83	66
67	267,160	267,829	289,589	9·83	9·60	9·36	67
68	252,901	252,763	272,766	9·36	9·14	8·91	68
69	238,328	237,487	255,761	8·90	8·70	8·47	69
70	223,490	222,056	238,632	8·45	8·27	8·04	70
71	208,453	206,539	221,450	8·03	7·85	7·63	71
72	193,297	190,971	204,292	7·62	7·45	7·23	72
73	178,114	175,449	187,246	7·22	7·07	6·84	73
74	163,003	160,074	170,411	6·85	6·70	6·46	74
75	148,076	144,960	153,890	6·49	6·34	6·10	75
76	133,453	130,227	137,797	6·15	6·00	5·76	76
77	119,251	115,986	122,248	5·82	5·68	5·43	77
78	105,592	102,359	107,360	5·51	5·37	5·11	78
79	92,587	89,449	93,249	5·21	5·07	4·81	79
80	80,343	77,354	80,023	4·93	4·79	4·52	80
81	68,946	66,153	67,779	4·66	4·51	4·25	81
82	58,471	55,842	56,595	4·41	4·26	3·99	82
83	48,970	46,489	46,531	4·17	4·01	3·74	83
84	40,471	38,132	37,619	3·95	3·78	3·51	84
85	32,979	30,785	29,866	3·73	3·56	3·29	85
86	26,476	24,436	23,249	3·53	3·36	3·08	86
87	20,926	19,054	17,718	3·34	3·17	2·89	87
88	16,268	14,576	13,197	3·16	2·99	2·70	88
89	12,428	10,926	9,590	3·00	2·82	2·53	89
90	9,321	8,015	6,786	2·84	2·66	2·37	90
91	6,859	5,748	4,667	2·69	2·51	2·22	91
92	4,946	4,025	3,113	2·55	2·37	2·08	92
93	3,492	2,749	2,009	2·41	2·24	1·95	93
94	2,411	1,828	1,252	2·29	2·12	1·83	94
95	1,628	1,183	752	2·17	2·01	1·72	95
96	1,071	742	433	2·06	1·90	1·61	96
97	688	452	239	1·95	1·81	1·51	97
98	430	266	126	1·85	1·72	1·42	98
99	262	151	64	1·76	1·65	1·33	99
100	154	82	30	1·68	1·61	1·24	100

TABLE G.—**Comparison** of **Three English Life Tables,** based respectively upon the Mortality in **1838-54,** in **1871-80,** and in **1881-90.—Females.**

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838-54.	1871-80.	1881-90.	1838-54.	1871-80.	1881-90.	
0	1,000,000	1,000,000	1,000,000	41·85	44·62	47·18	0
1	865,288	871,266	868,874	47·31	50·14	53·24	1
2	811,711	820,480	823,072	49·40	52·22	55·18	2
3	782,990	793,359	804,142	50·20	52·99	55·46	3
4	764,060	775,427	791,973	50·43	53·20	55·31	4
5	750,550	762,622	783,244	50·33	53·08	54·92	5
6	740,584	755,713	777,087	50·00	52·56	54·35	6
7	732,771	750,276	772,798	49·53	51·94	53·65	7
8	726,116	745,631	769,819	48·98	51·26	52·85	8
9	720,537	741,727	767,714	48·35	50·53	52·00	9
10	715,769	738,382	766,151	47·67	49·76	51·10	10
11	711,581	735,405	764,874	46·95	48·96	50·19	11
12	707,770	732,697	763,679	46·20	48·13	49·26	12
13	704,155	730,122	762,400	45·44	47·30	48·35	13
14	700,581	727,571	760,897	44·66	46·47	47·44	14
15	696,917	724,956	759,062	43·90	45·63	46·55	15
16	693,050	722,084	756,826	43·14	44·81	45·69	16
17	688,894	718,993	754,171	42·40	44·00	44·85	17
18	684,378	715,622	751,145	41·67	43·21	44·03	18
19	679,463	711,946	747,831	40·97	42·43	43·22	19
20	674,119	707,949	744,321	40·29	41·66	42·42	20
21	668,345	703,616	740,681	39·63	40·92	41·63	21
22	662,474	699,141	736,937	38·98	40·18	40·84	22
23	656,509	694,521	733,072	38·33	39·44	40·05	23
24	650,463	689,759	729,039	37·68	38·71	39·27	24
25	644,342	684,858	724,788	37·04	37·98	38·50	25
26	638,148	679,822	720,290	36·39	37·26	37·73	26
27	631,891	674,661	715,549	35·75	36·54	36·98	27
28	625,575	669,372	710,581	35·10	35·83	36·23	28
29	619,201	663,959	705,408	34·46	35·11	35·50	29
30	612,774	658,418	700,049	33·81	34·41	34·76	30
31	606,296	652,747	694,523	33·17	33·70	34·04	31
32	599,769	646,957	688,844	32·53	33·00	33·31	32
33	593,196	641,045	683,024	31·88	32·30	32·59	33
34	586,575	635,003	677,071	31·23	31·60	31·88	34
35	579,908	628,842	670,992	30·59	30·90	31·16	35
36	573,192	622,554	664,792	29·94	30·21	30·45	36
37	566,431	616,144	658,479	29·29	29·52	29·73	37
38	559,619	609,599	652,058	28·64	28·83	29·02	38
39	552,758	602,924	645,535	27·99	28·15	28·31	39
40	545,844	596,113	638,912	27·34	27·46	27·60	40
41	538,876	589,167	632,185	26·69	26·78	26·89	41
42	531,849	582,104	625,347	26·03	26·10	26·17	42
43	524,765	574,919	618,384	25·38	25·42	25·46	43
44	517,617	567,612	611,277	24·72	24·74	24·75	44
45	510,403	560,174	604,007	24·06	24·06	24·05	45
46	503,122	552,602	596,550	23·40	23·38	23·34	46
47	495,768	544,892	588,833	22·74	22·71	22·64	47
48	488,339	537,043	580,975	22·08	22·03	21·94	48
49	480,833	529,048	572,764	21·42	21·36	21·24	49

TABLE G.—**Comparison** of **Three English Life Tables,** based respectively upon the Mortality in **1838–54,** in **1871–80,** and in **1881–90.—Females**—*cont.*

Age. x	Born and Surviving at each Age. l_x			Mean After-lifetime (Expectation of Life). E_x			Age. x
	1838–54.	1871–80.	1881–90.	1838–54.	1871–80.	1881–90.	
50	473,245	520,901	564,299	20·75	20·68	20·56	50
51	465,572	512,607	555,468	20·09	20·01	19·88	51
52	457,814	504,188	546,276	19·42	19·34	19·20	52
53	449,966	495,645	536,706	18·75	18·66	18·54	53
54	442,027	486,973	526,743	18·08	17·98	17·88	54
55	433,331	477,440	516,375	17·43	17·33	17·23	55
56	424,239	467,443	505,583	16·79	16·69	16·58	56
57	414,761	456,992	494,343	16·17	16·06	15·95	57
58	404,895	446,079	482,631	15·55	15·45	15·32	58
59	394,636	434,695	470,419	14·94	14·84	14·71	59
60	383,974	422,835	457,682	14·34	14·24	14·10	60
61	372,895	410,477	444,399	13·75	13·65	13·51	61
62	361,387	397,644	430,550	13·17	13·08	12·93	62
63	349,436	384,319	416,122	12·60	12·51	12·36	63
64	337,031	370,495	401,107	12·05	11·96	11·80	64
65	324,165	356,165	385,503	11·51	11·42	11·26	65
66	310,833	341,326	369,316	10·98	10·90	10·73	66
67	297,048	325,988	352,562	10·47	10·39	10·22	67
68	282,819	310,170	335,266	9·97	9·89	9·72	68
69	268,177	293,899	317,468	9·48	9·41	9·24	69
70	253,161	277,225	299,220	9·02	8·95	8·77	70
71	237,822	260,207	280,592	8·57	8·50	8·32	71
72	222,230	242,934	261,669	8·13	8·07	7·88	72
73	206,464	225,497	242,550	7·71	7·65	7·47	73
74	190,620	208,003	223,353	7·31	7·25	7·06	74
75	174,800	190,566	204,208	6·93	6·87	6·68	75
76	159,126	173,316	185,260	6·56	6·51	6·31	76
77	143,722	156,392	166,661	6·21	6·16	5·96	77
78	128,711	139,927	148,568	5·88	5·82	5·63	78
79	114,229	124,065	131,142	5·56	5·50	5·31	79
80	100,394	108,935	114,536	5·26	5·20	5·00	80
81	87,323	94,662	98,894	4·98	4·90	4·72	81
82	75,119	81,305	84,342	4·71	4·63	4·44	82
83	63,862	68,966	70,985	4·45	4·37	4·19	83
84	53,615	57,723	58,900	4·21	4·12	3·94	84
85	44,419	47,631	48,133	3·98	3·88	3·71	85
86	36,284	38,710	38,698	3·76	3·66	3·49	86
87	29,202	30,958	30,575	3·56	3·46	3·29	87
88	23,135	24,338	23,711	3·36	3·26	3·10	88
89	18,027	18,788	18,027	3·18	3·08	2·92	89
90	13,802	14,225	13,418	3·01	2·90	2·75	90
91	10,376	10,553	9,765	2·85	2·74	2·59	91
92	7,650	7,658	6,939	2·70	2·58	2·44	92
93	5,526	5,429	4,807	2·55	2·44	2·30	93
94	3,908	3,756	3,241	2·42	2·30	2·17	94
95	2,704	2,533	2,124	2·29	2·17	2·05	95
96	1,827	1,661	1,351	2·17	2·11	1·93	96
97	1,204	1,057	832	2·06	2·03	1·82	97
98	774	653	495	1·96	1·83	1·72	98
99	483	389	284	1·86	1·73	1·63	99
100	295	225	157	1·76	1·62	1·54	100

the average numbers of years lived between these limits of age by each male born are 20·92, 22·00, and 23·56, respectively, according to the three Life Tables.

Females.—By the two earlier Tables a million female children born were reduced to half a million in the 47th and 53rd years of age respectively; by the New Table this amount of reduction is not reached until the 57th year. As in the case of males, the number of infants surviving at the end of the first year of life by the new Table is intermediate between the numbers similarly surviving by the earlier Tables. At all other ages until 85 inclusive the numbers surviving are greater by the new Table than by either of the others; but as is also the case among males, the numbers of survivors at extreme ages diminish more rapidly by the new Table than by either of the older ones. The expectation of life at birth, which had been 41·85 years and 44·62 years respectively in the earlier Tables, is further increased by the new Table to 47·18 years. The expectations at the several ages up to 44 years are greater by the new Table than by either of the others. At age 44 and again at age 45 the expectations of life by the three Tables are practically equal, being 24·72, 24·74, and 24·75 respectively at age 44, and 24·06, 24·06, and 24·05 at age 45. At all ages beyond 45 the expectations of life are less by the new Table than by either of the previous Tables. The average numbers of years lived between the ages 20 and 60 by each female born are 21·65, 23·48, and 25·12 by the three Life Tables respectively.

*Changes of Classification.**

In the year 1881 the classification of death-causes which had been used in the General Register Office up to the end of 1880 was modified and brought into conformity with the revised nomenclature prepared by the Royal College of Physicians about that period.†

Consequently, the whole of the Tables referring to the decennium 1881–90 have been compiled according to the new method, and the death-rates of the two preceding decennia, which are given in Table 5, have been as nearly as possible harmonized with the same classification.‡

Particulars of the nature of the corrections made will be found under the appropriate headings in Table H.

In comparing critically the rates of earlier decennia with those of 1881–90, it is important to remember that slight residual differences in the two sets of figures still exist in the Tables, for which no correction can be applied. The more important of these differences are here referred to:—

(1.) Up to the end of 1880 the deaths ascribed to Rötheln were referred in the official Tables to Measles; the former disease is now classified under the new heading "Rubella," or Epidemic Rose Rash. (2.) The deaths from enteric fever were formerly augmented by the inclusion of the deaths referred by certificate to infantile remittent fever, and also of the deaths under 5 years of age referred to remittent fever. The deaths from these causes are now separated from enteric fever, and included under the heading "Remittent Fever." (3.) The deaths from "brain fever" used to be classed with those from simple continued fever; they are now otherwise dealt with, after special inquiry. (4.) Fibroid tumour was formerly

* For further information on this point see Appendix to Tables 17 to 22 in the Registrar General's 57th Annual Report, pages lxxiv–lxxix.

† See the Registrar-General's 44th Annual Report, pages xvii–xx.

‡ This will explain why it is that some of the rates for 1861–70 and 1871–80, given in Table 5 of this volume, do not exactly agree with those published in the Decennial Supplement for 1871–80, pages cxii–cxvi.

TABLE H.—**Changes** of **Classification** adopted in **1881** which affect the DISEASES given in the DECENNIAL SUPPLEMENT.

Name of Disease.	Heading from which removed.*	Heading to which removed.*
Addison's Disease	Dis. of Urinary System	Other Causes (Dis. of Lymphatic System).
Adenitis	Scrofula	Other Causes (Dis. of Lymphatic System).
Atelectasis	Dis. of Respiratory System	Other Causes (Developmental Diseases).
Brain Fever	Simple Continued Fever	Dis. of Nervous System.
Cancrum Oris	Other Causes (Diathetic Diseases).	Dis. of Digestive System.
Cerebro-Spinal Fever	Typhus	Other Causes (Miasmatic Diseases).
Chickenpox	Small-pox (until 1875 inclusive)	Other Causes (Miasmatic Diseases).
Chlorosis	Dis. of Generative System	Other Causes (Constitutional Diseases).
Croup	Other Causes (Miasmatic Diseases).	Dis. of Respiratory System.
Diabetes Mellitus	Dis. of Urinary System	Other Causes (Constitutional Diseases).
Epistaxis	Dis. of Respiratory System	Other Causes (Diseases of Organs of Special Sense).
Disease of Eye	Dis. of Nervous System	Other Causes (Diseases of Organs of Special Sense).
Fibroid Tumour	Cancer	Other Causes (Ill-defined and not specified causes; if localized, classed to organ affected).
Senile Gangrene	Other Causes (Diathetic Diseases).	Dis. of Circulatory System.
Hæmorrhage	Dis. of Circulatory System	Other Causes (Ill-defined and not specified causes).
Hydrocephalus (chronic)	Hydrocephalus	Dis. of Nervous System.
Hydropericardium	Other Causes (Diathetic Diseases).	Dis. of Circulatory System.
Laryngismus Stridulus	Dis. of Respiratory System	Dis. of Nervous System.
Lumbar Abscess	Scrofula	Other Causes (Diseases of Organs of Locomotion).
Lupus	Cancer	Other Causes (Diseases of Integumentary System).
Lymphadenoma	Scrofula	Other Causes (Diseases of Lymphatic System).
Noma Pudendi	Other Causes (Diathetic Diseases).	Dis. of Generative System.
Otitis, Otorrhœa	Dis. of Nervous System	Other Causes (Diseases of Organs of Special Sense).
Polypus	Cancer	Other Causes (Ill-defined and not specified causes; if localised, classed to organ affected).
Psoas Abscess	Scrofula	Other Causes (Diseases of Organs of Locomotion).
Quinsy	Other Causes (Miasmatic Diseases).	Dis. of Digestive System.
Relapsing Fever	Simple Continued Fever	Other Causes (Miasmatic Diseases).
Remittent Fever (Under 5 Years of Age).	Enteric Fever	Other Causes (Malarial Diseases).
Rötheln	Measles	Other Causes (Miasmatic Diseases).
Sea Sickness	Dis. of Nervous System	Dis. of Digestive System.
Spleen, Dis. of	Diseases of Digestive System	Other Causes (Diseases of Lymphatic System).
Tabes Dorsalis	Diseases of Generative System	Dis. of Nervous System.
Teething	Other Causes (Congenital Malformations and Developmental Diseases of Children).	Dis. of Digestive System.

Note.—Italics in the first column of the above Table indicate that correction for the change of classification respecting that disease could not be made for years prior to 1881; in all other instances complete correction has been applied.

* When a disease has been removed from or to the line "Other Causes" in the Tables of the Supplement, the class of Diseases in the Annual Report list which is affected by the change is indicated in brackets.

included amongst cancerous affections; this is no longer the practice. (5.) Deaths from chronic hydrocephalus were formerly referred to "Tubercular Meningitis"; but under the new method of classification they are placed among diseases of the nervous system. (6.) Under the old method deaths ascribed to "Hæmorrhage," without further particulars, were classed to diseases of the circulatory system. Such cases are now made the subject of special inquiry, and whenever the actual cause of the hæmorrhage cannot be ascertained they are relegated to a separate heading "Hæmorrhage" in the group of indefinite causes.

Faulty Certification of Causes of Death.

At the commencement of the decennial period to which these remarks relate, my predecessor, Dr. Ogle, set himself to devise a remedy for the unsatisfactory manner in which a large proportion of the death-causes were certified by medical men; the cause of death being in many cases stated so vaguely that it was impossible to say to what definite heading the deaths ought to be referred. Accordingly, in the year 1881, a system of confidential inquiry was commenced between the General Register Office and the certifying medical practitioners throughout England and Wales. As a result of this system which has been continued ever since, a large number of ambiguously worded certificates have been so far improved as to render them serviceable for purposes of vital statistics. The exigencies of office work have permitted the carrying out of this laborious process only to a limited extent. More than twenty-two thousand letters were written from this Office in the course of the decennium 1881–90, and the results hitherto obtained have been so satisfactory as to encourage the hope that in future it may be possible to deal similarly with a much larger proportion of these faulty certificates, unless indeed, the practice of special inquiry now in force tends to render such inquiry less necessary as time goes on,—a consummation devoutly to be wished.

Of the letters addressed to medical practitioners, about four thousand related to deaths of which the certified cause was "Peritonitis," occurring in women of child-bearing age. More than one thousand of these deaths were eventually transferred to what is known as puerperal fever. Again, of more than three thousand deaths returned as from pyæmia, blood-poisoning, &c. about seven hundred were ascertained to have been due to puerperal causes. Of 272 deaths certified as from "Hæmorrhage" simply in the six years 1885–90, 69 were shown to have been connected with childbirth; and of 244 deaths ascribed in the certificates to metritis, nearly half were found to have been connected with the puerperal state. From the preventive, as well as from the statistical standpoint, it cannot be otherwise than important that a large number of deaths, the causes of which had been so inadequately returned that the certificates are without scientific value, should have been proved by the definite statement of practitioners in attendance to have been directly connected with childbirth.

Of the deaths in the last six years of the decennium, referred to "Dropsy" without specification of the disease producing it, not fewer than 3066 were made the subject of inquiry, and of these 51 were found to have been due to scarlet fever, 1662 to heart disease, 641 to disease of the kidneys, and 333 to other stated causes; whilst with respect to the remaining 379 deaths the cause of the dropsy could not be ascertained.

From the year 1887 to the end of the decennium inquiries were made concerning 2946 deaths which had been referred to "Tumour" without specification as to its nature. Of these deaths, 1426 came eventually to be classed with cancer, 92 with venereal disease, 36 with tuberculosis, 103 with uterine disease, and 952 with other definite causes; whilst, with respect to the 337 remaining deaths, the exact nature of the tumour was unknown. Letters of inquiry were issued respecting 412 deaths which had

been certified as from "Typhoid Pneumonia," leaving uncertain the exact nature of the disease. Of these 412 deaths, 181 were eventually found to have been due to enteric fever, 212 to pneumonia, and the remainder to other definite causes.

The important character of the work achieved by this system of inquiry will be appreciated when the fact is realized that several thousand deaths have by its aid been rescued from amongst the ill-defined group of ailments, and added to definite and serviceable headings in the statistical records of this Office. Since the year 1885, 1942 deaths have been added to diseases of the heart and circulatory system, 1548 to malignant diseases, 1458 to puerperal fever and other disorders of parturition, 818 to diseases of the urinary system, 458 to tubercular diseases, 248 to venereal diseases, 271 to uterine diseases, and 260 to enteric fever.

Balance of Gain and Loss in the Mortality from specified Causes.

From Table 5 it may be gathered that in the decennium under present consideration there was, as compared with the preceding ten years, a life saving equal in the aggregate to 2192 lives annually in each million of the English population. The following Table, which is a summary of the more extended Table above referred to, indicates the headings under which this life-saving has been accomplished.

TABLE I.—**Annual Deaths** PER **Million** PERSONS LIVING.

	1871–80.	1881–90.	Annual Decrease in 1881–90.	Annual Increase in 1881–90.
Small-pox	234	45	189	—
Measles	378	440	—	62
Scarlet Fever	716	334	382	—
Diphtheria	121	163	—	42
Whooping-cough	512	450	62	—
Typhus	57	14	43	—
Enteric Fever	322	196	126	—
Continued Fever	103	25	78	—
Diarrhœal Diseases	935	674	261	—
Cancer	468	589	—	121
Phthisis	2,116	1,724	392	—
Other Tubercular Diseases	747	696	51	—
Diabetes	38	57	—	19
Diseases of the Nervous System	2,789	2,592	197	—
" " Circulatory System	1,339	1,576	—	237
" " Respiratory System	3,899	3,729	170	—
" " Digestive System	1,165	1,104	61	—
" " Urinary System	350	435	—	85
Puerperal Fever, Childbirth	167	153	14	—
Violence	733	648	85	—
All other and unstated Causes	4,083	3,436	647	—
ALL CAUSES	21,272	19,080	2,758	566
Balance of Decrease and Increase	—	—	2,192	—

Zymotic Diseases.—Taking together the first eight causes of death in this Table, namely, those which are known as the "Common Infectious Diseases," we find that their average mortality in 1881–90 for the most part fell considerably, as compared with the corresponding mortality in 1871–80, the only exceptions being measles and diphtheria, both of which diseases showed an increase.

According to Table 5, it appears that the deaths directly ascribed to small-pox in the recent decennium were in the proportion of 45 per million persons living at all ages. The mortality from small-pox, which, in 1871–80 had shown an increase equal to 74 per million upon the mean rate of the preceding decennium, exhibited a striking decrease in the decennium ending with 1890, the fall being equal to 189 per million living, or 81 per cent. of the small-pox mortality in 1871–80. The decrease was common to all ages and to both sexes, although in varying degrees. Among children aged under five years the decline was equal to 84 per cent., and from 5–10 years, to 88 per cent. At all other ages the decline, though less considerable, was yet strongly marked.

With reference to the condition as to vaccination of the victims to small-pox, unfortunately the medical certificates furnish but meagre information.* Of the 12,280 persons whose deaths were returned as due to that disease in England and Wales during the decennium under notice, 2145 were stated to have been vaccinated, and 3370 to have been unvaccinated, whilst with respect to the remaining 6765, or more than half, no information was obtainable.

The average annual mortality from measles has not fluctuated greatly in the course of the last thirty years. In the decennium last ended the rate among persons without distinction of sex or of age was 440 per million living, the same rate as that which had obtained in 1861–70 also; the rate in the intermediate decennium having been 378. As measles is mainly fatal to young children, it will be advisable, for purposes of comparison, to examine the mortality at the earlier ages. In 1881–90 the death-rate among children under five years old was 3131 per million living at that age, against 2568 in 1871–80, and 2998 in the preceding decennium.† According to these figures, therefore, it would appear that the mortality from measles among children was greater in the recent decennium than it had been in the previous ten years: and the table at foot shows that the increase of mortality extended to each of the years in the first quinquennium of life; it also shows that the disease is constantly more fatal in the second than in the first year of age.‡ In each of these decennia the male rate at all ages was considerably higher than the female, but at ages above five years the reverse was the case almost uniformly.

In the course of the last three decennia the annual mortality from scarlet fever has fallen steadily and very considerably; the mean death-rates in the decennia ending respectively with 1870, 1880, and 1890, having been

* This does not apply to the deaths occurring in small-pox hospitals, from which the necessary particulars are much more frequently obtainable.

† *Measles.*—Death-rate per million living at each year of age under five :—

Decennia.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	2,737	6,243	3,236	1,730	968	2,998
1871–80	2,767	5,411	2,465	1,389	778	2,568
1881–90	3,365	6,673	2,916	1,684	1,031	3,131

‡ For local distribution of measles mortality, *see* pages xlviii–xlix.

972, 716, and 334 per million of the population at all ages. It is difficult to ascertain whether this rapid decline in the registered mortality depends upon a diminished prevalence of scarlet fever, or whether the disease has assumed a milder form in recent years; the returns, however, of the London Fever Hospital and of the hospitals of the Metropolitan Asylums Board would seem to support the latter view. In each of the decennia dealt with in Table 5 the mortality from scarlet fever was higher among males than among females, both at all ages and also in the case of children under ten years old, but, among persons aged from ten years to forty-five, the female rate in each decennium appears to have been almost uniformly the highest. The death-rates from this disease among children at the earlier ages are given in a table at foot.* From this table it appears that scarlet fever, like diphtheria and unlike whooping-cough, is less fatal to infants under one year of age than to those in their second, third, fourth, or fifth years; and this is so whether the facts for the earlier or for the later decennia are considered.†

The annual rate of mortality from diphtheria, which in the two preceding decennia had fallen from 185 per million to 121, again rose to 163 per million in the decennium ending with 1890. Table 5 shows that it is during the periods of childhood and early youth that the mortality from diphtheria is especially formidable; it is relatively low at ages from fifteen to twenty years, and tends to become still lower as life advances. It is interesting to note that at all ages up to forty-five years, and especially between five and fifteen years, the mortality is uniformly higher among females than among males, whilst at ages from forty-five to seventy-five years the reverse holds good. The increase of diphtheria mortality in recent years has occurred during the earlier ages exclusively. Reference to Table 5 shows that in the last two decennia diphtheria mortality has increased among children under five years of age, from 472 per million living to 690, and among children from five to ten years of age from 291 per million to 424. The 1881–90 rate from five to ten years of age was even higher than the very high rate in 1861–70. The death-rates for each year of age under five are given in a table at foot.‡ The figures in this table show that diphtheria agrees with scarlet fever in being less fatal to infants in their first year of life than in any other year of the first five. They also indicate that the first year of age is the only period of those given in the table at which diphtheria mortality has decreased during the last decennium.§

---

* *Scarlet Fever.*—Death-rate per million living at each year of age under five:—

Decennia.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	2,026	5,172	5,907	5,687	4,667	4,624
1871–80	1,414	3,965	4,535	4,286	3,469	3,489
1881–90	671	1,886	2,112	2,048	1,706	1,669

† For local distribution of scarlet fever mortality, *see* page xlix.

‡ *Diphtheria.*—Death-rate per million living at each year of age under five:—

Decennia.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	581	909	803	832	736	767
1871–80	287	489	483	580	547	472
1881–90	282	685	773	896	848	690

§ For local distribution of diphtheria mortality, *see* page xlix.

The confusion which, in the last Decennial Supplement, Dr. Ogle had to deplore in regard to the medical certification of diphtheria, unfortunately still persists, although perhaps to a somewhat less extent. Instances are still probably numerous in which the diphtheritic nature of certain cases of sore throat is omitted from the certificates, but there is reason to believe that the instances are now comparatively rare in which laryngismus stridulus is confounded with diphtheritic croup. It is the practice in this Office to class under the head of Diphtheria all deaths which are referred to "membranous croup;" deaths returned as from croup simply, being referred to the heading "Croup," among diseases of the respiratory system.*

The mortality caused directly by whooping-cough, which in the two previous decennia had been equal to 527 and 512 per million respectively, fell to 450 in the decennium under present notice. In each of the three decennia the mortality from whooping-cough was heavier among females than among males. As in the case of measles, and for a similar reason, the relative mortality from this disease at different periods may best be ascertained by examination of the rates amongst children at the earlier ages; particulars of the death-rates at each year of age under five are therefore appended.† From the table at foot it will be seen that throughout the last three decennia, with a single exception, whooping-cough mortality showed a decline in every year of age under five. In each period the mortality was highest in the first year, and decreased rapidly in each subsequent year.‡

The mortality from "fever," without distinction as to the forms of disease included under that term, was equal to 235 per million living. It was less than half of the mortality in the ten-year period ending with 1880, and hardly more than one-fourth of that in the preceding decennium 1861–70. In table 5 the mean rates of mortality are given for each of the eleven ætal periods, and in the table at foot, the corresponding facts are given for each of the first five years of life.§ Since the year 1868 the three chief forms of disease in this unsatisfactory group, have been separately classified in the returns of the General Register Office. Accordingly, Table 5 shows the mean rates for typhus, for enteric fever, and for simple or ill-defined continued fever, respectively, in each of the last two decennia. It would appear from these figures as though the mortality from both typhus and simple continued fever had fallen in recent years

---

* For further remarks on this point, *see* page xxxii.

† *Whooping-cough.*—Death-rate per million living at each year of age under five :—

Decennia.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	7,255	6,072	2,732	1,422	748	3,766
1871–80	7,394	6,040	2,435	1,283	663	3,652
1881–90	7,085	5,490	2,168	1,186	641	3,370

‡ For local distribution of mortality from whooping-cough, *see* page xlix.

§ "*Fever.*"—Death-rates per million living at each year of age under five :—

Decennia.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	820	1,340	1,469	1,387	1,280	1,248
1871–80	401	679	756	734	691	646
1881–90	95	167	211	235	249	190

even more rapidly than that from enteric fever. There is no doubt that typhus is gradually becoming extinct in England, but it is at least probable that many of the deaths formerly ascribed to "Continued Fever" were really cases either of typhus or of enteric fever, so that the diminution of mortality from simple continued fever is, in part, only apparent. If this is the case, then the proportional decrease in enteric fever mortality must be actually greater than it appears to be from the Tables, the true rate in 1871–80 having been higher than 322 per million.

On reference to Table 5 it will seen that the decrease in "Fever" mortality has been by far the greatest among children under 5 years, and among persons above 55 years of age, whilst it has been proportionally least among persons aged between 15 and 35 years.

Enteric fever mortality appears, according to the subjoined table, to have shown a remarkably steady decline since 1875; the uncorrected rate at all ages having fallen from 374 in the quinquennial period 1871–75, to 179 in the five years ending with 1890.

TABLE J.—ENGLAND AND WALES.—DEATH-RATES from ENTERIC FEVER per MILLION living at all AGES.

Quinquennia.	Persons.	Males.	Females.
1871–75	374	375	373
1876–80	277	281	273
1881–85	216	230	203
1885–90	179	195	164

At ages under 20 years, females suffered more heavily than males during 1871–80, and also (though the excess was less marked) during 1881–90.* At ages above 20, males suffered rather more severely than females in 1871–80, and very much more so in 1881–90. In other words, the improvement in the male rates has not been commensurate with the improvement in the female rates, and this is especially noticeable among adults. May not differences of occupation or of habit have been operative here?†

The annual mortality from diarrhœal diseases, which had previously fallen from an average rate of 1076 per million in 1861–70 to a rate of 935 in 1871–80, fell further and much more decidedly in the ten-year period under present review, when the mean rate did not exceed 674 per million. As will be seen on reference to Table 5, and also to the note at foot, it is at the extremes of life, and especially in early infancy, that diarrhœal diseases are most fatal. According to the data for each of the last three decennia, it appears that these complaints are most fatal during the first year of life, the rates in each of the four subsequent years being very much lower. Not only is this the case, but the rate under one year has decreased far more slowly than has the rate in any other year under five.‡ Table 5 would seem to indicate that the decrease has recently been

* *See* table 5, page cx.

† For local distribution of enteric fever mortality, *see* page l.

‡ *Diarrhœal Diseases* (including cholera).—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
1861–70	19,645	6,097	1,309	525	333	5,985
1871–80	19,817	5,650	998	244	192	5,728
1881–90	16,044	3,768	601	232	145	4,346

greater among very old people than among young children; it is doubtful, however, whether this is actually the case, or whether on the contrary the question is not mainly one of improved diagnosis. Speaking generally diarrhœal diseases are more fatal to males than to females. The deaths included in these tables under the head of "Diarrhœal Diseases" are those which have been returned by the registrars under one or other of the following designations—diarrhœa, dysentery, intestinal or gastro-intestinal catarrh, cholera, or choleraic diarrhœa. Although the mortality from diarrhœal complaints is known to be powerfully affected by meteorological conditions, nevertheless there is reason to believe that very much of the decrease in recent years has resulted directly from improvements in sanitary administration, especially in those parts of England and Wales which had formerly been notorious for filth abominations, and likewise for excessive fatality from diarrhœal complaints. It is only fair, however, to recognise, as also contributory to this fall in mortality, the fact already alluded to, that medical practitioners are now more careful than they formerly were in certifying causes of death, and that consequently many deaths which would in earlier days have been referred to diarrhœa, without mention of its cause, are now attributed, with greater precision, to the actual diseases of which diarrhœa is often a symptom merely.*

The total deaths in 1881–90 assigned to puerperal fever and other accidents of childbirth numbered 42,092, and were equal to a rate of 297 per million females living, the rates in the decennia ending with 1870 and 1880 having been 321 and 325 respectively. If, however, the mortality from these causes is expressed in relation to births (which is the only correct method) instead of to females living, it is found to differ but little from that of the two preceding decennia, the rates having been 4·69, 4·75, and 4·73 per 1000 births, respectively. There was, however, an actual decrease of mortality in the last decennium, calculated in the ordinary way, for in consequence of the system of inquiry referred to at page xxii, nearly three thousand deaths, which in the first instance, had been indefinitely certified, were added to the total deaths from puerperal fever and childbirth during that period.† In this connection it is important to remember that with respect to a large number of deaths taking place during the period of childbirth, no intimation of the fact of recent delivery appears in the medical certificate.

Constitutional Diseases.—This class of diseases, as constituted to-day, is in the aggregate but imperfectly comparable with what had been known as the constitutional class prior to 1881. Several of the diseases formerly included in that group have been excluded from our present constitutional class, which, on the other hand, now includes diseases that were originally distributed otherwise. In the present volume, as the several diseases affected by these changes have come under review, particulars have where possible been given of the nature of the transfers effected. As explained at page xx, this has not always been practicable, but we may assume that, where the incidence of the individual diseases included in this class, and not that of the entire class of constitutional diseases, is under consideration, the figures for successive decennia may in most cases be compared without serious risk of error.

The deaths referred to cancer or malignant disease, which in the two decennia immediately preceding had corresponded to annual rates of 384 and 468 respectively in each million persons living, further rose in the decennium last ended to 589. Throughout the entire period the increase has been steadily progressive from year to year. If, therefore, the correctness of the above figures be accepted without further question, it will

* For remarks on local incidence of diarrhœa mortality, *see* pages l, lii.

† Puerperal fever mortality, with reference to its local incidence, is further dealt with at page lii.

appear that, in the course of the last twenty years the mortality from malignant disease has increased by 53 per cent. It is only right, however, to mention that within the last six years of the recent decennium the sum of the deaths ultimately referred to cancer has been augmented by not fewer than 1548, in conseqence of the system of inquiry already referred to. These deaths have increased the rate of cancer mortality in the recent decennium by 6 per million. Moreover, the experience of the last ten years lends support to a contention advanced in the last decennial supplement, namely, that, apart from the additions just adverted to, the increase is not wholly real, but may be accounted for, to some extent, on the assumption that the true nature of obscure cases of malignant disease has been recognised with ever increasing certainty in recent years, and that, as a consequence, the statement of death causes by medical men has been made with greater precision than had formerly been the case. The experience of 1881–90 again confirms that of the earlier decennium in showing that the increase of cancer mortality is greater among males than among females. Thus, Dr. Ogle, writing in 1885 on the increase of mortality from malignant disease in 1871–80, remarked that the rate among males had increased within twenty years by 62 per cent. whilst the rate among females had increased by 43 per cent. only. The figures now available show that if the recent decennium is contrasted with 1861–70 the increase of mortality has been as great as 78 per cent. among males, the increase among females having been 42 per cent.

In the recent decennium the mortality from cancer among persons of both sexes was low up to the age of 25 years, and was not high until after the 35th year of life. Among males from 25 to 35 years old the mortality has increased since 1871–80 by 13 per cent., which is the lowest rate of increase observed at any period of life. Among females at the same age the rate shows, exceptionally, a decrease of one per million living. This is the solitary instance in which even the slightest abatement is apparent in the ravages of cancer; and even this exception will be found to conform to the rule, if the rates of the recent decennium be compared with those of 1861–70 instead of with those of 1871–80. The excess in the recent decennium, as compared with its predecessor, increases rapidly and progressively as age advances, reaching 44 per cent. for males between 55 and 75 years of age, and 30 per cent. for females over 75.*

The aggregate mortality from tubercular diseases as a group has decreased continuously throughout the last three decennia, the rates having fallen from 3240 per million in 1861–70 to 2420 in 1881–90; but, in spite of this decline, the aggregate death-toll from diseases of the tubercular group is still so heavy as to demand constant and watchful attention. On reference to Table 5 it will be seen that pulmonary consumption, the principal disease in this group, is mainly fatal during adolescence and maturity, whilst tabes mesenterica, acute hydrocephalus, and the remaining forms of tuberculosis are fatal chiefly to young children. In fact, the mortality from tubercular diseases, as a group, is found to be very serious throughout the entire span of life, from infancy to old age.

Tubercular phthisis, the most destructive member of the group, caused a mortality, in the recent decennium, equal to 1724 per million; these figures indicate a life saving on the rate of 1871–80 equal to 392 per million living, the life saving in 1871–80 as compared with the previous decennium having been 359 per million. In the course of the last twenty years the crude mortality from phthisis has decreased by 30 per cent. Among males the rate of decrease has been equal to 25 per cent., and among females to 35 per cent. In Table K. the rates of mortality are given among persons, and also among males and females separately, in each

* For remarks on local incidence of mortality from malignant disease, *see* pages lii–lvii.

TABLE K.—PHTHISIS.—ENGLAND AND WALES.—**1851–90.** ANNUAL DEATH-RATES among PERSONS, MALES, and FEMALES in each million living.

Year.	Persons.	Males.	Females.	Female Rate to Male Rate taken as 1000.
1851	2,734	2,649	2,816	
1852	2,773	2,673	2,869	
1853	2,984	2,880	3,083	
1854	2,755	2,657	2,849	
1855	2,777	2,671	2,879	
1856	2,564	2,465	2,658	1,076
1857	2,602	2,482	2,717	
1858	2,591	2,473	2,703	
1859	2,547	2,450	2,640	
1860	2,557	2,457	2,652	
1861	2,581	2,488	2,670	
1862	2,502	2,440	2,561	
1863	2,476	2,430	2,520	
1864	2,533	2,520	2,545	
1865	2,541	2,525	2,557	
1866	2,602	2,608	2,597	1,006
1867	2,539	2,549	2,530	
1868	2,336	2,353	2,321	
1869	2,352	2,393	2,313	
1870	2,410	2,467	2,357	
1871	2,342	2,404	2,284	
1872	2,271	2,345	2,201	
1873	2,194	2,290	2,103	
1874	2,081	2,199	1,970	
1875	2,202	2,296	2,113	
1876	2,119	2,223	2,020	918
1877	2,079	2,176	1,987	
1878	2,111	2,211	2,017	
1879	2,021	2,140	1,908	
1880	1,869	1,939	1,804	
1881	1,825	1,920	1,735	
1882	1,850	1,947	1,758	
1883	1,880	1,967	1,797	
1884	1,827	1,927	1,733	
1885	1,770	1,875	1,670	
1886	1,739	1,874	1,612	871
1887	1,615	1,728	1,508	
1888	1,568	1,717	1,428	
1889	1,573	1,719	1,435	
1890	1,682	1,868	1,506	

of the forty years 1851–90. The following results are worthy of notice, as bearing upon the question of sex incidence in phthisis. From the year 1851 to 1865 the phthisis rate was greater among females than among males, although the difference gradually diminished as time went on. Ever since the year 1866, however, the mortality has been uniformly in excess, not among females as formerly, but among males; and in the last two decennia the excess of the male rate over the female rate was greater than had been the excess of the female over the male rate in the first decennium included in the table. From information obtained since 1890 it has been ascertained that a similar change in the sex incidence of phthisis mortality is still going on. As had been the case in the preceding decennium, so was it also in the ten years under present review, the mortality from phthisis showed a decline at each of the eleven age-groups in both sexes, with the single exception that in 1881–90 the rate among males over 75 years was higher by 14 per cent. than in the preceding ten years.*

The term "Other Tubercular Diseases" includes the diseases known as tabes mesenterica, tubercular peritonitis, tubercular meningitis, and general tuberculosis or scrofula. It has before been stated that the diseases of the present group mainly affect infants and young children. Table 2 shows that among children under five years old the deaths from tubercular diseases were relatively more numerous than those referred to any other heading in the table, with the exception of respiratory diseases; tubercular diseases contributed nearly 8 per cent. to the mortality from all causes. The aggregate death-rate from these forms of disease has shown a slight decline in the course of the last three decennia, but the rate in 1881–90 appears, according to the tables, somewhat lower than, in strict accuracy, it ought to be; for, ever since the year 1881 the deaths referred to chronic hydrocephalus have been removed from the tubercular class to which they had previously belonged, and, in deference to the revised classification of the Royal College of Physicians, have been placed in the class of nervous diseases. This discrepancy, however, has not very seriously affected the calculated mortality from "Other Tubercular Diseases." As in the case of phthisis, the mortality from other tubercular diseases is considerably higher among males than among females.

According to the returns, the mortality from diabetes mellitus in recent years appears to have grown much heavier than formerly. It might appear, at first sight, as though this disease were of merely trivial importance, since the rate at all ages in 1881–90, although considerably higher than in either of the two previous decennia, nevertheless amounted to not more than 57 per million of the population. When, however, the mortality is considered in relation to age, the serious character of diabetes becomes apparent. This disease is seldom fatal within the first twenty-five years of life; but, throughout the periods of maturity and decline, the mortality, especially among males, becomes very high. Thus, in the decennium under review, the death-rates amongst males at the age periods 45–55, 55–65, 65–75, and 75 and upwards, were equal to 134, 282, 397, and 314 per million living; and, although amongst females the mortality was much lower, it is nevertheless obvious not only that the mortality has already become considerable, but that it is increasing as years go on.

Diseases of the Nervous System.—The registered mortality from diseases of the nervous system in the aggregate was lower in 1881–90 than it had been in the preceding decennium, the rate having fallen from 2789 per million to 2592—a gain, under this head, of 197 lives per million. The reduction of mortality was relatively greatest in both sexes at ages under 5, and from 25 to 35 years; whilst, in the case of females from 5–15 years, and above 55 years old, and in that of males above 65 years of age, the mortality

* For further remarks on phthisical mortality and its local incidence, *see* page lvii.

showed an increase on the rates of the previous decennium. The reduction within the last 10 years among children is perhaps mainly due to the transference to other and more definite causes, of deaths which in earlier times would have been ascribed to convulsions. For, on reference to the detailed tables in successive annual reports, it is found that the mortality from nervous diseases, excluding convulsions, has actually increased. On the other hand the fact previously adverted to should be remembered in this connection, namely, that in the new classification chronic hydrocephalus is included among nervous diseases: this has been the case only since the year 1880.*

Diseases of the Circulatory System.—The mortality attributed to diseases of the organs of circulation, both among males and females, has steadily and rapidly increased throughout the last forty years. As compared with the rates in 1871–80 the mortality among males increased, in the recent decennium, at all age-groups except those from 5–10 and 20–45 years. At ages under five years the increase amounted to 43 per cent. and at ages above 75 years, to 41 per cent. Among females the increase affected every age-group, but, as in the case of males, that increase was greatest among young children and old people. There is no doubt that, as was stated in the last decennial supplement, some of the excessive increase at the more advanced ages is due to the fact that many of the deaths which in former years would have been referred to decay of nature are now returned as due to some specified disease. It should, however, be mentioned, that in all cases where the deaths of very old people are ascribed in the certificates to senile decay accompanied by *failure*, as distinguished from *definite disease* of the heart, it has long been the practice here to refer such deaths to "Old Age," and not to Diseases of the Circulatory System.

Diseases of the Respiratory System.—As compared with that of 1871–80, the mortality in the recent decennium from diseases of the respiratory system has decreased somewhat, but as compared with that of 1861–70, it has slightly increased. The aggregate mortality in 1881–90 was considerably affected by the enormous rise in the death-rate from respiratory diseases which occurred in the year 1890 as a concomitant of the sudden outburst of influenza. In the classification used in this volume the disease indefinitely termed "Croup,"† without specification as to its nature, has been imported into this group from that of zymotic diseases, whilst the disease known as "Laryngismus Stridulus" has been transferred from this group to that of diseases of the nervous system. Epistaxis also has been eliminated, and placed among diseases of the "Organs of Special Sense."

On reference to Table 5 it will be noticed that the principal fatality from respiratory diseases takes place at the extremes of life; but that the mortality under 5 years, although excessively high, is less than that at ages over 65 years. At every age-group, except that from 10–15 years, the mortality from these diseases is considerably heavier among males than

---

* See pages xxi, xxii.

† *Croup.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	1,128	2,299	1,932	1,586	1,053	1,593
1871–80	702	1,430	1,233	1,101	801	1,047
1881–90	535	1,212	1,044	989	786	907

among females, and this is so whether the rates of earlier or of more recent decennia are compared.

Relatively to population the total deaths directly attributed to bronchitis were fewer in 1881–90 than they had been in the previous decennium, the mortality being equal to a rate of 2138 per million, as against 2285 in 1871–80. Nevertheless, the 1881–90 rates were higher by 21 per cent. than those of 1861–70. The changes in mortality from bronchitis will be more readily appreciated by contrast with concurrent changes in the mortality from other diseases of the respiratory organs. At ages under 5 years the death-rate from bronchitis was considerably higher than it had been in the previous decennium.* On the other hand, the corresponding rate from pneumonia showed a very noteworthy decrease.† At all ages after the fifth year, both among males and females, there was a reduction in bronchitis mortality, whilst, on the contrary, the mortality from pneumonia, in both sexes, showed an increase at every age-group after the fifth year; the difference becoming more strongly accentuated after middle age.

The mortality from pleurisy, as contrasted with that from either bronchitis or pneumonia, is at present inconsiderable, except at the later ages of life; but it seems to be increasing steadily as one decennium succeeds another—and this is true with respect to males and females alike. The portion of Table 5 relating to pleurisy agrees with that relating to pneumonia in showing a mortality which is considerably heavier after than before middle life; but no excessive mortality from pleurisy, at all approaching that from either bronchitis or pneumonia, appears to beset early childhood.

Both laryngitis‡ and the morbid condition loosely designated "croup" have this in common, that they cause a considerable mortality in childhood, the last-named condition being returned as the cause of death at that

---

* *Bronchitis.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	12,426	6,346	2,157	1,026	565	4,741
1871–80	19,289	9,665	2,839	1,236	660	7,024
1881–90	21,436	10,322	2,804	1,195	642	7,497

† *Pneumonia.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	12,658	7,779	2,889	1,421	818	5,345
1871–80	9,193	6,928	2,225	1,152	704	3,982
1881–90	7,892	5,922	2,224	1,201	782	3,668

‡ *Laryngitis.*—Death-rates per million living at each year of age under five:—

Decennia.	Years of Age.					
	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.
1861–70	232	290	230	202	158	223
1871–80	206	239	176	163	140	185
1881–90	275	313	246	244	203	256

period only. It will scarcely be denied, even by those who advocate the retention in scientific nomenclature of the term croup, that a large proportion of the deaths so returned have probably a diphtheritic origin. At any rate, the fact deserves mention that recently, in proportion as medical diagnosis has become more exact, the mortality from so-called croup has steadily fallen, whilst the mortality definitely ascribed to diphtheria has steadily risen. The accompanying figures, which represent annual rates of mortality in England and Wales, per million living at all ages, show this clearly :—

—	Croup.	Diphtheria.	Croup and Diphtheria.
1871–80	168	121	289
1881–90	144	163	307

There is little doubt that the last column in this table furnishes a truer measure than does the preceding column, of the actual increase of diphtheria in the recent decennium.

Diseases of the Digestive System.—According to Table 5, diseases of the digestive system in the aggregate give rise to a mortality which is slowly but steadily decreasing, the rates having been lower in 1881–90 than in either of the two decennia immediately preceding. In consequence of the adoption in 1881 of the new classification previously referred to, several important additions have been made to the list of diseases in this group. For example, the deaths from sore throat and quinsy, which had originally been classed among zymotic diseases, have since 1880 been included in the digestive group. The deaths from teething also have since that date, been transferred to this group, from that of developmental diseases. In respect of these diseases alone, the digestive group contained, in 1881–90, 52,309 additional deaths, which, under the former method of classification, would have gone to increase the mortality of other disease groups. Correction has been made for this difference in the rates for 1861–80. This class of diseases has likewise been increased by the addition of a large number of deaths which in earlier years would have been indefinitely assigned to diarrhœa, but which are now more correctly certified as due to enteritis or gastro-enteritis. Among diseases of the digestive system are included the large group of liver diseases which are ætiologically important from their frequent relation to intemperance. It is desirable therefore to examine somewhat further the group of liver diseases. This has been done in the following table :—

Table L.—Mean Death-rates per Million living at all Ages.

—	Males.			Females.		
	1861–70.	1871–80.	1881–90.	1861–70.	1871–80.	1881–90.
All Diseases of Liver	435	441	359	396	407	336
Cirrhosis	43	110	140	26	74	102
Ascites	26	17	9	40	27	15
Other Liver Diseases	366	314	210	330	306	219

It thus appears, firstly, that in the recent decennium there has been a decided fall in the mortality from liver diseases in the aggregate; and, secondly, that liability to these diseases is by no means restricted to one sex, females being almost as frequently as males the victims. That

cirrhosis of the liver should appear in the tables more frequently now than in earlier years, by no means proves that this particular form of liver disease has become relatively more prevalent in later years. It is probably due to the fact often before referred to in this volume, that generally speaking the cause of death is now more accurately stated in the medical certificates than it used to be. Included under the heading "Other Liver Diseases" in the above table the principal specific forms of disease are jaundice, icterus neonatorum, hepatitis, gallstone, and congestion of liver; most of the remainder being described as "liver disease," simply.

Diseases of the Urinary System.—The registered mortality from diseases of the urinary system has shown a rapid and progressive increase in the course of the last thirty years, and this is the case whether the periods compared are decennial, quinquennial, or annual. In 1861–70 the deaths from diseases of this class corresponded to a rate of 266 per million persons living, in the succeeding decennium the rate was 350, and in the decennium under present review it was as high as 435 per million. Therefore, within the period covered by these three decennia, the rate of mortality from diseases of the urinary system has increased by 64 per cent. As has already been mentioned, the group of urinary diseases does not now, as it formerly did, include diabetes, which in the new classification is placed among diseases of the constitutional class. Addison's disease also has been transferred from this class to the group of lymphatic diseases.

Under the heading "Diseases of the Urinary System" are now included several ailments of varying ætiological significance. Prominent among these is the group of kidney diseases which unfortunately cannot, except in certain instances, be distinguished from "Other Diseases of the Urinary System," *e.g.*, those of the bladder, prostate gland, &c. If, however, the deaths definitely ascribed to acute nephritis and to chronic nephritis (Bright's disease) be taken to represent approximately the group of kidney diseases, the following Table will illustrate the age and sex incidence of the mortality thereby caused in the last thirty years.

TABLE M.—**Annual Mortality** returned under the Headings NEPHRITIS and BRIGHT'S DISEASE per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
1861–70	Persons	112	56	40	29	37	59	97	160	220	314	392	330
1871–80	Persons	199	108	70	44	60	86	149	264	399	608	777	728
1881–90	Persons	281	157	78	50	70	105	172	338	557	934	1379	1384
1861–70	Males	136	66	51	33	42	64	113	195	285	397	501	441
1871–80	Males	234	125	86	46	61	88	167	312	506	766	982	942
1881–90	Males	319	171	91	52	73	107	182	377	671	1138	1698	1760
1861–70	Females	90	46	30	24	32	54	83	128	160	238	299	244
1871–80	Females	164	90	55	42	58	83	133	220	302	466	601	563
1881–90	Females	246	143	64	48	66	103	162	302	453	755	1114	1103

Comparing the figures of the last decennium with those of the first, we find that at each of the eleven age-periods, in both sexes, the mortality from these diseases has increased rapidly. The rate of increase, however, has been uniformly greater among females than among males. At the more advanced periods (over 65 years) the female rates in 1881–90 were to those of 1861–70 in the proportion of about four to one.

Deaths by Violence.—The deaths thus classified in the tables include those returned by the registrars as caused by accident, homicide, and suicide. Happily the deaths from homicide are relatively so few that they do not materially alter the aggregate mortality from violence. In the course of the last thirty years the deaths caused by violence have steadily decreased proportionally to population; but, inasmuch as deaths by suicide have unfortunately increased, it follows that the other violent deaths, namely, those due to accident, have relatively decreased during the same period. As in previous decennia, so also in 1881–90, violent deaths were most frequent among males, the mortality increasing gradually from the tenth year of age to the end of life.

Local Variations of the Death-Rate in 1881–90.

It is familiar knowledge that the death-rate varies not only in the same place at different times, but also in different places at the same time. Of the 27½ millions of persons constituting the mean population of England and Wales in 1881–90, about 11½ millions resided within the combined area of the 78 principal towns; an area which approximately represents the more distinctly urban portion of England: the remaining 16 millions inhabited those mainly rural portions of England which lie outside the boundaries of the principal towns.

During the ten-year period ending with 1890 the uncorrected or "crude" death-rate of the urban portion of England differed very materially from that of the rural portion, and when these rates are approximately corrected for age and sex constitution of the respective populations the difference is increased: this will be seen by the following table:

—	England and Wales.	Urban England.	Rural England.
Crude Death-Rate - - - -	19·08	21·08	17·63
Corrected Death-Rate * - - -	19·08	22·32	16·95

From these figures it is readily seen that if the crude mortality of the rural districts of England in 1881–90 be taken as 100, then the crude mortality of the urban districts will be represented by 120. If, however the mortalities, as here approximately corrected, be compared, the ratio will stand as 132 to 100.*

The "*Crude Death-rate*," by which is meant the rate of mortality calculated from population and registered deaths, without reference to sex or age, is useful as a rough measure of the sanitary condition of a given place, from time to time, provided that no serious disturbance has taken place in the age-constitution of its population; but, in comparing with one another the death-rates of different places, the use of crude death-rates is likely to lead to error unless adequate caution is observed.

For example, a crude death-rate which would be extremely low among the inmates of an infirmary for the aged would be abnormally high among the boys of a training ship. It is, of course, improbable that comparison would often be made between communities so differently constituted as

* The method of correction hereafter described (pp. xxxvii–xxxviii) is inapplicable to "urban" and "rural" England, as the death-rates at the various ages are not known. The following method has therefore been used:—The English death-rates at 11 age-groups have been applied to the aggregate populations at the same ages in "urban" and "rural" England; the resulting death-rates are called "Standard death-rates." The quotients of the rate for the whole country by these standard rates are the "factors for correction for age and sex distribution." The crude death-rates multiplied by these factors give the corrected death-rates.

these, but a recent illustration taken from the English counties will show that the liability to error referred to is a real one.

At the Census of 1891 the populations of Norfolk and Lancashire were found to be distributed, respectively, as follows, over three groups of ages.

—	Per 1000 Population.	
	In Norfolk.	In Lancashire.
Under 15 years of Age - -	353	352
15 and under 45 years - - -	410	479
45 and upwards - - -	237	169

If from every 1000 of the population of Norfolk 68 persons over 45 years of age were removed and their places filled by an equal number of persons between 15 and 45 years of age, the age-distribution of Norfolk, grouped as above, would become practically identical with that of Lancashire. And, since the death-rate at ages between 15 and 45 is considerably less than that at ages over 45, this change of age-distribution would of itself, and irrespective of sanitary condition, reduce the crude death-rate of Norfolk. The extent of the reduction may be roughly indicated by assuming a death-rate of 9 per 1000 among persons at ages between 15 and 45, and a death-rate of 40 per 1000 among persons at ages over 45 years, these being approximately the average rates in the two age-groups. It may readily be shown that the substitution of 68 younger persons for the 68 older persons would lower the crude death-rate of the county by 2·1 per 1000 living. This shows conclusively that no fair comparison is possible between the crude death-rates of Norfolk and Lancashire. In areas smaller than counties, for example in the crowded towns of Lancashire on the one hand, and in some of the rural parts of Norfolk on the other, the differences of age-distribution are still greater. It is therefore futile to compare the crude death-rates of different districts unless their populations are known to be alike with respect to age and sex constitution. If, however, it can be ascertained what the mortality in district A. would have been had the population in the various age-groups been subject to the death-rates incidental to those age-groups in district B., the mortalities of the two districts will have been reduced to a *common basis*, and will therefore be comparable with each other. Still better will it be to reduce the mortalities of the several districts to a *uniform standard basis;* and for this purpose the age-distribution of the entire country suggests itself. Taking, then, the mean population of England and Wales in 1881–90 as a standard,* the following question has to be answered for each district:

* The populations in the several age-groups in the Tables on pp. 4, 5, constitute the standard population adopted for the purposes of the present volume. For convenience in calculating the corrected death-rate, the standard population has been reduced to an average million of persons, grouped thus:—

Age.	Males.	Females.
0	64,122	64,557
5	59,333	59,673
10	54,806	54,765
15	49,720	50,287
20	42,922	47,564
25	71,131	77,499
35	55,095	58,944
45	40,472	44,478
55	27,151	30,893
65	15,184	18,326
75 & upds.	5,591	7,487
All Ages	485,527	514,473

What would have been the general death-rate in England and Wales had each age-group of the population been subject to the same mortality as that which prevailed in district A., district B., &c.

The necessary calculation has been made for every registration county and district in England and Wales, and the results are shown as "Death-rates in Standard Population" in the Tables on pp. 6–728.

The case of Norwich may be taken as an illustration. Among the 64,122 males under five years old (which is the proportion living, at this age, in each million of the standard population), the mortality has been calculated at the rate of 70·58 per thousand, *i.e.*, the Norwich death-rate at ages under five years. Similarly, the mortality among the 59,333 males aged from five to ten years in the standard population has been calculated at the Norwich death-rate of 3·82 per 1000; and so on for persons of both sexes at all the remaining age-groups. The sum of the deaths at the several ages thus calculated represents a death-rate of 18·81 per 1000 living at all ages. Sanitary conditions remaining unchanged, it is evident that if the population of Norwich had been constituted like that of England and Wales in regard to age and sex, the Norwich rate would have been that above mentioned, namely, 18·81 per 1000. This is the "*Death-rate in Standard Population*" as calculated for Norwich, and it is lower by 1·02 per 1000 than the recorded or "crude" death-rate. On taking separately the deaths calculated by the foregoing method for the male and female constituents of the standard population, the corrected death-rates appear as 20·20 for males and 17·51 for females, as against crude rates of 21·30 and 18·57 respectively.

The importance of this correction will be made evident by the following table which shows the "Death-rates in Standard Population" for several districts whose "Crude Death-rates" differed but slightly from the Norwich rate:

District.		Crude Death-rate.	Death-rate in Standard Population.
Number.	Name.		
56	Bridge	19·86	16·60
172	Biggleswade	19·88	17·85
37	Godstone	19·78	18·03
125	Uxbridge	19·88	18·55
225	Norwich	19·83	18·81
589	Bridgend	19·82	19·70
475	Chorley	19·82	20·22
497	Bradford	19·90	20·96
495	Huddersfield	19·86	21·50
502	Dewsbury	19·82	21·88

Judged by their crude death-rates alone, these ten districts would appear to be about equally healthy; but when their mortality is adjusted for differences of age and sex constitution of population, the rates are found to range between such extremes as 16·60 per 1000 for Bridge, and 21·88 for Dewsbury.

In the Tables on pages 6–95, both the crude and the corrected rates of mortality are given for males and females separately in every Registration County of England and Wales; and in Table N are given the rates for persons without distinction of sex. In the following table the two orders of rates, *for persons only*, are shown in parallel columns, the counties being arranged in the ascending order of their corrected death-rates. In column 3 of this table has been inserted the "comparative mortality figure," which represents the mortality of each county after

correction for age and sex constitution of population, compared with the mortality of England and Wales taken as 1000.

TABLE N.—MEAN ANNUAL DEATH-RATES per 1000 PERSONS LIVING in REGISTRATION COUNTIES during the Ten Years 1881–90, showing (1) Crude Rates, (2) Rates in Standard Population, and (3) Comparative Mortality figures.

Counties in Order of Standard Death-rate.	Crude Death-rate.	Rate in Standard Population.	Comparative Mortality Figure.
Columns	1.	2.	3.
England and Wales	19·08	19·08	1000
Huntingdonshire	16·41	13·94	730
Rutlandshire	16·25	14·20	744
Dorsetshire	16·18	14·24	746
Westmorland	15·52	14·32	750
Sussex	15·66	14·94	783
Wiltshire	16·92	14·95	783
Herefordshire	17·32	15·01	787
Berkshire	16·17	15·02	787
Oxfordshire	16·81	15·15	794
Buckinghamshire	16·78	15·26	800
Suffolk	17·61	15·29	801
Cambridgeshire	17·29	15·40	807
Hertfordshire	16·89	15·41	808
Somersetshire	17·34	15·50	812
Shropshire	17·42	15·51	813
Surrey	15·29	15·58	817
Norfolk	18·03	15·58	817
Kent	16·57	15·94	835
Lincolnshire	17·51	15·94	835
Hampshire	16·70	16·00	838
Northamptonshire	17·08	16·21	850
Bedfordshire	17·31	16·30	854
Essex	16·82	16·32	855
Devonshire	18·30	16·56	868
Middlesex	16·13	16·62	871
Worcestershire	16·99	16·66	873
Gloucestershire	17·82	16·89	885
North Wales	18·68	17·06	894
Cornwall	18·98	17·18	900
North Riding	18·15	17·67	926
Derbyshire	17·74	17·88	937
Leicestershire	18·42	17·92	939
Cumberland	18·38	17·95	941
South Wales	19·13	19·04	998
Nottinghamshire	19·44	19·13	1003
East Riding	19·48	19·14	1003
Warwickshire	19·01	19·25	1009
Cheshire	18·85	19·43	1018
Monmouthshire	19·70	19·53	1024
Staffordshire	19·65	19·99	1048
Northumberland	19·78	20·19	1058
Durham	19·83	20·57	1078
West Riding	20·03	21·23	1113
London	20·31	21·42	1123
Lancashire	22·40	24·19	1268

On comparing this table with a similar one published by Dr. Ogle in his Decennial Supplement for 1871–80, a striking similarity will be noticed between the two tables, notwithstanding that the rates of mortality in the more recent decennium are everywhere lower than in the earlier. It is well known that correction for age and sex differences of population has the effect of increasing the death-rate of populous places, and of diminishing the rate of rural districts; the reason for this may be gathered from p. xxxvii. In the present instance we find that correction has increased the death-rate of eight of the principal mining or manufacturing counties, and has reduced, in some cases very considerably, the rates of those counties which are distinctively rural in character.

Hitherto, only the inherent defect of the crude death-rate has been dealt with, namely, the fact that it is largely affected by the age and sex composition of the population, independently of sanitary condition. But there are, in addition, other difficulties connected with the data on which death-rates are based, and these difficulties affect not merely the crude

death-rates, but the rates in the various age-groups also, and consequently the rates in standard population which are derived therefrom. The difficulties as to the deaths themselves will first be considered, and subsequently those connected with estimates of population.

The existence within a district of a hospital receiving patients from outside places causes the mortality of the district which contains the hospital to be overstated, and that of the districts from which those patients are drawn to be correspondingly understated. London City affords a typical illustration of this. The deaths registered within this district in the course of the last decennium, numbered 13,733; but 6,604, or nearly half of these occurred in St. Bartholomew's Hospital. On the other hand, 2,502 deaths occurred in workhouse establishments belonging to London City, but situated outside its limits; consequently none of these deaths were entered in the City registers. Unfortunately, up to the year 1885, no means existed of determining how many of the persons who died in St. Bartholomew's Hospital had been brought there from districts outside London City. Since the year 1885, however, this defect has been remedied, and a valuable series of tables has been published in the successive Annual Summaries, showing the mortality *belonging to* each sanitary area in Registration London, after complete distribution of the deaths occurring in public institutions.

A Summary of these tables for the six years 1885–90 is given in Table O. That table shows the deaths registered in the several areas, and also the deaths actually belonging to those areas, after distribution, as before mentioned. It will be seen that the effect of distribution is to lower the mortality of Whitechapel in these six years by 28 per cent., and that of the City of London by 29 per cent., but to raise the mortality of St. Giles by 24 per cent. In regard to zymotic mortality, the due assignment of deaths to the districts in which the deceased had lived lowers the mortality of Hampstead by 42 per cent., and that of the City of London by 47 per cent., whilst it raises that of St. Giles by 25 per cent.

Except in the instances specified in the subjoined list,* each sanitary area is co-extensive with the registration district of the same name. A comparison of the *corrected* with the *registered* mortality will therefore give a rough indication of the probable adjustments needed in the Tables of London Registration Districts on pages 97–126.

With the exception of those districts which contain large workhouses or lunatic asylums, there are but few registration areas outside London, the mortality of which is seriously disturbed by that occurring in Public Institutions. The footnotes to Table 1 show how much of the registered

* Sanitary Areas.	Equivalent Registration Districts.
Hammersmith Fulham	Fulham.
St. George, Hanover Square Westminster	St. George, Hanover Square.
St. James, Westminster St. Martin-in-the-Fields Strand	Westminster. Strand.
Holborn Clerkenwell St. Luke	Holborn.
Limehouse	Stepney.
St. Saviour, Southwark St. George, Southwark Newington	St. Saviour, Southwark.
St. Olave, Southwark Bermondsey Rotherhithe	St. Olave, Southwark.
Battersea Wandsworth	Wandsworth.
Lewisham Woolwich Plumstead	Lewisham. Woolwich.

TABLE O.—MORTALITY in the METROPOLITAN SANITARY AREAS before and after DISTRIBUTION of DEATHS in INSTITUTIONS, 1885–90.

SANITARY AREAS.	All Causes.			Principal Zymotic Diseases.		
	Deaths.		Effect of Distribution.	Deaths.		Effect of Distribution.
	As Registered.	After Distribution.		As Registered.	After Distribution.	
Registration London	491,006	483,485	− 7,521	68,355	67,901	− 454
WEST.						
Paddington	12,505	11,246	− 1,259	1,487	1,423	− 64
Kensington	18,511	16,698	− 1,813	1,938	2,149	+ 211
Hammersmith, Fulham	18,777	18,989	+ 212	3,606	3,230	− 376
Chelsea	12,585	11,905	− 680	1,535	1,590	+ 55
St. George's, Hanover Square	10,870	8,424	− 2,446	920	874	− 46
St. Margaret and St. John, Westminster	6,743	7,398	+ 655	859	921	+ 62
St. James, Westminster	2,740	3,065	+ 325	274	303	+ 29
NORTH.						
St. Marylebone	16,142	18,016	+ 1,874	1,794	1,941	+ 147
Hampstead	5,000	4,551	− 449	849	492	− 357
St. Pancras	29,773	28,508	− 1,265	3,461	3,675	+ 214
Islington	33,269	33,303	+ 34	4,896	5,009	+ 113
Hackney	23,270	22,095	− 1,175	4,345	3,236	− 1,109
CENTRAL.						
St. Giles	4,860	6,033	+ 1,173	510	640	+ 130
St. Martin-in-the-Fields	2,425	1,937	− 488	206	195	− 11
Strand	4,097	3,983	− 114	435	387	− 48
Holborn	5,046	5,132	+ 86	612	552	− 60
Clerkenwell	6,966	9,067	+ 2,101	1,161	1,375	+ 214
St. Luke	5,263	6,939	+ 1,676	801	991	+ 190
City of London	7,954	5,668	− 2,286	707	373	− 334
EAST.						
Shoreditch	18,097	17,029	− 1,068	2,651	2,757	+ 106
Bethnal Green	17,014	17,672	+ 658	2,550	2,892	+ 342
Whitechapel	13,450	9,714	− 3,736	1,435	1,307	− 128
St. George in the East	7,083	8,323	+ 1,240	1,100	1,319	+ 219
Limehouse	8,085	9,001	+ 916	1,532	1,540	+ 8
Mile End Old Town	12,550	13,381	+ 831	2,055	2,274	+ 219
Poplar	21,512	20,253	− 1,259	2,791	2,984	+ 193
SOUTH.						
St. Saviour	3,569	4,271	+ 702	486	587	+ 101
St. George the Martyr, Southwark	7,648	9,171	+ 1,523	1,274	1,325	+ 51
Newington	13,610	14,600	+ 990	1,827	2,056	+ 229
St. Olave	4,570	1,656	− 2,914	422	223	− 199
Bermondsey	9,679	11,437	+ 1,758	1,523	1,741	+ 218
Rotherhithe	5,291	4,954	− 337	685	754	+ 69
Lambeth	32,291	31,414	− 877	4,447	4,333	− 114
Battersea, Wandsworth	26,206	27,552	+ 1,346	3,877	4,187	+ 310
Camberwell	24,919	24,460	− 459	3,379	3,715	+ 336
Greenwich	18,584	17,943	− 641	3,341	2,512	− 829
Lewisham (excluding Penge)	5,701	5,715	+ 14	658	697	+ 39
Woolwich	3,934	4,808	+ 874	421	463	+ 42
Plumstead	7,544	7,174	− 370	859	879	+ 20
Metropolitan Institutions situate outside Registration London	2,873	—	− 2,873	646	—	− 646

mortality of the several districts occurred in those institutions situated therein which receive a considerable proportion of their inmates from elsewhere. It must not, however, be overlooked that in nearly every case part of the institution mortality belongs to the district itself which contains that institution. One of the corrections necessary for the calculation of true death-rates is the due apportionment of institution deaths to the places from which the deceased originally came: and this is often difficult to effect, because the one condition essential to accuracy is, that with respect to every deceased inmate of a public institution a record of previous residence shall be forthcoming, and experience shows that such records, even when obtainable, are frequently untrustworthy.

The difficulty of correction is even greater in the case of another class of persons, of which domestic servants may be regarded as typical. At the census enumeration domestic servants are included in the population of the district in which they are employed, but of these persons a considerable proportion return to their homes in case of illness, and their deaths are recorded against the districts wherein those homes are situated; as therefore no records are made of the places in which the deceased had been employed, a just distribution of their deaths is impracticable. The consequence is that the districts, mainly towns, in which a relatively large proportion of domestic servants are employed, are made to appear healthier than they really are, whilst the reverse effect is produced on the country districts which furnish the supply of domestic servants to the towns.

The difficulties connected with estimates of population are of another kind altogether. The method hitherto used in the Registrar-General's reports is the best that is generally available. This method depends on the assumption of a constant ratio of increase or of decrease, such ratio being determined by the results of two successive census enumerations. For periods subsequent to the two censuses, the method is necessarily somewhat speculative, but, for inter-censal years, it probably gives results fairly approximate to the truth. Thus, if the population of a district at the beginning of April 1881 had been P, and at the beginning of April 1891 had become rP, the errors of assuming $r^{\frac{1}{40}}$P, $r^{\frac{5}{40}}$P, $r^{\frac{9}{40}}$P, ... $r^{\frac{37}{40}}$P, as the populations at the middle of the respective years 1881, 1882, 1883, ... 1890, probably lie within narrow limits. The mean of these quantities, which may be shown to be equal to $\frac{r^{\frac{1}{40}}}{r^{\frac{1}{10}} - 1} \times \frac{r\mathrm{P} - \mathrm{P}}{10}$ is very nearly the true mean population in the ten calendar years 1881–90. The true mean, on the assumption of a constant rate of increase, is

$$\frac{r\mathrm{P} - \mathrm{P}}{r^{\frac{1}{40}} \times \text{Hyp. log. } r}$$

The use of either of these formulæ would, however, have entailed a greater expenditure of time than was available for the calculation of mean populations. For the purpose of the tables on pp. 3–728, the mean populations have been obtained by the rough method used in previous Decennial Supplements, that is to say, by taking the arithmetical means of the populations in 1881 and 1891. Clearly it is of importance to ascertain the extent of the error introduced by the use of these convenient but scarcely accurate figures.

On the assumption of a constant ratio either of increase or of decrease, the arithmetical mean of the numbers at the beginning and end of any period is in every case *greater* than the true mean. Further, the inter-censal period is later by about three months, both in its beginning and in its ending, than the ten year period to which the deaths relate; and therefore the mean population in the inter-censal period is *greater* or *less* than the mean in the ten calendar years, according as the population is an *increasing*

or a *decreasing* one. Thus, by using the arithmetical means of the census populations instead of the true mean populations in the ten calendar years two distinct errors are introduced. But, whereas in districts with *increasing* populations, both errors tend to overstate the population, and therefore to understate the death-rates, the errors act in opposite directions in the case of *decreasing* populations. In the former case the resultant error is the sum, in the latter case it is the difference, of the two component errors.

The arithmetical mean of the two census populations is $\frac{rP + P}{2}$, and the true mean population in the ten calendar years is $\frac{rP - P}{r^{\frac{1}{10}} \times \text{Hyp. log. } r}$. In order to obtain correct populations and rates the populations shown in the Tables must be divided, and the rates multiplied by $\frac{rP + P}{2} \times \frac{r^{\frac{1}{10}} \times \text{Hyp. log. } r}{rP - P} = \frac{r^{\frac{1}{10}}(r + 1) \text{ Hyp. log. } r}{2(r - 1)}$, where r is the ratio which the population in 1891 bears to that in 1881. In order to facilitate the correction of the rates of mortality whenever special accuracy is desired, the decennial increase or decrease per cent. of population in each district has been calculated, and is shown in the heading of the table relating to that district. A table has, moreover, been prepared (*see* Table P.) by which the factors for correction, according to the formula, corresponding to all rates of decrease up to 20 per cent., and all rates of increase up to 50 per cent., that is to say, for all values of r from ·8 to 1·5, can at once be ascertained. A foot-note to the table provides for all the cases in which the proportional increase or decrease of population in the last inter-censal period was beyond the limits of the table.

The table is used in the same way as a table of logarithms. For example, by reference to page 569 it will be seen that the population of Burnley district increased by 39·67 per cent. between the Censuses of 1881 and 1891; that is to say, the population in 1891 was to that in 1881 as 139·67 is to 100, or as 1·3967 is to 1; therefore $r = 1·3967$. To obtain the factor for correction coresponding to this value, the figures 1·39 are found in the column in Table P headed r; opposite to these figures, in the columns headed ·006 and ·007 respectively, the numbers 7710 and 7768 are given; prefixing to each of these numbers the figures 1·01 (which apply to the whole line) the factor for correction is 1·017710 when $r = 1·396$ and 1·017768 when $r = 1·397$. Thus an increase of ·001 in the value of r in this part of the table corresponds to an increase of ·000058 in the factor for correction; taking $\frac{7}{10}$ of this, or ·000041, as the increase in the factor corresponding to an increase of ·0007 in the value of r, the factor for correction when $r = 1·3967$ is 1·017710 + ·000041 = 1·017751.

Given any district the population of which increased by 39·67 per cent. in the last inter-censal period, and the death-rates of which have been calculated on the arithmetical mean between the two census enumerations; the whole of such rates should be multiplied by the factor 1·017751. Thus the crude death-rate of Burnley, which appears on p. 569 as 21·40 becomes 21·78, and the rate in standard million which appears as 23·65 becomes 24·07 on further correction for the error in the mean population.

Turning to p. 712, the population of Forden district decreased by 10·74 per cent. in the last inter-censal period; that is to say, the population in 1891 was to that in 1881 as 89·26 (= 100 − 10·74) is to 100; therefore, in this case $r = ·8926$. Table P shows ·998232 and ·998239 as the factors for correction when $r = ·892$ and ·893 respectively. The difference is ·000007 and the proportional part of this for the final "6" in the value of r is ·000004; thus the factor for correction when $r = ·8926$ is ·998236. When corrected by this factor the crude death-rate of Forden

TABLE P.—FACTORS for correcting DEATH-RATES calculated on ARITHMETICAL MEANS of CENSUS POPULATIONS.

r.	·000.	·001.	·002.	·003.	·004.	·005.	·006.	·007.	·008.	·009	r.
·80	0·998560	8545	8531	8516	8502	8489	8475	8462	8449	8436	·80
·81	8424	8412	8400	8388	8377	8366	8355	8345	8334	8324	·81
·82	8315	8305	8296	8287	8278	8269	8261	8253	8245	8238	·82
·83	8231	8224	8217	8210	8204	8198	8192	8187	8181	8176	·83
·84	8172	8167	8163	8159	8155	8151	8148	8145	8142	8139	·84
·85	0·998136	8134	8132	8130	8129	8128	8126	8126	8125	8124	·85
·86	8124	8124	8125	8125	8126	8127	8128	8129	8131	8133	·86
·87	8135	8137	8139	8142	8145	8148	8151	8154	8158	8162	·87
·88	8166	8171	8175	8180	8185	8190	8195	8201	8207	8213	·88
·89	8219	8225	8232	8239	8246	8253	8260	8268	8276	8284	·89
·90	0·998292	8300	8309	8318	8327	8336	8345	8355	8364	8374	·90
·91	8384	8395	8405	8416	8427	8438	8449	8460	8472	8484	·91
·92	8496	8508	8520	8533	8545	8558	8571	8585	8598	8612	·92
·93	8625	8639	8654	8668	8682	8697	8712	8727	8742	8757	·93
·94	8773	8789	8804	8820	8837	8853	8870	8886	8903	8920	·94
·95	0·998937	8955	8972	8990	9008	9026	9044	9063	9081	9100	·95
·96	9119	9138	9157	9176	9196	9215	9235	9255	9275	9296	·96
·97	9316	9337	9357	9378	9399	9421	9442	9463	9485	9507	·97
·98	9529	9551	9573	9596	9618	9641	9664	9687	9710	9734	·98
·99	0·999757	9781	9805	9829	9853	9877	9901	9926	9950	9975	·99
1·00	1·000000	0025	0050	0076	0101	0127	0152	0178	0204	0231	1·00
1·01	0257	0283	0310	0337	0364	0391	0418	0445	0473	0500	1·01
1·02	0528	0556	0584	0612	0640	0668	0697	0725	0754	0783	1·02
1·03	0812	0841	0871	0900	0929	0959	0989	1019	1049	1079	1·03
1·04	1109	1140	1170	1201	1232	1263	1294	1325	1356	1388	1·04
1·05	1·001419	1451	1483	1514	1546	1579	1611	1643	1676	1708	1·05
1·06	1741	1774	1807	1840	1873	1907	1940	1974	2007	2041	1·06
1·07	2075	2109	2143	2177	2212	2246	2281	2316	2350	2385	1·07
1·08	2420	2456	2491	2526	2562	2597	2633	2669	2705	2741	1·08
1·09	2777	2813	2850	2886	2923	2959	2996	3033	3070	3107	1·09
1·10	1·003144	3182	3219	3257	3294	3332	3370	3408	3446	3484	1·10
1·11	3522	3561	3599	3638	3676	3715	3754	3793	3832	3871	1·11
1·12	3910	3950	3989	4029	4068	4108	4148	4188	4228	4268	1·12
1·13	4308	4349	4389	4430	4470	4511	4552	4593	4634	4675	1·13
1·14	4716	4757	4799	4840	4882	4923	4965	5007	5049	5091	1·14
1·15	1·005133	5175	5218	5260	5303	5345	5388	5431	5473	5516	1·15
1·16	5559	5602	5646	5689	5732	5776	5819	5863	5907	5950	1·16
1·17	5994	6038	6082	6126	6171	6215	6259	6304	6348	6393	1·17
1·18	6438	6483	6528	6573	6618	6663	6708	6753	6799	6844	1·18
1·19	6890	6935	6981	7027	7073	7119	7165	7211	7257	7303	1·19
1·20	1·007350	7396	7443	7489	7536	7583	7629	7676	7723	7770	1·20
1·21	7818	7865	7912	7959	8007	8054	8102	8150	8197	8245	1·21
1·22	8293	8341	8389	8437	8485	8534	8582	8630	8679	8727	1·22
1·23	8776	8825	8873	8922	8971	9020	9069	9118	9168	9217	1·23
1·24	9266	9315	9365	9415	9464	9514	9564	9613	9663	9713	1·24

TABLE P.—*continued.*—FACTORS for correcting DEATH-RATES calculated on ARITHMETICAL MEANS of CENSUS POPULATIONS.

r.	·000.	·001	·002.	·003.	·004.	·005.	·006	·007.	·008.	·009.	*r.*
1·25	1·009763	9813	9864	9914	9964	$\overline{0015}$	$\overline{0065}$	$\overline{0115}$	$\overline{0166}$	$\overline{0217}$	1·25
1·26	1·010267	0318	0369	0420	0471	0522	0573	0624	0675	0727	1·26
1·27	0778	0829	0881	0932	0984	1036	1088	1139	1191	1243	1·27
1·28	1295	1347	1399	1452	1504	1556	1608	1661	1713	1766	1·28
1·29	1818	1871	1924	1977	2030	2082	2135	2189	2242	2295	1·29
1·30	1·012348	2401	2455	2508	2561	2615	2669	2722	2776	2830	1·30
1·31	2884	2937	2991	3045	3099	3153	3208	3262	3316	3370	1·31
1·32	3425	3479	3534	3588	3643	3697	3752	3807	3862	3916	1·32
1·33	3971	4026	4081	4137	4192	4247	4302	4357	4413	4468	1·33
1·34	4524	4579	4635	4690	4746	4802	4858	4913	4969	5025	1·34
1·35	1·015081	5137	5193	5249	5306	5362	5418	5475	5531	5587	1·35
1·36	5644	5700	5757	5814	5870	5927	5984	6041	6098	6155	1·36
1·37	6212	6269	6326	6383	6440	6497	6555	6612	6669	6727	1·37
1·38	6784	6842	6899	6957	7015	7072	7130	7188	7246	7304	1·38
1·39	7362	7420	7478	7536	7594	7652	7710	7768	7827	7885	1·39
1·40	1·017944	8002	8060	8119	8177	8236	8295	8353	8412	8471	1·40
1·41	8530	8589	8648	8707	8766	8825	8884	8943	9002	9062	1·41
1·42	9121	9180	9239	9299	9358	9418	9477	9537	9596	9656	1·42
1·43	1·019716	9776	9835	9895	9955	$\overline{0015}$	$\overline{0075}$	$\overline{0135}$	$\overline{0195}$	$\overline{0255}$	1·43
1·44	1·020315	0375	0435	0495	0556	0616	0676	0737	0797	0858	1·44
1·45	1·020918	0979	1039	1100	1160	1221	1282	1343	1403	1464	1·45
1·46	1525	1586	1647	1708	1769	1830	1891	1952	2013	2075	1·46
1·47	2136	2197	2259	2320	2381	2443	2504	2566	2627	2689	1·47
1·48	2751	2812	2874	2936	2997	3059	3121	3183	3245	3307	1·48
1·49	1·023369	3431	3493	3555	3617	3679	3741	3803	3866	3928	1·49

Note.—For explanation and method of using the table, *see* pages xlii–xliii.

In the following Districts *r* falls out of range of the Table; the Factors for correction are given below.

District.		*r.*	Factor for Correction.	District.		*r.*	Factor for Correction.
No.	Name.			No.	Name.		
540	Reeth	·6820	1·002538	586	Cardiff	1·6371	1·032816
568	Alston	·7323	1·000255	2	Fulham	1·6447	1·033320
14	London, City	·7455	0·999810	190	Orsett	1·6572	1·034151
453	Liverpool	·7469	0·999766	129	Edmonton	1·7393	1·039686
7	Hampstead	1·5052	1·024315	127	Hendon	1·7691	1·041725
587	Pontypridd	1·5703	1·028450	186	West Ham	1·8170	1·045030
403	Blaby	1·6206	1·031727	93	Christchurch	1·8407	1·046677

becomes 17·27 instead of 17·30, and the rate in standard million becomes 14·79 instead of 14·82. The amount of correction is much less in this case than in that of any district which *increased* by 10·74 per cent. in the decennium, because, as already pointed out, the error is the *difference* between two separate errors, whereas in the case of an increasing population the error is the *sum* of the separate errors. In a population which decreased by 26·036 per cent. the two errors would exactly balance each other; therefore, the arithmetical mean of the two census populations would be the true mean population in the ten calendar years.

Density of Population in relation to Mortality.

Dr. Farr was convinced, as the result of careful and prolonged investigation, that within certain limits a definite relation subsisted between density of population and mortality; and he devised a mathematical formula by which the relation between density and mortality in the districts of England and Wales during the decennium 1861–70 was approximately shown. Examination of the figures for the period 1881–90 shows that, although density and mortality generally increase or decrease together, the relation between them is now too complex to admit of being expressed by a formula similar to that alluded to above. Comparison with the figures in previous decennia is, however, eminently useful, and exhibits in a striking form the improvement in the health of the population in recent years This will he seen if Table Q. of the present volume be examined in conjunction with Table I, p. xx, in the Decennial Supplement for 1871–80.

In the earlier period there were 101 districts, with an aggregate population slightly exceeding two millions, that had mean annual death-rates below 17 per 1000; in 1881–90 there were not fewer than 284 districts, with a population of nearly seven millions, that showed death-rates below 17 per 1000. In 1871–80 there were 50 districts which contained nearly two and a half millions of inhabitants with an average density of 458 persons to a square mile; the rate of mortality in these districts averaged 20·56 per annum. In 1881–90, the mean death-rate of 85 districts, with over four millions of inhabitants, and a density of 457 persons per square mile, was 18·52 per 1000. Whilst, therefore, the mean density has increased, the rate of mortality has decreased enormously during the last decennium.

In making these comparisons only the *crude* death-rates were available; but two columns which have been added to Table Q. show clearly that these rates afford but a rough indication of health conditions. For example, in 80 districts whose crude rates were between 15 and 16 per 1000, the rates corrected for age and sex distribution ranged from 12·20 to 16·97; and in 20 districts whose crude rates were between 21 and 22 per 1000, the corrected rates ranged from 16·28 to 24·07. It thus appears that at least one district with a crude death-rate over 21 per 1000 is actually healthier than another district whose crude death-rate is under 16 per 1000. In order to obtain a truer basis of comparison Table R. has been constructed. The districts are there grouped according to their death-rates in standard population (further corrected to eliminate the error of using the arithmetical mean of the census populations as the mean population*); and columns have been added showing for each group the mean density, the range of crude death-rates, and the mean crude and corrected death-rates. It will be seen that in the districts whose corrected rates were between 13 and 14 per 1000 the crude rates ranged from 13·22 to 17·79, whilst in the districts whose corrected rates were between 23 and 24 per 1000, the crude rates ranged from 20·90 to 23·39. Reference to the last two columns of the table shows that, as a general rule, crude

* *See* pages xlii–xlv.

TABLE Q.—DENSITY AND MORTALITY. The Groups of Districts arranged in Order of their "Crude" Death-rates.

Crude Death-rates.	No. of Districts.	Area.	Population.	Deaths.	Density (Persons to a Square Mile).	Mean Crude Death-rate.	Range of Corrected Rates.	
							Lowest.	Highest.
12–13	1	62,284	23,832	3,059	245	12·84	12·24	12·24
13–14	12	532,559	437,745	59,213	526	13·53	12·59	16·05
14–15	30	1,476,723	783,172	114,805	339	14·66	12·11	16·04
15–16	80	4,438,660	1,881,086	291,606	271	15·50	12·20	16·97
16–17	161	11,126,635	3,856,965	637,422	222	16·53	12·56	19·01
17–18	125	8,986,436	3,790,074	663,015	270	17·69	13·42	20·11
18–19	85	5,778,821	4,129,606	764,737	457	18·52	15·01	21·13
19–20	51	2,542,450	3,498,811	680,969	881	19·46	15·71	21·88
20–21	32	1,372,317	2,890,822	592,218	1,348	20·49	16·33	23·33
21–22	20	494,214	1,954,361	418,975	2,531	21·44	16·28	24·07
22–23	16	354,274	2,125,464	475,188	3,840	22·36	20·77	25·40
23–24	6	31,419	789,901	184,691	16,090	23·38	23·97	25·35
24–25	5	36,381	529,544	129,309	9,316	24·42	24·41	27·03
25–30	5	81,191	495,734	132,411	3,908	26·71	26·53	32·47
30–34	3	3,521	301,365	97,153	54,778	32·24	34·14	35·99
	632	37,317,885	27,488,482	5,244,771	471	19·08	12·24	35·99

TABLE R.—DENSITY AND MORTALITY. The Groups of Districts arranged in Order of their Death-rates in Standard Population.

Corrected Death-rates.	No. of Districts.	Area.	Population.	Deaths.	Density (Persons to a Square Mile).	Range of Crude Rates.		Mean Crude Death-rate.	Mean Corrected Death-rate.
						Lowest.	Highest.		
12–13	33	1,754,620	379,547	55,977	138	12·84	16·62	14·75	12·70
13–14	89	5,780,431	1,346,786	211,885	149	13·22	17·79	15·73	13·45
14–15	141	9,868,667	2,880,170	469,333	187	13·05	17·88	16·30	14·43
15–16	85	6,285,403	2,103,777	350,533	214	13·97	19·42	16·66	15·41
16–17	69	4,773,404	2,288,928	387,346	307	13·71	21·04	16·92	16·47
17–18	45	3,062,940	2,083,093	366,350	435	16·23	20·32	17·59	17·35
18–19	40	2,144,505	2,217,053	409,319	662	17·16	21·98	18·46	18·55
19–20	28	1,205,504	2,412,662	448,492	1,281	16·62	20·71	18·59	19·39
20–21	29	876,315	2,468,103	482,095	1,803	17·99	22·03	19·53	20·43
21–22	23	678,797	2,584,803	520,256	2,437	18·45	21·77	20·13	21·47
22–23	9	252,110	1,299,363	271,537	3,299	20·21	21·54	20·90	22·50
23–24	19	304,865	2,538,283	557,346	5,329	20·90	23·39	21·96	23·41
24–25	8	178,583	1,198,372	272,197	4,295	21·40	24·88	22·71	24·51
25–30	9	136,469	1,220,216	298,641	5,722	22·78	26·94	24·47	26·22
30–36	5	15,272	467,326	143,464	19,584	27·82	33·13	30·70	33·00
	632	37,317,885	27,488,482	5,244,771	471	12·84	33·13	19·08	19·08

death-rates overstate the mortality of healthy districts, and understate that of unhealthy districts; for while the mean crude rates of the various groups increase from 14·75 to 30·70, the corrected rates begin at 12·70 for the healthiest group, and rise to 33·00 for the unhealthiest.

The value of corrected death-rates is incidentally confirmed by the columns in Tables Q. and R. showing density of population. The irregularities which are conspicuous in Table Q. are nearly removed when the districts are re-arranged in the order of their corrected death-rates as in Table R.

The following table shows that during the ten years ending with 1890 the urban portion of England differed very materially from the rural portion, not only with respect to the mortality from all causes as shown at page xxxvi, but also with respect to the mortality from certain of the more important diseases. The crude death-rate from all causes, at all ages, in the 28 chief towns of England averaged 21·51 per 1000 living and in the 50 smaller towns 19·73 per 1000.* In rural England the average rate did not exceed 17·63 per 1000. Not only the death-rate at all ages, but infantile mortality also, or the ratio of deaths under one year to registered births varied extremely, the rate being as high as 160 per 1000 births in the 78 towns of urban England, whilst it was only 128 in the rural districts. In the several counties of England and Wales infantile mortality varied considerably. The rates were only 96 per 1000 in Dorsetshire and 100 in Westmorland, whilst they were as high as 164 in Leicestershire and 166 in Lancashire. In all the counties the mortality among male greatly exceeded that among female infants.

TABLE S.—BIRTH- and DEATH- RATES* per MILLION LIVING in ENGLAND and WALES in URBAN ENGLAND and in RURAL ENGLAND respectively.

—	Births.	Deaths from All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Deaths under one year to 1000 Births.
England and Wales	32,342	19,080	45	440	334	163	450	235	659	142
28 Towns	33,997	21,505	88	626	403	190	612	262	890	162
50 Towns	33,652	19,733	27	496	387	100	419	266	727	153
Urban England (78 Towns).	33,914	21,078	74	595	399	168	566	263	851	160
Rural England	31,204	17,634	24	329	286	159	366	216	520	128

As has already been stated the mortality from measles in England and Wales was equal to 440 per million living *at all ages*. In urban England as represented by the 78 principal towns, it was 595 per million, and in rural England it was 329. The mortality was very much higher in the 28 chief towns than in the 50 smaller towns. In the several counties (Table 4) the decennial measles-rate varied extremely, being as low as 133 per million in Westmorland, whilst in other counties it ranged upwards to 520 in Monmouthshire, 634 in London, and 709 in Lancashire. In the ten year period 1871–80, the last three counties had also shown the highest mortality from measles; but in Table 4 of the supplement relating to that period Monmouthshire instead of London was the second

* Except where otherwise specified "crude" death-rates are given in these remarks on local mortality.

highest in the list. If, instead of the mortality at all ages, the rates among children under five be compared, it will be found that in 1881–90 the three counties above-mentioned stand in the same order, as highest in the list, and that in addition Cheshire and Staffordshire are included as counties with rates of mortality from measles above the average for England and Wales (Table 2).

The mortality due to scarlet fever in England and Wales was equal to 334 per million persons living at all ages. In urban England the rate averaged 399 per million, and in rural England 286. The mortality in the 28 chief towns was somewhat higher than that in the 50 smaller towns. The mean county rates showed as usual extreme variation, the rate being only 99 per million in Suffolk and 102 in Hampshire, whilst it amounted to 533 in the West Riding of Yorkshire, and 550 in South Wales. In 1871–80 Durham had shown the highest scarlet fever mortality, namely, 1376 per million; Northumberland having stood second with a rate of 1145, and Lancashire third with a rate of 1126. Scarlet fever mortality in the recent decennium is shown by Table 4 to have been considerably below the mean in the above-mentioned counties of Hampshire and Suffolk; this was also the case in most of the southern counties and in Westmorland. Table 2 further shows that the mortality under 5 years of age, like that at all ages, was highest in the West Riding and in South Wales.

The mortality from diphtheria which throughout England and Wales was in the mean proportion of 163 per million living at all ages, was equal to 168 in urban England, and to 159 in the rural districts. It is noteworthy that the rate was considerably lower in the 50 smaller towns than in the rural districts, and very much lower than in the 28 chief towns. The mortality from diphtheria was below the mean in Rutlandshire, where the rate was 71 per million, in Staffordshire 79, in Durham 82, in Oxfordshire and Cumberland 85, in the East Riding of Yorkshire 88, and in Gloucestershire 89 per million. In eighteen counties the rates were above the average for England and Wales, reaching 260 in London, 273 in Essex, and 284 in Middlesex. If, instead of the all age mortality, the mortality under 5 years be taken into account, it will be found that as many as 32 counties, including the whole of those in the South-Western, West Midland, North Midland, Yorkshire, and Northern Divisions, experienced rates below the average for England and Wales; the counties with rates above the average being mainly those of Essex, Middlesex, Hertfordshire, London, and the five counties of the South-Eastern Registration Division (Table 2).

The mortality from whooping-cough, which in England and Wales corresponded to a rate of 450 per million living, was equal in urban England to a rate of 566 per million, and, in the rural districts, to a rate of 366. The lowest county rates were 193 per million in Westmorland, 230 in Dorsetshire, and 231 in Herefordshire, and the highest rates were 520 in Lancashire, 537 in Essex, and 690 in London. Table 2 shows that the mortality, under 5 years of age, from whooping-cough was highest in the counties of London, Middlesex, Essex, Cornwall, Warwickshire, Lancashire, and Monmouthshire.

Unfortunately the returns in the possession of this office do not allow of the calculation of separate death-rates from the three chief forms of continued fever for "urban" and "rural" England. The mean rate of mortality in 1881–90 from "fever" (including typhus, enteric, and ill-defined fevers) averaged 235 per million throughout England and Wales; in urban England the rate was 263 per million, and in rural England 216.

Although typhus is now disappearing from the English bills of mortality, it nevertheless still appears to linger in certain manufacturing areas of the North-Western and Northern Registration Divisions. In the course of the recent decennium, 3,919 deaths from typhus were registered

in England and Wales; but of these 2,083, or more than half, occurred in ten registration districts containing not more than one eighteenth part of the total English population, and situated in the counties of Cheshire, Lancashire, Durham, and Northumberland. On reference to the successive Annual Reports it appears to have been mainly in the first half of the decennium that the high mortality occurred, the figures for the second half showing a very decided reduction. In the ten-year period 1881–90, the mean rate of typhus mortality within the area of these ten districts was 139 per million, the rate in the remainder of the country being only 7 per million. Among these areas typhus was most fatal in the registration district of Liverpool, where the rate was equal to 466 per million, Toxteth Park coming next with a rate of 242. The remaining districts stand in the order following: Sunderland 110 per million, West Derby 81, Gateshead and Prestwich 75, Birkenhead and Hartlepool 68, Easington 62, and Newcastle-on-Tyne 60. No death from typhus occurred in Westmorland during the recent decennium, and there were 23 other counties in England and Wales in which the rate did not reach 5 in a million of the population.

On investigating the incidence of fatal enteric fever, both as regards locality and as regards sex, remarkable changes are apparent in the course of the last twenty years (Table T.). The highest rates from enteric fever in 1881–90 were in the North Riding of Yorkshire, South Wales, Lancashire, Nottinghamshire, and Durham. On the other hand Herefordshire experienced a death-rate considerably below that of any other English county. The mortality showed a decrease on the rates prevailing in 1871–80, in every one of the registration counties of England and Wales: in no case was the decrease less than 20 per cent., and in 15 cases it was 50 per cent. or more. Although, in every case, the decrease was shared by both sexes, it was shared in unequal proportions. Thus, in 37 counties the female rates decreased by a greater proportion than the male rates; in one county the decrease was the same for both sexes, whilst in seven counties only, the male rates decreased by a greater proportion than the female rates.* The differences in the sex incidence of mortality were so great that, whereas in the decennium 1871–80 there had been 25 counties in which the female rates were higher than the male, in the recent decennium the number of counties thus affected had fallen to 11† (Table 4). It is worthy of record that the whole of the counties containing the chief industrial centres have recently exhibited higher enteric fever rates among males than among females.

The mortality attributed to "simple and ill-defined forms of continued fever" varied considerably in the several counties during 1881–90, but the differences in the rates were not so great as in the case of typhus. The average rate in England and Wales was 25 per million of the population, and in twelve counties the rate was above the mean. The highest rate was in Huntingdonshire, and was equal to 79 per million, whilst it did not exceed 4 per million in Rutlandshire.‡

The mortality from diarrhœal diseases, excluding cholera, in England and Wales was, as shown in Table S., equal to 659 per million living. In urban England, the rate was 851 per million, and in rural England 520. As in the case of enteric fever the county rates from diarrhœal diseases

---

* These were Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Shropshire, Rutlandshire, and Cumberland.

† The eleven counties in which the female rates exceeded the male rates in 1881–90 had an aggregate population of 2,526,000; they were Hertfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Cornwall, Somersetshire, Shropshire, Rutlandshire, and Westmorland.

It is worthy of note that six of these eleven counties are among the seven counties whose male rates decreased by a greater proportion than their female rates.

‡ For further remarks on Continued fever, see pages xxvi, xxvii, ante.

TABLE T.—ENTERIC FEVER.—MEAN ANNUAL DEATH-RATES per Million Persons living 1871–80 and 1881–90.

COUNTIES.	Crude Death-rates.		
	1871–80.	1881–90.	Mortality in 1881–90 to that in 1871–80, taken as 100.
England and Wales	322	196	61
London	241	187	78
Surrey	218	107	49
Kent	251	158	63
Sussex	193	133	69
Hampshire	302	208	69
Berkshire	224	118	53
Middlesex	241	163	68
Hertfordshire	238	112	47
Buckinghamshire	236	148	63
Oxfordshire	256	114	45
Northamptonshire	326	181	56
Huntingdonshire	261	126	48
Bedfordshire	222	95	43
Cambridgeshire	245	146	60
Essex	238	177	74
Suffolk	215	120	56
Norfolk	252	191	76
Wiltshire	236	101	43
Dorsetshire	190	99	52
Devonshire	312	175	56
Cornwall	338	165	49
Somersetshire	257	106	41
Gloucestershire	261	136	52
Herefordshire	194	60	31
Shropshire	247	148	60
Staffordshire	363	203	56
Worcestershire	258	203	79
Warwickshire	296	138	47
Leicestershire	342	194	57
Rutlandshire	306	80	26
Lincolnshire	272	186	68
Nottinghamshire	430	268	62
Derbyshire	338	180	53
Cheshire	288	210	73
Lancashire	391	265	68
West Riding	452	222	49
East Riding	399	245	61
North Riding	444	260	59
Durham	559	273	49
Northumberland	365	230	63
Cumberland	293	135	46
Westmorland	301	152	50
Monmouthshire	334	209	63
South Wales	451	264	59
North Wales	239	153	64

showed extreme variations. In the mainly rural counties of Wiltshire, Dorsetshire, Rutlandshire, Westmorland, and North Wales the diarrhœal rate in no case exceeded 264 per million, whilst, in those counties of which the populations are for the most part urban in character, the rates were enormously greater. Thus, for example, the rate of Staffordshire was 838, that of Nottinghamshire 859, that of the East Riding of Yorkshire 875, that of Warwickshire 943, that of Lancashire 976, and that of Leicestershire 1,098, per million. According to Table 4 of the previous decennial supplement, the six counties last mentioned, together with Northumberland, Durham, and the East and West Ridings of Yorkshire, had been the counties showing the highest diarrhœa rates in 1871–80 also.

The local variations in the mortality incidental to the puerperal state are remarkable. When the ratio of deaths from puerperal fever and other accidents of childbirth to births registered is calculated for each county, as has been done in the subjoined table, it is seen that in 1881–90 the proportion varied from 3·31 deaths of mothers per thousand births in the county of Huntingdon, to as many as 6·74 per thousand in North Wales. If a line be drawn across the map of England and Wales from the Humber to the Severn, it will be found that the 17 registration counties to the north-west of this line include all the 14 counties in which the death-rate from puerperal fever and childbirth in 1881–90 exceeded the average rate for England and Wales, whilst in every one of the 28 counties to the south-east of this line the rate was below the average.

TABLE U.—DEATHS from PUERPERAL FEVER and other Accidents of CHILDBIRTH per 1000 Births, 1881–90.

England and Wales	4·73	Oxfordshire	4·51
		Surrey	4·44
North Wales	6·74	Buckinghamshire	4·34
South Wales	6·06	Warwickshire	4·34
Shropshire	5·52	Lincolnshire	4·31
Lancashire	5·49	Cambridgeshire	4·29
Cheshire	5·47	Dorsetshire	4·29
Monmouthshire	5·30	Devonshire	4·27
West Riding	5·28	Hampshire	4·23
Northumberland	5·27	Somersetshire	4·23
Durham	5·11	Leicestershire	4·22
North Riding	5·05	Sussex	4·17
Derbyshire	5·05	Berkshire	4·17
Nottinghamshire	4·94	Hertfordshire	4·16
Herefordshire	4·77	East Riding	4·09
Worcestershire	4·75	Middlesex	4·06
Cumberland	4·70	Kent	4·02
Northamptonshire	4·67	Bedfordshire	3·97
Cornwall	4·66	London	3·94
Gloucestershire	4·66	Suffolk	3·71
Westmorland	4·66	Essex	3·70
Staffordshire	4·65	Rutlandshire	3·53
Norfolk	4·61	Huntingdonshire	3·31
Wiltshire	4·55		

The mortality due to cancer or malignant disease in England and Wales during 1881–90 was equal to a mean annual rate of 589 per million living, without distinction of sex or age; but it varied widely in different parts of the country.* Table V. shows the crude cancer death-rate in each registration county of England and Wales, for persons as well as for males and for females separately, in each of the last three decennia; and also the mortality

* For further remarks on cancer mortality in earlier decennia, *see* pages xxviii, xxix.

of the several counties in 1881–90 as compared with that in 1861–70, the rate in the earlier decennium being taken as 100. The mean cancer death-rates of persons at all ages in 1881–90 ranged from 440 per million in Durham, 475 in Staffordshire, 477 in Lancashire, 482 in Derbyshire and in Monmouthshire, and 501 in South Wales, to 716 in Norfolk, 727 in Sussex, 736 in North Wales, 740 in Devonshire, 789 in Cambridgeshire, and 916 in Huntingdonshire. Moreover, it is noticeable that the counties which showed respectively either the highest or the lowest cancer rates in 1881–90 had also been among the counties with the highest or the lowest cancer rates in the two previous decennia. An examination of the uncorrected cancer rates in the separate registration districts within and around the counties of Huntingdonshire and Cambridgeshire, shows a fairly well defined area in which cancer would appear to be exceptionally prevalent. This area consists of the districts of Stamford, Bourn, Spalding, and Holbeach in Lincolnshire, Oundle and Peterborough in Northamptonshire, and the entire counties of Huntingdonshire and Cambridgeshire, with the exception of the registration districts of Caxton, Linton, and Newmarket. In 1881–90, this area had a mean population of over 300,000 persons, and its crude cancer rate in that decennium was equal to 859 per million persons living, or 46 per cent. above the general English rate. In the immediately preceding decennium the excess had been 44 per cent.

It is evident, however, that the mortality in a given place from cancer is largely dependent on the proportion of persons under and over middle age in the population; since the mortality from this disease is mainly confined to persons over 35 years of age. On this ground alone it might have been expected that the order of counties in the list would have varied considerably, according as the deaths of persons at all ages or of persons above 35 years of age were dealt with. Contrary to this expectation, however, Table X. shows that the counties with respectively the lowest or the highest crude death-rates at all ages are also among the counties with the lowest or the highest crude rates at ages over 35 years. But, although the same counties show the highest or the lowest cancer rates, as the case may be, whether the mortality at all ages, or that at ages over 35 years, is taken into account, the comparative mortality of the different counties is considerably altered by the second method of computation; for example, the cancer rate in Huntingdonshire to that in Durham, at all ages, is as 208 to 100; but, at ages over 35 years, it is only as 164 to 100.

If, however, account is taken of the varying age and sex distribution of persons over 35 years of age in the several counties—in other words, if the cancer mortality among that portion of a standard million of population which is over 35 years of age is considered, important changes become manifest, not only in the comparative mortality of different counties, but in their relative position as areas with high, medium, or low rates of cancer mortality (*see* Table X., page lvi). By this table, London is shown to have the highest rate of all, and Huntingdonshire, Cambridgeshire, Sussex, and North Wales, are still among the counties with the highest cancer rates; but the rates of Devonshire and Norfolk are below the mean rate for the whole country. At the other end of the list, Monmouthshire and Derbyshire are the only counties that after correction retain their places among the six with lowest cancer rates, the places of Staffordshire, Lancashire, Durham, and South Wales being filled by Dorsetshire, Buckinghamshire, Wiltshire, and Cornwall.

After this correction for age and sex differences of population, the cancer mortality of Huntingdonshire is to that of Durham as 127 only to 100, while the crude rate at all ages is as 208 to 100. On the other hand, although the crude rates for London and Cornwall are nearly equal, their difference being about 2 per cent. of either of them, the corrected rate for London is to that for Cornwall as 138 to 100.

TABLE V.—CANCER.—MEAN UNCORRECTED ANNUAL DEATH-RATES * in REGISTRATION COUNTIES pe
Million living at All Ages.

COUNTIES.	PERSONS.				MALES.				FEMALES.			
	1861–70.	1871–80.	1881–90.	Ratio.†	1861–70.	1871–80.	1881–90.	Ratio.†	1861–70.	1871–80.	1881–90.	Ratio.†
England and Wales	387	473	589	152	244	315	430	176	523	622	739	14
London	487	554	683	140	285	352	504	177	664	732	843	12
Surrey	418	479	603	144	231	307	429	186	597	637	759	12
Kent	388	482	616	159	235	313	439	187	543	647	788	14
Sussex	459	573	727	158	311	396	542	174	595	735	890	15
Hampshire	394	513	632	160	265	339	472	178	523	684	784	15
Berkshire	446	538	656	147	268	346	486	181	620	732	823	13
Middlesex	434	465	547	126	268	291	385	144	585	623	692	11
Hertfordshire	406	464	668	165	264	263	511	194	543	657	817	15
Buckinghamshire	396	458	582	147	266	324	425	160	522	587	734	14
Oxfordshire	422	506	670	159	288	332	494	172	552	669	835	15
Northamptonshire	399	532	648	162	286	387	530	185	512	676	766	15
Huntingdonshire	647	778	916	142	504	658	795	158	784	894	1,032	13
Bedfordshire	380	543	655	172	259	429	482	186	488	646	809	16
Cambridgeshire	485	642	789	163	354	501	644	182	611	778	930	15
Essex	421	478	543	129	261	322	391	150	583	635	694	11
Suffolk	456	542	693	152	272	367	500	184	634	709	876	13
Norfolk	453	601	716	158	270	388	507	188	623	800	911	14
Wiltshire	428	520	617	144	271	339	442	163	579	690	786	13
Dorsetshire	431	509	629	146	300	374	467	156	555	639	785	14
Devonshire	467	598	740	158	318	421	538	169	603	756	922	15
Cornwall	379	513	667	176	269	403	530	197	477	611	787	16
Somersetshire	439	538	669	152	287	372	489	170	575	687	828	14
Gloucestershire	446	513	667	150	265	341	459	173	606	665	849	14
Herefordshire	356	561	708	199	163	369	529	325	551	744	881	16
Shropshire	425	518	704	166	291	353	542	186	558	672	865	15
Staffordshire	298	391	475	159	190	258	349	184	409	526	602	14
Worcestershire	366	450	553	151	223	286	407	183	499	601	687	13
Warwickshire	372	484	617	166	223	310	467	209	514	650	759	14
Leicestershire	372	493	563	151	257	334	426	166	482	643	691	14
Rutlandshire	384	599	687	179	275	457	631	229	493	741	743	15
Lincolnshire	388	535	662	171	275	382	497	181	500	687	825	16
Nottinghamshire	391	479	568	145	228	304	393	172	545	648	734	13
Derbyshire	295	372	482	163	184	243	320	174	406	501	643	15
Cheshire	350	441	547	156	225	312	407	181	467	561	678	14
Lancashire	306	379	477	156	184	241	335	182	419	508	609	14
West Riding	325	398	517	159	190	246	351	185	456	544	675	14
East Riding	437	483	594	136	261	290	416	159	606	671	767	12
North Riding	433	472	597	138	306	298	454	148	560	619	742	13
Durham	290	329	440	152	175	220	310	177	411	452	575	14
Northumberland	368	438	557	151	252	294	422	167	484	581	691	14
Cumberland	398	493	616	155	303	374	489	161	490	611	741	15
Westmorland	311	471	637	205	238	359	535	225	386	583	736	19
Monmouthshire	331	411	482	146	220	309	355	161	450	520	616	13
South Wales	296	398	501	169	230	314	400	174	362	481	603	16
North Wales	352	503	736	209	274	419	608	222	428	588	861	20

* The rates in this table have not been corrected for age constitution of the population.
† That is, ratio of mortality in 1881–90 to that in 1861–70, the latter taken as 100.

In Table W. the corrected mortality from cancer at ages over 35 years is shown for each registration county. In Table X. both the crude and the corrected rates are shown for the two sexes together, and for each sex separately, the counties being arranged in the order of their corrected rates for "Persons."

TABLE W.—CANCER, 1881–90.—MEAN ANNUAL DEATH-RATES above 35 Years of Age, in REGISTRATION COUNTIES, corrected for Sex and Age Distribution of their several Populations.

Registration County.	Annual Death-rates in that Part of a Standard Million above 35 Years of Age.	Registration County.	Annual Death-rates in that Part of a Standard Million above 35 Years of Age.
England and Wales	1,844	Gloucestershire	1,825
London	2,250	Herefordshire	1,726
Surrey	1,891	Shropshire	1,792
Kent	1,815	Staffordshire	1,663
Sussex	1,999	Worcestershire	1,653
Hampshire	1,788	Warwickshire	1,976
Berkshire	1,818	Leicestershire	1,736
Middlesex	1,881	Rutlandshire	1,663
Hertfordshire	1,772	Lincolnshire	1,795
Buckinghamshire	1,578	Nottinghamshire	1,808
Oxfordshire	1,779	Derbyshire	1,597
Northamptonshire	1,881	Cheshire	1,779
Huntingdonshire	2,157	Lancashire	1,706
Bedfordshire	1,785	West Riding	1,765
Cambridgeshire	2,012	East Riding	1,831
Essex	1,732	North Riding	1,884
Suffolk	1,749	Durham	1,696
Norfolk	1,775	Northumberland	1,897
Wiltshire	1,604	Cumberland	1,914
Dorsetshire	1,578	Westmorland	1,746
Devonshire	1,835	Monmouthshire	1,574
Cornwall	1,630	South Wales	1,647
Somersetshire	1,732	North Wales	1,914

It will be noted that next to London, the high "corrected" rate in which is largely due to the presence of hospitals in which cancer is specially treated, Huntingdonshire and Cambridgeshire show the greatest liability to that disease. But whereas the crude rates at all ages represent Huntingdonshire and Cambridgeshire as subject to a cancer mortality in excess of the general English rate by 56 per cent. and by 34 per cent. respectively, the rates over 35 years, corrected for age and sex differences of population, show an excess of only 17 per cent. for Huntingdonshire, and of 9 per cent. for Cambridgeshire.

Referring to the group of registration districts in and around these two counties, which as already stated showed an excess of cancer mortality amounting to 44 per cent. in 1871–80, and to 46 per cent. in 1881–90, it is found that by due correction for age and sex differences of population, the excess above the average rate for England is reduced, in both cases, to 14 per cent. This reduction does not, however, affect both sexes alike, and reference to Table X. shows that, as compared with the rates for the whole country, the corrected cancer death-rate of males is subject to much

TABLE X.—CANCER, 1881–90.—CRUDE and CORRECTED DEATH-RATES PER MILLION LIVING aged 35 and upwards. The Counties arranged in descending order of Corrected Rates.

REGISTRATION COUNTY.	PERSONS.		MALES.		FEMALES.		Male to Female Mortality, the latter taken as 100.	
	Crude.	Corrected.	Crude.	Corrected.	Crude.	Corrected.	Crude.	Corrected.
England and Wales	1,844	1,844	1,379	1,379	2,261	2,261	61	61
London	2,132	2,250	1,619	1,784	2,562	2,667	63	67
Huntingdonshire	2,529	2,157	2,320	1,916	2,718	2,373	85	81
Cambridgeshire	2,271	2,012	1,941	1,666	2,566	2,323	76	72
Sussex	2,144	1,999	1,648	1,491	2,549	2,454	65	61
Warwickshire	1,953	1,976	1,512	1,533	2,351	2,373	64	65
Cumberland	1,950	1,914	1,567	1,533	2,309	2,254	68	68
North Wales	2,112	1,914	1,789	1,596	2,408	2,198	74	73
Northumberland	1,820	1,897	1,407	1,484	2,234	2,267	63	65
Surrey	1,891	1,891	1,395	1,401	2,307	2,329	60	60
North Riding	1,908	1,884	1,436	1,380	2,389	2,336	60	59
Northamptonshire	1,983	1,881	1,663	1,526	2,288	2,198	73	69
Middlesex	1,809	1,881	1,307	1,408	2,228	2,304	59	61
Devonshire	2,099	1,835	1,606	1,366	2,497	2,254	64	61
East Riding	1,836	1,831	1,300	1,282	2,343	2,323	55	55
Gloucestershire	1,974	1,825	1,395	1,282	2,441	2,311	57	55
Berkshire	1,943	1,818	1,486	1,338	2,359	2,248	63	60
Kent	1,894	1,815	1,375	1,282	2,370	2,292	58	56
Nottinghamshire	1,814	1,808	1,236	1,206	2,359	2,348	52	51
Lincolnshire	1,956	1,795	1,501	1,303	2,391	2,236	63	58
Shropshire	1,991	1,792	1,587	1,359	2,372	2,180	67	62
Hampshire	1,889	1,788	1,458	1,338	2,269	2,192	64	61
Bedfordshire	1,939	1,785	1,486	1,303	2,310	2,217	64	59
Oxfordshire	1,966	1,779	1,490	1,296	2,388	2,211	62	59
Cheshire	1,740	1,779	1,320	1,338	2,120	2,173	62	62
Norfolk	2,009	1,775	1,464	1,220	2,483	2,273	59	54
Hertfordshire	1,939	1,772	1,556	1,366	2,274	2,136	68	64
West Riding	1,666	1,765	1,141	1,227	2,151	2,248	53	55
Suffolk	2,009	1,749	1,501	1,206	2,464	2,236	61	54
Westmorland	1,902	1,746	1,581	1,373	2,215	2,080	71	66
Leicestershire	1,780	1,736	1,359	1,289	2,166	2,136	63	60
Essex	1,744	1,732	1,275	1,234	2,191	2,180	58	57
Somersetshire	1,943	1,732	1,482	1,296	2,313	2,123	64	61
Herefordshire	1,932	1,726	1,443	1,220	2,391	2,180	60	56
Lancashire	1,562	1,706	1,123	1,275	1,951	2,092	58	61
Durham	1,543	1,696	1,087	1,227	2,026	2,117	54	58
Staffordshire	1,605	1,663	1,192	1,234	2,009	2,048	59	60
Rutlandshire	1,929	1,663	1,764	1,429	2,082	1,874	85	76
Worcestershire	1,713	1,653	1,275	1,213	2,096	2,048	61	59
South Wales	1,651	1,647	1,348	1,352	1,942	1,911	69	71
Cornwall	1,900	1,630	1,654	1,380	2,083	1,855	79	74
Wiltshire	1,799	1,604	1,343	1,122	2,215	2,036	61	55
Derbyshire	1,567	1,597	1,040	1,038	2,080	2,098	50	49
Buckinghamshire	1,714	1,578	1,285	1,129	2,105	1,980	61	57
Dorsetshire	1,784	1,578	1,356	1,143	2,163	1,967	63	58
Monmouthshire	1,557	1,574	1,170	1,157	1,961	1,948	60	59

greater local variation than is that of females. The extreme range of mortality in counties is for males from 75 to 139 per cent., and for females from 82 to 118 per cent. of the respective English rates. These local variations are shown in another way in the last column of Table X., from which it appears that the corrected mortality of males aged 35 and upwards, compared with that of females of the same age, ranged from 49 per cent. in Derbyshire, 51 in Nottinghamshire, and 54 in Norfolk and in Suffolk, to 71 per cent. in South Wales, 72 in Cambridgeshire, 73 in North Wales, 74 in Cornwall, 76 in Rutlandshire, and 81 in Huntingdonshire, the proportion for the whole country being 61 per cent. There appears to be no direct connexion between the general prevalence of cancer and the proportion of male to female mortality from that disease in any county, but it is obvious that the apparent local differences in cancer mortality are due very largely to differences in the age and sex constitution of the populations.

In the decennium 1881–90 the mortality from phthisis, which was equal to a rate of 1,724 per million living in England and Wales as a whole, showed considerable variation in the counties taken separately. In Table Y. the uncorrected or crude phthisis rates for persons, and for males and females separately, are shown for the several counties in each of the last three decennia. The mortality of each county in 1881–90 is also compared with that in 1861–70, the rate in the earlier decennium being taken as 100. In order, however, to obtain a fair basis of comparison between the various county rates, it is necessary to make allowance for the widely differing composition of the several populations in regard to age and sex.

Unfortunately there is no period of life that enjoys complete immunity from the ravages of phthisis; but, although the mortality from that disease varies considerably at different ages, the variations are not sufficiently extreme to warrant the selection of a group of ages as almost exclusively liable to the disease. In this respect phthisis differs widely from cancer. Following the principle already adopted in this supplement with respect to the general death-rates, the phthisis rates for the several counties have been reduced to a uniform basis of population, namely, that of a standard million (*see* p. xxxvii) and in Table Z. these corrected county rates are shown for persons as well as for males and females. The counties are arranged in the descending order of their corrected death-rates for "persons"; it will, therefore, be seen that the mean annual rates from phthisis in the last decennium have varied from 2,112 in North Wales and 2,095 in Northumberland to 1,217 in Worcestershire. The table shows that the 11 counties at the head of the list, representing an aggregate population of more than 14 millions, had rates above the average rate for England and Wales; and that the remaining 34 counties, representing a total population of about 13 millions, had rates below the average.

Of the 11 counties whose corrected rates for persons were in excess of the English rate, only 7 showed excess in the rates for both sexes. In London, although the male rate was largely in excess, the female rate fell below the average of the whole country; whilst in Cambridgeshire, Suffolk, and Durham, although the male rates were below the average, the female rates were in excess. In 10 other counties the rate for one or other of the sexes was above the average, although the rate for the two sexes together fell below it.

The table further shows that in 24 counties, containing more than three-fourths of the entire population of England and Wales, the male death-rates were in excess of the female rates; whilst in the remaining 21 counties, containing less than one-fourth of the population, the female rates were in excess of the male rates. The exact relation between the figures for males and those for females is shown in the last column of the table. In London, Hampshire, Sussex, Warwickshire, Surrey, Middlesex, and Worcestershire,

TABLE Y.—PHTHISIS.—MEAN UNCORRECTED DEATH-RATES* in REGISTRATION COUNTIES per Million Living at all Ages.

Counties.	Persons.				Males.				Females.			
	1861–70.	1871–80.	1881–90.	Ratio.†	1861–70.	1871–80.	1881–90.	Ratio.†	1861–70.	1871–80.	1881–90.	Ratio.†
England and Wales	2,475	2,116	1,724	70	2,467	2,209	1,847	75	2,483	2,028	1,609	65
London - - -	2,842	2,511	2,078	73	3,350	3,002	2,547	76	2,397	2,076	1,659	69
Surrey - - -	2,114	1,908	1,574	74	2,410	2,250	1,822	76	1,830	1,595	1,352	74
Kent - - -	2,092	1,828	1,511	72	2,082	1,880	1,554	75	2,102	1,777	1,470	70
Sussex - - -	2,515	2,052	1,662	66	2,509	2,177	1,855	74	2,520	1,938	1,493	59
Hampshire - -	2,426	2,199	1,849	76	2,474	2,424	2,088	84	2,378	1,989	1,625	68
Berkshire - -	2,370	1,924	1,473	62	2,357	1,952	1,596	68	2,382	1,913	1,353	57
Middlesex - -	2,141	1,780	1,376	64	2,232	1,973	1,556	70	2,058	1,606	1,216	59
Hertfordshire - -	1,920	1,746	1,434	75	1,898	1,822	1,546	81	1,941	1,673	1,327	68
Buckinghamshire -	2,063	1,689	1,295	63	1,876	1,552	1,252	67	2,244	1,820	1,337	60
Oxfordshire - -	2,270	1,876	1,388	61	2,141	1,832	1,459	68	2,396	1,900	1,321	55
Northamptonshire -	2,142	1,857	1,413	66	1,863	1,759	1,443	77	2,418	1,953	1,384	57
Huntingdonshire -	2,418	1,932	1,536	64	2,302	1,726	1,468	64	2,531	2,130	1,602	63
Bedfordshire - -	2,368	2,118	1,507	64	2,009	1,896	1,388	69	2,690	2,317	1,612	60
Cambridgeshire -	2,408	1,985	1,666	69	2,331	1,959	1,674	72	2,483	2,011	1,659	67
Essex - - -	2,164	1,833	1,431	66	2,093	1,875	1,479	71	2,235	1,790	1,383	62
Suffolk - - -	2,441	2,023	1,707	70	2,154	1,884	1,663	77	2,716	2,157	1,748	64
Norfolk - - -	2,395	1,938	1,495	62	2,206	1,859	1,462	66	2,569	2,011	1,527	59
Wiltshire - - -	2,038	1,741	1,451	71	1,923	1,699	1,429	74	2,149	1,763	1,471	68
Dorsetshire - -	2,022	1,719	1,392	69	1,797	1,629	1,352	75	2,236	1,806	1,430	64
Devonshire - -	2,317	2,066	1,708	74	2,293	2,067	1,757	77	2,339	2,065	1,663	71
Cornwall - - -	2,491	2,198	1,766	71	2,623	2,365	1,877	72	2,372	2,050	1,669	70
Somersetshire - -	1,901	1,652	1,352	71	1,879	1,699	1,428	76	1,922	1,611	1,284	67
Gloucestershire -	2,116	1,813	1,480	70	2,174	1,912	1,542	71	2,065	1,724	1,426	69
Herefordshire - -	1,806	1,521	1,249	69	1,746	1,508	1,206	69	1,866	1,514	1,291	69
Shropshire - -	2,169	1,641	1,369	63	2,022	2,643	1,368	68	2,316	1,640	1,371	59
Staffordshire - -	2,043	1,600	1,346	66	1,945	1,640	1,412	73	2,142	1,559	1,279	60
Worcestershire -	1,704	1,481	1,196	70	1,628	1,551	1,338	82	1,774	1,416	1,067	60
Warwickshire - -	2,240	1,953	1,604	72	2,380	2,213	1,889	79	2,107	1,706	1,335	63
Leicestershire - -	2,183	1,769	1,292	59	1,903	1,750	1,372	72	2,450	1,787	1,217	50
Rutlandshire - -	1,899	1,418	1,272	67	1,613	1,501	1,191	74	2,183	1,336	1,352	62
Lincolnshire - -	1,959	1,688	1,467	75	1,688	1,516	1,326	79	2,226	1,860	1,606	72
Nottinghamshire -	2,482	1,961	1,605	65	2,090	1,838	1,604	77	2,853	2,078	1,607	56
Derbyshire - -	2,494	1,903	1,406	56	2,062	1,776	1,365	66	2,925	2,029	1,446	49
Cheshire - - -	2,444	2,008	1,606	66	2,282	1,954	1,667	73	2,596	2,057	1,549	60
Lancashire - -	2,923	2,467	1,954	67	2,904	2,600	2,101	72	2,940	2,343	1,816	62
West Riding - -	2,649	2,259	1,852	70	2,540	2,321	1,985	78	2,755	2,199	1,724	63
East Riding - -	2,329	1,967	1,653	71	2,196	1,940	1,685	77	2,458	1,993	1,622	66
North Riding - -	1,963	1,691	1,467	75	1,737	1,520	1,379	79	2,189	1,750	1,557	61
Durham - - -	2,052	1,925	1,699	83	1,830	1,826	1,592	87	2,287	2,079	1,811	79
Northumberland -	2,495	2,275	2,086	84	2,458	2,324	2,121	86	2,532	2,225	2,051	81
Cumberland - -	2,761	2,197	1,621	59	2,530	2,081	1,591	63	2,985	2,312	1,651	55
Westmoreland - -	2,451	2,030	1,404	57	2,288	1,857	1,354	59	2,618	2,203	1,451	55
Monmouthshire -	2,085	1,790	1,411	68	1,914	1,708	1,286	67	2,267	1,877	1,543	68
South Wales - -	2,981	2,543	2,008	67	2,969	2,515	1,936	65	2,993	2,576	2,080	69
North Wales - -	3,277	2,574	2,077	63	3,121	2,437	2,012	64	3,431	2,713	2,140	62

* The rates in this table have not been corrected for age constitution of population.
† That is, the ratio of mortality in 1881–90 to that in 1861–70, the latter taken as 100.

TABLE Z.—PHTHISIS, 1881–90. MEAN ANNUAL DEATH-RATES from PHTHISIS in REGISTRATION COUNTIES, corrected for Age and Sex Distribution of their several Populations.

REGISTRATION COUNTIES.	ANNUAL DEATHS IN A STANDARD MILLION.			Mortality of Males to that of Females, taken as 100.
	Persons.	Males.	Females.	
England and Wales	1,724	1,847	1,609	115
North Wales	2,112	2,014	2,204	91
Northumberland	2,095	2,115	2,076	102
South Wales	2,003	1,872	2,126	88
London	2,001	2,447	1,580	155
Lancashire	1,923	2,074	1,780	117
Hampshire	1,845	2,084	1,619	129
West Riding	1,834	1,967	1,709	115
Suffolk	1,803	1,765	1,839	96
Cornwall	1,788	1,895	1,687	112
Durham	1,744	1,611	1,870	86
Cambridgeshire	1,736	1,730	1,742	99
Devonshire	1,718	1,782	1,658	107
Sussex	1,666	1,882	1,462	129
East Riding	1,656	1,672	1,641	102
Cumberland	1,656	1,613	1,697	95
Huntingdonshire	1,646	1,539	1,747	88
Nottinghamshire	1,623	1,619	1,627	100
Warwickshire	1,619	1,907	1,347	142
Cheshire	1,599	1,666	1,536	108
Surrey	1,560	1,815	1,320	138
Norfolk	1,553	1,514	1,590	95
Bedfordshire	1,549	1,462	1,631	90
Kent	1,528	1,567	1,491	105
Lincolnshire	1,527	1,355	1,689	80
Wiltshire	1,519	1,481	1,555	95
Gloucestershire	1,510	1,592	1,433	111
Hertfordshire	1,502	1,631	1,380	118
North Riding	1,502	1,392	1,606	87
Berkshire	1,494	1,615	1,380	117
Essex	1,479	1,518	1,442	105
Northamptonshire	1,453	1,473	1,434	103
Monmouthshire	1,451	1,279	1,613	79
Derbyshire	1,432	1,374	1,487	92
Oxfordshire	1,430	1,506	1,359	111
Shropshire	1,425	1,403	1,446	97
Dorsetshire	1,424	1,374	1,471	93
Westmorland	1,418	1,353	1,479	91
Somersetshire	1,411	1,512	1,316	115
Middlesex	1,394	1,594	1,205	132
Staffordshire	1,394	1,454	1,337	109
Rutlandshire	1,362	1,260	1,458	86
Buckinghamshire	1,355	1,316	1,392	95
Leicestershire	1,315	1,396	1,238	113
Herefordshire	1,304	1,240	1,365	91
Worcestershire	1,217	1,368	1,075	127

the mortality of males exceeded that of females by proportions varying from 27 to 55 per cent. On the other hand, in South Wales, Durham, Huntingdonshire, Lincolnshire, North Riding of Yorkshire, Monmouthshire, and Rutlandshire, the male rate was from 12 to 21 per cent. below the female rate.

The phthisis mortality of London is vitiated by inclusion therein of the deaths of strangers which occur in institutions situated in London, as well as by the omission of deaths of Londoners occurring in Metropolitan Institutions outside Registration London. In dealing, however, with London mortality, adjustments are now made for these disturbances ; and in future years the metropolitan death-rates from phthisis corrected as above-mentioned will be regularly published.

I am indebted to my immediate predecessor, Dr. William Ogle, for much helpful advice in connexion both with this report and with the ordinary administration of my department, at a time when recent succession to office rendered such services especially welcome. Mr. Noel A. Humphreys has assisted me in the course of this work with many useful suggestions, which derive additional value from the fact of his long personal association with the late Dr. Farr in the statistical work of this department. To Mr. A. C. Waters my thanks are due for his able assistance in connexion with the present report, and especially in regard to the preparation of the New English Life Table. Mr. J. Hampden Shoveller, also, has rendered me continuous and willing help in the compilation of the mass of tabular matter which forms a large portion of this volume, as well as in the calculation of the many thousands of rates which will be found interspersed throughout its pages.

I have the honour to be,
Sir,
Your obedient servant,

Sir Brydges P. Henniker, Bart.,
Registrar General.

JOHN TATHAM.

LIST OF PRELIMINARY TABLES,

With Explanatory Notes.

PAGE

Table 1.—Density of Population and Mortality in the Five Decennial Periods from 1841–50 to 1881–90 in Registration Divisions, Counties, and Districts. Sexes not distinguished lxii

Note.—The populations used in constructing this Table are the arithmetical means of the census populations at the beginning and end of each decennium. These mean populations multiplied by ten are approximately equivalent to the *Years of Life exposed to risk*: they form, with the registered deaths in each decennium, the data from which the death-rates have been calculated.

Wherever the area of a registration district has been changed in the course of a decennium, the population has been corrected accordingly. A list of changes in the constitution of Registration Districts during 1881–90 will be found on pages 729–738.

In all cases where such changes have involved the amalgamation or the subdivision of districts during 1881–90 the rates in the four preceding decennia have been adjusted, as far as practicable, in order that the rates in all the five decennia may be fairly comparable. The rates per 1000 persons living in the three decennia 1841–50, 1851–60, and 1861–70 were given in the Supplement to the Registrar-General's 35th Annual Report, and are here re-printed, in whole numbers. For the two later decennia, however, it has been thought advisable to add a decimal place to the rates for the sake of greater accuracy. The registered mortality in many districts is unduly raised by the presence therein of public institutions, workhouses, lunatic asylums, hospitals, &c. Inasmuch as the deaths occurring in public institutions were not separately abstracted before 1869, no means were available previous to that year for correcting the district rates for this disturbing element. All the rates of mortality in Table 1 are uncorrected, but particulars are given in the foot-notes which allow of the application of a partial correction to the rates for 1881–90. It should be remembered, however, that in most cases the deaths in an institution necessarily include an uncertain proportion which belongs to the district in which the institution stands. Death-rates thus adjusted must therefore be regarded as only approximately correct.

Table 2.—Annual Rates of Mortality from All Causes and from Several Causes, per Million Children living under Five Years of Age. Sexes not distinguished lxxxii

Note.—This table replaces Table 2 of the last Decennial Supplement. It relates, however, exclusively to children under five years of age. The death-rates at all ages, from phthisis and from respiratory diseases are omitted from this table, because they are given in other Tables.

Table 3.—Annual Rates of Mortality from All Causes per 1000 living at All Ages, and at Twelve Groups of Ages, in Registration Counties. Persons, Males, and Females . . xcvii

Table 4.—Annual Rates of Mortality from Several Causes per Million Persons living at All Ages, in Registration Counties. Sexes not distinguished c

Table 5.—Annual Rates of Mortality from Several Causes per Million living, at All Ages and at Eleven Groups of Ages, in each of the last Three Decennia. Persons, Males, and Females cviii

Table 6.—Annual Marriage-Rates, Birth-Rates, and Death-Rates from All Causes and from Several Causes, per 1000 Persons living, in Registration Counties, 1881–90. Sexes not distinguished cxv

TABLE 1.—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION DIVISIONS AND COUNTIES.		ACRES TO A PERSON.					ANNUAL MORTALITY. DEATHS TO 1000 LIVING.				
		1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890	1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	188 to 189
	ENGLAND -	2·21	1·96	1·74	1·53	1·36	22	22	22	21·3	19·
No.	DIVISIONS.										
I.	LONDON - - -	0·04	0·03	0·02	0·02	0·02	25	24	24	22·4	20·
II.	SOUTH EASTERN - -	2·62	2·34	1·99	1·72	1·49	20	20	19	17·6	16·
III.	SOUTH MIDLAND - -	2·69	2·53	2·34	2·13	1·88	21	20	20	18·7	16·
IV.	EASTERN - - -	2·98	2·85	2·72	2·45	2·14	20	21	20	18·8	17·
V.	SOUTH WESTERN - -	2·82	2·74	2·68	2·67	2·67	20	20	20	19·3	17·
VI.	WEST MIDLAND - -	1·91	1·69	1·50	1·38	1·29	22	22	22	20·9	18·
VII.	NORTH MIDLAND - -	3·04	2·83	2·62	2·32	2·03	21	21	21	20·3	18·
VIII.	NORTH WESTERN - -	0·88	0·74	0·63	0·52	0·44	27	26	26	24·5	21·
IX.	YORK - - -	2·17	1·92	1·68	1·40	1·22	23	23	24	22·4	19·
X.	NORTHERN - - -	3·89	3·29	2·77	2·36	2·02	22	22	23	23·3	19·
XI.	WELSH - - -	4·63	4·18	3·79	3·40	3·05	20	21	21	21·1	19·
	I.—LONDON.										
1	**LONDON** - - - - -	0·04	0·03	0·02	0·02	0·02	25	24	24	22·4	20·
	II.—SOUTH EASTERN.										
2	**SURREY** - - - - -	2·44	2·00	1·47	1·10	0·88	18	18	18	16·8	15·
3	**KENT** - - - - -	2·18	1·97	1·67	1·45	1·28	21	20	20	17·8	16·
4	**SUSSEX** - - - - -	2·96	2·69	2·41	2·07	1 81	18	19	19	17·1	15·
5	**HAMPSHIRE** - - -	2·81	2·47	2·11	1·90	1·69	20	20	19	18·3	16·
6	**BERKSHIRE** - - -	2·90	2·79	2·61	2·42	2·23	20	20	20	18·0	16·
	III.—SOUTH MIDLAND.										
7	**MIDDLESEX** - - - -	1·21	1·04	0·79	0·55	0·37	19	20	20	18·0	16·
8	**HERTFORDSHIRE** - -	2·55	2·44	2·30	2·22	2·12	20	19	19	18·4	16·
9	**BUCKINGHAMSHIRE** -	2·86	2·77	2·67	2·64	2·56	21	21	20	18·6	16·
10	**OXFORDSHIRE** - - -	2·87	2·81	2·72	2·73	2·65	21	21	20	19·0	16·
11	**NORTHAMPTONSHIRE**	3·06	2·84	2·64	2·41	2·19	22	21	21	19·6	17·
12	**HUNTINGDONSHIRE** -	3·54	3·44	3·49	3·68	4·01	22	20	20	18·5	16·
13	**BEDFORDSHIRE** - -	2·52	2·26	2·09	2·01	1·94	22	21	21	19·4	17·
14	**CAMBRIDGESHIRE** -	3·16	3·07	3·07	3·00	2·92	23	21	20	18·8	17·
	IV.—EASTERN.										
15	**ESSEX** - - - - -	2·96	2·72	2·38	1·82	1·38	20	20	19	17·9	16·
16	**SUFFOLK** - - - -	2·86	2·77	2·72	2·64	2·64	20	20	20	18·8	17·
17	**NORFOLK** - - - -	3·10	3·02	3·05	3·01	2·87	21	21	21	19·8	18·

1. (*continued*).—**Density** of Population and Annual **Mortality** in Five Decennia, in Registration Divisions, Counties, and Districts.

Registration Counties.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890	1841 to 1850	1851 to 1860	1861 to 1870	1871 to 1880	1881 to 1890
V.—SOUTH WESTERN.										
WILTSHIRE	3·22	3·26	3·23	3·22	3·22	21	21	19	18·6	16·9
DORSETSHIRE	3·57	3·43	3·29	3·27	3·30	20	19	19	17·5	16·2
DEVONSHIRE	3·08	2·81	2·75	2·71	2·65	20	20	20	19·7	18·3
CORNWALL	2·52	2·48	2·45	2·57	2·75	19	20	21	20·3	19·0
SOMERSETSHIRE	2·23	2·34	2·25	2·19	2·12	20	20	20	19·1	17·3
VI.—WEST MIDLAND.										
GLOUCESTERSHIRE	1·76	1·66	1·54	1·38	1·33	22	21	21	19·8	17·8
HEREFORDSHIRE	4·35	4·13	3·94	4·35	4·63	21	20	20	18·4	17·3
SHROPSHIRE	3·72	3·63	3·50	3·50	3·66	21	20	20	18·8	17·4
STAFFORDSHIRE	1·30	1·08	0·91	0·81	0·73	24	25	23	22·4	19·7
WORCESTERSHIRE	1·77	1·57	1·38	1·21	1·10	21	20	20	18·9	17·0
WARWICKSHIRE	1·38	1·17	1·02	0·90	0·81	23	23	23	21·9	19·0
VII.—NORTH MIDLAND.										
LEICESTERSHIRE	2·34	2·23	2·06	1·78	1·56	22	22	22	21·6	18·4
RUTLANDSHIRE	4·54	4·51	4·58	4·63	4·88	19	18	19	18·5	16·3
LINCOLNSHIRE	4·60	4·32	4·16	3·89	3·57	20	19	19	18·6	17·5
NOTTINGHAMSHIRE	2·12	1·94	1·77	1·52	1·31	21	22	22	21·2	19·4
DERBYSHIRE	2·23	2·01	1·82	1·57	1·36	21	22	22	20·5	17·7
VIII.—NORTH WESTERN.										
CHESHIRE	1·75	1·53	1·35	1·11	0·97	23	22	22	21·0	18·9
LANCASHIRE	0·70	0·58	0·49	0·41	0·35	28	26	27	25·2	22·4
IX.—YORK.										
WEST RIDING	1·34	1·19	1·05	0·88	0·76	23	24	25	23·2	20·0
EAST RIDING (with York)	3·07	2·73	2·40	2·08	1·82	24	22	23	21·4	19·5
NORTH RIDING	6·49	6·09	5·54	4·42	3·64	19	19	20	19·7	18·2
X.—NORTHERN.										
DURHAM	2·04	1·58	1·22	0·94	0·81	22	25	23	23·8	19·8
NORTHUMBERLAND	4·53	3·99	3·54	3·14	2·74	22	22	23	22·7	19·8
CUMBERLAND	5·19	4·84	4·56	4·12	3·75	21	21	22	21·5	18·4
WESTMORLAND	8·75	8·43	7·98	7·77	7·71	19	18	18	17·7	15·5
XI.—WELSH.										
MONMOUTHSHIRE	2·64	2·31	2·08	1·88	1·55	23	23	22	21·9	19·7
SOUTH WALES	4·96	4·31	3·81	3·25	2·80	20	22	21	21·1	19·1
NORTH WALES	4·99	4·81	4·60	4·43	4·42	20	20	21	20·6	18·7

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in
REGISTRATION DISTRICTS.

I.—LONDON.

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80
1a	PADDINGTON	·035	·021	·014	·012	·011	17	19	20	19·0
1b	KENSINGTON	·062	·038	·023	·015	·013	20	21	21	19·0
2	FULHAM	·152	·114	·075	·044	·026	20	21	22	20·4
3	CHELSEA	·018	·014	·012	·011	·009	26	25	25	23·2
4	ST. GEORGE HANOVER SQUARE	·015	·013	·012	·013	·014	24	23	24	22·2
5	ST. JAMES WESTMINSTER	·004	·004	·004	·004	·005	20	21	22	20·9
6	MARYLEBONE	·010	·009	·009	·010	·010	24	24	25	23·7
7	HAMPSTEAD	·204	·145	·087	·058	·039	17	16	15	20·0
8	PANCRAS	·018	·015	·013	·012	·011	24	23	24	23·0
9	ISLINGTON	·041	·025	·017	·013	·010	19	21	24	20·1
10	HACKNEY	·078	·055	·038	·025	·019	19	20	21	20·8
11	ST. GILES	·005	·005	·005	·005	·006	25	27	27	23·4
12	STRAND	·008	·008	·009	·011	·013	25	26	29	28·6
13	HOLBORN	·005	·005	·005	·005	·006	24	23	26	23·6
14	LONDON CITY	·005	·006	·007	·010	·015	26	26	28	27·1
15	SHOREDITCH	·007	·005	·005	·005	·005	27	24	26	24·1
16	BETHNAL GREEN	·009	·008	·007	·006	·006	24	22	26	23·9
17	WHITECHAPEL	·005	·005	·005	·005	·005	31	30	34	33·0
18	ST. GEORGE-IN-THE-EAST	·005	·005	·005	·005	·005	28	27	29	26·0
19	STEPNEY	·009	·010	·008	·008	·008	24	26	25	22·1
20	MILE END OLD TOWN	·013	·011	·008	·007	·006	23	23	23	22·2
21	POPLAR	·060	·037	·024	·017	·014	24	25	27	25·0

(*a*) Of this mortality, 2,868 deaths, giving a death-rate of 2·5 per 1000 living, occurred in St. Mary's Hospital.
(*b*) Of this mortality, 5,081 deaths, giving a death-rate of 3·1 per 1000 living, occurred in the Marylebone Workhouse and the Consumption Hospital.
(*c*) Of this mortality, 1,907 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Metropolitan Asylum District Hospital and the West London Hospital.
(*d*) Of this mortality, 2,588 deaths, giving a death-rate of 2·8 per 1000 living, occurred in the Victoria Hospital, the Hospital, the Cancer Hospital, and part of the Consumption Hospital.
(*e*) Of this mortality, 6,113 deaths, giving a death-rate of 4·3 per 1000 living, occurred in St. George's Hospital and th minster Hospital.
(*f*) Of this mortality, 203 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the French Hospital.
(*g*) Of this mortality, 3,767 deaths, giving a death-rate of 2·5 per 1000 living, occurred in the Middlesex Hospital, the Sa Free Hospital, and Queen Charlotte's Lying-in Hospital; but in addition to the mortality shown in the Table, 3,874 death a death-rate of 2·6, occurred in Marylebone Workhouse, situated in Kensington District.
(*h*) Of this mortality, 843 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Metropolitan Asylum North District Hospital and the North London Consumption Hospital.
(*i*) Of this mortality, 6,447 deaths, giving a death-rate of 2·7 per 1000 living, occurred in the Central London Sick Asylum house), University College Hospital, and the Royal Free Hospital.
(*j*) Of this mortality, 3,892 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Workhouse Infirmary for Union, the City of London Workhouse, the Small-pox Hospital, the London Fever Hospital, and the Great Northern Hospital.
(*k*) Of this mortality, 4,487 deaths, giving a death-rate of 2·2 per 1000 living, occurred in the City of London Workho Metropolitan Asylum Eastern District Hospital, the Metropolitan Free Hospital, and the German Hospital.
(*l*) Of this mortality, 3,498 deaths, giving a death-rate of 11·4 per 1000 living, occurred in the Charing Cross Hospital and College Hospital; but in addition to the mortality shown in the Table 1,007 deaths, giving a death-rate of 3·3, occurred in th Union Workhouse, situated in Edmonton District.
(*m*) Of this mortality, 2,233 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the London Homœpathic Hos Hospital for Sick Children, the National Hospital for Paralysis, the Royal Hospital for Diseases of the Chest, and St. Luke's Hospital; but in addition to the mortality shown in the Table, 5,749 deaths, giving a death-rate of 3·9, occurred in the Union Infirmary, situated in Islington District, and the Holborn Union Workhouses in Shoreditch District and in Croydon
(*n*) Of this mortality 6,604 deaths, giving a death-rate of 14·7 per 1000 living, occurred in St. Bartholomew's Hospital addition to the mortality shown in the Table, 2,502 deaths, giving a death-rate of 5·6, occurred in the City of London Wo situated in Islington District and in Hackney District, the City of London Workhouse Infirmary in Mile End Old Town and Poplar District, and the City of London Lunatic Asylum in Dartford District.
(*o*) Of this mortality, 4,063 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the Holborn Union Workho North Eastern Children's Hospital, and the Hoxton House Lunatic Asylum.
(*p*) Of this mortality, 1,404 deaths, giving a death-rate or 1·1 per 1000 living, occurred in the City of London Hospital for of the Chest and the Bethnal House Lunatic Hospital.
(*q*) Of this mortality, 8,169 deaths, giving a death-rate of 11·2 per 1000 living, occurred in the London Hospital and th politan Free Hospital.
(*r*) Of this mortality, 2,196 deaths, giving a death-rate of 3·8 per 1000 living, occurred in the East London Children's H but, in addition to the mortality shown in the Table, 229 deaths, giving a death-rate of 0·4, occurred in the Stepney Unio house, situated in Poplar District. In the Poplar and Stepney Sick Asylum (Workhouse Infirmary), also situated in Poplar 5,017 deaths occurred; the whole of these 5,017 deaths would give a death-rate of 8·7 in Stepney District.
(*s*) Of this mortality, 601 deaths, giving a death-rate of 0·6 per 1000 living, occurred in part of the City of London W Infirmary.
(*t*) Of this mortality, 7,064 deaths, giving a death-rate of 4·4 per 1000 living, occurred in part of the City of London W Infirmary, the Stepney Union Workhouse, the Poplar and Stepney Sick Asylum (Workhouse Infirmary), and the Gre Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

I.—LONDON—*continued.*

REGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
T. SAVIOUR SOUTHWARK	·008	·007	·006	·006	·006	27	26	25	23·9	21·5 (*a*)
T. OLAVE	·020	·016	·013	·012	·011	34	32	28	27·0	24·4 (*b*)
AMBETH	·031	·027	·021	·017	·015	24	22	22	23·2	20·5 (*c*)
VANDSWORTH	·258	·183	·118	·068	·044	21	20	19	18·1	16·2 (*d*)
AMBERWELL	·092	·069	·049	·030	·021	23	22	21	19·1	18·7 (*e*)
REENWICH	·060	·047	·035	·030	·023	28	25	26	21·4	21·0 (*f*)
EWISHAM	·595	·342	·217	·183	·134	17	17	16	14·9	13·5
VOOLWICH	—	—	—	·084	·069	—	—	21	20·2	16·8 (*g*)

II.—SOUTH EASTERN COUNTIES.

1.—SURREY.										
PSOM	2·27	1·99	1·59	1·18	0·96	18	16	17	16·5	17·9 (*h*)
HERTSEY	2·80	2·50	2·02	1·68	1·41	18	18	17	15·9	13·5
UILDFORD	2·72	2·41	2·12	1·73	1·43	19	19	20	19·4	16·6 (*i*)
ARNHAM	3·79	2·19	1·38	1·03	0·91	18	16	17	16·3	15·0
AMBLEDON	4·58	4·40	4·17	3·89	3·51	16	17	17	15·1	13·7
ORKING	3·58	3·36	3·02	2·72	2·49	17	17	17	15·3	14·1
EIGATE	3·58	2·98	2·16	1·78	1·49	16	17	17	15·4	13·2
ODSTONE	4·94	4·74	3·79	2·81	2·40	17	17	16	25·8	19·8 (*j*)
ROYDON	1·10	0·84	0·50	0·32	0·24	20	19	19	16·3	15·0 (*k*)
INGSTON	0·89	0·71	0·54	0·38	0·27	18	18	18	15·7	14·3
ICHMOND	0·29	0·25	0·22	0·17	0·13	20	20	19	17·3	16·7
2.—KENT.										
ROMLEY	2·37	2·10	1·54	0·99	0·69	17	16	16	14·6	13·1
ARTFORD	2·02	1·78	1·40	1·09	0·86	19	18	19	17·1	18·0 (*l*)
RAVESEND	0·08	0·07	0·06	0·06	0·05	25	23	22	19·3	18·3
TROOD	2·40	2·10	1·84	1·53	1·18	22	20	20	18·2	17·3
OO	7·04	6·96	6·62	6·07	5·53	24	25	23	18·0	16·4
EDWAY	0·36	0·31	0·22	0·20	0·18	25	23	22	18·9	17·6 (*m*)
ALLING	2·53	2·31	2·12	1·92	1·74	21	19	20	17·6	16·3
EVENOAKS	3·05	3·06	2·91	2·62	2·35	18	18	18	15·7	14·6
UNBRIDGE	1·76	1·47	1·18	0·97	0·85	20	20	18	17·1	15·2
AIDSTONE	1·11	1·02	0·96	0·89	0·83	23	23	23	22·4	20·2 (*n*)

f this mortality, 1,044 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Evelina Hospital and the Bethlehem Hospital; but, in addition to the mortality shown in the Table, 1,434 deaths, giving a death-rate 0·7, occurred in St. Saviour's Workhouse, situated in Camberwell District.

f this mortality, 4,916 deaths, giving a death-rate of 3·6 per 1000 living, occurred in Guy's Hospital.

f this mortality, 5,972 deaths, giving a death-rate of 2·3 per 1000 living, occurred in the Metropolitan Asylum South-Western t Hospital, and in St. Thomas's Hospital.

f this mortality, 930 deaths, giving a death-rate of 0·4 per 1000 living, occurred in the County Lunatic Asylum (Middlesex rrey).

f this mortality, 2,355 deaths, giving a death-rate of 1·1 per 1000 living, occurred in St. Saviour's Union Workhouse ry, Camberwell House Lunatic Asylum, and Peckham House Lunatic Asylum.

f this mortality, 3,331 deaths, giving a death-rate of 2·2 per 1000 living, occurred in the Metropolitan Asylum South-Eastern Hospital and Ship "Atlas," and the Seamen's Hospital.

f this mortality, 351 deaths, giving a death-rate of 0·4 per 1000 living, occurred in the Herbert Hospital.

f this mortality, 2,416 deaths, giving a death-rate of 5·3 per 1000 living, occurred in the London County Lunatic Asylum, ad.

f this mortality, 1,532 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the Invalid Convict Prison, the Royal County Hospital, and the Surrey County Lunatic Asylum.

f this mortality, 1,549 deaths, giving a death-rate of 8·5 per 1000 living, occurred in the Metropolitan Asylum for Imbeciles.

f this mortality, 929 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Holborn Union Workhouse, Mitcham, London County Lunatic Asylum, Cane Hill.

f this mortality, 2,040 deaths, giving a death-rate of 3·3 per 1000 living, occurred in the Metropolitan Asylum Hospital Ships mp, the Metropolitan Asylum for Imbeciles, and in the City of London Lunatic Asylum.

Of this mortality, 752 deaths, giving a death-rate of 1·1 per 1000 living, occurred in St. Bartholomew's Hospital, Fort Pitt al, St. William's Hospital, and the Royal Naval Hospital.

f this mortality, 1,646 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the West Kent General Hospital and the Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	18
	2.—KENT—*cont.*										
51	HOLLINGBOURN	4·14	4·17	4·17	4·10	4·21	20	19	19	17·9	1
52	CRANBROOK	3·07	3·04	3·02	2·98	3·01	19	17	17	15·5	1
53	TENTERDEN	4·21	4·22	4·34	4·44	4·63	20	19	17	16·8	1
54	WEST ASHFORD	3·40	2·95	2·67	2·43	2·29	18	20	19	16·7	1
55	EAST ASHFORD	4·64	4·50	4·31	4·11	3·97	17	18	17	15·1	1
56	BRIDGE	3·74	3·68	3·69	3·60	3·35	18	18	18	19·6	1
57	CANTERBURY	0·21	0·20	0·19	0·19	0·18	24	23	24	22·7	2
58	BLEAN	2·27	2·09	1·87	1·56	1·48	17	18	20	17·3	1
59	FAVERSHAM	2·85	2·61	2·12	1·89	1·76	19	20	19	17·4	1
60	MILTON	2·71	2·38	1·88	1·50	1·32	21	21	20	17·8	1
61	SHEPPEY	1·85	1·41	1·21	1·22	1·22	24	19	19	15·5	1
62	THANET	0·94	0·93	0·80	0·56	0·48	19	21	20	19·0	1
63	EASTRY	2·07	1·99	1·90	1·68	1·62	19	19	19	17·3	1
64	DOVER	1·13	1·00	0·87	0·81	0·75	21	20	20	17·9	1
65	ELHAM	2·58	1·89	1·52	1·35	1·15	19	18	17	16·7	1
66	ROMNEY MARSH	8·44	8·05	7·61	7·24	7·08	19	21	18	16·8	1
	3.—SUSSEX.										
67	RYE	3·26	3·24	3·24	3·17	3·23	18	20	19	18·0	1
68	HASTINGS	0·78	0·59	0·45	0·33	0·24	18	18	20	17·5	1
69	BATTLE	4·11	4·01	4·08	3·82	3·40	16	17	17	15·3	1
70	EASTBOURNE	4·67	3·99	2·88	1·68	1·06	15	17	17	14·2	1
71	HAILSHAM	4·23	4·19	4·23	4·17	4·01	17	17	17	16·4	1
72	TICEHURST	3·48	3·43	3·31	3·09	3·05	19	19	17	16·4	1
73	UCKFIELD	4·36	4·25	4·06	3·83	3·59	17	19	17	15·7	1
74	EAST GRINSTEAD	4·75	4·49	4·05	3·53	3·20	17	17	16	15·4	1
75	CUCKFIELD	3·96	3·77	3·31	2·87	2·61	16	18	16	14·3	1
76	LEWES	3·37	3·23	2·99	2·72	2·57	19	19	20	18·8	1
77	BRIGHTON	0·03	0·02	0·02	0·02	0·02	21	22	22	20·5	1
78	STEYNING	2·84	2·17	1·62	1·19	0·83	16	16	16	14·4	1
79	HORSHAM	4·16	3·89	3·56	3·39	3·05	18	18	18	15·8	1
80	PETWORTH	4·07	4·13	4·13	4·63	4·81	17	19	19	17·0	1
81	THAKEHAM	4·68	4·75	4·77	4·86	4·98	18	18	16	15·8	1
82	EAST PRESTON	2·34	2·25	1·96	1·45	1·19	17	18	18	15·9	1
83	WESTHAMPNETT	5·03	4·98	4·94	3·67	3·43	19	18	17	16·2	1
84	CHICHESTER	1·59	1·44	1·43	0·23	0·23	21	21	19	21·3	1
85	MIDHURST	4·88	5·02	5·13	4·93	4·73	17	18	18	15·7	1
86	WESTBOURNE	4·83	4·73	4·64	4·38	4·42	18	17	19	15·5	1
	4.—HAMPSHIRE.										
87	HAVANT	2·05	1·97	1·85	1·70	1·54	18	19	19	17·6	1
88	PORTSEA ISLAND	0·08	0·06	0·05	0·04	0·03	25	23	21	19·9	1
89	ALVERSTOKE	0·25	0·19	0·17	0·17	0·16	29	26	23	23·9	1
90	FAREHAM	2·64	2·62	2·38	2·24	2·10	19	21	23	21·3	2
91	ISLE OF WIGHT	2·15	1·89	1·54	1·33	1·23	17	17	17	17·0	1
92	LYMINGTON	3·57	3·48	3·26	3·19	3·01	17	18	17	15·4	1
93	CHRISTCHURCH	4·51	3·89	2·39	1·40	0·76	16	18	17	16·8	1
94	RINGWOOD	6·07	6·04	6·50	6·42	6·33	17	18	17	15·8	1
95	FORDINGBRIDGE	5·19	5·32	5·48	5·46	5·80	20	20	19	16·4	1
96	NEW FOREST	5·18	5·13	5·14	5·19	5·09	17	17	17	16·5	1

(*a*) Of this mortality, 672 deaths, giving a death-rate of 5·3 per 1000 living, occurred in the East Kent County Lunatic Asyl
(*b*) Of this mortality, 592 deaths, giving a death-rate of 3·4 per 1000 living, occurred in the Kent and Canterbury Hospital.
(*c*) Of this mortality, 277 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Metropolitan Infirmary, Dane Hi
Metropolitan Infirmary, Chateau Bellevue, the Royal Sea Bathing Infirmary, and two Convalescent Homes.
(*d*) Of this mortality, 844 deaths, giving a death-rate of 2·5 per 1000 living, occurred in the County Lunatic Asylum.
(*e*) Of this mortality, 1,140 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the County Hospital.
(*f*) Of this mortality, 195 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the General Infirmary and Dispensar
(*g*) Of this mortality, 769 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Royal Portsmouth, Portse
Gosport Hospital, the Garrison Station Hospital, the R.M.A. Infirmary, and the Women and Children's Hospital, R.M.A.
(*h*) Of this mortality, 850 deaths, giving a death-rate of 3·6 per 1000 living, occurred in the Naval Hospital, Haslar, an
Military Hospital, Gosport Station.
(*i*) Of this mortality, 940 deaths, giving a death-rate of 5·2 per 1000 living, occurred in the County Lunatic Asylum.
(*j*) Of this mortality, 522 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Royal Infirmary, the Na
Consumption Hospital, and St. Catherine's Home for Consumption.
(*k*) Of this mortality, 236 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the National Sanatorium, the He
Convalescent Home, and the Firs Bank Convalescent Home.

TABLE 1. (*continued*).—**Density** of POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH-EASTERN COUNTIES—*continued.*

REGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 living.				
	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
4.—HAMPSHIRE— *cont.*										
SOUTHAMPTON	0·04	0·03	0·03	0·03	0·02	23	24	23	21·4	19·1(*a*)
SOUTH STONEHAM	1·85	1·28	0·92	0·72	0·58	18	17	19	17·7	15·0(*b*)
ROMSEY	2·58	2·61	2·89	2·93	2·95	21	19	20	16·0	15·4
STOCKBRIDGE	6·22	6·14	6·23	6·61	6·70	20	19	18	16·8	15·6
WINCHESTER	3·23	3·01	2·79	2·63	2·45	21	20	19	17·6	16·4(*c*)
BROXFORD	4·60	4·52	4·36	4·26	4·31	18	18	17	15·5	15·6
FATHERINGTON	5·42	5·27	4·99	4·77	4·58	17	19	16	14·8	15·0
PETERSFIELD	5·25	5·12	4·89	4·61	4·26	18	19	17	16·2	15·5
ALRESFORD	5·48	5·45	5·90	5·99	6·26	17	16	17	15·9	15·0
ALTON	4·57	4·43	4·24	4·09	4·07	19	18	19	16·7	14·9
HARTLEY WINTNEY	3·83	3·70	3·79	2·75	2·51	18	19	18	15·0	13·2
BASINGSTOKE	4·33	4·23	4·16	4·06	3·85	20	19	19	16·6	15·2
WHITCHURCH	5·31	5·30	5·30	5·67	5·65	19	22	19	17·7	17·2
ANDOVER	4·88	4·86	4·89	4·85	4·75	19	18	18	16·9	16·3
KINGSCLERE	5·39	5·37	5·47	5·32	5·30	19	19	20	16·9	14·8
5.—BERKSHIRE.										
NEWBURY	2·11	2·10	2·11	2·13	2·08	21	21	20	18·5	17·0
HUNGERFORD	4·88	4·88	5·01	5·23	5·54	20	20	19	17·7	16·8
WARINGDON	4·10	4·09	4·10	4·50	4·77	20	21	21	18·2	17·2
ABINGDON	2·84	2·70	2·66	2·62	2·80	23	23	22	20·5	16·3
WANTAGE	4·42	4·36	4·37	4·45	4·56	19	20	19	18·0	16·5
WALLINGFORD	2·91	2·90	2·85	2·93	2·92	20	20	18	20·1	18·8(*d*)
BRADFIELD	3·89	3·87	3·93	3·89	3·62	19	19	18	15·8	15·0
READING	0·23	0·20	0·16	0·13	0·10	24	22	22	19·3	15·9(*e*)
WOKINGHAM	3·19	3·00	2·75	2·40	2·37	17	18	18	16·5	16·5
HOOKHAM	2·59	2·39	2·11	1·88	1·60	19	18	18	16·4	14·9
EASTHAMPSTEAD	4·10	3·65	2·79	2·32	2·05	16	16	16	14·1	14·2(*f*)
WINDSOR	1·16	1·10	0·95	0·77	0·67	20	20	20	17·8	15·9(*g*)

III.—SOUTH MIDLAND COUNTIES.

6.—MIDDLESEX.										
STAINES	1·83	1·66	1·35	1·11	0·96	19	19	18	16·9	15·4
UXBRIDGE	1·35	1·22	1·10	1·01	0·93	23	22	25	22·9	19·9(*h*)
BRENTFORD	0·52	0·44	0·34	0·24	0·18	21	22	20	17·5	16·1
HENDON	2·11	1·88	1·19	0·73	0·44	17	18	18	16·7	15·2
BARNET	1·81	1·52	1·15	0·87	0·64	18	25	24	21·8	17·7(*i*)
EDMONTON	1·06	0·89	0·66	0·42	0·25	19	18	19	16·9	15·7(*j*)
7.—HERTFORDSHIRE.										
WARE	2·24	2·17	2·10	2·01	1·89	19	18	18	16·2	16·2
BISHOP STORTFORD	2·70	2·65	2·57	2·51	2·51	21	18	19	16·8	16·3
ROYSTON	3·46	3·46	3·47	3·53	3·80	21	19	18	16·8	15·9
HITCHIN	2·76	2·58	2·44	2·42	2·42	21	19	20	18·5	17·1

of this mortality, 545 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Royal South Hants Infirmary.
of this mortality, 422 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the Royal Victoria Hospital, and the y Lunatic Hospital.
f this mortality, 309 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Royal County Hospital.
of this mortality, 438 deaths, giving a death-rate of 3·0 per 1000 living, occurred in the County Lunatic Asylum.
f this mortality, 706 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Royal Berks Hospital.
of this mortality, 179 deaths, giving a death-rate of 1·4 per 1000 living, occurred in the Criminal Lunatic Asylum.
f this mortality, 379 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the Royal Infirmary and Dispensary, the Convalescent Home, St. Andrews Convalescent Hospital, and the Holloway Sanatorium.
of this mortality, 1,208 deaths, giving a death-rate of 4·2 per 1000 living, occurred in the London County Lunatic Asylum, ll.
f this mortality, 2,003 deaths, giving a death-rate of 5·0 per 1000 living, occurred in the London County Lunatic Asylum, Hatch.
f this mortality, 1,096 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the Strand Union Workhouse and the olitan Asylum Northern District Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	18
	7.—HERTFORDSHIRE—*cont.*										
134	HERTFORD	2·35	2·26	2·20	2·15	2·08	20	17	19	16·7	16
135	HATFIELD	3·57	3·49	3·46	3·45	3·32	18	18	18	17·3	15
136	ST. ALBANS	1·98	1·87	1·73	1·87	1·65	20	19	19	18·2	16
137	WATFORD	1·98	1·87	1·54	1·26	1·05	20	20	19	23·1	19
138	HEMEL HEMPSTEAD	2·07	1·88	1·78	1·75	1·73	20	21	20	19·2	17
139	BERKHAMPSTEAD	2·04	1·91	1·80	1·73	1·66	22	21	20	18·3	16
	8.—BUCKINGHAMSHIRE.										
140	AMERSHAM	2·71	2·70	2·71	2·58	2·45	22	22	21	19·1	15
141	ETON	1·99	1·90	1·80	1·62	1·50	18	18	18	16·2	14
142	WYCOMBE	2·83	2·37	2·22	2·11	1·96	21	21	20	18·8	16
143	AYLESBURY	3·25	3·14	3·04	2·99	2·94	21	22	22	20·2	18
144	WINSLOW	3·77	3·59	3·64	4·06	4·41	21	22	20	18·0	17
145	NEWPORT PAGNELL	2·98	2·86	2·77	2·97	2·98	22	21	20	19·2	16
146	BUCKINGHAM	3·66	3·72	3·85	4·15	4·50	23	22	20	18·7	18
	9.—OXFORDSHIRE.										
147	HENLEY	—	3·42	3·32	3·14	2·87	—	19	18	17·0	15
148	THAME	3·52	3·55	3·63	3·87	4·09	22	21	19	18·6	16
149	HEADINGTON	0·82	1·56	1·30	1·17	0·92	23	22	21	21·1	19
150	OXFORD		0·15	0·14	0·07	0·07		22	22	18·7	15
151	BICESTER	4·17	4·12	4·12	4·41	4·67	21	21	20	17·9	16
152	WOODSTOCK	3·44	3·34	3·31	3·50	3·63	21	20	20	18·7	16
153	WITNEY	3·02	3·00	3·02	3·51	3·65	22	20	20	19·5	17
154	CHIPPING NORTON	4·55	4·40	4·24	4·04	4·02	19	19	19	19·0	15
155	BANBURY	2·58	2·51	2·45	2·54	2·63	22	21	20	19·3	17
	10.—NORTHAMPTONSHIRE.										
156	BRACKLEY	4·33	4·32	4·36	4·61	4·69	22	21	20	18·6	17
157	TOWCESTER	3·33	3·27	3·25	3·30	3·46	22	23	20	18·8	17
158	POTTERSPURY	2·19	2·01	1·92	1·88	1·91	22	20	19	16·9	16
159	HARDINGSTONE	3·64	3·40	3·15	3·07	3·12	21	20	20	18·8	16
160	NORTHAMPTON	0·67	0·56	0·44	0·35	0·28	24	25	25	22·7	19
161	DAVENTRY	2·92	2·98	3·16	3·33	3·57	20	20	20	19·1	16
162	BRIXWORTH	3·27	3·98	4·13	4·44	4·91	22	20	19	18·0	16
163	WELLINGBOROUGH		2·43	2·09	1·63	1·38		22	21	19·3	15
164	KETTERING	3·04	2·98	2·83	2·42	1·77	20	20	21	18·9	16
165	THRAPSTON	4·11	3·80	3·60	3·47	3·48	19	20	20	19·0	16
166	OUNDLE	4·56	4·49	4·64	4·86	5·45	21	19	19	18·2	16
167	PETERBOROUGH	3·69	3·24	2·86	2·55	2·40	21	20	20	18·7	16
	11.—HUNTINGDONSHIRE.										
168	HUNTINGDON	3·92	3·73	3·71	3·80	4·12	22	20	20	18·2	16
169	ST. IVES	3·17	3·13	3·27	3·54	3·79	22	20	21	18·8	17
170	ST. NEOTS	3·54	3·45	3·48	3·68	4·10	21	19	19	18·5	15

(*a*) Of this mortality, 174 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Herts General Infirmary.
(*b*) Of this mortality, 1,678 deaths, giving a death-rate of 4·8 per 1000 living, occurred in the Metropolitan Asylum for Imbec
(*c*) Of this mortality, 143 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the West Herts Infirmary, and K
Coleige Hospital Convalescent Home.
(*d*) Of this mortality, 569 deaths, giving a death-rate of 2·3 per 1000 living, occurred in the Bucks and General County Infir
and the County Lunatic Asylum.
(*e*) Of this mortality, 1,479 deaths, giving a death-rate of 4·7 per 1000 living, occurred in the Oxford Union Workhouse, the
cliffe Infirmary, the National Hospital for Incurables, and the Oxford and Berks Counties Lunatic Asylum.
(*f*) In addition to this mortality, 308 deaths, giving a death-rate of 1·4 per 1000 living, occurred in the Oxford Union W
house, situated in Headington District.
(*g*) Of this mortality, 1,695 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the General Infirmary, St. And
Lunatic Hospital, and the County Lunatic Asylum.
(*h*) Of this mortality, 109 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the County Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued*.

EGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861-70	1871-80	1881-90
12.—BEDFORDSHIRE.										
EDFORD	2·89	2·64	2·44	2·30	2·05	23	20	20	18·5	15·4 (*a*)
IGGLESWADE	2·63	2·38	2·18	2·10	2·15	21	21	22	21·4	19·9 (*b*)
MPTHILL	2·58	2·48	2·41	2·46	2·81	22	21	21	19·0	17·2
OBURN	2·53	2·49	2·55	2·77	3·26	20	22	20	19·7	17·8
EIGHTON BUZZARD	2·10	2·19	2·09	2·13	2·12	21	22	20	19·3	16·4
UTON		1·46	1·26	1·11	0·98		20	21	19·0	18·1
13.—CAMBRIDGESHIRE.										
AXTON	4·72	4·53	4·41	4·53	5·20	19	19	19	17·2	15·6
HESTERTON	3·28	3·05	2·89	2·69	2·70	21	20	20	18·1	16·5 (*c*)
AMBRIDGE	0·13	0·13	0·12	0·10	0·09	23	20	22	19·7	17·8 (*d*)
INTON	3·53	3·46	3·54	3·66	3·93	20	19	19	16·8	16·2
EWMARKET	3·36	3·28	3·35	3·37	3·46	20	20	20	18·3	17·2
LY	3·72	3·57	3·67	3·77	3·90	23	21	20	19·6	18·0
ORTH WITCHFORD	3·86	3·86	3·94	3·85	3·73	27	21	20	18·9	16·6
HITTLESEY	3·45	3·43	3·60	3·73	4·08	25	23	21	20·0	17·9
ISBECH	3·89	3·78	3·90	3·95	3·45	25	22	20	19·3	18·3

IV.—EASTERN COUNTIES.

14.—ESSEX.										
EST HAM	0·64	0·42	0·24	0·13	0·07	18	20	20	17·8	17·2
PPING	2·97	2·89	2·53	2·29	2·01	18	18	18	16·9	15·3
NGAR	4·01	4·10	4·16	4·26	4·45	17	18	18	17·0	15·4
OMFORD	2·06	1·87	1·64	1·40	1·09	20	20	20	18·7	16·1
RSETT	3·96	3·70	3·32	2·78	1·88	24	21	18	16·6	16·3
ILLERICAY	5·37	3·53	3·11	2·76	2·57	21	21	19	20·0	20·7 (*e*)
HELMSFORD	2·67	2·58	2·52	2·57	2·56	20	19	19	17·9	15·8
OCHFORD	—	6·32	5·51	2·81	2·31	—	21	19	16·5	15·6
ALDON	4·99	4·79	4·61	3·63	3·79	21	21	19	17·5	16·0
ENDRING	3·33	3·28	3·15	2·76	2·38	20	20	19	18·1	16·2
OLCHESTER	0·60	0·52	0·45	0·41	0·36	24	22	21	19·9	17·5 (*f*)
EXDEN	3·47	3·31	3·14	2·93	3·28	19	19	18	16·6	16·3
ALSTEAD	2·10	2·06	2·11	2·21	2·32	20	22	20	18·8	17·3
RAINTREE	2·30	2·23	2·25	2·31	2·39	21	21	21	18·8	17·1
UNMOW	3·60	3·61	3·68	3·90	4·24	21	20	19	17·8	17·2
AFFRON WALDEN	3·17	3·10	3·19	3·38	3·55	21	19	19	18·0	16·8
15.—SUFFOLK.										
ISBRIDGE	3·02	3·02	2·98	3·03	3·13	22	20	20	18·3	17·0
UDBURY	2·57	2·52	2·48	2·57	2·70	20	20	20	18·4	17·0
OSFORD	2·90	2·97	3·06	3·20	3·37	21	20	19	18·6	17·7
HINGOE	4·45	4·43	4·60	4·85	5·23	18	20	18	16·2	16·1 (*g*)
URY ST. EDMUNDS	0·22	0·22	0·21	0·19	0·18	24	22	23	22·1	19·3 (*g h*)
ILDENHALL	6·27	6·14	6·51	6·74	7·41	20	20	19	18·9	19·5
TOW	2·71	2·63	2·64	2·69	2·83	18	19	19	18·3	16·9
ARTISMERE	2·89	2·95	3·15	3·33	3·58	21	20	20	18·4	17·2

this mortality, 333 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the General Infirmary and Fever Hospital.
this mortality, 960 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the Beds, Herts, and Hunts Counties' Asylum.
this mortality. 331 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the County Lunatic Asylum.
this mortality, 750 deaths, giving a death-rate of 2·1 per 1000 living, occurred in the Addenbrooke's Hospital.
this mortality, 1,103 deaths, giving a death-rate of 5·7 per 1000 living, occurred in the County Lunatic Asylum.
f this mortality, 462 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Essex and Colchester Hospital, the d Lock Hospital, and the Eastern Counties Idiot Asylum.
the Thingoe Union Workhouse situated in Bury St. Edmunds District, 295 deaths occurred. This workhouse, however, paupers of both Thingoe Union and Bury St. Edmunds Union. The mean populations of the two Districts are nearly d the whole of the 295 deaths would give a death-rate of 1·8 in either District.
this mortality, 158 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Suffolk General Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

IV.—EASTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	188
	15.—SUFFOLK—*cont.*										
210	HOXNE	3·35	3·47	3·63	3·91	4·42	21	20	19	18·0	15
211	BOSMERE	3·43	3·47	3·63	3·71	3·85	18	19	19	17·9	16
212	SAMFORD	4·13	3·98	4·00	4·05	3·86	18	20	19	17·8	16
213	IPSWICH	0·29	0·24	0·21	0·18	0·15	23	22	22	22·2	19
214	WOODBRIDGE	3·51	3·53	3·64	3·42	3·39	21	20	21	19·7	18
215	PLOMESGATE	3·53	3·56	3·62	3·69	3·67	19	20	18	17·2	16
216	BLYTHING	3·34	3·37	3·46	3·53	3·68	18	20	19	17·8	16
217	WANGFORD	2·52	2·54	2·54	2·46	2·39	19	21	19	18·7	16
218	MUTFORD	1·94	1·61	1·28	1·00	0·79	17	20	18	17·4	16
	16.—NORFOLK.										
219	YARMOUTH (GREAT)	0·06	0·05	0·05	0·04	0·04	23	25	24	22·9	21
220	FLEGG	3·60	3·40	3·23	3·05	2·98	20	20	18	18·5	17
221	SMALLBURGH	4·03	4·16	4·33	4·35	3·97	20	21	19	17·0	17
222	ERPINGHAM	3·43	3·40	3·56	3·45	3·46	20	21	20	18·2	16
223	AYLSHAM	3·40	3·49	3·67	3·77	3·91	21	21	19	18·0	16
224	ST. FAITH'S	4·12	4·09	4·35	4·33	4·17	20	18	19	17·5	17
225	NORWICH	0·11	0·10	0·10	0·09	0·08	24	25	24	23·3	19
226	FOREHOE	2·79	2·87	3·01	3·12	3·23	21	20	20	17·4	16
227	HENSTEAD	3·78	3·80	3·94	4·06	3·95	17	19	19	17·4	16
228	BLOFIELD	3·99	3·83	3·87	3·85	3·89	20	20	21	22·2	22
229	LODDON	4·02	4·05	4·26	4·34	4·48	18	19	18	17·4	16
230	DEPWADE	2·80	2·81	2·94	3·04	3·17	20	20	20	17·9	16
231	GUILTCROSS	3·61	3·70	3·91	4·09	4·34	21	22	20	18·9	16
232	WAYLAND	4·38	4·31	4·51	4·68	4·84	19	20	20	19·4	17
233	MITFORD	3·64	3·67	3·79	3·83	3·98	20	20	19	18·4	17
234	WALSINGHAM	4·08	4·06	4·24	4·53	4·17	21	20	22	18·6	17
235	DOCKING	5·77	5·66	5·80	5·81	5·06	20	21	21	18·8	17
236	FREEBRIDGE LYNN	6·03	5·83	5·85	6·11	6·05	18	18	20	18·6	16
237	KING'S LYNN	0·30	0·30	0·34	0·33	0·28	23	22	22	20·9	20
238	DOWNHAM	4·16	4·06	4·10	4·19	4·39	22	21	20	18·9	17
239	SWAFFHAM	5·93	5·79	5·94	6·14	6·51	19	19	19	16·8	17
240	THETFORD	6·44	6·24	6·56	6·76	6·90	21	20	21	19·0	17

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.										
241	HIGHWORTH	3·02	2·72	2·23	1·66	1·30	21	21	18	17·7	15
242	CRICKLADE	3·65	3 63	3·52	3·69	3·99	20	20	19	17·9	17
243	MALMESBURY	3·75	3·90	3·93	4·05	4·32	19	19	18	17·0	17
244	CHIPPENHAM	2·80	2·76	2·66	2·71	2·75	19	21	19	17·8	16
245	CALNE	3·09	3·17	3·21	3·26	3·43	20	20	18	17·6	16
246	MARLBOROUGH	4·32	4·20	4·17	4·18	4·89	20	19	19	16·8	15
247	DEVIZES	2·86	2·89	2·96	3·04	3·12	22	21	21	21·1	19
248	MELKSHAM	0·94	0·99	1·00	0·97	0·89	22	22	22	20·3	16
249	BRADFORD-ON-AVON	1·50	1·70	1·78	1·75	1·80	20	22	19	18·9	17
250	WESTBURY	2·39	2·55	2·67	2·80	3·03	22	22	21	19·5	16
251	WARMINSTER	3·30	3·41	3·61	3·87	4·35	21	20	18	18·9	16
252	PEWSEY	5·30	5·26	5·39	5·80	6·24	20	19	20	19·1	17
253	AMESBURY	7·82	7·62	7·76	8·17	8·76	18	20	18	16·8	16

(*a*) Of this mortality, 355 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the East Suffolk and Ipswich Hospital
(*b*) Of this mortality, 494 deaths, giving a death-rate of 2·1 per 1000 living, occurred in the County Lunatic Asylum.
(*c*) Of this mortality, 127 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the Royal Naval Lunatic Hospital.
(*d*) Of this mortality, 233 deaths, giving a death-rate of 2·0 per 1000 living, occurred in the Norwich City Lunatic Asylum.
(*e*) Of this mortality, 705 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Norfolk and Norwich Hospital Jenny Lind Infirmary for Children, and the Bethel Lunatic Hospital; but in addition to the mortality shown in the T 233 deaths, giving a death-rate of 0·2, occurred in the Norwich City Lunatic Asylum, situated in St. Faith's District.
(*f*) Of this mortality, 705 deaths, giving a death-rate of 6·0 per 1000 living, occurred in the County Lunatic Asylum.
(*g*) Of this mortality, 168 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the West Norfolk and Lynn Hospital.
(*h*) Of this mortality, 667 deaths, giving a death-rate of 3·3 per 1000 living, occurred in the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

REGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
17.—WILTSHIRE —*cont.*										
ALDERBURY	3·68	3·55	3·43	3·20	2·07	22	23	22	19·9	18·2(*a*)
SALISBURY	0·05	0·05	0·05	0·05		28	24	20	20·8	
ILTON	5·25	5·16	5·13	5·28	5·58	21	21	18	17·5	15·7
ISBURY	3·99	4·04	4·10	4·22	4·87	20	19	18	16·9	15·7
ERE	3·92	4·03	4·07	4·26	4·90	19	21	19	17·9	17·0
18.—DORSETSHIRE.										
TAFTESBURY	2·79	2·81	2·79	2·83	3·04	20	20	19	17·0	16·1
TURMINSTER	3·64	3·62	3·58	3·63	4·01	19	20	18	18·1	16·7
LANDFORD	4·02	3·89	3·89	3·96	4·47	19	17	18	15·8	15·3
IMBORNE	4·88	4·69	4·69	4·73	4·75	19	18	18	15·8	15·4
OOLE	1·97	1·84	1·72	1·47	1·14	20	20	21	17·9	15·5
AREHAM	5·67	5·58	5·62	5·64	5·52	18	19	17	16·4	16·2
EYMOUTH	1·83	1·51	1·17	1·10	1·05	19	18	17	16·3	15·1
ORCHESTER	4·77	4·63	4·55	4·56	4·71	20	21	19	18·4	17·6(*b*)
IERBORNE	3·16	3·02	2·92	3·00	3·25	20	20	19	18·4	15·8
EAMINSTER	3·66	3·86	4·03	4·37	5·00	21	20	19	19·7	18·6
RIDPORT	1·98	1·97	1·98	2·10	2·29	22	21	21	19·7	17·2
19.—DEVONSHIRE.										
XMINSTER	3·02	3·08	3·07	3·15	3·31	19	20	19	18·6	16·8
ONITON	3·39	3·47	3·59	3·73	3·97	18	19	19	18·8	17·2
. THOMAS	2·71	2·68	2·66	2·64	2·48	18	19	20	20·1	18·1(*c*)
XETER	0·06	0·05	0·05	0·05	0·05	25	24	25	25·0	21·8(*d*)
EWTON ABBOT	2·43	2·11	1·85	1·64	1·52	19	18	20	17·7	16·6
OTNES	2·89	2·94	2·86	2·71	2·51	19	19	20	18·1	16·6
INGSBRIDGE	3·40	3·58	3·76	3·81	4·00	17	18	19	18·2	17·5
YMPTON ST. MARY	3·82	3·76	3·49	2·22	2·97	18	19	19	16·8	16·3
YMOUTH	0·04	0·03	0·02	0·02	0·02	25	24	23	22·6	21·4(*e*)
AST STONEHOUSE	0·02	0·01	0·01	0·01	0·01	29	27	27	28·3	24·9(*f*)
OKE DAMEREL	0·05	0·04	0·04	0·04	0·03	26	23	21	20·4	18·5(*g*)
AVISTOCK	5·88	4·69	4·79	5·27	5·66	19	20	19	17·4	18·6
KEHAMPTON	5·98	6·51	6·70	7·00	8·00	16	18	17	18·1	17·0
REDITON	4·20	4·37	4·63	4·92	5·35	17	18	19	18·3	17·6
IVERTON	4·64	3·29	3·40	3·54	3·76	20	21	20	19·6	17·9
OUTH MOLTON	5·93	6·20	7·48	8·05	8·95	18	18	18	17·7	16·3
ARNSTAPLE	3·97	4·02	4·06	3·96	3·64	17	18	18	18·8	17·3
ORRINGTON	4·57	4·74	4·91	5·23	5·88	17	17	19	17·8	17·9
IDEFORD	3·75	3·52	3·42	3·34	3·33	17	19	19	18·9	16·8
OLSWORTHY	7·32	7·94	8·55	8·95	9·25	16	18	18	18·2	16·6
20.—CORNWALL.										
RATTON	6·04	6·55	6·86	7·12	7·58	17	20	19	17·3	17·7
AMELFORD	6·28	6·39	6·40	6·47	7·24	17	19	18	18·9	19·2
AUNCESTON	5·25	5·76	5·91	6·08	6·54	17	19	18	18·4	17·1
. GERMANS	2·89	2·76	2·49	2·46	2·49	21	21	20	19·0	18·9
ISKEARD	3·76	3·41	3·17	3·41	3·90	18	20	19	17·4	17·9
ODMIN	4·31	4·43	4·52	4·53	4·74	18	20	20	21·7	20·3(*h*)

(*a*) this mortality, 884 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the General Infirmary, and Fisherton Lunatic Asylum.

(*b*) this mortality, 508 deaths, giving a death-rate of 2·1 per 1000 living, occurred in the County Hospital, and the County Asylums.

(*c*) this mortality, 818 deaths, giving a death-rate of 1·6 per 1000 living, occurred in the Exeter Sanatorium, the Exeter Borough Asylum, the County Lunatic Asylum, and the Western Counties Idiot Asylum.

(*d*) this mortality, 557 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Devon and Exeter Hospital; but in to the mortality shown in the Table, 100 deaths, giving a death-rate of 0·3, occurred in the Exeter Sanatorium and Exeter Lunatic Asylum situated in St. Thomas District.

(*e*) this mortality, 454 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the South Devon and East Cornwall

(*f*) this mortality, 620 deaths, giving a death-rate of 4·1 per 1000 living, occurred in the Royal Naval Hospital.

(*g*) this mortality, 448 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the Royal Albert Hospital, and the Military

(*h*) this mortality, 455 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the East Cornwall Hospital, and the County Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	1881-90	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80	18
	20.—CORNWALL— *cont.*										
295	ST. COLUMB	4·69	4·61	4·69	4·74	4·95	17	18	19	19·1	17
296	ST. AUSTELL	1·81	1·74	1·77	1·90	1·91	19	20	20	21·0	18
297	TRURO	2·16	2·16	2·17	2·30	2·56	20	20	22	20·4	18
298	FALMOUTH	1·28	1·23	1·15	1·00	1·01	21	20	22	19·9	17
299	HELSTON	2·38	2·48	2·48	2·82	3·20	18	20	21	22·0	20
300	REDRUTH	0·79	0·73	0·73	0·81	0·85	20	21	23	21·4	20
301	PENZANCE	1·26	1·20	1·19	1·24	1·32	20	21	22	21·4	19
302	SCILLY ISLANDS	1·37	1·41	1·58	1·61	1·91	19	18	20	22·1	21
	21.—SOMERSETSHIRE.										
303	WILLITON	5·56	5·49	5·50	5·67	5·74	17	18	18	17·3	16
304	DULVERTON	—	12·21	9·69	10·30	11·40	—	16	17	16·0	15
305	WELLINGTON	2·75	2·84	2·93	3·02	3·26	19	18	18	17·6	17
306	TAUNTON	2·03	1·99	1·98	1·97	2·01	20	20	19	18·2	18
307	BRIDGWATER	2·84	2·73	2·63	2·66	2·64	20	19	19	18·7	16
308	LANGPORT	3·24	3·24	3·32	3·58	3·95	18	19	19	18·0	17
309	CHARD	2·29	2·34	2·32	2·33	2·45	19	20	19	19·5	17
310	YEOVIL	1·85	1·84	1·83	1·84	1·92	21	21	19	19·6	16
311	WINCANTON	3·10	3·09	3·11	3·24	3·50	20	20	19	18·1	17
312	FROME	2·35	2·09	2·13	2·16	2·29	22	22	20	18·7	16
313	SHEPTON MALLET		2·93	3·04	3·10	3·20		20	19	18·0	17
314	WELLS	3·09	3·00	2·93	2·94	2·91	20	21	22	20·3	19
315	AXBRIDGE	3·24	3·06	2·81	2·64	2·32	18	17	19	17·4	16
316	CLUTTON	1·87	1·92	1·98	1·99	1·96	19	19	19	18·4	16
317	BATH	0·44	0·44	0·44	0·43	0·42	24	22	22	21·5	18
318	KEYNSHAM	1·54	1·54	1·49	1·37	1·21	19	19	20	18·4	16
319	BEDMINSTER	1·53	1·44	1·20	0·94	0·75	20	20	20	20·4	16

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSHIRE.										
320	BRISTOL	0·01	0·01	0·01	0·01	0·01	29	28	29	25·5	23
321	BARTON REGIS	0·41	0·34	0·26	0·19	0·15	23	20	20	20·0	17
322	CHIPPING SODBURY	3·30	3·34	3·33	3·49	3·68	20	19	20	19·1	17
323	THORNBURY	4·00	4·00	3·89	3·27	3·33	18	17	17	17·2	16
324	DURSLEY	1·69	1·89	2·01	2·02	2·16	21	21	20	20·0	17
325	WESTBURY-ON-SEVERN	2·55	2·26	2·02	1·78	1·76	19	18	19	19·0	17
326	NEWENT	3·73	3·62	3·71	3·93	4·37	19	19	19	17·6	16
327	GLOUCESTER	1·09	0·96	0·84	0·73	0·67	24	22	22	20·9	18
328	WHEATENHURST	3·07	3·10	3·25	3·11	3·43	20	19	17	17·5	15
329	STROUD	1·15	1·18	1·12	1·06	1·05	21	22	21	19·0	16
330	TETBURY	4·22	4·15	4·19	4·27	4·49	18	18	19	15·8	14
331	CIRENCESTER	4·06	4·04	4·02	4·01	4·15	20	20	18	17·7	16
332	NORTHLEACH	6·25	6·18	6·30	6·58	7·46	18	19	18	16·9	15

(*a*) Of this mortality, 356 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the Taunton and Somerset Hospital.
(*b*) Of this mortality, 817 deaths, giving a death-rate of 3·6 per 1000 living, occurred in the County Lunatic Asylum.
(*c*) Of this mortality, 275 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the West of England Sanatorium Weston-super-Mare Hospital, and St. Michael's Home for Consumption.
(*d*) Of this mortality, 913 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Royal United Hospital and the Mi Water Hospital.
(*e*) Of this mortality, 409 deaths, giving a death-rate of 0·6 per 1000 living, occurred in part of the Bristol General Hospital.
(*f*) Of this mortality, 3,137 deaths, giving a death-rate of 5·6 per 1000 living, occurred in part of the Bristol General Hos the Royal Infirmary, and the Hospital for Sick Children; but in addition to the mortality shown in the Table, 1,256 deaths, g a death-rate of 2·2, occurred in the City of Bristol Workhouse situated in Barton Regis District. The inmates of this Workl come mainly from Bristol District.
(*g*) Of this mortality, 1,703 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the City of Bristol Workhouse and B Lunatic Asylum.
(*h*) Of this mortality, 1,585 deaths, giving a death-rate of 3·2 per 1000 living, occurred in the General Infirmary and the Co Lunatic Asylums.

ABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued.*

EGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
2.—GLOUCESTERSHIRE—*cont.*										
OW-ON-THE-WOLD	4·23	4·19	4·26	4·39	4·91	18	18	20	17·2	17·5
INCHCOMB	5·71	5·69	5·63	5·79	6·08	17	18	18	17·0	15·4
IELTENHAM	0·59	0·53	0·50	0·48	0·48	20	19	19	17·9	17·8
EWKESBURY	2·59	2·59	2·69	2·87	3·16	21	21	20	18·9	18·0
23.—HEREFORDSHIRE.										
EDBURY	3·75	3·48	3·49	3·80	4·03	19	18	17	17·1	16·9
OSS	3·67	3·49	3·38	3·37	3·62	20	20	20	18·0	16·8
EREFORD	4·17	3·90	3·54	3·38	3·44	22	21	21	19·5	18·4 (*a*)
EOBLY	5·69	5·52	5·43	5·69	6·38	20	20	18	16·9	17·3
ROMYARD	5·32	5·25	5·19	5·36	5·85	20	20	19	17·9	16·4
OMINSTER	4·48	4·32	4·17	4·29	4·67	22	21	20	18·8	16·4
INGTON	7·08	7·10	6·92	7·30	8·59	19	19	20	17·3	16·4
4.—SHROPSHIRE.										
DLOW	4·82	4·79	4·65	4·54	4·73	20	19	20	18·8	16·8
UN	8·23	8·00	7·75	7·94	8·86	20	18	18	17·9	16·6
URCH STRETTON	7·55	7·42	7·36	7·74	8·34	19	18	18	17·2	15·3
EOBURY MORTIMER	6·30	6·45	6·58	6·61	7·07	19	18	18	18·0	14·8
IDGNORTH	4·44	4·43	4·47	4·56	4·76	21	19	18	17·0	17·4
IFNAL	4·09	3·92	3·72	3·60	3·75	21	18	19	17·1	16·2
ADELEY	1·09	1·01	0·97	1·02	1·13	23	21	22	21·0	18·2
TCHAM	5·48	5·39	5·52	5·80	2·69	18	18	17	17·1	19·3 (*b*)
HREWSBURY	0·81	0·74	0·68	0·63		26	25	26	22·1	
WESTRY	3·36	3·31	3·04	3·04	3·05	19	19	21	18·9	17·7
LLESMERE	4·60	4·76	4·89	5·20	5·38	20	19	19	18·2	16·1
EM	3·86	4·81	4·90	4·89	5·07	20	20	19	16·3	16·5
HITCHURCH		3·45	3·44	3·56	3·51		20	21	19·2	16·0
ARKET DRAYTON	4·83	4·78	4·70	4·43	4·48	20	20	18	17·1	15·7
ELLINGTON	1·65	1·50	1·37	1·36	1·42	21	22	22	19·8	18·1
EWPORT	3·13	3·06	3·03	3·11	3·26	20	20	18	17·1	17·6
25.—STAFFORDSHIRE.										
AFFORD	2·42	2·20	2·04	2·00	1·89	22	22	23	23·0	20·1 (*c*)
ONE	3·59	3·32	2·94	2·59	2·20	21	20	20	20·0	18·2
EWCASTLE-UNDER-LYME	1·33	1·18	0·98	0·84	0·76	26	23	22	21·4	18·5
OLSTANTON	0·37	0·28	0·22	0·19	0·18	26	26	25	24·3	21·0
OKE-UPON-TRENT	0·23	0·19	0·15	0·13	0·11	27	26	26	25·8	23·4 (*d*)
EK	3·29	3·05	2·66	2·37	2·18	21	24	21	21·2	18·3
EADLE	3·06	2·82	2·61	2·51	2·35	21	21	21	19·4	17·8
TOXETER	4·18	4·20	4·32	4·54	4·57	18	20	20	18·1	17·0
RTON-UPON-TRENT	2·99	2·49	1·87	1·37	1·12	20	21	21	19·8	16·9 (*e*)
MWORTH	3·48	3·17	2·81	2·51	2·23	19	20	20	18·4	15·6
CHFIELD	2·90	2·71	2·44	2·18	1·94	19	20	20	19·5	17·9 (*f*)
NNOCK	4·30	3·99	3·38	2·41	1·80	19	20	18	19·3	16·0
OLVERHAMPTON	0·58	0·47	0·42	0·39	0·37	27	28	24	22·8	20·7 (*g*)
ALSALL	0·56	0·42	0·33	0·28	0·24	24	26	24	22·8	19·3
EST BROMWICH	0·32	0·24	0·19	0·17	0·14	23	24	22	21·6	19·2
DLEY	0·19	0·15	0·14	0·13	0·12	25	26	25	24·2	20·5

this mortality, 528 deaths, giving a death-rate of 1·2 per 1000 living, occurred in the General Infirmary and the County Lunatic Asylum.

his mortality, 1,158 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Salop Infirmary, and the Salop and ery Counties Lunatic Asylum.

his mortality, 1,377 deaths, giving a death-rate of 4·5 per 1000 living, occurred in the Staffordshire General Infirmary and y Lunatic Asylum, Stafford.

this mortality, 1,013 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the North Staffordshire Infirmary

this mortality, 533 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Derby County Lunatic Asylum.

this mortality, 661 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the County Lunatic Asylum, Burntwood.

this mortality, 1,262 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the South Staffordshire Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, i
REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841–50	1851–60	1861–70	1871–80	1881–90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841–50	1851–60	1861–70	1871–80
	26.—WORCESTERSHIRE.									
375	STOURBRIDGE	0·31	0·26	0·23	0·21	0·21	24	23	22	21·4
376	KIDDERMINSTER	1·20	1·18	1·14	0·99	0·91	22	21	21	19·3
377	TENBURY	5·09	4·99	4·73	4·66	4·93	19	17	18	18·2
378	MARTLEY	3·99	3·72	3·42	3·29	3·41	19	18	17	16·6
379	WORCESTER	0·24	0·23	0·21	0·21	0·20	24	23	25	23·1
380	UPTON-ON-SEVERN	3·03	2·71	2·39	2·27	2·29	18	20	20	18·5
381	EVESHAM	3·29	3·19	3·08	3·03	3·04	20	19	18	17·4
382	PERSHORE	3·88	3·81	3·73	3·77	4·00	19	17	17	16·8
383	DROITWICH	3·17	3·02	2·65	2·26	2·40	19	18	19	17·3
384	BROMSGROVE	2·01	1·86	1·76	1·61	1·55	22	20	21	19·4
385	KINGS NORTON	1·08	0·73	0·50	0·35	0·26	17	17	17	16·5
	27.—WARWICKSHIRE.									
386	BIRMINGHAM	0·02	0·01	0·01	0·01	0·01	26	27	27	25·8
387	ASTON	0·53	0·37	0·25	0·18	0·13	21	21	21	20·7
388	MERIDEN	4·32	4·31	4·36	4·34	4·39	20	18	18	17·0
389	ATHERSTONE	2·50	2·37	2·32	2·11	1·94	21	20	20	19·4
390	NUNEATON	1·58	1·54	1·60	1·56	1·39	27	23	23	22·1
391	FOLESHILL	1·26	1·01	1·04	1·09	1·06	25	25	23	23·1
392	COVENTRY	0·16	0·14	0·13	0·13	0·10	27	25	21	21·6
393	RUGBY	3·67	3·37	3·26	3·09	3·01	19	19	18	17·0
394	SOLIHULL	3·86	3·66	3·25	2·58	1·90	18	18	16	15·2
395	WARWICK	1·68	1·55	1·44	1·31	1·27	20	21	21	19·8
396	STRATFORD-ON-AVON	3·86	3·76	3·60	3·50	3·51	20	19	18	17·5
397	ALCESTER	3·06	3·05	2·99	2·79	2·81	21	21	19	19·3
398	SHIPSTON-ON-STOUR	3·91	3·90	3·99	4·20	4·52	20	20	18	17·6
399	SOUTHAM	4·94	4·82	4·82	4·85	5·14	21	19	18	17·5

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.									
400	LUTTERWORTH	3·66	3·72	3·97	4·28	4·58	18	19	19	17·9
401	MARKET HARBOROUGH	4·05	4·02	3·99	3·97	4·09	20	20	19	18·8
402	BILLESDON	7·34	7·10	6·84	5·75	4·51	18	16	16	18·5
403	BLABY	2·45	2·41	2·36	1·87	1·28	20	21	20	18·7
404	HINCKLEY	1·56	1·70	1·73	1·67	1·48	22	23	22	22·3
405	MARKET BOSWORTH	3·93	3·96	3·91	3·74	3·52	19	19	19	19·3
406	ASHBY-DE-LA-ZOUCH	2·00	1·85	1·73	1·63	1·55	20	21	20	19·8
407	LOUGHBOROUGH	1·82	1·84	1·81	1·68	1·56	22	23	23	22·6

(*a*) Of this mortality, 555 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Worcester General Infirmary.
(*b*) Of this mortality, 778 deaths, giving a death-rate of 3·3 per 1000 living, occurred in the County Lunatic Asylum.
(*c*) Of this mortality, 343 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the Birmingham City Lunatic Asy
(*d*) Of this mortality, 6,603 deaths, giving a death-rate of 2·7 per 1000 living, occurred in the Children's Hospital, the Hospital, the General Hospital, the City Hospital, the Homœopathic Hospital, and the City Lunatic Asylum.
(*e*) Of this mortality, 320 deaths, giving a death-rate of 0·7 per 1000 living, occurred in the Coventry and Warwick Hospit
(*f*) Of this mortality, 119 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Birmingham and Midland for Women.
(*g*) Of this mortality, 1,056 deaths, giving a death-rate of 2·0 per 1000 living, occurred in the Warneford Hospital, the Counties Home for Incurables, and the County Lunatic Asylum.
(*h*) Of this mortality, 402 deaths, giving a death-rate of 3·4 per 1000 living, occurred in the Leicester Borough Lunatic As
(*i*) Of this mortality, 220 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the Leicester Borough Hospital.

ABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—*continued.*

GISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	1881–90
28.—LEICESTERSHIRE—*cont.*										
RROW-UPON-SOAR	2·41	2·40	2·32	1·90	1·65	21	22	21	20·2	18·1
ICESTER	0·07	0·06	0·04	0·03	0·02	27	25	26	24·5	20·4 (*a*)
LTON MOWBRAY	4·92	4·82	4·89	4·85	4·73	17	19	19	19·5	16·9
29.—RUTLANDSHIRE.										
KHAM	4·84	4·86	4·95	4·98	5·30	20	19	20	18·9	16·6
PINGHAM	4·27	4·19	4·25	4·31	4·49	19	18	18	18·1	16·0
30.—LINCOLNSHIRE.										
AMFORD	2·87	2·78	2·93	2·92	3·14	19	20	19	19·1	17·2 (*b*)
URN	5·00	4·90	4·52	4·66	4·91	18	19	19	19·4	17·0
ALDING	3·40	3·32	3·82	3·75	3·67	22	20	19	18·9	17·0
LBEACH	5·94	5·72	5·68	5·56	4·46	21	21	19	18·8	16·9
STON	3·43	3·29	3·31	3·27	2·87	21	19	19	18·6	17·9
EAFORD	5·52	5·33	5·19	5·11	5·55	19	19	18	17·1	16·6
ANTHAM	3·75	3·54	3·50	3·23	3·16	18	19	19	18·1	17·2
NCOLN	4·07	3·57	3·20	2·72	2·42	21	20	21	21·0	19·5 (*c*)
RNCASTLE	4·70	4·56	4·69	4·97	5·63	19	19	18	17·6	16·0
LSBY	5·04	4·86	4·83	4·92	4·69	18	19	18	16·9	16·9
UTH	5·43	5·01	4·91	4·97	4·88	21	20	19	17·8	16·5
ISTOR	5·68	4·85	4·03	3·01	2·31	18	19	19	18·2	17·3
ANFORD BRIGG	5·20	4·83	4·66	4·33	3·75	19	19	20	18·2	17·5
INSBOROUGH	4·09	4·08	4·08	3·80	3·53	22	20	21	18·7	18·2
.—NOTTINGHAMSHIRE.										
ST RETFORD	4·15	4·03	4·01	3·96	3·95	19	19	19	18·4	16·5
ORKSOP	4·35	4·06	3·40	2·94	2·69	18	20	20	19·0	17·8
NSFIELD	1·94	1·84	1·68	1·41	1·15	20	21	22	21·7	18·6
SFORD	1·41	1·27	1·11	0·89	0·70	21	23	22	21·2	18·3
ADFORD	0·28	0·24	0·21	} 0·06	0·04 {	22	25	23	} 22·9	22·0 (*d*)
OTTINGHAM	0·03	0·03	0·02			26	27	24		
UTHWELL	4·64	4·70	4·97	5·45	5·97	17	19	19	18·6	17·8
WARK	3·25	3·10	3·16	3·14	3·16	20	20	20	20·1	17·5
GHAM	4·20	4·27	4·48	4·63	4·82	18	19	19	18·5	17·9
2.—DERBYSHIRE.										
ARDLOW	2·26	2·31	2·30	1·85	1·46	20	20	19	18·8	16·0
RBY	0·08	0·06	0·06	0·05	0·04	24	24	23	21·3	17·7 (*e*)
LPER	1·43	1·35	1·26	1·21	1·11	21	21	22	20·4	18·5 (*f*)

his mortality, 1,682 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the General Infirmary and the Leicester nd Counties Lunatic Asylum; but in addition to the mortality shown in the Table, 622 deaths, giving a death-rate of red in the Leicester Borough Lunatic Asylum, situated in Billesdon District, and in the Leicester Borough Hospital, n Blaby District.

his mortality, 109 deaths, giving a death-rate of 0·6 per 1000 living, occurred in the Stamford and Rutland General

his mortality, 1,321 deaths, giving a death-rate of 2·0 per 1000 living, occurred in the County Hospital and County Lunatic

his mortality, 435 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the County Lunatic Asylum.

his mortality, 899 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the Derbyshire General Infirmary; but n to the mortality shown in the Table, 790 deaths, giving a death-rate of 0·9, occurred in the Derby Workhouse, the natorium, and the Derby Borough Lunatic Asylum, situated in Belper District.

this mortality, 790 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Derby Workhouse, Derby Sanatorium, erby Borough Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841-50	1851-60	1861-70	1871-80	1881-90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841-50	1851-60	1861-70	1871-80	188
	32.—DERBYSHIRE —*cont.*										
438	ASHBORNE	4·35	4·86	5·03	4·78	4·87	20	20	20	19·4	17
439	CHESTERFIELD	2·23	1·76	1·36	1·02	0·87	21	22	22	21·3	18
440	BAKEWELL	—	3·36	3·38	3·47	3·34	—	20	21	19·6	17
441	CHAPEL-EN-LE-FRITH	—	5·30	4·54	4·74	3·87	—	20	21	19·1	17
442	HAYFIELD	1·82	1·58	1·51	1·13	1·02	22	23	22	21·5	19

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.										
443	STOCKPORT	0·35	0·33	0·32	0·26	0·23	25	26	25	24·7	22
444	MACCLESFIELD	1·37	1·31	1·36	1·42	1·40	26	25	23	23·3	21
445	ALTRINCHAM	2·26	1·98	1·63	1·39	1·21	21	20	19	17·9	15
446	RUNCORN	1·79	1·74	1·60	1·46	1·23	22	21	23	20·8	18
447	NORTHWICH	2·17	2·03	1·78	1·54	1·33	21	22	22	21·0	17
448	CONGLETON	1·78	1·63	1·55	1·51	1·49	22	23	22	20·7	17
449	NANTWICH	3·37	2·89	2·35	1·96	1·76	21	20	20	18·6	16
450	CHESTER	2·14	1·93	1·71	1·63	1·56	23	22	23	21·0	18
451	WIRRAL	2·52	1·64	4·21	1·77	1·35	20	19	18	15·7	13
452	BIRKENHEAD			0·33	0·10	0·08			23	20·4	19
	34.—LANCASHIRE.										
453	LIVERPOOL	0·01	0·01	0·01	0·01	0·01	36*	33	39	33·6	33
454	TOXTETH PARK	0·34	0·22	0·14	0·10	0·03	26	23	26	23·4	23
455	WEST DERBY					0·09					21
456	PRESCOT	1·14	0·88	0·67	0·53	0·43	23	24	24	22·9	21
457	ORMSKIRK	2·47	2·14	1·72	1·27	0·99	20	19	22	20·6	17
458	WIGAN	0·66	0·55	0·47	0·38	0·32	28	27	29	25·8	22
459	WARRINGTON	0·80	0·75	0·63	0·50	0·40	26	24	26	22·2	20
460	LEIGH		0·67	0·61	0·50	0·38		25	25	23·7	20
461	BOLTON	0·41	0·36	0·32	0·26	0·22	27	27	26	24·3	20
462	BURY	0·40	0·35	0·32	0·28	0·25	25	23	24	23·5	20
463	BARTON-UPON-IRWELL	0·27	0·66	0·54	0·39	0·30	25	22	22	21·0	17
464	CHORLTON		0·08	0·06	0·05	0·04		24	25	23·6	20
465	SALFORD	0·08	0·06	0·05	0·04	0·03	28	26	27	27·7	24
466	MANCHESTER	0·06	0·05	0·05	0·01	0·01	33	31	33	32·9	26
467	PRESTWICH				0·11	0·08				26·4	27
468	ASHTON-UNDER-LYNE	0·35	0·30	0·29	0·27	0·24	26	27	25	25·2	22
469	OLDHAM	0·21	0·17	0·14	0·12	0·09	26	25	26	25·1	22
470	ROCHDALE	0·52	0·42	0·35	0·30	0·28	24	24	24	23·5	19
471	HASLINGDEN	0·58	0·44	0·36	0·30	0·27	22	22	23	22·1	19

* In calculating the mortality of Liverpool, for the 10 years 1841–50, the year 1847 (the year of the Irish famine and imm tion) has been omitted; including that year the mortality was 39 annually to every 1000 living.

(*a*) Of this mortality, 178 deaths, giving a death-rate of 0·1 per 1000 living, occurred in the Manchester Royal Lunatic Hosp

(*b*) Of this mortality, 560 deaths, giving a death-rate of 0·9 per 1000 living, occurred in the County Lunatic Asylum.

(*c*) Of this mortality, 645 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the County Lunatic Asylum.

(*d*) Of this mortality, 4,329 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Northern Hospital, the Royal mary, the Children's Infirmary, and the General Hospital for Consumption.

(*e*) Of this mortality, 1,869 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Royal Southern Hospital and th Hospital.

(*f*) Of this mortality, 1,051 deaths, giving a death-rate of 0·8 per 1000 living, occurred in the County Lunatic Asylum, Rainh

(*g*) Of this mortality, 211 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the Haydock Lodge Lunatic Asylum

(*h*) Of this mortality, 2,565 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Children's Hospital, the Hospital, and the Wilton Hospital.

(*i*) Of this mortality, 4,364 deaths, giving a death-rate of 3·0 per 1000 living, occurred in the Ardwick and Ancoats Hospita the Royal Infirmary; but in addition to the mortality shown in the Table, 7,884 deaths, giving a death-rate of 5·4, occurred Manchester Workhouse, situated in Prestwich District.

(*k*) Of this mortality, 12,391 deaths, giving a death-rate of 9·2 per 1000 living, occurred in the Manchester Workhous Monsall Hospital, the Clinical Hospital, and the County Lunatic Asylum, Prestwich.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

VIII.—NORTH WESTERN COUNTIES—*continued.*

REGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861-70	1871-80	1881-90
34.—LANCASHIRE —*cont.*										
URNLEY	1·08	0·91	0·78	0·62	0·45	23	24	24	23·4	21·4
LITHEROE	5·25	5·57	5·74	5·35	5·10	19	21	20	20·2	17·4
LACKBURN	0·53	0·41	0·35	0·29	0·24	25	26	26	25·3	22·5
HORLEY	1·36	1·32	1·29	1·20	1·06	22	22	23	22·6	19·8
RESTON	0·78	0·66	0·60	0·55	0·50	25	27	28	28·1	25·3 (*a*)
YLDE	2·75	2·48	2·10	1·65	1·21	18	19	21	21·3	18·4
ARSTANG	4·76	4·87	4·97	4·98	4·99	16	18	18	17·9	15·5
ANCASTER	4·01	3·97	3·69	1·70	1·35	23	23	22	22·8	21·1 (*b*)
UNESDALE				10·73	10·46				17·9	15·3
LVERSTON	5·30	4·58	3·34	2·34	3·23	18	20	21	23·6	18·0
				3·33					17·9	
ARROW-IN-FURNESS				0·27	0·22				18·3	16·6

IX.—YORKSHIRE.

5.—WEST RIDING.										
EDBERGH	11·24	11·80	11·23	11·61	12·97	18	19	16	20·2	17·3
ETTLE	10·91	11·56	10·99	10·50	10·90	20	20	18	19·2	16·7
KIPTON	5·22	5·22	4·99	4·58	4·19	20	21	21	20·4	18·4
ATELEY BRIDGE	8·71	7·87	8·24	8·52	8·99	19	21	21	19·0	17·5
IPON	4·49	4·44	4·62	4·52	4·51	18	20	20	19·3	16·7
REAT OUSEBURN *		4·37	3·45	5·13	5·05		18	21	17·7	16·7
NARESBOROUGH	3·15	2·45	2·27	1·98	1·66	20	21	21	19·7	16·9
ETHERBY *		4·36	*	4·24	4·22		18	*	18·5	16·8
HARFEDALE*	2·78	2·60	*	1·65	1·45	20	22	*	20·2	17·2 (*c*)
EIGHLEY	1·12	1·01	0·77	0·65	0·56	21	23	24	22·9	19·3
ODMORDEN	1·16	1·18	1·13	1·05	0·98	21	20	22	22·7	18·4
ADDLEWORTH	1·06	1·00	0·98	0·89	0·84	22	24	23	22·2	19·6
UDDERSFIELD	0·61	0·56	0·53	0·48	0·44	22	22	24	22·4	19·9
ALIFAX	0·49	0·46	0·40	0·35	0·32	22	24	24	22·6	19·3
RADFORD	0·26	0·21	0·18	0·15	0·13	25	26	25	23·9	19·9
UNSLET				0·23	0·19				25·5	21·6
OLBECK	0·47	0·40	0·27	0·12	0·11	25	24	26	26·6	22·1
RAMLEY				0·15	0·12				22·0	19·2
EEDS	0·02	0·02	0·02	0·08	0·07	30	28	30	26·0	22·4 (*d*)
EWSBURY	0·37	0·30	0·23	0·18	0·16	23	25	26	23·5	19·8
AKEFIELD	0·85	0·79	0·69	0·53	0·44	23	24	26	24·1	21·3 (*e*)
ONTEFRACT	2·69	2·04	1·69	1·31	1·04	21	22	23	22·9	19·5
EMSWORTH		4·25	4·38	3·62	2·70		16	19	17·1	17·2
ARNSLEY	1·90	0·88	0·68	0·51	0·40	23	24	25	23·8	20·4
ORTLEY		2·65	2·24	1·92	1·68		21	21	22·0	20·2 (*f*)
CCLESALL BIERLOW	0·51	0·35	0·23	0·23	0·18	22	23	23	21·1	18·8
HEFFIELD	0·11	0·09	0·07	0·06	0·06	27	28	29	27·4	23·6
OTHERHAM	1·64	1·31	1·04	0·80	0·64	20	22	24	21·8	18·7
ONCASTER	3·25	2·94	2·68	2·28	1·93	21	22	22	21·4	17·8
HORNE	4·61	4·51	4·31	4·28	4·48	21	21	22	19·0	19·3

* the 10 years 1861–70 the density of population and mortality in the districts of Wetherby, Wharfedale, and Tadcaster be given separately from that of Great Ouseburn, in consequence of numerous and intricate alterations in the tion of these four districts.

(*a*) this mortality, 1,416 deaths, giving a death-rate of 1·0 per 1000 living, occurred in the County Lunatic Asylum, Whit-n.

(*b*) this mortality, 1,617 deaths, giving a death-rate of 3·5 per 1000 living, occurred in the Royal Albert Idiot Asylum and the Lunatic Asylum, Lancaster Moor.

(*c*) this mortality, 119 deaths, giving a death-rate of 0·2 per 1000 living, occurred in the West Riding Lunatic Asylum, Menston.

(*d*) this mortality, 2,259 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the General Infirmary.

(*e*) this mortality, 1,642 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the West Riding Lunatic Asylum, ld.

(*f*) this mortality, 1,583 deaths, giving a death-rate of 2·9 per 1000 living, occurred in the West Riding Lunatic Asylum, Wadsley.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

IX.—YORKSHIRE—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841–50	1851–60	1861–70	1871–80	1881–90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841–50	1851–60	1861–70	1871–80	188
	35.—WEST RIDING —*cont.*										
513	GOOLE	3·12	2·84	2·68	2·36	1·98	22	21	23	21·4	18
514	SELBY	3·52	3·54	3·52	3·54	3·65	21	21	21	20·3	17
515	TADCASTER *	3·97	3·84	*	3·24	2·92	19	19	*	19·5	18
	36.—EAST RIDING (WITH YORK).										
516	YORK	1·84	1·46	1·32	1·17	1·04	24	24	24	21·6	20
517	POCKLINGTON	7·02	6·74	6·77	7·04	7·37	19	19	18	17·7	16
518	HOWDEN	5·28	5·15	5·18	5·51	5·74	19	23	23	18·8	18
519	BEVERLEY	4·02	3·82	3·78	3·56	3·35	20	19	20	19·4	18
520	SCULCOATES	0·95	0·80	0·64	0·46	0·33	25	22	23	21·7	19
521	HULL	0·02	0·02	0·02	0·01	0·01	31	25	26	24·5	22
522	PATRINGTON	6·87	6·51	6·61	6·96	7·26	18	20	19	19·1	15
523	SKIRLAUGH	7·33	7·08	6·94	6·89	7·04	20	19	19	16·7	15
524	DRIFFIELD	6·34	5·94	5·78	5·66	5·73	19	20	21	19·3	17
525	BRIDLINGTON	4·97	4·74	4·47	4·14	3·95	21	20	20	19·5	16
	37.—NORTH RIDING.										
526	SCARBOROUGH	3·84	3·20	2·63	2·21	1·97	21	21	22	19·5	18
527	MALTON	5·18	4·98	5·01	5·05	5·19	20	19	20	18·5	16
528	EASINGWOLD	6·04	6·25	6·45	6·65	7·07	17	18	18	16·7	15
529	THIRSK	5·05	4·98	5·30	5·19	5·18	19	18	20	18·8	16
530	HELMSLEY	10·61	9·66	9·66	9·83	10·27	19	19	19	18·1	15
531	PICKERING		9·65	8·51	8·46	9·11		19	20	21·1	17
532	WHITBY	3·94	3·64	3·33	3·15	3·34	21	20	23	19·6	18
533	GUISBROUGH	8·52	5·64	2·95	2·00 / 2·25	2·01	16	20	22	24·8 / 20·5	16
534	MIDDLESBROUGH	—	—	—	0·28	0·21	—	—	—	19·9	20
535	STOKESLEY	6·97	7·68	7·18	6·82	6·89	18	20	19	18·2	16
536	NORTHALLERTON	9·46	5·55	5·63	5·70	5·79	18	19	19	18·7	16
537	BEDALE	4·96	5·17	5·97	6·61	6·69	18	18	19	19·4	16
538	LEYBURN	8·49	8·42	8·91	9·43	10·06	18	17	18	18·7	16
539	AYSGARTH	14·26	14·36	14·57	14·79	15·86	19	20	20	20·0	18
540	REETH	10·97	11·44	12·88	14·77	18·78	20	20	21	20·2	18
541	RICHMOND	5·94	5·94	6·00	6·00	6·22	18	19	18	17·9	16

X.—NORTHERN COUNTIES.

No.	REGISTRATION DISTRICTS.	1841–50	1851–60	1861–70	1871–80	1881–90	1841–50	1851–60	1861–70	1871–80	188
	38.—DURHAM.										
542	DARLINGTON	2·92	2·64	1·96	1·49	1·35	20	20	21	20·6	16
543	STOCKTON	2·75	1·84	1·30	†0·94 / ‡1·30	1·10	21	22	24	26·6 / 22·5	20
544	HARTLEPOOL			0·62	0·48	0·37			22	22·5	18
545	AUCKLAND	1·51	1·47	1·08	0·84	0·75	21	23	24	24·5	18
546	TEESDALE	8·84	8·56	8·64	8·66	8·55	20	19	19	19·1	16
547	WEARDALE	7·95	6·35	5·53	5·36	5·85	20	21	21	20·7	18
548	LANCHESTER	2·35	1·77	1·37	1·37	1·09	23	23	21	21·6	17
549	DURHAM				0·76	0·66				25·5	19
550	EASINGTON	2·05	1·57	1·25	1·02	0·88	20	20	22	25·2	20
551	HOUGHTON-LE-SPRING	0·91	0·78	0·68	0·54	0·45	20	21	24	24·1	20

* For the 10 years 1861–70 the density of population and mortality in the districts of Wetherby, Wharfedale, and Tadc cannot be given separately from that of Great Ouseburn, in consequence of numerous and intricate alterations in constitution of these four districts.

† 4¾ years. ‡ 5¼ years.

(*a*) Of this mortality, 1,171 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the County Hospital and the N Riding Lunatic Asylum.
(*b*) Of this mortality, 266 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the East Riding Lunatic Asylum.
(*c*) Of this mortality, 1,210 deaths, giving a death-rate of 1·5 per 1000 living, occurred in the Royal Infirmary.
(*d*) Of this mortality, 334 deaths, giving a death-rate of 0·3 per 1000 living, occurred in the North Riding Infirmary.
(*e*) Of this mortality, 1,273 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

X.—NORTHERN COUNTIES—*continued.*

EGISTRATION DISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841-50	1851-60	1861-70	1871-80	1884-90	1841-50	1851-60	1861-70	1871-80	1881-90
38.—DURHAM.—*cont.*										
HESTER-LE-STREET	1·68	1·36	1·14	0·91	0·74	20	21	24	23·2	19·7
UNDERLAND	0·19	0·15	0·11	0·09	0·08	24	25	24	24·0	22·2
OUTH SHIELDS	0·48	0·38	0·26	0·18	0·13	26	24	24	24·1	20·3
ATESHEAD	0·60	0·48	0·38	0·28	0·22	25	26	25	24·9	20·9
9.—NORTHUMBERLAND.										
EWCASTLE-UPON-TYNE	0·09	0·07	0·06	0·05	0·04	27	27	28	25·9	22·0 (*a*)
YNEMOUTH	0·66	0·56	0·45	0·37	0·31	24	23	24	22·9	19·6
ASTLE WARD	6·42	6·33	5·73	4·99	4·15	18	19	19	20·9	17·2 (*b*)
EXHAM	7·06	6·62	6·40	6·19	6·15	18	19	20	19·6	17·4
ALTWHISTLE	14·56	13·78	14·08	12·94	12·31	16	17	17	16·7	17·3
ELLINGHAM	35·15	36·14	34·80	37·36	42·69	17	14	19	17·5	16·4
ORPETH	5·76	4·53	3·54	2·90	2·48	18	19	23	24·4	19·1 (*c*)
LNWICK	4·96	4·69	4·84	4·81	4·57	19	19	20	19·6	18·2
ELFORD	5·91	5·99	6·50	6·79	7·23	17	16	18	15·7	14·4
ERWICK	2·36	2·31	2·46	2·50	2·58	21	19	20	19·9	18·6
LENDALE	10·33	10·73	11·64	12·79	14·02	15	15	15	14·7	14·5
OTHBURY	22·80	23·04	23·60	24·35	26·25	15	15	16	15·8	16·9
0.—CUMBERLAND.										
LSTON	5·74	5·59	6·12	7·18	9·24	20	20	21	19·9	18·7
ENRITH	8·69	8·44	8·17	8·01	8·22	18	19	19	18·7	16·4
RAMPTON	8·94	8·81	9·10	9·23	9·62	17	17	19	18·2	17·2
ONGTOWN	8·95	8·62	9·42	11·04	11·85	17	17	19	19·6	17·7
ARLISLE	1·82	1·64	1·51	1·39	1·28	24	23	24	23·2	20·0 (*d*)
IGTON	5·85	5·87	5·99	5·97	5·81	19	19	20	19·2	16·9
OCKERMOUTH	4·59	4·26	3·87	3·29	2·65	21	22	23	21·1	18·7
HITEHAVEN	2·77	2·40	2·07	1·70	1·55	25	23	25	24·3	18·9
OOTLE	15·85	15·36	12·68	8·80	6·74	16	16	18	17·9	15·3
41.—WESTMORLAND.										
AST WARD	13·46	12·72	11·43	11·76	13·09	17	18	16	18·7	16·3
EST WARD	14·95	14·85	14·94	14·80	15·31	18	18	18	16·3	14·6
ENDAL	5·50	5·30	5·07	4·82	4·55	20	19	19	17·6	15·5

XI.—MONMOUTHSHIRE AND WALES.

42.—MONMOUTHSHIRE.										
HEPSTOW	4·54	4·39	4·48	3·99	3·59	19	20	19	18·5	17·4
ONMOUTH	3·86	3·53	3·29	3·32	3·31	19	19	20	18·5	16·7
BERGAVENNY	1·60	1·40	2·84	2·62	2·45	25	25	23	23·4	21·3 (*e*)
EDWELTY			0·56	0·52	0·46			24	24·8	24·0
ONTYPOOL	1·94	1·76	1·60	1·49	1·37	23	23	22	21·3	18·4
EWPORT	2·88	2·32	1·96	1·68	1·06	24	22	21	21·8	18·3

this mortality, 1,961 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the General Infirmary; but in addition ortality shown in the Table, 285 deaths, giving a death-rate of 0·2, occurred in the Newcastle City Lunatic Asylum, situated Ward District.

this mortality, 285 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Newcastle City Lunatic Asylum.

this mortality, 447 deaths, giving a death-rate of 1·1 per 1000 living, occurred in the County Lunatic Asylum.

this mortality, 895 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Cumberland Infirmary, and the and and Westmorland Lunatic Asylum.

this mortality, 612 deaths, giving a death-rate of 2·5 per 1000 living, occurred in the Monmouth, Brecon, and Radnor unties Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, i
REGISTATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES—*continued.*

No.	REGISTRATION DISTRICTS.	ACRES TO A PERSON. 1841–50	1851–60	1861–70	1871–80	1881–90	ANNUAL MORTALITY. DEATHS TO 1000 LIVING. 1841–50	1851–60	1861–70	1871–80
	43.—SOUTH WALES.									
	GLAMORGANSHIRE.									
586	CARDIFF	2·98	1·95	1·21	0·87	0·56	22	23	21	19·8
587	PONTYPRIDD			1·91	1·02	0·62			23	23·2
588	MERTHYR TYDFIL	1·74	1·23	0·71	0·74	0·70	28	29	25	24·2
589	BRIDGEND	4·89	4·39	3·77	3·06	2·43	19	20	20	21·0
590	NEATH	4·12	3·10	2·64	*2·42 †2·13	1·98	22	22	22	23·0 19·7
591	PONTARDAWE	—	—	—	2·93	2·73	—	—	—	19·3
592	SWANSEA	2·43	1·95	0·74	0·45	0·31	19	20	22	22·4
593	GOWER			6·77	4·00	3·67			20	17·3
	CARMARTHENSHIRE.									
594	LLANELLY	3·36	2·85	2·34	1·54	1·26	18	20	21	20·9
595	LLANDOVERY	10·38	10·36	10·73	11·45	12·20	20	18	19	19·9
596	LLANDILOFAWR	5·54	5·52	5·69	5·50	5·37	19	19	19	18·7
597	CARMARTHEN	4·56	4·61	4·77	4·88	4·72	20	21	21	21·5
	PEMBROKESHIRE.									
598	NARBERTH	5·69	5·75	5·97	6·24	6·59	18	19	19	19·4
599	PEMBROKE	3·00	2·46	2·20	2·15	2·04	18	19	19	19·1
600	HAVERFORDWEST	4·47	4·45	4·73	4·90	5·12	17	21	21	20·2
	CARDIGANSHIRE.									
601	CARDIGAN	4·26	4·41	4·73	4·86	5·12	19	19	19	20·0
602	NEWCASTLE-IN-EMLYN	5·52	5·78	5·98	5·99	6·02	18	18	18	18·8
603	LAMPETER	7·67	7·62	7·58	7·55	7·59	18	18	17	18·9
604	ABERAYRON	5·04	4·91	4·88	5·07	5·44	18	20	19	19·3
605	ABERYSTWITH	5·77	5·39	5·01	5·00	5·62	18	19	20	20·5
606	TREGARON	11·82	11·55	11·40	11·65	12·87	18	18	16	18·3
	BRECKNOCKSHIRE.									
607	BUILTH	12·07	12·37	12·43	12·52	15·46	16	18	19	19·2
608	BRECKNOCK	10·97	11·10	11·24	11·28	11·62	21	21	20	19·3
609	CRICKHOWELL	2·73	2·43	2·52	2·77	2·81	27	25	23	23·0
610	HAY	8·05	8·24	8·30	8·53	8·97	20	22	20	19·8
	RADNORSHIRE.									
611	KNIGHTON	10·76	10·18	9·77	‡10·07 § 9·66	11·22	18	16	19	17·8 19·6
612	RHAYADER	15·61	15·51	15·47	15·56	17·10	18	18	18	17·6
	44.—NORTH WALES.									
	MONTGOMERYSHIRE.									
613	MACHYNLLETH	9·55	9·52	9·07	9·03	11·03	19	21	22	19·0
614	NEWTOWN	7·42	7·76	7·83	7·57	7·47	21	21	21	19·6
615	FORDEN (MONTGOMERY)	4·30	4·74	4·63	4·73	5·19	20	19	20	17·9
616	LLANFYLLIN	8·65	8·61	8·66	9·01	10·19	19	19	20	19·2

* 4½ years. † 5½ years ‡ 6½ years. § 3½ years.

(*a*) Of this mortality, 669 deaths, giving a death-rate of 0·5 per 1000 living, occurred in the Glamorganshire and Monmou Infirmary.

(*b*) Of this mortality, 765 deaths, giving a death-rate of 1·7 per 1000 living, occurred in the Glamorganshire County I Asylum.

(*c*) Of this mortality, 437 deaths, giving a death-rate of 1·3 per 1000 living, occurred in the Carmarthen, Cardigan, and Pe Joint Counties Lunatic Asylum.

(*d*) Of this mortality, 63 deaths, giving a death-rate of 0·4 per 1000 living, occurred in the County and Borough Infirmary.

BLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FIVE DECENNIA, in REGISTRATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES—*continued.*

ISTRATION ISTRICTS.	Acres to a Person.					Annual Mortality. Deaths to 1000 Living.				
	1841-50	1851-60	1861-70	1871-80	1881-90	1841-50	1851-60	1861-70	1871-80	1881-90
-NORTH WALES —*cont.*										
FLINTSHIRE.										
WELL - - - -	1·97	1·99	1·93	1·64	1·66	21	21	23	21·4	18·3
DENBIGHSHIRE.										
XHAM - - - -	2·12	1·79	1·54	1·32	1·17	23	22	24	21·8	19·1
IIN - - - - -	5·55	5·64	5·90	6·69	7·30	19	19	20	19·5	17·8
SAPH - - - -	3·85	3·56	3·39	3·46	3·40	19	21	23	22·6	20·7 (*a*)
RWST - - - -	8·12	7·97	7·79	8·05	8·84	19	19	19	20·4	18·6
RIONETHSHIRE.										
EN - - - - -	8·12	7·85	7·61	8·34	7·68	17	18	20	18·9	17·5
- - - - -	8·52	8·91	9·00	8·74	15·37	18	18	18	18·1	17·7
ELLY - - - -	11·09	11·41	10·84	9·85	10·40	18	18	21	20·3	18·3
NIOG - - - -	8·77	8·05	6·54	5·17	5·08	18	19	22	20·8	18·3
RNARVONSHIRE.										
HELI - - - -	4·30	4·37	4·42	4·22	4·12	17	18	18	19·0	18·0
ARVON - - - -	3·31	3·11	2·73	2·35	2·08	20	22	23	21·9	19·9
OR - - - -	3·26	3·07	2·97	2·89	2·38	21	21	22	21·0	20·1
AY - - - - -	5·12	4·48	4·00	3·38	2·34	19	18	20	20·0	15·4
ANGLESEY.										
ESEY - - - - HEAD - - - -	3·41	3·16	3·36	3·50	4·08 / 3·00	17	19	21	20·6	20·1 / 18·9

s mortality, 695 deaths, giving a death-rate of 2·4 per 1000 living, occurred in the Denbighshire Infirmary, the Royal Hospital, and the North Wales Counties Lunatic Asylum.

TABLE 2.—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE. All Causes.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	ENGLAND -	56.825	80	3,131	1,669	690	3,370	190	4.346	4.499	12,96
	I.—LONDON.										
1	**LONDON** - - - -	68,164	240	4,743	1,780	1,371	5,342	165	5,444	6,581	16,02
	II.—SOUTH EASTERN.										
2	**SURREY** - - - -	40,602	49	1,977	556	894	2,876	88	2,798	3,641	9,08
3	**KENT** - - - - -	43,615	179	1,856	693	905	2,700	132	3,295	3,928	9,68
4	**SUSSEX** - - - -	39,770	31	1,676	552	797	2,848	84	2,965	3,599	8,71
5	**HAMPSHIRE** - - -	42,222	10	2,005	505	939	2,508	280	2,783	3,695	9,97
6	**BERKSHIRE** - - -	38,816	22	1,853	696	754	2,234	102	2,388	3,299	9,01
	III.—SOUTH MIDLAND.										
7	**MIDDLESEX** - - -	48,885	70	2,643	906	1,210	3,563	165	4,436	4,683	10,57
8	**HERTFORDSHIRE** -	39,348	—	2,145	753	833	2,737	69	2,718	2,580	9,04
9	**BUCKINGHAMSHIRE**	41,866	24	2,095	880	603	2,542	117	2,391	3,252	9,82
10	**OXFORDSHIRE** - -	40,242	4	1,997	981	229	2,110	78	1,915	2,949	9,47
11	**NORTHAMPTONSH.** -	47,856	10	2,499	1,255	441	2,880	133	3,303	3,853	11,02
12	**HUNTINGDONSHIRE**	36,715	—	1,193	668	588	2,099	64	2,083	3,117	8,68
13	**BEDFORDSHIRE** - -	47,775	15	1,901	1,350	890	2,892	66	3,575	3,524	10,35
14	**CAMBRIDGESHIRE** -	43,793	4	1,546	981	918	3,059	134	2,582	3,730	9,40
	IV.—EASTERN.										
15	**ESSEX** - - - - -	48,500	415	2,366	1,005	1,080	3,748	158	3,828	4,125	10,86
16	**SUFFOLK** - - - -	42,339	4	1,432	455	499	3,095	79	2,354	4,052	9,08
17	**NORFOLK** - - - -	44,602	5	1,463	756	564	2,471	187	3,494	3,335	9,07
	V.—SOUTH WESTERN.										
18	**WILTSHIRE** - - -	36,288	—	1,478	583	398	1,860	78	1,132	2,924	10,12
19	**DORSETSHIRE** - -	35,651	4	1,748	488	493	1,815	62	1,305	2,401	9,39
20	**DEVONSHIRE** - - -	47,778	7	2,681	1,042	548	3,141	155	2,493	3,947	12,10
21	**CORNWALL** - - -	53,345	3	1,931	851	553	4,188	141	2,457	4,144	11,74
22	**SOMERSETSHIRE** -	40,208	15	2,174	873	557	2,211	81	1,849	2,633	9,98

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS OF AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

COUNTIES.	ANNUAL DEATH-RATE PER 1,000,000 LIVING UNDER FIVE YEARS OF AGE.									
	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
VI.—WEST MIDLAND.										
GLOUCESTERSHIRE -	47,269	26	2,662	1,552	351	2,808	107	2,659	3,359	11,656
HEREFORDSHIRE -	36,849	7	1,702	873	418	1,826	44	1,856	2,200	8,405
SHROPSHIRE - - -	39,999	6	1,219	1,023	578	2,248	142	2,056	2,678	9,590
STAFFORDSHIRE -	61,615	84	3,331	1,725	295	2,913	199	5,144	4,129	13,681
WORCESTERSHIRE -	49,170	24	2,604	1,312	344	2,329	200	3,904	3,836	11,010
WARWICKSHIRE -	58,535	46	3,129	1,491	514	3,576	148	6,370	3,492	13,317
VII.—NORTH MIDLAND.										
LEICESTERSHIRE -	59,532	11	2,387	1,921	394	2,666	147	7,281	3,817	11,803
RUTLANDSHIRE - -	38,783	–	1,417	957	153	2,144	–	1,340	3,407	9,188
LINCOLNSHIRE - -	46,099	32	1,154	1,362	496	2,445	148	3,472	3,154	9,828
NOTTINGHAMSHIRE	61,823	41	2,661	2,010	643	3,139	261	5,549	5,303	12,869
DERBYSHIRE - - -	49,983	16	2,381	1,684	351	2,697	181	3,279	3,658	11,536
VIII.—NORTH WESTERN.										
CHESHIRE - - -	54,514	6	3,224	1,471	499	2,887	220	3,784	3,920	11,761
LANCASHIRE - - -	72,795	37	5,053	2,454	706	3,805	285	6,461	5,364	17,037
IX.—YORK.										
WEST RIDING - -	63,109	77	3,045	2,600	446	3,233	230	4,925	4,528	14,814
EAST RIDING (WITH YK.)	56,419	34	1,918	2,297	312	2,885	284	5,897	4,132	12,025
NORTH RIDING - -	51,338	9	1,765	1,539	359	2,950	209	3,374	4,306	11,280
X.—NORTHERN.										
DURHAM - - - -	62,087	114	2,890	2,135	342	2,756	292	4,963	5,650	13,066
NORTHUMBERLAND	56,279	65	2,797	1,637	497	2,805	206	4,267	5,275	10,484
CUMBERLAND - -	48,318	9	3,012	1,112	420	2,876	139	2,745	3,686	11,575
WESTMORLAND - -	34,653	12	924	487	362	1,511	112	1,174	2,922	8,554
XI.—WELSH.										
MONMOUTHSHIRE -	56,998	29	3,404	2,396	746	3,477	224	2,266	3,921	14,221
SOUTH WALES - -	54,864	9	2,814	2,741	366	3,005	222	2,392	3,254	12,719
NORTH WALES - -	42,262	4	1,483	1,304	601	2,512	92	1,112	2,640	8,692

TABLE 2. (*continued*).—**Annual Death-rate per Million** living, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age.									
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	I.—LONDON.										
	1.—LONDON.										
1a	PADDINGTON	62,908	28	4,044	910	2,141	4,696	138	4,935	6,029	14,015
1b	KENSINGTON	62,855	43	4,420	690	1,079	4,993	136	4,796	6,571	15,127
2	FULHAM	67,529	237	4,871	2,426	1,162	5,123	232	7,234	6,731	14,478
3	CHELSEA	73,545	35	5,414	781	1,358	5,644	195	6,683	8,129	16,063
4	ST. GEORGE HANOVER SQUARE	71,337	47	4,776	812	2,309	5,619	142	5,383	7,952	16,069
5	WESTMINSTER	72,317	26	5,599	980	826	4,850	155	5,495	7,766	18,266
6	MARYLEBONE	74,820	27	5,146	808	918	5,385	178	6,071	6,920	18,369
7	HAMPSTEAD	48,550	453	2,646	4,295	2,320	3,298	54	2,881	3,661	9,152
8	PANCRAS	66,515	49	4,343	873	1,516	5,456	166	5,424	7,064	15,216
9	ISLINGTON	61,413	135	4,497	1,290	1,197	5,267	186	5,320	6,532	13,333
10	HACKNEY	60,432	1,083	4,041	4,022	1,994	4,443	230	4,500	5,989	11,687
11	ST. GILES	79,731	71	6,088	1,369	967	5,521	260	5,946	7,055	19,986
12	STRAND	109,596	38	6,626	1,828	4,760	6,359	76	7,692	11,881	30,122
13	HOLBORN	81,633	76	5,936	1,598	1,484	6,202	147	7,088	7,876	20,096
14	LONDON CITY	90,028	–	3,900	1,560	8,691	5,237	167	4,708	8,858	20,279
15	SHOREDITCH	78,471	205	4,753	2,260	1,170	6,847	131	6,739	7,675	18,414
16	BETHNAL GREEN	75,853	230	5,757	2,772	984	6,281	134	5,115	6,988	18,871
17	WHITECHAPEL	84,845	64	5,812	1,283	1,994	4,444	180	7,403	6,098	23,237
18	ST. GEORGE-IN-THE-EAST	87,742	108	7,265	2,056	850	5,534	108	9,136	7,204	23,976
19	STEPNEY	99,195	102	7,075	3,167	2,312	7,407	281	8,212	9,310	25,058
20	MILE END OLD TOWN	69,045	135	4,802	2,940	715	6,312	101	5,274	5,975	17,561
21	POPLAR	67,737	225	4,640	2 154	850	5,248	234	4,453	7,219	17,412
22	ST. SAVIOUR SOUTHWARK	78,966	195	6,290	1,882	992	6,511	195	5,590	7,839	20,225
23	ST. OLAVE SOUTHWARK	72,878	147	5,240	2,005	1,467	5,412	157	5,945	5,910	18,877
24	LAMBETH	67,219	290	4,426	1,810	1,828	5,319	124	5,068	5,907	14,828
25	WANDSWORTH	56,538	50	3,994	998	802	4,770	155	5,106	5,581	12,892
26	CAMBERWELL	59,530	193	4,193	1,214	986	5,218	151	4,614	5,537	14,063
27	GREENWICH	65,618	1,504	4,452	3,322	1,325	4,880	174	4,950	5,528	14,437
28	LEWISHAM	44,606	–	2,428	575	910	3,558	63	3,348	4,018	9,469
29	WOOLWICH	50,819	89	3,172	678	968	3,680	145	3,333	5,641	11,355
	II.—SOUTH EASTERN COUNTIES.										
	2.—SURREY.										
30	EPSOM	36,784	–	1,634	768	649	2,795	39	2,303	4,074	8,660
31	CHERTSEY	32,595	26	1,530	607	844	2,347	105	2,083	2,321	7,463
32	GUILDFORD	35,794	18	2,064	374	587	2,580	36	1,779	3,113	8,397
33	FARNHAM	47,274	18	1,376	304	2,431	3,110	161	3,986	3,825	10,313
34	HAMBLEDON	28,796	45	719	135	719	2,022	–	1,123	2,246	7,502
35	DORKING	28,303	–	965	407	457	2,236	–	762	1,931	6,098
36	REIGATE	33,153	–	1,723	283	566	2,701	51	1,286	1,903	7,639
37	GODSTONE	30,916	98	1,323	490	637	2,156	49	980	3,136	6,810
38	CROYDON	45,494	130	2,810	786	817	3,466	111	3,423	4,122	10,454
39	KINGSTON	41,953	18	1,591	515	837	2,225	110	2,007	4,037	8,948
40	RICHMOND	51,163	23	2,960	634	775	4,205	94	4,980	5,262	10,078
	3.—KENT.										
41	BROMLEY	40,175	27	2,218	657	685	3,190	–	3,012	3,026	9,352
42	DARTFORD	42,887	1,840	1,877	716	1,210	1,976	161	3,100	4,186	9,360
43	GRAVESEND	56,138	–	2,769	2,222	1,239	4,991	109	4,845	4,408	13,370
44	STROOD	53,674	66	2,398	1,210	1,144	3,190	88	4,179	4,861	12,802
45	HOO	44,462	–	2,467	190	1,139	1,139	190	3,605	1,898	8,349
46	MEDWAY	52,656	46	1,626	1,706	1,168	2,954	160	3,881	5,965	9,709
47	MALLING	41,327	–	1,045	444	810	2,116	183	2,325	3,892	11,520
48	SEVENOAKS	33,594	28	1,874	308	671	2,154	84	2,070	2,685	6,909
49	TUNBRIDGE	35,877	15	1,456	303	698	2,078	46	2,473	3,853	8,207
50	MAIDSTONE	48,097	87	1,834	329	934	3,305	121	3,772	4,325	10,467
51	HOLLINGBOURN	35,589	58	1,109	408	1,459	2,100	–	1,517	2,275	8,051
52	CRANBROOK	35,255	–	1,622	180	1,081	2,703	60	1,381	2,042	7,387
53	TENTERDEN	32,704	–	453	76	755	2,190	76	1,133	1,888	6,722
54	WEST ASHFORD	35,339	–	975	381	466	2,331	85	3,136	2,669	7,966
55	EAST ASHFORD	31,525	–	1,020	215	752	1,450	215	2,685	2,578	7,948

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	3.—KENT—*cont.*										
56	BRIDGE	33,376	–	1,720	191	955	1,975	191	1,911	3,376	8,790
57	CANTERBURY	55,652	–	5,269	153	1,330	2,353	102	3,478	6,189	14,322
58	BLEAN	39,567	–	1,802	961	1,402	2,683	40	2,563	5,246	8,570
59	FAVERSHAM	46,538	28	1,619	642	642	3,238	391	3,266	3,546	10,609
60	MILTON	45,424	28	904	847	367	2,458	226	4,096	3,672	8,729
61	SHEPPEY	42,530	–	1,698	849	340	1,995	42	3,523	3,438	9,720
62	THANET	49,293	16	2,031	357	910	3,477	292	5,199	5,280	10,431
63	EASTRY	36,388	–	1,250	327	446	2,142	298	2,797	3,213	8,361
64	DOVER	44,985	43	3,156	454	151	2,810	86	3,783	2,291	9,598
65	ELHAM	45,543	–	2,061	834	1,968	3,079	46	3,404	3,542	11,438
66	ROMNEY MARSH	30,058	–	936	702	702	2,105	–	2,222	2,807	3,275
	4.—SUSSEX.										
67	RYE	30,603	–	459	131	590	1,704	66	1,376	1,638	6,553
68	HASTINGS	44,302	131	2,755	213	623	3,099	49	3,279	3,869	9,313
69	BATTLE	31,226	–	998	143	333	1,378	143	1,093	3,802	7,272
70	EASTBOURNE	43,492	26	1,302	102	1,838	2,476	179	4,747	4,620	8,933
71	HAILSHAM	33,477	–	376	215	860	1,612	54	752	2,740	7,362
72	TICEHURST	30,407	–	457	412	823	1,372	46	1,509	2,652	6,310
73	UCKFIELD	28,490	–	817	107	462	1,634	71	1,030	2,025	8,277
74	EAST GRINSTEAD	30,112	–	1,323	200	762	1,884	–	1,002	2,406	7,779
75	CUCKFIELD	29,590	–	695	174	591	2,643	70	1,565	2,434	7,024
76	LEWES	35,068	50	1,140	421	496	2,255	–	1,586	5,353	7,361
77	BRIGHTON	61,344	18	3,744	1,248	710	4,700	100	6,339	5,529	13,653
78	STEYNING	42,290	81	1,717	1,215	858	3,482	113	4,487	3,628	7,920
79	HORSHAM	33,278	–	1,387	264	825	2,806	33	1,222	2,806	6,834
80	PETWORTH	26,985	–	342	256	1,025	1,537	–	854	1,537	5,722
81	THAKEHAM	26,173	–	375	844	1,032	1,689	–	657	1,313	7,974
82	EAST PRESTON (WORTHING)	33,402	–	1,055	762	645	3,018	88	2,783	3,047	6,739
83	WESTHAMPNETT	29,854	–	473	276	1,103	1,812	197	1,142	1,812	7,562
84	CHICHESTER	39,205	107	1,611	107	1,074	4,404	430	3,115	3,330	9,023
85	MIDHURST	29,568	–	886	609	831	2,104	–	498	2,769	6,478
86	WESTBOURNE	27,697	–	726	–	1,141	2,697	104	934	1,867	6,017
	5.—HAMPSHIRE.										
87	HAVANT	37,285	–	945	344	2,577	1,546	258	1,890	3,952	9,021
88	PORTSEA ISLAND	57,612	–	3,098	653	1,927	2,804	784	5,663	5,668	13,509
89	ALVERSTOKE	49,473	–	3,263	758	494	2,076	330	4,417	5,372	11,470
90	FAREHAM	36,685	47	978	372	978	2,095	419	2,002	3,259	7,868
91	ISLE OF WIGHT	32,047	–	1,530	331	982	2,101	160	1,199	2,638	8,052
92	LYMINGTON	28,800	–	1,415	123	185	2,400	62	615	1,415	9,662
93	CHRISTCHURCH	39,952	22	1,238	261	847	3,041	65	2,107	4,497	8,907
94	RINGWOOD	28,058	–	719	144	–	2,734	–	576	1,295	9,209
95	FORDINGBRIDGE	35,759	–	1,380	125	251	3,513	125	1,506	3,137	7,654
96	NEW FOREST	28,767	–	1,310	596	–	1,251	60	476	2,918	6,432
97	SOUTHAMPTON	53,595	30	2,888	893	3,275	3,499	119	3,320	4,139	12,714
98	SOUTH STONEHAM	35,586	–	1,600	506	408	2,710	131	2,008	2,628	8,358
99	ROMSEY	32,444	–	2,019	360	216	2,668	216	2,451	1,730	6,417
100	STOCKBRIDGE	30,938	–	731	122	365	2,071	–	1,096	2,314	8,404
101	WINCHESTER	40,919	79	2,666	211	396	2,165	–	2,561	2,851	9,213
102	DROXFORD	31,286	–	1,301	723	795	1,734	–	434	2,601	7,731
103	CATHERINGTON	32,194	–	285	1,140	285	2,564	–	1,425	3,419	7,407
104	PETERSFIELD	32,403	–	858	143	2,074	2,647	–	572	2,289	7,654
105	ALRESFORD	32,403	–	728	121	1,092	1,820	–	607	1,456	8,252
106	ALTON	31,135	–	1,227	869	307	1,431	–	1,585	3,067	7,464
107	HARTLEY WINTNEY	34,740	–	1,093	301	980	1,997	75	1,733	3,127	8,063
108	BASINGSTOKE	33,307	39	895	700	78	1,790	78	1,128	2,646	8,249
109	WHITCHURCH	39,894	–	798	266	665	4,122	133	2,527	1,596	9,441
110	ANDOVER	32,260	–	1,227	307	256	2,505	153	1,074	2,096	7,209
111	KINGSCLERE	33,126	–	1,336	356	712	1,959	178	267	2,048	6,768

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	6.—BERKSHIRE.										
112	NEWBURY	41,365	–	1,326	780	819	1,793	234	1,910	2,807	10,058
113	HUNGERFORD	34,268	–	1,085	497	497	1,944	–	1,221	2,441	7,278
114	FARINGDON	36,191	–	1,438	2,244	115	1,381	345	1,036	5,236	6,789
115	ABINGDON	38,104	–	1,305	2,034	307	2,417	115	2,379	2,916	7,905
116	WANTAGE	35,014	–	1,203	694	185	2,636	46	2,683	2,729	8,187
117	WALLINGFORD	33,391	–	1,601	57	229	2,573	–	1,487	2,687	6,061
118	BRADFIELD	34,871	–	1,552	517	431	1,681	86	1,940	2,802	8,190
119	READING	44,767	–	2,805	570	655	2,478	142	3,545	3,788	11,021
120	WOKINGHAM	40,846	130	1,727	259	1,511	2,073	86	2,677	2,807	9,542
121	COOKHAM	34,091	43	1,715	343	1.501	2,058	–	1,501	3,859	7,247
122	EASTHAMPSTEAD	33,248	–	1,929	322	900	2,251	–	900	2,572	8,424
123	WINDSOR	41,337	77	2,245	408	1,403	2,654	77	3,343	3,751	10,640
	III.—SOUTH MIDLAND COUNTIES.										
	7.—MIDDLESEX.										
124	STAINES	41,685	32	2,146	442	757	2,998	221	3,597	4,165	10,256
125	UXBRIDGE	45,490	–	2,435	581	941	3,016	83	2,988	2,407	11,483
126	BRENTFORD	51,905	27	2,542	934	750	2,040	123	4,703	5,289	11,429
127	HENDON	53,374	69	3,082	701	1,294	3,734	198	5,147	5,255	11,913
128	BARNET	36,367	21	1,625	562	875	3,187	62	2,874	3,104	7,415
129	EDMONTON	49,095	118	2,805	1,134	1,588	4,004	198	4,599	4,790	10,075
	8.—HERTFORDSHIRE.										
130	WARE	37,662	–	2,129	1,211	459	3,382	–	3,173	1,628	7,766
131	BISHOP STORTFORD	34,088	–	1,634	371	891	3,305	149	1,745	2,785	7,241
132	ROYSTON	32,477	–	1,367	900	1,034	1,967	33	1,367	2,301	8,403
133	HITCHIN	43,423	–	2,417	1,377	703	3,260	84	3,457	2,305	8,853
134	HERTFORD	37,757	–	2,354	250	551	2,704	100	2,354	1,803	9,715
135	HATFIELD	34,635	–	1,246	166	914	2,326	166	2,076	2,076	8,555
136	ST. ALBANS	40,809	–	1,869	643	490	2,819	123	3,339	3,125	9,130
137	WATFORD	40,370	–	2,351	689	1,496	2,280	24	1,734	3,586	9,903
138	HEMEL HEMPSTEAD	43,300	–	1,815	587	1,014	2,029	53	3,577	3,043	10,358
139	BERKHAMPSTEAD	47,837	–	4,224	712	356	3,206	–	5,242	1,985	10,789
	9.—BUCKINGHAMSH.										
140	AMERSHAM	38,444	–	2,023	389	467	2,412	117	2,607	2,996	10,545
141	ETON	37,367	59	1,358	886	502	2,509	266	2,066	2,745	9,240
142	WYCOMBE	46,869	53	2,701	859	246	2,298	88	3,017	3,719	10,630
143	AYLESBURY	42,545	–	2,282	1,250	1,344	2,876	31	1,907	2,595	10,253
144	WINSLOW	40,412	–	975	1,408	217	228	–	1,733	2,925	8,559
145	NEWPORT PAGNELL	41,176	–	1,901	654	624	3,060	119	2,288	3,862	8,942
146	BUCKINGHAM	39,762	–	2,314	1,192	1,052	2,034	140	2,034	3,296	8,696
	10.—OXFORDSHIRE.										
147	HENLEY	35,102	–	1,150	816	668	2,152	37	1,596	2,672	9,870
148	THAME	35,230	–	977	115	517	1,552	57	747	2,299	9,253
149	HEADINGTON	45,253	–	2,064	980	206	2,296	26	2,503	4,721	9,417
150	OXFORD	55,240	–	3,340	1,996	192	2,764	192	5,720	3,647	11,171
151	BICESTER	32,269	–	1,197	1,254	228	1,140	171	1,083	2,395	9,008
152	WOODSTOCK	35,635	–	2,165	1,112	176	1,814	59	1,404	1,931	8,894
153	WITNEY	38,665	–	2,104	943	36	2,031	36	907	1,741	9,177
154	CHIPPING NORTON	33,937	–	1,937	674	84	2,063	42	926	3,116	6,989
155	BANBURY	41,697	28	2,349	829	83	2,570	111	1,409	2,625	10,473

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Meas'es.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	III.—SOUTH MIDLAND COUNTIES—*cont.*										
	11.—NORTHMPTNSH.										
156	BRACKLEY	36,617	–	2,514	1,087	476	1,834	204	1,155	3,125	8,899
157	TOWCESTER	39,363	–	1,783	1,019	127	1,911	191	1,019	3,567	8,917
158	POTTERSPURY	40,076	–	888	190	951	2,536	190	888	2,790	6,848
159	HARDINGSTONE	41,993	–	2,278	1,423	569	1,851	71	2,633	3,416	9,680
160	NORTHAMPTON	60,775	21	4,271	1,513	228	3,607	114	6,271	4,996	13,279
161	DAVENTRY	36,665	–	887	280	187	1,495	–	1,728	2,989	8,454
162	BRIXWORTH	40,093	–	1,928	1,064	1,330	2,394	66	1,463	2,327	11,702
163	WELLINGBOROUGH	49,315	–	2,285	1,261	347	3,729	73	2,340	5,101	13,016
164	KETTERING	50,825	23	3,463	837	325	2,254	232	2,649	3,370	11,643
165	THRAPSTON	41,302	–	1,250	260	625	3,958	260	1,406	3,229	8,594
166	OUNDLE	32,443	–	622	684	186	2,486	124	1,554	2,113	7,893
167	PETERBOROUGH	44,007	17	1,382	2,397	752	2,590	140	3,920	3,185	9,956
	12.—HUNTINGDONSH.										
168	HUNTINGDON	38,269	–	1,171	586	920	2,175	167	2,760	1,757	9,243
169	ST. IVES	38,434	–	1,855	618	309	2,215	–	1,649	4,482	9,222
170	ST. NEOTS	33,112	–	562	818	460	1,891	–	1,686	3,424	7,460
	13.—BEDFORDSHIRE.										
171	BEDFORD	41,013	–	1,677	638	1,531	3,226	18	2,898	1,878	9,005
172	BIGGLESWADE	44,856	59	2,381	1,264	705	2,998	118	2,058	3,733	9,553
173	AMPTHILL	44,122	50	1,101	1,451	650	2,951	100	1,851	1,501	10,605
174	WOBURN	40,741	–	1,174	1,265	1,355	2,258	–	2,258	3,342	8,853
175	LEIGHTON BUZZARD	43,980	–	2,731	786	124	1,986	83	1,986	5,999	9,847
176	LUTON	61,058	–	1,901	2,366	689	3,000	75	6,857	4,751	12,689
	14.—CAMBRIDGESH.										
177	CAXTON	34,600	–	792	871	713	2,375	79	871	1,979	8,551
178	CHESTERTON	37,647	–	1,444	722	1,711	3,075	107	2,112	3,369	8,583
179	CAMBRIDGE	50,970	–	2,255	873	1,115	3,928	194	4,753	5,480	11,954
180	LINTON	32,362	–	1,547	1,190	476	2,142	119	1,844	3,272	6,127
181	NEWMARKET	42,509	–	1,689	670	456	2,091	80	2,493	3,431	9,006
182	ELY	49,018	40	1,563	721	882	4,409	80	1,202	4,649	8,858
183	NORTH WITCHFORD	44,283	–	1,550	872	533	2,665	145	2,762	4,554	8,624
184	WHITTLESEY	42,694	–	508	2,160	381	2,033	508	2,541	4,574	9,911
185	WISBECH	47,775	–	1,207	1,559	981	3,219	126	2,489	2,112	10,234
	IV.—EASTERN COUNTIES.										
	15.—ESSEX.										
186	WEST HAM	57,738	816	3,327	1,526	1,296	4,511	206	5,003	5,294	12,988
187	EPPING	38,839	34	2,289	438	1,380	3,299	135	2,828	3,266	8,754
188	ONGAR	31,658	–	675	75	450	3,226	150	1,875	2,476	7,352
189	ROMFORD	46,366	227	1,914	844	1,217	3,018	146	4,445	2,482	10,626
190	ORSETT	51,256	94	2,952	691	1,822	3,737	251	4,240	3,612	10,804
191	BILLERICAY	39,371	90	1,618	719	1,663	3,461	225	2,876	1,528	7,596
192	CHELMSFORD	36,718	–	1,430	436	1,018	4,241	24	2,302	2,666	8,410
193	ROCHFORD	41,660	27	844	1,224	299	3,238	190	4,490	2,830	9,306
194	MALDON	34,413	–	921	254	667	2,603	63	1,524	3,270	6,825
195	TENDRING	40,970	22	801	303	715	2,772	108	2,209	3,833	8,142
196	COLCHESTER	49,759	80	1,983	161	482	3,403	214	3,885	4,770	11,897
197	LEXDEN	34,934	–	1,003	322	609	2,866	–	1,791	3,511	8,241
198	HALSTEAD	40,746	–	1,074	409	1,380	2,147	51	2,556	2,403	10,838
199	BRAINTREE	35,997	58	1,220	813	523	2,528	87	1,336	3,603	8,048
200	DUNMOW	32,485	–	754	377	754	3,017	–	1,037	2,405	6,884
201	SAFFRON WALDEN	31,045	–	2,580	437	175	1,705	–	1,006	2,143	7,477

TABLE 2. (*continued*).—**Annual Death-rate per Million living, among Children under Five Years of Age, from All Causes and from Several Causes, 1881–90.**

No.	Districts.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	IV.—EASTERN COUNTIES—*cont.*										
	16.—SUFFOLK.										
202	Risbridge	39,290	–	1,368	470	727	3,078	43	2,351	3,335	9,577
203	Sudbury	40,918	27	2,498	570	244	3,720	81	1,493	4,127	10,128
204	Cosford	36,594	–	730	730	292	3,260	49	1,509	2,336	7,786
205	Thingoe	34,855	–	491	295	147	2,013	–	835	4,467	7,658
206	Bury St. Edmunds	49,181	–	2,958	528	370	3,328	53	1,373	8,822	10,512
207	Mildenhall	43,328	–	1,386	1,386	260	2,513	173	1,646	3,466	9,099
208	Stow	38,842	39	1,158	695	386	3,398	–	1,506	3,745	8,571
209	Hartismere	33,769	–	402	503	553	2,312	–	1,156	2,211	6,734
210	Hoxne	33,822	–	510	446	127	2,357	127	1,465	3,185	5,860
211	Bosmere	35,947	–	662	764	153	3,768	255	1,069	2,953	6,314
212	Samford	34,755	–	840	194	323	2,326	129	2,132	2,972	6,977
213	Ipswich	56,621	–	2,606	303	1,030	3,712	61	4,864	4,379	12,879
214	Woodbridge	36,966	–	798	417	312	3,263	35	1,527	3,089	6,942
215	Plomesgate	35,906	–	669	354	354	2,480	79	984	3,583	7,402
216	Blything	34,313	–	420	150	600	3,329	150	1,680	2,639	7,379
217	Wangford	37,770	–	1,182	411	822	2,569	51	2,004	5,139	9,353
218	Mutford	46,628	–	1,763	340	469	2,491	97	3,930	5,078	9,170
	17.—NORFOLK.										
219	Yarmouth	67,618	45	2,289	997	521	2,266	363	9,789	6,730	13,052
220	Flegg	47,878	–	894	372	298	1,117	74	3,649	3,127	10,424
221	Smallburgh	39,828	–	669	525	239	2,483	96	1,671	4,107	8,262
222	Erpingham	34,289	–	728	557	428	2,183	43	942	4,067	6,635
223	Aylsham	36,624	–	728	728	318	2,457	–	1,228	3,048	8,053
224	St. Faith's	41,808	–	884	272	544	2,311	–	2,583	2,107	7,750
225	Norwich	64,041	–	3,175	973	794	3,380	350	7,426	3,235	11,489
226	Forehoe	36,413	–	1,155	340	611	1,427	68	2,310	2,038	7,677
227	Henstead	37,258	–	298	298	596	1,192	224	2,012	3,577	7,899
228	Blofield	40,481	–	1,100	1,237	619	2,474	206	1,718	2,818	6,942
229	Loddon	34,795	–	173	866	289	1,443	58	1,443	3,578	6,463
230	Depwade	36,320	–	551	310	482	1,447	69	1,206	2,998	7,994
231	Guiltcross	31,892	–	232	463	309	2,317	154	1,622	2,471	6,023
232	Wayland	36,149	–	685	381	609	1,903	152	2,055	1,826	6,925
233	Mitford	42,831	30	601	571	511	2,675	210	1,894	2,585	9,137
234	Walsingham	39,055	–	969	363	646	2,544	202	1,292	2,908	9,410
235	Docking	42,441	–	593	395	939	2,026	99	939	2,075	6,818
236	Freebridge Lynn	37,922	–	455	1,494	390	2,273	195	1,039	1,623	6,364
237	King's Lynn	55,459	–	3,393	1,000	652	3,306	43	3,132	3,349	11,831
238	Downham	44,817	–	1,118	1,333	774	3,011	258	1,849	4,645	8,645
238	Swaffham	36,911	–	188	1,507	753	1,444	188	942	2,699	7,407
240	Thetford	39,483	–	1,451	680	181	3,762	91	907	3,808	8,205
	V.—SOUTH-WESTERN COUNTIES.										
	18.—WILTSHIRE.										
241	Highworth	43,709	–	1,954	630	242	1,276	145	1,228	4,523	13,148
242	Cricklade	40,721	–	2,623	262	525	1,049	–	1,246	5,311	11,082
243	Malmesbury	38,889	–	2,423	1,005	650	1,832	118	1,478	1,950	10,047
244	Chippenham	36,057	–	937	600	525	2,024	75	787	2,586	9,895
245	Calne	31,961	–	1,863	2,451	1,078	1,863	–	1,176	1,078	8,725
246	Marlborough	35,372	–	1,411	1,317	470	1,599	94	1,317	1,787	8,090
247	Devizes	30,244	–	1,200	372	372	1,945	165	827	2,400	9,309
248	Melksham	37,523	–	2,080	226	542	2,080	45	1,537	4,656	10,579
249	Bradford-on-Avon	38,897	–	1,324	74	368	1,691	74	1,324	1,544	10,735
250	Westbury	29,908	–	1,150	307	307	1,917	–	537	2,684	6,979
251	Warminster	30,340	–	834	962	257	2,181	64	898	2,502	8,210
252	Pewsey	35,263	–	724	263	461	2,039	66	1,250	2,697	8,224
253	Amesbury	32,904	–	703	234	117	2,459	117	585	1,054	10,070
254	Alderbury	35,918	–	1,338	274	365	2,889	–	1,734	1,338	10,249
255	Wilton	30,794	–	810	162	567	2,755	162	567	2,107	8,104
256	Tisbury	29,050	–	1,267	90	–	724	–	543	3,891	7,692
257	Mere	31,786	–	476	2,232	238	1,548	–	833	2,381	9,405

TABLE 2. (*continued*).—**Annual Death-rate per Million living, among Children under Five Years of Age, from All Causes and from Several Causes, 1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	19.—DORSETSHIRE.										
258	Shaftesbury	30,744	–	1,646	592	856	1,843	197	1,185	1,909	8,756
259	Sturminster	32,754	–	1,241	1,158	579	1,654	–	910	2,068	7,775
260	Blandford	29,105	–	1,095	386	515	1,674	–	1,417	1,996	7,405
261	Wimborne	31,680	–	1,047	501	273	2,139	–	455	2,458	9,285
262	Poole	39,940	34	1,677	537	503	2,012	34	1,979	2,951	10,597
263	Wareham	33,395	–	874	322	460	1,794	184	828	3,496	9,200
264	Weymouth	41,251	–	4,013	413	295	1,416	148	2,921	2,508	10,652
265	Dorchester	35,649	–	1,855	236	438	1,720	–	944	2,091	9,949
266	Sherborne	31,411	–	1,862	1,018	678	1,221	–	611	1,221	6,581
267	Beaminster	39,658	–	670	–	1,190	2,455	74	893	3,125	10,417
268	Bridport	37,883	–	1,041	636	174	2,256	–	463	1,793	9,312
	20.—DEVONSHIRE.										
269	Axminster	34,957	–	1,242	334	191	2,197	191	1,194	2,388	8,262
270	Honiton	34,975	41	1,806	780	287	2,545	82	698	2,135	7,389
271	St. Thomas	38,912	–	2,075	603	402	2,812	117	2,109	2,444	9,841
272	Exeter	65,350	–	4,756	579	327	4,152	403	4,429	3,825	15,375
273	Newton Abbot	41,619	–	1,626	582	273	3,075	83	1,757	3,858	10,981
274	Totnes	41,047	–	2,316	1,651	407	2,659	129	2,016	2,466	10,487
275	Kingsbridge	36,485	46	1,245	738	369	2,906	92	1,061	2,491	10,240
276	Plympton St. Mary	41,415	–	1,374	1,202	515	3,056	103	2,404	3,571	10,508
277	Plymouth	71,486	33	4,191	2,417	1,086	4,324	233	5,100	7,894	18,659
278	East Stonehouse	74,047	–	5,201	1,090	545	2,278	743	5,300	3,863	20,109
279	Stoke Damerel	59,234	–	4,874	1,567	748	3,011	157	2,507	5,901	14,500
280	Tavistock	46,955	–	2,010	1,096	761	2 741	30	2,649	3,959	13,124
281	Okehampton	38,762	–	1,421	254	406	3,247	–	1,725	2,892	11,872
282	Crediton	34,208	–	1,900	362	407	3,122	45	724	2,353	7,557
283	Tiverton	42,150	–	2,389	320	350	2,855	204	1,078	1,923	11,011
284	South Molton	33,812	–	1,539	308	616	2,668	–	616	3,489	7,594
285	Barnstable	41,852	–	2,316	1,472	671	3,268	65	2,618	3,571	10,625
286	Torrington	38,185	–	3,359	412	236	2,593	–	1,945	3,889	8,486
287	Bideford	40,191	–	1,991	705	830	3,111	207	1,701	3,277	9,208
288	Holsworthy	42,013	–	1,385	92	831	3,324	277	2,401	3,232	8,680
	21.—CORNWALL.										
289	Stratton	39,200	–	229	229	1,943	1,943	–	457	3,429	8,914
290	Camelford	46,835	–	1,381	1,151	1,036	6,444	–	1,381	2,417	8,516
291	Launceston	39,803	–	1,297	415	623	3,062	52	1,609	2,439	11,261
292	St. Germans	46,146	–	3,083	945	945	4,426	298	3,680	2,138	11,785
293	Liskeard	44,037	–	1,437	520	183	3,486	245	979	4,220	11,774
294	Bodmin	46,417	–	1,106	722	770	3,800	96	1,299	4,137	8,466
295	St. Colomb	43,074	–	1,630	1,684	272	2,988	163	1,738	4,345	9,451
296	St. Austell	50,658	–	1,289	1,236	500	5,050	184	921	4,603	11,336
297	Truro	51,563	27	1,604	544	625	4,865	190	2,202	3,941	10,492
298	Falmouth	55,421	–	3,249	431	900	4,697	157	2,035	4,188	12,642
299	Helston	61,847	–	1,690	943	118	3,811	39	2,672	6,365	11,591
300	Redruth	66,732	–	2,167	1,450	519	4,978	54	3,742	4,244	14,306
301	Penzance	60,439	–	2,725	513	407	3,592	159	4,317	4,423	13,234
302	Scilly Islands	41,667	–	1,316	–	–	3,509	439	2,632	3,947	5,702
	22.—SOMERSETSHIRE.										
303	Williton	31,795	–	699	373	559	1,445	–	839	2,005	9,044
304	Dulverton	26,400	–	800	–	320	2,560	–	320	1,120	6,400
305	Wellington	34,387	–	3,421	390	1,862	2,079	–	1,213	2,425	8,445
306	Taunton	45,506	117	2,793	516	1,877	2,300	117	1,995	2,628	11,030
307	Bridgwater	35,150	–	2,339	1,918	187	1,918	47	1,052	2,315	8,326
308	Langport	33,406	–	1,692	491	328	2,293	109	1,419	1,856	7,260
309	Chard	43,124	–	1,901	1,014	634	2,345	32	1,141	3,644	11,153
310	Yeovil	39,478	–	2,667	1,290	293	2,198	88	1,290	2,198	9,818
311	Wincanton	35,015	–	1,093	841	546	1,177	–	1,429	2,648	9,458
312	Frome	36,028	35	1,441	492	281	2,460	176	1,828	1,828	8,858
313	Shepton Mallet	34,926	–	1,474	305	763	1,322	203	1,068	1,830	7,982
314	Wells	37,388	72	1,360	465	608	1,467	–	1,610	2,898	10,590

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881-90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	22.—SOMERSETSHIRE—*cont.*										
315	AXBRIDGE	36,880	–	1,963	866	199	1,815	63	2,153	2,955	9,626
316	CLUTTON	36,784	–	2,148	1,193	567	1,581	30	2,029	1,909	8,652
317	BATH	44,735	–	2,652	578	604	2,692	131	2,587	2,823	10,636
318	KEYNSHAM	42,967	–	2,455	1,125	256	1,893	–	2,379	2,148	11,535
319	BEDMINSTER	47,053	10	2,418	1,099	250	3,127	140	2,428	3,457	11,349
	VI.—WEST MIDLAND COUNTIES.										
	23.—GLOUCESTERSH.										
320	BRISTOL	69,491	31	3,660	2,645	1,061	3,921	92	3,983	4,398	16,823
321	BARTON REGIS	52,527	61	3,251	1,934	228	3,763	101	3,303	4,073	13,563
322	CHIPPING SUDBURY	39,573	–	1,422	1,469	900	2,085	47	1,422	2,417	8,768
323	THORNBURY	35,825	–	957	1,413	182	2,644	–	729	2,142	9,982
324	DURSLEY	34,865	–	1,824	1,014	263	1,959	203	1,892	2,770	16,878
325	WESTBURY-ON-SEVERN	42,415	–	1,944	1,119	236	1,915	118	1,119	4,006	12,135
326	NEWENT	30,031	–	538	768	154	1,690	–	1,075	1,997	8,065
327	GLOUCESTER	44,920	–	2,434	2,940	294	2,238	196	3,234	2,516	9,049
328	WHEATENHURST	27,858	–	1,665	444	444	2,331	–	1,332	1,443	4,994
329	STROUD	39,828	–	1,974	917	140	1,855	–	1,795	2,912	10,431
330	TETBURY	26,902	–	1,359	136	–	1,766	–	951	1,630	6,929
331	CIRENCESTER	36,834	–	1,373	646	525	1,939	162	1,050	2,746	8,158
332	NORTHLEACH	28,673	–	623	623	267	1,870	178	445	1,603	6,946
333	STOW-ON-THE WOLD	36,388	–	2,695	270	–	1,348	270	988	3,414	9,434
334	WINCHCOMB	30,431	–	1,055	176	440	1,583	88	1,055	1,143	8,883
335	CHELTENHAM	49,120	18	3,829	327	308	2,214	127	3,647	3,466	10,216
336	TEWKESBURY	38,528	–	2,907	124	371	1,299	247	2,597	1,979	9,991
	24.—HEREFORDSH.										
337	LEDBURY	34,041	68	890	479	411	2,055	–	2,329	1,438	7,397
338	ROSS	36,045	–	2,111	1,390	463	1,493	103	1,184	2,678	8,084
339	HEREFORD	41,749	–	2,458	927	484	2,035	20	2,781	2,015	9,188
340	WEOBLEY	31,975	–	1,254	1,254	104	1,672	–	1,254	1,358	7,315
341	BROMYARD	33,855	–	860	156	391	1,016	78	1,329	2,033	9,070
342	LEOMINSTER	32,981	–	1,618	933	187	1,680	62	936	2,925	8,276
343	KINGTON	34,081	–	491	701	631	2,314	70	912	2,875	7,433
	25.—SHROPSHIRE.										
344	LUDLOW	37,007	–	1,224	272	1,088	1,995	91	1,270	1,361	10,295
345	CLUN	36,463	–	1,174	335	419	1,676	–	671	1,341	8,718
346	CHURCH STRETTON	27,417	–	317	634	158	1,426	–	792	475	7,765
347	CLEOBURY MORTIMER	31,646	–	1,071	292	389	1,655	–	1,850	1,753	8,277
348	BRIDGNORTH	38,995	–	1,354	169	564	2,878	113	2,370	1,749	8,747
349	SHIFNAL	38,456	–	1,319	1,517	330	1,451	66	1,583	4,222	10,620
350	MADELEY	45,934	–	931	1,738	714	2,638	62	2,359	2,607	10,925
351	ATCHAM	42,489	36	1,504	501	967	2,471	304	2,901	3,312	9,508
352	OSWESTRY	37,866	–	1,160	1,102	174	1,131	174	1,160	3,044	10,148
353	ELLESMERE	30,730	–	320	704	448	1,665	128	1,024	1,601	5,826
354	WEM	31,083	–	917	667	83	2,250	–	667	1,833	9,000
355	WHITCHURCH	36,477	–	1,316	731	292	3,947	292	1,974	1,535	5,629
356	MARKET DRAYTON	37,791	–	1,395	116	523	2,151	116	1,395	3,081	10,640
357	WELLINGTON	51,223	–	1,700	2,864	805	2,953	209	3,371	4,177	11,396
358	NEWPORT	41,050	–	1,018	1,715	161	2,358	–	3,162	2,733	9,753
	26.—STAFFORDSHIRE.										
359	STAFFORD	44,102	26	1,853	522	130	2,949	26	1,827	3,914	7,437
360	STONE	51,088	–	1,868	1,715	230	1,920	128	3,353	2,687	10,929
361	NEWCASTLE-UNDER-LYNE	53,305	78	3,872	606	215	2,327	215	2,522	2,679	12,730
362	WOLSTANTON	71,620	17	4,833	1,302	140	3,400	201	6,293	5,777	14,850
363	STOKE-UPON-TRENT	77,838	6	5,689	2,102	291	2,838	266	7,229	4,427	15,984

TABLE 2. (*continued*).—**Annual Death-rate per Million living**, among CHILDREN under FIVE YEARS OF AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VI.—WEST MIDLAND COUNTIES—*cont.*										
	26.—STAFFORDSHIRE—*cont.*										
364	LEEK	51,292	–	3,206	1,430	369	2,122	23	3,529	3,921	12,016
365	CHEADLE	44,981	–	1,862	1,831	95	[illegible]	63	3,283	3,125	9,912
366	UTTOXETER	37,031	–	1,024	1,195	284	1,158	114	1,650	4,608	8,134
367	BURTON-UPON-TRENT	45,361	34	2,053	945	438	2,543	129	3,101	3,608	10,687
368	TAMWORTH	42,930	–	2,998	613	409	1,840	170	2,726	2,944	11,550
369	LICHFIELD	40,962	56	1,975	1,100	317	2,124	93	1,621	3,187	8,908
370	CANNOCK	47,825	35	1,578	1,210	158	1,824	158	2,052	3,192	11,329
371	WOLVERHAMPTON	65,550	106	3,486	1,774	294	3,240	169	6,634	5,168	15,138
372	WALSALL	64,294	172	2,883	2,599	493	2,913	366	6,796	4,302	14,324
373	WEST BROMWICH	65,612	205	2,991	1,643	405	3,391	248	5,535	4,260	14,961
374	DUDLEY	68,951	114	3,562	2,599	171	3,581	213	5,724	3,637	15,332
	27.—WORCESTERSH.										
375	STOURBRIDGE	63,384	69	3,962	2,583	199	3,563	477	4,811	4,906	12,760
376	KIDDERMINSTER	49,770	38	3,034	1,248	499	1,536	307	4,839	2,823	11,406
377	TENBURY	24,178	–	848	106	318	2,333	–	1,803	636	4,242
378	MARTLEY	31,240	–	823	1,338	309	1,595	–	1,132	1,493	9,161
379	WORCESTER	63,979	23	2,412	758	207	2,113	161	7,420	5,720	13,692
380	UPTON-ON-SEVERN	34,747	–	918	393	393	1,923	–	1,748	2,229	9,003
381	EVESHAM	30,839	–	1,668	607	202	1,163	51	2,174	859	7,230
382	PERSHORE	34,222	–	1,364	682	–	2,170	62	1,426	1,674	8,865
383	DROITHICH	38,788	–	1,581	1,021	428	1,185	198	2,305	4,116	9,285
384	BROMSGROVE	48,647	–	3,445	855	439	2,335	116	3,838	5,318	11,561
385	KINGS NORTON	45,805	7	2,256	1,059	460	2,271	80	3,483	3,695	10,602
	28.—WARWICKSHIRE.										
386	BIRMINGHAM	74,690	114	4,289	2,217	693	4,873	176	8,869	4,221	16,525
387	ASTON	59,635	21	3,265	1,138	531	3,984	127	7,593	2,710	14,070
388	MERIDEN	31,896	–	1,790	488	651	1,465	–	1,790	2,360	7,404
389	ATHERSTONE	46,347	46	2,237	2,146	183	1,918	183	2,648	4,932	10,457
393	NUNEATON	52,288	–	2,194	2,988	140	1,214	467	1,774	5,556	12,465
391	FOLESHILL	52,887	–	1,309	2,386	77	1,694	346	2,771	6,467	9,546
392	COVENTRY	53,882	–	2,341	1,813	247	2,687	181	6,527	4,632	10,549
393	RUGBY	36,523	–	1,516	892	327	3,031	149	2,229	1,902	8,113
394	SOLIHULL	32,115	–	1,314	481	545	1,891	32	1,859	2,500	7,404
395	WARWICK	44,190	17	2,497	468	451	2,203	87	2,966	3,954	10,371
396	STRATFORD-ON-AVON	30,267	–	1,026	220	330	1,173	–	1,429	1,576	8,171
397	ALCESTER	40,745	–	2,378	872	555	1,427	–	1,546	3,052	11,455
398	SHIPSTON-ON-STOUR	32,051	–	1,408	563	235	1,361	188	1,595	1,595	8,071
399	SOUTHAM	39,067	–	2,446	459	229	1,911	76	1,911	1,682	10,321
	VII.—NORTH MIDLAND COUNTIES.										
	29.—LEICESTERSH.										
400	LUTTERWORTH	32,120	–	630	1,679	420	1,679	–	840	2,169	7,558
401	MARKET HARBOROUGH	37,170	–	1,065	1,369	254	1,724	203	2,130	2,231	8,874
402	BILLESDON	44,559	–	1,309	1,102	344	2,135	138	5,785	3,306	7,920
403	BLABY	54,200	48	2,033	4,503	460	2,421	218	5,471	3,341	10,869
404	HINCKLEY	54,373	–	2,977	670	261	2,345	335	4,801	3,163	11,686
404	MARKET BOSWORTH	39,034	–	1,149	1,103	230	1,379	46	2,483	1,977	8,598
406	ASHBY-DE-LA-ZOUCH	46,038	20	1,941	1,961	218	2,278	99	1,743	3,249	11,470
407	LOUGHBOROUGH	55,407	26	3,314	822	642	3,288	51	5,831	5,035	11,328
408	BARROW-UPON-SOAR	56,645	–	2,291	2,337	252	2,612	69	6,943	3,323	10,380
409	LEICESTER	78,231	6	3,000	1,863	395	3,238	168	12,669	4,811	14,358
410	MELTON MOWBRAY	44,266	–	1,529	2,064	879	2,141	191	2,829	2,714	9,633
	30.—RUTLANDSHIRE.										
411	OAKHAM	41,719	–	1,893	1,262	237	2,839	–	1,183	3,233	8,991
412	UPPINGHAM	36,012	–	967	670	74	1,488	–	1,488	3,571	9,375

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS OF AGE, from ALL CAUSES and from SEVERAL CAUSES.

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VII.—NORTH MIDLAND COUNTIES—*cont.*										
	31.—LINCOLNSHIRE.										
413	STAMFORD	38,132	–	1,541	674	433	3,322	48	2,792	1,781	7,896
414	BOURN	40,503	43	894	511	128	2,342	128	1,405	3,109	9,923
415	SPALDING	42,298	–	622	695	146	2,305	73	1,829	2,671	9,330
416	HOLBEACH	42,225	–	464	1,011	506	2,149	–	1,222	3,751	8,765
417	BOSTON	44,188	–	1,167	540	367	2,355	65	2,485	2,658	9,637
418	SLEAFORD	41,584	33	1,381	1,249	197	2,137	230	2,564	2,367	10,059
419	GRANTHAM	47,098	–	2,053	920	779	3,374	118	3,775	3,893	9,462
420	LINCOLN	54,347	49	1,903	1,498	405	2,984	98	4,715	4,912	10,241
421	HORNCASTLE	33,713	–	691	285	325	1,749	–	1,220	1,830	8,337
422	SPILSBY	37,966	–	407	469	532	1,440	63	1,283	3,787	8,138
423	LOUTH	36,403	–	384	1,126	537	1,995	77	2,302	2,558	7,623
424	CAISTOR	54,734	123	1,212	2,372	308	2,649	318	6,203	2,413	12,343
425	GLANFORD BRIGG	44,507	–	741	1,861	1,048	2,006	126	2,982	3,415	9,975
426	GAINSBOROUGH	50,721	24	1,277	2,507	946	2,365	355	4,706	3,027	9,459
	32.—NOTTINGHMSH.										
427	EAST RETFORD	37,668	–	674	1,988	168	2,392	135	2,224	1,584	7,615
428	WORKSOP	47,360	46	1,866	2,390	364	2,321	387	1,639	2,981	10,378
429	MANSFIELD	58,085	27	2,252	2,292	1,655	1,696	136	2,971	4,409	13,388
430	BASFORD	61,001	29	2,775	1,753	677	3,116	268	5,658	4,387	13,204
431	NOTTINGHAM	79,527	70	3,807	2,438	375	4,386	335	8,927	8,288	15,572
432	SOUTHWELL	34,979	–	1,330	858	558	1,588	129	1,245	3,262	6,652
433	NEWARK	44,559	26	1,086	900	477	2,118	212	3,601	4,077	9,478
434	BINGHAM	35,327	56	508	1,975	1,016	2,822	56	1,919	3,217	6,659
	33.—DERBYSHIRE.										
435	SHARDLOW	43,948	–	2,247	1,264	379	2,345	154	2,331	3,679	9,702
436	DERBY	56,468	–	2,982	1,216	216	3,378	225	4,126	3,676	11,450
437	BELPER	45,712	24	1,479	1,145	215	2,672	84	3,507	3,233	10,879
438	ASHBOURNE	36,000	–	1,000	920	640	3,120	160	1,160	2,680	9,480
439	CHESTERFIELD	54,700	44	2,885	2,822	303	2,601	170	3,769	4,147	13,534
440	BAKEWELL	36,877	–	875	1,113	530	1,856	106	954	2,306	9,332
441	CHAPEL-EN-LE-FRITH	41,048	–	1,621	1,395	452	1,922	–	1,508	3,015	9,386
442	HAYFIELD	58,831	–	3,484	1,544	684	2,889	507	4,697	4,697	13,076
	VIII.—NORTH WESTERN COUNTIES.										
	34.—CHESHIRE.										
443	STOCKPORT	71,848	7	4,376	1,378	509	3,449	490	5,617	5,996	15,892
444	MACCLESFIELD	56,598	14	3,355	2,440	513	3,271	139	2,814	5,171	12,254
445	ALTRINCHAM	40,752	–	1,859	1,145	660	1,630	67	3,112	2,613	9,242
446	RUNCORN	55,064	–	4,078	2,333	285	2,883	266	5,690	4,173	11,741
447	NORTHWICH	50,934	14	2,969	1,448	304	2,491	29	2,867	3,954	11,658
448	CONGLETON	47,847	–	2,050	1,449	393	2,795	228	1,884	5,031	9,586
449	NANTWICH	47,254	–	2,574	1,275	827	2,114	138	2,918	3,068	11,317
450	CHESTER	45,449	–	3,059	847	445	2,932	212	2,583	2,932	8,721
451	WIRRAL	37,071	–	2,075	988	494	2,544	123	3,186	2,000	6,965
452	BIRKENHEAD	60,587	13	3,631	1,608	447	3,452	211	4,467	3,057	12,731
	35.—LANCASHIRE.										
453	LIVERPOOL	114,253	29	9,492	2,966	852	5,894	483	9,818	7,138	26,080
454	TOXTETH PARK	79,306	103	5,837	3,049	796	5,023	334	6,693	5,412	16,399
455	WEST DERBY	71,922	94	5,043	2,660	898	4,193	232	6,225	5,660	16,025
456	PRESCOT	68,700	–	5,805	2,468	909	3,217	356	6,559	4,839	14,930
457	ORMSKIRK	48,223	–	2,185	1,061	1,043	1,714	127	2,258	3,273	12,613
458	WIGAN	73,385	9	5,728	3,961	249	3,505	313	6,525	4,982	18,281
459	WARRINGTON	63,134	–	6,007	2,439	599	3,793	174	4,957	5,295	12,717
460	LEIGH	66,000	–	4,722	3,248	290	2,958	161	6,787	4,959	17,016
461	BOLTON	66,274	4	4,606	1,450	371	3,885	239	6,773	3,503	17,038
462	BURY	64,627	73	3,955	1,763	436	2,544	363	5,772	3,925	16,105

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS of AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	VIII.—NORTH WESTERN COUNTIES—*cont.*										
	35.—LANCASHIRE—*cont.*										
463	BARTON-UPON-IRWELL	54,153	–	3,249	1,615	904	2,144	154	4,557	5,086	12,834
464	CHORLTON	70,642	9	5,221	1,605	811	4,259	219	6,376	6,148	15,804
465	SALFORD	85,422	11	5,396	3,477	1,400	4,873	361	9,817	8,245	18,152
466	MANCHESTER	92,840	21	6,783	1,660	728	5,474	246	9,046	6,799	21,036
467	PRESTWICH	74,706	106	5,159	5,288	1,601	3,915	273	6,074	4,830	16,889
468	ASHTON-UNDER-LYNE	71,914	45	3,634	2,318	410	3,289	335	5,731	4,890	17,219
469	OLDHAM	76,346	38	4,944	2,412	726	4,129	278	4,116	5,939	19,457
470	ROCHDALE	58,918	159	2,548	1,441	442	3,359	203	2,975	5,342	16,056
471	HASLINGDEN	62,637	–	4,924	2,770	440	3,651	224	4,884	4,107	15,499
472	BURNLEY	77,129	11	5,274	2,187	492	2,944	344	7,647	4,687	19,641
473	CLITHEROE	44,151	–	3,174	1,427	143	2,282	107	2,354	2,889	10,021
474	BLACKBURN	78,162	28	5,652	3,482	148	3,698	320	6,608	6,188	19,088
475	CHORLEY	58,354	–	2,058	1,536	275	1,985	333	3,202	6,651	15,302
476	PRESTON	86,402	65	5,019	2,351	864	4,155	358	13,357	5,547	18,423
477	FYLDE	53,811	–	2,168	1,294	1,451	2,150	367	3,934	3,566	11,503
478	GARSTANG	35,337	–	1,336	1,002	534	1,403	134	1,737	2,405	10,087
479	LANCASTER	57,026	–	4,146	1,145	52	2,880	104	4,372	4,407	13,688
480	LUNESDALE	35,222	–	333	222	667	1,556	111	889	2,778	9,000
481	ULVERSTONE	44,887	–	3,835	599	583	2,217	146	3,350	2,783	11,861
482	BARROW-IN-FURNESS	55,141	–	5,208	1,119	559	2,864	653	3,277	3,636	12,746
	IX.—YORKSHIRE.										
	36.—WEST RIDING.										
483	SEDBERGH	31,210	–	849	212	–	1,911	–	637	1,486	6,157
484	SETTLE	37,265	57	1,197	570	627	1,254	228	285	4,957	8,091
485	SKIPTON	48,289	–	2,295	1,565	250	1,252	271	2,275	4,090	13,147
486	PATELEY BRIDGE	38,208	–	755	1,321	189	943	–	472	1,887	10,472
487	RIPON	38,209	–	989	885	416	1,718	208	989	2,238	7,652
488	GREAT OUSEBURN	37,345	65	1,373	392	654	2,616	–	2,551	2,943	7,521
489	KNARESBOROUGH	42,416	37	441	1,396	257	1,763	73	1,983	4,811	9,475
490	WETHERBY	35,920	–	805	575	402	1,667	–	1,092	2,816	8,736
491	WHARFEDALE	48,351	–	2,386	1,160	514	2,784	331	1,922	3,662	10,307
492	KEIGHLEY	57,324	–	2,377	3,707	362	1,847	258	2,648	2,893	16,120
493	TODMORDEN	51,619	–	3,646	3,070	360	2,471	48	2,543	2,615	13,528
494	SADDLEWORTH	56,050	37	2,673	1,893	780	2,376	260	2,301	6,013	13,215
495	HUDDERSFIELD	62,211	–	3,461	1,345	568	3,450	139	2,390	4,554	15,345
496	HALIFAX	58,453	5	2,838	1,924	756	2,628	249	2,278	4,495	14,484
497	BRADFORD	65,146	5	3,926	1,745	270	3,368	222	4,936	4,538	15,577
498	HUNSLET	74,228	32	3,162	3,881	286	3,839	349	8,830	4,611	15,239
499	HOLBECK	73,456	–	3,176	4,429	524	3,467	233	8,217	5,128	17,861
500	BRAMLEY	64,246	–	3,319	2,416	537	2,697	415	5,369	4,222	14,948
501	LEEDS	72,577	53	3,394	2,898	323	4,146	229	7,710	5,229	16,356
502	DEWSBURY	69,160	50	3,582	2,673	538	3,683	322	4,718	5,135	16,661
503	WAKEFIELD	62,898	52	2,503	3,784	864	3,114	127	5,095	4,067	15,054
504	PONTEFRACT	63,563	–	2,434	3,845	924	2,734	312	5,717	3,657	12,433
505	HEMSWORTH	49,350	–	2,329	1,896	108	3,738	325	2,654	5,525	10,943
506	BARNSLEY	66,696	37	3,307	3,869	385	3,299	333	6,244	4,261	15,527
507	WORTLEY	50,178	89	1,714	2,158	851	2,235	165	2,222	3,758	13,116
508	ECCLESALL BIERLOW	64,645	247	3,007	3,137	285	3,861	167	6,045	5,191	15,388
509	SHEFFIELD	77,675	458	3,682	3,496	289	3,924	238	7,929	6,200	18,745
510	ROTHERHAM	58,115	102	2,984	3,188	204	3,408	291	4,680	3,895	11,574
511	DONCASTER	53,518	26	1,859	1,975	271	3,254	129	4,571	3,822	13,066
512	THORNE	48,728	54	920	2,870	812	3,086	54	2,924	2,653	9,096
513	GOOLE	51,770	–	2,631	1,624	227	3,183	97	4,417	2,891	9,581
514	SELBY	42,755	–	1,118	1,373	610	1,525	–	3,203	3,152	9,253
515	TADCASTER	50,711	–	1,991	2,702	711	2,503	228	4,949	2,958	9,585
	37.—EAST RIDING (WITH YORK).										
516	YORK	55,456	–	2,199	1,171	329	3,052	298	7,748	4,295	10,491
517	POCKLINGTON	41,274	–	499	1,939	111	2,050	166	2,770	1,662	8,089
518	HOWDEN	44,944	–	1,498	1,311	375	1,373	125	2,122	4,057	9,176

TABLE 2. (*continued*).—**Annual Death-rate per Million living, among Children under Five Years of Age, from All Causes and from Several Causes, 1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	IX.—YORKSHIRE— *continued.*										
	37.—EAST RIDING (WITH YORK)—*cont.*										
519	BEVERLEY	45,467	34	1,142	1,310	369	1,746	201	3,526	2,552	9,033
520	SCULCOATES	60,478	97	2,157	2,872	303	2,981	321	6,951	4,733	13,029
521	HULL	68,802	–	2,624	3,655	324	3,449	403	6,495	4,864	16,419
522	PATRINGTON	33,952	–	278	2,319	93	1,948	–	1,484	3,896	3,803
523	SKIRLAUGH	37,965	–	414	2,151	165	2,564	414	1,737	1,323	7,775
524	DRIFFIELD	45,925	–	843	923	562	2,650	80	3,171	2,850	10,197
525	BRIDLINGTON	40,573	–	923	534	194	3,661	–	2,915	2,770	8,503
	38.—NORTH RIDING.										
526	SCARBOROUGH	52,428	–	1,073	800	566	2,672	117	4,154	4,115	11,488
527	MALTON	38,621	–	500	715	322	1,929	36	2,787	2,358	8,110
528	EASINGWOLD	32,793	–	811	901	991	1,712	90	1,351	1,982	6,667
529	THIRSK	36,015	–	566	880	1,006	2,074	251	1,760	1,571	8,737
530	HELMSLEY	32,414	–	383	1,303	307	1,839	–	1,609	1,303	7,126
531	PICKERING	41,763	–	1,012	939	217	2,601	145	1,734	2,890	7,225
532	WHITBY	47,589	–	1,707	809	539	3,235	90	2,725	3,504	12,758
533	GUISBOROUGH	49,332	–	1,610	2,125	242	2,479	193	2,608	5,007	10,530
534	MIDDLESBROUGH	68,609	19	3,086	2,411	248	3,964	375	5,281	6,356	14,989
535	STOKESLEY	33,997	–	1,138	1,067	71	3,343	142	1,565	2,347	7,041
536	NORTHALLERTON	34,075	–	765	556	278	1,878	278	1,113	2,295	7,719
537	BEDALE	34,356	102	818	613	102	3,272	–	1,431	2,556	8,078
538	LEYBURN	26,761	–	433	542	217	2,275	108	2,167	1,300	5,200
539	AYSGARTH	37,274	–	821	1,314	328	1,149	164	493	3,941	8,046
540	REETH	29,485	–	1,443	206	412	412	–	1,031	1,237	4,948
541	RICHMOND	34,918	–	824	760	570	2,091	–	634	2,535	7,668
	X.—NORTHERN COUNTIES.										
	39.—DURHAM.										
542	DARLINGTON	46,491	–	1,435	889	265	2,277	94	3,478	5,115	9,872
543	STOCKTON	59,660	84	2,924	2,298	486	3,027	346	4,372	5,792	10,949
544	HARTLEPOOL	59,293	163	4,727	2,357	198	3,045	292	4,585	4,539	13,312
545	AUCKLAND	59,321	31	2,396	2,296	201	2,458	301	3,733	5,155	13,124
546	TEESDALE	38,677	39	709	1,182	276	1,418	197	1,221	4,057	7,917
547	WEARDALE	43,533	93	1,205	834	139	1,947	278	1,947	3,384	10,153
548	LANCHESTER	56,579	–	2,711	2,094	397	2,634	264	3,306	4,695	12,299
549	DURHAM	60,637	258	2,826	1,990	165	2,516	402	3,847	6,332	13,241
550	EASINGTON	64,377	188	2,449	2,362	290	2,029	507	5,043	7,493	11,000
551	HOUGHTON-LE-SPRING	66,279	–	2,932	2,271	125	2,342	679	7,760	5,686	12,837
552	CHESTER-LE-STREET	64,385	29	2,881	2,211	157	2,040	285	4,379	7,003	13,336
553	SUNDERLAND	71,922	213	4,687	2,554	426	3,156	292	6,617	5,039	15,483
554	SOUTH SHIELDS	62,872	49	2,980	2,171	603	3,208	114	5,412	6,128	14,384
555	GATESHEAD	65,884	193	2,843	1,946	346	3,070	272	6,140	6,265	13,177
	40.—NORTHUMBERL.										
556	NEWCASTLE-UPON-TYNE	68,321	122	4,202	1,871	632	3,561	173	5,799	5,786	13,052
557	TYNEMOUTH	59,441	34	2,423	2,058	410	2,856	200	4,247	6,374	10,815
558	CASTLE WARD	40,070	–	1,016	736	140	1,996	385	3,503	3,888	8,021
559	HEXHAM	39,391	–	1,063	967	387	1,764	193	2,610	4,229	7,177
560	HALTWHISTLE	34,431	–	898	499	–	1,697	–	1,896	2,695	7,285
561	BELLINGHAM	26,502	–	154	924	616	1,887	616	462	1,541	3,852
562	MORPETH	50,202	55	2,571	1,267	275	1,983	349	3,305	6,023	8,006
563	ALNWICK	41,112	76	1,853	1,059	151	2,194	38	2,231	2,723	7,716
564	BELFORD	25,282	–	161	644	322	644	161	1,449	2,254	5,636
565	BERWICK	40,339	–	2,138	1,412	1,654	2,420	242	2,420	2,703	8,068
566	GLENDALE	27,296	85	340	680	170	1,871	–	1,276	1,276	5,442
567	ROTHBURY	31,276	–	1,403	1,403	421	1,823	561	1,964	1,823	6,592

TABLE 2. (*continued*).—**Annual Death-rate per Million living, among Children under Five Years of Age, from All Causes and from Several Causes, 1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	X.—NORTHERN COUNTIES—*cont.*										
	41.—CUMBERLAND.										
568	ALSTON	32,414	–	690	1,839	230	2,529	–	460	2,529	4,598
569	PENRITH	34,418	–	1,516	591	702	2,144	37	1,294	2,588	6,691
570	BRAMPTON	34,095	–	1,318	1,494	351	1,933	88	2,109	2,548	8,172
571	LONGTOWN	36,744	–	1,279	814	116	2,093	116	1,279	2,907	8,954
572	CARLISLE	51,838	–	2,105	2,060	504	3,572	163	3,157	5,396	11,725
573	WIGTON	37,882	34	1,290	781	441	1,901	102	1,426	3,802	9,335
574	COCKERMOUTH	54,142	–	4,142	604	507	2,708	237	3,592	3,333	13,528
575	WHITEHAVEN	52,983	–	4,123	1,288	260	3,426	71	2,623	3,686	12,900
576	BOOTLE	40,264	102	2,898	458	203	2,339	153	3,355	2,084	10,880
	42.—WESTMORLAND.										
577	EAST WARD	35,616	–	806	806	115	1,438	–	633	1,726	8,688
578	WEST WARD	26,423	–	537	430	537	1,396	–	644	2,470	7,089
579	KENDAL	35,774	19	1,030	393	412	1,555	169	1,442	3,390	8,766
	XI.—WELSH COUNTIES.										
	43.—MONMOUTHSH.										
580	CHEPSTOW	39,125	204	2,249	777	695	2,208	164	491	3,802	7,850
581	MONMOUTH	36,006	–	1,722	780	511	1,938	27	1,130	2,691	9,150
582	ABERGAVENNY	54,785	–	3,301	1,267	367	3,635	100	1,334	4,968	13,271
583	BEDWELLTY	76,906	48	5,869	5,714	1,646	4,974	358	2,302	4,736	18,860
584	PONTYPOOL	51,083	–	2,474	1,400	364	2,838	192	1,496	3,394	13,787
585	NEWPORT	56,341	9	2,853	1,602	454	3,402	249	3,556	3,719	14,276
	44.—SOUTH WALES.										
	GLAMORGANSHIRE.										
586	CARDIFF	59,843	42	3,602	1,655	724	3,576	208	5,575	3,857	13,788
587	PONTYPRIDD	70,783	–	3,867	3,757	243	3,033	336	3,369	2,883	18,178
588	MERTHYR TYDFIL	70,187	7	4,043	5,856	409	3,831	273	2,645	4,254	16,833
589	BRIDGEND	55,603	–	2,469	3,627	221	2,946	477	1,328	3,661	12,909
590	NEATH	53,078	–	3,359	3,372	131	3,241	209	1,738	3,843	10,953
591	PONTARDAWE	42,167	–	1,033	1,500	100	2,200	233	1,300	3,100	7,667
592	SWANSEA	61,626	14	4,130	3,550	191	3,373	245	2,106	3,980	16,008
593	GOWER	36,466	–	1,964	281	140	2,945	140	1,052	3,436	6,452
	CARMARTHENSHIRE.										
594	LLANELLY	47,010	–	1,974	1,643	202	3,718	216	1,283	2,695	10,909
595	LLANDOVERY	41,483	–	441	587	73	1,836	73	808	514	7,195
596	LLANDILOFAWR	38,110	–	721	1,241	400	1,801	120	881	2,202	7,926
597	CARMARTHEN	39,066	–	1,032	1,229	369	1,548	74	958	1,990	9,435
	PEMBROKESHIRE.										
598	NARBERTH	34,080	–	819	1,465	776	2,025	43	474	1,810	6,247
599	PEMBROKE	44,570	–	1,776	360	335	2,265	51	1,055	5,198	10,216
600	HAVERFORDWEST	42,546	–	1,004	1,248	245	2,326	269	1,444	2,301	6,634
	CARDIGANSHIRE.										
601	CARDIGAN	33,035	–	579	1,631	579	2,630	–	1,105	1,894	6,049
602	NEWCASTLE-IN-EMLYN	31,713	–	727	1,726	45	1,590	136	954	2,090	4,362
603	LAMPETER	35,467	–	779	433	260	1,817	–	346	1,817	6,055
604	ABERAYRON	27,904	–	567	708	354	2,125	71	850	2,266	4,887
605	ABERYSTWITH	35,195	–	1,004	1,888	121	1,205	40	643	1,928	8,116
606	TREGARON	28,271	–	274	274	183	1,098	91	640	1,281	4,758

TABLE 2. (*continued*).—**Annual Death-rate** PER **Million** LIVING, among CHILDREN under FIVE YEARS OF AGE, from ALL CAUSES and from SEVERAL CAUSES, **1881–90.**

No.	DISTRICTS.	Annual Death-rate per 1,000,000 living under Five Years of Age. All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Tubercular Diseases.	Respiratory Diseases.
	XI.—WELSH COUNTIES —*cont.*										
	44.—SOUTH WALES— *cont.*										
	BRECKNOCKSHIRE.										
607	BUILTH	36,556	–	705	1,410	403	3,122	–	906	1,208	6,344
608	BRECKNOCK	42,325	–	1,502	1,780	556	2,447	–	667	2,670	10,067
609	CRICKHOWELL	62,236	–	4,300	4,730	1,368	3,323	469	1,798	2,541	13,800
610	HAY	42,583	–	1,000	1,333	250	2,417	–	917	2,000	9,000
	RADNORSHIRE.										
611	KNIGHTON	39,083	–	873	437	582	3,130	146	728	2,475	7,860
612	RHAYADER	37,014	–	878	1,757	627	2,008	125	502	2,008	9,661
	45.—NORTH WALES.										
	MONTGOMERYSHIRE.										
613	MACHYNLLETH	37,539	–	851	2,167	232	2,399	77	1,161	2,322	7,043
614	NEWTOWN	36,136	–	644	1,966	339	2,271	34	1,729	1,729	7,525
615	FORDEN (MONTGOMERY)	34,090	99	888	1,036	740	1,431	49	1,085	2,615	7,153
616	LLANFYLLIN	40,483	–	715	849	447	2,904	45	983	2,279	7,730
	FLINTSHIRE.										
617	HOLYWELL	41,270	–	1,983	1,655	400	2,710	200	746	2,692	8,221
	DENBIGHSHIRE.										
618	WREXHAM	50,576	–	2,153	1,583	570	2,508	89	1,697	1,963	12,704
619	RUTHIN	36,678	–	746	475	814	1,288	203	542	1,695	5,153
620	ST. ASAPH	39,731	–	1,024	992	512	2,143	96	1,280	1,823	7,294
621	LLANRWST	38,111	–	1,157	257	771	2,442	–	964	2,699	7,776
	MERIONETHSHIRE.										
622	CORWEN	37,494	–	1,541	1,233	360	2,517	–	822	1,952	7,345
623	BALA	42,169	–	753	301	–	2,259	–	1,205	2,711	6,777
624	DOLGELLY	36,574	–	1,447	1,389	463	2,141	–	579	2,720	10,995
625	FESTINIOG	47,103	–	1,834	1,675	797	3,216	133	1,010	3,828	8,852
	CARNARVONSHIRE.										
626	PWLLHELI	35,263	–	1,380	843	1,303	1,801	–	498	2,223	6,056
627	CARNARVON	48,306	–	1,947	1,733	428	2,979	175	1,188	2,531	10,728
628	BANGOR	47,319	–	1,914	1,843	661	3,118	118	1,110	4,040	8,481
629	CONWAY	34,721	–	791	416	1,166	1,707	42	1,582	3,664	6,453
	ANGLESEY.										
630	ANGLESEY	40,657	–	758	316	316	2,778	–	631	1,894	6,692
631	HOLYHEAD	39,844	–	1,126	390	866	2,815	87	693	4,374	7,796

TABLE 3.—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881–90.—Persons.**

—	All Ages. Crude Rate.	All Ages. Rate in Standard Population.	Under 1 Year.*	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ENGLAND AND WALES	19·08	19·08	142	56·82	5·29	3·02	4·35	5·61	7·53	11·42	17·06	31·33	64·65	153·67
London	20·31	21·42	152	68·16	5·86	2·89	3·78	4·86	7·64	13·05	20·21	35·38	68·89	155·87
Surrey	15·29	15·58	110	40·60	3·93	2·44	3·41	4·31	6·40	10·75	15·76	27·44	56·72	140·96
Kent	16·57	15·94	116	43·62	4·59	3·01	4·24	5·35	6·69	10·06	14·29	25·77	55·04	142·20
Sussex	15·66	14·94	109	39·77	4·16	2·49	3·55	4·76	6·51	9·75	14·02	24·02	52·42	139·27
Hampshire	16·70	16·00	112	42·22	4·12	2·39	4·10	5·74	7·78	10·73	14·94	25·71	55·46	143·80
Berkshire	16·17	15·02	105	38·82	4·33	2·26	3·44	4·94	6·35	9·35	13·88	25·10	56·10	149·54
Middlesex	16·13	16·62	128	48·89	4·57	2·56	2·97	3·72	5·98	9·88	15·24	28·30	59·41	143·51
Hertfordshire	16·89	15·41	108	39·35	4·24	2·54	3·64	5·42	6·56	9·33	13·90	26·57	57·20	154·96
Buckinghamshire	16·78	15·26	116	41·87	3·90	2·20	3·57	5·05	6·25	8·74	12·43	23·98	58·99	153·71
Oxfordshire	16·81	15·15	112	40·24	4·04	2·39	3·54	4·77	6·21	9·26	13·06	23·75	58·65	155·14
Northamptonshire	17·08	16·21	132	47·86	4·27	2·86	4·05	5·18	6·31	8·99	12·33	24·29	57·47	154·70
Huntingdonshire	16·41	13·94	107	36·71	3·80	2·65	3·83	6·25	6·13	7·41	10·76	21·83	53·36	137·62
Bedfordshire	17·31	16·30	131	47·78	4·52	2·73	3·32	4·98	6·47	9·05	13·07	24·21	60·00	154·32
Cambridgeshire	17·29	15·40	121	43·79	4·49	2·80	4·06	5·57	6·81	8·97	12·64	23·39	51·91	138·61
Essex	16·82	16·32	126	48·50	4·75	2·71	3·91	4·81	6·21	9·51	13·57	25·13	55·63	146·93
Suffolk	17·61	15·29	114	42·34	3·79	2·66	4·24	5·93	6·95	9·13	12·10	23·25	53·04	147·13
Norfolk	18·03	15·58	134	46·60	4·06	2·52	4·06	5·54	6·69	8·95	11·91	22·49	50·67	144·80
Wiltshire	16·92	14·95	103	36·29	3·71	2·46	3·84	5·48	6·79	9·08	13·86	25·90	58·51	152·84
Dorsetshire	16·18	14·24	96	35·65	3·76	2·43	3·89	5·35	6·31	8·90	12·44	23·62	53·48	145·20
Devonshire	18·30	16·56	120	47·78	4·31	3·02	4·28	5·82	7·16	9·98	13·96	25·36	55·55	142·54
Cornwall	18·98	17·18	137	53·35	4·54	2·89	4·59	6·22	6·73	8·63	12·80	25·04	56·55	148·89
Somersetshire	17·34	15·50	110	40·21	4·07	2·53	3·98	5·25	6·61	9·60	14·29	26·62	57·97	143·39
Gloucestershire	17·82	16·89	124	47·27	4·45	2·84	3·88	5·16	6·89	10·27	15·05	27·91	60·08	149·50
Herefordshire	17·32	15·01	109	36·85	4·12	2·51	3·78	5·44	6·61	9·52	13·25	26·77	57·50	151·12
Shropshire	17·42	15·51	117	40·00	4·26	2·51	3·64	5·40	7·17	9·26	13·00	25·85	59·46	155·47
Staffordshire	19·65	19·99	156	61·61	4·83	2·77	4·01	5·32	7·24	11·21	17·48	34·32	71·87	160·20
Worcestershire	16·99	16·66	134	49·17	4·20	2·29	3·63	4·57	6·04	9·42	14·31	27·25	60·48	152·92
Warwickshire	19·01	19·25	150	58·54	4·60	2·50	3·71	5·00	7·27	11·78	17·82	32·31	66·32	155·95
Leicestershire	18·42	17·92	164	59·53	4·29	2·52	3·63	4·91	6·34	9·11	13·46	26·37	58·52	157·08
Rutlandshire	16·25	14·20	111	38·78	2·97	2·46	3·30	5·32	5·47	7·33	11·99	21·39	54·04	158·55
Lincolnshire	17·51	15·94	132	46·10	4·54	2·93	4·40	5·87	7·13	9·17	12·33	23·29	53·79	144·59
Nottinghamshire	19·44	19·13	154	61·82	5·19	2·93	4·39	5·89	7·22	10·11	14·98	28·69	61·16	157·88
Derbyshire	17·74	17·88	134	49·98	4·82	2·74	4·42	5·41	6·69	9·40	15·19	31·14	67·59	169·89
Cheshire	18·85	19·43	142	54·51	4·91	2·79	4·27	5·59	7·64	11·61	17·86	34·70	73·21	164·36
Lancashire	22·40	24·19	166	72·79	6·82	3·49	4·92	6·27	8·96	14·38	22·83	43·26	85·21	173·71
West Riding	20·03	21·23	156	63·11	6·21	3·46	5·06	6·00	7·61	11·65	18·40	35·98	76·59	173·94
East Riding (with York)	19·48	19·14	149	56·42	5·72	3·25	4·54	5·88	7·87	11·75	16·41	29·24	64·77	161·00
North Riding	18·15	17·67	135	51·34	4·76	3·05	4·57	6·08	7·71	10·20	15·13	27·81	60·31	149·56
Durham	19·83	20·57	152	62·09	6·38	3·98	5·43	6·60	7·76	11·07	16·73	32·81	69·70	166·97
Northumberland	19·78	20·19	142	56·28	5·83	3·84	5·51	6·91	8·86	12·48	17·84	32·87	69·82	165·64
Cumberland	18·38	17·95	123	48·32	4·64	3·04	4·47	5·92	7·64	10·55	16·70	31·93	66·07	157·49
Westmorland	15·52	14·32	100	34·65	3·66	2·21	4·01	5·37	6·13	8·42	12·52	24·66	57·01	155·83
Monmouthshire	19·70	19·53	140	57·00	5·91	3·36	4·99	6·19	8·10	11·65	17·54	33·84	67·74	142·29
South Wales	19·13	19·04	140	54·86	5·96	3·83	5·67	7·17	8·43	11·39	16·19	30·54	61·75	143·76
North Wales	18·68	17·06	118	42·26	5·35	3·54	5·64	7·57	8·79	10·57	14·56	27·55	60·42	152·20

* The death-rates under one year of age are per 1000 Births.

TABLE 3. (*continued*).—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881–90.—Males.**

——	All Ages.		Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
	Crude Rate.	Rate in Standard Population.												
ENGLAND AND WALES	20·22	20·22	155	61·69	5·34	2·94	4·30	5·71	7·73	12·35	19·28	34·66	70·17	162·18
London	22·03	23·19	164	73·13	5·92	2·91	4·03	5·43	8·62	14·91	23·73	41·23	77·41	168·23
Surrey	16·66	16·86	119	44·04	3·86	2·29	3·47	5·05	7·56	12·85	18·39	31·03	63·50	147·25
Kent	17·39	16·77	128	47·39	4·51	2·84	4·16	5·58	7·07	10·95	16·09	27·95	59·11	146·60
Sussex	17·09	16·03	122	44·29	4·16	2·33	3·52	5·18	7·09	11·02	16·26	26·48	55·91	149·54
Hampshire	17·90	17·14	123	46·03	3·94	2·20	3·98	6·60	8·87	12·36	17·60	28·55	58·93	149·96
Berkshire	16·98	15·80	116	42·41	4·37	2·15	3·18	4·71	6·66	10·46	15·88	26·77	59·81	158·97
Middlesex	17·56	17·98	142	53·25	4·54	2·57	3·08	4·13	6·51	11·18	17·82	32·80	66·58	156·25
Hertfordshire	17·81	16·28	121	42·98	4·49	2·41	3·11	5·26	6·96	10·60	15·91	29·64	61·18	163·53
Buckinghamshire	17·45	15·79	128	46·02	3·92	2·05	3·06	5·20	6·34	8·73	13·57	24·90	61·71	161·14
Oxfordshire	17·79	15·89	125	44·05	4·14	2·28	3·46	4·83	6·53	9·85	14·09	24·99	62·70	166·65
Northamptonshire	17·70	16·81	146	52·50	4·31	2·66	3·65	4·98	6·13	8·98	13·39	25·73	60·83	161·18
Huntingdonshire	17·04	14·50	117	40·19	3·90	2·54	2·74	5·07	5·42	8·20	12·37	25·55	58·96	144·96
Bedfordshire	18·49	17·00	144	52·33	4·68	2·53	2·80	4·70	6·11	9·69	14·38	25·87	64·61	161·85
Cambridgeshire	18·06	16·21	134	47·70	4·58	2·67	3·56	5·23	6·72	9·67	13·90	26·27	57·84	147·96
Essex	17·49	17·05	137	52·45	4·78	2·53	3·69	4·78	6·25	10·11	14·79	26·89	59·76	154·96
Suffolk	18·48	15·88	126	46·51	3·77	2·32	3·74	5·93	7·06	9·08	13·09	25·01	56·52	155·37
Norfolk	18·98	16·39	149	51·62	4·02	2·35	3·76	5·71	6·65	9·28	13·15	24·01	54·24	153·41
Wiltshire	17·20	15·14	115	39·86	3·87	2·15	3·15	4·58	6·55	9·03	14·98	27·30	59·32	157·63
Dorsetshire	16·69	14·75	107	39·00	3·64	2·18	3·56	5·48	6·32	9·65	13·58	24·40	57·45	151·33
Devonshire	19·34	17·59	132	52·04	4·24	2·90	4·31	6·27	7·66	11·26	16·21	27·66	59·69	148·61
Cornwall	20·07	18·34	149	57·29	4·56	2·63	4·41	6·56	6·90	9·47	15·87	30·05	63·56	156·83
Somersetshire	18·51	16·61	124	44·60	4·09	2·37	3·89	5·38	7·25	10·69	16·37	30·01	64·25	152·01
Gloucestershire	19·09	18·09	138	52·26	4·53	2·66	3·74	5·52	7·52	11·12	17·05	31·36	66·21	160·43
Herefordshire	18·28	15·87	120	40·46	3·91	2·16	3·47	5·59	6·38	10·10	15·39	30·53	63·43	164·99
Shropshire	18·12	16·18	130	44·00	4·25	2·29	3·18	5·14	7·04	9·59	14·47	28·64	63·37	164·73
Staffordshire	20·80	21·27	171	67·21	4·98	2·77	3·87	4·98	7·03	12·06	20·03	38·33	78·66	170·23
Worcestershire	18·36	17·85	147	53·59	4·30	2·35	3·46	4·68	6·30	10·35	16·47	31·44	66·41	165·39
Warwickshire	20·24	20·42	164	63·29	4·64	2·44	3·58	5·18	7·53	12·89	19·82	35·93	72·75	164·51
Leicestershire	19·69	18·92	182	65·95	4·35	2·49	3·36	4·82	6·22	9·21	14·81	28·84	62·71	162·21
Rutlandshire	16·73	14·55	126	43·30	2·65	1·92	2·91	4·46	5·12	6·85	13·37	22·36	57·80	164·88
Lincolnshire	18·17	16·52	144	50·45	4·46	2·74	3·86	5·33	6·64	9·25	13·34	25·53	58·38	152·03
Nottinghamshire	20·42	19·87	171	68·06	5·16	2·92	4·09	5·41	6·57	10·10	15·72	30·38	64·15	165·42
Derbyshire	18·36	18·44	148	54·88	4·91	2·71	4·27	4·90	6·13	9·35	16·41	33·09	70·64	176·33
Cheshire	19·92	20·28	156	59·35	5·05	2·82	4·31	5·58	7·67	12·03	19·70	36·88	76·84	171·23
Lancashire	23·83	25·62	181	78·76	7·00	3·52	5·10	6·39	9·16	15·57	25·44	47·20	92·10	184·66
West Riding	21·31	22·48	171	68·70	6·19	3·34	4·90	5·72	7·50	12·62	21·20	40·32	84·22	180·94
East Riding (with York)	20·56	20·33	163	61·31	5·94	3·05	4·56	5·93	7·90	12·50	18·28	32·64	73·19	170·38
North Riding	18·87	18·40	148	56·07	4·70	3·07	4·33	6·05	7·42	10·31	16·88	29·70	64·05	153·55
Durham	20·22	21·14	165	66·62	6·43	3·96	5·49	6·03	6·90	10·72	17·56	35·17	74·45	175·88
Northumberland	20·41	21·03	155	60·81	5·76	3·72	5·49	6·83	8·57	12·94	19·35	35·59	76·37	173·11
Cumberland	19·12	18·79	136	52·84	4·62	2·91	4·22	5·92	7·55	10·99	18·67	34·97	70·63	168·99
Westmorland	16·45	14·87	116	39·19	3·36	1·97	3·45	5·07	6·00	9·10	13·38	26·76	61·32	157·66
Monmouthshire	20·56	20·64	153	62·24	5·81	3·70	4·75	6·05	7·73	12·13	19·93	37·69	73·32	147·84
South Wales	19·87	20·14	153	59·65	6·00	3·81	5·87	7·25	8·22	11·49	18·26	34·21	68·47	153·99
North Wales	19·28	17·72	132	46·33	5·43	3·16	5·14	7·47	8·20	10·69	16·05	30·22	66·82	161·34

* The death-rates under one year of age are per 1000 births.

TABLE 3. (*continued*).—ENGLAND AND WALES.—**Death-rates** PER **1000** LIVING at DIFFERENT AGE-PERIODS in REGISTRATION COUNTIES, **1881-90.—Females.**

—	ALL AGES.		Under 1 Year.*	0—	5—	10—	15—	20—	25—	35—	45—	55—	66—	75 and upwds.
	Crude Rate.	Rate in Standard Population.												
ENGLAND AND WALES	18·01	18·01	128	51·99	5·25	3·09	4·40	5·51	7·34	10·55	15·04	28·40	60·08	147·32
London	18·77	19·74	139	63·23	5·81	2·88	3·56	4·39	6·80	11·38	17·15	30·71	63·00	149·14
Surrey	14·07	14·37	100	37·18	3·99	2·58	3·36	3·69	5·47	8·93	13·51	24·44	51·40	136·45
Kent	15·78	15·16	105	39·86	4·67	3·18	4·33	5·13	6·33	9·21	12·63	23·79	51·46	138·57
Sussex	14·40	13·91	95	35·27	4·16	2·64	3·58	4·44	6·06	8·72	12·20	22·00	49·51	131·08
Hampshire	15·56	14·92	100	38·44	4·29	2·58	4·24	4·95	6·80	9·28	12·56	23·18	52·47	138·82
Berkshire	15·37	14·28	94	35·19	4·28	2·38	3·73	5·17	6·06	8·34	12·08	23·56	52·76	141·63
Middlesex	14·86	15·33	114	44·50	4·60	2·55	2·87	3·41	5·54	8·74	12·99	24·72	54·18	135·60
Hertfordshire	16·02	14·59	95	35·73	3·99	2·68	4·24	5·56	6·23	8·23	12·12	23·85	53·75	147·97
Buckinghamshire	16·13	14·76	103	37·74	3·89	2·36	4·17	4·92	6·18	8·74	11·38	23·14	56·50	147·07
Oxfordshire	15·89	14·46	100	36·42	3·93	2·49	3·62	4·72	5·94	8·74	12·14	22·63	55·06	145·23
Northamptonshire	16·46	15·65	117	43·31	4·22	3·07	4·48	5·39	6·49	9·00	11·30	22·91	54·31	149·12
Huntingdonshire	15·80	13·41	96	33·26	3·69	2·77	5·05	7·38	6·79	6·70	9·27	18·40	48·39	131·85
Bedfordshire	16·26	15·65	117	43·23	4·36	2·94	3·83	5·18	6·75	8·54	12·01	22·81	56·06	147·87
Cambridgeshire	16·55	14·64	108	39·87	4·39	2·94	4·63	5·90	6·89	8·33	11·51	20·81	46·79	131·32
Essex	16·15	15·63	115	44·59	4·71	2·90	4·16	4·83	6·18	8·92	12·39	23·46	51·88	140·34
Suffolk	16·78	14·73	101	38·17	3·81	3·01	4·77	5·93	6·85	9·17	11·21	21·65	49·79	140·00
Norfolk	17·14	14·82	119	41·59	4·09	2·70	4·36	5·38	6·73	8·67	10·83	21·16	47·54	137·87
Wiltshire	16·65	14·76	90	32·74	3·55	2·78	4·63	6·36	7·01	9·12	12·84	24·63	57·77	148·58
Dorsetshire	15·70	13·76	86	32·30	3·88	2·67	4·26	5·23	6·31	8·22	11·43	22·93	50·06	139·66
Devonshire	17·38	15·59	108	43·50	4·38	3·13	4·24	5·45	6·75	8·93	12·16	23·48	52·26	138·16
Cornwall	18·02	16·09	123	49·35	4·53	3·15	4·78	5·93	6·61	7·99	10·50	21·30	51·51	143·54
Somersetshire	16·31	14·46	96	35·83	4·06	2·69	4·08	5·15	6·10	8·70	12·60	23·89	53·14	137·19
Gloucestershire	16·71	15·75	110	42·37	4·38	3·02	4·01	4·88	6·37	9·55	13·42	25·13	55·42	142·07
Herefordshire	16·40	14·19	97	33·30	4·33	2·86	4·09	5·30	6·82	8·98	11·19	23·08	52·21	140·71
Shropshire	16·74	14·89	103	35·96	4·28	2·74	4·15	5·67	7·29	8·95	11·60	23·12	55·85	147·96
Staffordshire	18·49	18·79	140	56·09	4·69	2·78	4·17	5·67	7·45	10·35	14·96	30·42	65·78	152·04
Worcestershire	15·75	15·54	120	44·81	4·10	2·23	3·79	4·49	5·82	8·59	12·39	23·55	55·47	143·90
Warwickshire	17·85	18·15	135	53·82	4·56	2·57	3·83	4·84	7·04	10·74	16·00	29·12	60·95	149·35
Leicestershire	17·23	16·97	146	53·28	4·24	2·56	3·89	4·98	6·45	9·02	12·22	24·09	54·83	152·57
Rutlandshire	15·78	13·88	96	34·21	3·28	3·09	3·78	6·13	5·79	7·78	10·71	20·48	50·59	152·55
Lincolnshire	16·87	15·40	119	41·75	4·62	3·13	4·98	6·39	7·61	9·09	11·36	21·14	49·51	138·29
Nottinghamshire	18·50	18·43	138	55·70	5·21	2·93	4·68	6·31	7·84	10·12	14·29	27·10	58·43	151·27
Derbyshire	17·12	17·34	120	45·14	4·72	2·78	4·58	5·93	7·26	9·45	13·99	29·31	64·79	164·16
Cheshire	17·85	18·62	127	49·68	4·78	2·77	4·23	5·60	7·61	11·22	16·19	32·75	70·01	158·77
Lancashire	21·08	22·84	150	66·92	6·63	3·46	4·74	6·17	8·77	13·27	20·49	39·96	79·84	166·06
West Riding	18·81	20·05	140	57·59	6·22	3·57	5·23	6·26	7·72	10·72	15·78	32·10	70·15	168·48
East Riding (with York)	18·44	18·03	136	51·55	5·51	3·45	4·52	5·84	7·83	11·00	14·59	26·09	57·54	154·38
North Riding	17·42	16·98	121	46·63	4·83	3·02	4·82	6·12	8·00	10·07	13·30	25·93	56·80	146·15
Durham	19·41	20·04	139	57·52	6·32	4·00	5·38	7·19	8·69	11·46	15·82	30·43	65·29	160·15
Northumberland	19·15	19·40	129	51·75	5·91	3·96	5·52	6·99	9·14	12·00	16·33	30·32	64·31	160·39
Cumberland	17·66	17·17	109	43·74	4·65	3·18	4·73	5·91	7·73	10·11	14·81	29·19	62·18	152·52
Westmorland	14·62	13·80	84	30·22	3·97	2·44	4·54	5·65	6·24	7·75	11·70	22·54	52·92	154·13
Monmouthshire	18·79	18·49	126	51·79	6·02	3·02	5·27	6·36	8·53	11·12	15·05	29·86	62·36	137·32
South Wales	18·39	18·01	126	50·08	5·92	3·86	5·46	7·08	8·66	11·28	14·18	27·13	56·09	136·48
North Wales	18·09	16·44	104	38·16	5·26	3·92	6·18	7·67	9·35	10·45	13·16	25·05	54·88	145·08

* The death-rates under one year of age are per 1000 births.

TABLE 4.—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
ENGLAND AND WALES.																									
Persons	19080	45	440	334	163	450	14	196	25	659	15	589	276	1724	420	2592	1576	3729	1104	435	57	84	69	648	3436
Males	20218	52	468	346	158	418	16	211	25	711	17	430	304	1847	471	2804	1548	4096	1147	556	8	–	–	968	3617
Females	18006	38	414	322	167	480	13	182	25	610	13	739	249	1609	371	2392	1602	3382	1064	318	103	163	134	347	3269
LONDON.																									
Persons	20308	119	634	328	260	690	8	187	18	745	23	683	352	2078	542	2326	1491	4286	1118	504	75	80	51	735	2975
Males	22027	134	693	354	264	658	9	205	17	822	27	504	412	2547	637	2538	1497	4666	1151	650	11	–	–	1029	3202
Females	18772	105	582	305	257	718	8	171	19	676	20	843	298	1659	457	2138	1485	3946	1089	373	132	151	97	473	2770
SURREY.																									
Persons	15293	30	273	116	229	357	1	107	14	395	12	603	178	1574	349	2460	1517	2506	920	412	51	74	52	492	2571
Males	16660	37	296	132	219	361	2	120	12	438	13	429	188	1822	401	2724	1561	2813	969	555	8	–	–	763	2797
Females	14068	23	253	101	238	353	1	96	15	358	11	759	169	1352	303	2224	1477	2230	876	283	90	141	99	250	2366
KENT.																									
Persons	16572	126	266	143	232	355	4	158	24	489	15	616	228	1511	380	2280	1626	2720	1016	429	54	67	55	624	3154
Males	17387	162	281	139	209	334	4	162	24	520	16	439	226	1554	418	2440	1633	2942	1039	559	9	–	–	975	3302
Females	15784	92	251	146	253	376	4	155	24	459	15	788	229	1470	343	2126	1620	2504	993	303	97	132	109	285	3010
SUSSEX.																									
Persons	15657	22	228	116	226	349	3	133	14	430	5	727	173	1662	388	1982	1594	2529	990	456	58	59	56	496	2961
Males	17089	32	257	128	226	339	4	145	16	492	7	542	191	1855	445	2193	1628	2864	1052	621	9	–	–	760	3283
Females	14403	14	202	104	225	357	3	122	13	376	3	890	157	1493	339	1797	1564	2236	935	311	100	111	105	264	2682

TABLE 4. (*continued.*)—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
HAMPSHIRE.																									
Persons	**16698**	**6**	**285**	**102**	**237**	**320**	**1**	**208**	**30**	**437**	**6**	**632**	**219**	**1849**	**343**	**2297**	**1717**	**2821**	**993**	**452**	**46**	**68**	**57**	**515**	**3057**
Males	17903	9	309	98	229	299	2	219	28	474	5	472	248	2088	382	2503	1781	3072	1058	609	7	–	–	783	3228
Females	15564	4	263	106	244	341	1	197	31	401	6	784	192	1625	306	2103	1657	2584	932	304	82	133	111	263	2894
BERKSHIRE.																									
Persons	**16169**	**19**	**277**	**151**	**191**	**291**	**2**	**118**	**11**	**01**	**5**	**656**	**145**	**1473**	**351**	**2159**	**1788**	**2773**	**948**	**438**	**55**	**65**	**59**	**523**	**3270**
Males	16982	27	295	144	188	272	2	122	9	442	7	486	148	1596	379	2301	1717	2979	978	578	7	–	–	796	3509
Females	15374	11	260	157	195	310	2	113	13	361	4	823	142	1353	323	2020	1857	2573	919	302	101	128	116	257	3034
MIDDLESEX.																									
Persons	**16131**	**45**	**389**	**199**	**284**	**488**	**3**	**163**	**14**	**644**	**16**	**547**	**262**	**1376**	**434**	**2265**	**1322**	**2924**	**980**	**367**	**44**	**78**	**52**	**521**	**2714**
Males	17561	55	437	203	281	478	5	174	16	736	18	385	309	1556	510	2607	1264	3260	1034	462	4	–	–	788	2979
Females	14861	35	348	196	286	497	2	153	12	562	13	692	220	1216	366	1961	1373	2625	933	284	80	147	98	285	2477
HERTFORDSHIRE.																									
Persons	**16891**	**11**	**309**	**158**	**226**	**359**	**1**	**112**	**17**	**443**	**11**	**668**	**146**	**1434**	**299**	**2651**	**1815**	**2917**	**949**	**467**	**55**	**60**	**60**	**514**	**3209**
Males	17808	15	340	166	233	348	1	111	15	501	10	511	161	1546	330	2801	1749	3187	962	624	8	–	–	766	3423
Females	16019	8	280	149	220	370	2	112	19	387	11	817	131	1327	270	2509	1879	2661	936	317	100	118	118	276	3002
BUCKINGHAMSH.																									
Persons	**16780**	**19**	**315**	**179**	**160**	**335**	**8**	**148**	**20**	**415**	**8**	**582**	**210**	**1295**	**322**	**2236**	**1595**	**2939**	**1008**	**416**	**62**	**62**	**69**	**536**	**3841**
Males	17451	25	330	195	148	311	8	164	14	427	6	425	235	1252	354	2383	1544	3169	1000	561	3	–	–	804	4093
Females	16129	14	301	162	171	359	9	133	26	403	10	734	187	1337	290	2093	1645	2716	1016	277	121	123	137	275	3590
OXFORDSHIRE.																									
Persons	**16810**	**11**	**289**	**187**	**85**	**281**	**2**	**114**	**15**	**347**	**4**	**670**	**137**	**1388**	**365**	**2345**	**1698**	**2792**	**1023**	**482**	**47**	**64**	**69**	**511**	**3884**
Males	17787	18	318	190	79	252	2	127	20	371	5	494	151	1459	394	2509	1618	3134	1048	643	3	–	–	746	4206
Females	15886	5	262	183	92	309	3	102	11	324	4	835	123	1321	338	2191	1774	2469	1000	330	87	125	135	289	3574

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORTHAMPTONSH.																									
Persons	17080	12	366	258	122	388	3	181	16	559	5	648	178	1413	421	2344	1556	2934	1025	373	44	87	61	555	3531
Males	17702	17	383	256	111	353	3	181	13	589	7	530	184	1443	453	2498	1478	3142	1042	503	5	–	–	836	3675
Females	16465	6	349	260	132	423	3	180	20	530	3	766	171	1384	390	2192	1633	2728	1009	243	83	173	121	277	3389
HUNTINGDONSH.																									
Persons	16410	4	168	135	182	259	4	126	79	373	27	916	143	1536	319	2002	1559	2730	812	404	37	44	48	584	3919
Males	17042	8	185	130	157	216	4	134	59	413	35	795	142	1468	342	2106	1732	2877	929	531	8	–	–	819	3952
Females	15800	—	152	140	205	300	4	118	99	334	19	1032	144	1602	296	1901	1393	2592	698	281	65	87	95	357	3886
BEDFORDSHIRE.																									
Persons	17309	23	268	272	212	370	4	95	16	531	8	655	187	1507	333	2456	1604	2848	1030	442	48	59	63	439	3839
Males	18492	21	318	280	236	344	4	80	20	595	9	482	211	1388	403	2673	1594	3178	1104	598	7	–	–	703	4244
Females	16263	25	224	265	191	394	4	108	13	475	7	809	165	1612	271	2264	1613	2557	964	304	85	111	119	205	3478
CAMBRIDGESHIRE.																									
Persons	17291	9	218	208	245	387	6	146	19	428	14	789	214	1666	391	2080	1702	2748	986	460	55	66	60	594	3800
Males	18060	11	226	208	241	356	6	133	19	451	16	644	231	1674	407	2152	1736	3021	1049	580	8	–	–	877	4014
Females	16550	8	211	208	249	418	6	159	18	406	12	930	197	1659	375	2010	1669	2484	926	345	100	129	118	320	3593
ESSEX.																									
Persons	16818	187	366	218	273	537	4	177	17	607	18	543	250	1431	407	2271	1426	3064	905	346	45	66	56	498	3106
Males	17492	209	374	212	259	476	5	184	15	645	21	391	273	1479	455	2436	1391	3310	933	454	8	–	–	744	3218
Females	16149	164	358	225	288	590	3	170	19	569	15	694	227	1383	360	2107	1461	2818	878	239	81	132	112	253	2994
SUFFOLK.																									
Persons	17610	11	215	99	144	410	5	120	20	455	8	693	234	1707	435	2176	1684	2797	1029	416	56	62	55	554	4225
Males	18480	13	237	95	142	388	6	115	21	499	9	500	251	1663	472	2308	1708	3093	1058	584	8	–	–	829	4481
Females	16783	10	194	102	147	431	5	125	19	414	7	876	218	1748	399	2050	1662	2516	1001	257	102	121	108	294	3977

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
NORFOLK.																									
Persons	**18027**	**7**	**200**	**159**	**178**	**316**	**5**	**191**	**22**	**558**	**10**	**716**	**182**	**1495**	**305**	**2338**	**1618**	**2722**	**1010**	**411**	**66**	**74**	**66**	**540**	**4838**
Males	18981	7	225	157	171	282	4	201	21	639	12	507	204	1462	348	2508	1658	2956	1060	585	11	–	–	814	5149
Females	17137	6	177	160	186	348	5	182	24	482	9	911	162	1527	265	2180	1581	2504	963	248	118	143	127	285	4544
WILTSHIRE.																									
Persons	**16921**	**5**	**224**	**120**	**129**	**244**	**2**	**101**	**11**	**233**	**4**	**617**	**203**	**1451**	**269**	**2504**	**2111**	**3165**	**1088**	**514**	**56**	**62**	**72**	**498**	**3238**
Males	17197	7	226	122	120	226	–	79	8	248	6	442	225	1429	294	2583	2028	3370	1120	641	6	–	–	736	3281
Females	16646	2	222	118	138	262	3	122	13	218	2	786	181	1471	244	2426	2191	2964	1056	391	104	122	142	267	3201
DORSETSHIRE.																									
Persons	**16182**	**3**	**248**	**109**	**157**	**230**	**1**	**99**	**20**	**264**	**2**	**629**	**114**	**1392**	**283**	**2394**	**1908**	**2994**	**1021**	**466**	**62**	**49**	**72**	**518**	**3147**
Males	16685	5	265	107	155	209	1	96	19	275	–	467	122	1352	308	2492	1891	3283	1046	596	3	–	–	803	3190
Females	15700	1	231	110	158	250	1	102	21	252	4	785	107	1430	259	2299	1924	2718	998	341	117	95	141	244	3112
DEVONSHIRE.																									
Persons	**18305**	**5**	**347**	**186**	**123**	**375**	**5**	**175**	**24**	**381**	**9**	**740**	**191**	**1708**	**409**	**2545**	**1884**	**3398**	**1051**	**476**	**62**	**61**	**61**	**562**	**3527**
Males	19341	7	358	205	124	376	7	193	22	417	10	538	210	1757	458	2707	1830	3799	1138	659	7	–	–	879	3640
Females	17379	3	337	172	123	375	3	160	25	348	8	922	173	1663	365	2400	1933	3039	974	313	111	115	115	279	3423
CORNWALL.																									
Persons	**18975**	**2**	**265**	**171**	**158**	**492**	**5**	**165**	**38**	**367**	**7**	**667**	**213**	**1766**	**384**	**2453**	**1652**	**3173**	**1075**	**415**	**56**	**56**	**78**	**521**	**4796**
Males	20075	5	293	182	157	501	4	162	35	419	11	530	220	1877	445	2563	1647	3600	1154	549	6	–	–	863	4852
Females	18017	–	240	162	158	485	5	167	41	321	5	787	207	1669	331	2356	1656	2800	1007	298	99	105	145	223	4750
SOMERSETSHIRE.																									
Persons	**17344**	**14**	**312**	**176**	**148**	**285**	**4**	**106**	**19**	**315**	**5**	**669**	**155**	**1352**	**327**	**2417**	**1969**	**3125**	**1045**	**474**	**57**	**63**	**61**	**584**	**3662**
Males	18509	16	344	184	144	276	6	103	17	381	6	489	174	1428	368	2646	1945	3446	1134	641	9	–	–	902	3850
Females	16312	12	283	170	151	293	3	108	21	256	4	828	138	1284	290	2214	1990	2840	967	327	100	118	115	302	3498

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
GLOUCESTERSH.																									
Persons	**17816**	**23**	**363**	**290**	**89**	**356**	**6**	**136**	**15**	**414**	**6**	**667**	**191**	**1480**	**354**	**2465**	**1790**	**3319**	**1015**	**504**	**60**	**75**	**64**	**606**	**3528**
Males	19086	32	401	322	90	353	6	152	18	464	6	459	216	1542	405	2709	1797	3618	1074	670	10	–	–	944	3798
Females	16705	16	329	262	88	359	5	123	14	370	5	849	170	1426	310	2252	1785	3057	964	359	104	140	119	310	3289
HEREFORDSHIRE.																									
Persons	**17322**	**5**	**243**	**204**	**121**	**231**	**3**	**60**	**18**	**311**	**6**	**708**	**144**	**1249**	**240**	**2622**	**2201**	**2981**	**1009**	**432**	**67**	**67**	**62**	**603**	**3735**
Males	18280	11	271	203	129	194	4	67	14	312	9	529	145	1206	261	3002	2217	3307	1075	647	7	–	–	904	3766
Females	16402	–	215	205	114	266	2	54	22	310	3	881	144	1291	220	2257	2186	2667	946	225	125	132	122	313	3702
SHROPSHIRE.																									
Persons	**17424**	**6**	**180**	**203**	**168**	**282**	**7**	**148**	**12**	**383**	**4**	**704**	**149**	**1369**	**294**	**2326**	**1936**	**3151**	**1139**	**461**	**51**	**84**	**74**	**640**	**3653**
Males	18115	8	188	208	163	254	7	132	11	402	4	542	168	1368	307	2456	1833	3512	1208	630	5	–	–	971	3738
Females	16740	4	172	197	173	309	7	164	12	365	4	865	131	1371	281	2198	2038	2795	1071	294	96	167	148	312	3566
STAFFORDSHIRE.																									
Persons	**19650**	**52**	**506**	**363**	**79**	**425**	**5**	**203**	**24**	**838**	**8**	**475**	**343**	**1346**	**307**	**2694**	**1348**	**4080**	**1112**	**385**	**44**	**92**	**77**	**667**	**4177**
Males	20805	57	513	373	77	377	7	210	24	889	10	349	366	1412	345	2871	1304	4609	1146	476	9	–	–	982	4399
Females	18494	46	499	353	82	472	4	196	23	787	6	602	320	1279	270	2516	1391	3551	1078	294	79	184	154	350	3958
WORCESTERSHIRE.																									
Persons	**16994**	**14**	**363**	**253**	**102**	**305**	**5**	**203**	**28**	**591**	**8**	**553**	**297**	**1196**	**293**	**2185**	**1640**	**3103**	**1078**	**421**	**46**	**78**	**69**	**547**	**3616**
Males	18359	16	387	275	85	288	4	219	31	657	9	407	341	1338	335	2456	1607	3505	1136	560	5	–	–	811	3887
Females	15750	12	342	234	118	320	6	189	26	530	8	687	257	1067	254	1938	1670	2736	1025	295	84	149	132	306	3365
WARWICKSHIRE.																									
Persons	**19008**	**33**	**442**	**292**	**125**	**485**	**2**	**138**	**22**	**943**	**8**	**617**	**233**	**1604**	**327**	**2287**	**1564**	**3894**	**1016**	**433**	**74**	**81**	**62**	**762**	**3564**
Males	20240	41	468	303	121	445	1	157	20	1024	9	467	256	1889	368	2485	1487	4255	1058	575	7	–	–	1014	3790
Females	17846	25	417	281	129	522	3	120	23	866	7	759	212	1335	287	2100	1633	3554	976	298	137	158	120	525	3356

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LEICESTERSHIRE.																									
Persons - - - -	**18422**	**7**	**343**	**382**	**101**	**363**	**4**	**194**	**11**	**1098**	**9**	**563**	**239**	**1292**	**406**	**2683**	**1481**	**3185**	**949**	**376**	**48**	**74**	**68**	**597**	**3949**
Males - - - - - -	19690	8	359	401	95	344	4	202	9	1198	11	426	250	1372	445	2960	1480	3516	953	513	8	–	–	870	4266
Females - - - - - -	17232	6	328	364	106	382	4	187	13	1005	8	691	227	1217	370	2423	1482	2873	944	247	85	144	132	341	3653
RUTLANDSHIRE.																									
Persons - - - -	**16251**	**18**	**182**	**173**	**71**	**270**	**9**	**80**	**4**	**262**	**–**	**687**	**115**	**1272**	**292**	**2154**	**1666**	**2473**	**1002**	**514**	**58**	**44**	**53**	**532**	**4320**
Males - - - - - -	16726	36	204	178	80	258	18	71	9	249	–	631	116	1191	267	2222	1617	2773	898	684	9	–	–	827	4388
Females - - - - - -	15778	–	159	168	62	283	–	88	–	274	–	743	115	1352	318	2086	1715	2174	1105	345	106	88	106	239	4252
LINCOLNSHIRE.																									
Persons - - - -	**17513**	**26**	**165**	**306**	**164**	**319**	**5**	**186**	**21**	**561**	**12**	**662**	**225**	**1467**	**321**	**2714**	**1624**	**2862**	**1094**	**413**	**57**	**61**	**70**	**573**	**3605**
Males - - - - - -	18165	29	171	300	154	284	6	187	18	600	15	497	226	1326	340	2893	1694	3138	1158	558	13	–	–	855	3703
Females - - - - - -	16869	22	160	313	175	354	4	184	24	522	9	825	223	1606	301	2537	1555	2588	1030	270	100	121	140	295	3511
NOTTINGHAMSH.																									
Persons - - - -	**19437**	**22**	**386**	**427**	**164**	**431**	**4**	**268**	**21**	**859**	**15**	**568**	**427**	**1605**	**413**	**2565**	**1517**	**3407**	**1129**	**368**	**67**	**95**	**82**	**626**	**3971**
Males - - - - - -	20421	24	404	425	159	406	6	282	19	920	18	393	479	1604	449	2798	1408	3733	1182	495	6	–	–	916	4292
Females - - - - - -	18498	20	368	430	168	455	3	254	23	801	13	734	378	1607	379	2343	1621	3093	1079	247	126	186	160	349	3661
DERBYSHIRE.																									
Persons - - - -	**17741**	**16**	**352**	**360**	**95**	**381**	**3**	**180**	**22**	**559**	**11**	**482**	**277**	**1406**	**374**	**2678**	**1536**	**3412**	**1160**	**351**	**53**	**87**	**80**	**609**	**3257**
Males - - - - - -	18365	20	368	352	92	333	2	192	20	597	12	320	303	1365	410	2866	1447	3699	1191	455	9	–	–	907	3405
Females - - - - - -	17119	12	336	369	98	429	4	167	24	522	9	643	251	1446	337	2490	1625	3125	1128	247	96	175	160	312	3114
CHESHIRE.																									
Persons - - - -	**18854**	**9**	**443**	**294**	**117**	**381**	**20**	**210**	**23**	**595**	**14**	**547**	**237**	**1606**	**383**	**2712**	**1592**	**3603**	**1222**	**422**	**50**	**90**	**83**	**648**	**3553**
Males - - - - - -	19920	11	471	314	112	370	24	221	24	634	16	407	269	1667	438	2924	1548	3924	1283	513	8	–	–	989	3753
Females - - - - - -	17852	6	417	276	121	391	17	199	23	557	12	678	208	1549	332	2512	1634	3301	1164	337	89	174	161	328	3366

TABLE 4. (*continued*).—**Annual Rate** of **Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881–90.**

COUNTIES.	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
LANCASHIRE.																									
Persons	22403	24	709	483	153	520	53	265	34	976	25	477	342	1954	472	2974	1540	5135	1307	437	58	109	80	733	3543
Males	23826	28	760	505	149	483	59	295	34	1054	28	335	381	2101	543	3245	1461	5618	1364	534	9	–	–	1077	3763
Females	21078	21	661	464	156	555	47	237	34	903	22	609	306	1816	406	2723	1612	4684	1253	347	104	212	154	413	3339
WEST RIDING.																									
Persons	20031	44	424	533	105	432	9	222	36	751	19	517	281	1852	450	2999	1534	4200	1145	388	55	92	78	597	3268
Males	21315	53	445	545	100	394	10	247	36	798	21	351	303	1985	505	3300	1494	4691	1198	494	9	–	–	896	3440
Females	18806	36	405	521	111	468	8	198	35	706	16	675	259	1724	398	2713	1573	3732	1094	287	99	180	153	312	3103
EAST RIDING.																									
Persons	19482	24	274	509	88	389	6	245	39	875	21	594	297	1653	368	3051	1632	3431	1053	424	59	70	63	643	3674
Males	20558	29	292	521	88	342	4	265	41	929	22	416	321	1685	401	3266	1713	3754	1128	560	6	–	–	975	3800
Females	18437	20	255	497	87	433	8	225	37	823	19	767	275	1622	336	2843	1553	3117	980	291	110	139	125	320	3555
NORTH RIDING.																									
Persons	18150	15	258	339	97	406	5	260	37	550	14	597	344	1467	385	2606	1523	3407	1097	405	55	93	75	624	3491
Males	18872	21	273	348	88	353	6	268	40	586	18	454	358	1379	404	2762	1493	3854	1140	508	5	–	–	952	3562
Females	17418	9	243	330	105	460	4	252	33	513	9	742	331	1557	366	2449	1553	2954	1053	301	106	187	151	293	3417
DURHAM.																									
Persons	19825	61	466	505	82	420	45	273	42	822	16	440	457	1699	548	2763	1380	3629	1189	336	42	106	87	726	3691
Males	20223	66	469	496	75	363	46	284	39	829	17	310	473	1592	580	2919	1361	3915	1165	377	5	–	–	1119	3723
Females	19411	55	464	514	90	480	44	261	45	815	14	575	441	1811	514	2600	1399	3331	1215	293	81	216	177	317	3659
NORTHUMBERLD.																									
Persons	19778	47	416	347	114	394	29	230	44	689	15	557	420	2086	476	2792	1746	3033	1201	405	73	98	81	744	3741
Males	20415	55	428	359	107	349	31	244	46	721	18	422	455	2121	506	2922	1754	3245	1215	493	9	–	–	1122	3793
Females	19146	39	403	335	121	439	26	216	41	657	11	691	386	2051	445	2663	1737	2823	1187	317	136	195	161	370	3696

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1,000,000** LIVING in REGISTRATION COUNTIES, **1881-90.**

COUNTIES.	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
CUMBERLAND.																									
Persons	18383	5	442	227	85	395	19	135	16	456	10	616	199	1621	448	2400	1891	3411	1008	422	54	81	76	774	3592
Males	19116	6	495	233	86	363	19	143	18	483	13	489	212	1591	485	2472	1853	3721	1019	525	9	–	–	1202	3679
Females	17661	5	389	222	84	427	18	127	15	429	7	741	187	1651	411	2330	1930	3105	998	320	98	161	151	352	3503
WESTMORLAND.																									
Persons	15518	6	133	109	93	193	–	152	20	228	17	637	130	1404	392	2223	1799	2510	1028	391	40	92	41	617	3263
Males	16448	13	128	103	75	181	–	141	28	272	22	535	141	1354	410	2370	1788	2811	1135	553	3	–	–	960	3425
Females	14624	–	138	114	111	204	–	162	12	186	12	736	120	1451	376	2082	1809	2221	925	234	75	180	81	288	3107
MONMOUTHSHIRE.																									
Persons	19700	19	520	514	183	489	7	209	26	415	12	482	218	1411	407	2627	1539	4362	1139	448	42	99	83	925	3524
Males	20558	23	522	535	162	423	7	226	30	429	11	355	230	1286	425	2775	1513	4901	1120	509	5	–	–	1507	3564
Females	18790	15	518	493	206	560	6	191	23	400	14	616	205	1543	389	2470	1566	3790	1160	383	80	204	171	307	3480
SOUTH WALES.																									
Persons	19130	6	420	550	103	412	9	264	26	406	10	501	168	2008	418	2915	1428	3669	977	442	44	104	98	836	3316
Males	19865	8	433	540	94	377	11	288	25	415	12	400	182	1936	449	3105	1366	4069	1004	547	8	–	–	1357	3239
Females	18388	4	407	560	113	448	7	240	27	397	8	603	155	2080	385	2723	1490	3265	949	336	80	208	198	310	3395
NORTH WALES.																									
Persons	18682	6	215	263	166	316	10	153	22	244	8	736	182	2077	337	3341	1599	3338	1168	569	46	91	97	610	3088
Males	19284	9	227	277	168	310	11	163	21	230	12	608	193	2012	353	3468	1572	3713	1214	706	7	–	–	959	3051
Females	18095	3	204	249	165	323	9	143	22	257	5	861	171	2140	322	3218	1625	2973	1124	437	84	180	192	270	3118

TABLE 5.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROU of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.*

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upward
ALL CAUSES.													
1861-70	Persons	22,416	68,305	7,952	4,472	6,393	8,192	9,785	12,722	17,302	30,279	62,453	158,79
1871-80	Persons	21,272	63,116	6,435	3,695	5,327	7,039	8,927	12,618	17,722	31,486	64,850	161,55
1881-90	Persons	19,080	56,825	5,293	3,017	4,350	5,608	7,528	11,415	17,064	31,331	64,651	153,67
1861-70	Males	23,609	73,162	8,148	4,460	6,161	8,453	9,897	13,464	19,165	32,995	66,689	164,64
1871-80	Males	22,612	68,140	6,673	3,691	5,227	7,323	9,304	13,735	20,049	34,753	69,574	169,07
1881-90	Males	20,218	61,688	5,335	2,939	4,297	5,712	7,733	12,345	19,285	34,664	70,169	162,18
1861-70	Females	21,282	63,430	7,756	4,484	6,622	7,958	9,685	12,034	15,554	27,773	58,797	154,27
1871-80	Females	20,001	58,098	6,198	3,700	5,426	6,780	8,582	11,585	15,587	28,538	60,815	155,88
1881-90	Females	18,006	51,994	5,250	3,095	4,402	5,514	7,339	10,546	15,044	28,402	60,079	147,33
SMALL-POX.													
1861-70	Persons	160	635	144	56	86	136	101	73	49	36	26	[illegible]
1871-80	Persons	234	516	283	137	197	300	239	168	111	71	46	[illegible]
1881-90	Persons	45	80	33	26	41	59	57	44	32	21	17	[illegible]
1861-70	Males	179	640	149	56	91	181	136	98	68	48	38	[illegible]
1871-80	Males	265	527	301	136	206	377	300	211	145	86	61	[illegible]
1881-90	Males	52	82	35	25	42	70	72	59	43	28	26	[illegible]
1861-70	Females	142	631	139	55	80	95	70	50	32	25	15	[illegible]
1871-80	Females	205	506	266	139	189	230	183	128	81	58	34	[illegible]
1881-90	Females	38	77	30	27	40	49	43	29	22	14	10	[illegible]
MEASLES.													
1861-70	Persons	440	2,998	242	29	11	9	7	5	2	1	1	
1871-80	Persons	378	2,568	207	22	7	6	5	4	3	2	1	
1881-90	Persons	440	3,131	271	23	7	6	6	4	2	1	1	
1861-70	Males	459	3,067	230	26	9	7	4	4	2	1	1	
1871-80	Males	396	2,642	196	22	5	6	4	3	3	2	1	
1881-90	Males	468	3,271	262	19	6	5	3	3	2	1	1	
1861-70	Females	422	2,929	254	32	13	10	9	5	3	1	1	
1871-80	Females	360	2,494	217	22	8	6	7	5	3	1	1	
1891-90	Females	414	2,992	280	26	8	8	8	5	2	1	1	
SCARLET FEVER.													
1861-70	Persons	972	4,624	2,182	501	153	93	61	28	14	9	6	
1871-80	Persons	716	3,489	1,515	325	104	63	46	24	9	5	3	
1881-90	Persons	334	1,669	762	153	41	26	22	12	4	2	3	
1861-70	Males	1,011	4,745	2,220	468	149	80	47	23	15	8	5	
1871-80	Males	750	3,591	1,554	318	107	55	35	21	10	5	3	
1881-90	Males	346	1,712	758	148	43	23	16	10	5	2	4	
1861-70	Females	934	4,503	2,144	534	157	105	73	33	12	10	6	
1871-80	Females	683	3,387	1,475	330	101	70	56	28	7	5	3	
1881-90	Females	322	1,627	765	158	40	28	28	14	3	3	2	

* The rates given in this table for the decennia 1861-70 and 1871-80 do not in all cases agree with the rates for the s periods given in previous decennial Supplements, because these rates have been corrected so as to be comparable with rates for 1881-90, which are based on the new classification.

BLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DIPHTHERIA.												
861–70 Persons	185	767	393	136	59	38	26	21	22	26	26	25
871–80 Persons	121	472	291	88	33	21	17	17	14	18	19	14
881–90 Persons	163	690	424	100	36	20	17	16	14	17	17	12
861–70 Males	177	757	338	107	58	35	24	20	22	30	32	32
871–80 Males	117	472	256	72	28	20	14	16	17	19	20	14
881–90 Males	158	688	373	84	35	19	15	13	14	19	17	15
861–70 Females	191	778	448	166	61	41	28	22	21	22	21	20
871–80 Females	125	473	325	105	38	22	19	19	12	16	18	15
881–90 Females	167	693	474	115	37	21	19	18	13	16	16	9
WHOOPING-COUGH.												
861–70 Persons	527	3,766	152	8	2	1	0	1	0	0	1	—
871–80 Persons	512	3,652	135	6	1	0	0	0	0	0	0	1
881–90 Persons	450	3,370	128	4	1	1	0	0	0	1	1	3
861–70 Males	487	3,394	123	5	1	0	0	1	0	1	1	—
871–80 Males	474	3,309	112	4	1	—	0	0	0	0	0	1
881–90 Males	418	3,066	100	3	1	1	0	0	1	1	1	2
861–70 Females	566	4,139	182	11	3	1	1	0	0	0	1	—
871–80 Females	547	3,994	157	8	1	1	0	0	0	1	0	1
881–90 Females	480	3,672	155	5	2	0	0	1	0	1	1	4
FEVER (Including TYPHUS, ENTERIC FEVER, and ILL-DEFINED FORMS of CONTINUED FEVER).												
861–70 Persons	885	1,248	924	709	850	770	671	748	842	1,055	1,299	1,330
871–80 Persons	482	646	514	435	540	506	408	375	399	452	549	493
881–90 Persons	235	190	221	235	321	309	262	222	194	190	174	129
861–70 Males	896	1,230	881	622	787	823	704	793	903	1,159	1,469	1,494
871–80 Males	490	640	482	388	511	577	434	392	433	495	625	587
881–90 Males	252	189	207	216	331	369	304	243	221	220	195	142
861–70 Females	875	1,266	966	798	911	722	641	706	784	959	1,151	1,203
871–80 Females	473	653	545	485	570	442	385	360	366	413	484	421
881–90 Females	220	191	235	252	311	256	225	202	169	164	157	120
TYPHUS.												
861–70* Persons	?	?	?	?	?	?	?	?	?	?	?	?
871–80 Persons	57	26	45	49	68	68	60	68	74	68	64	37
881–90 Persons	14	4	7	9	16	15	18	26	21	17	12	6
861–70* Males	?	?	?	?	?	?	?	?	?	?	?	?
871–80 Males	61	26	46	47	70	83	69	74	80	77	77	50
881–90 Males	16	4	7	8	17	19	21	28	24	21	14	7
861–70* Females	?	?	?	?	?	?	?	?	?	?	?	?
871–80 Females	52	27	43	52	67	55	53	63	68	60	53	28
881–90 Females	13	4	8	9	15	12	16	24	19	13	10	6

* The deaths from typhus were not separately classified prior to 1869.

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES an at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ENTERIC FEVER.												
1861-70* Persons	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Persons	322	400	336	311	406	380	294	248	251	267	294	21
1881-90 Persons	196	129	180	208	289	282	232	182	155	142	113	6
1861-70* Males	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Males	325	396	308	273	376	430	309	258	273	290	340	25
1881-90 Males	211	131	170	191	298	336	272	201	176	165	132	7
1861-70* Females	?	?	?	?	?	?	?		?	?	?	?
1871-80 Females	320	404	364	350	436	334	280	238	230	247	255	18
1881-90 Females	182	128	189	225	280	233	196	164	135	122	98	5
SIMPLE AND ILL-DEFINED CONTINUED FEVER.												
1861-70* Persons	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Persons	103	220	133	75	66	58	54	59	74	117	191	23
1881-90 Persons	25	57	34	18	16	12	12	14	18	31	49	6
1861-70* Males	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Males	104	218	128	68	65	64	56	60	80	128	208	27
1881-90 Males	25	54	30	17	16	14	11	14	21	34	49	6
1861-70* Females	?	?	?	?	?	?	?	?	?	?	?	?
1871-80 Females	101	222	138	83	67	53	52	59	68	106	176	26
1881-90 Females	25	59	38	18	16	11	13	14	15	29	49	[illegible]
PUERPERAL FEVER AND CHILDBIRTH.												
1861-70 Persons	165	—	—	0	81	334	484	461	31	—	—	—
1871-80 Persons	167	—	—	0	84	355	494	461	27	—	—	—
1881-90 Persons	153	—	—	0	64	317	463	415	22	0	—	—
1861-70 Males	—	—	—	—	—	—	—	—	—	—	—	—
1871-80 Males	—	—	—	—	—	—	—	—	—	—	—	—
1881-90 Males	—	—	—	—	—	—	—	—	—	—	—	—
1861-70 Females	321	—	—	0	161	633	921	888	60	—	—	—
1871-80 Females	325	—	—	1	167	678	946	886	53	—	—	—
1881-90 Females	297	—	—	0	129	601	888	802	43	0	—	—
DIARRHŒAL DISEASES (Including CHOLERA).												
1861-70 Persons	1,076	5,985	160	67	61	95	155	217	319	660	1,649	4,3
1871-80 Persons	935	5,728	69	23	21	35	59	96	161	411	1,193	3,5
1881-90 Persons	674	4,346	54	16	15	23	37	61	107	301	905	2,5
1861-70 Males	1,145	6,377	160	74	61	90	139	204	337	683	1,691	4,4
1871-80 Males	1,008	6,138	64	22	21	30	51	94	169	438	1,244	3,6
1881-90 Males	728	4,683	50	15	14	21	33	56	110	317	920	2,7
1861-70 Females	1,011	5,591	161	62	60	100	169	228	300	638	1,613	4,2
1871-80 Females	867	5,319	74	25	21	39	66	97	153	386	1,149	3,4
1881-90 Females	623	4,012	57	18	16	26	41	64	104	287	893	2,4

* The deaths from enteric fever and from simple and ill-defined forms of continued fever were not separately classified pr to 1869.

E 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
CANCER.												
–70 Persons	384	13	7	7	17	29	113	445	1,048	1,768	2,360	2,556
–80 Persons	468	12	7	7	15	27	124	525	1,255	2,200	3,092	3,283
–90 Persons	589	20	10	11	20	35	128	584	1,545	2,868	4,160	4,295
–70 Males	242	13	8	7	18	26	60	204	536	1,201	1,862	2,258
–80 Males	312	13	7	8	16	27	70	239	705	1,588	2,599	2,985
–90 Males	430	21	11	12	23	37	79	297	998	2,299	3,742	3,914
–70 Females	519	13	7	7	16	32	161	669	1,530	2,291	2,791	2,786
–80 Females	617	12	7	7	14	26	173	790	1,760	2,753	3,512	3,513
–90 Females	739	19	9	10	18	33	172	852	2,042	3,368	4,506	4,578
PHTHISIS.												
–70 Persons	2,475	968	454	825	2,651	3,928	4,243	4,026	3,340	2,656	1,603	539
–80 Persons	2,116	767	358	664	2,036	3,117	3,619	3,745	3,132	2,449	1,476	492
–90 Persons	1,724	536	290	521	1,545	2,324	2,901	3,132	2,737	2,169	1,355	521
–70 Males	2,467	990	431	605	2,190	3,883	4,094	4,166	3,861	3,297	2,024	659
–80 Males	2,209	783	340	481	1,675	3,092	3,699	4,120	3,860	3,195	1,924	603
–90 Males	1,847	553	253	342	1,287	2,333	3,024	3,562	3,488	2,916	1,816	688
–70 Females	2,483	947	477	1,045	3,112	3,967	4,378	3,900	2,850	2,065	1,239	447
–80 Females	2,028	750	375	846	2,397	3,140	3,543	3,401	2,464	1,777	1,093	407
–90 Females	1,609	518	327	699	1,800	2,315	2,787	2,730	2,053	1,512	974	397
OTHER TUBERCULAR DISEASES.												
70 Persons	765	4,477	525	269	182	125	90	76	88	111	121	78
80 Persons	747	4,442	503	256	169	104	74	62	65	80	96	45
90 Persons	696	3,963	554	306	229	171	128	107	94	94	83	48
70 Males	870	5,003	593	290	185	136	95	73	88	120	137	77
80 Males	849	4,991	556	264	171	110	72	61	63	79	96	46
90 Males	775	4,457	562	285	216	174	126	108	106	107	90	42
70 Females	665	3,949	458	249	179	114	87	79	87	102	107	79
80 Females	651	3,894	451	247	167	99	75	63	67	80	96	45
90 Females	620	3,473	545	327	242	168	130	106	83	82	78	53
DIABETES MELLITUS.												
70 Persons	30	3	5	9	17	19	32	42	59	95	117	74
80 Persons	38	1	4	10	19	25	37	51	72	132	171	113
90 Persons	57	4	7	15	24	30	46	64	107	217	293	238
70 Males	41	3	5	10	22	24	44	55	83	136	180	120
80 Males	50	1	4	10	24	34	48	68	96	181	247	172
90 Males	69	5	7	14	26	35	58	78	134	282	397	314
70 Females	20	2	4	8	13	14	22	30	37	58	62	38
80 Females	27	2	4	10	14	18	27	35	50	87	106	67
90 Females	45	3	6	15	22	26	35	51	82	161	206	180

TABLES 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	a u wa
DISEASES OF NERVOUS SYSTEM.													
1861-70	Persons	2,796	10,247	565	322	377	421	621	1,126	2,022	4,324	10,068	18
1871-80	Persons	2,789	9,249	565	324	353	369	592	1,201	2,244	4,908	11,427	21
1881-90	Persons	2,592	8,337	578	320	331	333	501	1,098	2,169	4,972	11,827	21
1861-70	Males	3,087	11,517	595	330	366	440	701	1,339	2,243	4,662	10,946	19
1871-80	Males	3,071	10,483	602	334	349	382	681	1,429	2,428	5,324	12,464	23
1881-90	Males	2,804	9,451	601	322	331	339	553	1,263	2,302	5,286	12,862	23
1861-70	Females	2,519	8,972	536	315	388	403	549	929	1,815	4,012	9,311	17
1871-80	Females	2,520	8,016	528	314	356	357	511	990	2,075	4,532	10,542	19
1881-90	Females	2,392	7,231	556	318	330	329	454	943	2,049	4,697	10,969	20
DISEASES OF CIRCULATORY SYSTEM.													
1861-70	Persons	1,054	106	142	222	280	312	548	1,019	1,801	3,790	7,261	[illegible]
1871-80	Persons	1,339	94	145	237	306	342	624	1,319	2,276	4,856	9,750	1
1881-90	Persons	1,576	134	149	258	334	358	592	1,345	2,571	5,712	12,196	1
1861-70	Males	1,067	114	140	203	266	300	590	1,086	1,879	3,868	7,547	1
1871-80	Males	1,348	102	138	205	297	328	660	1,458	2,397	5,023	10,081	1
1881-90	Males	1,548	146	138	221	313	325	566	1,398	2,698	5,888	12,664	2
1861-70	Females	1,042	98	143	241	293	323	510	956	1,729	3,718	7,015	[illegible]
1871-80	Females	1,330	87	152	270	314	355	592	1,190	2,165	4,705	9,468	1
1881-90	Females	1,602	122	160	295	354	388	616	1,295	2,455	5,558	11,807	1
DISEASES OF RESPIRATORY SYSTEM.													
1861-70	Persons	3,591	12,518	795	221	309	447	728	1,413	2,892	6,691	14,063	[illegible]
1871-80	Persons	3,899	13,053	763	211	300	444	775	1,621	3,252	7,421	16,068	[illegible]
1881-90	Persons	3,729	12,966	833	213	305	443	781	1,609	3,173	7,102	15,081	[illegible]
1861-70	Males	3,938	13,554	811	212	313	520	859	1,720	3,496	7,581	15,175	[illegible]
1871-80	Males	4,272	14,243	781	204	326	533	932	2,000	4,048	8,442	17,069	[illegible]
1881-90	Males	4,096	14,141	846	211	344	531	944	1,998	4,011	8,264	16,376	[illegible]
1861-70	Females	3,262	11,478	779	230	306	382	611	1,129	2,325	5,871	13,103	[illegible]
1871-80	Females	3,545	11,865	745	217	274	363	632	1,270	2,521	6,500	15,213	[illegible]
1881-90	Females	3,382	11,799	821	215	266	363	632	1,244	2,410	6,081	14,009	[illegible]
BRONCHITIS.													
1861-70	Persons	1,760	4,741	164	49	64	104	231	607	1,591	4,250	9,881	[illegible]
1871-80	Persons	2,285	7,024	184	48	60	91	220	679	1,837	4,995	12,047	[illegible]
1881-90	Persons	2,138	7,497	182	40	44	67	159	520	1,549	4,418	10,795	[illegible]
1861-70	Males	1,833	5,123	159	44	59	107	246	671	1,740	4,481	10,093	[illegible]
1871-80	Males	2,381	7,654	178	44	57	92	228	742	2,057	5,273	12,208	[illegible]
1881-90	Males	2,220	8,172	175	37	42	63	155	540	1,706	4,732	11,098	[illegible]
1861-70	Females	1,691	4,358	168	54	69	101	217	549	1,451	4,037	9,699	[illegible]
1871-80	Females	2,193	6,394	190	52	62	91	212	621	1,636	4,745	11,910	[illegible]
1881-90	Females	2,060	6,826	188	43	46	70	163	502	1,406	4,143	10,545	[illegible]

E 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
						PNEUMONIA.							
-70	Persons	1,089	5,345	271	103	157	218	302	447	627	1,005	1,574	2,062
-80	Persons	1,004	3,982	258	105	172	260	392	642	877	1,336	2,000	2,337
-90	Persons	1,066	3,668	299	119	201	301	494	833	1,157	1,762	2,596	3,187
-70	Males	1,261	5,822	275	100	168	273	385	612	892	1,324	1,928	2,336
-80	Males	1,188	4,353	260	101	194	335	508	882	1,270	1,796	2,441	2,783
-90	Males	1,275	4,005	302	117	236	382	640	1,138	1,682	2,352	3,226	3,693
-70	Females	926	4,666	268	106	145	169	226	294	379	711	1,268	1,850
-80	Females	828	3,613	256	109	150	192	286	419	516	921	1,622	2,099
-90	Females	868	3,332	295	121	167	229	361	549	679	1,243	2,074	2,809
						PLEURISY.							
-70	Persons	42	28	13	11	19	27	38	50	66	105	159	196
-80	Persons	49	33	17	13	22	32	44	60	80	125	178	210
-90	Persons	55	43	20	14	25	32	43	69	90	143	211	238
-70	Males	51	31	15	12	21	35	48	67	92	134	168	210
-80	Males	60	36	19	15	28	42	56	77	113	161	192	217
-90	Males	67	49	21	17	30	42	55	90	124	184	239	245
-70	Females	34	25	12	10	17	21	28	35	42	79	151	185
-80	Females	39	30	14	12	16	23	34	44	50	93	166	204
-90	Females	45	37	19	12	20	24	33	50	60	106	189	233
						CROUP.							
70	Persons	246	1,593	248	13	1	0	0	0	—	—	—	—
80	Persons	168	1,047	210	9	0	0	0	—	—	—	—	—
90	Persons	144	907	217	9	0	0	0	—	—	—	—	—
70	Males	269	1,698	263	15	0	—	—	0	—	—	—	—
80	Males	186	1,131	225	9	0	—	—	—	—	—	—	—
90	Males	159	985	227	9	0	—	0	—	—	—	—	—
70	Females	223	1,488	232	11	1	0	0	—	—	—	—	—
80	Females	151	962	196	10	0	0	0	—	—	—	—	—
90	Females	129	829	206	9	0	0	—	—	—	—	—	—
						LARYNGITIS.							
70	Persons	51	223	48	9	8	11	19	24	32	36	41	36
80	Persons	48	185	50	11	9	11	21	30	34	40	46	36
90	Persons	54	256	75	12	7	6	11	18	24	35	47	52
70	Males	56	235	48	10	7	11	21	29	41	51	52	50
80	Males	55	200	53	12	10	10	23	36	47	59	65	45
90	Males	60	272	79	12	6	6	12	23	32	46	62	70
70	Females	46	211	48	8	9	11	17	19	25	23	31	26
80	Females	41	171	47	11	8	12	20	24	21	23	29	29
90	Females	49	241	72	11	8	7	10	14	17	25	34	39

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES at 11 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	7 a u wa
DISEASES OF DIGESTIVE SYSTEM.													
1861–70	Persons	1,184	2,665	210	179	241	308	482	911	1,642	3,019	4,822	5,
1871–80	Persons	1,165	2,637	194	158	210	266	438	901	1,671	3,009	4,839	5,
1881–90	Persons	1,104	2,962	225	161	204	237	353	745	1,421	2,670	4,443	5,
1861–70	Males	1,226	2,983	217	197	246	285	451	913	1,710	3,058	4,947	5,
1871–80	Males	1,205	2,959	198	169	218	247	413	902	1,732	3,107	4,911	5,
1881–90	Males	1,147	3,324	213	173	207	226	342	741	1,453	2,756	4,621	5,
1861–70	Females	1,145	2,345	204	160	236	328	510	909	1,578	2,983	4,714	5,
1871–80	Females	1,126	2,316	190	147	201	282	461	899	1,615	2,921	4,778	5,
1881–90	Females	1,064	2,602	236	150	201	247	363	749	1,393	2,595	4,296	5,
DISEASES OF URINARY SYSTEM.													
1861–70	Persons	266	95	62	45	64	99	161	277	419	779	1,611	2,
1871–80	Persons	350	149	89	59	82	120	208	370	583	1,052	2,033	3,
1881–90	Persons	435	193	92	62	89	138	226	437	734	1,363	2,690	4,
1861–70	Males	378	114	80	55	78	111	192	348	572	1,139	2,714	4,
1871–80	Males	471	178	111	65	89	126	234	442	766	1,474	3,290	5,
1881–90	Males	556	215	109	66	93	141	237	494	917	1,826	4,139	7,
1861–70	Females	160	75	44	36	50	88	133	211	276	448	658	
1871–80	Females	235	121	67	53	75	116	184	304	414	671	958	1,
1881–90	Females	318	171	75	57	85	134	215	384	568	955	1,489	1,
VIOLENCE (ACCIDENT, SUICIDE, AND HOMICIDE).													
1861–70	Persons	765	1,317	458	448	500	543	585	729	899	1,115	1,319	2,
1871–80	Persons	733	1,215	385	354	442	499	565	723	925	1,185	1,461	2,
1881–90	Persons	648	1,142	325	263	359	386	469	654	858	1,116	1,449	2,
1861–70	Males	1,175	1,476	600	757	857	1,016	1,084	1,307	1,554	1,887	2,015	2,
1871–80	Males	1,116	1,353	527	596	761	924	1,031	1,278	1,584	1,970	2,212	2,
1881–90	Males	968	1,266	451	435	602	686	829	1,130	1,450	1,845	2,183	2,
1861–70	Females	378	1,157	315	134	147	118	136	192	284	401	718	2,
1871–80	Females	369	1,077	243	111	126	113	140	212	319	477	820	2,
1881–90	Females	347	1,019	199	91	120	115	138	209	320	476	841	2,
SUICIDE.													
1861–70	Persons	65	—	0	4	29	44	62	106	170	225	209	
1871–80	Persons	70	—	—	3	25	48	70	113	174	242	240	
1881–90	Persons	77	—	0	3	31	52	78	130	191	253	262	
1861–70	Males	99	—	—	4	27	59	93	167	262	376	356	
1871–80	Males	107	—	—	4	24	64	104	178	275	408	415	
1881–90	Males	118	—	0	4	29	66	116	201	308	436	476	
1861–70	Females	34	—	0	3	30	31	35	53	83	86	82	
1871–80	Females	35	—	—	3	26	33	39	54	81	94	92	
1881–90	Females	37	—	0	3	33	39	42	64	84	91	85	

TABLE 6.—**Mean Annual Marriage-, Birth-, and Death-rates** PER **1000 Persons** LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, **1881–90.**

—	England and Wales.	London.	Surrey.	Kent.	Sussex.	Hampshire.	Berkshire.	Middlesex.	Hertfordshire.	Buckinghamshire.	Oxfordshire.	Northamptonshire.	Huntingdonshire.	Bedfordshire.	Cambridgeshire.
Mean Population, 1881–91	27,488,482	4,014,113	516,573	757,412	524,368	620,781	258,125	477,907	208,777	160,156	184,895	292,554	51,756	160,129	193,692
Decennial Increase or Decrease of Population (per cent.).*	11·66	10·38	24·09	13·68	12·20	15·83	8·37	50·93	6·29	·57	3·49	11·26	− 5·51	7·59	2·60
Marriage-rate	14·90	17·49	12·37	13·27	12·59	14·38	12·58	10·88	10·74	12·38	12·73	14·02	12·62	13·47	12·86
Birth-rate	32·34	33·11	28·43	30·51	27·67	29·69	29·61	31·98	29·04	30·37	29·63	31·64	28·01	30·66	29·27
Death-rate†	19·08	20·31	15·29	16·57	15·66	16·70	16·17	16·13	16·89	16·78	16·81	17·08	16·41	17·31	17·29
Small-pox	0·04	0·12	0·03	0·13	0·02	0·01	0·02	0·04	0·01	0·02	0·01	0·01	0·00	0·02	0·01
Measles	0·44	0·63	0·27	0·27	0·23	0·29	0·28	0·39	0·31	0·32	0·29	0·37	0·17	0·27	0·22
Scarlet Fever	0·33	0·33	0·12	0·14	0·12	0·10	0·15	0·20	0·16	0·18	0·19	0·26	0·14	0·27	0·21
Diphtheria	0·16	0·26	0·23	0·23	0·23	0·24	0·19	0·28	0·23	0·16	0·09	0·12	0·18	0·21	0·25
Whooping-cough	0·45	0·69	0·36	0·36	0·35	0·32	0·29	0·49	0·36	0·34	0·28	0·39	0·26	0·37	0·39
Typhus	0·01	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·01
Enteric Fever	0·20	0·19	0·11	0·16	0·13	0·21	0·12	0·16	0·11	0·15	0·11	0·18	0·13	0·09	0·15
Simple Continued Fever	0·03	0·02	0·01	0·02	0·01	0·03	0·01	0·01	0·02	0·02	0·02	0·02	0·08	0·02	0·02
Diarrhœa and Dysentery	0·66	0·74	0·40	0·49	0·43	0·44	0·40	0·64	0·44	0·42	0·35	0·56	0·37	0·53	0·43
Cholera	0·02	0·02	0·01	0·02	0·00	0·01	0·01	0·02	0·01	0·01	0·00	0·01	0·03	0·01	0·01
Cancer	0·59	0·68	0·60	0·62	0·73	0·63	0·66	0·55	0·67	0·58	0·67	0·65	0·92	0·66	0·79
Tabes Mesenterica	0·28	0·35	0·18	0·23	0·17	0·22	0·14	0·26	0·15	0·21	0·14	0·18	0·14	0·19	0·21
Phthisis	1·72	2·08	1·57	1·51	1·66	1·85	1·47	1·38	1·43	1·29	1·39	1·41	1·54	1·51	1·67
Other Tub. & Scrof. Dis.	0·42	0·54	0·35	0·38	0·39	0·34	0·35	0·43	0·30	0·32	0·37	0·42	0·32	0·33	0·39
Diseases of: Nervous System	2·59	2·33	2·46	2·28	1·98	2·30	2·16	2·26	2·65	2·24	2·34	2·34	2·00	2·46	2·08
Diseases of: Circulatory „	1·58	1·49	1·52	1·63	1·59	1·72	1·79	1·32	1·81	1·60	1·70	1·56	1·56	1·60	1·70
Diseases of: Respiratory „	3·73	4·29	2·51	2·72	2·53	2·82	2·77	2·92	2·92	2·94	2·79	2·93	2·73	2·85	2·75
Diseases of: Digestive „	1·10	1·12	0·92	1·02	0·99	0·99	0·95	0·98	0·95	1·01	1·02	1·03	0·81	1·03	0·99
Diseases of: Urinary „	0·43	0·50	0·41	0·43	0·46	0·45	0·44	0·37	0·47	0·42	0·48	0·37	0·40	0·44	0·46
Diseases of: Generative „	0·06	0·08	0·05	0·05	0·06	0·05	0·05	0·04	0·06	0·06	0·05	0·04	0·04	0·05	0·06
Puerperal Fever	0·08	0·08	0·07	0·07	0·06	0·07	0·06	0·08	0·06	0·06	0·06	0·09	0·04	0·06	0·07
Childbirth	0·07	0·05	0·05	0·06	0·06	0·06	0·06	0·05	0·06	0·07	0·07	0·06	0·05	0·06	0·06
Violence	0·65	0·74	0·49	0·62	0·50	0·52	0·52	0·52	0·51	0·54	0·51	0·56	0·58	0·44	0·59
OTHER CAUSES	3·44	2·97	2·57	3·13	2·96	3·03	3·28	2·74	3·20	3·81	3·88	3·52	3·92	3·84	3·77

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

TABLE 6. (*continued*),—**Mean Annual Marriage-, Birth-, and Death-rates** PER **1000 Persons** LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, **1881–90.**

—	Essex.	Suffolk.	Norfolk.	Wiltshire.	Dorsetshire.	Devonshire.	Cornwall.	Somersetshire.	Gloucestershire.	Herefordshire.	Shropshire.	Staffordshire.	Worcestershire.	Warwickshire.	Leicestershire.	Rutlandshire.
Mean Population, 1881–91	656,730	353,652	449,037	251,940	186,983	622,312	322,479	500,339	537,026	115,746	260,327	1,055,105	402,771	766,134	352,964	22,565
Decennial Increase or Decrease of Population (per cent.)*	37·82	2·77	3·03	2·68	2·17	4·60	−2·43	3·84	4·52	−3·93	−4·18	9·60	10·31	9·75	16·08	−3·84
Marriage-rate	11·96	13·21	13·54	12·71	13·47	14·91	13·42	13·01	15·25	11·7	12·06	15·22	13·92	15·10	14·48	11·19
Birth-rate	33·13	31·56	30·28	29·37	28·16	28·43	28·60	29·28	29·74	27·15	28·59	36·35	30·92	32·93	33·78	27·62
Death-rate†	16·82	17·61	18·03	16·92	16·18	18·30	18·98	17·34	17·82	17·32	17·42	19·65	16·99	19·01	18·42	16·25
Small-pox	0·19	0·01	0·01	0·00	0·00	0·01	0·00	0·01	0·02	0·01	0·01	0·05	0·01	0·03	0·01	0·02
Measles	0·37	0·21	0·20	0·22	0·25	0·35	0·26	0·31	0·36	0·24	0·18	0·51	0·36	0·44	0·34	0·18
Scarlet Fever	0·22	0·10	0·16	0·12	0·11	0·19	0·17	0·18	0·29	0·20	0·20	0·36	0·25	0·29	0·38	0·17
Diphtheria	0·27	0·14	0·18	0·13	0·16	0·12	0·16	0·15	0·09	0·12	0·17	0·08	0·10	0·13	0·10	0·07
Whooping-cough	0·54	0·41	0·32	0·24	0·23	0·38	0·49	0·28	0·36	0·23	0·28	0·42	0·30	0·48	0·36	0·27
Typhus	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·01	0·01	0·01	0·00	0·00	0·01
Enteric Fever	0·18	0·12	0·19	0·10	0·10	0·18	0·16	0·11	0·14	0·06	0·15	0·20	0·20	0·14	0·19	0·08
Simple Continued Fever	0·02	0·02	0·02	0·01	0·02	0·02	0·04	0·02	0·02	0·02	0·01	0·02	0·03	0·02	0·01	0·00
Diarrhœa and Dysentery	0·61	0·46	0·56	0·23	0·26	0·38	0·37	0·31	0·41	0·31	0·38	0·84	0·59	0·94	1·10	0·26
Cholera	0·02	0·01	0·01	0·00	0·00	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·01	0·01	0·01	–
Cancer	0·54	0·69	0·72	0·62	0·63	0·74	0·67	0·67	0·67	0·71	0·70	0·48	0·55	0·62	0·56	0·69
Tabes Mesenterica	0·25	0·23	0·18	0·20	0·11	0·19	0·21	0·15	0·19	0·14	0·15	0·34	0·31	0·23	0·24	0·12
Phthisis	1·43	1·71	1·50	1·45	1·39	1·71	1·77	1·35	1·48	1·25	1·37	1·34	1·20	1·60	1·29	1·27
Other Tub. & Scrof. Dis.	0·41	0·43	0·31	0·27	0·28	0·41	0·38	0·33	0·35	0·24	0·29	0·31	0·29	0·33	0·41	0·29
Diseases of: Nervous System	2·27	2·18	2·34	2·50	2·39	2·55	2·45	2·42	2·46	2·62	2·33	2·69	2·19	2·29	2·68	2·15
Diseases of: Circulatory „	1·43	1·68	1·62	2·11	1·91	1·89	1·65	1·97	1·79	2·20	1·94	1·35	1·64	1·56	1·48	1·67
Diseases of: Respiratory „	3·06	2·80	2·72	3·17	2·99	3·40	3·17	3·13	3·32	2·98	3·15	4·08	3·10	3·90	3·18	2·47
Diseases of: Digestive „	0·91	1·03	1·01	1·09	1·02	1·05	1·08	1·05	1·02	1·01	1·14	1·11	1·08	1·02	0·95	1·00
Diseases of: Urinary „	0·35	0·42	0·41	0·51	0·47	0·48	0·42	0·47	0·50	0·43	0·46	0·39	0·42	0·43	0·38	0·51
Diseases of: Generative „	0·04	0·06	0·07	0·06	0·06	0·06	0·06	0·06	0·06	0·07	0·05	0·04	0·05	0·07	0·05	0·06
Puerperal Fever	0·07	0·06	0·07	0·06	0·05	0·06	0·06	0·06	0·08	0·07	0·08	0·09	0·08	0·08	0·07	0·04
Childbirth	0·06	0·06	0·07	0·07	0·07	0·06	0·08	0·06	0·06	0·06	0·08	0·08	0·07	0·06	0·07	0·05
Violence	0·50	0·55	0·54	0·50	0·52	0·56	0·52	0·58	0·61	0·60	0·64	0·67	0·55	0·76	0·60	0·53
OTHER CAUSES	3·08	4·22	4·82	3·26	3·16	3·50	4·80	3·66	3·52	3·74	3·65	4·18	3·61	3·58	3·96	4·34

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

TABLE 6. (*continued*).—**Mean Annual Marriage-, Birth-, and Death-rates PER 1000 Persons** LIVING in ENGLAND AND WALES and in each REGISTRATION COUNTY, **1881–90.**

——	Lincolnshire.	Nottinghamshire.	Derbyshire.	Cheshire.	Lancashire.	West Riding.	East Riding.	North Riding.	Durham.	Northumberland.	Cumberland.	Westmorland.	Monmouthshire.	South Wales.	North Wales.
Mean Population, 1881–91	465,171	471,976	409,464	665,171	3,721,862	2,331,207	381,230	344,384	949,767	470,058	258,598	65,265	254,787	965,595	456,600
Decennial Increase or Decrease of Population (per cent.)*	0·91	15·20	11·87	13·76	13·54	12·12	10·41	5·96	17·01	16·67	6·34	2·96	17·47	19·18	−2·38
Marriage-rate	13·55	16·19	13·97	13·60	16·17	15·48	15·82	14·01	15·62	15·96	13·83	12·74	15·87	15·45	12·29
Birth-rate	30·45	35·86	33·15	31·54	34·45	32·27	32·69	33·24	37·65	33·89	33·31	28·62	34·31	33·32	27·96
Death-rate†	17·51	19·44	17·74	18·85	22·40	20·03	19·48	18·15	19·83	19·78	18·38	15·52	19·70	19·13	18·68
Small-pox	0·03	0·02	0·02	0·01	0·02	0·04	0·02	0·01	0·06	0·05	0·01	0·01	0·02	0·01	0·01
Measles	0·17	0·39	0·35	0·44	0·71	0·42	0·27	0·26	0·47	0·42	0·44	0·13	0·52	0·42	0·22
Scarlet Fever	0·30	0·43	0·36	0·29	0·48	0·53	0·51	0·34	0·51	0·35	0·23	0·11	0·51	0·55	0·26
Diphtheria	0·16	0·16	0·09	0·12	0·15	0·11	0·09	0·10	0·08	0·11	0·09	0·09	0·18	0·10	0·17
Whooping-cough	0·32	0·43	0·38	0·38	0·52	0·43	0·39	0·41	0·42	0·39	0·40	0·19	0·49	0·41	0·32
Typhus	0·01	0·00	0·00	0·02	0·05	0·01	0·01	0·01	0·04	0·03	0·02	—	0·01	0·01	0·01
Enteric Fever	0·19	0·27	0·18	0·21	0·27	0·22	0·24	0·26	0·27	0·23	0·13	0·15	0·21	0·26	0·15
Simple Continued Fever	0·02	0·02	0·02	0·02	0·03	0·04	0·04	0·04	0·04	0·04	0·02	0·02	0·03	0·03	0·02
Diarrhœa and Dysentery	0·56	0·86	0·56	0·59	0·98	0·75	0·88	0·55	0·82	0·69	0·46	0·23	0·41	0·41	0·24
Cholera	0·01	0·02	0·01	0·01	0·02	0·02	0·02	0·01	0·02	0·01	0·01	0·02	0·01	0·01	0·01
Cancer	0·66	0·57	0·48	0·55	0·48	0·52	0·59	0·60	0·44	0·56	0·62	0·64	0·48	0·50	0·74
Tabes Mesenterica	0·22	0·43	0·28	0·24	0·34	0·28	0·30	0·34	0·46	0·42	0·20	0·13	0·22	0·17	0·18
Phthisis	1·47	1·61	1·41	1·61	1·95	1·85	1·65	1·47	1·70	2·09	1·62	1·40	1·41	2·01	2·08
Other Tub. & Scrof. Dis.	0·32	0·41	0·37	0·38	0·47	0·45	0·37	0·38	0·55	0·48	0·45	0·39	0·41	0·42	0·34
Diseases of Nervous System	2·72	2·57	2·68	2·71	2·97	3·00	3·05	2·61	2·76	2·79	2·40	2·22	2·63	2·92	3·34
Diseases of Circulatory „	1·62	1·52	1·54	1·59	1·54	1·53	1·63	1·52	1·38	1·75	1·89	1·80	1·54	1·43	1·60
Diseases of Respiratory „	2·86	3·41	3·41	3·60	5·14	4·20	3·43	3·41	3·63	3·03	3·41	2·51	4·36	3·67	3·34
Diseases of Digestive „	1·09	1·13	1·16	1·22	1·31	1·15	1·05	1·10	1·19	1·20	1·01	1·03	1·14	0·98	1·17
Diseases of Urinary „	0·41	0·37	0·35	0·42	0·44	0·39	0·42	0·41	0·34	0·41	0·42	0·39	0·45	0·44	0·57
Diseases of Generative „	0·06	0·07	0·05	0·05	0·06	0·05	0·06	0·06	0·04	0·07	0·05	0·04	0·04	0·04	0·05
Puerperal Fever	0·06	0·10	0·09	0·09	0·11	0·09	0·07	0·09	0·11	0·10	0·08	0·09	0·10	0·10	0·09
Childbirth	0·07	0·08	0·08	0·08	0·08	0·08	0·06	0·07	0·09	0·08	0·08	0·04	0·08	0·10	0·10
Violence	0·57	0·63	0·61	0·65	0·73	0·60	0·64	0·62	0·73	0·74	0·77	0·62	0·93	0·84	0·61
OTHER CAUSES	3·61	3·94	3·26	3·57	3·55	3·27	3·69	3·48	3·68	3·74	3·57	3·27	3·52	3·30	3·06

* The *minus* sign signifies a decrease.

† For death-rate in Standard Population, *see* Table 3, page xcvii.

MORTALITY

IN

ENGLAND AND WALES

AND IN

REGISTRATION COUNTIES AND DISTRICTS

During the Ten Years 1881–90.

EXPLANATORY NOTES.

The numbers of Deaths in the Tables are the totals registered in the ten calendar years 1881–90.

The "Mean Populations" shown in the Tables are the arithmetical means of the numbers enumerated at the censuses of 1881 and 1891.

Many changes of boundary, affecting the areas of Registration Districts, and sometimes those of Registration Counties also, were made in the course of the decennium. Corresponding adjustments have been made in the mean populations, except in those cases in which the changes were too small to appreciably affect the death-rates.

The Table on page 3 shows the total mortality in England and Wales during the decennium, by age and cause in combination.

The Tables on pages 4–95 show the mortality of Males and of Females separately, in England and Wales and in each Registration County, by age and cause in combination.

In each of these Tables the horizontal line of figures immediately below the age headings gives the average annual death-rates from all causes *at successive age-periods*, and the first vertical column of figures gives the average annual death-rates *at all ages* from the several causes.

(The death-rates of Persons, at successive age-periods, and from several causes in Registration Counties, are shown in Tables 3 and 6, pages xcvii, cxv–cxvii.)

The Tables on pages 97–728 show the mortality in each registration district among Persons, Males, and Females, (*a*) at successive age-periods, (*b*) from several causes; and also the mortality of Persons, by age and cause in combination.

In each of these Tables the three horizontal lines of figures immediately below the age headings give the average annual death-rates from all causes *at successive age-periods*, and the first three vertical columns of figures give the average annual death-rates *at all ages* from the several causes.

The meanings of the expressions "Crude Death-rate," and "Death-rate in Standard Population," which occur in each Table, are explained on pages xxxvi–xxxviii; and a method of further correcting mean populations and death-rates by the help of the Decennial Increase or Decrease of Population is discussed on pages xlii–xlvi.

The numbers and rates of Marriages and of Births are given at the foot of each Table.

ENGLAND AND WALES.—(Persons.)

Causes of Death.	Death Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	19·08	†142	–	–	–	–	56·82	5·29	3·02	4·35	5·61	7·53	11·42	17·06	31·33	64·65	153·67
Mean Population, 1881–91	–	27,488,482	753,823	688,001	705,794	698,985	690,574	3,537,177	3,271,287	3,011,949	2,749,048	2,487,319	4,085,595	3,134,779	2,335,160	1,595,545	921,143	359,480
Deaths from All Causes 1881–90	19·08	5,244,771	1,259,860	406,599	163,942	104,255	75,328	2,009,984	173,138	90,867	119,570	139,486	307,550	357,839	398,479	499,906	595,525	552,427
Small-pox	0·04	12,280	1,392	431	380	326	288	2,817	1,073	781	1,136	1,467	2,324	1,370	752	329	160	71
Measles	0·44	121,067	25,366	45,910	20,578	11,768	7,123	110,745	8,862	682	197	161	228	120	41	18	8	5
Scarlet Fever	0·33	91,769	5,061	12,973	14,908	14,317	11,784	59,043	24,912	4,612	1,136	640	899	366	93	39	25	4
Diphtheria	0·16	44,729	2,124	4,713	5,457	6,263	5,856	24,413	13,859	2,997	981	507	698	491	316	273	152	42
Whooping-cough	0·45	123,597	53,407	37,774	15,299	8,292	4,428	119,200	4,171	113	31	13	14	14	9	9	11	12
Typhus	0·01	3,919	10	13	23	37	54	137	243	265	436	385	748	807	495	273	107	23
Enteric Fever	0·20	54,009	366	737	994	1,188	1,288	4,573	5,875	6,274	7,949	7,010	9,476	5,706	3,610	2,269	1,045	222
Simple Continued Fever	0·03	6,891	341	398	470	416	380	2,005	1,106	532	435	298	492	437	414	501	454	219
Diarrhœa and Dysentery	0·66	181,155	119,346	25,470	4,130	1,551	942	151,439	1,570	431	358	525	1,348	1,647	2,172	4,417	8,055	9,193
Cholera	0·02	4,129	1,597	451	113	73	61	2,295	182	55	54	62	175	237	316	381	285	87
Cancer	0·59	161,920	119	142	172	160	119	712	332	332	563	859	5,221	18,315	36,069	45,761	38,318	15,438
Tabes Mesenterica	0·28	75,873	39,194	16,187	5,176	2,124	1,344	64,025	3,964	2,261	1,524	973	1,199	770	519	386	213	39
Phthisis	1·72	473,968	7,246	5,517	2,676	1,833	1,678	18,950	9,502	15,680	42,471	57,802	118,508	98,178	63,913	34,606	12,485	1,873
Other Tub. and Scrof. Dis.	0·42	115,422	32,615	22,343	9,914	6,340	4,942	76,163	14,154	6,951	4,772	3,275	4,041	2,583	1,685	1,109	555	134
Diseases of Nervous System	2·59	712,537	215,665	44,802	17,068	10,193	7,176	294,904	18,919	9,649	9,087	8,291	20,480	34,415	50,654	79,333	108,944	77,881
Diseases of Circulatory	1·58	433,148	2,704	655	401	425	558	4,743	4,876	7,772	9,174	8,906	24,182	42,159	60,040	91,144	112,340	67,812
Diseases of Respiratory	3·73	1,024,932	240,796	127,073	46,611	26,596	17,545	458,621	27,261	6,420	8,379	11,008	31,927	50,428	74,086	113,318	138,922	104,562
Diseases of Digestive	1·10	303,585	69,258	25,902	4,789	2,574	2,234	104,757	7,354	4,860	5,617	5,897	14,407	23,346	33,193	42,604	40,929	20,621
Diseases of Urinary	0·43	119,137	1,700	1,713	1,243	1,142	1,032	6,830	3,007	1,860	2,451	3,424	9,215	13,691	17,143	21,740	24,777	14,999
Diseases of Generative	0·06	15,706	305	157	78	36	14	590	33	92	449	793	2,476	3,289	3,213	2,321	1,792	658
Puerperal Fever	0·08	23,077	–	–	–	–	–	–	–	2	995	5,066	10,970	5,838	206	–	–	–
Childbirth	0·07	19,915	–	–	–	–	–	–	–	4	783	2,803	7,941	7,168	315	1	–	–
Violence	0·65	178,235	21,095	5,989	5,411	4,462	3,448	40,405	10,620	7,923	9,882	9,602	19,142	20,491	20,044	17,810	13,349	8,967
Other Causes	3·44	944,651	420,153	27,249	8,051	4,130	3,034	462,617	11,263	10,319	10,712	9,719	21,439	25,973	29,181	41,264	92,599	229,565

Marriages - - - - - - - 2,317,423
Births - - - - - - - 8,890,238

Average Annual Rate per 1000 { Persons Married - - 14·90
{ Births - - - 32·34

Deaths from Childbirth and Puerperal Fever, 4·73 per 1000 Births.

† The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(Males.)

Causes of Death.	Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	20·22	†155	–	–	–	–	61·69	5·34	2·94	4·30	5·71	7·73	12·35	19·28	34·66	70·17	162·18
Mean Population, 1881 91 -	–	13,346,401	375,661	342,625	352,010	347,970	344,343	1,762,609	1,630,975	1,506,544	1,366,722	1,179,850	1,055,274	1,514,486	1,112,527	746,339	417,389	153,686
Deaths from All Causes, 1881-90 - - -	20·22	2,698,316	702,686	211,197	83,031	52,290	38,118	1,087,322	87,019	44,281	58,725	67,398	151,211	186,969	214,550	258,712	292,877	249,252
Small-pox - - -	0·05	6,940	713	215	197	170	147	1,442	573	371	580	823	1,406	898	482	209	110	46
Measles - - -	0·47	62,495	14,074	23,984	10,203	5,833	3,554	57,648	4,271	292	88	59	64	40	18	10	3	2
Scarlet Fever - - -	0·35	46,162	2,794	6,658	7,649	7,137	5,938	30,176	12,359	2,235	584	270	308	144	54	15	15	2
Diphtheria - - -	0·16	21,045	1,182	2,421	2,665	3,032	2,819	12,119	6,078	1,259	473	230	296	195	158	141	73	23
Whooping-cough - -	0·42	55,746	25,719	16,912	6,315	3,289	1,804	54,039	1,624	41	9	7	5	3	6	4	5	3
Typhus - - -	0·02	2,092	6	3	12	21	27	69	119	125	235	223	411	421	262	159	57	11
Enteric Fever - -	0·21	28,214	194	371	532	595	615	2,307	2,775	2,884	4,078	3,969	5,310	3,043	1,956	1,234	549	109
Simple Continued Fever -	0·02	3,296	178	194	225	182	179	958	489	257	216	160	221	211	230	251	205	98
Diarrhœa and Dysentery -	0·71	94,846	65,134	12,971	2,026	758	441	81,330	728	195	158	212	557	698	1,023	2,127	3,669	4,149
Cholera - -	0·02	2,295	858	245	51	42	22	1,218	87	30	29	31	98	155	195	237	172	43
Cancer - - -	0·43	57,432	65	69	98	89	57	378	187	176	309	433	1,549	4,504	11,098	17,162	15,620	6,016
Tabes Mesenterica - -	0·30	40,621	22,045	8,635	2,838	1,153	721	35,392	1,963	1,001	637	390	448	299	208	182	86	15
Phthisis - - -	1·85	246,455	3,935	2,789	1,357	892	782	9,755	4,131	5,157	17,594	27,529	59,126	53,952	38,810	21,766	7,578	1,057
Other Tub. & Scrof. Dis. -	0·47	62,921	19,051	12,739	5,457	3,303	2,618	43,168	7,215	3,295	2,307	1,662	2,014	1,329	973	620	289	49
Diseases of: Nervous System -	2·80	374,287	123,872	24,740	9,022	5,264	3,684	166,582	9,801	4,857	4,523	3,995	10,816	19,130	25,605	39,449	53,685	35,844
Circulatory „ - -	1·55	206,589	1,528	341	200	217	293	2,579	2,249	3,330	4,278	3,838	11,066	21,169	30,021	43,945	52,860	31,254
Respiratory „ - -	4·10	546,689	137,030	65,992	23,758	13,484	8,983	249,247	13,799	3,182	4,699	6,268	18,458	30,264	44,627	61,675	68,352	46,118
Digestive „ - -	1·15	153,114	40,024	13,754	2,432	1,281	1,093	58,584	3,477	2,609	2,834	2,667	6,678	11,215	16,162	20,568	19,288	9,032
Urinary „ - -	0·56	74,211	992	870	695	641	594	3,792	1,770	999	1,273	1,668	4,641	7,475	10,201	13,628	17,276	11,488
Generative „ - -	0·01	1,107	206	29	11	8	3	257	7	6	19	25	76	116	180	165	189	67
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·97	129,131	10,840	3,327	3,176	2,804	2,169	22,316	7,352	6,548	8,227	8,094	16,209	17,108	16,137	13,770	9,111	4,259
Other Causes - -	3·60	482,628	232,246	13,938	4,112	2,095	1,575	253,966	5,965	5,432	5,575	4,845	11,454	14,600	16,144	21,395	43,685	99,567

Marriages - - - - - - - - 2,047,428
Births - - - - - - - - 4,526,729

Average Annual Rate per 1000 { Persons Married - - 14·90
Births - - - 33·92

† The death-rate under one year of age is per 1000 Births.

ENGLAND AND WALES.—(Females.)

Causes of Death.	Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	18·01	†128	–	–	–	–	51·99	5·25	3·09	4·40	5·51	7·34	10·55	15·04	28·40	60·08	147·32
Mean Population, 1881–91 -	–	14,142,081	378,162	345,376	353,784	351,014	346,232	1,774,568	1,640,312	1,505,405	1,382,326	1,307,469	2,130,321	1,620,293	1,222,633	849,206	503,754	205,794
Deaths from All Causes, 1881–90 - - -	18·01	2,546,455	557,174	195,402	80,911	51,965	37,210	922,662	86,119	46,586	60,845	72,088	156,339	170,870	183,929	241,194	302,648	303,175
Small-pox - - -	0·04	5,340	679	216	183	156	141	1,375	500	410	556	644	918	472	270	120	50	25
Measles - - -	0·41	58,572	11,292	21,926	10,375	5,935	3,569	53,097	4,591	390	109	102	164	80	23	8	5	3
Scarlet Fever - - -	0·32	45,607	2,267	6,315	7,259	7,180	5,846	28,867	12,553	2,377	552	370	591	222	39	24	10	2
Diphtheria - - -	0·17	23,684	942	2,292	2,792	3,231	3,037	12,294	7,781	1,738	508	277	402	296	158	132	79	19
Whooping-cough - -	0·48	67,851	27,688	20,862	8,984	5,003	2,624	65,161	2,547	72	22	6	9	11	3	5	6	9
Typhus - - -	0·01	1,827	4	10	11	16	27	68	124	140	201	162	337	386	233	114	50	12
Enteric Fever - -	0·18	25,795	172	366	462	593	673	2,266	3,100	3,390	3,871	3,041	4,166	2,663	1,654	1,035	496	113
Simple Continued Fever -	0·03	3,595	163	204	245	234	201	1,047	617	275	217	138	271	226	184	250	249	121
Diarrhœa and Dysentery -	0·61	86,309	54,212	12,499	2,104	793	501	70,109	842	236	200	313	791	949	1,149	2,290	4,386	5,044
Cholera - - -	0·01	1,834	739	206	62	31	39	1,077	95	25	25	31	77	82	121	144	113	44
Cancer - - -	0·74	104,488	54	73	74	71	62	334	145	156	254	426	3,672	13,811	24,971	28,599	22,698	9,422
Tabes Mesenterica - -	0·25	35,252	17,149	7,552	2,338	971	623	28,633	2,001	1,260	887	583	751	471	311	204	127	24
Phthisis - - -	1·61	227,513	3,311	2,728	1,319	941	896	9,195	5,371	10,523	24,877	30,273	59,382	44,226	25,103	12,840	4,907	816
Other Tub. and Scrof. Dis. -	0·37	52,501	13,564	9,604	4,457	3,046	2,324	32,995	6,939	3,656	2,465	1,613	2,027	1,254	712	489	266	85
Diseases of: Nervous System -	2·39	338,270	91,793	20,062	8,046	4,929	3,492	128,322	9,118	4,792	4,564	4,296	9,664	15,285	25,049	39,884	55,259	42,037
Diseases of: Circulatory „ -	1·60	226,559	1,176	314	201	208	265	2,164	2,627	4,442	4,896	5,068	13,116	20,990	30,019	47,199	59,480	36,558
Diseases of: Respiratory „ -	3·38	478,243	103,766	61,081	22,853	13,112	8,562	209,374	13,462	3,238	3,680	4,740	13,469	20,164	29,459	51,643	70,570	58,444
Diseases of: Digestive „ -	1·06	150,471	29,234	12,148	2,357	1,293	1,141	46,173	3,877	2,251	2,783	3,230	7,729	12,131	17,031	22,036	21,641	11,589
Diseases of: Urinary „ -	0·32	44,926	708	843	548	501	438	3,038	1,237	861	1,178	1,756	4,574	6,216	6,942	8,112	7,501	3,511
Diseases of: Generative „ -	0·10	14,599	99	128	67	28	11	333	26	86	430	768	2,400	3,173	3,033	2,156	1,603	591
Puerperal Fever - -	0·16	23,077	–	–	–	–	–	–	–	2	995	5,066	10,970	5,838	206	–		–
Childbirth - - -	0·13	19,015	–	–	–	–	–	–	–	4	783	2,803	7,941	7,168	315	1	–	–
Violence - - -	0·35	49,104	10,255	2,662	2,235	1,658	1,279	18,089	3,268	1,375	1,655	1,508	2,933	3,383	3,907	4,040	4,238	4,708
Other Causes - -	3·29	462,023	187,907	13,311	3,939	2,035	1,459	208,651	5,298	4,887	5,137	4,874	9,985	11,373	13,037	19,869	48,914	129,998

Marriages - - - - - - - 2,047,428
Births - - - - - - - 4,363,509

Average Annual Rate per 1000 { Persons Married - - 14·90
Births - - - 30·85

Deaths from Childbirth and Puerperal Fever, 4·73 per 1000 Births of Both Sexes.

† The death-rate under one year of age is per 1000 Births.

I.—LONDON.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*23·19	†164	–	–	–	–	73·13	5·92	2·91	4·03	5·43	8·62	14·91	23·73	41·23	77·41	168·23
Mean Population, 1881–91	–	1,894,117	54,909	49,088	49,884	48,066	47,017	248,964	217,044	192,855	184,542	185,148	315,387	234,318	160,364	94,884	46,273	14,338
Deaths from All Causes, 1881–90	22·03	417,221	111,132	38,203	15,981	9,921	6,824	182,061	12,841	5,609	7,432	10,047	27,185	34,934	38,054	39,116	35,821	24,121
Small-pox	0·13	2,530	274	103	93	75	63	608	271	157	212	279	473	290	164	46	23	7
Measles	0·69	13,119	2,756	5,074	2,389	1,306	774	12,299	757	34	6	6	9	5	1	1	–	1
Scarlet Fever	0·35	6,709	401	995	1,168	1,148	942	4,654	1,571	247	98	37	62	23	9	4	4	–
Diphtheria	0·26	4,991	334	786	792	843	696	3,451	1,146	150	56	34	63	36	28	12	11	4
Whooping-cough	0·66	12,469	5,053	4,038	1,604	914	465	12,074	372	12	1	4	1	1	2	–	2	–
Typhus	0·01	164	1	–	2	2	2	7	17	15	14	16	25	45	13	9	2	1
Enteric Fever	0·20	3,882	27	49	64	73	83	296	354	389	535	570	877	441	229	134	45	12
Simple Continued Fever	0·02	321	16	11	30	17	28	102	49	19	20	14	31	21	20	18	21	6
Diarrhœa and Dysentery	0·82	15,571	11,711	1,972	266	84	65	14,098	65	18	17	23	82	116	148	245	377	382
Cholera	0·03	516	254	60	14	13	4	345	12	9	4	4	17	24	37	32	25	7
Cancer	0·50	9,548	15	17	20	18	15	85	41	29	57	89	337	989	2,303	2,945	2,089	584
Tabes Mesenterica	0·41	7,802	4,954	1,473	513	177	113	7,230	265	104	53	33	46	36	22	10	2	1
Phthisis	2·55	48,241	775	476	249	182	119	1,801	544	560	2,158	4,186	11,984	12,414	8,779	4,400	1,252	163
Other Tub. and Scrof. Dis.	0·64	12,056	4,129	2,608	1,172	749	508	9,166	1,154	374	280	202	331	267	163	79	33	7
Diseases of Nervous System	2·54	48,068	15,834	3,691	1,369	795	527	22,216	1,172	492	461	470	1,425	2,790	3,801	5,338	6,309	3,594
Diseases of Circulatory	1·50	28,357	388	99	48	49	66	650	403	623	752	730	2,200	4,013	5,092	5,772	5,300	2,822
Diseases of Respiratory	4·67	88,383	22,081	12,247	4,612	2,454	1,548	42,942	1,938	354	557	934	3,016	4,968	7,471	10,044	10,157	6,002
Diseases of Digestive	1·15	21,799	6,211	1,956	377	206	147	8,897	481	331	389	398	1,100	1,780	2,604	2,761	2,134	924
Diseases of Urinary	0·65	12,315	107	101	93	89	97	487	243	145	191	301	927	1,630	2,120	2,492	2,424	1,355
Diseases of Generative	0·01	215	54	9	1	1	1	66	3	1	3	2	12	18	29	31	34	16
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·03	19,486	3,632	589	478	427	331	5,457	1,048	762	769	927	2,192	2,529	2,424	1,829	1,040	509
Other Causes	3·21	60,679	32,125	1,849	627	299	250	35,130	935	784	799	788	1,975	2,498	2,595	2,914	4,537	7,724

Marriages - - - 351,042
Births - - - 676,554

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

1.—LONDON.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*19·74	†139	–	–	–	–	63·23	5·81	2·88	3·56	4·39	6·80	11·38	17·15	30·71	63·00	149·14
Mean Population, 1881–91	–	2,119,996	55,314	49,393	49,987	48,756	46,919	250,369	219,906	198,413	208,182	221,697	364,002	261,066	184,169	118,852	66,998	26,342
Deaths from All Causes, 1881–90	18·77	397,963	90,405	35,647	15,770	9,881	6,604	158,307	12,767	5,707	7,420	9,726	24,750	29,708	31,588	36,496	42,207	39,287
Small-pox	0·11	2,235	268	100	85	73	66	592	246	177	229	246	366	214	94	39	22	10
Measles	0·58	12,330	2,251	4,684	2,365	1,340	746	11,386	841	37	13	21	19	8	3	1	1	–
Scarlet Fever	0·30	6,462	318	913	1,106	1,072	824	4,233	1,623	280	97	64	107	42	10	3	2	1
Diphtheria	0·26	5,443	255	724	804	851	763	3,397	1,482	225	68	54	76	67	30	23	18	3
Whooping-cough	0·72	15,214	5,423	4,835	2,342	1,294	705	14,599	594	10	3	–	1	3	1	1	1	1
Typhus	0·01	163	2	2	1	2	4	11	18	19	17	14	27	25	19	10	2	1
Enteric Fever	0·17	3,615	28	56	60	80	83	307	358	451	512	465	682	427	210	133	56	14
Simple Continued Fever	0·02	395	18	15	23	24	23	103	70	22	22	10	30	36	25	27	35	15
Diarrhœa and Dysentery	0·68	14,339	10,027	1,961	306	99	46	12,439	91	28	20	33	83	103	140	261	478	663
Cholera	0·02	425	212	62	14	8	4	300	16	2	5	6	11	15	28	25	10	7
Cancer	0·84	17,876	10	22	12	12	15	71	45	24	50	91	755	2,721	4,481	4,676	3,565	1,397
Tabes Mesenterica	0·30	6,312	3,774	1,272	387	165	74	5,672	233	118	67	50	74	39	30	11	16	2
Phthisis	1·66	35,175	623	468	228	184	174	1,677	679	1,059	2,499	3,590	9,445	8,460	4,755	2,162	710	139
Other Tub. and Scrof. Dis.	0·46	9,696	3,110	2,079	1,013	655	460	7,317	1,007	363	250	185	230	163	74	60	36	11
Diseases of: Nervous System	2·14	45,315	11,899	2,981	1,222	762	486	17,350	1,098	475	474	515	1,307	2,232	3,712	5,403	7,156	5,593
Circulatory „	1·48	31,477	286	69	55	48	58	516	524	762	842	826	2,168	3,408	4,566	6,108	7,142	4,615
Respiratory „	3·95	83,661	17,385	11,377	4,410	2,425	1,457	37,054	1,953	363	455	680	2,016	3,517	5,629	9,372	12,394	10,228
Digestive „	1·09	23,076	4,745	1,743	367	189	158	7,202	478	277	395	510	1,303	2,325	2,923	3,113	2,906	1,644
Urinary „	0·37	7,901	81	76	77	70	60	364	169	118	158	273	829	1,150	1,425	1,481	1,288	646
Generative „	0·13	2,797	21	29	8	2	–	60	3	10	64	146	540	666	580	358	272	98
Puerperal Fever	0·15	3,196	–	–	–	–	–	–	–	1	127	735	1,575	733	25	–	–	–
Childbirth	0·10	2,045	–	–	–	–	–	–	–	–	83	289	898	736	39	–	–	–
Violence	0·47	10,020	3,510	464	339	249	202	4,764	466	159	245	286	598	750	777	688	670	617
Other Causes	2·76	58,795	26,159	1,715	546	277	196	28,893	773	727	725	637	1,610	1,868	2,012	2,541	5,427	13,582

Marriages - - - 351,042
Births - - - 652,618

Deaths from Childbirth and Puerperal Fever - - 3·94 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

2.—SURREY.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·86	†119	–	–	–	–	44·04	3·86	2·29	3·47	5·05	7·56	12·85	18·39	31·03	63·50	147·25
Mean Population, 1881-91	–	244,247	6,300	5,983	6,149	6,111	6,139	30,682	29,694	28,145	25,044	22,871	35,640	27,991	20,190	13,385	7,655	2,950
Deaths from All Causes, 1881–90	16·66	40,691	8,939	2,477	1,001	593	502	13,512	1,147	645	869	1,155	2,694	3,597	3,713	4,154	4,861	4,344
Small-pox	0·04	90	5	–	1	–	1	7	5	3	4	9	28	11	8	6	8	1
Measles	0·30	723	151	244	120	63	51	629	76	8	1	1	5	1	–	1	1	–
Scarlet Fever	0·13	322	14	44	55	34	39	186	84	31	8	1	4	3	3	–	2	–
Diphtheria	0·22	536	24	50	53	69	72	268	175	50	14	6	9	8	4	–	2	–
Whooping-cough	0·36	881	390	295	101	43	26	855	24	–	2	–	–	–	–	–	–	–
Typhus	0·00	4	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–
Enteric Fever	0·12	292	1	3	6	3	3	16	35	16	37	58	58	28	19	13	11	1
Simple Continued Fever	0·01	30	1	4	–	2	1	8	5	1	–	3	2	3	2	3	2	1
Diarrhœa and Dysentery	0·44	1,069	733	132	15	12	6	898	6	3	4	2	14	11	7	22	35	67
Cholera	0·01	32	13	3	–	1	1	18	1	–	–	–	2	1	2	3	5	–
Cancer	0·43	1,047	1	–	–	–	3	4	3	2	6	6	19	70	193	311	293	140
Tabes Mesenterica	0·19	460	265	87	30	9	16	407	18	16	2	5	5	1	2	2	1	1
Phthisis	1·82	4,450	76	45	25	14	10	170	48	75	238	417	1,021	1,051	733	456	203	38
Other Tub. and Scrof. Dis.	0·40	980	262	208	91	55	44	660	120	44	40	30	40	15	19	8	4	–
Diseases of Nervous System	2·72	6,653	1,262	258	86	57	49	1,712	117	80	98	122	393	768	725	883	1,056	699
Diseases of Circulatory „	1·56	3,812	34	7	5	4	4	54	34	61	69	77	182	383	542	742	1,016	652
Diseases of Respiratory „	2·81	6,871	1,703	744	308	157	120	3,032	176	46	69	110	248	436	498	621	855	780
Diseases of Digestive „	0·97	2,367	588	178	29	17	12	824	46	38	54	50	122	175	263	297	310	188
Diseases of Urinary „	0·55	1,355	10	6	1	7	3	27	9	12	21	33	81	130	202	252	336	252
Diseases of Generative „	0·01	19	6	–	–	–	–	6	1	–	–	–	2	2	4	1	1	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·76	1,863	161	37	39	26	24	287	75	78	90	134	258	259	250	215	155	64
Other Causes	2·81	6,835	3,239	132	36	20	17	3,444	89	81	111	91	200	240	237	320	564	1,458

Marriages - - - 31,938
Births - - - 74,941

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

2.—SURREY.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·37	†100	–	–	–	–	37·18	3·99	2·58	3·36	3·69	5·47	8·93	13·51	24·44	51·40	136·45
Mean Population, 1881-91 -	–	272,326	6,352	6,049	6,121	6,160	6,136	30,818	29,852	27,849	26,389	27,319	44,107	32,426	23,624	16,083	9,746	4,113
Deaths from All Causes, 1881-90 - - -	14·07	38,311	7,173	2,243	955	645	442	11,458	1,191	719	887	1,007	2,411	2,895	3,191	3,931	5,009	5,612
Small-pox - - -	0·02	63	6	10	2	2	3	23	–	2	3	6	16	5	7	1	–	–
Measles - - -	0·25	689	129	227	119	74	38	587	75	9	6	5	4	1	1	–	–	1
Scarlet Fever - - -	0·10	275	15	39	40	33	29	156	75	16	5	2	12	7	–	2	–	–
Diphtheria - - -	0·24	648	21	46	65	90	60	282	229	64	27	8	14	8	7	4	3	2
Whooping-cough - -	0·35	961	411	285	115	66	37	914	44	1	–	1	1	–	–	–	–	–
Typhus - - -	0·00	4	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Enteric Fever - -	0·10	261	1	3	4	4	4	16	25	34	33	35	34	40	14	18	9	3
Simple Continued Fever -	0·01	41	1	3	3	3	4	14	4	5	1	1	4	3	3	3	1	2
Diarrhœa and Dysentery -	0·36	974	638	108	25	8	8	787	5	2	2	1	9	8	16	23	49	72
Cholera - - -	0·01	31	13	2	–	2	1	18	3	2	–	–	–	2	3	2	–	1
Cancer - - -	0·76	2,068	6	2	2	–	1	11	3	–	1	14	55	225	496	506	461	236
Tabes Mesenterica - -	0·17	461	209	88	19	14	9	339	30	31	17	5	14	12	5	6	1	1
Phthisis - - -	1·35	3,681	60	38	22	15	13	148	69	137	337	406	880	775	513	279	115	22
Other Tub. and Scrof. Dis. -	0·30	824	217	149	61	57	40	515	114	64	35	21	30	24	11	7	2	1
Diseases of: Nervous System - -	2·22	6,056	964	215	111	48	44	1,382	119	69	81	97	301	435	625	821	1,166	960
Diseases of: Circulatory „ - -	1·48	4,022	25	4	1	4	9	43	33	83	77	80	167	330	491	777	1,102	839
Diseases of: Respiratory „ - -	2·23	6,073	1,322	716	268	155	93	2,554	173	49	46	53	165	240	285	547	890	1,071
Diseases of: Digestive „ - -	0·88	2,386	427	177	41	19	16	680	61	37	48	35	120	185	265	345	368	242
Diseases of: Urinary „ - -	0·28	771	10	7	4	3	3	27	4	10	20	27	67	91	125	163	145	92
Diseases of: Generative „ - -	0·09	246	5	1	–	1	–	7	1	3	7	9	35	46	46	40	34	18
Puerperal Fever - -	0·14	383	–	–	–	–	–	–	–	–	10	63	203	105	2	–	–	–
Childbirth - - -	0·10	269	–	–	–	–	–	–	–	–	9	37	102	117	4	–	–	–
Violence - - -	0·25	681	135	27	22	26	14	224	33	16	35	19	50	56	57	60	56	75
OTHER CAUSES - -	2·38	6,443	2,558	105	31	21	16	2,731	91	85	86	81	127	180	214	267	607	1,974

Marriages - - - 31,938
Births - - - 71,916

Deaths from Childbirth and Puerperal Fever - - 4·44 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

3.—KENT.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·77	†128	–	–	–	–	47·39	4·51	2·84	4·16	5·58	7·07	10·95	16·09	27·95	59·11	146·60
Mean Population, 1881-91	–	372,468	9,800	9,247	9,512	9,615	9,446	47,620	45,797	42,926	38,521	32,820	51,980	41,032	30,983	21,806	13,262	5,721
Deaths from All Causes, 1881-90	17·39	64,762	14,996	4,057	1,563	1,103	848	22,567	2,067	1,220	1,602	1,831	3,674	4,495	4,986	6,094	7,839	8,387
Small-pox	0·16	602	33	16	12	10	8	79	60	40	58	81	137	89	37	13	7	1
Measles	0·28	1,047	210	368	168	115	64	925	101	8	4	4	3	–	2	–	–	–
Scarlet Fever	0·14	518	29	71	68	81	74	323	144	24	7	6	6	5	2	–	1	–
Diphtheria	0·21	780	38	57	105	109	105	414	254	51	23	7	9	6	3	11	1	1
Whooping-cough	0·33	1,244	652	353	103	55	42	1,205	35	3	–	–	1	–	–	–	–	–
Typhus	0·00	15	–	–	–	1	–	1	–	1	4	2	2	1	4	–	–	–
Enteric Fever	0·16	603	3	3	10	15	11	42	62	81	96	75	100	64	34	28	17	4
Simple Continued Fever	0·02	89	3	3	6	4	3	19	14	12	4	5	4	6	7	8	6	4
Diarrhœa and Dysentery	0·52	1,938	1,377	228	32	15	9	1,661	19	7	3	6	10	12	13	29	79	99
Cholera	0·02	58	31	6	1	–	–	38	1	1	–	–	2	6	2	5	2	1
Cancer	0·44	1,636	1	3	2	3	1	10	1	5	10	16	43	91	277	471	482	230
Tabes Mesenterica	0·23	843	484	151	41	25	12	713	45	27	21	6	9	7	7	2	6	–
Phthisis	1·55	5,788	113	71	39	28	25	276	119	133	379	638	1,361	1,218	891	504	236	33
Other Tub. and Scrof. Dis.	0·42	1,557	467	284	116	84	81	1,032	173	94	61	61	48	35	25	21	6	1
Diseases of: Nervous System	2·44	9,088	2,286	540	178	110	75	3,189	246	149	157	112	292	564	688	1,001	1,463	1,227
Diseases of: Circulatory „	1·63	6,082	57	6	7	8	9	87	61	98	107	104	251	543	791	1,211	1,642	1,187
Diseases of: Respiratory „	2·94	10,959	2,796	1,266	453	292	219	5,026	327	67	111	153	317	530	686	994	1,415	1,333
Diseases of: Digestive „	1·04	3,869	912	274	54	27	25	1,292	74	60	85	76	164	267	377	551	579	344
Diseases of: Urinary „	0·56	2,082	27	11	17	11	12	78	28	23	24	34	111	187	259	372	523	443
Diseases of: Generative „	0·01	33	7	–	1	–	1	9	–	–	1	2	2	4	4	4	3	4
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·97	3,633	210	104	71	60	41	486	138	153	270	307	519	492	454	383	289	142
OTHER CAUSES	3·32	12,298	5,260	242	79	50	31	5,662	165	183	177	136	283	368	423	486	1,082	3,333

Marriages - - 50,258
Births - - 117,520

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

3.—KENT.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000		*15·16	†105	–	–	–	–	39·86	4·67	3·18	4·33	5·13	6·33	9·21	12·63	23·79	51·46	138·57
Mean Population, 1881-91 -	–	384,944	9,834	9,318	9,613	9,528	9,556	47,849	45,289	41,983	36,268	34,196	56,253	43,582	33,462	23,999	15,123	6,940
Deaths from All Causes, 1881-90 - - -	15·78	60,759	11,911	3,727	1,526	1,122	786	19,072	2,117	1,333	1,569	1,755	3,562	4,015	4,226	5,710	7,783	9,617
Small-pox - - -	0·09	354	42	12	13	20	5	92	31	40	38	41	57	27	20	5	3	–
Measles - - -	0·25	967	176	370	146	100	55	847	88	15	–	4	6	3	2	1	–	1
Scarlet Fever - - -	0·15	563	28	70	79	91	71	339	148	34	12	6	16	6	2	–	–	–
Diphtheria - - -	0·25	974	32	63	103	128	124	450	378	84	14	12	16	9	5	1	3	2
Whooping-cough - -	0·38	1,446	664	439	154	82	34	1,373	66	5	1	–	–	–	–	–	1	–
Typhus - - -	0·00	16	–	–	–	–	1	1	2	6	1	1	1	2	1	–	–	1
Enteric Fever -	0·15	596	–	3	15	10	15	43	79	103	83	71	94	44	36	28	11	4
Simple Continued Fever -	0·02	94	3	4	5	5	3	20	10	6	8	2	8	4	6	11	12	7
Diarrhœa and Dysentery -	0·46	1,768	1,135	215	32	14	14	1,410	16	5	6	7	19	24	15	38	91	137
Cholera - - -	0·02	58	30	5	1	1	–	37	2	–	–	2	3	–	4	3	6	1
Cancer - - - -	0·79	3,033	2	2	–	–	4	8	2	4	3	6	93	330	664	864	705	354
Tabes Mesenterica - -	0·23	882	442	152	51	23	10	678	52	51	34	18	19	17	5	1	5	2
Phthisis - - -	1·47	5,659	99	79	26	18	15	237	128	274	628	724	1,409	1,080	665	347	133	34
Other Tub. and Scrof. Dis. -	0·34	1,320	339	219	107	79	70	814	163	114	66	48	59	23	14	12	6	1
Diseases of Nervous System -	2·13	8,184	1,593	382	163	111	69	2,318	207	125	135	135	265	404	627	977	1,570	1,421
Diseases of Circulatory „ - -	1·62	6,235	46	8	8	6	6	74	66	107	110	119	278	491	711	1,203	1,754	1,322
Diseases of Respiratory „ - -	2·50	9,640	2,140	1,140	436	314	185	4,215	338	88	88	83	200	343	410	847	1,358	1,670
Diseases of Digestive „ - -	0·99	3,823	639	237	62	27	29	994	92	65	69	88	188	301	427	534	651	414
Diseases of Urinary „ - -	0·30	1,166	14	8	10	10	10	52	26	21	27	40	95	125	161	221	250	148
Diseases of Generative „ - -	0·10	375	2	3	1	–	1	7	1	4	15	17	47	84	79	59	41	21
Puerperal Fever - -	0·13	509	–	–	–	–	–	–	–	–	21	107	233	144	4	–	–	–
Childbirth - - -	0·11	419	–	–	–	–	–	–	–	–	13	65	166	172	3	–	–	–
Violence - - -	0·28	1,097	167	56	47	44	29	343	68	31	39	34	74	95	71	101	97	144
OTHER CAUSES - -	3·02	11,581	4,318	260	67	39	36	4,720	154	151	158	125	216	287	294	457	1,086	3,933

Marriages - - - 50,258
Births - - - 113,557

Deaths from Childbirth and Puerperal Fever - - 4·02 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi xxxviii).
† The death-rate under one year of age is per 1000 Births.

4.—SUSSEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·03	†122	–	–	–	–	44·29	4·16	2·33	3·52	5·18	7·09	11·02	16·26	26·48	55·91	149·54
Mean Population, 1881–91	–	244,846	6,369	5,971	6,178	6,211	6,195	30,924	30,529	29,279	24,482	19,654	33,281	26,893	20,772	15,204	9,710	4,118
Deaths from All Causes, 1881–90	17·09	41,841	9,041	2,522	970	676	486	13,695	1,269	683	861	1,018	2,361	2,963	3,378	4,026	5,429	6,158
Small-pox	0·03	78	9	2	–	2	1	14	2	3	2	11	13	11	2	5	9	6
Measles	0·26	629	137	219	104	65	36	561	55	6	3	–	2	–	1	1	–	–
Scarlet Fever	0·13	314	15	45	48	48	35	191	82	19	6	5	3	3	1	4	–	–
Diphtheria	0·23	553	25	41	49	68	66	249	202	59	17	4	6	3	6	2	5	–
Whooping-cough	0·34	830	404	255	78	51	23	811	19	–	–	–	–	–	–	–	–	–
Typhus	0·00	9	–	–	–	–	–	–	1	1	1	–	1	1	1	2	1	–
Enteric Fever	0·15	356	1	4	8	4	6	23	25	38	55	46	58	45	32	21	11	2
Simple Continued Fever	0·02	38	–	2	1	–	1	4	4	3	3	3	4	3	2	3	6	3
Diarrhœa and Dysentery	0·49	1,205	803	134	18	17	8	980	14	3	–	4	10	6	16	21	48	103
Cholera	0·01	18	8	2	–	1	–	11	3	–	–	–	–	1	1	–	2	–
Cancer	0·54	1,326	2	4	4	3	2	15	4	3	6	8	26	79	238	323	431	193
Tabes Mesenterica	0·19	468	233	81	46	13	9	382	24	18	11	9	6	6	5	5	2	–
Phthisis	1·86	4,543	56	44	21	12	10	143	58	81	256	464	1,136	1,013	745	452	162	33
Other Tub. and Scrof. Dis.	0·44	1,089	325	211	90	68	39	733	121	59	28	32	46	21	21	17	9	2
Diseases of: Nervous System	2·19	5,370	1,210	310	100	50	42	1,712	119	71	60	69	150	300	397	589	985	918
Diseases of: Circulatory „	1·63	3,985	34	3	3	6	4	50	41	35	74	58	135	348	473	744	1,132	895
Diseases of: Respiratory „	2·86	7,012	1,697	776	276	168	126	3,043	232	49	70	69	202	312	456	635	939	1,005
Diseases of: Digestive „	1·05	2,577	563	179	38	23	16	819	62	40	39	30	78	188	268	396	405	252
Diseases of: Urinary „	0·62	1,521	16	7	10	4	5	42	29	15	24	24	79	136	194	233	406	339
Diseases of: Generative „	0·01	22	3	–	–	–	–	3	–	–	–	–	1	1	5	5	4	3
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·76	1,860	148	37	33	31	25	274	76	80	108	112	212	239	246	262	151	100
OTHER CAUSES	3·28	8,038	3,352	166	43	42	32	3,635	96	100	98	70	193	247	268	306	721	2,304

Marriages - - - 33,020
Births - - - 74,164

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

4.—SUSSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·91	†95	–	–	–	–	35·27	4·16	2·64	3·58	4·44	6·06	8·72	12·20	22·00	49·51	131·08
Mean Population, 1881–91	–	279,522	6,481	6,030	6,157	6,218	6,171	31,057	29,881	28,892	27,206	26,286	42,450	32,963	25,516	18,469	11,635	5,167
Deaths from All Causes, 1881–90	14·40	40,259	6,743	2,284	898	581	449	10,955	1,243	763	974	1,168	2,572	2,875	3,113	4,063	5,760	6,773
Small-pox	0·01	39	3	1	–	–	1	5	6	4	3	2	6	4	3	4	2	–
Measles	0·20	564	81	199	117	51	30	478	54	16	3	2	5	5	1	–	–	–
Scarlet Fever	0·10	292	21	37	23	39	31	151	84	17	9	5	14	8	2	1	1	–
Diphtheria	0·23	630	12	23	63	73	74	245	246	77	19	8	13	11	6	3	1	1
Whooping-cough	0·36	999	440	283	137	64	30	954	40	4	1	–	–	–	–	–	–	–
Typhus	0·00	9	–	–	–	–	–	–	–	1	2	2	1	1	–	2	–	–
Enteric Fever	0·12	340	3	8	1	5	4	21	34	44	47	41	65	42	26	8	10	2
Simple Continued Fever	0·01	37	–	1	2	1	–	4	6	3	3	4	1	–	4	5	4	3
Diarrhœa and Dysentery	0·38	1,050	674	126	19	10	10	839	12	2	2	8	9	8	9	23	53	85
Cholera	0·00	9	7	1	–	–	–	8	1	–	–	–	–	–	–	–	–	–
Cancer	0·89	2,488	2	2	2	2	–	8	2	3	4	11	70	271	542	671	613	293
Tabes Mesenterica	0·16	438	186	77	26	9	9	307	40	25	18	11	12	10	8	2	5	–
Phthisis	1·49	4,174	53	40	21	11	10	135	80	160	436	543	1,061	865	515	276	94	9
Other Tub. and Scrof. Dis.	0·34	947	197	169	71	53	41	531	126	78	47	41	34	35	22	18	12	3
Diseases of: Nervous System	1·80	5,024	821	251	82	49	32	1,235	113	69	55	57	127	227	393	665	1,057	1,026
Diseases of: Circulatory "	1·56	4,372	21	7	4	1	2	35	39	59	71	72	199	325	476	849	1,332	915
Diseases of: Respiratory "	2·24	6,249	1,161	712	220	154	110	2,357	181	34	47	61	163	231	329	575	1,064	1,207
Diseases of: Digestive "	0·94	2,614	379	150	36	23	19	607	63	45	53	49	144	203	293	351	501	305
Diseases of: Urinary "	0·31	870	13	15	1	1	3	33	10	19	17	28	99	103	123	179	158	101
Diseases of: Generative "	0·10	280	2	–	1	–	–	3	–	4	5	9	37	58	61	48	34	21
Puerperal Fever	0·11	311	–	–	–	–	–	–	–	–	7	73	137	93	1	–	–	–
Childbirth	0·11	294	–	–	–	–	–	–	–	–	6	29	140	113	6	–	–	–
Violence	0·26	739	136	32	34	16	24	242	30	23	21	23	57	49	62	61	71	100
Other Causes	2·68	7,490	2,531	150	38	19	19	2,757	76	76	98	89	178	213	231	322	748	2,702

Marriages - - - 33,020
Births - - - 70,954

Deaths from Childbirth and Puerperal Fever - - } 4·17 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

5.—HAMPSHIRE.‡—(MALES).

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·14	†123	–	–	–	–	46·03	3·94	2·20	3·98	6·60	8·87	12·36	17·60	28·55	58·93	149·96
Mean Population, 1881-91 -	–	301,269	7,958	7,407	7,684	7,608	7,532	38,189	35,997	33,391	30,813	26,882	42,611	33,103	25,706	18,692	11,365	4,520
Deaths from All Causes, 1881-90 - - -	17·90	53,937	11,527	3,234	1,341	847	680	17,579	1,419	733	1,225	1,773	3,781	4,091	4,524	5,337	6,697	6,778
Small-pox - - -	0·01	27	3	–	–	1	–	4	–	–	2	7	6	4	2	1	–	1
Measles - - -	0·31	931	174	341	135	98	61	809	99	9	3	4	2	4	–	1	–	–
Scarlet Fever - -	0·10	295	17	38	49	47	38	189	68	15	7	10	3	3	–	–	–	–
Diphtheria - - -	0·23	691	20	69	88	95	95	367	225	46	23	5	9	6	5	3	2	–
Whooping-cough - -	0·30	900	431	268	106	40	33	878	20	1	–	–	–	–	–	–	–	1
Typhus - - -	0·00	6	–	–	–	–	–	–	1	–	2	–	1	1	–	–	1	–
Enteric Fever - -	0·22	659	10	15	28	19	13	85	49	74	83	110	137	53	32	18	14	4
Simple Continued Fever -	0·03	85	4	4	6	4	6	24	11	2	8	7	7	5	7	7	4	3
Diarrhœa and Dysentery -	0·47	1,429	891	166	35	7	11	1,110	11	2	6	30	44	28	18	37	58	85
Cholera - - -	0·01	16	7	4	1	–	–	12	–	–	–	–	1	–	–	1	2	–
Cancer - - - -	0·47	1,421	3	1	6	1	–	11	3	–	5	10	30	72	242	410	449	189
Tabes Mesenterica - -	0·25	746	449	137	50	18	7	661	35	12	14	5	8	5	1	4	–	1
Phthisis - - -	2·09	6,289	80	42	19	20	8	169	70	73	392	814	1,757	1,391	941	481	174	27
Other Tub. and Scrof. Dis. -	0·38	1,151	347	219	98	65	50	779	109	64	41	39	53	23	19	13	9	2
Diseases of: Nervous System - -	2·50	7,540	1,820	452	143	86	58	2,559	152	88	103	112	281	486	619	934	1,241	965
Diseases of: Circulatory „ - -	1·78	5,366	25	5	3	5	3	41	35	44	89	82	246	496	777	1,083	1,494	979
Diseases of: Respiratory „ - -	3·07	9,254	2,355	1,002	391	235	153	4,136	258	47	94	125	331	481	614	850	1,142	1,176
Diseases of: Digestive „ - -	1·06	3,187	682	213	49	17	24	985	55	59	48	66	180	251	346	462	474	261
Diseases of: Urinary „ - -	0·61	1,834	23	9	8	6	9	55	27	9	32	37	111	197	265	341	443	317
Diseases of: Generative „ - -	0·01	22	4	1	–	–	–	5	–	–	–	1	1	4	4	3	4	–
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·78	2,360	176	58	61	48	26	369	90	82	159	195	318	302	293	243	210	99
OTHER CAUSES - -	3·22	9,728	4,006	190	65	35	35	4,331	101	106	114	114	255	279	339	445	976	2,668

Marriages - - - 44,636
Births - - - 93,711

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

5.—HAMPSHIRE.‡—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·92	†100	–	–	–	–	38·44	4·29	2·58	4·24	4·95	6·80	9·28	12·56	23·18	52·47	138·82
Mean Population, 1881–91	–	319,512	8,030	7,460	7,755	7,656	7,577	38,478	35,766	33,202	29,685	28,938	47,838	37,056	28,727	21,070	13,155	5,597
Deaths from All Causes, 1881–90	15·56	49,730	9,082	3,026	1,207	821	655	14,791	1,535	856	1,258	1,433	3,254	3,438	3,608	4,885	6,902	7,770
Small-pox	0·00	13	2	2	–	–	–	4	–	–	1	3		–	3	–	–	–
Measles	0·26	840	136	316	130	96	50	728	81	9	3	3	9	5	1	1	–	–
Scarlet Fever	0·[illegible]	339	20	53	46	52	27	198	91	23	5	1	14	5	–	–	2	–
Diphtheria	0·24	779	16	52	85	99	101	353	294	71	17	11	14	8	4	4	3	–
Whooping-cough	0·34	1,089	494	326	121	65	39	1,045	42	2	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·20	631	5	11	19	19	22	76	77	74	97	77	87	67	31	30	14	1
Simple Continued Fever	0·03	99	2	4	7	8	9	30	13	8	2	4	5	13	7	3	10	4
Diarrhœa and Dysentery	0·40	1,281	797	154	35	6	8	1,000	14	3	5	6	15	18	23	25	65	107
Cholera	0·01	20	12	–	–	–	–	12	2	–	–	–	2	–	1	–	3	–
Cancer	0·78	2,505	–	4	1	–	2	7	2	3	6	11	80	292	526	686	620	272
Tabes Mesenterica	0·19	615	296	122	35	11	9	473	46	32	18	14	16	4	8	2	2	–
Phthisis	1·62	5,191	67	48	22	18	19	174	88	187	528	676	1,400	1,070	610	309	133	16
Other Tub. and Scrof. Dis.	0·31	979	217	169	77	57	57	577	132	75	56	29	43	19	17	14	11	6
Diseases of: Nervous System	2·10	6,719	1,335	345	125	69	58	1,932	132	86	107	81	215	348	528	856	1,316	1,118
Diseases of: Circulatory „	1·66	5,293	28	9	2	5	9	53	47	64	91	93	249	394	595	1,038	1,541	1,128
Diseases of: Respiratory „	2·58	8,257	1,811	965	362	216	159	3,513	233	53	65	74	195	271	368	732	1,361	1,392
Diseases of: Digestive „	0·93	2,978	424	190	43	22	24	703	74	43	43	55	156	264	341	451	508	340
Diseases of: Urinary „	0·30	971	7	4	8	7	2	28	16	19	29	26	96	131	143	195	218	70
Diseases of: Generative „	0·08	263	–	1	–	2	–	3	2	2	7	12	33	38	66	40	44	16
Puerperal Fever	0·13	424	–	–	–	–	–	–	–	–	17	84	212	105	6	–	–	–
Childbirth	0·11	355	–	–				–	–	–	20	50	148	135	2	–	–	–
Violence	0·26	839	181	51	39	33	25	329	44	13	22	21	61	44	69	78	65	93
OTHER CAUSES	2·92	9,248	3,232	200	50	36	35	3,553	105	89	118	102	202	207	258	421	986	3,207

Marriages - - - 44,636
Births - - - 90,590

Deaths from Childbirth and Puerperal Fever - - } 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

6.—BERKSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·80	†116	–	–	–	–	42·41	4·37	2·15	3·18	4·71	6·66	10·46	15·88	26·77	59·81	158·97
Mean Population, 1881–91 -	–	127,614	3,363	3,245	3,278	3,261	3,185	16,332	15,525	14,965	13,167	10,518	17,323	13,838	10,801	7,961	5,078	2,106
Deaths from All Causes, 1881–90 - - -	16·98	21,671	4,513	1,221	516	374	302	6,926	679	321	419	495	1,153	1,447	1,715	2,131	3,037	3,348
Small-pox - - -	0·03	35	1	–	1	1	–	3	–	1	1	4	9	5	5	2	4	1
Measles - - -	0·30	377	64	130	59	37	33	323	38	10	2	–	1	2	–	–	–	1
Scarlet Fever - -	0·14	184	7	27	24	22	25	105	58	16	1	2	–	2	–	–	–	–
Diphtheria - - -	0·19	240	7	19	28	38	39	131	84	11	6	1	1	1	2	1	–	2
Whooping-cough - -	0·27	347	168	103	38	18	11	338	9	–	–	–	–	–	–	–	–	–
Typhus - - -	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever -	0·12	156	–	1	2	3	5	11	21	12	24	15	34	16	13	2	5	3
Simple Continued Fever -	0·01	12	2	–	–	–	–	2	2	2	1	–	1	–	–	–	3	1
Diarrhœa and Dysentery -	0·44	564	348	59	14	5	7	433	7	–	–	1	9	8	2	16	35	53
Cholera - - -	0·01	9	4	1	1	–	–	6	1	–	–	–	–	–	1	–	–	1
Cancer - - -	0·49	620	3	–	–	–	–	3	3	3	5	4	11	36	99	176	203	77
Tabes Mesenterica - -	0·15	189	88	36	16	10	6	156	16	5	8	–	3	–	–	1	–	–
Phthisis - - -	1·60	2,037	65	28	12	7	7	119	26	24	109	233	461	428	326	209	90	12
Other Tub. and Scrof. Dis. -	0·38	484	141	83	38	35	26	323	59	18	12	15	24	14	10	5	2	2
Diseases of Nervous System - -	2·30	2,937	649	135	64	25	24	897	67	40	39	25	98	166	218	323	548	516
Diseases of Circulatory „ - -	1·72	2,191	20	2	4	–	1	27	18	26	38	25	65	172	235	412	681	492
Diseases of Respiratory „ - -	2·98	3,801	898	384	140	108	78	1,608	116	23	28	36	107	166	252	356	547	560
Diseases of Digestive „ - -	0·98	1,248	262	88	12	12	10	384	27	19	19	17	59	83	141	168	202	129
Diseases of Urinary „ - -	0·58	737	4	1	3	4	5	17	12	10	9	9	31	60	94	136	198	161
Diseases of Generative „ - -	0·01	9	2	–	–	–	–	2	–	–	1	–	1	–	2	–	2	1
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·80	1,016	44	20	31	22	13	130	65	52	59	63	125	131	144	108	85	54
OTHER CAUSES - -	3·48	4,476	1,736	104	29	27	12	1,908	48	9	56	45	113	157	170	216	432	1,282

Marriages - - - 16,242
Births - - - 38,975

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

6.—BERKSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·28	†94	–	–	–	–	35·19	4·28	2·38	3·73	5·17	6·06	8·34	12·08	23·56	52·76	141·63
Mean Population, 1881-91	–	130,511	3,279	3,154	3,240	3,303	3,186	16,162	15,657	14,197	11,601	10,706	18,438	14,961	11,966	8,671	5,644	2,508
Deaths from All Causes, 1881-90	15·37	20,065	3,517	1,159	446	310	255	5,687	670	338	433	554	1,117	1,247	1,446	2,043	2,978	3,552
Small-pox	0·01	14	2	–	–	1	1	4	–	–	1	–	2	3	1	3	–	–
Measles	0·26	339	69	100	52	29	29	279	44	7	5	1	1	1	1	–	–	–
Scarlet Fever	0·16	205	10	31	22	28	30	121	61	16	1	2	2	2	–	–	–	–
Diphtheria	0·19	254	5	16	28	33	32	114	103	22	6	1	3	2	–	1	2	–
Whooping-cough	0·31	405	198	105	41	31	13	388	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Enteric Fever	0·11	148	1	2	5	3	4	15	23	14	15	20	20	20	8	8	5	–
Simple Continued Fever	0·01	17	–	1	1	2	1	5	1	3	–	1	1	–	1	1	4	–
Diarrhœa and Dysentery	0·36	471	261	51	12	6	6	336	7	3	1	3	6	7	6	10	30	62
Cholera	0·00	5	1	–	–	–	–	1	1	–	–	–	–	–	–	1	1	1
Cancer	0·82	1,074	2	2	–	–	–	4	1	1	1	1	34	123	231	291	256	131
Tabes Mesenterica	0·14	185	75	32	9	4	5	125	15	7	9	4	8	5	7	2	3	–
Phthisis	1·35	1,766	37	44	13	6	2	102	38	66	162	233	420	337	205	128	62	13
Other Tub. and Scrof. Dis.	0·32	421	110	78	25	18	16	247	74	24	23	17	14	7	7	4	3	1
Diseases of Nervous System	2·02	2,636	480	136	52	20	20	708	46	35	34	35	77	124	207	327	548	495
Diseases of Circulatory "	1·86	2,424	9	1	2	2	2	16	19	31	30	34	90	128	273	505	742	556
Diseases of Respiratory "	2·57	3,358	655	393	129	80	63	1,320	112	22	24	27	77	113	136	276	559	692
Diseases of Digestive "	0·92	1,200	194	57	11	3	11	276	38	13	26	26	54	92	121	189	218	147
Diseases of Urinary "	0·30	394	4	4	3	4	–	15	5	9	5	16	47	44	70	60	86	37
Diseases of Generative "	0·10	132	–	2	–	–	–	2	1	–	4	2	20	27	29	24	17	6
Puerperal Fever	0·13	167	–	–	–	–	–	–	–	–	3	45	75	43	1	–	–	–
Childbirth	0·12	152	–	–	–	–	–	–	–	–	2	22	61	61	6	–	–	–
Violence	0·26	335	40	17	13	16	8	94	23	15	18	15	24	23	23	26	30	44
Other Causes	3·05	3,961	1,364	87	28	24	12	1,515	40	50	63	49	81	85	112	187	412	1,367

Marriages 16,242
Births 37,451

Deaths from Childbirth and Puerperal Fever 4·17 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

7.—MIDDLESEX.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*17·98	†142	–	–	–	–	53·25	4·54	2·57	3·08	4·13	6·51	11·18	17·82	32·80	66·58	156·25
Mean Population, 1881-91	–	224,699	6,494	6,065	6,326	6,291	6,197	31,373	29,848	27,302	21,257	18,421	33,164	26,444	17,930	10,724	6,035	2,201
Deaths from All Causes, 1881-90	17·56	39,460	11,071	3,016	1,222	766	630	16,705	1,354	702	655	760	2,158	2,956	3,195	3,518	4,018	3,439
Small-pox	0·06	124	11	4	2	4	1	22	9	6	8	18	25	15	10	7	1	3
Measles	0·44	981	215	372	147	82	67	883	94	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·20	457	22	59	74	63	56	274	138	32	8	2	3	–	–	–	–	–
Diphtheria	0·28	632	31	75	92	91	87	376	196	29	5	7	8	5	3	2	1	–
Whooping-cough	0·48	1,075	495	311	109	61	48	1,025	48	1	–	–	1	–	–	–	–	–
Typhus	0·01	12	–	–	1	–	–	1	2	1	2	1	1	3	1	–	–	–
Enteric Fever	0·17	390	7	7	10	11	7	42	31	54	48	51	68	40	29	17	8	2
Simple Continued Fever	0·02	35	2	–	1	1	4	8	7	8	1	1	1	2	1	3	2	1
Diarrhœa and Dysentery	0·74	1,654	1,280	181	21	5	4	1,491	6	4	2	3	5	10	15	26	31	61
Cholera	0·02	41	22	7	–	1	–	30	1	–	1	–	1	3	–	4	–	1
Cancer	0·38	864	5	2	2	–	1	10	–	3	4	3	16	59	168	260	246	95
Tabes Mesenterica	0·31	695	446	118	37	13	18	632	21	17	4	5	7	2	2	4	1	–
Phthisis	1·56	3,496	95	37	17	8	15	172	60	77	173	309	799	805	633	314	136	18
Other Tub. and Scrof. Dis.	0·51	1,145	408	228	99	58	51	844	109	52	37	14	19	30	20	12	7	1
Diseases of Nervous System	2·61	5,858	1,371	316	105	71	36	1,899	142	69	52	64	317	639	608	647	842	579
Diseases of Circulatory "	1·26	2,840	56	9	5	1	8	79	29	51	45	45	133	294	382	579	743	460
Diseases of Respiratory "	3·26	7,325	2,047	876	361	197	140	3,621	183	53	44	46	246	375	522	668	867	700
Diseases of Digestive "	1·03	2,323	701	214	38	19	25	997	50	41	33	26	94	140	230	296	296	120
Diseases of Urinary "	0·46	1,038	15	7	8	2	2	34	15	10	14	15	60	113	133	217	241	186
Diseases of Generative "	0·00	9	4	–	–	–	–	4	–	–	–	1	–	1	–	–	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·79	1,770	224	54	39	44	33	394	118	94	100	93	194	215	210	191	113	48
Other Causes	2·97	6,696	3,613	139	54	34	27	3,867	95	97	73	56	160	205	228	271	481	1,163

Marriages - - - 25,999
Births - - - 77,978

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

7.—MIDDLESEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·33	†114	–	–	–	–	44·50	4·60	2·55	2·87	3·41	5·54	8·74	12·99	24·72	54·18	135·60
Mean Population, 1881–91	–	253,208	6,496	6,103	6,255	6,184	6,172	31,210	29,482	26,503	25,224	24,624	40,451	29,793	20,619	13,488	8,269	3,545
Deaths from All Causes, 1881–90	14·86	37,629	8,531	2,802	1,202	765	589	13,889	1,356	676	724	840	2,242	2,603	2,678	3,334	4,480	4,807
Small-pox	0·04	89	16	2	3	–	1	22	9	5	7	7	15	9	9	2	2	2
Measles	0·35	880	176	297	154	84	60	771	88	7	2	1	3	5	–	–	2	1
Scarlet Fever	0·20	496	16	55	69	89	64	293	153	27	9	3	8	3	–	–	–	–
Diphtheria	0·29	723	23	59	99	93	107	381	256	47	7	6	6	12	4	2	2	–
Whooping-cough	0·50	1,258	515	381	184	75	50	1,205	44	2	1	1	2	–	1	1	–	1
Typhus	0·00	4	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–
Enteric Fever	0·15	388	6	15	7	4	11	43	43	60	50	50	45	47	28	12	9	1
Simple Continued Fever	0·01	30	1	1	1	3	3	9	6	–	2	1	3	3	2	1	2	1
Diarrhœa and Dysentery	0·56	1,424	1,016	174	30	3	7	1,230	10	3	3	2	6	10	17	22	43	78
Cholera	0·01	34	16	7	–	1	1	25	2	–	–	1	1	–	–	4	–	1
Cancer	0·69	1,752	1	–	3	–	–	4	3	3	1	3	51	196	411	467	404	209
Tabes Mesenterica	0·22	558	325	104	29	21	7	486	23	16	14	2	4	6	1	4	1	1
Phthisis	1·22	3,078	71	51	33	14	8	177	70	129	258	296	835	668	380	181	66	18
Other Tub. and Scrof. Dis.	0·37	928	277	185	69	47	42	620	121	53	38	24	25	19	16	8	2	2
Diseases of Nervous System	1·96	4,965	980	245	97	56	38	1,416	99	50	68	72	192	332	441	628	919	748
Diseases of Circulatory „	1·37	3,476	50	12	6	10	4	82	45	79	63	72	214	300	405	653	910	653
Diseases of Respiratory „	2·63	6,647	1,538	836	309	189	126	2,998	169	51	48	49	158	228	333	592	1,010	1,011
Diseases of Digestive „	0·93	2,362	484	176	35	27	23	745	73	28	31	40	119	194	244	328	376	184
Diseases of Urinary „	0·28	718	18	6	5	4	3	36	14	12	20	17	56	119	126	131	120	67
Diseases of Generative „	0·08	202	–	2	1	–	–	3	1	1	3	8	28	46	42	34	28	8
Puerperal Fever	0·15	372	–	–	–	–	–	–	–	–	4	64	191	112	1	–	–	–
Childbirth	0·10	248	–	–	–	–	–	–	–	–	5	28	113	94	8	–	–	–
Violence	0·28	721	186	35	29	26	16	292	44	20	29	28	53	44	46	49	51	65
Other Causes	2·47	6,276	2,816	159	39	19	18	3,051	83	82	59	65	114	156	162	215	533	1,756

Marriages 25,999
Births 74,876

Deaths from Childbirth and Puerperal Fever 4·06 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

8.—HERTFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·28	†121	–	–	–	–	42·98	4·49	2·41	3·11	5·26	6·96	10·60	15·91	29·64	61·18	163·53
Mean Population, 1881–91 -	–	101,744	2,641	2,488	2,683	2,569	2,677	13,058	13,193	12,971	10,430	7,363	12,462	10,748	8,821	6,640	4,292	1,766
Deaths from All Causes, 1881–90 - - -	17·81	18,119	3,724	943	429	290	226	5,612	592	313	324	387	867	1,139	1,403	1,968	2,626	2,838
Small-pox - - -	0·01	15	–	–	–	–	–	–	–	1	1	2	2	6	–	1	2	–
Measles - - -	0·34	346	64	113	53	33	37	300	35	7	1	1	–	2	–	–	–	–
Scarlet Fever - - -	0·17	169	10	20	36	20	11	97	56	11	5	–	–	–	–	–	–	–
Diphtheria - - -	0·23	237	10	14	31	23	43	121	86	22	4	2	–	–	–	2	–	–
Whooping-cough - -	0·35	354	163	104	40	19	10	336	17	1	–	–	–	–	–	–	–	–
Typhus - - -	0·00	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever - -	0·11	113	–	–	–	4	–	4	16	16	14	18	18	6	10	6	3	2
Simple Continued Fever -	0·01	15	1	–	–	–	1	2	4	3	1	–	2	–	2	–	1	–
Diarrhœa and Dysentery -	0·50	510	323	61	8	4	1	397	4	–	–	–	2	3	5	12	30	57
Cholera - - -	0·01	10	4	3	–	–	–	7	–	–	–	–	–	–	–	1	1	1
Cancer - - -	0·51	520	1	1	–	–	1	3	3	1	–	1	10	31	79	160	162	70
Tabes Mesenterica - -	0·16	164	90	29	9	3	2	133	13	5	7	1	2	1	–	2	–	–
Phthises - -	1·55	1,573	14	13	7	9	2	45	15	28	90	166	378	366	255	163	57	10
Other Tub. and Scrof. Dis. -	0·33	336	92	54	24	14	21	205	57	13	17	3	12	9	11	5	3	1
Diseases of: Nervous System -	2·80	2,850	528	108	41	29	15	721	57	31	37	46	99	149	245	381	575	509
Diseases of: Circulatory " -	1·75	1,779	12	2	1	1	2	18	19	30	24	22	51	107	199	374	535	400
Diseases of: Respiratory " -	3·19	3,243	708	286	115	89	52	1,250	95	22	25	42	78	135	200	345	523	528
Diseases of: Digestive " -	0·96	979	208	66	13	10	7	304	15	23	20	10	46	69	108	147	149	88
Diseases of: Urinary " -	0·62	635	5	1	2	5	3	16	13	5	3	8	19	58	79	99	160	175
Diseases of: Generative " -	0·01	8	1	–	–	–	–	1	–	–	1	1	–	–	2	1	2	–
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·77	779	47	15	26	13	10	111	42	55	30	27	86	106	101	105	76	40
OTHER CAUSES - -	3·43	3,483	1,443	53	23	14	8	1,541	45	39	44	37	62	90	107	164	347	1,007

Marriages - - - 11,208
Births - - - 30,742

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

8.—HERTFORDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·59	†95	–	–	–	–	35·73	3·99	2·68	4 24	5·56	6·23	8·23	12·12	23·85	53·75	147·97
Mean Population, 1881-91	–	107,033	2,701	2,542	2,595	2,617	2,646	13,101	12,938	11,999	9,231	8,374	14,501	12,379	9,935	7,456	4,953	2,166
Deaths from All Causes, 1881-90	16·02	17,146	2,844	918	414	294	211	4,681	516	321	391	466	903	1,019	1,204	1,778	2,662	3,205
Small-pox	0·01	9	–	–	–	–	–	–	–	1	–	1	4	2	–	–	–	1
Measles	0·28	300	54	95	46	50	16	261	33	2	–	1	2	1	–	–	–	–
Scarlet Fever	0·15	160	7	13	26	30	24	100	39	11	5	1	3	1	–	–	–	–
Diphtheria	0·22	235	7	11	25	21	33	97	92	27	5	3	5	4	–	1	–	1
Whooping-cough	0·37	396	171	113	56	25	15	380	15	–	–	–	–	1	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	0·11	120	–	1	5	1	1	8	9	13	23	15	22	13	12	3	2	–
Simple Continued Fever	0·02	20	–	–	3	1	–	4	1	1	2	1	1	3	–	–	6	1
Diarrhœa and Dysentery	0·39	414	229	57	8	3	4	301	5	1	–	2	4	4	6	9	37	45
Cholera	0·01	12	5	–	–	–	1	6	–	–	–	–	–	1	1	2	2	–
Cancer	0·82	874	1	–	–	1	–	2	–	1	2	6	24	73	196	233	238	99
Tabes Mesenterica	0·13	140	57	29	9	4	2	101	8	9	4	4	3	6	4	1	–	–
Phthisis	1·33	1,420	20	15	3	6	5	49	29	79	165	201	341	268	156	92	37	3
Other Tub. and Scrof. Dis.	0·27	289	49	38	25	16	14	142	38	31	24	10	21	9	8	4	2	–
Diseases of Nervous System	2·51	2,685	346	107	41	25	19	538	50	29	31	41	81	143	239	370	611	552
Diseases of Circulatory "	1·88	2,011	9	4	1	–	1	15	12	21	28	38	78	135	208	401	604	471
Diseases of Respiratory "	2·66	2,848	560	312	114	78	52	1,116	99	21	20	23	62	75	111	255	490	576
Diseases of Digestive "	0·94	1,002	161	45	18	8	7	239	31	16	17	18	40	55	100	160	180	146
Diseases of Urinary "	0·32	339	3	3	2	4	3	15	4	6	11	12	26	30	47	66	79	43
Diseases of Generative "	0·10	107	1	–	–	–	–	1	–	1	2	6	11	19	15	23	20	9
Puerperal Fever	0·12	126	–	–	–	–	–	–	–	–	6	31	48	40	1	–	–	–
Childbirth	0·12	126	–	–	–	–	–	–	–	–	8	11	47	56	4	–	–	–
Violence	0·28	295	46	18	11	10	8	93	16	4	9	11	20	16	23	30	28	45
Other Causes	2·98	3,216	1,118	57	21	11	6	1,213	35	45	29	30	60	64	73	128	326	1,213

Marriages 11,208
Births 29,884

Deaths from Childbirth and Puerperal Fever 4·16 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

9.—BUCKINGHAMSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*15·79	†128	–	–	–	–	46·02	3·92	2·05	3·06	5·20	6·34	8·73	13·57	24·90	61·71	161·14
Mean Population, 1881–91	–	78,838	2,097	1,985	2,024	2,101	2,038	10,245	10,011	9,681	8,179	5,867	9,799	8,223	6,860	5,225	3,343	1,405
Deaths from All Causes, 1881–90	17·45	13,758	3,176	792	341	232	174	4,715	392	198	250	305	621	718	931	1,301	2,063	2,264
Small-pox	0·03	20	3	–	–	–	–	3	–	–	4	–	3	2	1	5	2	–
Measles	0·33	260	42	90	52	27	18	229	26	5	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	154	9	21	25	18	23	96	37	12	3	3	2	1	–	–	–	–
Diphtheria	0·15	117	4	13	13	12	20	62	30	10	4	2	2	5	–	1	1	–
Whooping-cough	0·31	245	134	73	19	10	6	242	2	–	–	–	–	–	–	–	–	1
Typhus	0·01	6	–	–	–	–	–	–	–	1	–	1	2	–	1	1	–	–
Enteric Fever	0·16	129	2	2	2	2	1	9	17	12	11	11	21	14	13	7	10	4
Simple Continued Fever	0·01	11	1	2	1	–	1	5	1	–	1	–	–	1	1	1	1	–
Diarrhœa and Dysentery	0·43	337	204	45	10	3	2	264	1	–	–	2	1	3	3	6	19	38
Cholera	0·01	5	2	–	–	–	–	2	–	–	–	–	–	–	–	2	1	–
Cancer	0·42	335	–	–	–	1	–	1	1	2	–	–	9	27	52	84	113	46
Tabes Mesenterica	0·23	185	108	33	6	6	2	155	13	4	2	2	1	4	3	1	–	–
Phthisis	1·25	987	22	8	6	7	3	46	12	13	64	123	245	195	156	95	33	5
Other Tub. and Scrof. Dis.	0·35	279	85	50	22	8	12	177	40	10	17	6	10	7	3	7	1	1
Diseases of: Nervous System	2·38	1,879	347	75	26	17	16	481	52	23	24	21	55	90	124	207	426	376
Diseases of: Circulatory „	1·54	1,217	12	–	1	1	2	16	12	12	21	24	39	74	128	245	382	264
Diseases of: Respiratory „	3·17	2,498	614	254	106	83	50	1,107	69	16	16	19	56	99	163	236	366	351
Diseases of: Digestive „	1·00	788	171	43	12	14	3	243	15	18	14	5	32	34	84	117	152	74
Diseases of: Urinary „	0·56	442	8	4	2	3	3	20	1	5	5	10	10	31	39	81	132	108
Diseases of: Generative „	0·00	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	634	37	19	17	11	5	89	35	28	35	50	68	67	74	81	76	31
OTHER CAUSES	4·11	3,228	1,371	60	21	9	7	1,468	28	27	29	26	64	64	86	124	348	964

Marriages - - - 9,913
Births - - - 24,774

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

9.—BUCKINGHAMSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Annual Death-Rate per 1000	–	*14·76	†103	–	–	–	–	37·74	3·89	2·36	4·17	4·92	6·18	8·74	11·38	23·14	56·50	147·07
Mean Population, 1881–91	–	81,318	2,049	1,995	2,111	2,046	2,127	10,328	16 081	9,214	7,150	6,262	10,831	9,083	7,442	5,704	3,653	1,570
Deaths from All Causes, 1881–90	16·13	13,116	2,447	741	319	215	176	3,898	392	217	298	308	669	794	847	1,320	2,064	2,309
Small-pox	0·01	11	1	–	1	–	–	2	–	1	2	2	–	2	1	–	1	–
Measles	0·30	245	41	66	40	29	26	202	35	4	2	–	1	–	1	–	–	–
Scarlet Fever	0·16	132	7	25	25	13	15	85	28	14	3	2	–	–	–	–	–	–
Diphtheria	0·17	139	1	10	10	21	20	62	54	11	1	2	1	2	1	5	–	–
Whooping-cough	0·36	292	142	75	35	18	11	281	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	7	–	–	–	–	–	–	–	1	2	–	1	3	–	–	–	–
Enteric Fever	0·13	108	–	–	1	3	2	6	10	16	20	11	11	13	9	6	3	3
Simple Continued Fever	0·03	21	–	1	2	–	1	4	4	2	2	–	2	2	2	1	2	–
Diarrhœa and Dysentery	0·40	328	157	48	10	5	1	221	5	2	1	3	6	11	3	11	34	31
Cholera	0·01	8	2	–	2	–	1	5	–	–	–	–	1	1	1	–	–	–
Cancer	0·73	597	–	–	1	–	1	2	–	–	3	1	13	61	132	171	154	60
Tabes Mesenterica	0·19	152	75	19	8	4	3	109	8	8	8	3	7	2	4	1	1	1
Phthisis	1·34	1,087	23	15	10	5	1	54	22	45	99	119	279	226	126	80	34	3
Other Tub. and Scrof. Dis.	0·29	236	62	34	13	11	8	128	33	18	20	11	11	8	4	2	1	–
Diseases of: Nervous System	2·09	1,702	266	76	24	19	9	394	29	13	40	28	52	72	122	225	400	327
Diseases of: Circulatory „	1·65	1,338	7	2	–	2	2	13	10	20	22	19	44	77	139	272	431	291
Diseases of: Respiratory „	2·72	2,209	463	247	95	60	50	915	60	17	16	22	47	76	107	206	381	362
Diseases of: Digestive „	1·02	826	113	49	11	10	10	193	24	12	11	14	38	56	76	131	173	98
Diseases of: Urinary „	0·28	225	1	6	1	5	–	13	5	2	7	8	13	23	22	53	52	27
Diseases of: Generative „	0·12	98	1	–	–	–	–	1	–	1	4	4	12	18	20	18	14	6
Puerperal Fever	0·12	100	–	–	–	–	–	–	–	–	4	26	41	29	–	–	–	–
Childbirth	0·14	111	–	–	–	–	–	–	–	1	3	16	36	52	3	–	–	–
Violence	0·28	224	39	9	10	5	7	70	19	5	6	6	8	10	18	26	21	35
Other Causes	3·58	2,920	1,046	59	20	5	8	1,138	35	24	22	11	45	50	56	112	362	1,065

Marriages - - - 9,913
Births - - - 23,862

Deaths from Childbirth and Puerperal Fever - - 4·34 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

10.—OXFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·89	†125	–	–	–	–	44·05	4·14	2·28	3·46	4·83	6·53	9·85	14·09	24·99	62·70	166·65
Mean Population, 1881–91 -	–	89,851	2,393	2,255	2,298	2,301	2,350	11,597	11,291	10,824	9,218	6,951	11,239	9,222	7,776	6,119	3,962	1,652
Deaths from All Causes, 1881–90 - - -	17·79	15,982	3,495	875	360	218	160	5,108	468	247	319	336	734	908	1,096	1,529	2,484	2,753
Small-pox - - -	0·02	16	1	–	–	–	–	1	–	1	–	1	2	3	1	3	4	–
Measles - - -	0·32	286	60	107	50	24	10	251	30	3	1	–	–	1	–	–	–	–
Scarlet Fever - - -	0·19	171	5	24	30	27	21	107	46	8	5	3	1	1	–	–	–	–
Diphtheria - - -	0·08	71	1	4	8	6	6	25	26	9	3	3	2	–	2	1	–	–
Whooping-cough - -	0·25	226	118	59	22	11	8	218	7	1	–	–	–	–	–	–	–	–
Typhus - - -	0·00	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Enteric Fever - -	0·13	114	1	–	1	3	3	8	6	16	23	22	13	11	5	3	7	–
Simple Continued Fever -	0·02	18	1	–	2	–	–	3	2	4	3	1	2	2	–	–	–	1
Diarrhœa and Dysentery -	0·37	333	185	30	7	6	2	230	6	–	3	1	2	2	4	15	33	37
Cholera - - -	0·00	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer - - - -	0·49	444	–	–	–	1	–	1	1	1	2	3	8	33	70	124	153	48
Tabes Mesenterica - -	0·15	136	61	21	9	6	2	99	17	8	4	2	3	–	2	1	–	–
Phthisis - - -	1·44	1,311	18	17	6	4	4	49	26	22	86	140	297	270	215	125	73	8
Other Tub. and Scrof. Dis. -	0·39	354	118	63	23	14	9	227	50	14	11	19	11	9	4	6	3	–
Diseases of: Nervous System - -	2·51	2,254	444	100	41	16	17	618	48	16	37	17	58	104	140	290	485	441
Diseases of: Circulatory „ - -	1·62	1,454	13	1	1	1	3	19	9	16	19	12	52	92	138	293	501	303
Diseases of: Respiratory „ - -	3·13	2,816	733	304	109	63	42	1,251	71	18	11	22	95	113	161	237	407	430
Diseases of: Digestive „ - -	1·05	942	194	47	14	4	8	267	20	17	18	20	25	62	114	145	176	78
Diseases of: Urinary „ - -	0·64	578	7	1	3	2	2	15	13	5	9	6	31	55	61	100	163	120
Diseases of: Generative „ - -	0·00	3	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·75	670	29	18	16	19	13	95	52	43	45	30	69	75	78	64	72	47
OTHER CAUSES - -	4·22	3,779	1,501	79	18	11	10	1,619	38	45	38	34	63	74	101	120	407	1,240

Marriages - - - 11,764
Births - - - 28,040

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

10.—OXFORDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·46	†100	–	–	–	–	36·42	3·93	2·49	3·62	4·72	5·94	8·74	12·14	22·63	55·03	145·23
Mean Population, 1881–91	–	95,044	2,364	2,189	2,317	2,344	2,319	11,533	11,262	10,639	8,758	7,696	12,788	10,496	8,749	6,731	4,473	1,919
Deaths from All Causes 1881–90	15·89	15,099	2,667	802	355	211	165	4,200	443	265	317	363	759	917	1,062	1,523	2,463	2,787
Small-pox	0·01	5	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–
Measles	0·26	249	41	97	42	16	15	211	29	4	1	–	2	2	–	–	–	–
Scarlet Fever	0·18	174	14	23	27	28	28	120	40	10	1	3	–	–	–	–	–	–
Diphtheria	0·09	87	–	5	7	8	8	28	36	13	2	2	2	1	2	1	–	–
Whooping-cough	0·31	294	123	84	37	22	11	277	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
Enteric Fever	0·10	97	–	–	2	1	4	7	13	16	11	10	19	8	6	5	2	–
Simple Continued Fever	0·01	10	–	–	–	–	–	–	–	3	1	2	–	1	–	1	2	–
Diarrhœa and Dysentery	0·32	308	153	38	7	5	2	205	4	2	2	3	6	2	5	12	27	40
Cholera	0·00	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	794	–	–	–	1	–	1	–	1	1	1	17	84	151	226	214	98
Tabes Mesenterica	0·12	117	44	15	5	6	1	71	14	6	13	5	2	2	2	1	–	1
Phthisis	1·32	1,256	22	8	8	8	2	48	36	60	130	149	277	251	167	100	31	7
Other Tub. and Scrof. Dis.	0·34	321	77	62	23	9	17	188	49	26	16	9	13	8	4	3	4	1
Diseases of: Nervous System	2·19	2,082	307	72	38	20	15	452	32	31	28	15	44	95	171	284	506	424
Circulatory "	1·77	1,686	11	3	2	–	1	17	11	15	28	22	64	99	187	314	554	375
Respiratory "	2·47	2,347	497	248	109	50	36	940	75	17	9	23	53	71	99	214	429	417
Digestive "	1·00	950	119	54	15	9	10	207	23	12	23	21	48	77	104	170	171	94
Urinary "	0·33	314	2	2	1	2	2	9	6	8	3	16	21	32	51	56	70	42
Generative "	0·09	83	1	1	–	–	–	2	–	1	1	4	9	20	18	11	12	5
Puerperal Fever	0·13	119	–	–	–	–	–	–	–	–	2	22	56	37	2	–	–	–
Childbirth	0·13	128	–	–	–	–	–	–	–	–	4	25	50	48	1	–	–	–
Violence	0·29	275	31	13	9	10	5	68	23	13	10	8	22	20	21	19	34	37
Other Causes	3·59	3,396	1,221	77	23	16	8	1,345	35	27	30	23	52	57	70	104	407	1,246

Marriages 11,764
Births 26,751

Deaths from Childbirth and Puerperal Fever 4·51 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

11.—NORTHAMPTONSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1,000	–	*16·81	†146	–	–	–	–	52·50	4·31	2·66	3·65	4·98	6·13	8·98	13·39	25·73	60·83	161·18
Mean Population, 1881–91	–	145,505	3,983	3,682	3,793	3,743	3,774	18,975	18,037	16,559	15,036	12,280	19,994	15,486	12,297	9,140	5,591	2,110
Deaths from All Causes, 1881–90	17·70	25,757	6,871	1,689	626	465	310	9,961	778	441	549	611	1,226	1,390	1,647	2,352	3,401	3,401
Small-pox	0·02	25	–	–	–	–	1	2	–	–	–	2	6	3	2	3	3	4
Measles	0·38	558	112	200	82	68	43	505	43	5	1	3	–	1	–	–	–	–
Scarlet Fever	0·26	373	27	41	62	62	45	237	99	22	13	1	1	–	–	–	–	–
Diphtheria	0·11	162	5	13	11	28	26	83	48	19	5	2	–	3	–	1	–	1
Whooping-cough	0·35	513	253	163	43	29	12	500	12	1	–	–	–	–	–	–	–	–
Typhus	0·00	5	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
Enteric Fever	0·18	264	2	5	1	7	6	21	37	38	47	28	41	25	12	7	6	2
Simple Continued Fever	0·01	19	2	1	1	–	–	4	2	3	1	–	1	2	3	2	1	–
Diarrhœa and Dysentery	0·59	857	589	78	12	3	4	686	6	1	1	–	6	5	9	20	50	73
Cholera	0·01	10	3	–	–	–	1	4	–	–	–	–	1	2	–	2	1	–
Cancer	0·53	771	3	–	–	–	1	4	1	2	4	–	18	46	138	240	240	78
Tabes Mesenterica	0·18	268	149	39	20	13	5	226	12	10	7	3	6	2	1	–	1	–
Phthisis	1·44	2,099	64	38	16	10	8	136	39	44	168	271	479	412	296	170	76	8
Other Tub. and Scrof. Dis.	0·45	659	228	124	42	35	21	450	80	33	30	17	21	12	8	4	4	–
Diseases of: Nervous System	2·50	3,634	934	175	58	27	34	1,228	77	46	44	36	103	194	209	403	783	561
Diseases of: Circulatory „	1·48	2,150	16	2	–	2	3	23	18	31	37	37	86	145	221	421	697	434
Diseases of: Respiratory „	3·14	4,572	1,408	528	187	121	61	2,305	124	28	35	57	109	163	244	398	576	533
Diseases of: Digestive „	1·04	1,516	411	121	18	17	5	572	35	27	26	27	58	79	142	203	238	109
Diseases of: Urinary „	0·50	732	11	7	5	9	4	36	13	12	9	21	46	58	68	122	218	129
Diseases of: Generative „	0·09	7	3	–	–	–	–	3	–	–	–	–	–	2	1	–	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·84	1,217	70	32	30	23	17	172	78	67	78	63	138	126	148	156	125	66
OTHER CAUSES	3·69	5,346	2,581	122	37	11	13	2,764	54	51	42	42	105	109	145	200	432	1,402

Marriages - - - 20,507
Births - - - 47,196

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

11.—NORTHAMPTONSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·65	†117	–	–	–	–	43·31	4·22	3·07	4·48	5·39	6·49	9·00	11·30	22·91	54·31	149·12
Mean Population, 1881–91	–	147,049	4,058	3,704	3,893	3,916	3,788	19,359	18,068	16,506	14,040	12,069	20,286	15,986	12,786	9,545	5,949	2,455
Deaths from All Causes, 1881–90	16·46	24,211	5,310	1,594	661	479	340	8,384	762	506	629	651	1,316	1,439	1,445	2,187	3,231	3,661
Small-pox	0·01	9	2	–	–	–	–	2	1	–	–	4	2	–	–	–	–	–
Measles	0·35	513	100	155	93	65	40	453	50	7	1	–	1	1	–	–	–	–
Scarlet Fever	0·26	383	23	50	61	59	51	244	91	29	6	3	4	5	–	1	–	–
Diphtheria	0·13	194	7	10	15	26	28	86	66	23	6	2	6	1	–	2	2	–
Whooping-cough	0·42	622	268	188	74	53	21	604	17	–	–	–	–	–	–	–	–	1
Typhus	0·00	5	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–
Enteric Fever	0·18	265	2	3	5	4	5	19	34	43	54	29	34	26	14	7	4	1
Simple Continued Fever	0·02	29	–	1	2	2	2	7	7	1	4	–	3	3	2	1	–	1
Diarrhœa and Dysentery	0·53	779	451	92	17	8	7	575	5	2	3	2	6	10	11	23	69	73
Cholera	0·00	5	1	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–
Cancer	0·77	1,126	–	–	1	1	1	3	1	2	4	8	39	113	255	324	275	102
Tabes Mesenterica	0·17	252	123	37	20	3	2	185	21	13	12	8	5	7	1	–	–	–
Phthisis	1·38	2,035	60	34	13	14	7	128	45	100	244	254	515	378	192	111	57	11
Other Tub. and Scrof. Dis.	0·39	574	160	98	34	36	24	352	72	50	33	16	23	9	8	6	4	1
Diseases of Nervous System	2·19	3,223	683	128	56	36	25	928	67	58	52	35	83	125	227	432	638	578
Diseases of Circulatory „	1·63	2,402	9	2	–	1	–	12	22	39	47	49	104	182	257	463	712	515
Diseases of Respiratory „	2·73	4,011	1,004	524	189	119	86	1,922	127	22	22	33	82	138	136	321	583	625
Diseases of Digestive „	1·01	1,484	298	140	31	12	10	491	43	30	29	27	58	105	141	208	226	126
Diseases of Urinary „	0·24	358	12	5	3	4	6	30	16	5	17	19	41	35	39	60	68	28
Diseases of Generative „	0·08	122	1	–	–	–	–	1	–	–	4	10	18	20	25	15	22	7
Puerperal Fever	0·17	254	–	–	–	–	–	–	–	–	14	55	107	74	4	–	–	–
Childbirth	0·12	178	–	–	–	–	–	–	–	–	7	18	69	80	4	–	–	–
Violence	0·28	408	50	27	23	15	6	121	30	15	21	15	23	26	24	28	60	45
Other Causes	3·40	4,980	2,056	100	24	21	19	2,220	46	66	49	64	92	99	105	182	510	1,547

Marriages - 20,507
Births - 45,373

Deaths from Childbirth and Puerperal Fever - 4·67 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

12.—HUNTINGDONSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·50	†117	–	–	–	–	40·19	3·90	2·54	2·74	5·07	5·42	8·20	12·37	25·55	58·96	144·96
Mean Population, 1881–91	–	25,408	622	604	647	631	631	3,135	3,176	3,076	2,660	1,833	2,950	2,538	2,329	1,879	1,267	565
Deaths from All Causes, 1881–90	17·04	4,330	860	230	74	56	40	1,260	124	78	73	93	160	208	288	480	747	819
Small-pox	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·19	47	15	16	4	3	2	40	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	33	4	7	2	3	5	21	10	2	–	–	–	–	–	–	–	–
Diphtheria	0·16	40	1	4	2	6	5	18	13	7	–	2	–	–	–	–	–	–
Whooping-cough	0·22	55	31	15	6	1	1	54	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	34	–	–	–	–	–	–	2	4	6	5	8	2	2	3	1	1
Simple Continued Fever	0·06	15	–	–	1	1	–	2	4	1	1	–	–	–	1	4	–	2
Diarrhœa and Dysentery	0·41	105	50	12	4	3	2	71	1	–	1	–	–	–	2	1	11	18
Cholera	0·04	9	–	1	–	–	–	1	1	–	–	–	–	–	–	4	2	1
Cancer	0·80	202	–	–	–	–	–	–	–	–	–	1	2	9	30	67	70	23
Tabes Mesenterica	0·14	36	17	8	1	2	–	28	2	3	–	–	2	1	–	–	–	–
Phthisis	1·47	373	13	6	1	1	–	21	10	3	26	47	80	68	54	42	20	2
Other Tub. and Scrof. Dis.	0·34	87	20	20	4	6	3	53	13	6	5	2	4	–	3	1	–	–
Diseases of: Nervous System	2·11	535	89	32	15	11	3	150	9	11	2	5	7	13	27	65	131	115
Diseases of: Circulatory „	1·73	440	2	–	–	1	–	3	2	5	5	3	12	26	50	88	142	104
Diseases of: Respiratory „	2·88	731	183	67	17	11	14	292	20	3	7	7	19	20	40	71	145	107
Diseases of: Digestive „	0·93	236	40	21	5	–	1	67	3	3	6	–	2	19	21	42	44	29
Diseases of: Urinary „	0·53	135	1	–	1	–	1	3	2	–	–	2	4	4	18	27	43	32
Diseases of: Generative „	0·01	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·82	208	13	3	7	6	1	30	18	21	9	11	12	29	11	28	23	16
Other Causes	3·93	1,004	381	17	4	1	2	405	7	8	5	8	7	16	28	37	115	368

Marriages - - - 3,267
Births - - - 7,362

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

12.—HUNTINGDONSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·41	†96	–	–	–	–	33·26	3·69	2·77	5·05	7·38	6·79	6·70	9·27	18·40	48·39	131·85
Mean Population, 1881-91	–	26,348	647	594	631	645	637	3,154	3,172	3,028	2,357	1,910	3,197	2,823	2,524	2,038	1,426	719
Deaths from All Causes, 1881-90	15·80	4,163	685	182	67	75	40	1,049	117	84	119	141	217	189	234	375	690	948
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	40	9	17	4	4	1	35	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	37	1	5	3	8	4	21	12	2	1	–	–	1	–	–	–	–
Diphtheria	0·20	54	1	–	1	8	9	19	17	6	8	2	1	1	–	–	–	–
Whooping-cough	0·30	79	42	16	9	8	3	78	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·12	31	–	–	–	–	–	–	1	3	6	8	5	3	2	2	1	–
Simple Continued Fever	0·10	26	–	–	–	1	1	2	7	6	4	1	2	–	–	–	2	2
Diarrhœa and Dysentery	0·33	88	43	11	2	–	–	56	1	2	–	–	1	–	–	4	7	17
Cholera	0·02	5	2	–	–	1	–	3	–	1	–	–	1	–	–	–	–	–
Cancer	1·03	272	–	–	–	–	1	1	–	–	1	1	10	15	51	79	85	29
Tabes Mesenterica	0·14	38	11	5	5	2	–	23	5	3	5	–	1	–	–	1	–	–
Phthisis	1·60	422	20	10	–	3	1	34	6	21	50	71	108	51	37	28	14	2
Other Tub. and Scrof. Dis.	0·30	78	13	8	7	5	4	37	8	6	8	5	6	4	2	2	–	–
Diseases of: Nervous System	1·90	501	69	18	7	5	3	102	17	8	7	9	10	23	30	51	131	113
Diseases of: Circulatory "	1·39	367	–	–	–	–	–	–	3	6	6	9	10	12	30	68	115	108
Diseases of: Respiratory "	2·59	683	142	61	23	21	7	254	13	4	5	3	13	26	22	62	119	162
Diseases of: Digestive "	0·70	184	22	7	1	2	–	32	5	1	3	3	16	8	18	25	44	29
Diseases of: Urinary "	0·28	74	2	–	–	–	1	3	1	1	2	2	2	7	14	17	14	11
Diseases of: Generative "	0·06	17	–	–	–	–	–	–	–	–	–	1	1	3	5	2	3	2
Puerperal Fever	0·09	23	–	–	–	–	–	–	–	–	3	6	7	7	–	–	–	–
Childbirth	0·09	25	–	–	–	–	–	–	–	–	–	4	12	8	1	–	–	–
Violence	0·36	94	6	6	3	4	2	21	11	4	4	1	4	3	1	8	15	22
Other Causes	3·91	1,024	302	18	2	3	3	328	5	9	6	14	7	17	21	26	140	451

Marriages - - - 3,267
Births - - - 7,129

Deaths from Childbirth and Puerperal Fever - - 3·31 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

13.—BEDFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·00	†144	–	–	–	–	52·33	4·68	2·53	2·80	4·70	6·11	9·69	14·38	25·87	64·61	161·85
Mean Population, 1881–91	–	75,282	2,066	1,859	1,997	1,976	1,988	9,886	9,781	9,329	8,030	5,552	9,220	7,757	6,365	4,964	3,153	1,245
Deaths from All Causes, 1881–90	18·49	13,919	3,614	822	309	230	198	5,173	458	236	225	261	563	752	915	1,284	2,037	2,015
Small-pox	0·02	16	–	–	–	–	–	–	–	–	–	3	2	3	2	2	1	3
Measles	0·32	239	52	94	26	23	17	212	21	4	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	211	10	30	30	34	28	132	65	8	1	2	2	1	–	–	–	–
Diphtheria	0·24	178	6	14	24	24	29	97	65	9	2	2	–	–	2	1	–	–
Whooping-cough	0·34	259	136	71	19	15	7	248	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
Enteric Fever	0·08	60	–	–	2	1	2	5	9	8	12	6	9	5	1	2	3	–
Simple Continued Fever	0·02	15	–	–	1	–	1	2	–	1	1	–	3	–	–	3	2	3
Diarrhœa and Dysentery	0·60	448	325	44	8	4	4	385	5	–	–	–	1	2	–	6	17	32
Cholera	0·01	7	–	2	–	–	–	2	–	–	–	–	–	–		2	2	–
Cancer	0·48	363	1	1	–	–	1	3	1	1	1	1	7	25	52	104	112	56
Tabes Mesenterica	0·21	159	105	20	5	4	4	138	8	3	2	1	1	4	1	1	–	–
Phthisis	1·39	1,045	42	13	5	–	4	64	20	23	55	112	241	216	168	86	57	3
Other Tub. and Scrof. Dis.	0·40	303	110	52	19	13	7	201	37	18	12	6	10	5	9	2	2	1
Diseases of Nervous System	2·67	2,012	431	84	33	13	13	574	39	31	24	18	66	115	143	230	429	343
Diseases of Circulatory „	1·59	1,200	11	2	–	–	2	15	13	20	22	7	35	74	125	249	392	248
Diseases of Respiratory „	3·18	2,392	653	253	94	71	63	1,134	62	13	12	20	55	84	124	197	352	333
Diseases of Digestive „	1·10	831	185	48	8	5	2	248	17	17	8	15	16	62	99	131	153	65
Diseases of Urinary „	0·60	450	6	1	2	1	1	11	10	7	5	9	17	27	50	81	129	104
Diseases of Generative „	0·01	5	1	–	–	–	–	1	–	–	–	–	–	1	1	1	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·70	529	25	14	16	12	7	74	35	40	33	32	46	51	72	65	53	28
OTHER CAUSES	4·25	3,194	1,515	79	17	10	6	1,627	34	32	33	7	52	75	65	121	333	795

Marriages - - - 10,788
Births - - - 25,111

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

13.—BEDFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·65	†117	–	–	–	–	43·23	4·36	2·94	3·83	5·18	6·75	8·54	12·01	22·81	56·06	147·87
Mean Population, 1881–91	–	84,847	1,993	1,954	1,957	1,995	1,993	9,892	9,726	9,179	8,220	7,349	11,871	9,751	7,861	5,852	3,694	1,452
Deaths from All Causes, 1881–90	16·26	13,797	2,796	725	367	217	171	4,276	424	270	315	381	801	833	944	1,335	2,071	2,147
Small-pox	0·02	21	1	1	–	–	1	3	–	–	–	2	8	5	1	–	1	1
Measles	0·22	190	26	66	32	22	18	164	21	3	1	–	1	–	–	–	–	–
Scarlet Fever	0·27	225	11	20	51	27	26	135	71	10	4	2	2	1	–	–	–	–
Diphtheria	0·19	162	5	9	18	29	18	79	63	13	1	3	3	–	–	–	–	–
Whooping-cough	0·39	334	167	90	37	19	11	324	9	1	–	–	–	–	–	–	–	–
Typhus	0·00	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Enteric Fever	0·11	92	2	–	–	2	–	4	8	13	22	11	10	10	3	7	3	1
Simple Continued Fever	0·01	11	–	–	1	–	1	2	2	2	1	–	1	1	–	–	2	–
Diarrhœa and Dysentery	0·48	403	255	52	7	1	1	316	4	2	–	–	3	1	1	11	21	44
Cholera	0·01	6	3	1	–	–	–	4	–	1	–	1	–	–	–	–	–	–
Cancer	0·81	686	–	–	1	–	–	1	1	–	3	1	19	72	162	186	177	64
Tabes Mesenterica	0·17	140	77	24	10	3	4	118	7	3	1	2	4	3	1	1	–	–
Phthisis	1·61	1,368	27	11	5	4	3	50	25	73	148	177	349	252	164	88	35	7
Other Tub. and Scrof. Dis.	0·27	230	67	24	15	10	10	126	24	27	10	11	14	9	3	2	3	1
Diseases of Nervous System	2·26	1,921	310	71	31	19	14	445	42	22	19	31	81	85	139	261	444	352
Diseases of Circulatory „	1·61	1,368	6	–	1	–	1	8	18	25	22	24	60	104	142	281	410	274
Diseases of Respiratory „	2·56	2,169	459	229	115	64	47	914	56	17	12	16	49	67	96	173	404	365
Diseases of Digestive „	0·96	818	110	52	11	7	5	185	20	19	22	17	31	63	95	125	161	80
Diseases of Urinary „	0·30	258	3	2	1	1	1	8	10	6	6	12	21	19	27	55	69	25
Diseases of Generative „	0·08	72	–	2	1	–	–	3	–	–	1	2	10	12	12	15	15	2
Puerperal Fever	0·11	94	–	–	–	–	–	–	–	–	3	21	34	35	1	–	–	–
Childbirth	0·12	101	–	–	–	–	–	–	–	–	7	18	39	36	1	–	–	–
Violence	0·21	174	25	6	8	5	7	51	15	4	5	6	6	7	14	15	24	27
OTHER CAUSES	3·19	2,951	1,242	65	22	4	3	1,336	27	29	27	23	56	50	82	115	302	904

Marriages - - - 10,783
Births - - - 23,983

Deaths from Childbirth and Puerperal Fever - - 3·97 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

14.—CAMBRIDGESHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·21	†134	–	–	–	–	47·70	4·58	2·67	3·56	5·23	6·72	9·67	13·90	26·27	57·84	147·96
Mean Population, 1881–91	–	95,061	2,418	2,258	2,415	2,381	2,484	11,956	11,692	11,221	10,152	7,558	11,821	10,056	8,095	6,339	4,232	1,939
Deaths from All Causes, 1881–91	18·06	17,168	3,868	983	403	264	185	5,703	536	300	361	395	794	972	1,125	1,665	2,448	2,869
Small-pox	0·01	10	–	–	–	–	–	–	–	–	–	2	3	1	3	1	–	–
Measles	0·23	215	49	76	38	19	7	189	24	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·21	198	12	27	33	25	26	123	44	22	7	2	–	–	–	–	–	–
Diphtheria	0·24	229	10	17	25	29	28	109	79	16	8	4	2	1	3	4	1	2
Whooping-cough	0·36	338	165	101	30	21	13	330	7	–	–	–	–	–	–	–	–	1
Typhus	0·01	6	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	2
Enteric Fever	0·13	126	2	1	1	–	–	4	16	13	17	22	25	7	15	4	3	–
Simple Continued Fever	0·02	18	–	2	–	3	–	5	4	1	1	–	–	3	1	1	1	1
Diarrhœa and Dysentery	0·45	429	275	40	13	3	3	334	6	–	1	1	1	2	5	8	21	50
Cholera	0·02	15	3	3	–	–	–	6	–	–	–	–	–	–	–	2	5	2
Cancer	0·64	612	–	–	–	1	–	1	2	1	3	3	7	46	73	192	195	89
Tabes Mesenterica	0·23	220	102	48	9	6	2	167	14	10	8	3	8	4	4	1	1	–
Phthisis	1·67	1,591	46	28	7	6	5	92	25	27	110	204	356	331	220	149	66	11
Other Tub. and Scrof. Dis.	0·41	387	103	58	23	23	15	222	60	33	21	5	12	10	10	5	9	–
Diseases of: Nervous System	2·15	2,046	385	91	46	27	18	567	42	36	37	26	48	92	133	218	434	413
Diseases of: Circulatory „	1·74	1,650	12	4	2	1	2	21	8	14	19	22	50	107	157	293	529	430
Diseases of: Respiratory „	3·02	2,872	752	285	108	66	38	1,249	81	21	18	19	56	103	161	287	446	431
Diseases of: Digestive „	1·05	997	202	76	11	4	7	300	20	14	21	9	35	74	97	156	162	109
Diseases of: Urinary „	0·58	551	9	3	6	3	–	21	8	5	5	5	22	28	61	92	166	138
Diseases of: Generative „	0·01	8	2	–	–	–	–	2	–	–	–	–	–	1	–	3	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·88	834	44	24	30	20	9	127	59	64	50	43	88	75	88	102	85	53
Other Causes	4·00	3,816	1,695	99	21	7	12	1,834	37	22	35	23	80	87	92	147	322	1,137

Marriages - - - 12,455
Births - - - 28,901

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

14.—CAMBRIDGESHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·64	†108	–	–	–	–	39·87	4·39	2·94	4·63	5·90	6·89	8·33	11·51	20·81	46·79	131·32
Mean Population, 1881–91	–	98,631	2,440	2,248	2,365	2,458	2,395	11,906	11,809	10,967	9,048	7,807	12,717	10,944	8,968	7,065	4,913	2,487
Deaths from All Causes, 1881–90	16·55	16,323	3,008	908	372	241	218	4,747	519	322	419	461	876	912	1,032	1,470	2,299	3,266
Small-pox	0·01	8	1	–	–	–	–	1	1	–	–	2	2	–	1	–	–	1
Measles	0·21	208	45	69	36	14	16	180	23	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	205	9	25	26	26	25	111	65	19	3	1	5	–	1	–	–	–
Diphtheria	0·25	246	11	13	28	25	33	110	89	22	9	4	4	4	2	–	1	1
Whooping-cough	0·42	412	201	127	30	29	13	400	11	–	1	–	–	–	–	–	–	–
Typhus	0·01	6	–	–	1	–	–	1	–	2	1	1	–	–	–	–	–	1
Enteric Fever	0·16	157	2	3	1	4	6	16	18	14	29	15	28	16	5	6	8	2
Simple Continued Fever	0·02	18	1	1	1	3	–	6	1	2	1	1	2	1	–	1	–	3
Diarrhœa and Dysentery	0·41	400	214	41	10	5	2	272	6	1	1	–	3	6	9	19	27	56
Cholera	0·01	12	3	–	–	–	1	4	1	–	1	–	2	1	–	–	2	1
Cancer	0·93	917	–	–	–	–	–	–	3	–	6	3	23	85	163	264	256	114
Tabes Mesenterica	0·20	194	83	28	14	3	3	131	14	11	14	1	10	3	4	2	3	1
Phthisis	1·66	1,636	45	26	15	4	4	94	33	84	200	229	386	271	182	102	49	6
Other Tub. and Scrof. Dis.	0·38	370	70	56	20	21	17	184	49	38	20	14	15	18	10	13	5	4
Diseases of: Nervous System	2·01	1,982	268	74	31	22	23	418	41	36	25	27	43	73	135	234	450	500
Diseases of: Circulatory „	1·67	1,646	14	3	1	2	3	23	12	18	25	24	52	85	165	284	479	479
Diseases of: Respiratory „	2·48	2,450	530	257	102	56	51	996	68	15	22	18	49	81	87	200	402	512
Diseases of: Digestive „	0·93	913	138	58	13	11	7	227	24	15	13	20	39	48	81	126	201	119
Diseases of: Urinary „	0·34	340	7	6	3	–	2	18	6	5	5	13	25	35	59	60	75	39
Diseases of: Generative „	0·10	99	1	1	–	–	–	2	–	1	–	7	12	19	18	17	20	3
Puerperal Fever	0·13	127	–	–	–	–	–	–	–	–	4	26	54	43	–	–	–	–
Childbirth	0·12	116	–	–	–	–	–	–	–	–	6	18	48	38	6	–	–	–
Violence	0·32	316	47	16	16	11	5	95	25	10	8	5	17	19	25	21	35	56
Other Causes	3·57	3,545	1,318	104	24	5	7	1,458	29	25	25	32	56	66	79	121	286	1,368

Marriages - - - 12,455
Births - - - 27,796

Deaths from Childbirth and Puerperal Fever - - 4·29 per 1000 Births of both Sexes.

* Death-rate in Standar Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

15.—ESSEX.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·05	†137	–	–	–	–	52·45	4·78	2·53	3·69	4·78	6·25	10·11	14·79	26·89	59·76	154·96
Mean Population, 1881–91	–	327,301	9,192	8,717	9,058	9,017	9,005	44,989	42,840	39,658	32,130	26,470	45,714	36,382	26,304	17,909	10,700	4,205
Deaths from All Causes, 1881–90	17·49	57,253	15,160	4,568	1,791	1,194	884	23,597	2,049	1,002	1,187	1,266	2,857	3,679	3,890	4,816	6,394	6,516
Small-pox	0·21	685	84	26	42	27	15	194	42	29	44	67	140	92	43	26	3	5
Measles	0·37	1,223	275	432	181	114	89	1,091	115	10	3	3	–	1	–	–	–	–
Scarlet Fever	0·21	693	42	105	112	103	86	448	176	31	21	3	6	5	3	–	–	–
Diphtheria	0·26	847	43	93	122	135	106	499	228	50	22	8	10	12	6	5	6	1
Whooping-cough	0·48	1,557	771	442	146	87	49	1,495	60	1	–	–	–	–	1	–	–	–
Typhus	0·00	16	–	–	–	–	–	–	3	1	2	1	4	3	1	–	1	–
Enteric Fever	0·18	603	4	5	17	12	17	55	73	77	72	88	94	57	35	37	12	3
Simple Continued Fever	0·02	50	1	1	4	2	3	11	8	4	2	1	3	1	3	4	12	1
Diarrhœa and Dysentery	0·64	2,110	1,484	260	33	21	11	1,809	12	7	5	5	15	14	14	42	68	119
Cholera	0·02	69	37	8	–	–	–	45	3	1	2	1	2	3	3	7	1	1
Cancer	0·39	1,279	2	–	2	1	1	6	3	9	5	8	30	74	223	376	377	168
Tabes Mesenterica	0·27	895	513	180	63	17	16	789	47	25	9	8	4	6	3	3	1	–
Phthisis	1·48	4,842	100	60	21	17	25	233	92	123	322	472	1,078	1,045	763	473	207	34
Other Tub. and Scrof. Dis.	0·45	1,488	475	334	121	81	55	1,066	159	73	42	25	30	31	18	28	15	1
Diseases of Nervous System	2·44	7,972	2,347	596	182	120	67	3,312	219	86	89	80	213	399	486	758	1,330	1,000
Diseases of Circulatory „	1·39	4,554	47	9	6	7	9	78	63	76	100	55	202	412	509	838	1,311	910
Diseases of Respiratory „	3·31	10,835	2,841	1,425	519	332	222	5,339	355	76	94	88	318	494	699	903	1,257	1,212
Diseases of Digestive „	0·93	3,055	799	216	49	25	25	1,114	78	54	44	46	124	234	312	397	425	227
Diseases of Urinary „	0·45	1,487	21	9	10	14	13	67	27	12	31	29	68	132	179	243	399	300
Diseases of Generative „	0·01	26	2	2	–	–	–	4	–	–	1	–	2	4	2	6	4	3
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·74	2,436	164	67	63	36	32	362	166	131	153	180	283	350	282	273	184	72
OTHER CAUSES	3·24	10,531	5,108	298	88	43	43	5,580	120	126	124	98	231	310	305	397	781	2,459

Marriages - - 39,279
Births - - - 110,578

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

15.—ESSEX.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·63	†115	–	–	–	–	44·59	4·71	2·90	4·16	4·83	6·18	8·92	12·39	23·46	51·88	140·34
Mean Population 1881–91	–	329,429	9,446	8,868	9,111	9,080	8,944	45,449	43,032	38,128	29,328	26,199	47,158	37,213	27,072	18,972	11,761	5,117
Deaths from All Causes, 1881–90	16·15	53,199	12,270	4,166	1,770	1,202	857	20,265	2,027	1,104	1,219	1,265	2,913	3,318	3,354	4,451	6,102	7,181
Small-pox	0·16	541	85	28	26	17	25	181	43	42	50	43	93	43	32	9	3	2
Measles	0·36	1,180	243	401	207	120	78	1,049	110	8	2	3	5	2	1	–	–	–
Scarlet Fever	0·22	741	21	104	125	129	82	461	203	44	12	3	10	6	1	1	–	–
Diphtheria	0·29	948	28	76	108	145	121	478	335	74	18	7	13	10	4	4	5	–
Whooping-cough	0·60	1,972	890	563	230	137	75	1,895	70	1	1	–	1	1	1	–	1	1
Typhus	0·00	11	–	–	–	–	–	–	2	2	2	–	1	2	1	–	1	–
Enteric Fever	0·17	559	5	9	10	22	15	61	65	87	76	58	92	57	33	21	8	1
Simple Continued Fever	0·02	62	1	3	2	6	4	16	13	5	4	–	5	2	6	5	3	3
Diarrhœa and Dysentery	0·57	1,874	1,273	250	30	14	6	1,573	18	8	2	3	19	16	11	38	61	125
Cholera	0·02	50	26	6	1	1	1	35	2	1	–	–	–	1	3	4	4	–
Cancer	0·69	2,286	1	1	2	–	1	5	4	1	4	3	75	259	486	620	558	271
Tabes Mesenterica	0·23	748	406	147	53	13	3	622	27	28	16	18	17	6	6	6	1	1
Phthisis	1·38	4,555	86	58	28	19	28	219	110	255	477	531	1,043	941	536	281	140	22
Other Tub. and Scrof. Dis.	0·36	1,185	335	237	107	72	51	802	140	62	44	33	45	19	19	13	5	3
Diseases of Nervous System	2·11	6,942	1,711	416	178	94	71	2,470	200	98	96	75	191	288	473	777	1,199	1,075
Diseases of Circulatory „	1·46	4,813	53	14	4	5	5	81	63	107	113	94	244	396	536	944	1,357	878
Diseases of Respiratory „	2·82	9,284	2,158	1,329	492	295	213	4,487	347	71	56	61	220	308	413	769	1,203	1,349
Diseases of Digestive „	0·88	2,891	544	194	40	22	22	822	82	58	45	48	148	240	301	406	448	293
Diseases of Urinary „	0·24	786	9	6	7	9	4	35	25	16	19	27	72	117	107	130	154	84
Diseases of Generative „	0·08	266	2	2	2	2	–	8	–	2	5	10	32	38	50	50	47	24
Puerperal Fever	0·13	435	–	–	–	–	–	–	–	–	13	89	211	121	1	–	–	–
Childbirth	0·11	370	–	–	–	–	–	–	–	–	13	48	152	147	10	–	–	–
Violence	0·25	835	184	43	31	37	17	312	46	18	31	26	48	68	56	55	57	117
Other Causes	3·00	9,865	4,209	279	87	43	35	4,653	122	116	120	85	176	230	267	317	847	2,932

Marriages 39,279
Births 107,026

Deaths from Childbirth and Puerperal Fever 3·70 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

16.—SUFFOLK.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·88	†126	–	–	–	–	46·51	3·77	2·32	3·74	5·93	7·06	9·08	13·09	25·01	56·52	155·37
Mean Population, 1881–91 -	–	172,398	4,615	4,443	4,523	4,584	4,558	22,723	22,040	20,673	17,451	12,735	20,964	17,128	14,587	11,951	8,330	3,816
Deaths from All Causes, 1881–90 - - -	18·48	31,859	7,170	1,923	739	417	319	10,568	832	479	653	755	1,480	1,556	1,910	2,989	4,708	5,929
Small-pox - - -	0·01	22	1	–	–	–	–	1	–	–	2	1	–	3	3	5	7	–
Measles - - -	0·24	409	78	144	74	46	22	364	34	8	1	1	–	–	–	1	–	–
Scarlet Fever - - -	0·10	164	10	19	32	28	17	106	44	5	3	2	–	2	1	1	–	–
Diphtheria - - -	0·14	245	9	22	26	31	23	111	91	14	9	5	7	3	2	2	–	1
Whooping-cough - -	0·39	669	353	199	57	27	15	651	15	1	1	–	–	–	1	–	–	–
Typhus - - -	0·01	10	–	1	–	–	–	1	–	4	1	1	2	–	–	–	1	–
Enteric Fever - -	0·12	199	–	2	1	4	3	10	23	18	38	27	27	17	13	18	6	2
Simple Continued Fever -	0·02	36	1	–	2	–	2	5	4	–	3	4	1	4	3	3	4	5
Diarrhœa and Dysentery -	0·50	860	466	86	22	9	7	590	5	6	–	3	2	4	12	39	88	111
Cholera - - -	0·01	16	5	1	1	–	1	8	3	–	–	–	–	1	3	1	–	–
Cancer - - - -	0·50	862	1	–	1	–	–	2	–	1	1	3	17	38	113	234	308	145
Tabes Mesenterica - -	0·25	433	244	84	16	8	1	353	32	17	5	1	7	3	4	3	8	–
Phthisis - - -	1·66	2,867	46	38	17	8	13	122	55	71	228	369	696	490	413	291	114	18
Other Tub. and Scrof. Dis. -	0·47	813	242	183	59	28	28	540	92	48	31	27	25	18	10	14	7	1
Diseases of: Nervous System - -	2·31	3,979	715	215	70	35	32	1,067	99	52	57	44	123	175	242	469	876	775
Diseases of: Circulatory ,, - -	1·71	2,945	18	4	3	2	4	31	17	29	35	41	82	153	230	593	940	794
Diseases of: Respiratory ,, - -	3·09	5,333	1,289	571	231	127	93	2,311	132	30	39	47	126	201	262	488	856	841
Diseases of: Digestive ,, - -	1·06	1,824	339	125	29	13	10	516	26	33	37	30	54	111	192	282	335	208
Diseases of: Urinary ,, - -	0·58	1,006	8	4	4	1	4	21	15	11	13	10	42	52	108	129	325	280
Diseases of: Generative ,, - -	0·01	14	1	1	–	–	–	2	–	–	–	1	1	2	3	3	1	1
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·83	1,429	86	32	40	30	23	211	81	57	87	92	157	145	148	188	169	94
Other Causes - -	4·47	7,724	3,258	192	54	20	21	3,545	64	74	62	46	111	134	147	225	663	2,653

Marriages - - - 23,356
Births - - - 56,781

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

16.—SUFFOLK.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·73	†101	–	–	–	–	38·17	3·81	3·01	4·77	5·93	6·85	9·17	11·21	21·65	49·79	140·00
Mean Population, 1881–91 -	–	181,254	4,655	4,447	4,519	4,561	4,557	22,739	22,156	20,138	16,382	14,125	23,528	19,341	16,408	13,110	8,924	4,403
Deaths from All Causes 1881–90 - - -	16·78	30,420	5,563	1,709	676	403	329	8,680	845	607	782	838	1,611	1,773	1,839	2,838	4,443	6,164
Small-pox - - -	0·01	18	1	–	–	–	–	1	–	–	3	1	2	2	–	6	1	2
Measles - - -	0·19	351	53	114	62	32	26	287	53	9	–	1	–	–	1	–	–	–
Scarlet Fever - - -	0·10	185	7	24	18	23	29	101	53	20	4	–	6	1	–	–	–	–
Diphtheria - - -	0·15	266	4	19	21	36	36	116	91	35	9	5	3	7	–	2	–	–
Whooping-cough - -	0·43	781	363	232	93	43	25	756	24	1	–	–	–	–	–	–	–	–
Typhus - - -	0·00	9	–	–	–	–	–	–	–	1	3	–	2	1	–	2	–	–
Enteric Fever - -	0·13	227	1	3	1	–	8	13	18	32	33	22	37	26	16	20	10	–
Simple Continued Fever -	0·02	35	–	1	4	1	1	7	6	5	–	2	1	1	1	8	4	–
Diarrhœa and Dysentery -	0·41	750	351	85	11	13	10	470	11	2	2	7	8	12	16	35	65	122
Cholera - - -	0·01	12	–	1	–	1	–	2	–	–	–	1	2	–	2	2	2	1
Cancer - - -	0·88	1,588	–	1	3	2	–	6	4	2	1	9	34	178	293	438	425	198
Tabes Mesenterica - -	0·22	396	192	65	23	11	5	296	24	14	18	5	6	8	5	11	8	1
Phthisis - - -	1·75	3,169	47	40	24	12	9	132	72	167	383	438	731	551	342	216	114	23
Other Tub. and Scrof. Dis. -	0·40	724	179	112	56	29	23	399	100	73	31	23	35	25	15	13	7	3
Diseases of Nervous System -	2·05	3,715	507	156	63	43	24	793	82	61	72	51	116	181	273	479	821	786
Diseases of Circulatory „ - -	1·66	3,012	16	5	3	2	1	27	16	38	46	37	105	179	254	531	995	784
Diseases of Respiratory „ - -	2·52	4,560	903	532	183	112	89	1,819	145	27	29	32	93	135	159	389	763	969
Diseases of Digestive „ - -	1·00	1,814	250	106	23	10	14	403	40	33	27	35	77	103	170	300	371	255
Diseases of Urinary „ - -	0·26	466	14	6	2	3	–	25	8	6	7	12	34	57	64	100	110	43
Diseases of Generative „ - -	0·10	185	–	–	–	–	–	–	–	–	6	6	19	33	35	34	37	15
Puerperal Fever - -	0·12	219	–	–	–	–	–	–	–	–	10	40	107	57	5	–	–	–
Childbirth - - -	0·11	195	–	–	–	–	–	–	–	–	4	30	79	77	5	–	–	–
Violence - - -	0·29	532	86	24	35	12	12	169	34	17	15	17	29	28	37	46	47	93
Other Causes - -	3·97	7,211	2,589	183	51	18	17	2,858	64	64	79	66	85	111	146	206	663	2,869

Marriages - - - 23,356
Births - - - 54,846

Deaths from Childbirth and Puerperal Fever - - 3·71 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

17.—NORFOLK.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·39	†149	–	–	–	–	51·62	4·02	2·35	3·76	5·71	6·65	9·28	13·15	24·01	54·24	153·41
Mean Population, 1881-91 -	–	216,747	5,733	5,239	5,675	5,571	5,542	27,820	26,596	25,041	21,730	16,617	27,238	22,059	18,826	15,309	10,538	4,973
Deaths from All Causes, 1881-90 - - -	18·98	41,140	10,331	2,293	782	544	412	14,362	1,069	588	817	949	1,811	2,047	2,476	3,676	5,716	7,629
Small-pox - - -	0·01	15	2	–	–	–	–	2	–	1	1	2	2	1	1	3	1	1
Measles - - -	0·22	487	115	181	79	47	30	452	26	6	1	1	1	–	–	–	–	–
Scarlet Fever - - -	0·16	341	21	33	55	59	50	218	85	21	8	5	3	1	–	–	–	–
Diphtheria - - -	0·17	370	15	18	32	36	45	146	133	37	17	6	8	9	3	3	7	1
Whooping-cough - -	0·28	612	343	173	40	25	13	594	17	–	–	–	–	–	–	1	–	–
Typhus - - -	0·00	9	–	–	–	2	–	2	–	2	2	1	2	–	–	–	–	–
Enteric Fever - -	0·20	436	4	7	14	15	10	50	56	37	65	51	71	37	30	25	12	2
Simple Continued Fever -	0·02	46	1	1	–	3	2	7	5	4	4	3	–	2	8	5	6	2
Diarrhœa and Dysentery -	0·64	1,384	939	111	23	11	10	1,094	15	1	6	1	7	8	12	24	78	138
Cholera - - -	0·01	25	6	4	1	–	–	11	2	2	–	–	2	2	–	3	2	1
Cancer - - - -	0·51	1,098	–	–	3	6	1	10	2	4	5	8	19	55	165	320	355	155
Tabes Mesenterica - -	0·20	442	256	73	21	16	10	376	20	11	4	9	4	3	4	6	4	1
Phthisis - - -	1·46	3,168	99	60	13	8	18	198	75	73	270	419	707	532	422	302	151	19
Other Tub. and Scrof. Dis. -	0·35	754	228	151	59	39	27	504	67	48	34	18	28	18	14	14	8	1
Diseases of: Nervous System - -	2·51	5,436	1,180	295	89	59	33	1,656	111	58	59	50	160	283	350	591	1,034	1,084
Diseases of: Circulatory " - -	1·66	3,594	16	4	3	1	2	26	13	38	58	54	111	232	348	629	1,134	951
Diseases of: Respiratory " - -	2·96	6,406	1,635	719	225	142	97	2,818	187	34	37	63	166	238	358	570	924	1,011
Diseases of: Digestive " - -	1·06	2,297	455	154	26	15	19	669	49	37	34	37	90	143	218	340	441	239
Diseases of: Urinary " - -	0·584	1,267	21	7	6	4	1	39	13	11	10	29	56	71	110	183	382	363
Diseases of: Generative " - -	0·01	24	7	–	–	–	–	7	–	–	1	–	–	2	2	3	7	2
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·81	1,764	86	38	36	34	20	214	104	85	124	120	193	206	186	229	202	101
OTHER CAUSES - -	5·16	11,165	4,902	264	57	22	24	5,269	89	78	77	72	181	204	245	425	968	3,557

Marriages - - - 30,404
Births - - - 69,462

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

17.—NORFOLK.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·82	†119	–	–	–	–	41·59	4·09	2·70	4·36	5·38	6·73	8·67	10·83	21·16	47·54	137·87
Mean Population, 1881–91	–	232,290	5,811	5,335	5,519	5,667	5,567	27,899	26,805	24,748	21,128	18,534	30,559	25,199	21,741	17,483	12,025	6,169
Deaths from All Causes, 1881–90	17·14	39,808	7,947	1,974	783	517	383	11,604	1,097	669	922	998	2,057	2,184	2,355	3,700	5,717	8,505
Small-pox	0·01	15	–	–	–	–	1	1	–	–	1	1	3	3	4	–	1	1
Measles	0·18	412	78	135	69	53	28	363	40	3	–	–	4	2	–	–	–	–
Scarlet Fever	0·16	372	16	35	56	48	48	203	111	32	8	3	8	4	1	2	–	–
Diphtheria	0·19	431	10	15	36	50	57	168	146	60	15	5	12	12	7	3	2	1
Whooping-cough	0·35	809	377	245	101	45	15	783	24	–	2	–	–	–	–	–	–	–
Typhus	0·01	12	–	–	–	–	–	–	1	2	3	1	3	2	–	–	–	–
Enteric Fever	0·18	422	2	6	5	11	10	34	53	59	50	48	68	42	32	20	13	3
Simple Continued Fever	0·02	55	3	1	2	3	2	11	7	4	1	1	2	2	5	6	9	7
Diarrhœa and Dysentery	0·48	1,120	688	115	17	10	8	838	13	3	6	2	3	9	12	33	67	134
Cholera	0·01	22	2	2	–	–	–	4	2	–	–	1	4	3	–	6	2	–
Cancer	0·91	2,117	–	2	3	–	–	5	3	1	3	2	52	241	447	592	524	247
Tabes Mesenterica	0·16	376	168	74	19	9	5	275	35	19	11	13	7	3	6	2	4	1
Phthisis	1·53	3,546	77	52	15	21	10	175	84	174	419	467	824	614	412	244	120	13
Other Tub. and Scrof. Dis.	0·27	616	153	98	39	19	21	330	83	43	35	30	29	26	13	11	9	7
Diseases of: Nervous System	2·18	5,064	822	195	68	44	30	1,159	104	63	75	61	121	201	319	659	1,105	1,197
Diseases of: Circulatory „	1·58	3,672	12	5	1	2	4	24	27	40	57	55	151	206	294	665	1,159	994
Diseases of: Respiratory „	2·50	5,816	1,211	563	232	137	98	2,241	203	32	44	65	110	178	201	506	997	1,239
Diseases of: Digestive „	0·96	2,238	356	127	20	10	13	526	46	51	42	40	90	136	226	360	452	269
Diseases of: Urinary „	0·25	577	19	8	3	5	3	38	16	4	13	17	51	60	59	110	128	81
Diseases of: Generative „	0·12	273	2	4	–	–	–	6	–	3	5	10	41	43	58	58	29	20
Puerperal Fever	0·14	332	–	–	–	–	–	–	–	–	19	48	179	83	3	–	–	–
Childbirth	0·13	295	–	–	–	–	–	–	–	–	17	37	121	113	7	–	–	–
Violence	0·29	663	71	33	26	20	18	168	30	13	30	23	32	44	47	55	90	131
Other Causes	4·53	10,553	3,880	259	71	30	12	4,252	69	63	66	68	142	157	202	368	1,006	4,160

Marriages 30,404
Births 66,526

Deaths from Childbirth and Puerperal Fever 4·61 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

18.—WILTSHIRE.‡—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·14	†115	–	–	–	–	39·86	3·87	2·15	3·15	4·58	6·55	9·03	14·98	27·30	59·32	157·69
Mean Population, 1881-91	–	124,254	3,217	3,094	3,214	3,233	3,129	15,887	15,501	14,621	12,870	9,565	15,761	12,815	10,638	8,530	5,646	2,420
Deaths from All Causes, 1881-90	17·20	21,368	4,307	1,115	426	267	218	6,333	600	315	405	438	1,033	1,157	1,593	2,329	3,349	3,816
Small-pox	0·01	9	–	–	–	–	–	–	–	–	–	2	1	1	1	3	–	1
Measles	0·23	281	63	89	45	22	16	235	40	5	–	1	–	–	–	–	–	–
Scarlet Fever	0·12	151	9	20	27	18	20	94	40	10	2	3	–	1	–	1	–	–
Diphtheria	0·12	149	6	11	12	15	22	66	57	13	3	4	2	1	1	2	–	–
Whooping-cough	0·23	281	144	79	27	16	7	273	8	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	98	1	2	1	4	2	10	12	9	10	12	21	8	8	5	3	–
Simple Continued Fever	0·01	10	–	–	–	–	1	1	–	–	2	–	–	1	2	1	3	–
Diarrhœa and Dysentery	0·25	308	148	28	11	5	6	198	4	1	1	1	5	9	6	11	22	50
Cholera	0·01	8	2	1	–	1	–	4	–	–	–	–	–	1	–	3	–	–
Cancer	0·44	549	–	–	–	–	–	–	3	1	–	2	5	33	77	146	185	97
Tabes Mesenterica	0·23	280	159	57	12	11	3	242	19	8	4	2	–	1	–	1	2	1
Phthisis	1·43	1,776	38	18	7	5	5	73	27	40	122	195	456	333	277	175	65	13
Other Tub. and Scrof. Dis.	0·29	365	106	57	22	14	13	212	56	18	20	12	24	11	5	4	1	2
Diseases of Nervous System	2·58	3,210	632	130	47	20	17	846	56	35	44	31	105	186	252	397	668	590
Diseases of Circulatory "	2·03	2,520	11	1	1	3	2	18	16	24	31	19	70	156	269	508	834	575
Diseases of Respiratory "	3·37	4,187	1,047	452	134	80	70	1,783	133	27	36	39	92	125	219	402	636	695
Diseases of Digestive "	1·12	1,392	273	74	14	8	5	374	30	27	30	20	42	89	174	223	251	132
Diseases of Urinary "	0·64	796	10	7	6	3	2	28	11	6	8	14	37	48	73	150	224	197
Diseases of Generative "	0·01	7	1	–	–	–	–	1	–	–	–	1	2	–	–	–	1	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·74	914	86	17	41	30	15	189	51	42	48	38	88	72	118	116	91	61
OTHER CAUSES	3·26	4,077	1,571	72	19	12	12	1,686	37	49	44	42	83	81	111	181	363	1,400

Marriages - - - 16,005
Births - - - 37,541

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

18.—WILTSHIRE.‡—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·76	†90	–	–	–	–	32·74	3·55	2·78	4·63	6·36	7·01	9·12	12·84	24·63	57·77	148·58
Mean Population, 1881–91	–	127,686	3,256	3,218	3,173	3,205	3,138	15,990	15,654	14,208	11,230	9,848	16,827	13,892	11,709	9,410	6,162	2,756
Deaths from All Causes, 1881–90	16·65	21,255	3,283	1,045	435	274	198	5,235	556	395	520	626	1,179	1,267	1,504	2,318	3,560	4,095
Small-pox	0·00	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Measles	0·22	284	47	97	53	30	9	236	27	13	1	1	4	2	–	–	–	–
Scarlet Fever	0·12	151	6	22	18	21	25	92	39	11	4	4	1	–	–	–	–	–
Diphtheria	0·14	176	4	10	15	14	18	61	75	16	9	3	6	2	4	–	–	–
Whooping-cough	0·26	334	153	103	36	19	9	320	14	–	–	–	–	–	–	–	–	–
Typhus	0·00	4	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
Enteric Fever	0·12	156	–	1	4	3	3	11	15	22	31	17	24	12	13	4	6	1
Simple Continued Fever	0·01	17	–	–	–	2	1	3	4	–	2	–	1	–	2	–	4	1
Diarrhœa and Dysentery	0·22	278	116	21	9	11	2	159	5	3	–	2	8	6	10	12	24	49
Cholera	0·00	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
Cancer	0·79	1,004	–	1	1	–	–	2	2	1	1	4	21	111	199	286	253	124
Tabes Mesenterica	0·18	231	97	45	17	4	3	166	17	12	7	13	5	3	4	2	1	1
Phthisis	1·47	1,878	32	26	9	7	6	80	43	73	220	276	471	324	207	115	62	7
Other Tub. and Scrof. Dis.	0·24	312	65	47	18	14	15	159	42	35	19	16	15	12	5	6	1	2
Diseases of Nervous System	2·43	3,098	420	98	46	31	30	625	66	62	51	43	104	159	265	446	703	574
Diseases of Circulatory „	2·19	2,797	9	3	–	1	2	15	15	37	48	36	86	148	280	532	922	678
Diseases of Respiratory „	2·96	3,785	780	392	150	73	50	1,445	102	28	23	26	87	108	163	377	716	710
Diseases of Digestive „	1·06	1,348	176	78	17	16	11	298	36	17	29	34	50	76	134	226	280	168
Diseases of Urinary „	0·39	499	14	9	2	2	1	28	8	9	11	24	39	59	69	100	93	59
Diseases of Generative „	0·10	133	–	–	–	–	1	1	–	–	6	7	17	30	21	20	20	11
Puerperal Fever	0·12	156	–	–	–	–	–	–	–	–	4	35	72	45	–	–	–	–
Childbirth	0·14	181	–	–	–	–	–	–	–	–	4	35	71	65	6	–	–	–
Violence	0·27	341	62	20	16	10	4	112	22	8	8	9	18	26	24	24	42	48
OTHER CAUSES	3·22	4,086	1,302	72	24	16	8	1,422	23	47	42	40	78	78	96	165	433	1,662

Marriages 16,005
Births 36,448

Deaths from Childbirth and Puerperal Fever 4·55 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

‡ The boundaries of this county were altered during the decennium; the mean population has, therefore, been corrected in order to obtain the true death-rate.

19.—DORSETSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·75	†107	–	–	–	–	39·00	3·64	2·18	3·56	5·48	6·32	9·65	13·58	24·40	57·45	151·93
Mean Population, 1881–91	–	91,476	2,297	2,194	2,270	2,304	2,206	11,271	10,874	10,435	9,750	7,372	12,061	9,624	7,882	6,188	4,153	1,866
Deaths from All Causes, 1881–90	16·69	15,263	2,862	869	312	204	149	4,396	396	228	347	404	762	929	1,070	1,510	2,386	2,835
Small-pox	0·01	5	1	–	–	–	–	1	–	–	–	–	1	–	2	–	1	–
Measles	0·26	242	45	89	34	24	15	207	22	6	2	4	–	1	–	–	–	–
Scarlet Fever	0·11	98	5	18	10	15	10	58	27	10	2	–	1	–	–	–	–	–
Diphtheria	0·16	142	3	9	16	20	14	62	55	14	5	–	3	2	–	–	1	–
Whooping-cough	0·21	191	95	62	15	6	7	185	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·10	88	1	2	–	–	–	3	10	6	10	14	18	6	9	7	2	3
Simple Continued Fever	0·02	17	–	–	–	2	1	3	1	3	1	2	–	–	–	2	3	2
Diarrhœa and Dysentery	0·28	252	130	25	4	–	3	162	5	2	–	2	4	6	7	7	23	34
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·47	427	–	–	–	–	1	1	1	2	4	4	12	19	67	122	118	77
Tabes Mesenterica	0·12	112	44	23	12	3	2	84	10	7	3	2	3	–	2	1	–	–
Phthisis	1·35	1,237	13	16	9	5	3	46	13	22	104	160	324	229	164	99	62	14
Other Tub. and Scrof. Dis.	0·31	282	64	57	26	12	15	174	33	19	16	10	9	10	4	6	–	1
Diseases of: Nervous System	2·49	2,280	501	104	34	20	13	672	43	21	33	34	68	110	146	241	459	453
Diseases of: Circulatory „	1·89	1,730	5	2	1	2	–	10	11	15	26	18	46	121	179	298	536	470
Diseases of: Respiratory „	3·28	3,003	678	308	94	63	32	1,175	66	20	33	29	56	124	155	274	491	580
Diseases of: Digestive „	1·05	957	146	57	13	7	8	231	13	15	12	17	40	73	94	152	193	117
Diseases of: Urinary „	0·60	545	4	5	1	2	2	14	9	4	9	10	19	47	58	95	156	124
Diseases of: Generative „	0·00	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	735	39	21	17	11	13	101	38	31	46	55	90	91	86	85	71	41
OTHER CAUSES	3·18	2,916	1,088	71	26	12	10	1,207	33	31	41	43	68	88	97	121	268	919

Marriages - - - 12,593
Births - - 26,756

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

19.—DORSETSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*13·76	†86	–	–	–	–	32·30	3·88	2·67	4·26	5·23	6·31	8·22	11·43	22·93	50·06	139·66
Mean Population, 1881–91	–	95,507	2,253	2,226	2,267	2,216	2,302	11,264	10,902	10,265	8,811	7,913	12,932	10,504	8,857	6,964	4,828	2,267
Deaths from All Causes, 1881–90	15·70	14,995	2,216	802	263	208	149	3,638	423	274	375	414	816	863	1,012	1,597	2,417	3,166
Small-pox	0·00	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·23	221	43	66	38	26	14	187	23	4	1	1	3	2	–	–	–	–
Scarlet Fever	0·11	105	7	10	12	11	12	52	32	10	3	1	4	2	1	–	–	–
Diphtheria	0·16	151	1	12	8	15	13	49	67	22	4	2	4	1	1	–	–	1
Whooping-cough	0·25	239	92	85	22	15	10	224	14	–	–	–	–	–	–	–	–	1
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·10	97	–	–	1	2	2	5	15	18	17	5	14	9	4	5	5	–
Simple Continued Fever	0·02	20	–	–	1	–	2	3	2	5	1	1	–	–	2	3	1	2
Diarrhœa and Dysentery	0·25	241	96	24	6	3	1	130	5	1	3	2	6	5	6	17	20	46
Cholera	0·00	4	1	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1
Cancer	0·79	750	–	–	1	2	–	3	1	2	3	4	14	70	153	222	175	103
Tabes Mesenterica	0·11	102	28	20	9	5	2	64	12	4	5	4	4	5	2	2	–	–
Phthisis	1·43	1,366	22	20	6	4	3	55	17	55	152	198	348	234	150	93	53	11
Other Tub. and Scrof. Dis.	0·26	247	47	40	15	10	6	118	37	26	22	10	16	6	5	2	5	–
Diseases of Nervous System	2·30	2,196	333	94	22	21	14	484	51	38	37	31	57	61	151	288	493	505
Diseases of Circulatory „	1·92	1,838	5	–	1	3	–	9	9	23	24	28	45	100	165	342	589	504
Diseases of Respiratory „	2·72	2,596	485	284	71	61	40	941	56	18	17	24	52	76	107	247	475	583
Diseases of Digestive „	1·00	953	105	53	15	9	10	192	34	8	18	13	42	61	88	159	207	131
Diseases of Urinary „	0·34	326	1	3	–	1	2	7	3	3	12	5	25	47	52	67	64	41
Diseases of Generative „	0·12	112	1	–	–	–	–	1	–	1	3	5	14	18	20	28	15	7
Puerperal Fever	0·10	91	–	–	–	–	–	–	–	–	4	20	39	27	1	–	–	–
Childbirth	0·14	135	–	–	–	–	–	–	–	–	6	17	56	54	2	–	–	–
Violence	0·24	233	31	14	12	7	8	72	14	10	4	6	10	12	21	13	21	50
Other Causes	3·11	2,970	918	77	22	13	10	1,040	31	26	39	37	62	73	81	108	293	1,180

Marriages - - - 12,593
Births - - - 25,890

Deaths from Childbirth and Puerperal Fever - - 4·29 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

20.—DEVONSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·59	†132	–	–	–	–	52·04	4·24	2·90	4·31	6·27	7·66	11·26	16·21	27·66	59·69	148·61
Mean Population, 1881–91	–	293,568	7,637	7,039	7,209	7,132	7,088	36,105	34,860	32,980	32,386	24,778	38,202	30,128	24,838	19,983	13,451	5,857
Deaths from All Causes, 1881–90	19·34	56,780	11,945	3,823	1,435	917	670	18,790	1,478	958	1,396	1,553	2,927	3,391	4,026	5,528	8,029	8,704
Small-pox	0·01	21	1	–	2	–	–	3	–	–	3	2	3	3	2	2	2	1
Measles	0·36	1,051	227	365	181	108	66	947	76	15	6	1	3	2	–	1	–	–
Scarlet Fever	0·20	601	35	91	97	103	72	398	150	31	11	3	6	–	1	1	–	–
Diphtheria	0·12	364	20	39	32	56	45	192	107	35	17	6	1	1	4	–	–	1
Whooping-cough	0·38	1,104	545	307	143	48	38	1,081	19	1	2	–	–	1	–	–	–	–
Typhus	0·01	20	–	–	–	1	1	2	1	1	3	3	4	–	4	2	–	–
Enteric Fever	0·19	566	2	6	13	9	15	45	62	66	103	72	95	55	30	22	11	5
Simple Continued Fever	0·02	66	2	1	6	2	4	15	10	5	6	3	5	6	4	6	3	3
Diarrhœa and Dysentery	0·42	1,225	804	96	25	19	5	949	13	5	1	2	9	9	18	40	79	100
Cholera	0·01	30	9	1	1	–	–	11	1	–	1	–	2	2	4	6	3	–
Cancer	0·54	1,578	–	1	2	1	–	4	1	4	5	11	39	96	230	446	466	276
Tabes Mesenterica	0·21	617	318	121	35	11	12	497	43	24	24	9	6	6	2	5	1	–
Phthisis	1·76	5,159	91	80	35	17	16	239	70	101	410	646	1,269	947	677	503	242	55
Other Tub. and Scrof. Dis.	0·46	1,346	340	273	88	63	56	820	174	94	62	56	54	28	21	17	15	5
Diseases of Nervous System	2·71	7,947	1,904	486	135	103	64	2,692	173	105	135	101	208	358	487	838	1,557	1,293
Diseases of Circulatory „	1·83	5,371	37	8	4	3	6	58	44	60	80	79	191	410	630	1,024	1,635	1,160
Diseases of Respiratory „	3·80	11,153	2,752	1,275	410	254	159	4,850	211	73	115	124	275	460	712	1,061	1,616	1,656
Diseases of Digestive „	1·14	3,340	677	279	60	24	29	1,069	67	51	72	52	116	221	319	476	553	344
Diseases of Urinary „	0·66	1,934	18	12	9	4	8	51	28	24	28	46	96	180	217	337	529	398
Diseases of Generative „	0·01	21	2	1	–	–	–	3	–	–	–	–	2	1	4	3	6	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·88	2,580	157	55	59	49	44	364	113	153	182	195	317	312	311	280	248	105
Other Causes	3·62	10,686	4,004	326	98	42	30	4,500	115	110	130	142	226	293	349	458	1,063	3,300

Marriages - - - 46,397
Births - - - 90,249

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

20.—DEVONSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*15·59	†108	–	–	–	–	43·50	4·38	3·13	4·24	5·45	6·75	8·93	12·16	23·48	52·26	138·16
Mean Population, 1881-91	–	328,744	7,558	7,018	7,195	7,253	6,960	35,984	34,740	32,960	31,243	29,826	47,163	36,542	30,861	24,401	16,914	8,110
Deaths from All Causes, 1881-90	17·38	57,133	9,358	3,367	1,450	873	605	15,653	1,523	1,031	1,325	1,626	3,183	3,265	3,752	5,730	8,840	11,205
Small-pox	0·00	11	2	–	–	–	–	2	1	–	–	2	4	1	–	–	1	–
Measles	0·34	1,108	191	409	196	113	77	986	90	13	6	2	8	2	1	–	–	–
Scarlet Fever	0·17	566	30	83	94	95	51	353	146	34	8	7	11	3	2	1	–	1
Diphtheria	0·12	404	20	38	36	67	42	203	133	30	13	2	9	4	5	3	2	–
Whooping-cough	0·37	1,232	540	363	143	93	44	1,183	47	1	–	–	–	–	–	–	–	1
Typhus	0·00	10	–	–	–	–	–	–	–	2	2	–	3	2	–	–	–	1
Enteric Fever	0·16	525	5	5	9	9	7	35	59	73	88	66	81	53	35	19	13	3
Simple Continued Fever	0·02	82	1	1	8	2	3	15	14	10	2	3	7	7	3	9	7	5
Diarrhœa and Dysentery	0·35	1,145	684	98	19	11	8	820	9	3	4	2	13	17	18	41	81	137
Cholera	0·01	27	12	3	1	1	–	17	4	–	1	1	–	–	2	1	1	–
Cancer	0·92	3,030	4	1	–	2	3	10	2	3	4	8	86	288	599	827	787	416
Tabes Mesenterica	0·17	569	235	103	46	14	11	409	42	28	17	18	29	14	4	5	3	–
Phthisis	1·66	5,468	87	74	35	27	19	242	103	240	584	777	1,345	918	579	419	227	34
Other Tub. and Scrof. Dis.	0·37	1,201	249	164	105	69	51	638	161	84	78	51	72	45	28	26	16	2
Diseases of Nervous System	2·40	7,889	1,410	362	139	64	61	2,036	143	108	97	110	198	279	533	980	1,729	1,676
Diseases of Circulatory „	1·93	6,356	23	9	3	1	3	39	52	107	96	102	229	370	642	1,263	2,014	1,442
Diseases of Respiratory „	3·04	9,991	1,952	1,112	433	219	159	3,875	224	71	60	89	209	285	422	928	1,766	2,062
Diseases of Digestive „	0·97	3,201	510	201	45	27	16	799	99	58	58	60	148	219	299	461	580	420
Diseases of Urinary „	0·31	1,029	15	5	2	1	1	24	20	20	32	46	91	124	158	180	228	106
Diseases of Generative „	0·11	364	1	1	1	–	1	4	–	2	5	25	38	76	82	68	45	19
Puerperal Fever	0·11	377	–	–	–	–	–	–	–	–	9	62	181	117	8	–	–	–
Childbirth	0·12	379	–	–	–	–	–	–	–	–	13	52	157	148	9	–	–	–
Violence	0·28	917	129	50	34	17	16	246	60	31	41	30	64	58	65	80	94	148
Other Causes	3·45	11,252	3,258	285	101	41	32	3,717	114	113	107	111	200	235	258	419	1,246	4,732

Marriages - - - 46,397
Births - - - 86,665

Deaths from Childbirth and Puerperal Fever - - } 4·27 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Bir ths.

21.—CORNWALL.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·34	†149	–	–	–	–	57·29	4·56	2·63	4·41	6·56	6·90	9·47	15·87	30·05	68·56	156·85
Mean Population, 1881–91	–	150,237	3,856	3,482	3,795	3,709	3,726	18,568	18,403	17,913	18,000	12,592	17,895	14,468	12,545	10,104	6,787	2,962
Deaths from All Causes, 1881–90	20·07	30,160	7,054	2,213	694	368	309	10,638	839	472	794	826	1,234	1,370	1,991	3,036	4,314	4,646
Small-pox	0·01	8	–	–	–	–	1	1	–	–	1	1	2	2	1	–	–	–
Measles	0·29	440	101	153	57	29	33	373	57	5	2	1	1	1	–	–	–	–
Scarlet Fever	0·18	274	17	30	44	41	35	167	75	20	5	4	3	–	–	–	–	–
Diphtheria	0·16	236	7	19	18	21	32	97	94	26	9	3	2	2	1	–	2	–
Whooping-cough	0·50	752	380	231	73	26	16	726	24	1	–	–	–	–	–	–	1	–
Typhus	0·00	6	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–	–
Enteric Fever	0·16	244	2	1	5	4	8	20	24	24	35	40	35	23	21	11	10	1
Simple Continued Fever	0·03	52	1	4	–	–	–	5	9	6	5	5	2	–	3	11	4	2
Diarrhœa and Dysentery	0·42	630	457	43	7	1	–	508	2	2	1	4	6	9	6	21	35	36
Cholera	0·01	16	3	–	–	–	–	3	–	1	–	–	–	1	3	3	4	1
Cancer	0·53	796	–	–	–	–	–	–	1	3	3	6	8	50	108	231	262	124
Tabes Mesenterica	0·22	330	139	74	18	5	3	239	29	15	18	7	10	4	3	3	2	–
Phthisis	1·88	2,820	89	53	20	11	4	177	33	49	240	342	488	379	454	441	194	23
Other Tub. and Scrof. Dis.	0·44	668	187	138	33	19	19	396	87	42	49	19	32	12	12	12	7	–
Diseases of Nervous System	2·56	3,851	953	310	73	34	35	1,405	69	52	61	51	98	133	239	409	750	584
Diseases of Circulatory "	1·65	2,474	13	3	–	1	1	18	15	34	33	45	60	139	243	492	815	580
Diseases of Respiratory "	3·60	5,409	1,277	687	214	103	77	2,358	124	27	40	55	115	186	350	630	832	692
Diseases of Digestive "	1·15	1,733	383	139	16	11	14	563	46	27	47	29	59	92	144	233	325	168
Diseases of Urinary "	0·55	825	12	4	4	4	–	24	11	10	18	19	36	38	95	135	240	199
Diseases of Generative "	0·01	9	1	–	–	–	–	1	–	–	1	1	1	1	2	–	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·86	1,296	45	28	36	28	18	155	68	66	157	123	169	168	131	120	103	36
Other Causes	4·86	7,291	2,987	296	76	30	13	3,402	71	61	66	70	107	129	175	284	726	2,200

Marriages - - - 21,631
Births - - - 47,338

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

21.—CORNWALL.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·09	†123	–	–	–	–	49·35	4·53	3·15	4·78	5·93	6·61	7·99	10·50	21·30	51·51	143·54
Mean Population, 1881–91	–	172,242	3,780	3,531	3,780	3,683	3,576	18,350	18,209	17,296	16,754	14,865	23,554	19,077	16,722	13,545	9,460	4,410
Deaths from All Causes, 1881–90	18·02	31,032	5,537	2,084	711	411	313	9,056	824	545	801	881	1,557	1,525	1,755	2,885	4,873	6,330
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	413	81	123	74	37	25	340	59	9	1	–	1	2	1	–	–	–
Scarlet Fever	0·16	279	22	35	36	30	24	147	88	22	7	9	5	1	–	–	–	–
Diphtheria	0·16	272	9	11	21	28	38	107	110	25	13	7	6	–	1	2	–	1
Whooping-cough	0·48	835	398	247	101	51	23	820	11	4	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	2	–	1	–	1	–	1	2	2	–
Enteric Fever	0·17	287	3	1	–	1	2	7	29	26	57	46	50	28	20	15	6	3
Simple Continued Fever	0·04	71	4	1	3	6	6	20	9	4	6	3	6	7	2	8	5	1
Diarrhœa and Dysentery	0·32	553	343	41	5	2	3	394	6	1	3	4	15	5	8	18	45	54
Cholera	0·00	8	1	–	–	1	–	2	1	–	–	–	1	–	–	1	2	1
Cancer	0·79	1,356	–	2	1	1	–	4	1	–	5	4	25	126	264	381	374	172
Tabes Mesenterica	0·21	357	118	89	30	8	9	254	18	27	18	13	9	6	5	3	3	1
Phthisis	1·67	2,875	72	86	27	6	10	201	37	144	353	425	649	418	292	226	114	16
Other Tub. and Scrof. Dis.	0·33	570	92	102	30	17	22	263	72	61	56	28	42	25	16	4	1	2
Diseases of Nervous System	2·36	4,058	726	238	47	35	32	1,078	79	42	65	60	104	152	248	493	941	796
Diseases of Circulatory „	1·66	2,853	14	5	–	2	3	24	20	35	38	42	101	148	272	554	950	669
Diseases of Respiratory „	2·80	4,823	941	639	201	125	72	1,978	129	40	36	44	101	124	186	448	880	857
Diseases of Digestive „	1·01	1,734	272	115	19	13	9	428	51	31	30	32	82	91	143	253	374	219
Diseases of Urinary „	0·30	513	4	4	3	8	–	19	4	6	15	22	36	57	59	103	118	74
Diseases of Generative „	0·10	171	–	1	–	–	–	1	–	1	5	6	23	32	44	24	27	8
Puerperal Fever	0·10	180	–	–	–	–	–	–	–	–	5	27	84	60	4	–	–	–
Childbirth	0·15	250	–	–	–	–	–	–	–	–	14	43	95	94	4	–	–	–
Violence	0·22	384	46	15	22	13	10	106	32	14	16	8	18	16	28	33	43	70
Other Causes	4·74	8,181	2,391	329	91	27	25	2,863	66	53	57	58	103	133	157	317	988	3,386

Marriages - - - 21,631
Births - - - 44,879

Deaths from Childbirth and Puerperal Fever - - 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

22.—SOMERSETSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·61	†124	–	–	–	–	44·60	4·09	2·37	3·89	5·38	7·25	10·69	16·37	30·01	64·25	152·01
Mean Population, 1881–91 -	–	235,016	6,215	5,983	6,182	6,219	6,160	30,759	29,849	28,747	24,569	17,777	29,422	24,210	19,909	15,135	10,036	4,603
Deaths from All Causes, 1881–90 - - -	18·51	43,500	9,240	2,416	918	664	479	13,717	1,220	681	956	957	2,134	2,588	3,260	4,542	6,448	6,997
Small-pox - - -	0·02	38	5	–	–	–	–	5	2	3	3	3	9	7	5	1	–	–
Measles - - -	0·34	808	185	278	106	84	52	705	87	10	–	3	1	1	–	1	–	–
Scarlet Fever - - -	0·18	432	27	63	64	60	53	267	122	26	7	3	6	1	–	–	–	–
Diphtheria - - -	0·14	339	12	29	29	52	51	173	110	29	12	4	4	1	3	3	–	–
Whooping-cough - -	0·28	648	346	174	53	34	13	620	27	1	–	–	–	–	–	–	–	–
Typhus - - -	0·01	13	–	–	–	1	1	2	1	2	3	2	1	–	–	1	1	–
Enteric Fever - -	0·10	242	2	1	7	2	2	14	27	25	39	36	36	24	18	11	9	3
Simple Continued Fever -	0·02	41	2	5	1	2	2	12	7	8	2	–	1	2	3	–	3	3
Diarrhœa and Dysentery -	0·38	895	552	86	17	10	3	668	9	5	–	2	7	9	18	27	65	85
Cholera - - -	0·01	15	4	–	–	1	2	7	–	–	–	–	1	2	2	2	1	–
Cancer - - - -	0·49	1,149	1	1	4	2	1	9	3	4	5	6	27	71	175	337	354	158
Tabes Mesenterica - -	0·17	408	189	87	22	10	11	319	32	16	7	8	10	6	5	2	2	1
Phthisis - - -	1·43	3,356	39	24	17	4	6	90	42	66	259	420	881	697	494	276	109	22
Other Tub. and Scrof. Dis. -	0·37	866	233	155	45	33	27	493	116	62	55	40	34	28	16	7	12	3
Diseases of: Nervous System - -	2·65	6,218	1,569	291	119	77	31	2,087	138	69	70	62	170	305	441	685	1,243	948
Diseases of: Circulatory „ - -	1·94	4,570	25	9	4	3	8	49	32	45	80	54	168	356	506	944	1,397	939
Diseases of: Respiratory „ - -	3·45	8,099	2,042	790	287	184	117	3,420	180	44	71	68	227	328	521	819	1,238	1,183
Diseases of: Digestive „ - -	1·13	2,666	500	163	28	21	21	733	66	51	57	38	103	178	301	450	444	245
Diseases of: Urinary „ - -	0·64	1,506	16	16	6	7	5	50	15	16	27	36	78	136	188	276	392	292
Diseases of: Generative „ - -	0·01	21	2	–	–	–	–	2	–	–	–	–	–	1	3	5	9	1
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·90	2,120	125	55	60	51	42	333	106	110	133	106	216	245	287	282	194	108
Other Causes - -	3·85	9,050	3,364	189	49	26	31	3,659	98	89	126	66	154	190	274	413	975	3,006

Marriages - - - 32,556
Births - - - 74,670

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

22.—SOMERSETSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·46	†96	–	–	–	–	35·83	4·06	2·69	4·08	5·15	6·10	8·70	12·60	23·89	53·14	137·19
Mean Population, 1881–91	–	265,323	6,320	5,986	6,119	6,229	6,191	30,845	29,757	28,249	25,372	22,787	36,357	29,223	24,458	18,827	13,046	6,402
Deaths from All Causes, 1881–90	16·31	43,279	6,869	2,248	921	589	426	11,053	1,208	759	1,034	1,174	2,216	2,541	3,081	4,498	6,932	8,783
Small-pox	0·01	33	4	–	–	–	–	4	1	1	5	10	7	4	1	–	–	–
Measles	0·28	752	134	256	126	66	52	634	91	13	4	4	2	4	–	–	–	–
Scarlet Fever	0·17	451	26	54	60	70	61	271	119	39	8	5	7	2	–	–	–	–
Diphtheria	0·15	400	9	21	40	55	45	170	141	55	11	6	6	4	1	4	2	–
Whooping-cough	0·29	777	337	243	89	45	28	742	32	1	–	–	–	–	–	–	1	1
Typhus	0·00	9	–	–	–	–	–	–	–	1	2	2	2	–	–	1	1	–
Enteric Fever	0·11	286	–	5	–	6	3	14	33	29	55	46	45	19	15	15	12	3
Simple Continued Fever	0·02	56	1	1	3	2	1	8	6	6	7	4	2	2	4	8	4	5
Diarrhœa and Dysentery	0·26	680	342	82	12	15	9	460	13	3	6	7	10	12	8	21	57	83
Cholera	0·00	11	2	2	–	–	–	4	–	–	–	–	–	3	–	2	1	1
Cancer	0·83	2,197	1	1	3	2	–	7	1	4	2	5	51	214	495	584	566	268
Tabes Mesenterica	0·14	366	133	73	21	6	8	241	32	19	23	16	17	6	5	3	4	–
Phthisis	1·28	3,407	40	39	9	11	3	102	62	128	413	533	878	601	381	208	85	16
Other Tub. and Scrof. Dis.	0·29	769	159	116	38	40	24	377	103	75	67	32	46	35	13	12	6	3
Diseases of Nervous System	2·21	5,874	1,056	226	92	55	30	1,459	133	95	97	71	152	240	438	773	1,229	1,187
Diseases of Circulatory „	1·99	5,281	19	3	2	1	2	27	34	63	68	67	191	321	588	1,038	1,674	1,210
Diseases of Respiratory „	2·84	7,536	1,427	766	290	138	106	2,728	205	53	47	56	147	249	346	766	1,393	1,546
Diseases of Digestive „	0·97	2,565	325	132	28	13	14	512	72	40	50	54	110	187	289	426	505	320
Diseases of Urinary „	0·33	867	10	5	6	3	2	26	10	12	23	30	68	129	139	165	166	99
Diseases of Generative „	0·10	265	1	1	1	–	1	4	–	4	10	7	35	54	51	40	45	15
Puerperal Fever	0·12	313	–	–	–	–	–	–	–	–	12	60	127	109	5	–	–	–
Childbirth	0·12	306	–	–	–	–	–	–	–	–	8	41	118	124	15	–	–	–
Violence	0·30	802	119	50	47	30	22	268	49	30	24	24	36	46	48	67	99	111
Other Causes	3·50	9,276	2,724	172	54	30	15	2,995	71	88	92	94	159	176	239	365	1,082	3,915

Marriages - - - 32,556
Births - - - 71,838

Deaths from Childbirth and Puerperal Fever - - 4·23 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

23.—GLOUCESTERSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·09	†138	–	–	–	–	52·26	4·53	2·66	3·74	5·52	7·52	11·12	17·05	31·36	66·21	160·45
Mean Population, 1881–91	–	250,484	6,723	6,181	6,541	6,585	6,443	32,473	31,479	30,302	26,082	19,854	33,165	27,087	21,114	15,500	9,524	3,904
Deaths from All Causes, 1881–90	19·09	47,808	11,196	3,104	1,257	804	610	16,971	1,425	805	975	1,095	2,495	3,011	3,600	4,861	6,306	6,264
Small-pox	0·03	79	5	1	–	1	2	9	3	3	9	12	12	13	5	5	6	2
Measles	0·40	1,004	210	375	173	107	56	921	71	6	3	–	1	2	–	–	–	–
Scarlet Fever	0·32	807	49	116	133	138	105	541	198	41	14	4	3	4	2	–	–	–
Diphtheria	0·09	225	14	19	22	24	25	104	79	21	3	3	5	2	3	3	2	–
Whooping-cough	0·35	883	413	264	113	44	28	862	18	–	–	–	1	–	1	–	1	–
Typhus	0·01	15	–	–	–	–	–	–	–	2	1	1	3	1	2	3	1	1
Enteric Fever	0·15	381	3	4	6	5	7	25	26	52	58	56	74	46	18	18	6	2
Simple Continued Fever	0·02	44	1	4	3	2	–	10	5	5	2	4	4	1	1	1	8	3
Diarrhœa and Dysentery	0·46	1,161	779	122	22	17	4	944	8	1	3	6	11	10	16	43	51	68
Cholera	0·01	16	2	–	1	1	1	5	1	–	–	–	2	2	3	1	1	1
Cancer	0·46	1,149	3	–	2	5	2	12	7	6	8	6	34	80	177	322	338	159
Tabes Mesenterica	0·22	540	302	92	29	18	14	455	35	16	8	5	8	6	4	–	3	–
Phthisis	1·54	3,862	75	44	18	13	11	161	57	64	271	453	971	847	575	319	128	16
Other Tub. and Scrof. Dis.	0·40	1,014	263	213	79	45	47	647	143	66	35	27	27	24	25	14	6	–
Diseases of: Nervous System	2·71	6,785	1,799	303	115	75	51	2,343	164	96	82	78	217	396	492	848	1,191	878
Diseases of: Circulatory „	1·80	4,500	23	8	4	5	2	42	53	64	70	74	208	360	621	940	1,257	811
Diseases of: Respiratory „	3·62	9,062	2,444	1,011	376	173	156	4,160	216	59	75	71	220	334	612	948	1,274	1,093
Diseases of: Digestive „	1·07	2,691	612	191	34	20	25	882	53	46	58	50	112	191	260	389	444	206
Diseases of: Urinary „	0·67	1,679	17	11	11	8	9	56	20	18	30	28	104	141	234	319	429	300
Diseases of: Generative „	0·01	25	3	1	1	–	–	5	–	–	–	1	3	3	3	1	8	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·94	2,365	123	71	67	63	45	369	171	138	141	134	305	285	243	272	191	116
Other Causes	3·81	9,521	4,056	254	48	40	20	4,418	97	101	104	82	170	263	303	415	961	2,607

Marriages - - - 40,939
Births - - - 81,358

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

23.—GLOUCESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*15·75	†110	–	–	–	–	42·37	4·38	3·02	4·01	4·88	6·37	9·55	13·42	25·13	55·42	142·07
Mean Population, 1881–91	–	286,542	7,018	6,415	6,565	6,627	6,493	33,118	31,552	30,336	28,609	26,213	41,174	32,120	25,941	19,192	12,539	5,748
Deaths from All Causes, 1881–90	16·71	47,867	8,591	2,826	1,216	824	576	14,033	1,381	915	1,147	1,280	2,624	3,067	3,482	4,823	6,949	8,166
Small-pox	0·02	45	4	–	3	–	1	8	4	1	4	8	10	7	2	1	–	–
Measles	0·33	943	167	333	176	92	57	825	86	11	5	4	7	1	1	3	–	–
Scarlet Fever	0·26	752	42	104	98	131	102	477	198	47	5	10	11	4	–	–	–	–
Diphtheria	0·09	251	7	22	29	37	31	126	81	20	6	1	7	6	3	1	–	–
Whooping-cough	0·36	1,028	428	306	124	81	41	980	45	1	–	–	1	1	–	–	–	–
Typhus	0·01	15	–	–	–	–	1	1	1	2	1	–	–	2	4	2	2	–
Enteric Fever	0·12	352	5	4	2	6	7	24	39	53	64	32	52	41	17	20	9	1
Simple Continued Fever	0·01	39	–	1	4	2	3	10	7	4	1	–	8	–	1	4	4	–
Diarrhœa and Dysentery	0·37	1,061	634	116	24	12	5	791	11	5	1	8	8	11	14	30	79	103
Cholera	0·00	14	3	1	–	–	–	4	1	1	1	–	2	–	1	1	3	–
Cancer	0·85	2,433	2	–	2	2	1	7	4	9	7	8	66	296	506	660	594	276
Tabes Mesenterica	0·17	488	217	72	27	9	9	334	31	34	30	16	17	9	6	6	4	1
Phthisis	1·43	4,086	66	43	24	17	17	167	86	202	448	551	1,032	771	484	231	94	20
Other Tub. and Scrof. Dis.	0·31	888	164	132	63	48	32	439	141	96	73	38	40	16	20	14	9	2
Diseases of Nervous System	2·25	6,452	1,357	231	102	54	51	1,795	134	98	104	74	178	290	475	813	1,343	1,148
Diseases of Circulatory „	1·78	5,114	11	4	1	6	5	27	46	87	90	94	214	371	620	1,003	1,505	1,057
Diseases of Respiratory „	3·06	8,761	1,769	988	367	233	128	3,485	220	50	59	79	207	295	418	905	1,482	1,561
Diseases of Digestive „	0·96	2,761	411	164	39	20	20	654	63	42	52	56	118	214	346	421	506	289
Diseases of Urinary „	0·36	1,030	12	7	5	4	7	35	13	16	21	43	68	131	177	208	219	99
Diseases of Generative „	0·10	299	–	5	–	1	–	6	–	1	9	16	37	70	61	50	33	16
Puerperal Fever	0·14	402	–	–	–	–	–	–	–	–	22	76	183	117	4	–	–	–
Childbirth	0·12	342	–	–	–	–	–	–	–	–	10	46	123	157	6	–	–	–
Violence	0·31	889	104	59	54	33	34	284	68	26	31	13	41	54	70	73	94	135
Other Causes	3·30	9,422	3,188	234	72	36	24	3,554	102	109	103	107	194	203	246	377	969	3,458

Marriages - - - 40,939
Births - - - 78,337

Deaths from Childbirth and Puerperal Fever - - 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

24.—HEREFORDSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·87	†120	–	–	–	–	40·46	3·91	2·16	3·47	5·59	6·38	10·10	15·39	30·53	63·43	164·90
Mean Population, 1881-91	–	56,734	1,370	1,229	1,410	1,365	1,386	6,760	6,860	6,750	5,564	4,113	6,931	6,171	5,432	4,320	2,702	1,131
Deaths from All Causes, 1881-90	18·28	10,371	1,908	413	188	129	97	2,735	268	146	193	230	442	623	836	1,319	1,714	1,865
Small-pox	0·01	6	1	–	–	–	–	1	–	–	–	–	–	2	2	1	–	–
Measles	0·27	154	39	39	15	16	20	129	19	3	–	–	–	3	–	–	–	–
Scarlet Fever	0·20	115	6	18	20	11	9	64	35	14	2	–	–	–	–	–	–	–
Diphtheria	0·13	73	3	5	5	10	7	30	25	8	6	–	–	–	1	3	–	–
Whooping-cough	0·19	110	63	22	12	4	3	104	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Enteric Fever	0·07	38	2	–	–	–	1	3	2	1	4	7	5	4	7	4	1	–
Simple Continued Fever	0·01	8	1	–	–	–	–	1	4	2	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·31	177	108	13	5	1	3	130	3	–	–	–	3	–	1	9	13	18
Cholera	0·01	5	2	1	–	–	–	3	–	–	–	–	–	–	–	–	2	–
Cancer	0·53	300	–	–	–	1	–	1	–	–	1	8	5	15	39	89	100	42
Tabes Mesenterica	0·14	82	30	12	7	1	4	54	11	6	5	2	1	1	2	–	–	–
Phthisis	1·21	684	10	4	2	3	2	21	8	14	62	86	159	136	104	68	20	6
Other Tub. & Scrof. Dis.	0·26	148	38	21	10	10	4	83	15	11	11	7	8	3	3	5	2	–
Diseases of Nervous System	3·00	1,703	394	46	24	13	6	483	22	12	21	18	39	89	142	254	337	286
Diseases of Circulatory „	2·22	1,258	5	2	1	–	1	9	18	7	17	21	39	77	152	300	356	262
Diseases of Respiratory „	3·31	1,876	370	152	50	39	13	624	42	10	13	20	51	109	132	233	338	304
Diseases of Digestive „	1·08	610	126	31	6	4	3	170	10	10	5	10	16	42	61	97	115	74
Diseases of Urinary „	0·65	367	6	1	1	2	1	11	3	2	4	8	8	35	66	78	86	66
Diseases of Generative „	0·01	4	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·90	513	21	12	15	9	14	71	21	26	22	25	58	60	67	66	64	33
Other Causes	3·77	2,138	681	34	15	5	6	741	24	20	19	18	49	47	55	111	280	774

Marriages - - - 6,818
Births - - - 15,896

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

24.—HEREFORDSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·19	†97	–	–	–	–	33·30	4·33	2·86	4·09	5·30	6·82	8·98	11·19	23·08	52·21	140·71
Mean Population, 1881–91	–	59,012	1,405	1,311	1,410	1,383	1,365	6,874	6,829	6,543	5,429	4,677	7,624	6,428	5,673	4,407	3,032	1,496
Deaths from All Causes, 1881–90	16·40	9,679	1,510	390	166	122	101	2,289	296	187	222	248	520	577	635	1,017	1,583	2,105
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	127	20	38	25	11	9	103	14	5	2	2	–	1	–	–	–	–
Scarlet Fever	0·21	121	4	11	12	19	9	55	40	18	1	4	1	2	–	–	–	–
Diphtheria	0·11	67	–	2	10	7	8	27	22	11	–	1	1	3	2	–	–	–
Whooping-cough	0·27	157	77	37	13	11	7	145	11	1	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·05	32	–	–	1	–	–	1	2	3	2	5	5	6	3	3	1	1
Simple Continued Fever	0·02	13	–	–	–	1	–	1	1	3	1	1	2	1	–	–	2	1
Diarrhœa and Dysentery	0·31	183	90	21	4	2	2	119	3	1	1	1	2	2	1	12	15	26
Cholera	0·00	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Cancer	0·88	520	–	–	–	1	–	1	2	1	–	1	12	54	113	137	130	69
Tabes Mesenterica	0·14	85	38	13	3	2	2	58	14	4	3	2	2	2	–	–	–	–
Phthisis	1·29	762	14	3	5	4	1	27	19	36	89	118	197	142	71	43	16	4
Other Tub. and Scrof. Dis.	0·22	130	20	23	4	4	6	57	23	15	10	4	8	3	3	3	2	2
Diseases of Nervous System	2·26	1,332	246	48	20	11	10	335	35	19	19	24	29	46	95	181	281	268
Diseases of Circulatory „	2·19	1,290	2	3	–	1	–	6	11	19	10	20	50	86	113	280	416	279
Diseases of Respiratory „	2·67	1,574	296	126	45	32	23	522	51	9	22	16	41	46	75	142	295	355
Diseases of Digestive „	0·95	558	90	27	4	4	3	128	13	11	16	8	20	50	[illegible]	83	101	62
Diseases of Urinary „	0·23	133	2	–	2	–	4	8	2	1	5	5	9	19	18	22	24	20
Diseases of Generative „	0·13	74	1	–	–	–	–	1	–	–	5	1	9	12	19	11	12	4
Puerperal Fever	0·13	78	–	–	–	–	–	–	–	–	2	9	40	27	–	–	–	–
Childbirth	0·12	72	–	–	–	–	–	–	–	–	1	6	39	25	1	–	–	–
Violence	0·31	185	15	6	10	7	8	46	17	5	5	7	13	9	10	16	26	31
OTHER CAUSES	3·69	2,183	595	32	8	5	8	648	15	24	28	13	40	41	45	84	262	983

Marriages - - - 6,818
Births - - - 15,538

Deaths from Childbirth and Puerperal Fever - - 4·77 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

25.—SHROPSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·18	†130	–	–	–	–	44·00	4·25	2·29	3·18	5·14	7·04	9·59	14·47	28·64	63·37	164·73
Mean Population, 1881–91 -	–	129,500	3,187	3,027	3,242	3,184	3,289	15,929	15,616	15,070	13,677	10,165	16,076	13,627	11,810	9,245	5,878	2,407
Deaths from All Causes, 1881–90 - - - -	18·12	23,459	4,938	1,099	467	282	222	7,008	664	345	435	522	1,131	1,307	1,709	2,648	3,725	3,965
Small-pox - - -	0·01	10	1	–	–	–	–	1	–	–	2	2	1	3	1	–	–	–
Measles - - - -	0·19	244	58	81	36	19	17	211	25	3	1	–	3	1	–	–	–	–
Scarlet Fever - - -	0·21	270	19	38	51	42	24	174	71	10	3	5	1	3	2	–	–	1
Diphtheria - - -	0·16	211	10	16	27	18	21	92	71	17	15	6	1	3	2	4	–	–
Whooping-cough - -	0·25	329	187	85	20	19	11	322	6	1	–	–	–	–	–	–	–	–
Typhus - - - -	0·01	9	–	–	–	–	1	1	–	1	1	1	1	1	1	2	–	–
Enteric Fever - -	0·13	171	2	3	6	3	7	21	20	13	18	21	14	26	13	14	11	–
Simple Continued Fever -	0·01	14	1	1	1	1	1	5	2	1	1	–	1	1	1	–	1	1
Diarrhœa and Dysentery -	0·40	520	304	40	10	2	3	359	3	1	2	1	4	2	11	21	43	73
Cholera - - - -	0·00	5	1	–	1	–	–	2	1	–	–	–	–	–	1	1	–	–
Cancer - - -	0·54	702	–	–	–	1	–	1	1	3	1	2	12	37	109	197	236	103
Tabes Mesenterica - -	0·17	217	124	34	14	6	5	183	7	7	3	4	6	1	1	3	2	–
Phthisis - - -	1·37	1,771	21	26	5	5	4	61	34	32	98	193	474	323	267	197	80	12
Other Tub. and Scrof. Dis. -	0·31	397	112	62	32	14	13	233	55	31	21	12	21	9	6	5	3	1
Diseases of: Nervous System - -	2·46	3,181	826	124	34	32	6	1,042	73	56	32	47	102	150	198	340	646	495
Diseases of: Circulatory „ - -	1·83	2,374	13	3	3	1	1	21	16	24	32	28	89	133	232	493	727	579
Diseases of: Respiratory „ - -	3·51	4,548	1,052	408	148	61	44	1,713	105	22	32	44	102	166	287	550	777	750
Diseases of: Digestive „ - -	1·21	1,564	302	60	14	8	5	389	38	27	33	28	45	110	168	265	289	172
Diseases of: Urinary „ - -	0·63	816	12	8	3	3	2	28	11	6	15	15	39	70	80	157	216	179
Diseases of: Generative „ - -	0·01	7	2	–	–	–	–	2	–	–	–	–	–	–	1	1	1	2
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·97	1,258	41	38	37	27	22	165	69	56	79	67	132	155	182	159	124	70
OTHER CAUSES - -	3·74	4,841	1,850	72	25	20	15	1,982	56	34	46	46	82	113	146	239	569	1,527

Marriages - - - 15,704
Births - - - 37,967

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

25.—SHROPSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·89	†103	–	–	–	–	35·96	4·28	2·74	4·15	5·67	7·29	8·95	11·60	23·12	55·85	147·96
Mean Population, 1881–91	–	130,827	3,207	2,979	3,187	3,149	3,217	15,739	15,686	14,688	12,148	10,138	16,947	14,341	12,327	9,481	6,363	2,969
Deaths from All Causes, 1881–90	16·74	21,900	3,747	1,000	416	276	220	5,659	671	402	504	575	1,236	1,284	1,430	2,192	3,554	4,393
Small-pox	0·00	5	1	–	–	–	–	1	–	–	2	–	–	1	1	–	–	–
Measles	0·17	225	52	63	32	18	10	175	36	5	–	3	2	3	1	–	–	–
Scarlet Fever	0·20	258	17	36	33	34	30	150	83	9	2	4	5	4	1	–	–	–
Diphtheria	0·17	226	4	13	22	24	28	91	91	26	1	4	5	3	2	2	1	–
Whooping-cough	0·31	404	185	118	50	21	16	390	13	1	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	–	1	2	–	2	1	1	2	–	–
Enteric Fever	0·16	215	–	3	3	5	4	15	30	20	26	20	37	21	23	16	6	1
Simple Continued Fever	0·01	16	–	–	1	1	1	3	3	1	2	–	–	–	–	3	2	2
Diarrhœa and Dysentery	0·36	477	229	40	10	6	3	288	7	2	–	2	10	9	7	25	47	80
Cholera	0·00	5	1	1	–	–	–	2	–	–	–	–	–	–	–	1	2	–
Cancer	0·86	1,131	–	2	1	2	–	5	3	3	3	1	37	112	245	282	311	129
Tabes Mesenterica	0·13	172	80	40	10	1	2	133	7	7	5	5	3	4	2	4	2	–
Phthisis	1·37	1,793	19	18	10	8	6	61	44	91	215	243	484	304	177	112	51	11
Other Tub. and Scrof. Dis.	0·28	368	80	44	22	17	14	177	63	44	24	15	16	13	10	3	3	–
Diseases of Nervous System	2·20	2,875	599	104	49	27	25	804	58	39	36	35	74	115	187	334	590	603
Diseases of Circulatory „	2·04	2,666	6	2	1	–	1	10	24	32	39	38	90	152	252	513	875	641
Diseases of Respiratory „	2·79	3,656	765	338	108	67	46	1,324	101	37	34	28	99	115	175	353	638	752
Diseases of Digestive „	1·07	1,401	230	60	11	7	12	320	31	22	36	35	57	85	127	233	295	160
Diseases of Urinary „	0·29	385	11	5	4	3	3	26	9	7	8	15	28	40	48	62	95	47
Diseases of Generative „	0·10	126	1	1	–	–	–	2	–	–	4	5	17	26	29	14	18	11
Puerperal Fever	0·17	218	–	–	–	–	–	–	–	–	5	38	106	66	3	–	–	–
Childbirth	0·15	193	–	–	–	–	–	–	–	–	3	28	66	89	7	–	–	–
Violence	0·31	408	54	30	25	24	7	140	32	17	11	13	13	21	20	32	43	66
Other Causes	3·59	4,668	1,413	82	24	11	12	1,542	36	38	46	43	85	100	112	201	575	1,890

Marriages - - 15,704
Births - - - 36,464

Deaths from Childbirth and Puerperal Fever - 5·52 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age i per 1000 Births.

26.—STAFFORDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*21·27	†171	–	–	–	–	67·21	4·98	2·77	3·87	4·98	7·03	12·06	20·03	38·33	78·66	170·25
Mean Population, 1881-91	–	527,981	16,124	14,315	14,856	14,353	14,644	74,292	68,258	61,878	56,274	46,664	74,668	57,227	42,022	27,861	14,209	4,628
Deaths from All Causes, 1881-90	20·80	109,844	33,384	9,392	3,606	2,112	1,438	49,932	3,397	1,711	2,177	2,323	5,251	6,900	8,417	10,680	11,177	7,879
Small-pox	0·06	302	38	12	6	7	3	66	22	16	42	42	58	36	12	7	1	–
Measles	0·51	2,711	639	1,055	453	256	145	2,548	151	8	1	–	1	2	–	–	–	–
Scarlet Fever	0·37	1,970	131	315	351	316	233	1,346	525	71	5	13	5	3	2	–	–	–
Diphtheria	0·08	405	33	39	49	55	46	222	114	30	13	4	10	4	1	6	1	–
Whooping-cough	0·38	1,991	974	592	207	116	47	1,936	51	1	2	–	–	–	–	1	–	–
Typhus	0·01	35	–	–	1	1	1	3	2	3	7	3	5	4	4	3	–	1
Enteric Fever	0·21	1,110	9	19	24	19	33	104	122	124	157	151	185	112	93	45	16	1
Simple Continued Fever	0·02	129	9	13	13	8	6	49	19	16	4	5	8	5	6	8	6	3
Diarrhœa and Dysentery	0·89	4,692	3,184	729	141	51	30	4,135	43	7	12	5	19	15	49	97	157	153
Cholera	0·01	52	9	3	1	–	–	13	5	–	–	–	4	7	10	11	2	–
Cancer	0·35	1,843	2	2	3	–	4	11	11	7	11	13	50	142	357	583	519	139
Tabes Mesenterica	0·37	1,935	1,100	431	154	46	33	1,764	75	27	17	11	10	10	12	7	2	–
Phthisis	1·41	7,456	177	122	57	17	25	398	122	160	505	776	1,645	1,710	1,244	670	209	17
Other Tub. and Scrof. Dis.	0·34	1,819	581	366	172	86	57	1,262	194	82	81	53	59	40	24	16	6	2
Diseases of: Nervous System	2·87	15,158	6,029	1,081	385	204	149	7,848	453	213	188	171	426	757	932	1,523	1,748	899
Diseases of: Circulatory "	1·30	6,887	27	18	5	6	4	60	93	124	177	180	425	723	1,107	1,623	1,651	724
Diseases of: Respiratory "	4·61	24,334	6,192	2,947	1,078	551	350	11,118	535	139	198	272	809	1,436	2,289	3,152	2,941	1,445
Diseases of: Digestive "	1·15	6,050	1,694	626	106	54	55	2,535	124	104	118	119	257	435	651	839	647	221
Diseases of: Urinary "	0·48	2,514	54	49	42	37	28	210	98	39	42	48	165	261	335	468	566	282
Diseases of: Generative "	0·01	46	9	3	2	–	–	14	–	1	2	–	7	5	5	4	7	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·98	5,187	214	139	160	185	129	827	403	326	362	289	673	619	630	547	351	160
OTHER CAUSES	4·39	23,218	12,279	831	196	97	60	13,463	235	213	233	168	430	574	654	1,070	2,347	3,831

Marriages - - - 80,280
Births - - - 194,784

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

26.—STAFFORDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·79	†140	–	–	–	–	56·09	4·69	2·78	4·17	5·67	7·45	10·35	14·96	30·42	65·78	152·04
Mean Population, 1881–91	–	527,124	16,139	14,619	15,012	14,796	14,721	75,287	69,098	61,376	52,306	46,048	73,806	56,475	42,533	28,629	15,866	5,700
Deaths from All Causes, 1881–90	18·49	97,487	26,341	8,886	3,477	2,062	1,465	42,231	3,243	1,705	2,181	2,611	5,500	5,843	6,362	8,708	10,437	8,666
Small-pox	0·05	242	28	8	9	7	7	59	25	20	34	31	34	18	15	5	1	–
Measles	0·50	2,632	520	1,006	474	278	156	2,434	179	13	1	1	4	–	–	–	–	–
Scarlet Fever	0·35	1,863	114	279	336	282	223	1,234	521	65	12	8	13	7	2	1	–	–
Diphtheria	0·08	433	20	44	49	51	55	219	143	33	16	4	9	4	–	3	1	1
Whooping-cough	0·47	2,489	1,082	789	323	151	76	2,421	65	2	–	–	–	1	–	–	–	–
Typhus	0·00	23	–	–	2	1	1	4	2	4	3	3	1	4	2	–	–	–
Enteric Fever	0·20	1,035	3	18	22	26	32	101	158	168	155	108	147	85	58	36	18	1
Simple Continued Fever	0·02	122	5	13	4	8	7	37	23	9	8	8	16	8	5	5	3	–
Diarrhœa and Dysentery	0·79	4,147	2,571	729	148	55	24	3,527	42	4	9	13	40	38	41	96	169	168
Cholera	0·01	31	14	3	1	1	–	19	–	–	–	1	1	1	3	4	1	1
Cancer	0·60	3,172	3	2	7	3	2	17	7	4	6	18	122	438	862	894	599	205
Tabes Mesenterica	0·32	1,687	849	434	108	55	29	1,475	68	35	25	22	29	13	6	8	6	–
Phthisis	1·28	6,743	149	105	48	22	22	346	162	316	768	925	1,786	1,250	747	331	100	12
Other Tub. and Scrof. Dis.	0·27	1,424	400	276	117	82	56	931	167	96	68	45	52	27	18	15	5	–
Diseases of Nervous System	2·52	13,262	4,510	906	372	217	145	6,150	393	229	208	237	403	632	862	1,381	1,761	1,006
Diseases of Circulatory „	1·39	7,332	40	11	11	10	8	80	114	170	186	166	472	704	1,056	1,752	1,802	830
Diseases of Respiratory „	3·55	18,718	4,713	2,708	986	545	394	9,346	558	139	165	193	593	786	1,091	2,004	2,437	1,406
Diseases of Digestive „	1·08	5,685	1,237	556	80	51	58	1,982	173	82	95	139	283	451	650	863	696	271
Diseases of Urinary „	0·29	1,552	54	62	41	26	27	210	64	27	42	55	178	197	218	280	207	74
Diseases of Generative „	0·08	419	8	8	7	–	3	26	3	7	15	30	73	85	75	67	24	14
Puerperal Fever	0·18	969	–	–	–	–	–	–	–	–	42	210	449	248	20	–	–	–
Childbirth	0·15	813	–	–	–	–	–	–	–	–	26	136	317	325	9	–	–	–
Violence	0·35	1,847	184	130	125	88	76	603	165	95	101	72	118	110	126	140	173	144
Other Causes	3·96	20,847	9,837	799	207	103	64	11,010	211	187	196	186	360	411	496	823	2,434	4,533

Marriages - - - 80,280
Births - - - 188,748

Deaths from Childbirth and Puerperal Fever - - 4·65 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

27.—WORCESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·85	†147	–	–	–	–	53·59	4·30	2·35	3·46	4·68	6·30	10·35	16·47	31·44	66·41	165·39
Mean Population, 1881–91 -	–	192,111	5,228	4,920	5,077	5,072	4,995	25,292	24,035	22,676	20,099	15,886	26,182	20,823	16,351	11,553	6,729	2,485
Deaths from All Causes, 1881–90 - - -	18·36	35,270	9,294	2,304	918	609	428	13,553	1,034	534	696	744	1,650	2,155	2,693	3,632	4,469	4,110
Small-pox - - -	0·02	31	5	–	1	–	–	6	3	1	3	7	7	1	2	1	–	–
Measles - - -	0·39	743	171	272	109	86	47	685	52	2	2	–	–	–	2	–	–	–
Scarlet Fever - - -	0·27	528	32	91	100	65	63	351	146	16	6	1	3	4	–	–	1	–
Diphtheria - - -	0·08	163	6	11	9	25	22	73	65	18	–	2	3	–	–	1	1	–
Whooping-cough - -	0·29	554	267	161	67	30	17	542	11	1	–	–	–	–	–	–	–	–
Typhus - - -	0·00	8	–	–	–	–	–	–	1	1	1	3	–	–	–	–	1	1
Enteric Fever - -	0·22	420	2	5	6	11	8	32	32	49	72	63	71	39	39	14	6	3
Simple Continued Fever -	0·03	59	11	5	4	4	1	25	16	2	2	3	2	2	2	1	4	–
Diarrhœa and Dysentery -	0·66	1,263	882	149	29	10	4	1,074	8	4	3	2	3	9	11	32	58	59
Cholera - - -	0·01	18	6	1	1	–	–	8	1	–	–	–	–	1	4	3	1	–
Cancer - - - -	0·41	781	1	2	3	3	1	10	5	1	1	6	19	62	122	236	233	86
Tabes Mesenterica - -	0·34	656	427	115	34	11	10	597	14	13	8	5	3	4	2	3	5	2
Phthisis - - -	1·34	2,571	33	14	14	7	4	72	37	40	167	279	642	595	396	243	87	13
Other Tub. and Scrof. Dis. -	0·33	643	213	115	49	25	24	426	72	43	29	23	22	13	9	6	–	–
Diseases of Nervous System - -	2·46	4,718	1,085	205	109	57	38	1,494	102	72	72	61	156	275	366	616	895	609
Diseases of Circulatory „ - -	1·61	3,088	30	6	–	5	6	47	24	40	51	42	138	266	408	687	860	525
Diseases of Respiratory „ - -	3·50	6,733	1,789	700	252	166	122	3,029	177	33	66	57	183	302	477	753	934	722
Diseases of Digestive „ - -	1·14	2,183	560	159	29	20	15	783	45	40	31	35	70	133	265	313	303	165
Diseases of Urinary „ - -	0·56	1,076	17	15	11	4	4	51	12	10	18	21	48	101	148	199	263	205
Diseases of Generative „ - -	0·00	9	2	–	–	–	–	2	–	–	–	2	1	1	–	2	1	–
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·81	1,558	112	57	37	51	24	281	131	87	101	75	138	175	178	178	145	69
OTHER CAUSES - -	3·89	7,467	3,643	221	54	29	18	3,965	80	61	63	57	141	172	262	344	671	1,651

Marriages - - - 28,039
Births - - - 63,100

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

27.—WORCESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Years.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·54	†120	–	–	–	–	44·81	4·10	2·23	3·79	4·49	5·82	8·59	12·39	23·55	55·47	143·90
Mean Population, 1881-91	–	210,660	5,420	4,837	5,126	5,094	5,148	25,625	24,278	22,868	21,369	19,798	30,705	23,262	18,294	13,050	7,974	3,437
Deaths from All Causes, 1881-90	15·75	33,178	7,385	2,167	918	594	419	11,483	995	509	810	888	1,787	1,998	2,266	3,073	4,423	4,946
Small-pox	0·01	25	4	–	1	1	–	6	2	2	1	5	1	4	3	1	–	–
Measles	0·34	721	141	254	111	79	56	641	66	7	4	1	–	1	–	1	–	–
Scarlet Fever	0·23	492	23	63	95	77	59	317	138	17	7	5	3	2	2	–	1	–
Diphtheria	0·12	249	8	13	20	33	28	102	104	22	3	6	5	2	1	2	1	1
Whooping-cough	0·32	674	314	185	67	48	30	644	29	1	–	–	–	–	–	–	–	–
Typhus	0·01	12	–	–	–	–	–	–	3	1	–	–	2	1	2	2	1	–
Enteric Fever	0·19	399	–	2	4	7	5	18	37	58	76	74	43	46	25	14	7	1
Simple Continued Fever	0·03	55	10	8	7	2	–	27	8	4	–	3	4	1	3	3	1	1
Diarrhœa and Dysentery	0·53	1,116	699	152	27	10	8	896	10	2	5	1	10	7	12	25	68	80
Cholera	0·01	16	6	2	1	–	1	10	–	–	–	1	–	–	–	4	1	–
Cancer	0·69	1,448	1	1	–	3	2	7	1	2	2	5	47	167	332	382	334	169
Tabes Mesenterica	0·26	541	292	131	32	10	8	473	26	13	12	2	4	4	3	1	2	1
Phthisis	1·07	2,248	19	17	12	4	6	58	38	90	271	318	584	416	297	120	51	5
Other Tub. & Scrof. Dis.	0·25	536	137	91	41	33	25	327	71	40	28	16	23	14	5	6	5	1
Diseases of: Nervous System	1·94	4,082	786	192	78	52	38	1,146	117	40	75	55	145	216	284	522	827	655
Diseases of: Circulatory "	1·67	3,519	32	4	3	2	7	48	30	49	68	82	159	262	396	696	1,064	665
Diseases of: Respiratory "	2·74	5,763	1,376	650	280	171	100	2,577	159	43	54	49	138	219	293	546	862	823
Diseases of: Digestive "	1·02	2,159	418	161	31	14	11	635	45	26	52	36	110	154	242	304	363	192
Diseases of: Urinary "	0·29	621	10	8	8	3	1	30	8	9	18	18	56	85	100	127	104	66
Diseases of: Generative "	0·08	176	1	1	1	–	–	3	–	–	6	7	29	31	41	28	19	12
Puerperal Fever	0·15	314	–	–	–	–	–	–	–	–	16	65	136	90	7	–	–	–
Childbirth	0·13	278	–	–	–	–	–	–	–	–	14	36	112	113	3	–	–	–
Violence	0·31	645	128	40	35	19	18	240	37	24	24	34	39	22	47	48	56	74
Other Causes	3·36	7,089	2,980	192	64	26	16	3,278	66	59	74	69	137	141	168	241	656	2,200

Marriages - - - 28,039
Births - - - 61,419

Deaths from Childbirth and Puerperal Fever - - 4·75 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

28.—WARWICKSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·42	†164	–	–	–	–	63·29	4·64	2·44	3·58	5·18	7·53	12·89	19·82	35·93	72·75	164·51
Mean Population, 1881–91	–	372,042	10,629	9,805	10,112	9,889	9,688	50,123	46,340	42,970	38,313	32,068	54,343	42,015	30,563	20,350	11,049	3,908
Deaths from All Causes, 1881–90	20·24	75,302	20,977	5,972	2,309	1,441	1,024	31,723	2,151	1,050	1,372	1,660	4,091	5,417	6,059	7,312	8,038	6,429
Small-pox	0·04	151	15	5	2	–	2	24	18	5	17	12	44	14	7	8	1	1
Measles	0·47	1,741	385	660	296	181	101	1,623	108	3	–	1	3	1	1	1	–	–
Scarlet Fever	0·30	1,129	57	160	209	203	141	770	280	47	10	8	8	4	2	–	–	–
Diphtheria	0·12	451	24	47	50	68	63	252	118	37	9	9	5	8	4	5	2	2
Whooping-cough	0·45	1,656	717	533	199	111	55	1,615	41	–	–	–	–	–	–	–	–	–
Typhus	0·00	5	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–
Enteric Fever	0·16	584	3	4	14	14	11	46	56	62	102	94	99	58	35	20	10	2
Simple Continued Fever	0·02	76	6	5	4	7	4	26	14	4	6	2	4	4	2	8	3	3
Diarrhœa and Dysentery	1·02	3,810	2,821	528	76	20	19	3,464	18	3	7	6	17	16	30	57	85	107
Cholera	0·01	34	4	7	5	2	–	18	1	–	–	–	2	2	4	4	3	–
Cancer	0·47	1,736	–	6	3	6	–	15	5	7	9	12	57	139	371	529	445	147
Tabes Mesenterica	0·26	952	549	197	62	28	10	846	36	12	12	14	10	8	6	7	1	–
Phthisis	1·89	7,029	69	50	30	16	8	173	65	104	399	721	1,698	1,698	1,245	700	198	28
Other Tub. and Scrof. Dis.	0·37	1,370	443	239	102	78	58	920	140	72	63	47	55	31	17	18	6	1
Diseases of: Nervous System	2·49	9,247	2,539	663	248	128	107	3,685	239	113	133	97	292	538	715	1,046	1,469	920
Diseases of: Circulatory „	1·49	5,534	48	13	6	6	11	84	72	119	115	97	313	601	849	1,189	1,357	738
Diseases of: Respiratory „	4·25	15,829	3,964	1,898	688	370	262	7,182	348	91	114	164	522	927	1,265	1,868	2,073	1,275
Diseases of: Digestive „	1·06	3,936	1,023	300	73	36	26	1,458	115	58	66	70	179	330	377	529	528	226
Diseases of: Urinary „	0·57	2,139	25	20	16	23	21	105	55	20	38	43	168	223	283	418	504	282
Diseases of: Generative „	0·01	26	7	1	1	1	–	10	–	–	–	–	3	1	3	6	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·01	3,771	767	136	104	91	88	1,186	273	154	131	146	309	411	414	377	238	132
OTHER CAUSES	3·78	14,096	7,511	500	121	52	37	8,221	149	139	140	116	302	402	429	521	1,113	2,564

Marriages - - - 57,856
Births - - - 128,212

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

28.—WARWICKSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·15	†135	–	–	–	–	53·82	4·56	2·57	3·83	4·84	7·04	10·74	16·00	29·12	60·95	149·35
Mean Population, 1881–91	–	394,092	10,778	9,870	10,109	9,943	9,819	50,519	46,735	42,942	39,384	36,184	58,616	44,779	33,584	23,048	13,239	5,062
Deaths from All Causes, 1881–90	17·8	70,328	16,791	5,594	2,362	1,445	996	27,188	2,129	1,102	1,510	1,752	4,126	4,808	5,373	6,711	8,069	7,560
Small-pox	0·02	98	17	3	–	2	–	22	8	9	11	11	22	4	10	–	1	–
Measles	0·42	1,643	338	586	318	173	111	1,526	99	4	4	3	4	3	–	–	–	–
Scarlet Fever	0·28	1,106	55	154	204	204	114	731	288	51	14	9	11	2	–	–	–	–
Diphtheria	0·13	507	15	47	68	70	65	265	168	27	15	7	7	7	5	2	3	1
Whooping-cough	0·52	2,059	774	678	291	163	78	1,984	69	1	–	1	–	2	–	2	–	–
Typhus	0·00	12	–	1	–	–	2	3	–	1	1	3	1	1	1	1	–	–
Enteric Fever	0·12	472	2	6	5	13	16	42	56	63	86	45	85	46	29	13	5	2
Simple Continued Fever	0·02	92	4	4	7	7	10	32	12	7	7	6	8	2	4	6	5	3
Diarrhœa and Dysentery	0·87	3,414	2,285	483	95	29	25	2,917	33	7	4	10	17	29	33	53	138	173
Cholera	0·01	28	7	2	1	–	2	12	1	–	–	2	1	3	5	2	1	1
Cancer	0·76	2,991	2	2	5	2	1	12	8	10	17	17	112	413	787	807	579	229
Tabes Mesenterica	0·21	835	461	173	40	19	19	712	31	21	24	8	14	14	6	3	1	1
Phthisis	1·34	5,262	58	50	16	16	16	156	109	193	527	644	1,348	1,132	666	340	134	13
Other Tub. and Scrof. Dis.	0·29	1,132	313	201	91	54	48	707	140	70	65	36	51	28	14	9	9	3
Diseases of: Nervous System	2·10	8,276	1,894	508	223	133	94	2,852	229	154	116	123	280	385	724	1,105	1,323	985
Diseases of: Circulatory „	1·64	6,446	41	12	7	10	8	78	97	150	164	148	395	616	932	1,404	1,598	864
Diseases of: Respiratory „	3·55	14,007	3,037	1,825	726	384	248	6,220	337	87	103	128	418	696	955	1,500	2,061	1,502
Diseases of: Digestive „	0·98	3,845	752	269	60	37	35	1,153	127	52	80	84	215	352	429	543	530	280
Diseases of: Urinary „	0·30	1,175	22	17	10	14	13	76	38	17	37	54	118	156	211	216	173	79
Diseases of: Generative „	0·14	538	2	3	2	1	–	8	1	2	11	26	118	157	93	60	48	14
Puerperal Fever	0·16	621	–	–	–	–	–	–	–	–	21	130	329	135	6	–	–	–
Childbirth	0·12	473	–	–	–	–	–	–	–	1	14	61	212	177	8	–	–	–
Violence	0·53	2,069	696	109	80	64	53	1,002	110	37	60	58	100	128	143	158	133	140
OTHER CAUSES	3·34	13,227	6,016	461	113	50	38	6,678	168	138	129	138	260	320	312	487	1,327	3,270

Marriages - - - 57,856
Births - - - 124,003

Deaths from Childbirth and Puerperal Fever - - 4·34 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

29.—LEICESTERSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·92	†182	–	–	–	–	65·95	4·35	2·49	3·36	4·82	6·22	9·21	14·81	28·84	62·71	162·27
Mean Population, 1881–91 -	–	170,883	4,980	4,565	4,530	4,666	4,455	23,196	21,362	19,448	17,364	14,395	24,500	18,540	13,866	9,983	5,886	2,343
Deaths from All Causes, 1881–90 - - -	19·69	33,646	11,030	2,447	816	580	424	15,297	930	484	583	694	1,525	1,707	2,054	2,879	3,691	3,802
Small-pox - - -	0·01	14	2	–	–	1	–	3	1	–	1	1	6	–	2	–	–	–
Measles - - -	0·36	613	161	227	99	54	25	556	40	4	1	–	–	2	–	–	–	–
Scarlet Fever - - -	0·40	685	49	98	113	119	87	466	178	31	3	1	4	1	–	–	1	–
Diphtheria - - -	0·09	162	6	23	20	12	27	88	40	13	3	4	1	2	5	6	–	–
Whooping-cough - -	0·34	587	313	157	46	36	24	576	10	–	–	–	1	–	–	–	–	–
Typhus - - -	0·00	6	–	–	–	–	–	–	–	1	2	1	–	–	1	1	–	–
Enteric Fever - -	0·20	346	1	6	7	10	11	35	39	43	48	47	52	33	17	21	10	1
Simple Continued Fever -	0·01	16	1	1	–	1	–	3	3	2	1	–	1	–	1	2	1	2
Diarrhœa and Dysentery -	1·20	2,047	1,602	206	21	7	1	1,837	10	2	2	1	6	3	7	21	68	90
Cholera - - -	0·01	19	5	2	1	–	–	8	–	–	–	2	–	4	3	1	1	–
Cancer - - -	0·43	728	–	–	2	2	2	6	2	–	5	4	23	42	113	232	206	95
Tabes Mesenterica - -	0·25	428	246	83	20	13	8	370	20	9	9	7	6	5	–	2	–	–
Phthisis - - -	1·37	2,344	50	19	9	6	10	94	28	55	184	319	624	489	328	170	48	5
Other Tub. & Scrof. Dis. -	0·44	760	260	152	54	27	26	519	74	43	26	25	25	17	16	12	2	1
Diseases of Nervous System - -	2·96	5,058	2,120	348	85	70	40	2,663	100	60	57	40	117	181	276	431	685	448
Diseases of Circulatory „ - -	1·48	2,529	23	3	–	4	3	33	22	35	47	38	124	220	329	597	683	401
Diseases of Respiratory „ - -	3·52	6,009	1,810	760	246	129	91	3,036	142	28	39	62	163	249	374	556	779	581
Diseases of Digestive „ - -	0·95	1,629	435	111	12	16	12	586	30	29	22	19	73	102	167	248	232	121
Diseases of Urinary „ - -	0·51	877	22	12	9	7	10	60	23	14	14	19	38	76	102	157	219	155
Diseases of Generative „ - -	0·01	13	–	1	–	–	–	1	–	–	–	1	2	–	2	3	3	1
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·87	1,487	144	43	38	45	30	300	102	71	60	57	157	164	161	191	144	80
OTHER CAUSES - -	4·28	7,289	3,780	195	34	21	7	4,047	66	44	59	46	102	117	150	228	609	1,821

Marriages - - - 25,557
Births - - - 60,559

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

29.—LEICESTERSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·97	†146	–	–	–	–	53·28	4·24	2·56	3·89	4·98	6·45	9·02	12·22	24·09	54·83	152·57
Mean Population, 1881–91	–	182,081	5,119	4,636	4,828	4,677	4,542	23,802	21,829	19,810	18,218	16,672	26,478	19,996	15,096	10,820	6,670	2,690
Deaths from All Causes, 1881–90	17·23	31,377	8,561	2,296	885	581	359	12,682	925	507	709	831	1,707	1,803	1,845	2,607	3,657	4,104
Small-pox	0·01	11	1	1	–	–	–	2	1	3	1	4	–	–	–	–	–	–
Measles	0·33	597	129	237	109	48	33	556	33	4	1	2	–	1	–	–	–	–
Scarlet Fever	0·36	663	28	96	119	125	69	437	179	28	8	3	5	3	–	–	–	–
Diphtheria	0·11	193	6	17	23	25	26	97	62	13	2	1	3	4	3	4	4	–
Whooping-cough	0·38	695	314	227	82	36	18	677	17	1	–	–	–	–	–	–	–	–
Typhus	0·00	7	–	–	–	–	–	–	–	1	1	–	1	–	–	1	3	–
Enteric Fever	0·19	340	–	3	8	8	8	27	49	47	54	41	55	27	17	16	4	3
Simple Continued Fever	0·01	24	–	2	1	1	–	4	7	2	–	2	4	–	1	1	1	2
Diarrhœa and Dysentery	1·01	1,830	1,382	157	20	12	2	1,573	10	2	3	4	11	15	14	33	79	86
Cholera	0·01	14	2	–	1	1	–	4	1	1	–	–	1	1	1	2	1	2
Cancer	0·69	1,258	1	3	–	2	2	8	–	1	6	2	44	162	272	374	280	109
Tabes Mesenterica	0·23	414	214	76	17	14	3	324	19	17	9	16	12	5	6	2	3	1
Phthisis	1·22	2,216	35	23	15	7	9	89	46	84	292	346	619	409	217	88	23	3
Other Tub. and Scrof. Dis.	0·37	673	183	107	55	33	20	398	79	46	44	22	32	26	15	6	4	1
Diseases of: Nervous System	2·42	4,411	1,463	271	92	65	39	1,930	94	71	52	62	116	184	253	429	702	518
Diseases of: Circulatory „	1·48	2,698	17	3	–	2	3	25	42	57	58	66	154	237	346	576	713	424
Diseases of: Respiratory „	2·87	5,232	1,300	738	242	152	79	2,511	129	25	36	55	138	187	241	468	752	690
Diseases of: Digestive „	0·94	1,719	335	118	29	9	10	501	49	27	35	32	91	126	193	257	261	147
Diseases of: Urinary „	0·25	450	15	11	7	4	5	42	13	11	13	25	43	61	66	71	74	31
Diseases of: Generative „	0·09	155	1	3	2	–	–	6	–	–	2	9	21	28	34	21	28	6
Puerperal Fever	0·14	262	–	–	–	–	–	–	–	–	12	52	130	67	1	–	–	–
Childbirth	0·13	241	–	–	–	–	–	–	–	–	15	34	101	87	4	–	–	–
Violence	0·34	620	128	22	29	20	20	219	36	16	19	11	35	47	39	44	64	90
Other Causes	3·65	6,654	3,007	181	34	17	13	3,252	59	50	46	42	91	126	122	214	661	1,991

Marriages - - - 25,557
Births - - - 58,660

Deaths from Childbirth and Puerperal Fever - 4·22 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

30.—RUTLANDSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*14·55	†126	–	–	–	–	43·30	2·65	1·92	2·91	4·46	5·12	6·85	13·37	22·36	57·80	164·88
Mean Population, 1881–91	–	11,252	274	249	256	273	262	1,314	1,323	1,407	1,272	807	1,387	1,154	987	814	545	242
Deaths from All Causes, 1881–90	16·73	1,882	401	87	31	25	25	569	35	27	37	36	71	79	132	182	315	399
Small-pox	0·04	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Measles	0·20	23	8	7	1	3	2	21	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	20	1	4	2	5	–	12	5	1	–	–	1	1	–	–	–	–
Diphtheria	0·08	9	–	1	2	–	1	4	2	2	–	1	–	–	–	–	–	–
Whooping-cough	0·26	29	12	10	5	–	1	28	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Enteric Fever	0·07	8	–	–	–	–	–	–	1	1	4	–	2	–	–	–	–	–
Simple Continued Fever	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·25	28	14	1	–	–	2	17	–	–	–	–	–	1	–	1	7	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	71	–	–	–	1	–	1	–	–	1	–	3	2	10	18	24	12
Tabes Mesenterica	0·12	13	3	3	–	1	–	12	–	–	1	–	–	–	–	–	–	–
Phthisis	1·19	134	12	5	–	–	–	17	1	2	8	17	36	16	17	12	8	–
Other Tub. and Scrof. Dis.	0·27	30	10	6	3	2	1	22	5	–	1	–	1	–	1	–	–	–
Diseases of Nervous System	2·22	250	73	14	6	2	2	97	3	4	2	1	2	7	13	26	45	50
Diseases of Circulatory „	1·62	182	–	1	–	–	1	2	2	1	1	3	7	9	19	30	61	47
Diseases of Respiratory „	2·77	312	82	26	11	7	4	130	6	1	5	2	3	14	23	32	53	43
Diseases of Digestive „	0·90	101	14	4	–	–	3	21	2	4	3	3	3	10	17	7	20	11
Diseases of Urinary „	0·68	77	1	–	–	–	2	3	1	1	–	2	3	5	7	14	25	16
Diseases of Generative „	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·83	93	8	2	–	3	2	15	3	3	5	5	6	9	8	17	11	11
OTHER CAUSES	4·38	494	158	3	1	1	4	167	1	6	6	2	3	5	15	24	59	206

Marriages - - 1,262
Births - - - 3,188

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

30.—RUTLANDSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*13·88	†96	–	–	–	–	34·21	3·28	3·09	3·78	6·13	5·79	7·78	10·71	20·48	50·59	152·55
Mean Population, 1881–91	–	11,313	255	271	255	260	257	1,298	1,374	1,199	1,058	865	1,485	1,246	1,064	874	595	255
Deaths from All Causes, 1881–90	15·78	1,785	291	85	33	19	16	444	45	37	40	53	86	97	114	179	301	389
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	18	3	8	4	–	1	16	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	19	2	1	4	4	2	13	1	2	1	1	–	1	–	–	–	–
Diphtheria	0·06	7	–	–	–	–	–	–	5	1	1	–	–	–	–	–	–	–
Whooping-cough	0·28	32	13	7	5	2	1	28	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	10	–	–	–	–	–	–	1	1	3	1	–	1	1	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	31	12	4	2	–	–	18	1	–	–	1	1	–	–	1	2	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	84	–	–	–	–	–	–	–	–	–	–	–	4	22	26	21	11
Tabes Mesenterica	0·11	13	9	3	–	–	–	12	–	–	–	–	1	–	–	–	–	–
Phthisis	1·35	153	4	3	1	–	1	9	4	13	16	23	45	30	7	4	2	–
Other Tub. and Scrof. Dis.	0·32	36	10	3	1	1	2	17	4	6	4	1	2	1	1	–	–	–
Diseases of Nervous System	2·09	236	47	9	2	3	1	62	6	2	2	5	4	8	19	29	62	37
Diseases of Circulatory "	1·71	194	1	–	–	–	–	1	–	3	2	2	6	17	19	41	68	35
Diseases of Respiratory "	2·17	246	56	31	11	7	5	110	6	2	2	2	5	2	15	24	33	45
Diseases of Digestive "	1·10	125	19	2	2	–	3	26	6	1	2	7	9	7	13	16	20	18
Diseases of Urinary "	0·34	39	–	2	–	–	–	2	1	3	1	–	2	6	4	4	11	5
Diseases of Generative "	0·11	12	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	–
Puerperal Fever	0·09	10	–	–	–	–	–	–	–	–	–	3	2	5	–	–	–	–
Childbirth	0·11	12	–	–	–	–	–	–	–	–	2	3	3	4	–	–	–	–
Violence	0·24	27	3	3	1	1	–	8	2	–	1	1	2	2	1	3	3	4
Other Causes	4·27	481	112	9	–	1	–	122	2	3	3	3	3	5	11	26	76	227

Marriages - - - 1,262
Births - - - 3,045

Deaths from Childbirth and Puerperal Fever - - 3·53 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

31.—LINCOLNSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·52	†144	–	–	–	–	50·45	4·46	2·74	3·86	5·33	6·64	9·25	13·34	25·53	58·38	152·03
Mean Population, 1881-91	–	231,242	5,990	5,666	5,873	5,906	5,867	29,302	28,353	26,550	24,045	18,434	30,192	24,821	19,974	15,214	9,990	4,367
Deaths from All Causes, 1881-90	18·17	42,006	10,395	2,441	876	586	485	14,783	1,265	727	929	982	2,005	2,295	2,665	3,884	5,832	6,639
Small-pox	0·03	68	9	1	1	2	1	14	3	2	4	9	11	12	7	4	–	2
Measles	0·17	395	98	131	66	39	20	354	33	3	1	1	1	1	–	–	1	–
Scarlet Fever	0·30	693	38	75	93	91	93	390	218	45	17	7	11	3	–	1	1	–
Diphtheria	0·15	355	15	20	27	43	46	151	120	47	13	9	3	3	5	1	3	–
Whooping-cough	0·28	656	343	187	67	27	14	638	16	2	–	–	–	–	–	–	–	–
Typhus	0·01	14	–	–	–	–	–	–	–	3	4	1	3	1	–	–	1	1
Enteric Fever	0·19	433	1	5	5	11	8	30	51	46	62	44	70	48	22	36	19	5
Simple Continued Fever	0·02	41	2	3	–	2	2	9	6	3	5	2	–	3	3	1	7	2
Diarrhœa and Dysentery	0·60	1,387	951	132	18	13	14	1,128	13	3	2	2	5	4	11	36	79	104
Cholera	0·01	34	8	3	2	1	–	14	4	–	–	–	3	3	2	2	4	2
Cancer	0·50	1,150	–	2	1	1	–	4	1	1	4	9	15	66	167	315	383	182
Tabes Mesenterica	0·23	523	296	87	31	15	6	435	29	17	10	8	10	2	2	7	3	–
Phthisis	1·33	3,067	52	33	5	7	9	109	61	79	284	406	741	585	396	268	113	25
Other Tub. and Scrof. Dis.	0·34	787	209	134	58	31	44	467	114	65	41	35	21	17	16	6	5	–
Disease of: Nervous System	2·89	6,690	2,089	351	98	68	54	2,660	137	81	63	62	187	268	352	694	1,148	1,038
Disease of: Circulatory	1·69	3,917	15	2	1	2	1	21	17	37	49	23	170	274	437	748	1,211	930
Disease of: Respiratory	3·14	7,257	1,936	764	260	144	97	3,201	163	34	60	94	213	311	410	662	1,036	1,073
Disease of: Digestive	1·16	2,677	618	236	36	15	19	924	58	40	51	36	90	174	242	344	452	266
Disease of: Urinary	0·56	1,291	17	16	2	7	3	45	16	15	14	22	48	83	142	194	385	327
Disease of: Generative	0·01	30	3	–	–	–	–	3	–	–	–	–	3	4	6	6	6	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·85	1,976	66	52	57	34	30	239	137	122	160	138	228	227	199	219	181	126
OTHER CAUSES	3·71	8,565	3,638	204	48	33	24	3,947	68	82	85	74	172	206	246	340	791	2,554

Marriages - - - 31,523
Births - - - 72,243

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

31.—LINCOLNSHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*15·40	†119	–	–	–	–	41·75	4·62	3·13	4·98	6·39	7·61	9·09	11·36	21·14	49·51	138·29
Mean Population, 1881-91	–	233,929	5,958	5,732	5,865	5,850	5,940	29,345	28,390	26,452	22,140	19,002	30,981	25,384	20,598	15,797	10,683	5,148
Deaths from All Causes, 1881-90	16·87	39,461	8,242	2,132	866	573	440	12,253	1,312	828	1,102	1,215	2,357	2,307	2,339	3,340	5,289	7,119
Small-pox	0·02	51	3	1	1	–	–	5	1	3	4	7	17	4	4	4	1	1
Measles	0·16	374	64	132	60	32	35	323	40	5	2	1	3	–	–	–	–	–
Scarlet Fever	0·31	732	43	84	93	104	85	409	218	51	9	13	20	9	1	2	–	–
Diphtheria	0·18	410	18	18	32	42	30	140	152	64	16	8	12	4	10	2	2	–
Whooping-cough	0·35	828	397	226	103	49	21	796	30	1	–	–	–	–	–	–	–	1
Typhus	0·00	10	–	–	–	–	–	–	1	2	–	–	1	2	3	–	1	–
Enteric Fever	0·18	430	2	6	8	9	11	36	45	54	77	39	62	40	25	29	17	6
Simple Continued Fever	0·02	55	2	2	3	3	2	12	6	5	1	3	4	5	3	4	8	4
Diarrhœa and Dysentery	0·52	1,222	732	92	30	17	14	885	16	9	2	11	11	13	16	35	86	138
Cholera	0·01	21	4	3	2	–	–	9	1	1	–	1	1	2	–	1	2	3
Cancer	0·83	1,931	–	–	1	–	1	2	1	1	3	7	61	217	441	524	463	211
Tabes Mesenterica	0·22	522	238	72	28	15	11	364	34	37	19	17	21	18	5	4	3	–
Phthisis	1·61	3,757	46	38	13	13	10	120	103	228	508	576	1,026	603	321	180	72	20
Other Tub. and Scrof. Dis.	0·30	705	145	93	47	41	29	355	120	72	50	31	33	23	7	5	9	–
Diseases of Nervous System	2·54	5,935	1,511	241	102	46	44	1,944	128	85	90	76	162	209	346	597	1,158	1,140
Diseases of Circulatory „	1·56	3,638	10	2	1	5	4	22	24	40	58	52	151	258	373	712	1,039	859
Diseases of Respiratory „	2·59	6,055	1,454	681	219	113	93	2,563	168	40	64	61	143	194	204	445	949	1,224
Diseases of Digestive „	1·03	2,410	457	198	41	18	15	729	86	34	52	51	81	143	203	334	416	281
Diseases of Urinary „	0·27	631	8	10	4	6	2	30	11	8	8	28	63	94	72	112	126	79
Diseases of Generative „	0·10	233	2	1	–	–	–	3	–	–	8	12	26	55	48	36	34	11
Puerperal Fever	0·12	284	–	–	–	–	–	–	–	–	17	55	144	67	1	–	–	–
Childbirth	0·14	327	–	–	–	–	–	–	–	–	14	45	127	133	8	–	–	–
Violence	0·30	691	66	43	29	24	16	178	46	21	20	23	34	41	56	60	75	137
OTHER CAUSES	3·51	8,209	3,010	189	49	36	14	3,328	81	67	80	98	154	173	192	254	778	3,004

Marriages - - - 31,523
Births - - - 69,405

Deaths from Childbirth and Puerperal Fever - - } 4·31 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

32.—NOTTINGHAMSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*19·87	†171	–	–	–	–	68·06	5·16	2·92	4·09	5·41	6·57	10·10	15·72	30·38	64·15	165·44
Mean Population, 1881-91	–	230,354	6,687	6,084	6,129	6,243	6,139	31,282	29,055	25,508	23,148	19,723	33,663	25,572	18,814	13,027	7,599	2,963
Deaths from All Causes, 1881-90	20·42	47,041	14,673	3,656	1,361	924	678	21,292	1,500	745	947	1,068	2,213	2,584	2,957	3,958	4,875	4,902
Small-pox	0·02	55	10	–	–	–	3	13	1	3	1	10	14	5	4	2	1	1
Measles	0·40	931	221	381	133	71	58	864	64	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·42	978	57	123	165	162	129	636	270	43	11	4	10	3	–	–	–	1
Diphtheria	0·16	367	18	42	36	55	46	197	125	21	6	4	8	2	1	3	–	–
Whooping-cough	0·41	936	454	270	107	59	28	918	16	1	–	–	–	–	–	1	–	–
Typhus	0·01	13	–	–	–	–	–	–	1	1	3	3	2	1	1	1	–	–
Enteric Fever	0·28	650	4	5	17	21	16	63	63	51	92	98	129	70	35	27	17	5
Simple Continued Fever	0·02	44	4	1	2	6	7	20	2	2	1	2	2	4	2	4	2	3
Diarrhœa and Dysentery	0·92	2,119	1,537	255	34	15	11	1,852	16	2	1	3	3	6	11	33	82	110
Cholera	0·02	41	17	4	1	–	1	23	1	1	–	–	5	6	2	1	1	1
Cancer	0·39	906	2	1	1	4	–	8	5	2	8	13	30	66	167	276	235	96
Tabes Mesenterica	0·48	1,103	694	195	72	19	15	995	45	26	14	5	6	2	5	4	1	–
Phthisis	1·60	3,695	71	49	19	12	13	164	65	94	334	466	877	728	501	325	121	20
Other Tub. and Scrof. Dis.	0·45	1,034	338	201	83	51	43	716	130	54	31	25	25	17	17	13	4	2
Diseases of: Nervous System	2·80	6,445	2,515	407	119	86	64	3,191	144	90	64	71	171	275	361	602	862	614
Diseases of: Circulatory „	1·41	3,244	22	3	2	1	5	33	29	34	67	46	162	300	447	697	893	536
Diseases of: Respiratory „	3·74	8,606	2,632	1,094	375	220	138	4,459	206	50	73	79	229	355	533	814	1,014	794
Diseases of: Digestive „	1·18	2,722	837	282	51	19	12	1,201	60	40	25	34	102	174	257	351	308	170
Diseases of: Urinary „	0·49	1,140	24	20	16	8	6	74	20	10	17	30	56	89	136	208	287	213
Diseases of: Generative „	0·01	14	–	–	–	–	–	–	–	–	–	–	–	2	3	2	6	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·92	2,110	191	62	55	67	48	423	137	119	124	111	212	236	237	228	186	97
OTHER CAUSES	4·29	9,888	5,025	261	73	48	35	5,442	100	100	74	64	170	242	237	366	855	2,238

Marriages . . . 38,209
Births . . . 86,004

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

32.—NOTTINGHAMSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·43	†138	–	–	–	–	55·70	5·21	2·93	4·68	6·31	7·84	10·12	14·29	27·10	58·43	151·27
Mean Population, 1881–91	–	241,622	6,789	6,103	6,283	6,325	6,387	31,887	29,606	26,115	23,976	22,388	35,682	26,381	19,899	13,950	8,350	3,388
Deaths from All Causes, 1881–90	18·50	44,696	11,452	3,475	1,332	870	632	17,761	1,542	766	1,121	1,412	2,797	2,669	2,843	3,781	4,879	5,125
Small-pox	0·02	49	6	2	3	–	2	13	2	2	3	6	15	4	2	1	–	1
Measles	0·37	890	169	358	150	92	48	817	61	7	2	–	3	–	–	–	–	–
Scarlet Fever	0·43	1,038	44	149	161	152	128	634	309	55	16	10	10	1	2	1	–	–
Diphtheria	0·17	407	15	33	56	52	53	209	141	27	15	8	3	1	1	1	1	–
Whooping-cough	0·45	1,099	497	318	132	78	40	1,065	32	1	1	–	–	–	–	–	–	–
Typhus	0·00	8	–	–	–	–	1	1	1	–	1	1	2	–	1	1	–	–
Enteric Fever	0·25	613	5	11	10	16	24	66	84	73	96	89	89	51	43	17	4	1
Simple Continued Fever	0·02	55	3	1	5	4	2	15	6	5	4	4	6	4	2	3	5	1
Diarrhœa and Dysentery	0·80	1,936	1,288	251	47	18	9	1,613	21	–	3	5	17	22	19	41	88	107
Cholera	0·01	31	8	5	3	–	1	17	3	–	–	–	2	1	–	4	4	–
Cancer	0·73	1,774	1	–	–	1	–	2	1	2	3	8	60	273	452	494	340	139
Tabes Mesenterica	0·38	914	531	182	41	11	13	778	58	15	13	14	10	10	8	6	1	1
Phthisis	1·61	3,882	51	43	14	12	20	140	102	181	481	633	1,090	637	355	181	64	18
Other Tub. and Scrof. Dis.	0·38	916	245	152	73	47	40	557	116	61	49	26	51	26	12	10	7	1
Diseases of Nervous System	2·34	5,662	1,868	365	119	79	39	2,470	151	94	65	61	162	222	401	620	851	565
Diseases of Circulatory „	1·62	3,917	17	6	1	5	2	31	34	63	75	76	220	350	501	830	1,111	626
Diseases of Respiratory „	3·09	7,473	1,929	1,038	368	197	138	3,670	173	44	45	78	205	265	369	686	1,036	902
Diseases of Digestive „	1·08	2,608	620	230	41	31	21	943	57	30	45	62	138	188	264	362	323	196
Diseases of Urinary „	0·25	596	12	20	10	13	8	63	23	11	18	24	68	81	77	111	84	36
Diseases of Generative „	0·13	304	–	3	5	–	–	8	–	2	12	18	59	64	66	41	27	7
Puerperal Fever	0·19	449	–	–	–	–	–	–	–	–	34	102	204	109	–	–	–	–
Childbirth	0·16	387	–	–	–	–	–	–	–	–	21	69	158	134	5	–	–	–
Violence	0·35	844	170	54	34	29	14	301	71	21	34	18	60	58	61	57	64	99
Other Causes	3·67	8,844	3,973	254	59	33	29	4,348	96	72	85	100	165	168	202	314	869	2,425

Marriages - - - 38,209
Births - - - 83,223

Deaths from Childbirth and Puerperal Fever - - 4·94 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

33.—DERBYSHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE per 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·44	†148	–	–	–	–	54·88	4·91	2·71	4·27	4·90	6·13	9·35	16·41	33·09	70·64	176·38
Mean Population, 1881-91	–	204,606	5,862	5,442	5,625	5,414	5,454	27,797	25,453	22,986	20,820	18,425	30,160	22,638	16,647	11,234	6,291	2,155
Deaths from All Causes, 1881-90	18·36	37,575	10,259	2,702	1,099	634	561	15,255	1,250	622	888	903	1,848	2,116	2,732	3,717	4,444	3,800
Small-pox	0·02	41	3	1	–	–	–	4	6	–	3	7	7	3	4	5	2	–
Measles	0·37	753	182	293	115	63	47	700	49	2	1	1	–	–	–	–	–	–
Scarlet Fever	0·35	721	59	95	120	107	91	472	189	37	10	4	5	2	1	–	1	–
Diphtheria	0·09	189	9	20	22	20	27	98	64	11	3	2	2	4	3	2	–	–
Whooping-cough	0·33	682	346	186	79	34	16	661	20	1	–	–	–	–	–	–	–	–
Typhus	0·00	5	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–
Enteric Fever	0·19	393	4	1	9	7	14	35	30	40	70	49	72	42	26	22	7	–
Simple Continued Fever	0·02	40	4	3	1	6	–	14	7	2	1	6	3	3	2	1	1	–
Diarrhœa and Dysentery	0·60	1,221	816	145	22	6	3	992	15	–	2	2	3	9	16	37	72	73
Cholera	0·01	25	8	2	–	–	–	10	1	–	1	–	3	3	2	4	–	1
Cancer	0·32	654	–	–	–	2	1	3	3	4	2	4	25	39	116	207	170	81
Tabes Mesenterica	0·30	619	317	143	42	15	9	526	38	14	9	10	3	9	6	2	2	–
Phthisis	1·37	2,793	31	20	12	12	9	84	56	76	261	337	665	563	408	247	78	18
Other Tub. and Scrof. Dis.	0·41	839	259	136	56	33	46	530	94	53	30	37	29	23	29	9	5	–
Diseases of: Nervous System	2·87	5,864	2,371	349	129	71	69	2,989	165	65	74	60	133	213	327	572	748	518
Diseases of: Circulatory "	1·45	2,961	14	3	4	2	4	27	25	49	63	56	143	250	404	700	836	408
Diseases of: Respiratory "	3·70	7,569	2,055	907	329	172	144	3,607	214	43	71	74	170	307	505	832	1,053	693
Diseases of: Digestive "	1·19	2,437	568	206	33	17	21	845	62	25	44	44	113	163	294	353	343	151
Diseases of: Urinary "	0·46	931	12	11	12	5	5	45	21	15	18	20	54	66	112	193	232	155
Diseases of: Generative "	0·01	18	3	–	–	–	–	3	–	–	–	–	–	3	2	7	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·91	1,856	74	37	48	37	34	230	92	104	142	122	264	224	255	199	153	71
OTHER CAUSES	3·39	6,964	3,124	144	66	25	21	3,380	99	80	83	68	154	187	219	325	739	1,630

Marriages - - - 28,610
Births - - - 69,214

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

33.—DERBYSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·34	†120	–	–	–	–	45·14	4·72	2·78	4·58	5·93	7·26	9·45	13·99	29·31	64·79	164·16
Mean Population, 1881–91	–	204,858	5,991	5,512	5,620	5,509	5,476	28,108	25,615	22,841	19,868	18,175	29,735	22,311	17,043	11,901	6,836	2,425
Deaths from All Causes, 1881–90	17·12	35,070	7,976	2,478	1,034	677	523	12,688	1,210	635	910	1,078	2,158	2,108	2,385	3,488	4,429	3,981
Small-pox	0·01	25	4	–	–	–	1	5	1	–	2	5	6	2	1	2	1	–
Measles	0·34	688	156	254	113	65	43	631	48	5	–	3	–	1	–	–	–	–
Scarlet Fever	0·37	755	42	99	104	123	100	468	228	34	7	5	12	1	–	–	–	–
Diphtheria	0·10	201	8	16	19	28	27	98	74	14	4	1	5	–	2	2	1	–
Whooping-cough	0·43	878	398	247	112	64	26	847	28	1	1	–	1	–	–	–	–	–
Typhus	0·00	9	–	1	–	–	–	1	1	2	–	1	2	1	1	–	–	–
Enteric Fever	0·17	342	3	6	5	11	9	34	39	36	49	40	70	28	23	14	8	1
Simple Continued Fever	0·02	49	4	3	3	5	2	17	10	7	3	–	4	3	2	3	–	–
Diarrhœa and Dysentery	0·52	1,069	667	128	18	5	6	824	24	–	4	4	12	19	19	32	66	65
Cholera	0·01	18	4	1	–	1	1	7	–	–	1	–	2	3	3	–	2	–
Cancer	0·64	1,318	–	–	–	–	–	–	3	2	2	5	47	159	347	380	278	95
Tabes Mesenterica	0·25	515	234	121	31	14	7	407	29	23	10	11	12	9	11	2	1	–
Phthisis	1·45	2,963	34	30	13	10	10	97	61	142	416	464	755	505	309	142	66	6
Other Tub. and Scrof. Dis.	0·34	691	158	121	55	37	30	401	93	50	38	31	38	15	15	6	2	2
Diseases of: Nervous System	2·49	5,100	1,786	278	131	79	58	2,332	150	69	77	62	135	188	341	544	736	463
Diseases of: Circulatory „	1·63	3,329	7	–	5	1	7	20	31	60	58	83	212	290	432	757	911	475
Diseases of: Respiratory „	3·12	6,401	1,463	808	310	147	114	2,842	199	41	51	59	156	196	305	679	1,051	822
Diseases of: Digestive „	1·13	2,311	395	177	32	23	25	652	71	37	36	39	118	167	265	408	354	159
Diseases of: Urinary „	0·25	507	8	9	6	9	11	43	16	13	13	27	51	71	68	96	76	33
Diseases of: Generative „	0·10	197	1	–	–	1	–	2	1	–	11	6	30	50	32	31	27	7
Puerperal Fever	0·17	358	–	–	–	–	–	–	–	–	18	85	173	78	4	–	–	–
Childbirth	0·16	328	–	–	–	–	–	–	–	–	11	53	134	125	5	–	–	–
Violence	0·31	639	83	50	32	28	23	216	46	24	30	18	33	36	51	50	75	60
Other Causes	3·11	6,379	2,521	129	45	26	23	2,744	57	75	68	76	150	161	149	340	769	1,790

Marriages - - - 28,610
Births - - - - 66,534

Deaths from Childbirth and Puerperal Fever - - 5·05 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

34.—CHESHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·28	†156	–	–	–	–	59·35	5·05	2·82	4·31	5·58	7·67	12·03	19·70	36·88	76·84	171·28
Mean Population, 1881–91	–	322,351	8,961	8,281	8,415	8,463	8,308	42,428	39,221	36,779	33,318	28,815	47,106	36,537	27,083	18,120	9,769	3,175
Deaths from All Causes, 1881–90	19·92	64,212	16,745	4,692	1,793	1,136	813	25,179	1,981	1,038	1,435	1,609	3,611	4,397	5,334	6,683	7,507	5,438
Small-pox	0·01	35	2	–	–	–	–	2	1	3	2	2	5	11	3	3	3	–
Measles	0·47	1,517	388	566	243	136	79	1,412	98	2	1	1	3	–	–	–	–	–
Scarlet Fever	0·31	1,013	57	165	148	145	145	660	273	48	14	8	6	4	–	–	–	–
Diphtheria	0·11	362	23	36	44	54	54	211	104	19	5	3	10	2	3	5	–	–
Whooping-cough	0·37	1,193	592	353	124	59	32	1,160	32	1	–	–	–	–	–	–	–	–
Typhus	0·02	77	–	–	1	–	–	1	6	4	5	8	14	19	12	4	4	–
Enteric Fever	0·22	713	8	7	11	24	14	64	69	73	88	95	137	70	55	48	14	–
Simple Continued Fever	0·02	77	3	9	7	3	2	24	8	7	4	3	4	5	5	8	5	4
Diarrhœa and Dysentery	0·63	2,045	1,375	249	43	17	9	1,693	15	6	5	6	15	19	31	63	107	85
Cholera	0·02	51	18	4	1	–	–	23	–	2	2	2	3	5	6	5	3	–
Cancer	0·41	1,313	–	1	2	2	3	8	2	3	9	10	31	96	277	390	359	128
Tabes Mesenterica	0·27	866	452	179	48	31	21	731	53	27	8	13	13	6	6	7	2	–
Phthisis	1·67	5,375	67	45	21	20	17	170	94	135	446	682	1,365	1,079	802	454	124	24
Other Tub. and Scrof. Dis.	0·44	1,411	466	271	141	71	45	994	162	64	55	34	37	21	20	15	8	1
Diseases of Nervous System	2·92	9,426	3,125	616	256	138	90	4,225	244	107	125	115	285	503	691	1,073	1,337	721
Diseases of Circulatory „	1·55	4,990	27	6	6	7	4	50	47	70	114	80	263	462	720	1,200	1,361	623
Diseases of Respiratory „	3·92	12,648	3,260	1,372	437	250	159	5,478	315	79	90	122	432	747	1,116	1,523	1,786	960
Diseases of Digestive „	1·28	4,136	1,070	354	55	37	25	1,541	84	57	77	49	151	332	485	600	546	214
Diseases of Urinary „	0·51	1,655	37	16	15	16	13	97	44	36	40	39	106	159	240	320	377	197
Diseases of Generative „	0·01	27	8	–	–	–	–	8	–	1	–	–	2	6	3	2	3	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·99	3,187	149	92	85	58	60	444	203	182	211	236	443	439	393	306	248	82
OTHER CAUSES	3·77	12,095	5,618	351	105	68	41	6,183	127	112	134	101	286	412	466	657	1,220	2,397

Marriages - - - 45,223
Births - - - 107,312

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

34.—CHESHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·62	†127	–	–	–	–	49·68	4·78	2·77	4·23	5·60	7·61	11·22	16·19	32·75	70·01	158·77
Mean Population, 1881-91	–	342,820	9,039	8,186	8,394	8,360	8,417	42,396	39,318	36,819	34,447	32,757	52,396	39,472	29,787	20,354	11,142	3,932
Deaths from All Causes, 1881-90	17·85	61,199	13,001	4,247	1,851	1,155	808	21,062	1,879	1,019	1,456	1,835	3,987	4,427	4,824	6,666	7,801	6,243
Small-pox	0·01	22	3	–	–	–	–	3	1	–	5	6	2	5	–	–	–	–
Measles	0·42	1,430	296	545	266	135	81	1,323	95	7	1	1	1	1	1	–	–	–
Scarlet Fever	0·28	945	34	122	161	155	116	588	262	49	11	13	16	6	–	–	–	–
Diphtheria	0·12	416	17	32	55	60	48	212	136	27	13	7	11	6	1	3	–	–
Whooping-cough	0·39	1,342	564	388	175	103	59	1,289	48	3	1	1	–	–	–	–	–	–
Typhus	0·02	57	–	–	–	–	–	–	3	3	12	3	12	9	6	6	3	–
Enteric Fever	0·20	682	15	14	11	17	20	77	78	71	96	73	106	84	60	24	11	2
Simple Continued Fever	0·02	78	4	3	5	2	7	21	14	4	3	3	5	8	3	11	4	2
Diarrhœa and Dysentery	0·56	1,911	1,143	239	58	18	13	1,471	17	6	3	7	27	28	47	67	126	112
Cholera	0·01	40	18	5	–	–	–	23	1	1	–	–	3	3	3	3	3	–
Cancer	0·68	2,326	1	–	–	3	2	6	1	4	7	7	82	328	583	677	455	176
Tabes Mesenterica	0·21	712	331	148	42	22	20	563	43	27	21	12	20	9	11	5	1	–
Phthisis	1·55	5,310	48	52	29	21	18	168	102	220	594	793	1,433	1,065	538	283	102	12
Other Tub. and Scrcf. Dis.	0·33	1,139	293	203	95	59	49	699	163	83	56	24	42	27	20	15	9	1
Diseases of Nervous System	2·51	8,612	2,454	496	236	130	104	3,420	245	106	118	111	261	411	713	1,092	1,323	812
Diseases of Circulatory „	1·63	5,602	29	6	4	1	5	45	60	124	120	119	335	573	790	1,336	1,439	661
Diseases of Respiratory „	3·30	11,318	2,335	1,282	451	271	159	4,498	282	59	77	122	344	571	781	1,475	1,931	1,178
Diseases of Digestive „	1·16	3,992	764	306	65	42	22	1,199	83	53	77	88	219	319	504	673	554	223
Diseases of Urinary „	0·34	1,154	26	17	20	20	10	93	35	24	35	44	129	163	180	214	172	65
Diseases of Generative „	0·09	306	1	5	1	–	–	7	1	2	13	24	43	60	61	50	35	10
Puerperal Fever	0·17	596	–	–	–	–	–	–	–	–	22	140	284	148	2	–	–	–
Childbirth	0·16	551	–	–	–	–	–	–	–	–	19	92	240	195	5	–	–	–
Violence	0·33	1,126	119	57	73	40	39	328	99	37	29	28	91	85	109	114	112	94
Other Causes	3·36	11,532	4,506	327	104	56	36	5,029	110	109	123	117	281	323	406	618	1,521	2,895

Marriages - - - 45,223
Births - - - 102,516

Deaths from Childbirth and Puerperal Fever - - } 5·47 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

35.—LANCASHIRE.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*25·62	†181	–	–	–	–	78·76	7·00	3·52	5·10	6·39	9·16	15·57	25·44	47·20	92·10	184·63
Mean Population, 1881-91	–	1,795,010	53,168	47,485	48,193	47,227	46,577	242,650	218,063	200,283	182,765	167,164	284,201	215,691	147,031	86,814	39,671	10,677
Deaths from All Causes, 1881-90	23·83	427,682	117,813	40,643	15,867	9,743	7,038	191,104	15,275	7,058	9,321	10,687	26,022	33,579	37,412	40,973	36,538	19,713
Small-pox	0·03	510	42	13	6	9	15	85	32	21	26	72	129	92	39	10	3	1
Measles	0·76	13,636	3,264	5,529	2,192	1,190	666	12,841	744	24	8	5	9	2	2	1	–	–
Scarlet Fever	0·50	9,060	559	1,377	1,501	1,466	1,173	6,076	2,404	390	78	31	54	20	6	1	–	–
Diphtheria	0·15	2,680	193	392	368	388	363	1,704	684	98	41	24	48	24	26	19	9	3
Whooping-cough	0·48	8,673	3,806	2,654	1,055	549	314	8,378	289	4	1	1	–	–	–	–	–	–
Typhus	0·06	1,058	3	2	6	10	12	33	52	33	94	101	240	245	148	89	21	2
Enteric Fever	0·30	5,301	26	79	108	117	122	452	504	502	754	745	1,054	622	382	205	70	11
Simple Continued Fever	0·03	618	44	47	52	40	36	219	93	33	46	35	43	39	42	46	21	7
Diarrhœa and Dysentery	1·05	18,918	12,561	3,252	493	173	86	16,565	159	41	27	44	115	157	232	470	659	449
Cholera	0·03	500	190	56	14	10	5	275	25	3	7	11	24	30	33	58	30	4
Cancer	0·34	6,019	2	10	14	10	8	44	28	23	51	53	204	679	1,446	1,847	1,303	341
Tabes Mesenterica	0·38	6,889	3,388	1,684	563	224	146	6,005	347	162	99	45	59	53	27	33	9	–
Phthisis	2·10	37,712	502	422	220	163	131	1,438	694	840	2,820	4,152	9,228	8,921	5,981	2,818	740	80
Other Tub. and Scrof. Dis.	0·54	9,740	3,042	2,150	972	529	397	7,090	1,004	408	309	241	279	185	125	71	28	–
Diseases of: Nervous System	3·24	58,245	21,614	4,716	1,896	1,074	763	30,063	1,888	785	701	611	1,797	2,984	4,188	6,048	6,467	2,713
Diseases of: Circulatory „	1·46	26,234	209	37	27	28	47	348	391	556	671	583	1,863	3,534	4,731	6,072	5,420	2,065
Diseases of: Respiratory „	5·62	100,852	23,876	12,288	4,527	2,521	1,759	44,971	2,617	659	972	1,291	4,348	7,288	10,427	12,996	10,836	4,447
Diseases of: Digestive „	1·36	24,489	7,351	2,759	437	232	202	10,981	661	479	490	475	1,179	1,909	2,592	2,916	2,148	659
Diseases of: Urinary „	0·53	9,579	168	190	158	169	156	841	419	179	196	244	796	1,208	1,558	1,772	1,670	696
Diseases of: Generative „	0·01	158	26	3	4	1	1	35	–	1	4	4	11	21	35	21	22	4
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·08	19,337	1,699	525	487	446	340	3,497	1,188	918	1,078	1,151	2,606	2,885	2,602	1,981	1,051	380
OTHER CAUSES	3·78	67,524	35,248	2,458	767	394	296	39,163	1,052	899	848	768	1,936	2,681	2,790	3,505	6,031	7,851

Marriages - 300,873
Births 651,205

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

35.—LANCASHIRE.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*22·84	†150	–	–	–	–	66·92	6·63	3·46	4·74	6·17	8·77	13·27	20·49	39·96	79·84	166·06
Mean Population, 1881–91 -	–	1,926,852	53,280	48,201	49,087	48,372	47,432	246,372	221,223	204,512	194,038	187,591	307,824	230,793	164,857	103,454	50,954	15,234
Deaths from All Causes, 1881–90 - - -	21·08	406,142	94,881	37,865	15,341	9,931	6,861	164,879	14,670	7,078	9,199	11,568	27,005	30,636	33,786	41,340	40,683	25,298
Small-pox - - -	0·02	398	53	10	12	10	9	94	29	32	37	60	82	38	14	7	4	1
Measles - - -	0·66	12,745	2,615	5,077	2,202	1,292	682	11,868	795	36	13	10	14	6	3	–	–	–
Scarlet Fever - - -	0·46	8,934	417	1,343	1,517	1,437	1,211	5,925	2,411	362	77	53	77	25	3	1	–	–
Diphtheria - - -	0·16	2,998	165	413	373	420	377	1,748	903	166	44	19	46	31	17	19	5	–
Whooping-cough - -	0·55	10,694	4,019	3,414	1,495	859	444	10,231	447	8	3	1	–	1	–	1	2	–
Typhus - - -	0·05	903	2	5	4	4	13	28	54	35	76	89	189	241	121	50	16	4
Enteric Fever - -	0·24	4,573	20	68	97	113	122	420	572	609	662	482	755	491	334	168	65	15
Simple Continued Fever -	0·03	661	47	53	56	49	39	244	124	46	44	19	42	35	40	34	29	4
Diarrhœa and Dysentery -	0·90	17,393	10,727	3,012	478	180	108	14,505	161	42	39	61	154	193	285	586	868	499
Cholera - - -	0·02	427	163	53	17	6	13	252	28	7	6	5	14	17	34	32	23	9
Cancer - - -	0·61	11,740	6	13	9	13	8	49	16	14	39	58	537	1,912	3,223	3,306	1,989	597
Tabes Mesenterica - -	0·31	5,896	2,749	1,408	476	193	138	4,964	330	162	103	72	105	65	48	30	14	3
Phthisis - - -	1·82	35,001	414	379	210	144	139	1,286	828	1,469	3,613	4,616	9,648	7,253	3,881	1,800	528	79
Other Tub. and Scrof. Dis. -	0·41	7,821	2,262	1,624	728	499	337	5,450	909	405	273	192	251	166	90	59	23	3
Diseases of: Nervous System -	2·72	52,459	16,276	4,628	1,626	1,061	731	23,722	1,683	728	687	664	1,538	2,665	4,402	6,492	6,642	3,216
Diseases of: Circulatory „ -	1·61	31,069	120	44	36	32	44	275	446	796	795	890	2,488	3,898	5,358	7,276	6,493	2,353
Diseases of: Respiratory „ -	4·68	90,259	18,476	11,425	4,266	2,545	1,630	38,342	2,577	642	740	1,026	3,284	5,178	8,133	12,214	12,235	5,888
Diseases of: Digestive „ -	1·25	24,140	5,563	2,377	458	261	191	8,850	630	356	437	488	1,312	2,151	3,003	3,448	2,567	898
Diseases of: Urinary „ -	0·35	6,687	114	215	124	115	103	671	253	154	195	285	743	1,072	1,133	1,113	825	243
Diseases of: Generative „ -	0·10	1,997	20	15	14	14	3	66	2	14	64	133	380	450	413	294	145	36
Puerperal Fever - -	0·21	4,075	–	–	–	–	–	–	–	–	173	955	1,939	972	36	–	–	–
Childbirth - - -	0·15	2,961	–	–	–	–	–	–	–	–	98	420	1,292	1,122	29	–	–	–
Violence - - -	0·41	7,951	1,782	470	362	275	221	3,110	572	230	231	225	471	600	766	760	610	376
OTHER CAUSES - -	3·36	64,360	28,871	2,419	781	409	298	32,778	900	765	750	745	1,644	2,054	2,420	3,650	7,580	11,074

Marriages - - - 300,873
Births - - - 631,157

Deaths from Childbirth and Puerperal Fever - - } 5·49 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

36.—YORKSHIRE (West Riding).—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*22·48	†171	–	–	–	–	68·70	6·19	3·34	4·90	5·72	7·50	12·62	21·20	40·32	84·22	180 95
Mean Population, 1881–91	–	1,137,833	32,604	29,439	29,460	29,354	29,096	149,953	136,500	127,980	116,996	104,017	173,938	134,374	95,431	60,372	29,703	8,569
Deaths from All Causes, 1881–90	21·31	242,526	65,282	21,306	7,981	4,861	3,594	103,024	8,449	4,273	5,727	5,954	13,042	16,962	20,229	24,343	25,017	15,506
Small-pox	0·05	598	81	15	13	9	14	132	38	34	70	86	112	74	37	9	5	1
Measles	0·44	5,061	1,252	2,027	812	405	269	4,765	267	17	5	3	3	1	–	–	–	–
Scarlet Fever	0·55	6,202	358	860	1,024	913	815	3,970	1,769	319	59	31	37	11	6	–	–	–
Diphtheria	0·10	1,133	71	119	146	152	156	644	321	73	23	10	20	19	7	10	5	1
Whooping-cough	0·39	4,481	2,045	1,410	522	253	140	4,370	109	1	–	–	–	–	1	–	–	–
Typhus	0·01	110	1	–	–	1	2	4	7	12	9	18	21	17	11	5	6	–
Enteric Fever	0·25	2,813	22	49	33	48	50	202	246	275	399	351	502	355	265	160	54	4
Simple Continued Fever	0·04	407	17	31	27	23	25	123	62	30	15	16	25	31	41	40	22	2
Diarrhœa and Dysentery	0·80	9,078	6,143	1,364	218	89	26	7,840	85	25	16	16	34	60	113	229	346	314
Cholera	0·02	244	74	27	3	1	3	108	5	6	8	5	9	14	24	26	31	8
Cancer	0·35	3,997	6	6	8	3	3	26	14	8	31	32	139	353	853	1,210	1,046	285
Tabes Mesenterica	0·30	3,446	1,666	799	258	117	65	2,905	167	99	78	55	61	34	23	16	5	3
Phthisis	1·98	22,585	253	259	118	71	72	773	424	558	1,956	2,541	4,863	4,932	3,738	2,086	659	55
Other Tub. and Scrof. Dis.	0·50	5,745	1,626	1,277	508	302	228	3,941	646	339	216	148	181	118	85	47	19	5
Diseases of: Nervous System	3·30	37,539	14,394	3,039	1,071	595	407	19,506	1,146	524	415	320	839	1,547	2,327	3,802	4,837	2,276
Diseases of: Circulatory „	1·49	16,993	83	20	14	12	30	159	208	324	426	378	985	1,924	2,867	4,086	4,055	1,581
Diseases of: Respiratory „	4·69	53,378	13,086	6,690	2,260	1,297	810	24,143	1,401	330	496	586	1,912	3,213	4,825	6,585	6,781	3,106
Diseases of: Digestive „	1·20	13,635	3,613	1,655	248	112	88	5,716	295	247	255	253	596	946	1,408	1,835	1,530	554
Diseases of: Urinary „	0·49	5,623	70	99	65	51	50	335	179	96	112	130	347	570	843	1,149	1,251	611
Diseases of: Generative „	0·01	101	10	2	1	3	–	16	1	–	2	5	5	11	20	22	18	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·90	10,194	601	238	257	231	212	1,539	546	508	641	581	1,332	1,494	1,402	1,175	694	282
Other Causes	3·45	39,163	19,810	1,320	375	173	129	21,807	513	448	495	389	1,019	1,238	1,333	1,851	3,653	6,417

Marriages - - - 180,394
Births - - - 381,888

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

36.—YORKSHIRE (West Riding).—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*20·05	†140	–	–	–	–	57·59	6·22	3·57	5·23	6·26	7·72	10·72	15·78	32·10	70·15	168·48
Mean Population, 1881-91 -	–	1,193,374	33,013	29,863	29,845	29,754	29,564	152,039	139,374	128,995	120,260	113,183	184,061	139,509	102,238	67,521	35,176	11,018
Deaths from All Causes, 1881-90 - - -	18·81	224,429	51,847	19,588	7,730	4,702	3,694	87,561	8,670	4,610	6,287	7,084	14,216	14,955	16,133	21,674	24,676	18,563
Small-pox - - -	0·04	424	63	11	9	11	8	102	36	29	54	71	69	33	19	9	2	–
Measles - - -	0·40	4,827	995	1,901	817	415	303	4,431	355	21	2	3	10	3	1	1	–	–
Scarlet Fever - - -	0·52	6,222	266	860	961	910	886	3,883	1,815	340	57	40	64	21	1	1	–	–
Diphtheria - - -	0·11	1,324	76	148	143	162	173	702	413	105	26	18	12	20	7	13	7	1
Whooping-cough - -	0·47	5,580	2,283	1,788	735	379	208	5,393	183	3	1	–	–	–	–	–	–	–
Typhus - - -	0·01	93	–	–	1	4	1	6	6	13	20	12	18	12	3	3	–	–
Enteric Fever - -	0·20	2,365	20	30	53	45	75	223	271	306	336	279	400	237	147	112	46	8
Simple Continued Fever -	0·04	421	24	28	34	27	23	136	76	29	26	21	26	28	18	25	18	18
Diarrhœa and Dysentery -	0·71	8,423	5,105	1,383	215	68	50	6,821	116	35	26	40	71	106	120	226	462	400
Cholera - - -	0·02	189	67	21	11	1	5	105	9	2	7	5	6	7	13	17	13	5
Cancer - - - -	0·67	8,055	3	5	6	5	9	28	6	19	14	39	302	1,278	2,162	2,242	1,522	443
Tabes Mesenterica - -	0·26	3,096	1,339	728	207	87	72	2,433	181	135	92	53	80	46	31	30	15	–
Phthisis - - -	1·72	20,579	226	218	112	86	93	735	581	1,090	2,788	3,105	5,336	3,529	1,908	1,068	387	52
Other Tub. and Scrof. Dis. -	0·40	4,753	1,103	906	406	281	190	2,886	704	380	225	165	170	112	51	36	18	6
Diseases of Nervous System - -	2·71	32,380	10,593	2,337	918	519	431	14,798	1,105	550	468	387	845	1,278	2,251	3,626	4,625	2,447
Diseases of Circulatory „ - -	1·57	18,776	63	14	17	18	17	129	214	401	513	530	1,301	2,166	2,909	4,318	4,509	1,786
Diseases of Respiratory „ - -	3·73	44,532	10,133	6,179	2,259	1,218	806	20,595	1,339	336	402	502	1,276	1,949	2,862	5,077	6,227	3,967
Diseases of Digestive „ - -	1·09	13,054	2,689	1,455	215	107	96	4,562	352	187	220	289	643	966	1,392	1,994	1,726	722
Diseases of Urinary „ - -	0·29	3,421	46	79	48	40	49	262	135	84	103	149	403	500	515	630	486	154
Diseases of Generative „ - -	0·10	1,179	9	8	5	3	–	25	2	7	38	53	192	301	265	166	100	30
Puerperal Fever - -	0·18	2,144	–	–	–	–	–	–	–	–	115	477	1,033	503	16	–	–	–
Childbirth - - -	0·15	1,828	–	–	–	–	–	–	–	1	97	269	778	655	27	1	–	–
Violence - - -	0·31	3,726	515	197	185	139	95	1,131	280	137	179	142	245	271	317	346	361	317
Other Causes - -	3·11	37,038	16,229	1,292	373	177	104	18,175	490	400	478	435	936	934	1,098	1,733	4,152	8,207

Marriages - - - 180,394
Births - - - 370,426

Deaths from Childbirth and Puerperal Fever - - 5·28 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi-xxxviii).
† The death-rate under one year of age is per 1000 Births.

37.—YORKSHIRE (EAST RIDING, WITH YORK).—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*20·33	†163	–	–	–	–	61·31	5·94	3·05	4·56	5·93	7·90	12·50	18·28	32·64	73·19	170·34
Mean Population, 1881-91	–	187,822	5,282	4,788	4,908	4,892	4,881	24,751	22,388	20,716	18,930	16,522	27,526	21,749	15,935	10,874	6,263	2,168
Deaths from All Causes, 1881-90	20·56	38,612	10,352	2,636	980	694	513	15,175	1,330	632	863	979	2,175	2,719	2,913	3,549	4,584	3,693
Small-pox	0·03	54	3	3	–	3	1	10	4	2	5	6	10	8	5	3	1	–
Measles	0·29	549	132	204	83	49	36	504	43	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·52	979	48	122	131	141	140	582	331	36	11	6	6	5	1	1	–	–
Diphtheria	0·09	166	13	8	15	26	20	82	60	10	2	2	3	1	2	3	1	–
Whooping-cough	0·34	643	305	204	59	38	14	620	23	–	–	–	–	–	–	–	–	–
Typhus	0·00	7	–	–	–	–	1	1	–	1	2	–	1	1	–	1	–	–
Enteric Fever	0·27	498	7	6	10	13	15	51	44	45	57	65	100	62	39	23	8	4
Simple Continued Fever	0·04	77	7	2	8	7	6	30	10	4	2	3	7	7	5	4	3	2
Diarrhœa and Dysentery	0·93	1,744	1,314	179	25	10	3	1,531	10	3	3	3	7	10	15	35	60	67
Cholera	0·02	42	28	4	–	–	–	32	1	–	–	–	–	1	2	3	3	–
Cancer	0·42	781	1	1	1	2	–	5	–	1	4	7	23	61	153	229	227	71
Tabes Mesenterica	0·32	602	372	97	32	19	3	523	28	18	13	4	7	3	2	1	2	1
Phthisis	1·69	3,165	45	37	14	14	13	123	83	100	276	360	751	688	442	249	83	10
Other Tub. and Scrof. Dis.	0·40	753	186	128	73	46	41	474	122	56	33	19	20	16	10	3	–	–
Diseases of: Nervous System	3·27	6,134	2,094	363	97	74	50	2,678	125	68	80	60	210	359	447	636	932	539
Diseases of: Circulatory „	1·71	3,218	11	2	2	3	3	21	23	46	56	57	212	412	472	631	842	446
Diseases of: Respiratory „	3·75	7,051	1,835	853	292	164	93	3,237	154	34	61	95	252	390	574	790	920	544
Diseases of: Digestive „	1·13	2,118	580	180	21	14	13	808	33	37	39	32	96	151	191	236	323	142
Diseases of: Urinary „	0·56	1,052	11	10	7	8	11	47	23	14	11	17	76	101	130	180	290	163
Diseases of: Generative „	0·01	12	1	–	–	–	–	1	1	–	–	–	2	1	3	–	4	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·98	1,832	121	43	38	30	26	258	128	89	131	159	231	240	205	211	117	63
OTHER CAUSES	3·79	7,135	3,238	190	72	33	24	3,557	84	67	76	84	161	202	215	280	768	1,641

Marriages - - - 30,148
Births - - - 63,659

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

37.—YORKSHIRE (EAST RIDING, WITH YORK).—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·03	†136	–	–	–	–	51·55	5·51	3·45	4·52	5·84	7·83	11·00	14·59	26·09	57·54	154·38
Mean Population, 1881–91	–	193,408	5,302	4,860	4,903	4,925	4,891	24,881	22,746	20,670	18,907	17,428	28,597	21,814	16,295	11,713	7,299	3,058
Deaths from All Causes, 1881–90	18·44	35,659	8,236	2,445	939	719	458	12,827	1,253	714	854	1,017	2,240	2,400	2 377	3,056	4,200	4,721
Small-pox	0·02	39	4	2	1	–	–	7	6	3	6	5	8	4	–	–	–	–
Measles	0·26	494	111	188	73	54	22	448	39	2	2	1	1	1	–	–	–	–
Scarlet Fever	0·50	962	36	90	123	175	134	558	307	56	15	9	11	5	1	–	–	–
Diphtheria	0·09	169	6	17	19	20	11	73	65	10	3	4	8	3	1	1	1	–
Whooping-cough	0·43	838	375	248	109	58	22	812	24	1	–	–	1	–	–	–	–	–
Typhus	0·01	15	–	–	–	–	–	–	1	1	–	2	7	2	2	–	–	–
Enteric Fever	0·22	435	8	7	7	10	10	42	47	51	54	65	76	42	29	16	10	3
Simple Continued Fever	0·04	71	1	2	4	6	4	17	16	6	3	2	5	6	1	7	8	–
Diarrhœa and Dysentery	0·82	1,591	1,082	199	31	14	5	1,331	13	3	4	4	12	20	23	31	63	87
Cholera	0·02	37	31	1	–	–	1	33	–	–	–	–	–	1	2	–	–	1
Cancer	0·77	1,483	–	–	1	1	–	2	2	6	3	4	56	236	353	366	318	137
Tabes Mesenterica	0·28	532	283	103	27	10	12	435	27	18	13	7	11	8	3	8	2	–
Phthisis	1·62	3,138	48	25	26	15	13	127	96	207	365	417	841	605	306	117	49	8
Other Tub. and Scrof. Dis.	0·34	649	141	105	51	39	33	369	93	54	41	29	36	13	11	3	–	–
Diseases of Nervous System	2·84	5,498	1,578	281	95	75	54	2,083	136	75	69	70	181	275	380	620	887	722
Diseases of Circulatory „	1·55	3,003	11	4	2	3	2	22	34	54	63	81	178	289	390	560	785	547
Diseases of Respiratory „	3·12	6,029	1,380	818	280	159	94	2,731	157	50	38	59	171	268	329	588	892	746
Diseases of Digestive „	0·98	1,895	394	129	20	8	7	558	50	27	22	43	113	161	198	274	276	173
Diseases of Urinary „	0·29	563	11	13	10	7	3	44	23	14	11	15	60	90	76	102	89	39
Diseases of Generative „	0·11	212	1	1	1	–	–	3	–	1	2	10	43	40	50	28	29	6
Puerperal Fever	0·14	268	–	–	–	–	–	–	–	–	11	62	112	81	2	–	–	–
Childbirth	0·13	242	–	–	–	–	–	–	–	–	20	39	102	76	5	–	–	–
Violence	0·32	619	88	20	16	31	14	169	45	15	35	19	47	47	46	58	56	82
OTHER CAUSES	3·54	6,877	2,677	192	43	34	17	2,963	72	60	74	70	160	127	169	277	735	2,170

Marriages 30,148
Births 60,956

Deaths from Childbirth and Puerperal Fever 4·09 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

38.—YORKSHIRE (NORTH RIDING).—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·40	†148	–	–	–	–	56·07	4·70	3·07	4·33	6·05	7·42	10·31	16·88	29·70	64·05	153·51
Mean Population, 1881–91	–	173,185	4,840	4,350	4,600	4,552	4,603	22,945	21,636	19,708	17,653	14,639	24,507	19,559	14,410	9,924	5,883	2,321
Deaths from All Causes, 1881–90	18·87	32,684	8,639	2,370	894	550	413	12,866	1,016	606	765	885	1,818	2,017	2,433	2,947	3,768	3,563
Small-pox	0·02	36	3	–	–	–	–	3	2	1	4	7	6	8	3	–	1	1
Measles	0·27	472	105	194	82	46	15	442	26	2	–	–	1	1	–	–	–	–
Scarlet Fever	0·35	602	33	91	95	85	71	375	154	48	11	3	7	–	4	–	–	–
Diphtheria	0·09	153	9	11	18	20	22	80	51	10	5	3	3	–	–	1	–	–
Whooping-cough	0·35	612	309	183	67	27	12	598	14	–	–	–	–	–	–	–	–	–
Typhus	0·01	11	–	–	–	1	–	1	–	1	1	1	1	–	4	1	1	–
Enteric Fever	0·27	465	2	1	4	13	15	35	43	46	57	61	81	55	48	24	14	1
Simple Continued Fever	0·04	69	3	4	3	1	1	12	9	9	–	–	5	6	9	10	5	4
Diarrhœa and Dysentery	0·59	1,015	672	138	17	3	6	836	10	2	1	2	11	7	8	25	49	64
Cholera	0·02	32	14	3	–	2	–	19	1	–	1	–	–	–	5	2	2	2
Cancer	0·45	787	–	–	1	2	1	4	4	6	4	5	16	43	154	212	234	105
Tabes Mesenterica	0·36	620	316	146	58	19	6	545	33	13	5	10	5	5	2	2	–	–
Phthisis	1·38	2,388	29	22	15	10	10	86	53	68	241	334	602	435	313	176	67	13
Other Tub. and Scrof. Dis.	0·40	699	179	145	58	37	31	450	86	45	22	25	34	19	9	4	5	–
Diseases of: Nervous System	2·76	4,783	1,766	298	106	64	52	2,286	130	66	54	47	100	168	226	474	689	543
Diseases of: Circulatory „	1·49	2,585	8	2	4	1	1	16	21	28	39	38	114	213	360	527	744	485
Diseases of: Respiratory „	3·85	6,675	1,610	762	252	138	100	2,862	156	35	73	124	325	478	594	659	781	588
Diseases of: Digestive „	1·14	1,975	538	165	38	20	11	772	55	36	34	38	93	125	182	254	244	142
Diseases of: Urinary „	0·51	880	14	12	4	6	8	44	16	14	24	23	48	76	92	141	236	166
Diseases of: Generative „	0·00	8	2	–	–	–	–	2	–	–	–	–	–	2	2	1	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·95	1,649	79	36	27	33	25	200	77	95	125	111	232	212	220	180	139	58
OTHER CAUSES	3·57	6,168	2,948	157	45	22	26	3,198	75	81	64	53	134	164	198	254	556	1,391

Marriages - - - 24,126
Births - - 58,383

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

38.—YORKSHIRE (North Riding).—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*16·98	†121	–	–	–	–	46·63	4·83	3·02	4·82	6·12	8·00	10·07	13·30	25·93	56·80	146·15
Mean Population, 1881–91	–	171,199	4,832	4,336	4,655	4,624	4,609	23,056	21,322	19,474	16,949	15,021	24,185	18,447	13,787	9,987	6,280	2,691
Deaths from All Causes, 1881–90	17·42	29,820	6,802	2,163	815	577	393	10,750	1,029	588	817	919	1,936	1,858	1,833	2,590	3,567	3,933
Small-pox	0·01	15	1	–	–	–	–	1	1	–	3	3	2	1	2	2	–	–
Measles	0·24	416	70	162	74	35	29	370	34	2	3	2	4	1	–	–	–	–
Scarlet Fever	0·33	565	24	74	83	95	57	333	163	31	7	7	15	7	–	1	1	–
Diphtheria	0·11	180	7	12	15	26	25	85	73	9	5	2	1	3	2	–	–	–
Whooping-cough	0·46	787	366	226	87	54	26	759	27	–	–	–	–	1	–	–	–	–
Typhus	0·00	7	–	–	–	–	–	–	1	–	2	1	2	–	–	1	–	–
Enteric Fever	0·25	431	1	4	4	3	15	27	53	49	82	47	76	39	28	20	8	2
Simple Continued Fever	0·03	57	3	5	2	4	7	21	4	2	4	3	5	2	1	5	5	5
Diarrhœa and Dysentery	0·51	879	523	132	21	9	7	692	10	4	2	6	13	17	19	15	44	57
Cholera	0·01	15	2	2	1	–	–	5	3	–	–	–	2	2	–	2	–	1
Cancer	0·74	1,270	–	–	1	2	–	3	1	–	–	3	40	159	276	340	304	144
Tabes Mesenterica	0·33	566	280	116	39	15	8	458	31	22	9	5	20	9	7	3	2	–
Phthisis	1·56	2,665	24	29	13	8	15	89	88	179	338	400	737	434	219	121	55	5
Other Tub. and Scrof. Dis.	0·37	626	150	108	42	30	23	353	102	46	41	19	28	18	10	7	1	1
Diseases of Nervous System	2·45	4,192	1,267	277	97	63	42	1,746	108	56	54	65	87	148	251	470	678	529
Diseases of Circulatory „	1·55	2,659	6	3	–	2	2	13	29	40	53	39	143	224	297	522	780	519
Diseases of Respiratory „	2·95	5,057	1,181	664	242	153	87	2,327	152	41	61	65	158	206	248	455	686	658
Diseases of Digestive „	1·05	1,802	361	164	21	14	13	573	48	31	34	44	96	130	180	251	284	131
Diseases of Urinary „	0·30	515	10	7	7	2	6	32	11	12	14	22	55	76	66	75	100	52
Diseases of Generative „	0·11	182	–	2	–	–	–	2	3	–	9	14	26	32	45	22	21	8
Puerperal Fever	0·19	320	–	–	–	–	–	–	–	–	13	73	145	87	2	–	–	–
Childbirth	0·15	258	–	–	–	–	–	–	–	–	12	31	112	102	1	–	–	–
Violence	0·29	501	83	27	18	25	14	167	33	12	15	11	23	27	41	57	39	76
Other Causes	3·43	5,855	2,443	149	48	37	17	2,694	54	52	56	57	146	133	138	221	559	1,745

Marriages - - - 24,126
Births - - - 56,082

Deaths from Childbirth and Puerperal Fever - - 5·05 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

39.—DURHAM.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*21·14	†165	–	–	–	–	66·62	6·43	3·96	5·49	6·03	6·90	10·72	17·56	35·17	74·45	175·88
Mean Population 1881–91	–	484,796	15,317	13,435	13,845	13,688	13,575	69,860	62,396	54,622	50,232	43,931	72,477	55,443	38,330	22,987	11,222	3,296
Deaths from All Causes, 1881–90	20·22	98,040	30,064	9,348	3,576	2,071	1,484	46,543	4,015	2,162	2,758	2,650	5,001	5,944	6,730	8,085	8,355	5,797
Small-pox	0·07	322	40	5	13	14	7	79	31	26	22	30	55	41	28	6	3	1
Measles	0·47	2,272	486	860	395	212	129	2,082	169	9	6	1	1	–	4	–	–	–
Scarlet Fever	0·50	2,407	144	327	389	333	283	1,476	724	139	36	11	11	8	–	–	2	–
Diphtheria	0·07	363	38	62	46	52	35	233	90	15	14	1	1	3	1	3	1	1
Whooping-cough	0·36	1,759	779	569	215	80	52	1,695	62	1	–	–	–	–	–	1	–	–
Typhus	0·05	221	1	–	1	–	5	7	13	17	32	24	44	35	25	16	7	1
Enteric Fever	0·28	1,377	11	28	27	34	38	138	169	136	210	183	244	138	80	48	28	3
Simple Continued Fever	0·04	188	10	9	17	8	8	52	31	16	23	7	12	9	14	9	9	6
Diarrhœa and Dysentery	0·83	4,019	2,588	845	118	28	25	3,604	43	12	4	8	17	23	26	70	106	106
Cholera	0·02	84	23	13	–	–	1	37	4	3	–	–	5	11	7	6	9	2
Cancer	0·31	1,503	–	2	5	2	2	11	4	6	4	15	36	130	322	472	359	144
Tabes Mesenterica	0·47	2,291	1,036	676	201	82	40	2,035	108	50	35	23	15	8	9	7	1	–
Phthisis	1·59	7,718	105	120	64	41	37	367	250	349	874	1,068	1,755	1,357	989	526	166	17
Other Tub. and Scrof. Dis.	0·58	2,811	754	631	270	136	121	1,912	386	175	108	65	71	40	33	14	7	–
Diseases of: Nervous System	2·92	14,150	5,768	1,013	411	224	168	7,584	516	237	194	124	339	623	818	1,302	1,526	887
Diseases of: Circulatory „	1·36	6,600	22	9	5	14	11	61	93	104	145	122	417	819	1,064	1,476	1,589	710
Diseases of: Respiratory „	3·92	18,981	5,465	2,697	940	532	313	9,947	525	153	192	240	604	985	1,436	1,998	1,916	985
Diseases of: Digestive „	1·17	5,648	1,818	714	123	49	41	2,745	148	79	98	104	217	362	514	673	539	169
Diseases of: Urinary „	0·38	1,826	37	68	36	47	25	213	80	42	44	44	134	179	217	295	357	221
Diseases of: Generative „	0·01	26	6	1	–	1	–	8	–	1	–	–	1	2	7	3	2	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·12	5,427	290	124	111	97	77	699	342	393	533	416	690	750	680	521	306	97
Other Causes	3·70	18,047	10,643	575	189	85	66	11,558	227	199	184	164	332	421	456	639	1,422	2,445

Marriages - - - 74,184
Births - - - 182,361

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

39.—DURHAM.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·04	†139	–	–	–	–	57·52	6·32	4·00	5·38	7·19	8·69	11·46	15·82	30·43	65·29	160·15
Mean Population, 1881–91	–	464,971	15,183	13,265	13,777	13,609	13,558	69,392	62,226	54,115	47,626	41,477	66,518	49,306	35,197	22,721	12,092	4,301
Deaths from All Causes, 1881–90	19·41	90,253	24,369	8,543	3,387	2,094	1,522	39,915	3,934	2,162	2,560	2,984	5,782	5,651	5,568	6,914	7,895	6,888
Small-pox	0·05	255	34	18	13	9	6	80	29	19	33	28	27	16	11	8	2	2
Measles	0·46	2,156	382	814	369	228	150	1,943	194	9	–	5	4	–	–	–	1	–
Scarlet Fever	0·51	2,391	125	333	367	366	306	1,497	669	152	24	17	25	4	1	1	1	–
Diphtheria	0·09	419	35	55	53	51	49	243	123	21	7	3	10	6	1	2	1	2
Whooping-cough	0·48	2,233	949	656	290	165	83	2,143	85	4	–	1	–	–	–	–	–	–
Typhus	0·04	203	–	1	–	5	1	7	16	16	25	10	25	42	32	21	7	2
Enteric Fever	0·26	1,213	5	21	29	43	37	135	196	160	168	137	177	115	66	38	18	3
Simple Continued Fever	0·04	209	7	18	16	17	9	67	52	13	11	10	17	11	7	10	9	2
Diarrhœa and Dysentery	0·82	3,791	2,283	779	121	28	25	3,236	37	13	7	15	37	44	38	87	149	128
Cholera	0·01	66	24	2	3	2	3	34	3	1	–	1	6	4	3	4	8	2
Cancer	0·58	2,675	1	1	2	1	4	9	1	9	6	13	132	457	695	739	476	138
Tabes Mesenterica	0·44	2,048	897	553	163	76	37	1,726	129	54	38	22	32	22	16	7	2	–
Phthisis	1·81	8,422	88	85	63	46	43	325	339	617	1,098	1,312	2,203	1,418	729	293	81	7
Other Tub. and Scrof. Dis.	0·51	2,390	569	458	226	137	113	1,503	388	198	91	52	78	40	23	15	2	–
Diseases of Nervous System	2·60	12,090	4,400	886	363	234	146	6,029	451	202	161	125	276	511	757	1,183	1,524	871
Diseases of Circulatory "	1·40	6,506	28	10	3	4	12	57	96	155	183	183	486	717	1,008	1,394	1,489	738
Diseases of Respiratory "	3·33	15,48	4,106	2,421	932	470	318	8,247	545	155	149	204	548	625	819	1,338	1,641	1,215
Diseases of Digestive "	1·21	5,647	1,335	691	100	47	48	2,221	159	82	104	128	262	417	632	774	614	254
Diseases of Urinary "	0·29	1,364	27	90	33	33	22	205	69	42	52	72	160	198	151	187	168	60
Diseases of Generative "	0·08	376	2	13	4	1	–	20	–	4	21	20	74	71	67	50	37	12
Puerperal Fever	0·22	1,004	–	–	–	–	–	–	–	–	71	246	471	207	9	–	–	–
Childbirth	0·18	822	–	–	–	–	–	–	–	–	61	152	320	281	8	–	–	–
Violence	0·32	1,473	246	87	75	46	43	497	164	53	60	41	74	101	117	107	131	128
Other Causes	3·68	17,014	8,826	551	162	85	67	9,691	189	183	190	187	338	344	378	656	1,534	3,324

Marriages - - - 74,184
Births - - - 175,189

Deaths from Childbirth and Puerperal Fever - - } 5·11 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*21·03	†155	–	–	–	–	60·81	5·76	3·72	5·49	6·83	8·57	12·94	19·35	35·59	76·37	173·19
Mean Population, 1881–91	–	234,082	6,818	6,121	6,094	6,275	6,174	31,482	28,606	26,048	24,171	21,321	35,344	26,933	19,379	12,221	6,432	2,145
Deaths from All Causes, 1881–90	20·41	47,787	12,609	3,661	1,367	849	657	19,143	1,647	970	1,328	1,457	3,030	3,485	3,750	4,350	4,912	3,715
Small-pox	0·06	129	10	7	–	1	5	23	15	7	15	10	30	8	17	2	1	1
Measles	0·43	1,003	209	401	162	85	56	913	78	6	–	1	3	–	1	–	1	–
Scarlet Fever	0·36	841	61	127	119	123	104	534	224	58	7	6	7	3	–	–	2	–
Diphtheria	0·11	250	16	35	28	36	26	141	60	16	8	4	6	4	3	5	3	–
Whooping-cough	0·35	816	365	250	91	46	30	782	33	–	–	–	–	1	–	–	–	–
Typhus	0·03	73	–	–	–	–	–	–	1	4	12	6	14	16	9	9	2	–
Enteric Fever	0·24	570	1	6	12	11	7	37	65	61	99	84	98	56	34	30	4	2
Simple Continued Fever	0·05	108	5	5	3	7	5	25	17	9	13	6	6	11	7	7	4	3
Diarrhœa and Dysentery	0·72	1,688	1,088	268	42	17	3	1,418	9	9	4	4	9	17	23	46	76	73
Cholera	0·02	42	9	4	–	3	–	16	1	–	–	2	3	4	5	6	3	2
Cancer	0·42	987	2	–	1	2	1	6	5	2	5	9	16	82	202	319	240	101
Tabes Mesenterica	0·46	1,065	474	294	71	38	23	900	53	35	19	14	19	12	6	6	1	–
Phthisis	2·12	4,966	63	40	28	15	22	168	123	164	497	669	1,211	968	698	349	109	10
Other Tub. and Scrof. Dis.	0·51	1,185	322	218	108	62	58	768	180	71	46	31	40	15	21	10	3	–
Diseases of: Nervous System	2·92	6,839	2,256	461	186	102	98	3,103	187	102	84	78	183	280	437	763	1,022	600
Diseases of: Circulatory „	1·75	4,106	18	3	1	6	3	31	37	57	72	81	220	464	623	890	1,042	589
Diseases of: Respiratory „	3·24	7,595	1,978	945	337	177	120	3,557	206	60	95	118	315	485	598	768	857	536
Diseases of: Digestive „	1·21	2,843	810	281	45	18	24	1,178	67	48	43	47	137	246	257	350	326	144
Diseases of: Urinary „	0·49	1,155	22	29	23	10	15	99	44	21	24	36	68	123	127	163	263	187
Diseases of: Generative „	0·01	20	3	2	–	–	–	5	–	1	–	–	2	2	6	–	3	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·12	2,626	185	48	32	51	36	352	116	128	191	176	384	405	344	294	179	57
Other Causes	3·79	8,880	4,712	237	78	39	21	5,087	126	111	94	75	259	283	332	333	771	1,409

Marriages - - 37,515
Births - - 81,262

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

40.—NORTHUMBERLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*19·40	†129	–	–	–	–	51·75	5·91	3·96	5·52	6·99	9·14	12·00	16·33	30·32	64·31	160·39
Mean Population, 1881–91	–	235,976	6,764	6,170	6,228	6,131	6,217	31,510	28,516	25,964	24,057	22,157	34,756	25,836	19,321	13,125	7,649	3,085
Deaths from All Causes, 1881–90	19·15	45,181	10,038	3,390	1,376	833	671	16,308	1,686	1,029	1,329	1,549	3,178	3,100	3,155	3,980	4,919	4,948
Small-pox	0·04	93	12	2	1	1	2	18	12	12	10	8	18	3	6	5	1	–
Measles	0·40	951	194	325	196	78	56	849	88	5	2	–	6	1	–	–	–	–
Scarlet Fever	0·34	791	46	123	122	104	102	497	216	45	10	4	12	6	–	1	–	–
Diphtheria	0·12	285	12	48	40	33	39	172	71	14	10	4	6	5	2	1	–	–
Whooping-cough	0·44	1,037	411	332	119	83	40	985	50	1	1	–	–	–	–	–	–	–
Typhus	0·03	62	–	–	–	–	–	–	3	5	7	4	10	16	10	3	4	–
Enteric Fever	0·22	510	4	6	3	9	15	37	70	74	71	78	84	50	25	14	5	2
Simple Continued Fever	0·04	97	4	6	7	6	8	31	18	6	6	4	4	4	5	8	8	3
Diarrhœa and Dysentery	0·66	1,550	889	274	49	17	8	1,237	10	4	3	5	16	19	20	44	94	98
Cholera	0·01	27	12	4	–	1	–	17	1	–	–	1	–	2	1	2	3	–
Cancer	0·69	1,631	1	–	–	3	1	5	3	2	7	4	68	214	401	459	328	140
Tabes Mesenterica	0·39	911	354	229	77	27	13	700	73	47	26	20	28	10	4	1	1	1
Phthisis	2·05	4,841	39	43	20	19	37	158	168	337	641	669	1,273	836	455	207	84	13
Other Tub. & Scrof. Dis.	0·45	1,051	248	162	91	70	58	629	186	88	40	33	36	22	8	5	4	–
Diseases of Nervous System	2·66	6,285	1,718	365	151	92	71	2,397	203	92	87	63	210	263	464	760	1,002	744
Diseases of Circulatory „	1·74	4,099	13	3	2	2	1	21	43	68	75	91	243	440	538	867	1,046	667
Diseases of Respiratory „	2·82	6,661	1,477	912	337	193	128	3,047	222	55	68	83	233	270	418	662	869	734
Diseases of Digestive „	1·19	2,801	559	262	44	19	22	906	60	41	60	86	144	237	288	403	370	206
Diseases of Urinary „	0·32	749	10	32	23	18	15	98	28	12	22	48	84	108	105	112	94	38
Diseases of Generative „	0·14	322	4	4	3	–	–	11	1	2	6	20	56	64	72	35	42	13
Puerperal Fever	0·19	459	–	–	–	–	–	–	–	1	20	117	205	115	1	–	–	–
Childbirth	0·16	381	–	–	–	–	–	–	–	–	19	75	170	107	10	–	–	–
Violence	0·37	873	166	42	31	19	29	287	48	23	34	39	60	66	78	68	77	93
Other Causes	3·68	8,714	3,865	216	60	39	26	4,206	112	95	104	93	212	242	244	323	887	2,196

Marriages - - 37,515
Births - - 78,046

Deaths from Childbirth and Puerperal Fever - - 5·27 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

41.—CUMBERLAND.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*18·79	†136	–	–	–	–	52·84	4·62	2·91	4·22	5·92	7·55	10·99	18·67	34·97	70·63	163·93
Mean Population, 1881-91	–	128,413	3,731	3,398	3,463	3,448	3,342	17,382	16,091	14,506	13,247	11,327	18,275	14,262	10,391	7,126	4,212	1,594
Deaths from All Causes, 1881-90	19·12	24,547	6,042	1,706	705	442	289	9,184	744	422	559	671	1,380	1,567	1,940	2,492	2,975	2,613
Small-pox	0·01	8	1	1	–	–	–	2	–	–	–	1	3	1	–	–	1	–
Measles	0·50	636	126	293	80	51	27	577	51	3	1	–	2	–	1	1	–	–
Scarlet Fever	0·23	299	23	51	60	33	36	203	80	11	1	2	2	–	–	–	–	–
Diphtheria	0·09	110	6	14	14	23	19	76	20	2	2	1	3	3	1	1	1	–
Whooping-cough	0·36	466	243	124	52	23	14	459	7	–	–	–	–	–	–	–	–	–
Typhus	0·02	24	–	–	–	–	1	1	5	–	2	3	4	4	2	2	1	–
Enteric Fever	0·14	184	–	3	2	1	3	9	19	21	23	23	38	23	13	9	6	–
Simple Continued Fever	0·02	23	2	–	1	–	–	3	3	–	3	2	3	1	3	1	1	3
Diarrhœa and Dysentery	0·48	620	416	83	16	5	2	522	6	1	2	2	6	4	8	11	39	19
Cholera	0·01	17	3	1	–	–	–	4	2	–	–	2	–	–	2	4	2	1
Cancer	0·49	628	1	2	–	–	–	3	1	5	4	8	18	45	94	193	189	68
Tabes Mesenterica	0·21	272	119	52	31	12	1	215	16	11	6	4	6	3	6	2	3	–
Phthisis	1·59	2,043	24	24	19	11	4	82	49	54	148	292	477	381	299	179	69	13
Other Tub. and Scrof. Dis.	0·49	623	207	97	46	38	32	420	85	38	27	12	14	11	10	4	1	1
Diseases of: Nervous System	2·47	3,174	909	178	69	53	18	1,227	106	41	36	35	90	145	232	367	489	406
Diseases of: Circulatory „	1·85	2,379	10	2	1	3	2	18	21	26	37	29	91	167	281	511	711	487
Diseases of: Respiratory „	3·72	4,778	1,258	526	205	121	85	2,195	110	26	56	45	159	226	394	546	580	441
Diseases of: Digestive „	1·02	1,308	346	71	21	15	7	460	29	25	25	16	67	96	130	177	186	97
Diseases of: Urinary „	0·52	674	8	12	12	9	7	48	22	14	14	17	45	62	76	116	159	101
Diseases of: Generative „	0·01	11	2	–	–	–	–	2	–	–	–	–	–	1	–	5	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·20	1,544	67	32	30	24	19	172	58	74	108	115	225	236	216	167	118	55
Other Causes	3·69	4,726	2,268	140	46	20	12	2,486	54	70	64	62	127	158	172	196	417	920

Marriages - - - 17,886
Births - - - 44,525

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

41.—CUMBERLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*17·17	†109	–	–	–	–	43·74	4·65	3·18	4·73	5·91	7·73	10·11	14·81	29·19	62·18	152·52
Mean Population, 1881–91	–	130,185	3,646	3,290	3,491	3,376	3,347	17,150	15,872	14,488	12,727	11,528	18,397	14,227	10,845	7,940	4,945	2,066
Deaths from All Causes, 1881–90	17·66	22,992	4,539	1,558	650	427	327	7,501	738	460	602	681	1,422	1,438	1,606	2,318	3,075	3,151
Small-pox	0·00	6	1	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–
Measles	0·39	506	100	205	79	44	35	463	35	1	1	1	2	2	1	–	–	–
Scarlet Fever	0·22	289	17	34	45	47	38	181	86	11	4	1	3	1	–	1	1	–
Diphtheria	0·08	109	4	10	15	19	21	69	25	3	6	–	2	–	1	3	–	–
Whooping-cough	0·43	556	243	174	56	40	21	534	20	1	–	–	–	–	–	–	–	1
Typhus	0·02	24	–	–	–	–	–		–	2	3	–	6	4	7	–	1	1
Enteric Fever	0·13	165	2	4	13	5	6	30	25	17	20	18	15	18	7	8	6	1
Simple Continued Fever	0·01	19	1	2	–	1	1	5	–	–	3	–	1	1	1	3	2	3
Diarrhœa and Dysentery	0·43	559	307	85	17	8	3	420	8	2	2	2	6	7	5	19	44	44
Cholera	0·01	9	1	1	–	–	–	2	2	–	–	–	1	1	–	–	3	–
Cancer	0·74	965	–	–	–	–	–	–	1	1	1	2	36	116	237	251	221	99
Tabes Mesenterica	0·19	243	96	41	18	12	4	171	24	12	10	8	5	8	2	1	2	–
Phthisis	1·65	2,149	19	24	8	5	10	66	58	135	270	337	561	376	188	111	41	6
Other Tub. and Scrof. Dis.	0·41	535	123	94	47	23	32	319	78	48	24	18	26	13	6	2	–	1
Diseases of: Nervous System	2·33	3,033	663	142	58	41	37	941	98	45	32	32	91	133	220	412	585	444
Diseases of: Circulatory "	1·93	2,512	6	2	1	3	4	16	17	40	38	40	97	194	304	506	742	518
Diseases of: Respiratory "	3·10	4,042	888	522	203	126	63	1,802	114	36	29	32	105	138	215	436	588	547
Diseases of: Digestive "	1·00	1,299	243	79	23	10	15	370	44	27	44	34	74	93	144	191	171	107
Diseases of: Urinary "	0·32	417	6	7	7	11	5	36	14	9	10	13	49	53	54	75	71	33
Diseases of: Generative "	0·10	128	2	1	2	–	–	5	–	1	2	7	19	22	23	26	16	7
Puerperal Fever	0·16	209	–	–	–	–	–	–	–	–	7	46	102	52	2	–	–	–
Childbirth	0·15	196	–	–	–	–	–	–	–	–	14	27	78	74	3	–	–	–
Violence	0·35	458	53	23	21	13	10	120	25	15	16	7	29	27	52	49	45	73
Other Causes	3·51	4,564	1764	108	37	19	22	1,950	64	53	66	55	111	105	134	224	536	1,266

Marriages 17,886
Births 41,611

Deaths from Childbirth and Puerperal Fever 4·70 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

42.—WESTMORLAND.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*14·87	†116	–	–	–	–	39·19	3·36	1·97	3·45	5·07	6·00	9·10	13·38	26·76	61·32	157·61
Mean Population, 1881–91	–	31,985	833	755	795	787	785	3,955	3,894	3,611	3,244	2,625	4,282	3,537	2,751	2,156	1,352	578
Deaths from All Causes, 1881–90	16·45	5,261	1,095	243	98	66	48	1,550	131	71	112	133	257	322	368	577	829	911
Small-pox	0·01	4	1	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–
Measles	0·13	41	13	10	4	3	4	34	6	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	33	3	5	3	9	1	21	9	1	2	–	–	–	–	–	–	–
Diphtheria	0·08	24	3	2	3	2	2	12	5	3	–	1	–	–	1	1	–	1
Whooping-cough	0·18	58	33	17	4	1	1	56	1	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	45	–	–	–	1	1	2	3	3	6	5	10	2	8	3	3	–
Simple Continued Fever	0·03	9	–	1	–	1	1	3	–	1	–	–	–	1	1	1	2	–
Diarrhœa and Dysentery	0·27	87	44	5	3	1	–	53	3	–	1	–	2	2	1	4	6	15
Cholera	0·02	7	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	–
Cancer	0·53	171	–	1	–	–	–	1	–	–	1	1	4	9	19	55	46	35
Tabes Mesenterica	0·14	45	17	10	1	2	–	30	5	3	–	2	4	1	–	–	–	–
Phthisis	1·35	433	6	5	–	3	3	17	9	4	28	58	103	75	59	50	25	5
Other Tub. and Scrof. Dis.	0·41	131	33	28	14	4	2	81	19	7	4	4	9	6	–	–	1	–
Diseases of Nervous System	2·37	758	228	34	15	6	7	290	16	16	10	5	11	28	47	76	143	116
Diseases of Circulatory „	1·79	572	1	–	–	–	1	2	4	2	3	9	10	24	58	125	183	152
Diseases of Respiratory „	2·81	899	227	84	29	23	12	375	19	3	7	12	27	44	59	93	128	132
Diseases of Digestive „	1·13	363	64	10	6	2	3	85	7	5	8	7	19	40	31	53	76	32
Diseases of Urinary „	0·55	177	6	1	–	–	1	8	2	3	4	3	7	12	14	33	46	45
Diseases of Generative „	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·96	307	10	9	8	8	6	41	14	10	18	15	40	47	45	33	32	12
OTHER CAUSES	3·45	1,096	406	21	8	–	3	438	9	10	19	10	10	29	25	46	134	366

Marriages - - - 4,157
Births - - - 9,462

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

42.—WESTMORLAND.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*13·80	†84	–	–	–	–	30·22	3·97	2·44	4·54	5·65	6·24	7·75	11·70	22·54	52·92	154·13
Mean Population, 1881–91	–	33,280	849	813	827	786	778	4,053	3,833	3,725	3,347	2,940	4,727	3,625	2,854	2,147	1,423	606
Deaths from All Causes, 1881–90	14·62	4,867	775	235	96	70	49	1,225	152	91	152	166	295	281	334	484	753	934
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	46	12	19	6	1	2	40	4	–	–	2	–	–	–	–	–	–
Scarlet Fever	0·11	38	–	5	1	8	4	18	12	2	1	2	2	–	–	1	–	–
Diphtheria	0·11	37	–	–	4	6	7	17	12	2	1	2	–	1	2	–	–	–
Whooping-cough	0·20	68	27	24	8	3	3	65	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	54	1	–	–	2	1	4	5	2	12	6	7	9	4	1	1	3
Simple Continued Fever	0·01	4	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·19	62	28	10	2	–	1	41	1	–	1	–	2	1	1	3	6	6
Cholera	0·01	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Cancer	0·74	245	–	–	–	–	–	–	–	–	1	–	8	13	53	70	72	28
Tabes Mesenterica	0·12	40	11	10	3	2	–	26	2	1	3	2	3	–	1	2	–	–
Phthisis	1·45	483	5	3	2	3	1	14	8	33	64	81	123	78	43	27	11	1
Other Tub. and Scrof. Dis.	0·38	125	23	21	8	8	6	66	20	7	10	5	7	3	6	1	–	–
Diseases of: Nervous System	2·08	693	155	33	18	8	3	217	18	10	12	7	17	22	52	79	132	127
Diseases of: Circulatory „	1·81	602	1	1	2	–	–	4	1	8	10	13	20	28	61	114	185	158
Diseases of: Respiratory „	2·22	739	174	85	24	14	13	310	23	7	11	7	14	19	34	63	116	135
Diseases of: Digestive „	0·93	308	32	9	4	1	5	51	11	5	7	9	20	17	22	58	65	43
Diseases of: Urinary „	0·23	78	2	–	1	2	–	5	1	1	2	–	14	16	10	12	11	6
Diseases of: Generative „	0·08	25	–	–	1	–	–	1	–	–	2	1	2	4	6	4	4	1
Puerperal Fever	0·18	60	–	–	–	–	–	–	–	–	3	15	22	20	–	–	–	–
Childbirth	0·08	27	–	–	–	–	–	–	–	–	–	1	13	12	1	–	–	–
Violence	0·29	96	6	3	5	7	2	23	10	2	–	5	3	10	9	6	18	10
Other Causes	3·10	1,033	298	12	7	5	1	323	19	11	12	8	18	27	27	41	132	415

Marriages - - - 4,157
Births - - - 9,219

Deaths from Childbirth and Puerperal Fever - - } 4·66 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

43.—MONMOUTHSHIRE.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*20·64	†153	–	–	–	–	62·24	5·81	3·70	4·75	6·05	7·73	12·13	19·93	37·69	73·32	147·81
Mean Population, 1881–91	–	131,148	3,661	3,277	3,425	3,480	3,307	17,150	15,907	14,283	14,051	12,276	19,373	14,449	10,633	7,402	4,093	1531
Deaths from All Causes, 1881–90	20·56	26,961	6,865	2,007	854	519	430	10,675	924	528	668	743	1,497	1,753	2,119	2,790	3,001	2,263
Small-pox	0·02	30	3	–	1	1	2	7	1	1	2	2	7	6	3	1	–	–
Measles	0·52	684	127	272	108	60	40	607	65	4	2	2	3	–	1	–	–	–
Scarlet Fever	0·53	701	57	112	107	88	93	457	199	31	8	3	1	1	1	–	–	–
Diphtheria	0·16	212	11	20	26	33	35	125	55	11	9	3	4	2	3	–	–	–
Whooping-cough	0·42	555	279	150	63	29	14	535	20	–	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	3	1	2	3	–	–	–	–	–	–
Enteric Fever	0·23	296	4	7	8	5	4	28	27	23	43	58	69	23	15	7	2	1
Simple Continued Fever	0·03	39	2	1	5	3	3	14	7	3	–	2	4	2	1	3	1	2
Diarrhœa and Dysentery	0·43	562	318	84	15	3	3	423	7	3	1	2	4	6	21	23	36	36
Cholera	0·01	14	5	–	–	–	1	6	1	–	–	–	–	–	3	1	2	1
Cancer	0·36	466	2	–	–	–	–	2	4	3	1	3	7	33	88	137	135	53
Tabes Mesenterica	0·23	301	146	75	30	5	9	265	7	13	7	3	2	3	–	1	–	–
Phthisis	1·29	1,686	43	34	20	9	14	120	34	43	138	203	425	317	196	151	53	6
Other Tub. and Scrof. Dis.	0·42	557	191	105	51	21	22	390	65	34	17	9	16	13	9	4	–	–
Diseases of: Nervous System	2·78	3,640	1,528	170	67	39	39	1,843	101	52	48	41	92	158	242	340	448	275
Diseases of: Circulatory „	1·51	1,984	8	6	3	–	3	20	16	33	39	36	101	192	288	472	533	254
Diseases of: Respiratory „	4·90	6,428	1,494	681	228	159	101	2,663	136	32	54	94	216	395	608	847	877	506
Diseases of: Digestive „	1·12	1,469	414	119	28	9	11	581	33	17	27	20	76	118	152	207	170	68
Diseases of: Urinary „	0·51	667	10	10	9	6	4	39	12	8	15	19	42	67	88	141	155	81
Diseases of: Generative „	0·01	7	2	–	–	–	–	2	–	–	–	–	1	1	–	2	–	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·51	1,976	53	32	37	28	28	178	90	160	204	192	300	268	233	196	106	49
Other Causes	3·56	4,678	2,168	129	48	21	4	2,370	41	56	51	48	127	148	167	257	483	930

Marriages - - - 20,219
Births - - - 44,732

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

43.—MONMOUTHSHIRE.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·49	†126	–	–	–	–	51·79	6·02	3·02	5·27	6·36	8·53	11·12	15·05	29·86	62·36	137·32
Mean Population, 1881–91	–	123,639	3,756	3,321	3,405	3,445	3,352	17,279	15,903	14,131	11,927	10,791	17,193	13,117	10,179	7,170	4,245	1,704
Deaths from All Causes, 1881–90	18·79	23,232	5,386	1,849	791	546	377	8,949	957	427	628	686	1,466	1,459	1,532	2,141	2,647	2,340
Small-pox	0·01	18	2	–	–	1	–	3	2	1	2	2	3	1	3	1	–	–
Measles	0·52	641	103	231	113	77	41	565	64	6	3	–	2	1	–	–	–	–
Scarlet Fever	0·49	609	41	68	103	89	67	368	186	42	6	3	3	1	–	–	–	–
Diphtheria	0·21	255	9	18	31	37	37	132	86	20	4	4	5	1	1	1	1	–
Whooping-cough	0·56	692	286	219	88	45	24	662	26	1	2	–	1	–	–	–	–	–
Typhus	0·01	8	–	–	1	–	–	1	–	1	2	1	1	2	–	–	–	–
Enteric Fever	0·19	236	–	5	2	12	10	29	39	30	38	30	30	22	8	4	5	1
Simple Continued Fever	0·02	28	2	1	1	1	–	5	7	1	2	2	2	4	1	–	1	3
Diarrhœa and Dysentery	0·40	495	248	70	9	7	5	339	6	3	1	3	9	7	12	21	48	46
Cholera	0·01	17	9	1	1	–	1	12	–	2	–	–	–	–	–	1	1	1
Cancer	0·62	761	1	–	–	–	–	1	1	2	6	5	32	113	165	211	153	72
Tabes Mesenterica	0·21	254	118	55	21	8	4	206	16	10	5	5	4	3	3	2	–	–
Phthisis	1·54	1,908	26	36	11	11	1	85	51	80	253	275	541	341	171	82	25	4
Other Tub. and Scrof. Dis.	0·39	481	122	81	37	18	26	284	78	34	26	14	21	9	11	2	1	1
Diseases of Nervous System	2·47	3,054	1,112	171	60	32	32	1,407	92	48	47	50	89	132	191	335	410	253
Diseases of Circulatory „	1·57	1,936	3	1	2	1	2	9	20	40	51	48	118	183	260	438	514	255
Diseases of Respiratory „	3·79	4,686	1,151	621	230	143	88	2,233	153	25	45	31	137	172	256	503	646	485
Diseases of Digestive „	1·16	1,434	338	115	22	17	15	507	31	14	29	31	72	97	178	213	177	85
Diseases of Urinary „	0·38	474	13	7	7	9	3	39	10	13	15	23	50	65	72	65	85	37
Diseases of Generative „	0·08	99	–	1	–	–	–	1	1	–	2	5	21	23	23	14	7	2
Puerperal Fever	0·20	252	–	–	–	–	–	–	–	–	12	54	119	66	1	–	–	–
Childbirth	0·17	211	–	–	–	–	–	–	–	–	10	36	87	74	4	–	–	–
Violence	0·31	380	25	24	22	15	11	97	48	13	13	14	27	26	42	29	35	36
Other Causes	3·48	4,303	1,777	124	30	23	10	1,964	40	41	54	50	92	116	130	219	538	1,059

Marriages - - - 20,219
Births - - - 42,698

Deaths from Childbirth and Puerperal Fever - 5·30 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

44.—SOUTH WALES.—(Males.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000	–	*20·14	†153	–	–	–	–	59·65	6·00	3·81	5·87	7·25	8·22	11·49	18·26	34·21	68·47	153·90
Mean Population, 1881-91	–	485,285	13,659	12,248	12,810	12,642	12,558	63,917	58,931	53,935	51,934	46,606	72,758	53,180	38,504	25,782	14,118	5,620
Deaths from All Causes, 1881-90	19·87	96,403	25,204	6,707	2,846	1,988	1,383	38,128	3,535	2,056	3,050	3,380	5,979	6,109	7,031	8,819	9,667	8,649
Small-pox	0·01	40	3	–	–	2	1	6	–	1	5	5	16	7	–	–	–	–
Measles	0·43	2,102	484	774	290	216	132	1,896	179	8	9	7	1	1	1	–	–	–
Scarlet Fever	0·54	2,623	170	376	465	405	307	1,723	690	137	30	18	11	8	5	1	–	–
Diphtheria	0·09	455	18	35	46	61	55	215	155	41	13	7	9	3	6	3	2	1
Whooping-cough	0·38	1,829	938	482	198	114	52	1,784	44	1	–	–	–	–	–	–	–	–
Typhus	0·01	52	–	–	–	1	–	1	2	5	11	11	7	7	5	2	1	–
Enteric Fever	0·29	1,397	9	16	25	29	30	109	152	155	224	232	269	115	76	37	23	5
Simple Continued Fever	0·03	122	2	5	9	8	8	32	16	10	12	7	12	9	5	10	6	3
Diarrhœa and Dysentery	0·41	2,013	1,296	232	46	18	9	1,601	16	2	4	3	17	34	33	65	108	130
Cholera	0·01	58	8	1	–	3	1	13	1	1	1	2	2	8	13	10	6	1
Cancer	0·40	1,943	2	1	2	2	–	7	5	5	9	15	52	139	350	601	520	240
Tabes Mesenterica	0·18	884	381	181	62	33	22	679	56	44	36	14	24	10	5	7	8	1
Phthisis	1·94	9,395	173	147	67	44	41	472	219	281	922	1,335	2,213	1,485	1,160	843	399	66
Other Tub. and Scrof. Dis.	0·45	2,181	481	313	149	108	105	1,156	329	217	138	84	103	54	47	38	14	1
Diseases of: Nervous System	3·10	15,067	7,727	828	306	193	114	9,168	326	203	178	172	342	540	724	1,088	1,333	993
Diseases of: Circulatory „	1·37	6,631	37	8	5	5	6	61	69	127	165	149	390	676	935	1,389	1,705	965
Diseases of: Respiratory „	4·07	19,747	4,963	2,302	809	513	327	8,914	599	115	210	312	662	999	1,577	2,324	2,488	1,547
Diseases of: Digestive „	1·00	4,872	1,285	393	69	43	32	1,822	115	109	117	106	223	391	502	638	562	287
Diseases of: Urinary „	0·55	2,655	25	25	26	20	19	115	74	40	59	95	174	231	346	465	627	429
Diseases of: Generative „	0·01	38	9	–	–	–	–	9	1	–	1	2	4	4	5	2	9	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	1·36	6,583	141	127	152	111	83	614	294	391	705	618	1,093	997	782	610	344	135
Other Causes	3·24	15,716	7,052	461	120	59	39	7,731	193	163	201	186	355	391	454	686	1,512	3,844

Marriages - - - 74,593
Births - - - 164,533

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

44.—SOUTH WALES.—(FEMALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*18·01	†126	–	–	–	–	50·08	5·92	3·86	5·46	7·08	8·66	11·28	14·18	27·13	56·09	136·48
Mean Population, 1881-91	–	480,310	13,756	12,261	12,763	12,721	12,492	63,993	58,328	53,209	48,354	44,309	69,069	51,235	39,479	27,707	16,793	7,834
Deaths from All Causes, 1881-90 - - -	18·39	88,318	19,736	6,176	2,788	1,918	1,431	32,049	3,452	2,052	2,641	3,138	5,982	5,779	5,598	7,516	9,419	10,692
Small-pox - - -	0·00	20	2	1	–	1	1	5	1	–	1	8	5	–	–	–	–	–
Measles - - -	0·41	1,956	362	681	345	186	129	1,703	211	22	6	3	8	2	–	–	1	–
Scarlet Fever - - -	0·56	2,689	179	400	416	447	341	1,783	682	144	35	11	24	6	2	1	1	–
Diphtheria - - -	0·11	543	18	49	50	67	69	253	178	49	14	12	13	13	9	1	1	–
Whooping-cough - -	0·45	2,154	981	624	228	149	78	2,060	89	3	2	–	–	–	–	–	–	–
Typhus - - -	0·01	36	–	–	1	–	2	3	3	7	2	3	6	3	5		2	–
Enteric Fever - -	0·24	1,153	9	11	17	31	32	100	167	165	181	122	173	104	78		17	3
Simple Continued Fever -	0·03	132	3	12	7	10	7	39	25	14	9	3	13	6	6	8	8	1
Diarrhœa and Dysentery -	0·40	1,907	1,115	250	39	21	8	1,433	17	6	5	11	29	32	27	69	130	148
Cholera - - -	0·01	40	6	6	–	1	–	13	1	2	3	1	3	4	4	5	2	2
Cancer - - - -	0·60	2,897	–	1	2	–	–	3	1	5	10	12	88	363	671	789	664	291
Tabes Mesenterica - -	0·15	743	262	154	59	16	16	507	65	48	37	22	24	24	7	6	3	–
Phthisis - - -	2·08	9,992	149	147	66	42	39	443	284	584	1,244	1,421	2,465	1,707	971	561	262	50
Other Tub. and Scrof. Dis. -	0·39	1,851	333	239	144	96	93	905	310	198	130	102	94	62	28	14	6	2
Diseases of: Nervous System - -	2·72	13,079	5,803	693	271	181	106	7,054	348	184	131	140	292	450	692	1,105	1,508	1,175
Diseases of: Circulatory „ - -	1·49	7,155	24	8	3	2	11	48	91	150	168	197	470	731	953	1,493	1,811	1,043
Diseases of: Respiratory „ - -	3·26	15,681	3,711	2,027	799	489	329	7,355	513	139	170	219	476	575	751	1,560	2,205	1,718
Diseases of: Digestive „ - -	0·95	4,558	899	342	79	46	33	1,399	111	91	111	122	268	339	523	664	583	347
Diseases of: Urinary „ - -	0·34	1,613	19	26	16	9	21	91	49	35	50	72	184	222	240	299	257	114
Diseases of: Generative „ - -	0·08	383	–	1	2	–	1	4	1	2	20	30	63	81	92	50	26	14
Puerperal Fever - -	0·21	1,001	–	–	–	–	–	–	–	–	45	236	459	252	9	–	–	–
Childbirth - - -	0·20	950	–	–	–	–	–	–	–	1	36	148	401	353	11	–	–	–
Violence - - -	0·31	1,488	166	109	106	70	52	503	123	60	49	61	77	106	114	122	128	145
OTHER CAUSES - -	3·39	16,297	5,695	395	138	54	63	6,345	182	143	182	182	347	344	405	724	1,804	5,639

Marriages - - - 74,593
Births - - - 157,239

Deaths from Childbirth and Puerperal Fever - - 6·06 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

45.—NORTH WALES.—(MALES.)

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*17·72	†132	–	–	–	–	46·33	5·43	3·16	5·14	7·47	8·20	10·69	16·05	30·22	66·82	161·38
Mean Population, 1881–91 -	–	225,358	5,560	5,175	5,553	5,578	5,444	27,315	26,636	25,938	23,101	18,448	30,095	24,637	20,252	15,388	9,408	4,140
Deaths from All Causes, 1881–90 - - -	19·28	43,458	8,625	1,977	909	635	509	12,655	1,446	820	1,188	1,378	2,468	2,634	3,251	4,651	6,286	6,681
Small-pox - - -	0·01	20	1	–	–	–	–	1	1	–	1	2	4	–	4	6	1	–
Measles - - -	0·23	511	126	158	72	48	20	424	69	12	3	1	1	–	1	–	–	–
Scarlet Fever - - -	0·28	624	35	84	105	78	84	386	166	38	18	7	3	4	2	–	–	–
Diphtheria - - -	0·17	378	12	28	34	48	46	168	146	30	16	10	3	1	2	–	2	–
Whooping-cough - -	0·31	698	362	173	71	33	22	661	34	1	–	2	–	–	–	–	–	–
Typhus - - -	0·01	25	–	–	–	–	–	–	–	1	3	3	2	2	7	3	3	1
Enteric Fever - -	0·16	367	1	1	5	3	3	13	25	29	51	60	71	60	26	18	11	3
Simple Continued Fever -	0·02	48	2	3	2	1	2	10	2	6	4	3	4		4	7	5	–
Diarrhœa and Dysentery -	0·23	519	247	35	7	5	2	296	6	1		1	4		9	24	60	106
Cholera - - -	0·01	26	3	2	–	1	–	6	2	–	1	–	1		5	2	5	–
Cancer - - - -	0·61	1,370	2	1	3	–	–	6	2	2	4	5	30	95	220	414	407	185
Tabes Mesenterica - -	0·19	434	172	70	27	12	15	296	45	14	18	11	19	11	9	7	2	2
Phthisis - - -	2·01	4,535	30	30	21	10	13	104	86	113	416	635	1,107	794	576	460	215	29
Other Tub. and Scrof. Dis. -	0·35	795	137	121	55	31	46	390	129	85	42	41	40	24	16	19	7	2
Diseases of: Nervous System - -	3·47	7,816	3,232	339	136	94	53	3,854	167	133	87	85	149	227	332	631	1,114	1,037
Diseases of: Circulatory " - -	1·57	3,542	10	2	4	4	2	22	35	36	58	55	115	216	393	731	995	886
Diseases of: Respiratory " - -	3·71	8,368	1,463	626	238	157	112	2,596	259	55	85	118	231	363	644	1,059	1,543	1,415
Diseases of: Digestive " - -	1·21	2,735	444	116	34	22	17	633	58	45	52	54	125	211	311	439	516	291
Diseases of: Urinary " - -	0·71	1,590	18	12	10	10	12	62	23	25	25	38	86	119	154	255	404	399
Diseases of: Generative " - -	0·01	16	2	–	–	1	–	3	–	–	1	–	1	–	4	3	2	2
Puerperal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence - - -	0·96	2,162	36	35	48	44	29	192	101	100	190	159	313	285	299	240	174	109
OTHER CAUSES - -	3·05	6,879	2,290	141	37	33	31	2,532	90	94	109	88	159	207	233	333	820	2,214

Marriages - - - 28,055
Births - - - 65,548

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

45.—NORTH WALES.—(Females.)

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000	–	*16·44	†104	–	–	–	–	38·16	5·26	3·92	6·18	7·67	9·35	10·45	13·16	25·05	54·88	145·08
Mean Population, 1881–91	–	231,242	5,545	5,165	5,470	5,577	5,355	27,112	26,498	25,566	21,582	18,794	31,556	25,889	21,566	16,483	10,861	5,335
Deaths from All Causes, 1881–90	18·09	41,843	6,485	1,861	874	616	511	10,347	1,395	1,002	1,333	1,442	2,951	2,705	2,839	4,129	5,960	7,740
Small-pox	0·00	7	–	1	–	–	–	1	–	–	–	2	1	1	–	2	–	–
Measles	0·20	471	89	150	62	51	31	383	54	16	3	4	7	3	1	–	–	–
Scarlet Fever	0·25	575	33	61	78	70	82	324	169	46	8	11	9	4	3	1	–	–
Diphtheria	0·17	382	11	22	30	46	50	159	150	32	14	8	8	3	1	4	3	–
Whooping-cough	0·32	747	296	203	105	62	40	706	38	3	–	–	–	–	–	–	–	–
Typhus	0·01	21	–	–	–	–	–	–	–	–	2	4	6	2	4	–	2	1
Enteric Fever	0·14	330	1	2	3	8	3	17	18	36	54	44	55	38	32	16	14	6
Simple Continued Fever	0·02	51	3	–	4	2	1	10	3	4	3	2	8	6	3	4	7	1
Diarrhœa and Dysentery	0·26	595	230	49	10	5	7	301	3	4	3	–	18	16	26	33	64	127
Cholera	0·01	12	2	–	–	–	–	2	1	–	–	–	3	1	–	1	4	–
Cancer	0·86	1,990	1	–	–	1	–	2	1	3	2	10	42	179	376	535	582	258
Tabes Mesenterica	0·17	396	112	70	24	11	12	229	40	34	31	15	21	12	8	4	1	1
Phthisis	2·14	4,948	40	32	16	11	17	116	118	286	693	693	1,261	832	477	313	124	35
Other Tub. and Scrof. Dis.	0·32	744	98	85	45	45	29	302	143	93	57	31	54	29	14	11	6	4
Diseases of Nervous System	3·22	7,441	2,401	314	128	79	44	2,966	186	123	108	89	167	223	393	726	1,157	1,303
Diseases of Circulatory „	1·63	3,758	16	3	2	–	2	23	26	57	67	67	186	266	435	726	1,047	858
Diseases of Respiratory „	2·97	6,874	1,072	560	235	141	127	2,135	216	63	64	80	232	252	327	718	1,301	1,486
Diseases of Digestive „	1·12	2,599	302	116	34	18	23	493	67	64	55	80	165	178	290	422	483	302
Diseases of Urinary „	0·44	1,010	7	9	11	6	11	44	25	21	26	27	105	118	142	167	197	138
Diseases of Generative „	0·08	195	1	1	1	–	–	3	1	–	6	8	29	43	40	28	28	9
Puerperal Fever	0·18	416	–	–	–	–	–	–	–	–	13	81	210	107	5	–	–	–
Childbirth	0·19	444	–	–	–	–	–	–	–	–	14	63	178	180	9	–	–	–
Violence	0·27	624	48	31	41	25	15	160	57	19	17	27	26	29	35	59	70	125
Other Causes	3·12	7,213	1,722	152	45	35	17	1,971	79	98	93	96	160	183	218	359	870	3,086

Marriages - - - 28,055
Births - - 62,131

Deaths from Childbirth and Puerperal Fever - - 6·74 per 1000 Births of both Sexes.

* Death-rate in Standard Population (*see* pages xxxvi–xxxviii).
† The death-rate under one year of age is per 1000 Births.

1A.—PADDINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 20·11	†143	–	–	–	–	62·91	7·40	3·38	3·64	4·00	6·25	11·23	18·77	33·10	61·12	141·01
Annual Death-Rate per 1000. Males	—	Standard 23·16	†158	–	–	–	–	70·20	7·61	3·56	4·74	5·72	8·55	15·21	24·95	44·36	74·57	147·19
Annual Death-Rate per 1000. Females	—	Population* 17·23	†127	–	–	–	–	55·77	7·19	3·22	2·95	3·04	4·89	8·57	14·74	26·22	53·56	138·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·08 per cent.	112,532	2430	2149	2148	2139	2015	10881	9474	8706	11074	13581	21997	14663	10380	6644	3691	1441
Mean Population, 1881–91. Males		45,665	1199	1044	1080	1080	980	5383	4651	4044	4264	4845	8188	5884	4097	2518	1329	462
Mean Population, 1881–91. Females		66,867	1231	1105	1068	1059	1035	5498	4823	4662	6810	8736	13809	8779	6283	4126	2362	979
Deaths from All Causes, 1881–90. Persons	17·99	20,243	4143	1403	607	410	282	6845	701	294	403	543	1375	1647	1948	2199	2256	2032
Deaths from All Causes, 1881–90. Males	22·25	10,161	2323	764	324	211	157	3779	354	144	202	277	700	895	1022	1117	991	680
Deaths from All Causes, 1881–90. Females	15·08	10,082	1820	639	283	199	125	3066	347	150	201	266	675	752	926	1082	1265	1352

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	12	3	9	2	–	–	–	1	3	–	2	2	–	2	1	–	–	1	1
Measles	0·43	0·56	0·34	485	257	228	96	190	81	42	31	440	34	5	1	2	2	1	–	–	–	–
Scarlet Fever	0·13	0·19	0·10	154	87	67	13	25	20	21	20	99	42	6	3	1	2	1	–	–	–	–
Diphtheria	0·36	0·47	0·28	402	214	188	16	50	60	59	48	233	127	9	9	2	9	6	4	2	–	1
Whooping-cough	0·47	0·56	0·41	533	257	276	209	161	67	53	21	511	19	–	1	2	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	2	1	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·20	0·25	0·16	221	115	106	1	2	1	4	3	11	17	19	26	39	55	26	15	10	3	–
Simple Continued Fever	0·01	0·01	0·01	13	5	8	–	–	1	1	–	2	2	1	–	–	–	2	1	3	2	–
Diarrhœa and Dysentery	0·51	0·70	0·37	570	320	250	456	55	5	2	1	519	5	1	–	1	2	2	7	3	10	20
Cholera	0·02	0·04	0·01	22	16	6	12	1	2	2	1	18	–	–	–	–	–	–	1	2	–	1
Cancer	0·89	0·75	0·99	1,002	341	661	–	3	4	2	1	10	4	2	3	3	44	111	236	270	222	97
Tabes Mesenterica	0·19	0·27	0·13	212	124	88	124	28	12	9	2	175	9	7	4	4	8	1	2	1	1	–
Phthisis	1·60	2·23	1·16	1,795	1,020	775	49	25	18	16	9	117	25	34	104	161	435	388	301	153	61	16
Other Tub. & Scrof. Dis.	0·49	0·68	0·36	552	310	242	136	103	49	40	36	364	84	26	13	14	19	17	7	4	2	2
Diseases of Nervous System	1·85	2·24	1·58	2,080	1,025	1,055	465	126	45	28	16	680	49	23	35	25	65	113	156	268	352	314
Diseases of Circulatory „	1·79	2·02	1·63	2,014	924	1,090	24	7	3	1	4	39	36	43	46	47	138	194	287	391	410	383
Diseases of Respiratory „	3·41	4·15	2·90	3,839	1,897	1,942	770	451	171	84	49	1525	86	20	30	49	143	206	287	456	539	498
Diseases of Digestive „	1·28	1·45	1·16	1,438	664	774	268	64	17	7	10	366	34	21	30	43	83	129	186	203	211	132
Diseases of Urinary „	0·67	0·96	0·47	751	440	311	9	7	3	1	2	22	16	11	9	21	60	105	129	143	148	87
Diseases of Generative „	0·11	0·02	0·18	129	7	122	–	3	1	–	–	4	1	1	1	4	23	40	22	15	10	8
Puerperal Fever	0·09	–	0·14	96	–	96	–	–	–	–	–	–	–	–	6	22	45	23	–	–	–	–
Childbirth	0·04	–	0·06	42	–	42	–	–	–	–	–	–	–	–	3	6	18	13	2	–	–	–
Violence	0·94	1·51	0·54	1,052	691	361	165	37	25	25	22	274	69	21	32	50	105	116	142	112	79	52
Other Causes	2·50	3·18	2·09	2,826	1,442	1,384	1,328	65	22	11	5	1431	42	42	45	47	117	151	163	163	205	420

Marriages - - - 25,368§

Births - Males - 14,721; Females - 14,279 — 29,000

Annual Rate per 1000 living: Persons Married 18·30§; Births - - 25·77

Deaths from Childbirth and Puerperal Fever - - - - - 4·76 per 1,000 Births

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

§ These figures relate to the two Registration Districts of Paddington and Kensington, as the Marriages in these two Districts were not separately returned until the 1st January 1885.

1B.—KENSINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000 — Persons	—	In Standard Population* 20·78	†154	–	–	–	–	62·86	4·36	2·49	3·50	3·97	6·59	12·31	18·66	34·61	74·78	177·67
Annual Death-Rate per 1000 — Males	—	23·33	†170	–	–	–	–	68·22	4·34	2·27	3·90	5·77	9·50	16·28	24·10	43·64	87·24	191·32
Annual Death-Rate per 1000 — Females	—	18·38	†138	–	–	–	–	57·48	4·39	2·68	3·26	3·10	5·06	9·72	15·02	28·63	67·23	170·71
Mean Population 1881–91. — Persons	Decennial Increase of Population 1·94 per cent.	164,730	3506	3221	3150	3214	3132	16223	14664	13346	16684	19819	31244	21609	14822	9344	5031	1944
Mean Population 1881–91. — Males		65,584	1749	1594	1577	1620	1573	8113	7096	6136	6257	6442	10776	8546	5943	3721	1897	657
Mean Population 1881–91. — Females		99,146	1757	1627	1573	1594	1559	8110	7568	7210	10427	13377	20468	13063	8879	5623	3134	1287
Deaths from All Causes, 1881–90. — Persons	18·50	30,476	6283	2177	883	525	329	10197	640	332	584	787	2059	2661	2766	3234	3762	3454
Deaths from All Causes, 1881–90. — Males	22·84	14,981	3525	1130	445	278	157	5535	308	139	244	372	1024	1391	1432	1624	1655	1257
Deaths from All Causes, 1881–90. — Females	15·63	15,495	2758	1047	438	247	172	4662	332	193	340	415	1035	1270	1334	1610	2107	2197

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	24	12	12	3	1	1	1	1	7	–	–	–	3	5	3	5	1	–	–
Measles	0·46	0·57	0·39	763	373	390	152	281	143	88	53	717	39	3	1	1	–	1	1	–	–	–
Scarlet Fever	0·10	0·12	0·09	169	77	92	10	29	32	25	16	112	41	8	1	1	4	1	–	–	1	–
Diphtheria	0·18	0·20	0·17	294	129	165	16	40	35	42	42	175	77	16	6	3	8	6	2	–	–	1
Whooping-cough	0·51	0·57	0·46	833	376	457	320	265	124	65	36	810	20	2	–	–	–	1	–	–	–	–
Typhus	0·00	0·00	0·00	5	3	2	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–
Enteric Fever	0·10	0·12	0·09	172	81	91	1	2	3	6	1	13	18	12	17	23	24	26	24	7	5	3
Simple Continued Fever	0·02	0·02	0·02	30	10	20	1	–	2	2	4	9	2	5	3	1	5	1	1	2	1	–
Diarrhœa and Dysentery	0·54	0·70	0·43	887	456	431	648	100	18	4	1	771	3	–	1	1	8	6	5	12	24	56
Cholera	0·01	0·01	0·01	15	7	8	4	2	1	–	–	7	–	1	–	1	–	2	1	–	2	1
Cancer	0·81	0·67	0·90	1330	437	893	–	–	1	1	3	5	3	–	4	7	28	143	258	359	358	165
Tabes Mesenterica	0·30	0·40	0·24	499	262	237	322	95	31	10	7	465	15	6	2	–	4	2	2	2	1	–
Phthisis	2·73	3·87	1·98	4498	2539	1959	46	25	10	14	4	99	34	89	301	441	1126	1164	708	358	136	42
Other Tub. & Scrof. Dis.	0·41	0·57	0·30	672	371	301	205	145	76	48	28	502	73	22	18	11	14	10	4	9	7	2
Diseases of Nervous System	2·18	2·61	1·90	3592	1710	1882	747	223	69	62	24	1125	69	27	35	40	89	172	296	458	714	567
Diseases of Circulatory „	1·54	1·73	1·40	2530	1137	1393	34	8	2	2	2	48	21	44	56	42	141	262	390	497	584	445
Diseases of Respiratory „	3·83	4·83	3·19	6324	3164	3160	1287	716	254	125	72	2454	106	26	27	54	167	275	432	754	991	1038
Diseases of Digestive „	1·00	1·15	0·90	1645	755	890	332	95	27	9	12	475	43	16	31	28	97	176	193	235	212	139
Diseases of Urinary „	0·58	0·87	0·38	949	569	380	3	7	3	2	5	20	10	5	7	14	57	92	146	211	244	143
Diseases of Generative „	0·06	0·01	0·09	97	5	92	1	–	–	–	–	1	–	–	2	7	19	14	20	12	12	10
Puerperal Fever	0·09	–	0·14	143	–	143	–	–	–	–	–	–	–	–	7	35	70	31	–	–	–	–
Childbirth	0·03	–	0·05	51	–	51	–	–	–	–	–	–	–	–	1	10	22	18	–	–	–	–
Violence	0·38	0·55	0·27	624	360	264	188	18	16	6	6	234	16	12	13	16	37	66	73	57	54	46
Other Causes	2·63	3·25	2·22	4330	2148	2182	1963	125	35	13	12	2148	50	37	51	47	133	188	204	260	416	796

Marriages - - - 25,368§

Births - { Males - 20,784 / Females - 19,996 } 40,780

Annual Rate per 1000 living { Persons Married 18·30§ / Births - - 24·76 }

Deaths from Childbirth and Puerperal Fever - - - - - - - } 4·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

§ These figures relate to the two Registration Districts of Paddington and Kensington, as the Marriages in these two Districts were not separately returned until the 1st of January 1885.

2.—FULHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·87	†161	–	–	–	–	67·53	5·77	2·76	3·86	4·40	6·28	10·39	15·86	31·03	60·96	154·57
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·86	†174	–	–	–	–	71·59	5·84	2·66	3·64	4·69	5·99	11·05	13·04	34·52	70·14	160·08
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·95	†147	–	–	–	–	63·49	5·71	2·85	4·04	4·19	6·53	9·82	14·04	28·57	55·71	151·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 64·47 per cent.	151,859	4534	4061	4129	4043	3885	20652	17902	15070	13864	14242	26290	18984	12219	7164	4006	1466
Mean Population, 1881–91. Males	Decennial Increase of Population 64·47 per cent.	70,115	2299	2036	2012	1998	1948	10293	8893	7215	6187	6122	12041	8878	5572	2961	1457	496
Mean Population, 1881–91. Females	Decennial Increase of Population 64·47 per cent.	81,744	2235	2025	2117	2045	1937	10359	9009	7855	7677	8120	14249	10106	6647	4203	2549	970
Deaths from All Causes, 1881–90. Persons	19·13	29,051	8682	2776	1146	790	552	13946	1033	416	535	627	1652	1973	1938	2223	2442	2266
Deaths from All Causes, 1881–90. Males	20·16	14,137	4774	1365	570	394	266	7369	519	192	225	287	721	981	1005	1022	1022	794
Deaths from All Causes, 1881–90. Females	18·24	14,914	3908	1411	576	396	286	6577	514	224	310	340	931	992	933	1201	1420	1472

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·26	0·32	0·21	400	226	174	21	5	7	8	8	49	39	23	53	57	88	53	25	6	6	1
Measles	0·71	0·80	0·63	1082	564	518	224	418	202	98	64	1006	66	5	–	–	3	2	–	–	–	–
Scarlet Fever	0·48	0·53	0·44	736	374	362	33	96	124	153	95	501	184	24	13	7	4	3	–	–	–	–
Diphtheria	0·28	0·27	0·30	431	189	242	18	42	55	64	61	240	143	20	9	5	8	2	2	1	1	–
Whooping-cough	0·73	0·71	0·74	1102	495	607	457	348	136	79	38	1058	40	1	–	1	–	1	–	–	1	–
Typhus	0·00	0·00	0·01	7	2	5	–	–	–	–	–	–	2	1	1	1	1	–	1	–	–	–
Enteric Fever	0·17	0·19	0·15	259	134	125	5	8	7	5	9	34	19	30	41	29	58	25	12	7	1	3
Simple Continued Fever	0·02	0·02	0·02	31	14	17	1	1	6	2	4	14	6	1	3	–	1	1	–	1	3	1
Diarrhœa and Dysentery	1·04	1·17	0·93	1580	817	763	1244	178	23	14	4	1463	7	3	–	–	3	10	6	19	25	44
Cholera	0·03	0·03	0·02	39	21	18	27	3	–	1	–	31	–	–	1	–	–	1	2	4	–	–
Cancer	0·55	0·37	0·71	839	261	578	1	–	1	1	–	3	5	–	1	5	29	117	185	220	196	78
Tabes Mesenterica	0·40	0·49	0·33	610	341	269	420	108	28	9	5	570	16	11	2	3	4	2	2	–	–	–
Phthisis	1·58	1·63	1·50	2402	1178	1224	43	36	15	13	7	114	44	55	161	213	622	604	351	167	58	13
Other Tub. & Scr. f. Dis.	0·58	0·67	0·51	883	467	416	372	172	68	53	41	706	85	31	15	12	10	10	9	3	1	1
Diseases of Nervous System	1·99	2·08	1·90	3015	1461	1554	958	208	72	49	32	1319	76	35	27	34	90	164	203	326	402	339
Diseases of Circulatory „	1·36	1·28	1·43	2069	897	1172	81	16	4	4	3	108	20	39	35	49	132	213	284	386	470	333
Diseases of Respiratory „	3·72	3·92	3·53	5631	2747	2884	1595	817	294	165	119	2990	137	21	30	49	157	252	320	521	644	510
Diseases of Digestive „	1·11	1·17	1·07	1693	817	876	513	155	30	17	17	732	35	25	33	24	76	146	171	195	168	88
Diseases of Urinary „	0·41	0·49	0·35	626	344	282	11	11	6	4	7	39	11	9	12	19	43	71	108	120	117	77
Diseases of Generative „	0·07	0·01	0·11	100	8	92	3	2	–	–	–	5	–	2	3	3	16	20	20	13	12	6
Puerperal Fever	0·08	–	0·16	127	–	127	–	–	–	–	–	–	–	–	6	24	69	27	1	–	–	–
Childbirth	0·06	–	0·10	84	–	84	–	–	–	–	–	–	–	–	3	11	43	26	1	–	–	–
Violence	0·61	0·88	0·38	924	615	309	211	38	30	29	23	331	46	38	41	33	88	92	99	62	49	45
Other Causes	2·89	3·08	2·71	4381	2165	2216	2444	114	38	22	15	2633	52	42	45	48	107	131	136	172	288	727

Marriages - - - 11,619

Births - { Males - 27,421 / Females - 26,594 } 54,015

Annual Rate per 1000 living { Persons Married 15·30 / Births - - 35·57 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·91 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

3.—CHELSEA.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		23·33	†160	–	–	–	–	73·54	6·45	3·33	4·68	5·76	8·59	14·51	23·30	38·53	71·07	163·99
Males	—					24·87	†169	–	–	–	–	77·22	6·94	2·71	4·52	5·86	9·58	15·98	26·01	45·44	81·85	177·61
Females	—					21·88	†150	–	–	–	–	69·83	5·98	3·98	4·83	5·68	7·75	13·23	20·99	33·11	63·27	155·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·22 per cent.			92,190			2465	2272	2262	2203	2066	11268	9518	8772	8101	9351	16318	11883	8061	5089	2807	1022
Males				43,754			1236	1171	1142	1098	1016	5663	4651	4531	3915	4473	7487	5526	3698	2238	1179	393
Females				48,436			1229	1101	1120	1105	1050	5605	4867	4241	4186	4878	8831	6357	4363	2851	1628	629
Deaths from All Causes, 1881–90. Persons	22·50			20,746			5070	1703	725	475	314	8287	614	292	379	539	1401	1724	1878	1961	1995	1676
Males	24·00			10,500			2737	890	369	220	157	4373	323	123	177	262	717	883	962	1017	965	698
Females	21·15			10,246			2333	813	356	255	157	3914	291	169	202	277	684	841	916	944	1030	978
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	15	7	8	4	–	–	–	–	4	1	1	1	–	3	3	1	–	1	–
Measles	0·73	0·80	0·65	669	352	317	137	237	120	71	45	610	54	1	–	1	2	–	–	1	–	–
Scarlet Fever	0·15	0·14	0·15	136	62	74	9	21	19	21	18	88	38	3	1	1	3	1	–	–	1	–
Diphtheria	0·24	0·27	0·22	221	116	105	9	37	36	37	34	153	53	8	1	3	–	2	1	–	–	–
Whooping-cough	0·72	0·71	0·71	667	311	356	235	213	96	55	37	636	28	2	–	–	1	–	–	–	–	–
Typhus	0·01	0·00	0·01	6	2	4	–	–	–	–	1	1	–	1	1	2	–	1	–	–	–	–
Enteric Fever	0·13	0·14	0·12	120	60	60	2	4	1	3	6	16	16	16	9	5	31	12	6	4	5	–
Simple Continued Fever	0·02	0·02	0·02	19	9	10	–	–	2	2	1	5	3	2	2	–	–	1	2	1	2	1
Diarrhœa and Dysentery	0·87	0·90	0·84	803	394	409	601	105	13	4	5	728	1	1	–	1	1	4	3	10	27	27
Cholera	0·04	0·04	0·04	35	16	19	19	2	3	–	1	25	–	–	1	–	1	2	3	2	1	–
Cancer	1·49	0·91	2·01	1371	398	973	1	2	3	–	–	6	3	1	3	10	79	247	412	331	208	71
Tabes Mesenterica	0·37	0·42	0·33	342	183	159	234	50	15	10	7	316	9	5	1	4	1	2	1	2	–	1
Phthisis	3·08	3·81	2·42	2839	1668	1171	45	40	22	13	12	132	30	64	216	306	743	683	397	206	55	7
Other Tub. & Scrof. Dis.	0·64	0·78	0·51	592	343	249	184	135	66	57	23	468	64	16	5	7	13	9	2	6	2	–
Diseases of Nervous System	2·38	2·56	2·22	2195	1121	1074	658	143	51	43	24	919	54	28	20	25	53	86	159	264	351	236
Diseases of Circulatory „	1·74	1·88	1·62	1607	822	785	26	6	4	1	7	44	25	34	34	30	105	173	274	307	369	212
Diseases of Respiratory „	4·36	4·81	3·97	4028	2106	1922	943	497	203	112	55	1810	93	19	25	43	99	183	279	451	536	490
Diseases of Digestive „	1·12	1·10	1·15	1035	480	555	299	75	19	9	7	409	24	10	10	18	47	80	114	135	123	65
Diseases of Urinary „	0·44	0·57	0·32	406	251	155	7	–	5	8	6	26	12	3	5	12	23	49	77	75	79	45
Diseases of Generative „	0·11	0·01	0·20	99	4	95	2	–	–	–	–	2	–	–	1	4	28	26	16	12	9	1
Puerperal Fever	0·08	–	0·15	75	–	75	–	–	–	–	–	–	–	–	3	14	41	16	1	–	–	–
Childbirth	0·05	–	0·10	48	–	48	–	–	–	–	–	–	–	–	1	3	23	21	–	–	–	–
Violence	0·53	0·67	0·39	484	294	190	109	22	12	15	10	168	30	21	12	21	47	43	38	44	33	27
Other Causes	3·18	3·44	2·95	2934	1501	1433	1546	114	35	14	12	1721	76	56	27	29	57	80	92	110	193	493

Marriages - - - 9,070

Births - Males - 16,182; Females - 15,546 — 31,728

Annual Rate per 1000 living: Persons Married 19·68; Births - - 34·42

Deaths from Childbirth and Puerperal Fever - - - - - 3·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

4.—ST. GEORGE, HANOVER SQUARE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		23·48	†153	–	–	–	–	71·34	6·89	3·84	4·70	5·26	8·55	16·40	23·80	40·40	70·39	155·13
Annual Death-Rate per 1000. Males	—					26·83	†170	–	–	–	–	77·46	7·03	4·29	5·49	6·48	11·18	21·41	30·66	50·28	82·96	181·32
Annual Death-Rate per 1000. Females	—					20·31	†136	–	–	–	–	65·28	6·75	3·41	4·06	4·27	6·47	12·36	18·25	32·72	61·63	141·19
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·42 per cent.			141,943			2852	2569	2535	2406	2327	12689	10862	10110	13643	17954	28586	19629	13607	8631	4614	1618
Mean Population, 1881–91. Males				64,359			1446	1270	1247	1195	1155	6313	5288	4924	6084	8025	12636	8765	6089	3777	1896	562
Mean Population, 1881–91. Females				77,584			1406	1299	1288	1211	1172	6376	5574	5186	7559	9929	15950	10864	7518	4854	2718	1056
Deaths from All Causes, 1881–90. Persons	21·08			29,922			5305	2026	841	514	366	9052	748	388	641	944	2445	3220	3239	3487	3248	2510
Deaths from All Causes, 1881–90. Males	24·82			15,975			2971	1053	424	263	179	4890	372	211	334	520	1413	1877	1867	1899	1573	1019
Deaths from All Causes, 1881–90. Females	17·98			13,947			2334	973	417	251	187	4162	376	177	307	424	1032	1343	1372	1588	1675	1491
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	18	8	10	4	–	–	1	1	6	1	1	2	–	4	2	1	1	–	–
Measles	0·47	0·53	0·43	673	338	335	123	260	124	69	30	606	61	–	1	1	1	1	1	–	–	1
Scarlet Fever	0·12	0·13	0·12	172	81	91	9	32	25	15	22	103	44	8	7	4	6	–	–	–	–	–
Diphtheria	0·32	0·37	0·29	458	235	223	16	67	67	90	53	293	117	10	12	7	8	7	2	2	–	–
Whooping-cough	0·52	0·51	0·53	741	331	410	265	246	102	65	35	713	28	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	6	1	5	–	–	–	–	–	–	1	–	1	1	2	–	–	1	–	–
Enteric Fever	0·19	0·24	0·16	273	152	121	4	2	2	2	1	11	9	30	39	56	72	24	13	11	5	3
Simple Continued Fever	0·02	0·02	0·02	27	11	16	1	1	–	2	3	7	3	–	–	2	6	4	2	–	2	1
Diarrhœa and Dysentery	0·55	0·63	0·49	787	405	382	584	74	9	3	1	671	3	–	1	1	8	8	8	20	32	35
Cholera	0·01	0·02	0·01	18	14	4	9	2	1	–	–	12	–	–	–	–	2	–	–	1	2	1
Cancer	0·96	0·85	1·06	1368	547	821	–	1	1	–	1	3	3	4	5	10	62	187	350	412	242	90
Tabes Mesenterica	0·26	0·33	0·21	374	213	161	224	62	20	9	5	320	21	10	6	5	5	5	2	–	–	–
Phthisis	2·39	3·28	1·65	3393	2111	1282	46	24	11	12	5	98	41	49	118	292	801	944	558	347	126	19
Other Tub. & Scrof. Dis.	0·62	0·74	0·52	874	473	401	199	190	92	56	54	591	90	32	34	31	44	28	15	8	–	1
Diseases of: Nervous System	2·20	2·50	1·95	3116	1606	1510	644	185	76	32	19	956	63	27	37	49	112	208	293	427	550	394
Diseases of: Circulatory „	1·96	2·30	1·68	2778	1478	1300	25	6	3	3	7	44	36	52	108	95	242	412	503	556	475	255
Diseases of: Respiratory „	4·32	5·02	3·73	6127	3232	2895	1046	601	228	88	76	2039	70	12	43	93	260	406	551	802	1041	810
Diseases of: Digestive „	1·31	1·45	1·19	1855	931	924	300	114	21	16	11	462	33	26	44	64	147	230	273	273	209	94
Diseases of: Urinary „	0·79	1·08	0·55	1120	692	428	5	7	4	4	6	26	9	12	36	33	132	190	199	211	184	88
Diseases of: Generative „	0·14	0·02	0·23	194	16	178	3	1	–	–	–	4	–	–	6	18	43	47	38	14	16	8
Puerperal Fever	0·07	–	0·13	100	–	100	–	–	–	–	–	–	–	–	6	20	49	25	–	–	–	–
Childbirth	0·05	–	0·09	67	–	67	–	–	–	–	–	–	–	–	2	9	28	27	1	–	–	–
Violence	0·99	1·57	0·51	1403	1008	395	166	38	23	27	20	274	46	46	51	60	181	225	197	167	98	58
Other Causes	2·81	3·22	2·41	3980	2092	1888	1632	113	32	20	16	1813	69	69	82	93	230	240	232	234	266	652

Marriages - - - 14,294

Births - { Males - 17,485 / Females - 17,120 } 34,605

Annual Rate per 1000 living { Persons Married 20·14 / Births - - 24·38 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

5.—WESTMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·13	†163	–	–	–	–	72·32	4·30	1·52	2·23	3·05	6·94	13·63	19·36	36·02	69·50	154·03
Annual Death-Rate per 1000. Males	—	21·37	†174	–	–	–	–	75·25	3·62	1·81	1·46	3·47	6·91	13·62	19·94	38·36	71·53	150·00
Annual Death-Rate per 1000. Females	—	20·90	†152	–	–	–	–	69·41	4·96	1·24	2·97	2·66	6·96	13·63	18·77	33·66	67·66	157·14
Mean Population, 1881–91. Persons	Decennial Decrease of Population 19·84 per cent.	41,930	892	753	749	759	723	3876	3445	3353	4440	5183	7914	5540	4054	2490	1213	422
Mean Population, 1881–91. Males		20,744	462	361	382	373	353	1931	1711	1655	2185	2478	3979	2745	2046	1254	576	184
Mean Population, 1881–91. Females		21,186	430	392	367	386	370	1945	1734	1698	2255	2705	3935	2795	2008	1236	637	238
Deaths from All Causes, 1881–90. Persons	18·45	7,788	1683	624	239	163	94	2803	148	51	99	158	549	755	785	897	843	650
Deaths from All Causes, 1881–90. Males	18·75	3,889	906	322	104	78	43	1453	62	30	32	86	275	374	408	481	412	276
Deaths from All Causes, 1881–90. Females	18·17	3,849	777	302	135	85	51	1350	86	21	67	72	274	381	377	416	431	374

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·00	0·02	6	1	5	1	–	–	–	–	1	–	–	–	1	2	–	2	–	–
Measles	0·57	0·56	0·57	237	116	121	45	83	45	32	12	217	19	–	–	–	1	–	–	–	–
Scarlet Fever	0·15	0·11	0·19	62	22	40	3	7	9	10	9	38	14	5	1	–	2	1	1	–	–
Diphtheria	0·11	0·10	0·13	47	20	27	2	10	7	10	3	32	10	1	–	–	1	2	1	–	–
Whooping-cough	0·47	0·42	0·[illegible]	197	88	109	69	58	23	29	9	188	9	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–
Enteric Fever	0·14	0·17	0·11	58	35	23	–	1	–	1	1	3	7	3	4	15	11	9	4	2	–
Simple Continued Fever	0·01	0·01	0·01	5	2	3	–	1	1	–	–	2	–	1	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·56	0·60	0·51	233	124	109	163	33	4	1	–	206	2	–	–	–	3	1	2	4	9
Cholera	0·02	0·02	0·02	9	5	4	5	2	–	–	–	7	–	–	–	–	–	1	1	–	–
Cancer	0·55	0·39	0·71	232	81	151	–	–	–	–	–	–	–	–	–	2	23	29	60	68	37
Tabes Mesenterica	0·31	0·32	0·30	131	67	64	88	24	9	2	1	124	–	2	1	–	2	–	1	–	1
Phthisis	2·05	2·59	1·52	860	538	322	12	4	5	2	1	24	7	9	40	46	228	257	156	77	15
Other Tub. & Scrof. Dis.	0·46	0·59	0·33	192	122	70	54	47	24	19	9	153	14	5	1	7	7	2	3	–	–
Diseases of Nervous System	2·06	2·10	2·02	864	436	428	236	59	20	7	5	327	11	5	10	12	27	65	87	119	113
Diseases of Circulatory „	1·30	1·34	1·27	545	277	268	6	–	–	1	1	8	8	4	11	11	37	83	105	112	107
Diseases of Respiratory „	4·22	4·35	4·10	1771	902	869	345	220	74	39	30	708	34	9	10	12	47	93	170	283	268
Diseases of Digestive „	1·16	1·13	1·20	488	234	254	111	47	7	2	3	170	1	1	4	11	33	52	59	81	54
Diseases of Urinary „	0·42	0·53	0·32	177	110	67	1	1	–	–	4	6	1	–	1	5	21	33	29	37	28
Diseases of Generative „	0·33	0·00	0·65	138	1	137	1	–	–	–	–	1	–	–	2	6	34	49	32	12	2
Puerperal Fever	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	1	3	16	9	1	–	–
Childbirth	0·03	–	0·06	12	–	12	–	–	–	–	–	–	–	–	–	3	3	6	–	–	–
Violence	0·44	0·54	0·34	184	113	71	53	1	2	4	2	62	2	–	4	10	22	18	19	20	15
Other Causes	3·00	2·87	3·14	1257	593	664	483	26	9	4	3	525	9	6	9	14	28	44	51	81	194

Marriages	4,902	Annual Rate per 1000 living: Persons Married	23·38	Deaths from Childbirth and Puerperal Fever	4·07 per 1000 Births.
Births: Males	5,220	Births	24·61		
Births: Females	5,100				
Births	10,320				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

6.—MARYLEBONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·84	†148	–	–	–	–	74·82	5·08	2·86	3·07	3·75	6·83	12·20	20·46	32·12	58·16	121·25
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·37	†163	–	–	–	–	81·10	5·16	2·66	3·11	3·86	7·48	13·02	23·37	36·52	63·36	132·28
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·39	†132	–	–	–	–	68·57	5·01	3·06	3·04	3·67	6·37	11·57	18·28	28·96	54·82	115·42
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·07 per cent.	148,657	3356	2868	2878	2753	2740	14595	12588	11625	14494	17452	27749	19857	14193	9180	5009	1915
Mean Population, 1881–91. Males	Decennial Decrease of Population 8·07 per cent.	65,134	1695	1415	1449	1360	1361	7280	6160	5573	6331	7179	11467	8611	6071	3842	1957	663
Mean Population, 1881–91. Females	Decennial Decrease of Population 8·07 per cent.	83,523	1661	1453	1429	1393	1379	7315	6428	6052	8163	10273	16282	11246	8122	5338	3052	1252
Deaths from All Causes, 1881–90. Persons	19·10	28,397	6981	2225	861	506	347	10920	640	333	445	654	1895	2422	2904	2949	2913	2322
Deaths from All Causes, 1881–90. Males	21·13	13,762	3914	1141	415	249	185	5904	318	148	197	277	858	1121	1419	1403	1240	877
Deaths from All Causes, 1881–90. Females	17·52	14,635	3067	1084	446	257	162	5016	322	185	248	377	1037	1301	1485	1546	1673	1445

	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.	1	2	3	4	Total under 5	5	10	15	20	25	35	45	55	65	75
Small-pox	0·01	0·01	0·01	16	9	7	–	1	2	–	1	4	1	2	1	2	2	1	–	2	1	–
Measles	0·54	0·65	0·46	805	425	380	162	320	137	79	53	751	47	3	–	1	2	–	–	–	1	–
Scarlet Fever	0·12	0·14	0·11	184	88	96	12	25	28	26	27	118	46	11	2	–	3	4	–	–	–	–
Diphtheria	0·15	0·16	0·15	228	104	124	13	29	32	30	30	134	55	8	5	4	7	7	3	4	1	–
Whooping-cough	0·55	0·60	0·51	816	388	428	341	264	96	58	27	786	29	–	–	1	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	9	3	6	2	1	1	–	–	4	1	–	1	–	1	1	1	–	–	–
Enteric Fever	0·15	0·16	0·15	228	104	124	2	1	1	6	6	16	16	16	19	35	61	37	16	7	4	1
Simple Continued Fever	0·02	0·02	0·02	27	12	15	2	2	1	1	–	6	4	1	1	2	–	5	3	–	5	–
Diarrhœa and Dysentery	0·65	0·78	0·55	971	509	462	753	99	12	4	3	871	3	4	1	3	5	12	7	10	24	31
Cholera	0·02	0·02	0·01	23	16	7	7	5	1	2	–	15	–	–	1	–	1	–	1	2	3	–
Cancer	1·20	0·87	1·46	1789	569	1220	–	–	1	2	2	5	–	2	3	16	91	300	502	438	336	96
Tabes Mesenterica	0·24	0·30	0·20	363	198	165	207	79	17	6	4	313	12	8	5	6	9	4	5	–	1	–
Phthisis	1·71	2·08	1·42	2546	1357	1189	43	24	9	6	10	92	34	56	126	219	680	620	430	217	60	12
Other Tub. & Scrof. Dis.	0·55	0·70	0·43	813	454	359	286	154	75	51	39	605	70	31	21	10	32	25	13	5	1	–
Diseases of: Nervous System	1·92	2·20	1·69	2840	1430	1410	796	191	77	46	22	1132	67	35	29	39	80	150	251	344	400	313
Diseases of: Circulatory „	1·51	1·60	1·44	2248	1042	1206	23	2	4	2	4	35	24	33	58	60	161	259	365	457	485	311
Diseases of: Respiratory „	4·11	4·45	3·83	6101	2902	3199	1406	791	278	132	74	2681	111	29	37	44	158	297	502	703	850	689
Diseases of: Digestive „	1·14	1·23	1·08	1698	799	899	394	90	22	15	10	531	26	18	27	46	92	168	242	243	196	109
Diseases of: Urinary „	0·62	0·83	0·46	924	543	381	8	3	2	6	6	25	15	9	15	27	78	115	178	179	182	101
Diseases of: Generative „	0·24	0·01	0·43	364	7	357	1	1	–	–	–	2	–	1	4	12	81	101	96	39	23	5
Puerperal Fever	0·09	–	0·17	138	–	138	–	–	–	–	–	–	–	–	5	33	69	28	3	–	–	–
Childbirth	0·05	–	0·08	70	–	70	–	–	–	–	–	–	–	–	1	5	39	23	2	–	–	–
Violence	0·64	0·91	0·43	956	593	363	276	26	35	15	16	368	30	16	19	32	101	100	97	81	69	43
Other Causes	2·86	3·41	2·42	4240	2210	2030	2247	117	30	19	13	2426	49	50	64	57	142	165	187	218	271	611

Marriages - - - 15,018

Births - { Males - 24,069 / Females - 23,173 } 47,242

Aunual Rate per 1000 living { Persons Married 20·20 / Births - - 31·78 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

7.—HAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·05	†117	–	–	–	–	48·55	5·78	3·24	3·19	3·34	5·35	9·24	13·49	24·08	53·83	132·37
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·60	†126	–	–	–	–	52·77	5·49	2·89	3·21	4·46	7·16	10·09	17·11	28·23	64·81	146·38
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·59	†106	–	–	–	–	44·32	6·07	3·51	3·18	2·87	4·41	8·69	11·00	21·19	46·78	125·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 50·52 per cent.	56,934	1197	1058	1096	1090	1077	5518	5206	5190	6455	7306	10646	6860	4655	2870	1607	621
Mean Population, 1881–91. Males	Decennial Increase of Population 50·52 per cent.	22,173	609	524	566	540	524	2763	2552	2282	2152	2154	3644	2715	1900	1176	628	207
Mean Population, 1881–91. Females	Decennial Increase of Population 50·52 per cent.	34,761	588	534	530	550	553	2755	2654	2908	4303	5152	7002	4145	2755	1694	979	414
Deaths from All Causes, 1881–90. Persons	13·71	7,808	1548	535	251	217	128	2679	301	168	206	244	570	634	628	691	865	822
Deaths from All Causes, 1881–90. Males	16·83	3,731	863	284	128	118	65	1458	140	66	69	96	261	274	325	332	407	303
Deaths from All Causes, 1881–90. Females	11·73	4,077	685	251	123	99	63	1221	161	102	137	148	309	360	303	359	458	519

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.														
Small-pox	0·28	0·39	0·20	157	87	70	7	6	4	4	4	25	14	10	16	20	39	20	5	5	2	1
Measles	0·28	0·34	0·25	162	76	86	38	58	24	14	12	146	9	2	2	3	–	–	–	–	–	–
Scarlet Fever	0·62	0·78	0·52	354	174	180	9	45	52	81	50	237	81	18	4	4	6	1	–	3	–	–
Diphtheria	0·40	0·43	0·38	227	96	131	14	21	35	29	29	128	62	18	4	6	1	1	2	2	3	–
Whooping-cough	0·33	0·45	0·25	187	99	88	88	62	19	10	3	182	3	–	1	–	–	–	–	–	1	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·18	0·23	0·15	103	50	53	1	–	1	1	–	3	12	7	15	8	32	12	6	5	3	–
Simple Continued Fever	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–
Diarrhœa and Dysentery	0·31	0·43	0·23	176	96	80	135	19	1	–	–	155	2	–	–	–	3	1	2	3	2	8
Cholera	0·01	0·00	0·01	6	1	5	2	2	–	–	–	4	–	–	–	1	1	–	–	–	–	–
Cancer	0·69	0·51	0·80	391	114	277	–	–	–	–	–	–	–	–	1	–	5	47	86	107	105	40
Tubes Mesenterica	0·13	0·18	0·10	73	39	34	38	11	5	3	1	58	4	4	1	1	1	2	1	–	1	–
Phthisis	1·48	1·80	1·28	845	399	446	10	4	–	1	–	15	5	31	68	108	254	192	114	40	17	1
Other Tub. & Scrof. Dis.	0·36	0·51	0·27	207	112	95	48	42	22	12	5	129	26	8	11	5	14	8	4	2	–	–
Diseases of Nervous System	1·46	1·79	1·24	829	397	432	179	47	12	12	3	253	19	7	15	5	23	47	70	100	149	141
Diseases of Circulatory "	1·14	1·28	1·05	649	283	366	12	3	2	–	1	18	3	14	9	18	26	64	88	116	171	122
Diseases of Respiratory "	2·08	2·65	1·72	1186	588	598	258	153	50	32	12	505	22	11	12	9	42	55	90	113	155	172
Diseases of Digestive "	0·88	1·12	0·73	501	249	252	111	30	7	1	–	149	11	9	8	12	23	45	50	69	81	44
Diseases of Urinary "	0·40	0·61	0·26	226	135	91	2	–	1	2	2	7	1	1	5	2	17	21	25	44	59	44
Diseases of Generative "	0·08	0·01	0·12	44	2	42	1	–	–	–	–	1	–	–	–	2	8	11	10	3	5	4
Puerperal Fever	0·07	–	0·11	39	–	39	–	–	–	–	–	–	–	–	2	3	23	10	1	–	–	–
Childbirth	0·04	–	0·06	21	–	21	–	–	–	–	–	–	–	–	1	4	7	9	–	–	–	–
Violence	0·42	0·75	0·21	239	167	72	68	8	8	11	3	98	7	5	4	12	9	25	34	20	15	10
Other Causes	2·06	2·57	1·77	1180	566	614	527	24	8	4	3	566	19	23	27	20	34	62	40	59	95	235

Marriages - - - 3,535

Births - Males - 6,840, Females - 6,446 } 13,286

Annual Rate per 1000 living { Persons Married 12·42; Births - - 23·34 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

8.—PANCRAS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·47			†153	–	–	–	–	66·51	5·73	2·90	3·87	4·99	8·64	15·18	22·68	39·25	75·46	170·49
Annual Death-Rate per 1000. Males	—			24·35			†164	–	–	–	–	70·37	5·96	2·78	3·99	5·26	9·73	17·56	27·00	46·72	86·20	188·36
Annual Death-Rate per 1000. Females	—			20·69			†142	–	–	–	–	62·64	5·50	3·01	3·75	4·74	7·62	12·99	18·94	33·46	68·19	161·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·84 per cent.			235,318			6356	5660	5671	5407	5205	28299	24031	21449	21871	24647	41896	29820	20875	13158	6859	2413
Mean Population, 1881–91. Males				112,938			3187	2841	2861	2700	2592	14181	11882	10668	10704	11958	20224	14322	9673	5741	2769	816
Mean Population, 1881–91. Females				122,380			3169	2819	2810	2707	2613	14118	12149	10781	11167	12689	21672	15498	11202	7417	4090	1597
Deaths from All Causes, 1881–90. Persons	21·35			50,231			11600	4004	1591	958	670	18823	1376	621	846	1231	3618	4528	4734	5164	5176	4114
Deaths from All Causes, 1881–90. Males	22·79			25,740			6305	2057	779	472	366	9979	708	297	427	629	1967	2515	2612	2682	2387	1537
Deaths from All Causes, 1881–90. Females	20·01			24,491			5295	1947	812	486	304	8844	668	324	419	602	1651	2013	2122	2482	2789	2577
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	48	25	23	9	1	1	2	1	14	6	4	3	1	11	3	5	–	1	–
Measles	0·57	0·62	0·52	1337	701	636	258	519	227	142	83	1229	98	3	3	2	–	2	–	–	–	–
Scarlet Fever	0·17	0·19	0·16	405	209	196	20	67	64	52	44	247	111	28	5	3	8	2	1	–	–	–
Diphtheria	0·27	0·28	0·25	624	314	310	44	102	98	91	94	429	142	16	6	5	10	9	2	2	2	1
Whooping-cough	0·68	0·60	0·76	1605	673	932	572	556	220	118	78	1544	60	–	–	–	–	–	1	–	–	–
Typhus	0·00	0·00	0·00	4	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–
Enteric Fever	0·22	0·24	0·20	519	275	244	–	3	8	13	11	35	38	65	59	83	113	65	36	16	8	1
Simple Continued Fever	0·01	0·01	0·01	27	14	13	3	–	3	2	4	12	2	–	6	2	–	2	–	–	2	1
Diarrhœa and Dysentery	0·71	0·77	0·65	1661	864	797	1277	189	23	9	4	1502	6	5	3	–	5	12	15	20	31	62
Cholera	0·02	0·02	0·02	48	28	20	26	6	1	–	–	33	1	–	1	1	2	2	5	1	1	1
Cancer	0·85	0·68	1·02	2008	764	1244	4	6	3	2	–	15	4	6	10	12	76	258	500	617	377	133
Tabes Mesenterica	0·35	0·40	0·30	819	449	370	477	142	53	23	14	709	33	25	12	6	12	10	6	2	3	1
Phthisis	2·45	3·10	1·86	5775	3499	2276	98	42	18	17	9	184	62	68	236	452	1537	1621	995	493	114	13
Other Tub. & Scrof. Dis.	0·62	0·70	0·55	1467	796	671	537	307	125	89	48	1106	135	45	42	30	39	33	18	6	9	4
Diseases of Nervous System	2·23	2·40	2·08	5251	2707	2544	1293	369	126	73	56	1917	133	46	48	41	158	302	459	692	860	595
Diseases of Circulatory „	1·69	1·66	1·71	3967	1873	2094	31	12	6	7	6	62	55	94	106	105	296	475	650	793	861	470
Diseases of Respiratory „	4·24	4·49	4·01	9968	5066	4902	2322	1211	431	206	136	4306	199	30	55	87	342	531	838	1209	1425	946
Diseases of Digestive „	1·21	1·20	1·22	2846	1350	1496	604	197	46	23	24	894	52	36	48	65	169	293	351	420	343	175
Diseases of Urinary „	0·63	0·83	0·46	1494	932	562	6	5	5	9	4	29	18	15	23	56	145	199	295	319	256	139
Diseases of Generative „	0·08	0·02	0·14	184	18	166	9	1	–	–	–	10	–	–	5	11	36	40	31	23	19	9
Puerperal Fever	0·09	–	0·18	221	–	221	–	–	–	–	–	–	–	–	1	62	103	55	–	–	–	–
Childbirth	0·05	–	0·10	121	–	121	–	–	–	–	–	–	–	–	5	21	53	41	1	–	–	–
Violence	0·89	1·16	0·64	2087	1309	778	515	48	56	45	34	698	119	36	56	87	212	245	206	193	135	100
Other Causes	3·30	3·40	3·15	7745	3872	3873	3495	221	77	35	20	3848	102	99	113	98	291	327	319	357	728	1463

Marriages - - - 21,649

Births - { Males - 38,357 / Females - 37,330 } 75,687

Annual Rate per 1000 living { Persons Married 18·40 / Births - - 32·16 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

9.—ISLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·55	†144	–	–	–	–	61·41	4·74	2·24	3·23	4·15	6·64	11·36	18·46	33·16	66·99	155·78
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·01	†156	–	–	–	–	65·80	4·72	2·04	3·30	4·69	7·31	12·81	21·63	39·91	74·46	162·82
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·17	†133	–	–	–	–	57·00	4·77	2·44	3·16	3·69	6·05	10·07	15·78	28·11	62·20	152·29
Mean Population, 1881-91. Persons	Decennial Increase of Population 12·83 per cent.	301,004	8259	7504	7526	7339	7061	37689	32971	28975	29209	30540	51842	37206	25310	15780	8379	3103
Mean Population, 1881-91. Males		141,670	4159	3784	3740	3631	3596	18910	16444	14270	13388	13961	24446	17586	11609	6756	3270	1030
Mean Population, 1881-91. Females		159,334	4100	3720	3786	3708	3465	18779	16527	14705	15821	16579	27396	19620	13701	9024	5109	2073
Deaths from All Causes, 1881-90. Persons	18·47	55,592	14070	4867	2081	1223	905	23146	1564	650	942	1266	3443	4228	4673	5233	5613	4834
Deaths from All Causes, 1881-90. Males	19·74	27,964	7772	2519	1055	610	486	12442	776	291	442	655	1786	2253	2511	2696	2435	1677
Deaths from All Causes, 1881-90. Females	17·34	27,628	6298	2348	1026	613	419	10704	788	359	500	611	1657	1975	2162	2537	3178	3157

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	0·14	0·16	0·12	421	233	188	31	8	6	3	3	51	24	16	32	68	109	67	33	10	8	3
Measles	0·61	0·71	0·52	1830	1001	829	366	655	368	182	124	1695	125	4	2	1	2	1	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	807	402	405	47	101	122	117	99	486	191	43	28	18	26	8	6	–	1	–
Diphtheria	0·24	0·25	0·24	732	356	376	44	92	95	119	101	451	197	31	15	6	16	10	3	–	3	–
Whooping-cough	0·69	0·67	0·71	2074	942	1132	819	606	295	167	98	1985	86	1	–	–	–	–	1	–	1	–
Typhus	0·01	0·01	0·00	18	11	7	–	–	–	–	–	–	2	2	3	1	3	5	1	1	–	–
Enteric Fever	0·19	0·22	0·17	581	313	268	8	11	9	9	13	50	43	51	71	68	148	74	42	24	9	1
Simple Continued Fever	0·02	0·02	0·02	62	31	31	5	6	3	2	4	20	12	6	4	1	7	1	1	2	8	–
Diarrhœa and Dysentery	0·72	0·81	0·64	2162	1143	1019	1647	263	25	7	9	1951	7	5	4	5	5	12	25	30	46	72
Cholera	0·03	0·03	0·03	80	39	41	37	10	5	2	–	54	4	1	–	–	3	4	5	6	3	–
Cancer	0·63	0·40	0·84	1904	567	1337	1	2	–	1	2	6	3	4	1	8	58	209	423	550	461	181
Tabes Mesenterica	0·33	0·38	0·29	994	535	459	618	187	71	26	14	916	38	12	10	6	7	1	3	–	1	–
Phthisis	2·00	2·53	1·52	6011	3585	2426	93	63	34	10	17	217	57	104	307	554	1512	1588	1012	483	156	21
Other Tub. & Scrof. Dis.	0·55	0·64	0·47	1658	908	750	662	372	152	81	62	1329	122	60	49	20	30	20	16	7	4	1
Diseases of Nervous System	2·13	2·27	2·00	6398	3213	3185	1759	501	194	105	82	2641	142	50	56	56	170	279	540	756	980	728
Diseases of Circulatory "	1·36	1·24	1·47	4100	1753	2347	37	10	7	7	7	68	46	62	80	84	246	458	586	844	982	644
Diseases of Respiratory "	3·80	4·12	3·52	11452	5838	5614	2564	1435	539	290	197	5025	225	45	62	86	348	557	907	1361	1628	1208
Diseases of Digestive "	0·99	1·01	0·97	2971	1429	1542	661	224	53	28	18	984	55	30	46	54	133	246	384	425	395	219
Diseases of Urinary "	0·40	0·51	0·31	1218	718	500	15	11	6	3	9	44	21	10	17	26	95	172	207	239	232	155
Diseases of Generative "	0·05	0·01	0·10	161	9	152	1	2	–	–	–	3	1	–	2	8	23	38	40	19	20	7
Puerperal Fever	0·07	–	0·14	220	–	220	–	–	–	–	–	–	–	–	8	55	104	50	3	–	–	–
Childbirth	0·05	–	0·09	144	–	144	–	–	–	–	–	–	–	–	4	22	66	48	4	–	–	–
Violence	0·44	0·57	0·32	1329	813	516	460	61	37	34	25	617	66	26	26	42	97	114	119	90	69	63
Other Causes	2·75	2·90	2·60	8265	4125	4140	4195	247	60	30	21	4553	97	87	115	77	235	266	312	386	606	1531

Marriages - - - 23,322

Births - { Males - 49,891 / Females - 47,529 } 97,420

Annual Rate per 1000 living { Persons Married 15·50 / Births - - 32·37 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

10.—HACKNEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 19·38	†137	–	–	–	–	60·43	7·41	3·35	4·02	4·99	7·08	11·03	16·80	30·15	60·27	144·14
Annual Death-Rate per 1000. Males	—	Standard 21·01	†148	–	–	–	–	64·81	7·37	3·36	4·86	6·28	8·23	12·71	20·70	35·08	65·30	151·47
Annual Death-Rate per 1000. Females	—	Population* 17·84	†126	–	–	–	–	56·09	7·45	3·34	3·39	4·06	6·16	9·62	13·62	26·52	57·08	140·19
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·10 per cent.	208,002	5651	5083	5281	5120	4997	26132	23260	21079	21756	20942	34021	24255	16887	10969	6268	2433
Mean Population, 1881–91. Males		94,560	2819	2535	2609	2532	2507	13002	11540	10106	9293	8770	15228	11101	7583	4649	2435	853
Mean Population, 1881–91. Females		113,442	2832	2548	2672	2588	2490	13130	11720	10973	12463	12172	18793	13154	9304	6320	3833	1580
Deaths from All Causes, 1881–90. Persons	18·58	38,657	9015	3252	1598	1095	832	15792	1723	707	875	1045	2410	2676	2837	3307	3778	3507
Deaths from All Causes, 1881–90. Males	20·48	19,367	4950	1713	774	551	439	8427	850	340	452	551	1253	1411	1570	1631	1590	1292
Deaths from All Causes, 1881–90. Females	17·00	19,290	4065	1539	824	544	393	7365	873	367	423	494	1157	1265	1267	1676	2188	2215

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·49	0·58	0·42	1026	552	474	111	54	41	37	40	283	134	86	99	106	164	92	33	16	9	4
Measles	0·56	0·62	0·51	1157	582	575	262	411	197	109	77	1056	86	6	2	2	4	1	–	–	–	–
Scarlet Fever	0·79	0·89	0·71	1645	845	800	72	209	270	272	228	1051	445	79	33	15	10	10	1	–	1	–
Diphtheria	0·41	0·41	0·40	848	390	458	29	96	145	131	120	521	247	45	11	7	5	5	5	1	1	–
Whooping-cough	0·58	0·58	0·58	1207	552	655	514	379	149	74	45	1161	42	3	–	–	–	1	–	–	–	–
Typhus	0·03	0·04	0·03	62	34	28	1	–	–	–	–	1	1	2	5	6	15	20	7	4	1	–
Enteric Fever	0·36	0·42	0·32	757	394	363	4	9	13	14	12	52	56	93	147	113	163	68	40	18	6	1
Simple Continued Fever	0·02	0·02	0·02	36	18	18	–	–	2	2	3	7	8	2	1	1	4	4	2	2	1	4
Diarrhœa and Dysentery	0·61	0·71	0·53	1268	670	598	949	136	17	12	6	1120	6	2	2	6	7	8	8	15	35	59
Cholera	0·04	0·05	0·03	78	45	33	43	8	3	2	–	56	–	–	2	–	1	6	6	1	2	4
Cancer	0·61	0·47	0·72	1267	448	819	–	1	1	–	1	3	3	2	4	8	38	149	295	376	287	102
Tabes Mesenterica	0·32	0·39	0·26	666	367	299	420	120	49	14	9	612	23	6	9	4	6	3	1	1	1	–
Phthisis	1·74	2·24	1·31	3609	2118	1491	51	53	20	11	15	150	49	60	190	346	948	877	576	289	108	16
Other Tub. & Scrof. Dis.	0·49	0·59	0·42	1028	555	473	397	219	94	63	30	803	76	33	28	18	22	19	17	10	2	–
Diseases of Nervous System	2·19	2·42	2·00	4562	2291	2271	1378	325	116	72	47	1938	104	52	43	65	113	191	313	507	727	509
Diseases of Circulatory „	1·39	1·31	1·46	2901	1241	1660	36	7	8	5	6	62	47	57	69	62	165	257	406	566	744	466
Diseases of Respiratory „	3·24	3·56	2·98	6743	3368	3375	1496	878	343	203	134	3054	191	28	37	68	190	301	451	694	894	835
Diseases of Digestive „	1·01	1·06	0·96	2091	999	1092	486	177	34	17	19	733	45	23	48	51	90	164	247	281	244	165
Diseases of Urinary „	0·47	0·61	0·36	977	572	405	6	6	7	11	5	35	23	10	11	24	70	131	146	193	200	134
Diseases of Generative „	0·05	0·01	0·09	107	7	100	2	1	–	–	–	3	–	–	–	5	19	19	13	26	19	3
Puerperal Fever	0·07	–	0·13	142	–	142	–	–	–	–	–	–	–	–	7	26	81	28	–	–	–	–
Childbirth	0·05	–	0·09	103	–	103	–	–	–	–	–	–	–	–	3	13	45	39	3	–	–	–
Violence	0·53	0·77	0·33	1105	732	373	256	37	40	27	21	381	65	52	47	47	95	121	113	90	46	48
Other Causes	2·53	2·73	2·34	5272	2587	2685	2502	126	49	19	14	2710	72	66	77	52	155	162	154	217	450	1157

Marriages - - - 15,139

Births - Males - 33,441; Females - 32,192 } 65,633

Annual Rate per 1000 living { Persons Married 14·56; Births - - 31·55

Deaths from Childbirth and Puerperal Fever - - - - - } 3·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

11.—ST. GILES.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·31	†154	–	–	–	–	79·73	4·75	1·49	2·43	3·69	6·49	13·29	22·74	39·36	83·05	173·72
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·66	†172	–	–	–	–	86·97	4·84	1·24	2·45	3·94	6·58	14·03	26·17	40·44	86·33	186·23
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·11	†136	–	–	–	–	72·70	4·67	1·74	2·42	3·47	6·41	12·53	19·29	38·27	80·23	165·16
Mean Population, 1881–91. Persons	Decennial Decrease of Population 12·14 per cent.	42,582	935	850	817	843	793	4238	3681	3501	4116	4934	7838	5758	4165	2642	1298	411
Mean Population, 1881–91. Males		20,719	452	428	401	406	401	2088	1820	1777	1881	2282	3799	2886	2086	1333	600	167
Mean Population, 1881–91. Females		21,863	483	422	416	437	392	2150	1861	1724	2235	2652	4039	2872	2079	1309	698	244
Deaths from All Causes, 1881–90. Persons	21·00	8,941	2076	736	295	159	113	3379	175	52	100	182	509	765	947	1040	1078	714
Deaths from All Causes, 1881–90. Males	22·35	4,631	1169	363	147	82	55	1816	88	22	46	90	250	405	546	539	518	311
Deaths from All Causes, 1881–90. Females	19·71	4,310	907	373	148	77	58	1563	87	30	54	92	259	360	401	501	560	403

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·03	0·03	12	6	6	1	–	–	–	2	3	2	1	1	–	2	1	2	–	–	–
Measles	0·64	0·65	0·64	274	134	140	51	107	52	34	14	258	16	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·20	0·18	80	41	39	5	16	15	12	10	58	17	4	–	–	–	–	–	–	–	1
Diphtheria	0·14	0·11	0·16	58	23	35	6	13	7	8	7	41	12	–	2	1	1	–	–	–	1	–
Whooping-cough	0·57	0·51	0·63	242	105	137	98	65	35	19	17	234	8	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·15	0·17	68	31	37	–	2	1	–	4	7	5	3	8	12	18	8	5	2	–	–
Simple Continued Fever	0·03	0·04	0·03	14	8	6	–	–	2	2	–	4	6	1	1	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·75	0·82	0·68	318	170	148	199	44	4	1	1	249	4	–	–	–	1	3	6	16	20	19
Cholera	0·01	0·01	0·01	4	2	2	3	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–
Cancer	0·48	0·30	0·64	204	63	141	1	–	–	1	–	2	–	–	–	2	9	26	57	55	37	16
Tabes Mesenterica	0·23	0·26	0·20	96	53	43	54	26	5	2	–	87	4	–	1	–	1	1	2	–	–	–
Phthisis	2·44	3·01	1·91	1041	624	417	12	6	4	1	1	24	5	9	34	84	244	269	222	108	40	2
Other Tub. & Scrof. Dis.	0·53	0·66	0·41	226	137	89	79	56	28	14	11	188	17	2	2	2	6	2	2	3	1	1
Diseases of Nervous System	2·23	2·33	2·14	951	483	468	234	71	20	18	5	348	16	6	10	4	25	60	89	149	171	73
Diseases of Circulatory „	1·39	1·39	1·38	590	288	302	2	1	1	–	–	4	7	10	9	14	38	64	103	131	134	76
Diseases of Respiratory „	5·42	5·86	5·03	2312	1213	1099	443	240	97	38	29	847	29	2	2	20	58	144	232	350	404	224
Diseases of Digestive „	1·04	1·09	0·99	442	225	217	109	45	6	4	2	166	10	2	9	9	15	48	60	55	48	20
Diseases of Urinary „	0·59	0·60	0·57	250	125	125	–	–	3	1	4	8	4	1	1	4	8	40	57	64	41	22
Diseases of Generative „	0·07	0·01	0·13	31	3	28	–	1	–	–	–	1	–	–	–	1	5	10	4	1	8	1
Puerperal Fever	0·09	–	0·17	37	–	37	–	–	–	–	–	–	–	–	2	12	15	8	–	–	–	–
Childbirth	0·05	–	0·10	21	–	21	–	–	–	–	–	–	–	–	3	4	8	6	–	–	–	–
Violence	0·66	0·76	0·57	281	157	124	122	5	3	2	–	132	3	–	4	3	26	26	39	26	18	4
Other Causes	3·26	3·56	2·94	1388	739	649	657	38	12	2	6	715	9	11	11	10	29	49	65	80	154	255

Marriages - - - 3,368

Births - { Males - 6,803 / Females - 6,657 } 13,460

Annual Rate per 1000 living { Persons Married 15·91 / Births - - 31·61 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

12.—STRAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 32·47			†226	–	–	–	–	109·60	10·65	6·52	6·82	7·71	13·73	24·06	35·56	48·54	73·96	157·84
Males	—			36·72			†244	–	–	–	–	117·01	12·47	7·52	8·06	8·77	16·59	28·00	44·85	58·52	85·09	175·00
Females	—			28·46			†209	–	–	–	–	102·40	8·95	5·59	5·62	6·68	10·80	19·72	25·74	38·57	63·53	145·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 18·06 per cent.			30,549			603	498	512	516	497	2626	2395	2348	3151	3802	5776	4264	3214	1924	845	204
Males				15,267			298	241	259	243	252	1293	1155	1131	1550	1871	2924	2236	1652	962	409	84
Females				15,282			305	257	253	273	245	1333	1240	1217	1601	1931	2852	2028	1562	962	436	120
Deaths from All Causes, 1881–90. Persons	28·27			8,637			1542	706	298	198	134	2878	255	153	215	293	793	1026	1143	934	625	322
Males	32·36			4,941			828	369	155	97	64	1513	144	85	125	164	485	626	741	563	348	147
Females	24·19			3,696			714	337	143	101	70	1365	111	68	90	129	308	400	402	371	277	175
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·03	7	3	4	1	–	–	–	–	1	–	1	–	1	3	1	–	–	–	–
Measles	0·61	0·68	0·54	186	104	82	31	79	40	14	10	174	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·24	0·25	75	37	38	5	9	6	17	11	48	23	–	–	1	1	2	–	–	–	–
Diphtheria	0·52	0·48	0·56	159	73	86	12	32	30	31	20	125	25	3	–	1	2	2	1	–	–	–
Whooping-cough	0·57	0·48	0·65	173	74	99	60	59	20	16	12	167	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Enteric Fever	0·38	0·37	0·39	116	57	59	1	–	1	–	–	2	7	15	14	31	24	7	12	4	–	–
Simple Continued Fever	0·03	0·03	0·03	9	5	4	–	–	–	–	–	–	1	2	–	1	–	1	3	–	–	1
Diarrhœa and Dysentery	0·73	0·70	0·77	224	107	117	163	34	4	1	–	202	–	1	1	2	3	3	3	2	5	2
Cholera	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
Cancer	1·22	1·25	1·19	373	191	182	1	–	1	1	1	4	3	–	5	8	21	57	108	106	51	10
Tabes Mesenterica	0·26	0·30	0·21	78	46	32	36	16	6	4	–	62	7	2	–	1	2	3	1	–	–	–
Phthisis	2·69	3·36	2·03	823	513	310	10	8	7	5	1	31	13	16	37	69	226	217	143	58	13	–
Other Tub. & Scrof. Dis.	1·05	1·18	0·92	320	180	140	67	68	37	23	24	219	29	13	11	8	15	14	6	3	2	–
Diseases of Nervous System	2·33	2·61	2·05	712	399	313	176	41	13	16	4	250	9	5	10	16	43	59	109	85	80	46
Circulatory	2·77	3·32	2·22	847	507	340	9	7	1	2	1	20	11	34	41	29	89	155	173	153	96	46
Respiratory	5·65	6·10	5·22	1730	932	798	375	254	91	44	27	791	44	11	16	32	69	116	174	207	175	95
Digestive	1·88	2·10	1·65	573	321	252	68	34	6	4	3	115	8	12	16	14	56	80	111	92	52	17
Urinary	1·39	1·97	0·81	424	301	123	1	2	2	3	3	11	3	2	8	12	55	79	86	83	66	19
Generative	0·19	0·05	0·34	59	7	52	–	–	–	–	–	–	1	–	4	3	12	17	14	4	3	1
Puerperal Fever	0·08	–	0·15	23	–	23	–	–	–	–	–	–	–	–	–	6	11	5	1	–	–	–
Childbirth	0·04	–	0·09	13	–	13	–	–	–	–	–	–	–	–	–	2	7	4	–	–	–	–
Violence	2·15	3·07	1·22	656	469	187	77	19	17	10	15	138	28	15	22	27	77	115	105	75	38	16
Other Causes	3·44	4·03	2·85	1052	612	440	449	44	16	7	2	518	24	20	30	29	77	87	93	61	44	69

Marriages - - - 4,540

Births - { Males - 3,397 / Females - 3,414 } 6,811

Annual Rate per 1000 living { Persons Married 29·72 / Births - - 22·30 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·29 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

13.—HOLBORN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·55			†164	–	–	–	–	81·63	6·55	2·69	3·20	4·24	6·79	11·08	17·20	30·57	58·27	136·69
Annual Death-Rate per 1000. Males	—			22·48			†177	–	–	–	–	88·19	6·48	2·40	2·61	3·47	6·52	11·62	18·11	32·87	61·48	143·45
Annual Death-Rate per 1000. Females	—			20·67			†152	–	–	–	–	75·17	6·62	2·98	3·82	5·02	7·06	10·55	16·33	28·52	55·93	132·47
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·55 per cent.			146,877			4208	3648	3636	3525	3380	18397	15862	14342	14816	14681	24388	18434	13248	7981	3657	1071
Mean Population, 1881–91. Males				73,030			2107	1819	1807	1720	1680	9133	7890	7093	7619	7409	12480	9209	6470	3773	1542	412
Mean Population, 1881–91. Females				73,847			2101	1829	1829	1805	1700	9264	7972	7249	7197	7272	11908	9225	6778	4208	2115	659
Deaths from All Causes, 1881–90. Persons	20·12			29,551			8744	3360	1444	899	571	15018	1039	386	474	622	1655	2043	2279	2440	2131	1464
Deaths from All Causes, 1881–90. Males	20·58			15,026			4786	1791	725	464	288	8054	511	170	199	257	814	1070	1172	1240	948	591
Deaths from All Causes, 1881–90. Females	19·67			14,525			3958	1569	719	435	283	6964	528	216	275	365	841	973	1107	1200	1183	873
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·03	35	14	21	7	3	2	2	–	14	4	2	2	5	2	3	2	1	–	–
Measles	0·78	0·82	0·74	1143	597	546	228	446	211	136	71	1092	50	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·28	0·29	0·26	405	215	190	32	67	78	66	51	294	85	14	1	3	6	1	1	–	–	–
Diphtheria	0·26	0·26	0·26	381	187	194	17	65	69	77	45	273	87	10	–	2	1	3	3	–	2	–
Whooping-cough	0·80	0·74	0·86	1177	540	637	410	417	169	87	58	1141	33	2	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	6	4	2	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–	–
Enteric Fever	0·14	0·14	0·15	210	99	111	1	1	5	5	3	15	23	29	28	35	36	24	9	10	1	–
Simple Continued Fever	0·03	0·02	0·03	37	17	20	3	1	2	2	4	12	9	2	–	–	3	2	2	3	4	–
Diarrhœa and Dysentery	0·96	0·95	0·96	1405	694	711	1002	222	44	14	4	1286	14	1	3	3	3	10	9	20	21	35
Cholera	0·02	0·02	0·01	26	17	9	14	3	–	1	–	18	1	1	–	1	–	–	3	2	–	–
Cancer	0·40	0·26	0·54	584	187	397	4	6	2	4	5	21	12	2	6	7	35	70	149	147	104	31
Tabes Mesenterica	0·40	0·42	0·38	585	308	277	352	120	40	17	11	540	28	7	4	4	–	1	1	–	–	–
Phthisis	2 13	2·34	1·92	3129	1709	1420	51	41	29	18	14	153	62	64	194	312	762	748	542	239	47	6
Other Tub. & Scrof. Dis.	0·67	0·73	0·62	990	531	459	249	213	129	94	71	756	129	36	11	10	22	13	8	3	2	–
Diseases of Nervous System	2·20	2·32	2·08	3233	1694	1539	1114	277	126	77	51	1645	95	34	33	35	91	163	268	348	333	188
Diseases of Circulatory „	1·25	1·17	1·33	1832	853	979	19	4	7	7	5	42	72	53	56	55	150	243	303	363	320	175
Diseases of Respiratory „	4·75	4·89	4·62	6983	3569	3414	1859	1075	423	229	111	3697	149	33	36	49	180	304	513	787	783	452
Diseases of Digestive „	1·05	1·04	1·05	1540	763	777	458	182	23	15	14	692	38	19	26	20	71	127	165	183	138	61
Diseases of Urinary „	0·34	0·41	0·28	506	297	209	5	6	4	7	13	35	18	3	7	13	41	72	89	114	76	38
Diseases of Generative „	0·04	0·00	0·07	57	3	54	2	–	–	–	–	2	–	–	–	2	11	15	13	8	3	3
Puerperal Fever	0·07	–	0·14	107	–	107	–	–	–	–	–	–	–	–	5	18	52	31	1	–	–	–
Childbirth	0·05	–	0·09	68	–	68	–	–	–	–	–	–	–	–	4	8	32	23	1	–	–	–
Violence	0·65	0·72	0·58	951	525	426	511	34	22	11	11	589	24	12	15	11	50	55	74	53	38	30
Other Causes	2·83	3·01	2·67	4161	2203	1958	2406	177	59	30	29	2701	105	61	42	28	107	132	122	159	259	445

Marriages - - - 10,342

Births - Males - 27,105; Females - 26,113 } 53,218

Annual Rate per 1000 living { Persons Married 14·08; Births - - 36·23

Deaths from Childbirth and Puerperal Fever - - - - - } 3·29 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

A.—LONDON CITY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 34·14			†171	–	–	–	–	90·03	14·31	8·68	8·15	10·38	20·58	32·56	41·56	55·15	76·20	141·21
Males	—			40·64			†187	–	–	–	–	97·80	15·50	8·51	9·62	12·18	26·45	43·10	56·74	72·55	102·52	177·63
Females	—			28·01			†153	–	–	–	–	82·44	13·09	8·90	6·43	8·21	14·85	22·53	28·77	41·85	60·60	125·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 25·45 per cent.			44,880			779	716	698	695	702	3590	3446	4264	5694	5993	7240	5396	4252	2892	1601	512
Males				22,442			372	334	369	341	357	1773	1742	2433	3066	3276	3576	2631	1944	1253	596	152
Females				22,438			407	382	329	354	345	1817	1704	1831	2628	2717	3664	2765	2308	1639	1005	360
Deaths from All Causes, 1881–90. Persons	30·60			13,733			1486	789	426	343	188	3232	493	370	464	622	1490	1757	1767	1595	1220	723
Males	35·10			7,878			834	414	207	169	110	1734	270	207	295	399	946	1134	1103	909	611	270
Females	26·09			5,855			652	375	219	174	78	1498	223	163	169	223	544	623	664	686	609	453
	Persons.	Males.	Females.	Persons	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	4	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
Measles	0·35	0·36	0·33	155	81	74	25	55	26	20	14	140	13	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·17	89	50	39	4	14	18	13	7	56	21	6	3	1	1	–	–	1	–	–
Diphtheria	0·93	0·89	0·96	418	200	218	24	74	75	98	41	312	72	12	4	4	6	2	3	2	–	1
Whooping-cough	0·44	0·43	0·45	197	96	101	60	56	42	19	11	188	9	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	1	4	1	1	1	–	–	–
Enteric Fever	0·46	0·55	0·37	207	123	84	1	–	1	3	1	6	14	28	33	36	51	22	8	6	2	1
Simple Continued Fever	0·02	0·02	0·02	9	4	5	–	–	–	–	–	–	2	1	1	–	2	–	2	1	–	–
Diarrhœa and Dysentery	0·45	0·49	0·40	200	111	89	123	36	5	2	1	167	2	1	1	–	2	3	5	6	11	2
Cholera	0·01	0·03	–	6	6	–	–	1	1	–	–	2	1	–	–	–	–	1	–	2	–	–
Cancer	1·76	1·80	1·72	790	404	386	–	1	1	2	–	4	4	8	13	17	45	129	233	213	100	24
Tabes Mesenterica	0·20	0·22	0·19	92	50	42	36	19	9	3	1	68	5	3	5	4	4	2	1	–	–	–
Phthisis	2·83	3·51	2·15	1269	787	482	12	12	7	5	2	38	23	27	77	130	362	309	175	102	21	5
Other Tub. & Scrof. Dis.	0·82	0·97	0·66	367	218	149	49	59	41	37	26	212	55	20	21	10	23	16	4	4	1	1
Diseases of: Nervous System	2·54	2·83	2·25	1142	636	506	225	81	27	16	10	359	35	32	23	22	70	111	142	140	133	75
Circulatory	3·48	4·02	2·93	1560	902	658	7	5	3	2	6	23	34	66	72	83	196	264	267	269	214	81
Respiratory	5·05	5·26	4·86	2272	1181	1091	286	254	94	65	29	728	40	13	38	55	136	194	256	313	298	201
Digestive	2·23	2·37	2·08	999	533	466	103	42	9	7	2	163	24	28	25	42	106	139	171	153	108	40
Urinary	1·50	1·97	1·02	671	442	229	1	–	5	5	5	16	12	14	24	42	95	125	130	106	78	29
Generative	0·22	0·04	0·40	98	8	90	3	2	2	1	–	8	–	–	1	4	25	20	18	13	6	3
Puerperal Fever	0·12	–	0·25	55	–	55	–	–	–	–	–	–	–	–	2	13	27	13	–	–	–	–
Childbirth	0·03	–	0·07	15	–	15	–	–	–	–	–	–	–	–	1	2	4	7	1	–	–	–
Violence	3·05	4·65	1·45	1368	1043	325	83	34	33	40	23	213	84	51	58	80	174	228	191	142	106	41
Other Causes	3·88	4·43	3·35	1742	994	748	444	44	27	5	9	529	43	59	59	73	159	171	158	130	142	219

Marriages - - - 9,079

Births - Males - 4,460; Females - 4,250 } 8,710

Annual Rate per 1000 living { Persons Married 40·46; Births - - 19·41

Deaths from Childbirth and Puerperal Fever - - - - - - - } 8·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

15.—SHOREDITCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·51	†168	–	–	–	–	78·47	6·22	2·56	3·11	4·18	7·25	12·97	22·10	42·85	89·83	208·40
Annual Death-Rate per 1000. Males	—	26·15	†185	–	–	–	–	86·18	6·22	2·64	2·71	3·89	7·51	14·44	24·96	47·61	96·45	225·00
Annual Death-Rate per 1000. Females	—	22·97	†149	–	–	–	–	70·92	6·22	2·48	3·52	4·45	7·00	11·56	19·53	38·81	84·83	199·76
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·04 per cent.	125,300	3994	3461	3528	3332	3210	17525	14472	12592	11907	11900	20445	14752	10150	6639	3668	1250
Mean Population, 1881–91. Males		61,238	1951	1718	1753	1655	1597	8674	7208	6181	6023	5807	10229	7260	4800	3050	1578	428
Mean Population, 1881–91. Females		64,062	2043	1743	1775	1677	1613	8851	7264	6411	5884	6093	10216	7492	5350	3589	2090	822
Deaths from All Causes, 1881–90. Persons	24·12	30,226	8079	3068	1340	739	526	13752	900	322	370	497	1483	1914	2243	2845	3295	2605
Deaths from All Causes, 1881–90. Males	25·19	15,426	4550	1603	692	362	268	7475	448	163	163	226	768	1048	1198	1452	1522	963
Deaths from All Causes, 1881–90. Females	23·10	14,800	3529	1465	648	377	258	6277	452	159	207	271	715	866	1045	1393	1773	1642

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·06	0·08	0·05	80	48	32	16	9	5	3	3	36	13	9	3	2	10	4	3	–	–	–
Measles	0·71	0·74	0·67	884	453	431	187	341	184	78	43	833	50	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·42	0·45	0·38	523	278	245	41	82	106	102	65	396	107	14	–	–	5	1	–	–	–	–
Diphtheria	0·22	0·20	0·23	272	122	150	19	51	49	48	38	205	55	2	2	–	2	3	–	2	1	–
Whooping-cough	0·99	0·94	1·04	1241	574	667	447	415	192	93	53	1200	40	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	10	6	4	–	–	–	–	1	1	2	2	–	–	1	1	–	1	–	2
Enteric Fever	0·15	0·14	0·16	193	88	105	1	6	1	5	1	14	21	19	31	25	31	25	12	7	7	1
Simple Continued Fever	0·02	0·02	0·01	21	12	9	2	–	2	1	3	8	2	–	1	–	2	3	2	2	1	–
Diarrhœa and Dysentery	1·08	1·17	1·00	1354	713	641	913	206	27	5	8	1159	6	2	2	1	3	4	7	22	72	76
Cholera	0·02	0·02	0·03	29	12	17	14	5	1	–	2	22	2	–	–	–	2	2	–	–	1	–
Cancer	0·52	0·38	0·65	647	232	415	1	2	–	2	1	6	7	1	3	–	18	67	152	178	163	52
Tabes Mesenterica	0·55	0·66	0·45	694	405	289	428	149	54	20	5	656	20	8	3	3	1	1	–	1	–	1
Phthisis	2·33	2·84	1·85	2920	1737	1183	69	53	29	19	22	192	59	46	139	235	719	711	481	257	73	8
Other Tub. & Scrof. Dis.	0·52	0·59	0·44	646	363	283	202	133	70	49	43	497	72	22	10	11	7	11	6	8	2	–
Diseases of Nervous System	3·03	3·20	2·87	3796	1957	1839	1007	264	101	61	45	1478	84	26	26	27	118	212	306	472	633	414
Diseases of Circulatory „	1·57	1·43	1·70	1965	875	1090	15	6	3	3	7	34	45	42	31	43	133	222	340	432	431	212
Diseases of Respiratory „	5·50	5·88	5·16	6908	3601	3307	1540	985	398	183	121	3227	136	23	31	45	143	275	506	891	1064	567
Diseases of Digestive „	1·12	1·06	1·18	1405	650	755	404	155	25	14	10	608	28	20	16	14	56	100	151	188	156	68
Diseases of Urinary „	0·37	0·47	0·27	461	289	172	8	7	8	6	5	34	19	16	9	14	25	55	65	92	84	48
Diseases of Generative „	0·04	0·02	0·06	50	10	40	5	4	–	1	–	10	–	1	1	2	4	2	9	7	10	4
Puerperal Fever	0·09	–	0·18	115	–	115	–	–	–	–	–	–	–	1	10	31	45	28	–	–	–	–
Childbirth	0·05	–	0·11	68	–	68	–	–	–	–	–	–	–	–	4	4	33	26	1	–	–	–
Violence	0·76	0·93	0·59	948	568	380	403	51	29	26	19	528	51	16	10	12	54	64	67	57	53	36
Other Causes	3·99	3·96	4·01	4996	2433	2563	2357	144	56	20	31	2608	81	51	37	28	71	97	135	228	544	1116

Marriages - - - 10,038

Births - { Males - 24,571 / Females - 23,624 } 48,195

Annual Rate per 1000 living { Persons Married 16·02 / Births - - 38·46

Deaths from Childbirth and Puerperal Fever - - - - - 3·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·99	†157	–	–	–	–	75·85	5·43	2·43	3·88	5·54	8·58	14·38	21·08	36·46	72·32	165·47
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·73	†169	–	–	–	–	80·48	5·30	2·27	3·87	5·43	9·41	16·37	24·32	42·21	79·46	191·86
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·36	†144	–	–	–	–	71·32	5·55	2·59	3·89	5·65	7·75	12·44	18·06	31·56	66·74	148·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·71 per cent.	128,046	4090	3690	3821	3591	3498	18690	16197	14241	12727	11620	19249	14473	10001	6292	3360	1196
Mean Population, 1881–91. Males	Decennial Increase of Population 1·71 per cent.	62,927	2027	1795	1920	1760	1749	9251	8110	7139	6358	5687	9574	7148	4823	2895	1475	467
Mean Population, 1881–91. Females	Decennial Increase of Population 1·71 per cent.	65,119	2063	1895	1901	1831	1749	9439	8087	7102	6369	5933	9675	7325	5178	3397	1885	729
Deaths from All Causes, 1881–90. Persons	22·71	29,083	8040	3254	1481	827	575	14177	879	346	494	644	1651	2081	2108	2294	2430	1979
Deaths from All Causes, 1881–90. Males	24·04	15,126	4363	1657	736	409	280	7445	430	162	246	309	901	1170	1173	1222	1172	896
Deaths from All Causes, 1881–90. Females	21·43	13,957	3677	1597	745	418	295	6732	449	184	248	335	750	911	935	1072	1258	1083

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	0·07	0·06	0·08	87	35	52	23	7	6	4	3	43	9	5	10	5	6	6	2	1	–	–
Measles	0·89	0·90	0·87	1134	569	565	203	439	251	124	59	1076	53	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·54	0·58	0·51	695	362	333	46	127	150	102	93	518	152	14	5	2	2	1	1	–	–	–
Diphtheria	0·19	0·15	0·22	240	95	145	18	51	31	40	44	184	44	3	2	1	2	1	3	–	–	–
Whooping-cough	0·95	0·83	1·08	1221	520	701	426	409	179	96	64	1174	45	–	–	–	–	1	–	1	–	–
Typhus	0·01	0·01	0·01	12	6	6	–	–	–	–	–	–	3	2	3	1	–	1	2	–	–	–
Enteric Fever	0·16	0·16	0·16	209	103	106	2	1	1	6	7	17	24	31	30	22	35	19	14	14	2	1
Simple Continued Fever	0·02	0·02	0·02	27	12	15	1	2	2	2	1	8	9	1	2	1	1	–	2	3	–	–
Diarrhœa and Dysentery	0·81	0·85	0·76	1035	537	498	694	187	30	8	7	926	5	2	–	4	4	3	7	16	37	31
Cholera	0·04	0·04	0·03	45	25	20	18	8	2	2	–	30	2	–	–	1	1	2	2	5	1	1
Cancer	0·42	0·33	0·50	533	207	326	1	–	–	1	–	2	1	2	2	2	21	77	114	153	119	40
Tabes Mesenterica	0·52	0·58	0·47	671	367	304	430	139	44	14	7	634	18	9	1	1	3	3	1	1	–	–
Phthisis	2·69	3·28	2·11	3441	2066	1375	73	45	22	12	11	163	55	70	229	355	907	826	506	244	76	10
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	617	349	268	231	171	63	25	19	509	46	15	10	5	7	13	7	3	1	1
Diseases of Nervous System	2·92	3·11	2·75	3742	1954	1788	1284	313	123	84	55	1859	69	22	29	29	104	223	266	366	454	321
Diseases of Circulatory "	1·29	1·26	1·33	1658	795	863	30	4	–	3	3	40	28	65	62	47	124	237	261	313	290	191
Diseases of Respiratory "	5·48	5·86	5·12	7023	3686	3337	1581	1060	486	246	154	3527	181	36	37	59	184	320	522	743	881	533
Diseases of Digestive "	0·94	0·92	0·95	1198	578	620	365	113	26	12	8	524	34	13	17	14	50	95	138	166	104	43
Diseases of Urinary "	0·39	0·53	0·26	500	331	169	2	7	11	10	9	39	21	9	9	11	21	56	73	100	99	62
Diseases of Generative "	0·03	–	0·06	37	–	37	–	2	–	–	–	2	–	–	1	2	11	3	7	5	6	–
Puerperal Fever	0·08	–	0·15	98	–	98	–	–	–	–	–	–	–	–	4	27	43	23	1	–	–	–
Childbirth	0·06	–	0·13	83	–	83	–	–	–	–	–	–	–	–	3	17	28	34	1	–	–	–
Violence	0·66	0·74	0·57	839	465	374	423	40	15	17	15	510	34	12	10	11	28	48	60	54	35	37
Other Causes	3·07	3·28	2·88	3938	2064	1874	2189	129	39	19	16	2392	46	31	28	27	68	89	118	106	325	708

Persons.

Marriages - - - 24,392

Births - { Males - 25,865 / Females - 25,447 } 51,312

Annual Rate per 1000 living { Persons Married 38·10 / Births - - 40·07 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

17.—WHITECHAPEL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 32·62	†173	–	–	–	–	84·84	8·10	5·56	8·39	9·83	17·21	28·68	43·04	59·55	100·71	176·74
Annual Death-Rate per 1000. Males	—	In Standard Population* 35·82	†181	–	–	–	–	91·31	8·85	6·16	9·58	10·64	18·43	31·52	49·10	68·32	117·74	189·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 29·61	†164	–	–	–	–	78·66	7·36	4·96	7·17	8·89	15·74	25·27	36·15	49·94	84·51	166·99
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·34 per cent.	72,913	2180	1787	1881	1823	1758	9429	8038	7073	7600	7792	12010	8795	6160	3782	1688	546
Mean Population, 1881–91. Males		37,827	1047	895	918	889	863	4612	3989	3505	3850	4191	6578	4704	3275	1976	823	234
Mean Population, 1881–91. Females		35,086	1133	892	963	934	895	4817	4049	3568	3750	3601	5432	4001	2885	1806	865	312
Deaths from All Causes, 1881–90. Persons	31·00	22,605	4428	1818	828	507	419	8000	651	393	638	766	2067	2522	2651	2252	1700	965
Deaths from All Causes, 1881–90. Males	33·54	12,689	2341	975	436	248	211	4211	353	216	369	446	1212	1511	1608	1350	969	444
Deaths from All Causes, 1881–90. Females	28·26	9,916	2087	843	392	259	208	3789	298	177	269	320	855	1011	1043	902	731	521

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·03	0·04	23	10	13	3	1	1	1	–	6	4	3	2	4	–	4	–	–	–	–
Measles	0·77	0·75	0·80	565	284	281	126	250	98	47	27	548	16	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·21	0·25	0·17	153	94	59	17	24	39	26	15	121	29	2	1	–	–	–	–	–	–	–
Diphtheria	0·37	0·35	0·40	271	132	139	14	48	38	36	52	188	61	8	5	2	3	–	2	–	2	–
Whooping-cough	0·60	0·55	0·65	438	209	229	164	139	66	29	21	419	19	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–
Enteric Fever	0·34	0·37	0·30	248	141	107	1	3	2	1	6	13	11	27	51	37	53	37	13	3	2	1
Simple Continued Fever	0·02	0·02	0·01	12	7	5	–	–	1	1	2	4	3	1	2	–	2	–	–	–	–	–
Diarrhœa and Dysentery	1·09	1·12	1·05	793	424	369	530	127	16	4	4	681	2	3	–	–	15	12	17	18	24	21
Cholera	0·04	0·04	0·04	28	14	14	14	2	1	–	–	17	2	–	–	1	–	2	3	3	–	–
Cancer	1·18	1·13	1·24	861	427	434	–	2	1	–	1	4	6	–	9	15	55	145	274	226	100	27
Tabes Mesenterica	0·43	0·45	0·41	316	171	145	161	74	25	6	4	270	16	8	3	3	6	5	3	–	2	–
Phthisis	2·81	3·35	2·23	2051	1268	783	9	14	3	7	5	38	14	27	112	195	568	550	354	152	38	3
Other Tub. & Scrof. Dis.	0·64	0·75	0·52	465	282	183	102	76	38	27	24	267	62	21	22	16	33	26	10	6	2	–
Diseases of Nervous System	3·02	3·16	2·86	2200	1196	1004	559	152	75	35	31	852	61	41	44	46	119	182	234	260	230	131
Diseases of Circulatory „	2·77	2·98	2·55	2021	1128	893	7	3	4	3	4	21	25	65	110	95	271	381	360	325	264	104
Diseases of Respiratory „	6·81	7·24	6·36	4971	2740	2231	953	635	284	186	133	2191	93	18	47	78	247	365	561	574	502	295
Diseases of Digestive „	1·88	1·99	1·76	1368	752	616	296	84	22	10	11	423	25	26	36	32	132	169	191	160	127	47
Diseases of Urinary „	1·17	1·57	0·75	855	593	262	5	6	6	9	6	32	17	22	22	39	118	154	181	144	100	26
Diseases of Generative „	0·16	0·03	0·30	117	13	104	10	5	–	–	1	16	–	1	6	9	22	23	15	12	7	1
Puerperal Fever	0·10	–	0·21	74	–	74	–	–	–	–	–	–	–	–	2	19	37	13	3	–	–	–
Childbirth	0·09	–	0·18	62	–	62	–	–	–	–	–	–	–	–	1	9	26	25	1	–	–	–
Violence	2·65	3·48	1·75	1930	1315	615	246	6	78	53	55	495	141	62	83	91	202	243	244	206	118	45
Other Causes	3·81	3·92	3·67	2778	1487	1291	1211	110	30	26	17	1394	44	57	80	74	158	179	184	163	181	264

Marriages - - - 4,607

Births - Males - 12,908; Females - 12,699 } 25,607

Annual Rate per 1000 living { Persons Married 12·64; Births - - 35·12

Deaths from Childbirth and Puerperal Fever - - - - - } 5·31 per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 26·63			†182	–	–	–	–	87·74	4·63	2·06	3·36	5·35	9·56	15·90	25·14	48·86	93·14	181·62
Annual Death-Rate per 1000. Males	—			In Standard Population* 28·25			†197	–	–	–	–	95·05	5·04	2·17	3·36	5·37	8·89	16·13	27·13	54·16	101·01	211·90
Annual Death-Rate per 1000. Females	—			In Standard Population* 25·09			†166	–	–	–	–	80·61	4·25	1·94	3·35	5·32	10·31	15·63	23·16	43·89	86·06	165·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·89 per cent.			46,476			1503	1213	1315	1238	1200	6469	5396	4575	4291	4546	7592	5478	4058	2458	1254	359
Mean Population, 1881–91. Males				23,354			734	607	643	606	604	3194	2640	2302	2174	2329	3984	2802	2020	1189	594	126
Mean Population, 1881–91. Females				23,122			769	606	672	632	596	3275	2756	2273	2117	2217	3608	2676	2038	1269	660	233
Deaths from All Causes, 1881–90. Persons	25·92			12,045			3403	1309	499	297	168	5676	250	94	144	243	726	871	1020	1201	1168	652
Deaths from All Causes, 1881–90. Males	26·90			6,282			1886	677	253	132	88	3036	133	50	73	125	354	452	548	644	600	267
Deaths from All Causes, 1881–90. Females	24·92			5,763			1517	632	246	165	80	2640	117	44	71	118	372	419	472	557	568	385
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·05	0·03	17	11	6	6	–	1	–	–	7	–	1	1	2	2	1	1	1	1	–
Measles	1·04	1·09	0·99	484	254	230	101	209	85	58	17	470	14	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·34	0·31	0·36	156	72	84	14	39	25	31	24	133	18	3	–	–	2	–	–	–	–	–
Diphtheria	0·14	0·15	0·14	66	34	32	9	18	7	13	8	55	7	–	2	–	1	1	–	–	–	–
Whooping-cough	0·78	0·71	0·86	364	166	198	161	99	54	30	14	358	5	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Enteric Fever	0·12	0·12	0·13	58	28	30	–	4	1	–	2	7	12	6	6	6	11	5	3	1	–	1
Simple Continued Fever	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Diarrhœa and Dysentery	1·46	1·52	1·40	678	354	324	451	101	26	3	3	584	3	1	–	–	2	2	7	13	42	24
Cholera	0·02	0·02	0·03	10	4	6	3	3	1	–	–	7	–	–	–	–	1	2	–	–	–	–
Cancer	0·54	0·37	0·71	250	87	163	–	–	1	–	–	1	–	1	–	–	14	32	52	84	51	15
Tabes Mesenterica	0·51	0·57	0·44	235	134	101	160	47	14	5	2	228	4	2	1	–	–	–	–	–	–	–
Phthisis	2·69	3·10	2·27	1248	724	524	9	8	6	4	2	29	6	10	61	120	343	310	201	128	36	4
Other Tub. & Scrof. Dis.	0·54	0·62	0·46	251	145	106	90	62	31	16	10	209	18	7	7	4	3	2	1	–	–	–
Diseases of Nervous System	2·82	2·98	2·66	1312	697	615	515	104	24	20	13	676	34	7	8	9	38	56	105	166	149	64
Diseases of Circulatory „	1·85	1·88	1·83	861	438	423	8	3	4	–	1	16	3	10	12	19	71	110	135	196	193	96
Diseases of Respiratory „	7·04	7·51	6·56	3271	1755	1516	747	460	190	100	54	1551	74	14	17	35	97	185	307	409	413	169
Diseases of Digestive „	1·16	1·18	1·15	541	276	265	191	66	6	4	2	269	13	4	6	4	19	38	65	48	52	23
Diseases of Urinary „	0·51	0·50	0·51	235	117	118	2	7	1	2	4	16	8	3	2	6	11	29	44	45	45	26
Diseases of Generative „	0·04	0·01	0·07	20	3	17	1	–	1	–	–	2	–	–	–	2	2	6	1	1	5	1
Puerperal Fever	0·09	–	0·19	43	–	43	–	–	–	–	–	–	–	–	2	11	21	8	1	–	–	–
Childbirth	0·07	–	0·14	33	–	33	–	–	–	–	–	–	–	–	2	3	14	14	–	–	–	–
Violence	0·76	0·84	0·68	355	197	158	168	15	6	2	6	197	12	6	6	9	22	31	26	25	12	9
Other Causes	3·34	3·36	3·30	1550	782	768	767	64	15	9	6	861	19	17	11	12	51	37	71	82	169	220

Marriages - - - 2,946

Births - { Males - 9,576 / Females - 9,157 } 18,733

Annual Rate per 1000 living { Persons Married 12·68 / Births - - 40·31 }

Deaths from Childbirth and Puerperal Fever - - - - 4·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

19.—STEPNEY.

Causes of Death.	Crude Death Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·97	†196	–	–	–	–	99·20	9·05	4·87	3·57	4·60	6·63	10·51	17·19	27·40	54·70	133·60
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·13	†214	–	–	–	–	107·12	9·24	5·38	4·22	4·28	6·79	10·29	17·76	26·06	57·35	133·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·88	†177	–	–	–	–	91·42	8·87	4·33	2·85	4·94	6·46	10·74	16·59	28·73	52·66	133·73
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·99 per cent.	57,960	1734	1573	1550	1504	1469	7830	6949	6367	5795	5263	8901	7051	5074	3051	1298	381
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·99 per cent.	29,399	856	762	782	739	738	3877	3475	3274	3055	2712	4582	3635	2579	1516	565	129
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·99 per cent.	28,561	878	811	768	765	731	3953	3474	3093	2740	2551	4319	3416	2495	1535	733	252
Deaths from All Causes, 1881–90. Persons	23·14	13,443	4143	1937	858	518	311	7767	629	310	207	242	590	741	872	836	710	509
Deaths from All Causes, 1881–90. Males	23·57	6,929	2302	998	429	257	167	4153	321	176	129	116	311	374	458	395	324	172
Deaths from All Causes, 1881–90. Females	22·70	6,484	1841	939	429	261	144	3614	308	134	78	126	279	367	414	441	386	337

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·05	0·03	0·06	27	10	17	5	–	1	2	–	8	4	2	3	2	2	6	–	–	–	–
Measles	1·01	1·13	0·88	583	331	252	125	243	106	52	28	554	26	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·56	0·55	0·58	326	161	165	21	59	60	59	49	248	60	9	2	2	4	1	–	–	–	–
Diphtheria	0·42	0·45	0·39	243	132	111	28	44	47	42	20	181	55	1	–	3	–	2	–	–	1	–
Whooping-cough	1·05	0·91	1·18	606	268	338	178	218	102	57	25	580	24	2	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–
Enteric Fever	0·22	0·23	0·21	130	69	61	1	1	4	6	8	20	21	37	8	6	18	8	4	6	2	–
Simple Continued Fever	0·02	0·02	0·03	14	6	8	–	–	–	2	–	2	3	1	3	–	2	–	1	2	–	–
Diarrhœa and Dysentery	1·17	1·24	1·09	676	364	312	493	117	16	9	1	636	4	–	1	–	1	2	7	8	9	8
Cholera	0·02	0·03	0·01	13	10	3	4	1	–	1	1	7	1	–	–	–	1	1	2	1	–	–
Cancer	0·37	0·25	0·50	216	73	143	1	4	3	3	–	11	3	2	–	1	2	26	61	54	46	10
Tabes Mesenterica	0·53	0·60	0·46	305	175	130	182	69	16	4	11	282	11	8	1	–	2	–	–	1	–	–
Phthisis	1·74	1·75	1·73	1,007	513	494	10	26	15	21	10	82	42	44	66	90	222	222	166	55	18	–
Other Tub. & Scrof. Dis.	0·78	0·86	0·70	454	254	200	112	124	70	41	18	365	56	13	8	3	3	3	–	3	–	–
Diseases of: Nervous System	2·32	2·29	2·36	1,346	673	673	555	119	65	25	30	794	50	30	12	12	29	46	81	108	112	72
Diseases of: Circulatory „	1·16	1·09	1·24	675	320	355	5	2	3	2	1	13	23	30	23	19	41	85	112	154	129	46
Diseases of: Respiratory „	5·56	5·60	5·51	3,219	1,646	1,573	857	644	245	143	73	1,962	112	24	18	21	73	127	231	268	221	162
Diseases of: Digestive „	1·21	1·21	1·22	704	356	348	280	85	21	16	10	412	23	2	7	10	21	49	59	60	51	10
Diseases of: Urinary „	0·33	0·35	0·30	189	102	87	2	11	10	8	5	36	15	11	8	2	12	17	27	28	23	10
Diseases of: Generative „	0·04	0·01	0·07	24	4	20	3	3	–	–	–	6	–	1	2	1	–	1	8	1	1	3
Puerperal Fever	0·07	–	0·15	43	–	43	–	–	–	–	–	–	–	–	2	10	24	7	–	–	–	–
Childbirth	0·06	–	0·12	33	–	33	–	–	–	–	–	–	–	–	–	4	14	15	–	–	–	–
Violence	1·21	1·65	0·76	701	484	217	161	24	27	12	12	236	44	48	31	45	88	77	67	40	18	7
Other Causes	3·23	3·31	3·14	1,874	976	898	1,120	143	47	13	9	1,332	51	44	11	10	30	44	46	46	79	181

Marriages - - - 4,363

Births - { Males - 10,765 / Females - 10,377 } 21,142

Annual Rate per 1000 living { Persons Married 15·06 / Births - - 36·48 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

20.—MILE END OLD TOWN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·54	†146	–	–	–	–	69·05	5·33	2·06	3·04	4·06	6·37	12·00	17·64	32·70	70·93	156·86
Males	—	20·94	†156	–	–	–	–	72·82	5·51	2·06	2·83	4·00	6·57	12·29	18·73	35·78	70·10	144·57
Females	—	20·17	†136	–	–	–	–	65·32	5·16	2·06	3·24	4·12	6·18	11·72	16·67	30·27	71·49	163·18
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·87 per cent.	106,602	3393	2874	2969	2872	2720	14828	12582	11167	10179	10090	16930	12227	8823	5667	3024	1085
Males		51,639	1660	1457	1445	1440	1357	7359	6260	5630	5019	4900	8305	5956	4132	2496	1214	368
Females		54,963	1733	1417	1524	1432	1363	7469	6322	5537	5160	5190	8625	6271	4691	3171	1810	717
Deaths from All Causes, 1881-90. Persons	20·32	21,660	5978	2237	1010	612	401	10238	671	230	309	410	1079	1467	1556	1853	2145	1702
Males	20·31	10,486	3247	1139	483	290	200	5359	345	116	142	196	546	732	774	893	851	532
Females	20·33	11,174	2731	1098	527	322	201	4879	326	114	167	214	533	735	782	960	1294	1170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·06	0·06	0·06	63	31	32	17	–	2	1	–	20	6	8	6	6	8	7	2	–	–	–
Measles	0·70	0·74	0·67	750	381	369	162	300	135	78	37	712	37	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·55	0·58	0·53	588	297	291	33	87	113	95	108	436	122	14	8	–	5	3	–	–	–	–
Diphtheria	0·16	0·15	0·17	169	77	92	12	16	28	34	16	106	43	9	1	1	4	1	1	1	2	–
Whooping-cough	0·91	0·80	1·02	971	412	559	325	319	158	93	41	936	35	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	11	5	6	–	–	–	1	–	1	2	1	2	–	2	1	–	2	–	–
Enteric Fever	0·18	0·18	0·19	197	95	102	–	1	2	2	5	10	25	18	28	21	34	34	14	8	3	2
Simple Continued Fever	0·02	0·01	0·02	16	7	9	2	–	1	1	–	4	4	1	1	1	1	1	1	2	–	–
Diarrhœa and Dysentery	0·82	0·88	0·76	873	453	420	634	105	18	6	2	765	5	2	2	1	5	6	4	15	32	36
Cholera	0·03	0·03	0·03	30	13	17	12	4	–	1	–	17	2	1	1	–	2	2	2	1	2	–
Cancer	0·48	0·24	0·70	513	126	387	–	–	–	–	–	–	–	–	–	1	20	69	121	136	128	38
Tabes Mesenterica	0·44	0·51	0·37	469	263	206	327	85	24	10	4	450	11	2	1	1	2	–	2	–	–	–
Phthisis	1·91	2·27	1·57	2035	1173	862	16	23	8	6	9	62	29	48	105	181	508	482	342	199	72	7
Other Tub. & Scrof. Dis.	0·42	0·48	0·36	445	247	198	169	109	47	27	22	374	31	7	8	7	7	2	4	1	4	–
Diseases of: Nervous System	2·49	2·46	2·52	2656	1271	1385	978	189	91	45	29	1332	79	17	15	24	59	130	185	277	342	196
Circulatory „	1·30	1·13	1·46	1383	583	800	17	1	2	4	1	25	15	27	38	35	87	184	220	268	293	191
Respiratory „	4·77	4·93	4·63	5090	2544	2546	1235	766	315	179	109	2604	131	21	22	33	108	231	352	553	657	378
Digestive „	0·97	0·96	0·98	1032	494	538	296	122	20	9	3	450	25	10	17	19	54	74	101	121	115	46
Urinary „	0·32	0·39	0·26	343	199	144	4	7	7	5	3	26	10	4	7	12	25	47	59	60	66	27
Generative „	0·04	0·01	0·07	45	6	39	1	1	–	–	–	2	–	–	3	3	1	12	8	7	8	1
Puerperal Fever	0·07	–	0·13	71	–	71	–	–	–	–	–	–	–	–	6	17	32	16	–	–	–	–
Childbirth	0·05	–	0·10	53	–	53	–	–	–	–	–	–	–	–	3	7	19	23	1	–	–	–
Violence	0·47	0·55	0·40	504	282	222	225	19	13	8	6	271	23	11	5	10	21	39	36	37	35	16
Other Causes	3·15	2·94	3·32	3353	1527	1826	1513	83	26	7	6	1635	36	29	30	29	75	103	101	165	386	764

Marriages - - - 10,954

Births - Males - 20,808; Females - 20,011 — 40,819

Annual Rate per 1000 living: Persons Married 20·55; Births - - 38·29

Deaths from Childbirth and Puerperal Fever - - - - - 3·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

21.—POPLAR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	23·23		†148	–	–	–	–	67·74	5·93	3·01	4·17	6·30	8·85	14·58	22·18	40·98	85·06	188·36
Males	—				25·36		†160	–	–	–	–	72·42	5·73	3·41	4·60	6·45	9·89	16·48	26·78	48·74	94·02	212·38
Females	—				21·23		†136	–	–	–	–	63·10	6·12	2·60	3·69	6·14	7·78	12·56	17·36	33·47	77·22	173·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·54 per cent.			161,629			5261	4607	4747	4544	4376	23535	20577	17623	15102	13722	24631	19369	13684	8087	3942	1357
Males				81,696			2555	2292	2432	2230	2208	11717	10307	8881	7965	7065	12436	9979	7006	3976	1839	525
Females				79,933			2706	2315	2315	2314	2168	11818	10270	8742	7137	6657	12195	9390	6678	4111	2103	832
Deaths from All Causes, 1881–90. Persons	22·55			36,447			9154	3526	1578	1035	649	15942	1220	530	629	865	2179	2824	3035	3314	3353	2556
Males	24·16			19,734			5041	1804	807	521	312	8485	591	303	366	456	1230	1645	1876	1938	1729	1115
Females	20·91			16,713			4113	1722	771	514	337	7457	629	227	263	409	949	1179	1159	1376	1624	1441
	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·08	0·07	0·08	128	61	67	34	7	6	2	4	53	9	4	9	13	20	17	2	–	1	–
Measles	0·72	0·72	0·73	1171	586	585	199	470	219	137	67	1092	76	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·45	0·46	0·43	724	377	347	46	109	128	132	92	507	172	30	4	2	4	2	3	–	–	–
Diphtheria	0·19	0·16	0·21	301	134	167	20	51	38	46	45	200	72	13	–	4	4	3	2	3	–	–
Whooping-cough	0·79	0·68	0·90	1280	559	721	483	388	193	116	55	1235	45	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	7	4	3	–	–	–	1	1	2	1	1	–	–	1	–	1	1	–	–
Enteric Fever	0·18	0·18	0·18	290	147	143	–	8	10	8	12	38	33	27	38	37	39	44	15	12	7	–
Simple Continued Fever	0·03	0·02	0·03	41	19	22	3	2	3	2	5	15	4	3	1	3	4	3	4	2	2	–
Diarrhœa and Dysentery	0·77	0·77	0·77	1244	631	613	823	162	25	7	8	1025	13	2	3	7	10	19	18	44	50	53
Cholera	0·02	0·02	0·02	37	20	17	14	5	1	2	1	23	3	–	–	–	1	2	4	–	3	1
Cancer	0·51	0·39	0·63	818	316	502	1	1	–	–	–	2	1	–	1	5	27	120	205	244	156	57
Tabes Mesenterica	0·47	0·53	0·41	765	434	331	463	170	54	19	13	719	20	8	3	3	3	5	3	1	–	–
Phthisis	2·43	2·93	1·93	3933	2391	1542	90	47	22	14	19	192	66	83	213	375	1019	959	646	286	81	13
Other Tub. & Scrof. Dis.	0·60	0·66	0·54	971	541	430	417	221	83	47	20	788	92	21	12	10	13	16	13	3	3	–
Diseases of Nervous System	2·48	2·73	2·22	4004	2229	1775	1199	262	119	69	55	1704	118	46	40	49	106	232	334	520	565	290
Circulatory „	1·51	1·55	1·47	2443	1270	1173	45	7	2	8	5	67	27	61	55	60	171	296	428	542	484	252
Respiratory „	5·13	5·47	4·77	8279	4469	3810	1881	1192	522	329	174	4098	227	36	55	65	189	353	644	934	1054	624
Digestive „	1·10	1·12	1·08	1780	917	863	597	194	43	19	17	870	34	27	14	27	70	133	177	187	187	54
Urinary „	0·43	0·54	0·32	696	443	253	6	9	8	10	5	38	16	8	16	18	62	116	128	141	123	30
Generative „	0·04	0·01	0·07	66	10	56	6	1	–	–	–	7	–	1	3	2	13	12	8	11	7	2
Puerperal Fever	0·08	–	0·15	122	–	122	–	–	–	–	–	–	–	–	3	30	52	36	1	–	–	–
Childbirth	0·06	–	0·13	105	–	105	–	–	–	–	–	–	–	–	6	20	43	34	2	–	–	–
Violence	1·22	1·78	0·64	1968	1457	511	395	70	59	40	33	597	122	78	107	106	212	250	230	126	78	62
Other Causes	3·26	3·37	3·20	5274	2719	2555	2432	150	43	27	18	2670	69	79	46	29	115	172	167	257	552	1118

Marriages - - - 10,948

Births - Males - 31,529; Females - 30,307 — 61,836

Annual Rate per 1000 living: Persons Married 13·55; Births - - 38·26

Deaths from Childbirth and Puerperal Fever - - - - - 3·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

22.—ST. SAVIOUR SOUTHWARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·27			†166	–	–	–	–	78·97	5·77	2·13	2·96	4·10	7·09	11·99	19·37	34·33	71·03	157·55
Annual Death-Rate per 1000. Males	—			23·36			†181	–	–	–	–	84·84	5·68	2·03	2·81	3·86	6·79	12·38	20·95	38·32	76·91	166·19
Annual Death-Rate per 1000. Females	—			21·23			†151	–	–	–	–	73·17	5·86	2·24	3·13	4·36	7·40	11·59	17·82	30·75	66·48	152·73
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·86 per cent.			198,928			5966	5352	5335	5126	4945	26724	22527	19719	18620	18902	33111	24805	17135	10329	5315	1741
Mean Population, 1881-91. Males				99,075			2956	2696	2619	2543	2454	13268	11165	9756	9651	9719	16792	12423	8478	4882	2317	624
Mean Population, 1881-91. Females				99,853			3010	2656	2716	2583	2491	13456	11362	9963	8969	9183	16319	12382	8657	5447	2998	1117
Deaths from All Causes, 1881-90. Persons	21·54			42,855			12114	4982	2076	1208	723	21103	1300	421	552	775	2348	2973	3319	3546	3775	2743
Deaths from All Causes, 1881-90. Males	22·08			21,880			6700	2565	1028	596	368	11257	634	198	271	375	1141	1538	1776	1871	1782	1037
Deaths from All Causes, 1881-90. Females	21·01			20,975			5414	2417	1048	612	355	9846	666	223	281	400	1207	1435	1543	1675	1993	1706
	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.															
Small-pox	0·05	0·04	0·06	106	44	62	28	13	4	6	1	52	11	8	9	9	8	6	2	–	–	1
Measles	0·89	0·90	0·87	1766	896	870	311	746	340	182	102	1681	79	3	–	2	1	–	–	–	–	–
Scarlet Fever	0·35	0·37	0·32	687	364	323	46	122	126	124	85	503	148	16	7	3	4	3	1	1	1	–
Diphtheria	0·18	0·18	0·18	361	180	181	34	63	63	56	49	265	67	7	2	3	7	4	1	4	–	1
Whooping-cough	0·91	0·82	1·00	1813	814	999	604	589	323	156	68	1740	70	2	–	–	1	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	7	7	–	–	–	–	1	1	–	1	3	1	3	1	3	–	1	–
Enteric Fever	0·13	0·14	0·12	251	134	117	3	4	8	7	12	34	34	21	37	25	42	29	16	12	1	–
Simple Continued Fever	0·02	0·02	0·02	39	19	20	2	3	6	4	2	17	5	1	1	–	1	6	2	2	1	3
Diarrhœa and Dysentery	0·82	0·87	0·79	1641	857	784	1173	255	38	15	4	1485	10	1	5	4	4	7	18	25	36	46
Cholera	0·01	0·01	0·01	22	11	11	8	1	–	–	–	9	–	–	1	–	2	–	5	2	3	–
Cancer	0·47	0·30	0·63	929	302	627	4	1	2	1	2	10	–	2	1	5	24	113	232	252	226	64
Tabes Mesenterica	0·47	0·54	0·40	932	531	401	593	197	60	17	15	882	24	7	7	4	5	1	2	–	–	–
Phthisis	2·16	2·45	1·87	4302	2430	1872	107	75	34	38	19	273	90	67	184	364	1127	1097	710	301	80	9
Other Tub. & Scrof. Dis.	0·57	0·63	0·51	1136	627	509	378	281	139	96	46	940	107	24	8	12	19	15	4	3	4	–
Diseases of Nervous System	2·73	2·91	2·54	5422	2883	2539	2030	428	171	104	55	2788	141	49	41	38	138	272	417	492	663	383
Diseases of Circulatory „	1·33	1·16	1·49	2636	1147	1489	28	3	4	4	10	49	62	64	49	67	194	321	444	549	551	286
Diseases of Respiratory „	5·36	5·53	5·21	10683	5478	5205	2548	1727	611	311	208	5405	245	25	52	88	256	477	777	1177	1355	826
Diseases of Digestive „	0·99	0·93	1·04	1964	926	1038	504	222	45	18	13	802	43	35	33	21	101	184	249	228	180	88
Diseases of Urinary „	0·46	0·54	0·38	916	534	382	7	12	12	13	5	49	27	8	7	17	82	119	158	199	170	80
Diseases of Generative „	0·04	0·01	0·06	70	10	60	2	1	3	–	–	6	–	2	1	2	9	8	14	15	11	2
Puerperal Fever	0·07	–	0·14	136	–	136	–	–	–	–	–	–	–	–	5	32	65	34	–	–	–	–
Childbirth	0·06	–	0·11	114	–	114	–	–	–	–	–	–	–	–	5	21	52	34	2	–	–	–
Violence	0·50	0·61	0·39	998	604	394	397	36	21	19	8	481	57	20	26	21	75	84	77	73	50	34
Other Causes	2·96	3·11	2·86	5917	3082	2835	3307	203	66	37	18	3631	80	58	68	36	128	158	185	211	442	920

Marriages - - - 29,031

Births - Males - 37,065; Females - 35,867 } 72,932

Annual Rate per 1000 living { Persons Married 29·19; Births - - 36·66

Deaths from Childbirth and Puerperal Fever - - - - - } 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

23.—ST. OLAVE SOUTHWARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	25·04		†156	–	–	–	–	72·88	6·44	3·74	5·60	7·45	10·98	17·10	25·96	44·98	78·96	168·78
Annual Death-Rate per 1000. Males	—				27·36		†169	–	–	–	–	77·18	6·65	4·29	5·96	8·20	12·46	18·93	31·18	51·84	90·59	193·64
Annual Death-Rate per 1000. Females	—				22·84		†142	–	–	–	–	68·52	6·23	3·18	5·19	6·65	9·42	15·22	20·88	38·76	70·28	155·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·51 per cent.			135,646			4390	3969	3938	3743	3656	19696	16942	14694	12928	12146	20871	16042	11223	6679	3304	1121
Mean Population, 1881–91. Males				68,239			2225	1995	1955	1872	1863	9910	8449	7459	6858	6269	10663	8112	5538	3175	1413	393
Mean Population, 1881–91. Females				67,407			2165	1974	1983	1871	1793	9786	8493	7235	6070	5877	10208	7930	5685	3504	1891	728
Deaths from All Causes, 1881–90. Persons	24·38			33,077			7992	3345	1503	894	620	14354	1091	550	724	905	2291	2743	2914	3004	2609	1892
Deaths from All Causes, 1881–90. Males	25·99			17,733			4416	1682	782	457	312	7649	562	320	409	514	1329	1536	1727	1646	1280	761
Deaths from All Causes, 1881–90. Females	22·76			15,344			3576	1663	721	437	308	6705	529	230	315	391	962	1207	1187	1358	1329	1131
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·06	0·06	82	43	39	18	2	5	1	3	29	7	8	8	4	15	5	4	1	1	–
Measles	0·82	0·81	0·83	1111	552	559	217	409	214	121	71	1032	75	1	–	1	2	–	–	–	–	–
Scarlet Fever	0·40	0·40	0·40	544	274	270	22	87	109	101	76	395	123	13	3	3	6	1	–	–	–	–
Diphtheria	0·28	0·27	0·30	384	184	200	22	65	68	67	67	289	75	4	2	1	6	3	2	2	–	–
Whooping-cough	0·81	0·71	0·90	1096	486	610	426	355	156	87	42	1066	29	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	16	11	5	–	–	1	–	–	1	7	3	2	–	1	–	2	–	–	–
Enteric Fever	0·19	0·20	0·17	252	136	116	5	5	8	5	4	27	24	36	28	35	67	19	12	2	2	–
Simple Continued Fever	0·01	0·01	0·01	9	5	4	1	–	–	1	1	3	–	1	–	–	1	2	–	1	1	–
Diarrhœa and Dysentery	0·95	0·96	0·94	1286	653	633	859	219	43	12	7	1140	7	1	2	3	11	8	17	22	38	37
Cholera	0·03	0·03	0·03	44	22	22	20	8	1	2	–	31	2	1	–	–	–	–	4	4	1	1
Cancer	0·82	0·69	0·94	1108	471	637	2	1	1	2	1	7	2	8	9	6	60	194	292	321	167	42
Tabes Mesenterica	0·35	0·37	0·33	476	252	224	274	103	27	14	7	425	23	9	6	1	7	2	2	–	1	–
Phthisis	2·33	2·75	1·89	3154	1879	1275	45	44	14	18	13	134	73	69	206	306	844	721	502	238	56	5
Other Tub. & Scrof. Dis.	0·62	0·70	0·54	839	477	362	263	169	88	46	39	605	90	33	24	21	27	18	12	7	2	–
Diseases of Nervous System	2·80	3·01	2·61	3812	2051	1761	1395	316	145	81	57	1994	103	49	36	31	82	196	239	365	463	254
Diseases of Circulatory „	1·51	1·61	1·41	2046	1096	950	16	4	5	8	7	40	41	68	76	74	229	319	396	385	289	129
Diseases of Respiratory „	5·51	5·79	5·24	7488	3951	3537	1705	1177	473	220	143	3718	167	34	55	90	223	382	578	888	835	518
Diseases of Digestive „	1·25	1·26	1·23	1689	860	829	399	160	28	21	12	620	37	35	46	44	108	167	217	210	148	57
Diseases of Urinary „	0·65	0·84	0·45	876	570	306	8	7	12	3	6	36	20	15	20	31	86	143	187	169	134	35
Diseases of Generative „	0·10	0·02	0·17	134	16	118	4	1	1	–	–	6	1	–	5	10	20	40	22	22	4	4
Puerperal Fever	0·09	–	0·19	126	–	126	–	–	–	–	–	–	–	–	3	37	56	29	1	–	–	–
Childbirth	0·06	–	0·12	79	–	79	–	–	–	–	–	–	–	–	1	6	32	37	3	–	–	–
Violence	1·43	2·04	0·80	1936	1393	543	248	75	37	57	46	463	107	95	109	105	241	250	234	158	109	65
Other Causes	3·30	3·44	3·19	4490	2351	2139	2043	138	67	27	18	2293	78	66	83	96	167	207	188	209	358	745

Marriages - - - 7,366

Births - { Males - 26,104 / Females - 25,166 } 51,270

Annual Rate per 1000 living { Persons Married 10·86 / Births - - 37·80 }

Deaths from Childbirth and Puerperal Fever - - - - 4·00 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

24.—LAMBETH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·32			†145	–	–	–	–	67·22	6·26	3·14	3·94	5·27	7·75	12·91	20·31	35·40	66·14	152·63
Males	—			22·96			†156	–	–	–	–	71·64	6·37	3·11	4·25	5·72	8·41	14·52	23·64	41·36	76·04	164·18
Females	—			19·76			†134	–	–	–	–	62·80	6·16	3·16	3·68	4·89	7·16	11·46	17·46	30·87	59·79	146·66
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·48 per cent.			264,451			7367	6554	6673	6362	6191	33147	28885	26006	25219	26169	44939	32521	22457	14339	7864	2905
Males				124,582			3650	3258	3378	3182	3105	16573	14365	12752	11646	11980	21195	15455	10364	6189	3072	991
Females				139,869			3717	3296	3295	3180	3086	16574	14520	13254	13573	14189	23744	17066	12093	8150	4792	1914
Deaths from All Causes, 1881–90. Persons	20·51			54,236			13249	4748	2060	1345	879	22281	1809	816	994	1379	3484	4200	4562	5076	5201	4434
Males	21·97			27,365			7256	2445	1031	700	441	11873	915	397	495	685	1783	2244	2450	2560	2336	1627
Females	19·21			26,871			5993	2303	1029	645	438	10408	894	419	499	694	1701	1956	2112	2516	2865	2807
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·15	0·16	0·14	402	203	199	38	22	16	12	8	96	49	29	36	60	67	28	23	7	6	1
Measles	0·61	0·63	0·58	1601	789	812	316	613	291	162	85	1467	125	3	–	2	1	2	1	–	–	–
Scarlet Fever	0·37	0·39	0·35	967	483	484	50	118	148	161	123	600	264	46	23	13	16	3	–	1	1	–
Diphtheria	0·35	0·35	0·34	917	440	477	45	139	145	151	126	606	233	45	6	3	8	5	3	1	7	–
Whooping cough	0·69	0·67	0·71	1825	832	993	735	569	254	140	65	1763	60	2	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·02	41	18	23	–	1	–	–	–	1	2	4	2	3	12	13	3	1	–	–
Enteric Fever	0·21	0·22	0·20	553	271	282	–	6	4	8	10	28	63	65	86	84	113	68	20	21	4	1
Simple Continued Fever	0·03	0·02	0·03	67	28	39	–	2	6	1	3	12	10	3	5	2	5	11	5	7	5	2
Diarrhœa and Dysentery	0·71	0·79	0·65	1890	985	905	1367	228	33	9	7	1644	9	1	2	6	19	14	19	46	62	68
Cholera	0·02	0·02	0·02	54	28	26	24	8	1	2	1	36	1	2	1	2	3	2	1	3	3	–
Cancer	0·72	0·54	0·88	1907	671	1236	1	1	3	3	2	10	9	4	12	19	76	273	468	528	373	135
Tabes Mesenterica	0·26	0·31	0·22	699	386	313	413	136	41	15	7	612	33	14	9	8	9	6	3	3	2	–
Phthisis	1·90	2·30	1·55	5023	2859	2164	71	62	34	21	22	210	71	96	281	481	1338	1256	797	381	92	20
Other Tub. & Scrof. Dis.	0·57	0·65	0·49	1507	815	692	537	309	134	94	62	1136	143	47	40	31	47	36	16	8	3	–
Diseases of Nervous System	2·37	2·59	2·18	6279	3224	3055	1965	442	180	109	75	2771	126	75	57	69	175	333	457	718	872	626
Circulatory „	1·43	1·42	1·44	3779	1770	2009	36	12	5	1	8	62	62	104	118	105	287	512	614	744	721	450
Respiratory „	4·20	4·49	3·94	11101	5592	5509	2432	1463	543	304	173	4915	236	49	66	111	321	559	852	1353	1537	1102
Digestive „	1·21	1·26	1·18	3211	1566	1645	733	240	46	29	19	1067	62	44	53	70	187	284	448	449	365	182
Urinary „	0·49	0·63	0·36	1292	785	507	14	10	11	11	7	53	28	18	21	37	128	170	234	247	226	130
Generative „	0·08	0·01	0·15	222	15	207	7	4	–	–	–	11	1	–	7	12	43	42	54	17	30	5
Puerperal Fever	0·08	–	0·15	207	–	207	–	–	–	–	–	–	–	–	9	37	108	51	2	–	–	–
Childbirth	0·05	–	0·10	141	–	141	–	–	–	–	–	–	–	–	8	24	62	43	4	–	–	–
Violence	0·67	0·95	0·43	1777	1178	599	318	103	78	65	41	605	107	59	52	87	174	174	185	159	112	63
Other Causes	3·32	3·56	3·10	8774	4427	4347	4147	260	87	47	35	4576	115	106	100	113	285	315	353	382	780	1649

Marriages - - 21,936
Births - { Males - 46,463 / Females - 44,683 } 91,146

Annual Rate per 1000 living { Persons Married 16·59 / Births - - 34·47 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

25.—WANDSWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·26	†141	–	–	–	–	56·54	4·04	2·01	2·92	3·29	5·30	9·45	15·16	28·22	60·22	141·44
Annual Death-Rate per 1000. Males	—	18·15	†154	–	–	–	–	60·78	4·08	2·09	3·27	3·58	5·38	10·06	16·41	31·79	61·96	149·88
Annual Death-Rate per 1000. Females	—	16·42	†128	–	–	–	–	52·28	4·01	1·93	2·63	3·07	5·24	8·91	14·06	25·47	59·05	136·80
Mean Population, 1881–91. Persons	Decennial Increase of Population 46·13 per cent.	258,967	7278	6685	6919	6783	6611	34276	30712	27339	25220	24245	42701	32026	21129	12326	6599	2394
Mean Population, 1881–91. Males		120,557	3631	3361	3492	3390	3306	17180	15336	13112	11445	10445	19261	15017	9891	5364	2658	848
Mean Population, 1881–91. Females		138,410	3647	3324	3427	3393	3305	17096	15376	14227	13775	13800	23440	17009	11238	6962	3941	1546
Deaths from All Causes, 1881–90. Persons	16·23	42,035	12264	3942	1572	944	657	19379	1242	549	736	798	2265	3025	3203	3478	3974	3386
Deaths from All Causes, 1881–90. Males	17·32	20,881	6798	2044	808	476	316	10442	625	274	374	374	1036	1510	1623	1705	1647	1271
Deaths from All Causes, 1881–90. Females	15·28	21,154	5466	1898	764	468	341	8937	617	275	362	424	1229	1515	1580	1773	2327	2115

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	52	24	28	8	2	4	–	3	17	1	5	3	8	5	8	2	3	–	–
Measles	0·57	0·65	0·51	1489	779	710	316	528	273	152	100	1369	108	8	2	–	1	–	–	1	–	–
Scarlet Fever	0·19	0·19	0·19	494	234	260	31	69	96	78	68	342	109	13	9	2	12	6	1	–	–	–
Diphtheria	0·18	0·19	0·17	454	224	230	28	53	54	69	71	275	131	27	6	1	4	5	3	1	1	–
Whooping-cough	0·65	0·64	0·67	1695	768	927	690	535	210	124	76	1635	60	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·01	12	3	9	–	–	–	–	1	1	2	1	2	1	–	4	–	1	–	–
Enteric Fever	0·14	0·16	0·12	355	188	167	2	7	14	10	4	37	51	30	42	30	75	44	26	14	5	1
Simple Continued Fever	0·02	0·01	0·02	42	13	29	2	3	3	5	4	15	6	2	2	–	1	–	5	3	7	1
Diarrhœa and Dysentery	0·71	0·80	0·63	1828	961	867	1426	217	25	7	7	1682	7	1	1	1	4	11	13	28	38	42
Cholera	0·03	0·04	0·02	79	45	34	59	8	–	–	1	68	1	1	–	1	–	–	2	3	2	1
Cancer	0·46	0·27	0·63	1196	330	866	–	3	1	–	1	5	3	1	3	–	32	152	282	326	277	115
Tabes Mesenterica	0·32	0·33	0·27	819	440	379	548	141	42	22	4	757	17	15	10	2	7	5	3	1	2	–
Phthisis	1·45	1·61	1·31	3755	1944	1811	100	46	22	20	14	202	55	95	278	323	911	934	582	275	89	11
Other Tub. & Scrof. Dis.	0·48	0·57	0·40	1244	690	554	487	251	109	59	48	954	112	42	36	18	29	27	17	8	1	–
Diseases of Nervous System	2·12	2·35	1·91	5482	2838	2644	1607	387	152	87	40	2273	137	54	67	48	196	336	491	592	764	524
Diseases of Circulatory „	1·22	1·17	1·26	3152	1413	1739	28	6	6	5	6	51	40	54	51	58	184	344	488	621	766	495
Diseases of Respiratory „	3·23	3·52	2·98	8363	4249	4114	2312	1295	424	238	150	4419	214	36	38	55	222	389	519	724	951	796
Diseases of Digestive „	0·96	0·96	0·95	2479	1158	1321	681	179	41	19	11	931	53	34	41	42	86	204	255	308	335	190
Diseases of Urinary „	0·35	0·41	0·29	903	498	405	15	6	10	1	4	36	12	10	16	16	80	104	141	198	178	112
Diseases of Generative „	0·04	0·00	0·08	116	4	112	1	1	–	–	–	2	1	–	3	3	12	17	28	26	16	8
Puerperal Fever	0·07	–	0·13	186	–	186	–	–	–	–	–	–	–	–	9	40	94	40	3	–	–	–
Childbirth	0·05	–	0·09	131	–	131	–	–	–	–	–	–	–	–	4	17	56	51	3	–	–	–
Violence	0·46	0·65	0·29	1188	783	405	331	46	27	16	15	435	42	56	41	64	107	128	127	99	52	37
Other Causes	2·51	2·75	2·33	6521	3295	3226	3592	159	59	34	29	3873	80	64	72	68	147	216	212	246	490	1053

Marriages - - - 17,543

Births - { Males - 44,103 / Females - 42,580 } 86,683

Annual Rate per 1000 living { Persons Married 13·55 / Births - - 33·47

Deaths from Childbirth and Puerperal Fever - - - - - 3·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

26.—CAMBERWELL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·55			†143	–	–	–	–	59·53	5·07	2·24	2·88	4·53	6·63	11·56	17·45	34·51	71·03	159·72
Males	—			20·89			†155	–	–	–	–	63·94	5·11	2·15	2·79	4·68	7·02	12·91	19·83	38·97	79·35	179·59
Females	—			18·28			†130	–	–	–	–	55·07	5·03	2·33	2·96	4·40	6·29	10·37	15·41	31·11	65·54	149·51
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·13 per cent.			210,969			6090	5643	5651	5617	5499	28500	26016	22906	20839	18847	33013	25355	17394	10274	5643	2182
Males				99,440			3073	2797	2829	2832	2790	14321	12983	11416	9738	8462	15156	11877	8050	4455	2242	740
Females				111,529			3017	2846	2822	2785	2709	14179	13033	11490	11101	10385	17857	13478	9344	5819	3401	1442
Deaths from All Causes, 1881–90. Persons	18·70			39,445			10213	3588	1513	985	667	16966	1319	513	601	853	2188	2930	3036	3546	4008	3485
Males	19·88			19,770			5676	1890	764	492	335	9157	663	245	272	396	1064	1533	1596	1736	1779	1329
Females	17·64			19,675			4537	1698	749	493	332	7809	656	268	329	457	1124	1397	1440	1810	2229	2156
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·07	0·07	0·07	153	72	81	28	5	11	7	4	55	14	9	6	3	28	22	9	5	1	1
Measles	0·62	0·68	0·56	1301	675	626	246	487	236	144	82	1195	96	5	1	1	2	–	1	–	–	–
Scarlet Fever	0·25	0·28	0·23	529	278	251	22	60	85	102	77	346	138	25	4	3	9	3	1	–	–	–
Diphtheria	0·22	0·21	0·22	456	213	243	25	59	65	68	64	281	136	16	3	1	7	4	2	3	1	2
Whooping-cough	0·73	0·70	0·76	1539	696	843	580	495	218	133	61	1487	51	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	12	4	8	–	–	1	–	–	1	3	3	1	1	1	2	–	–	–	–
Enteric Fever	0·14	0·15	0·12	285	149	136	3	5	6	10	13	37	37	31	35	36	37	35	0	13	3	1
Simple Continued Fever	0·01	0·02	0·01	28	15	13	2	–	2	–	1	5	5	2	2	3	2	1	2	2	3	1
Diarrhœa and Dysentery	0·69	0·76	0·63	1463	755	708	1066	181	27	7	6	1287	10	2	2	2	12	11	20	24	36	57
Cholera	0·02	0·02	0·02	47	23	24	21	6	–	1	–	28	2	–	–	1	2	2	4	5	3	–
Cancer	0·55	0·34	0·73	1153	343	810	–	1	–	1	3	5	1	–	4	3	33	139	265	330	281	92
Tabes Mesenterica	0·35	0·42	0·29	741	413	328	480	138	55	17	8	698	21	8	6	–	1	3	1	2	1	–
Phthisis	1·93	2·34	1·56	4069	2326	1743	80	46	28	22	18	194	68	72	227	376	999	1029	691	305	96	12
Other Tub. & Scrof. Dis.	0·42	0·48	0·36	877	473	404	289	208	95	59	35	686	91	28	10	19	21	10	3	4	4	1
Diseases of Nervous System	2·65	2·88	2·45	5591	2863	2728	1624	397	136	69	51	2277	129	58	42	61	183	337	441	667	863	533
Circulatory „	1·23	1·17	1·28	2587	1165	1422	29	8	4	4	7	52	58	67	76	67	160	299	396	512	581	319
Respiratory „	3·94	4·24	3·68	8319	4215	4104	1972	1138	442	275	181	4008	255	35	45	76	210	372	481	879	1089	869
Digestive „	0·99	0·96	1·02	2094	958	1136	472	175	25	14	14	700	59	33	31	29	97	208	271	286	255	125
Urinary „	0·43	0·55	0·33	917	549	368	16	7	7	6	10	46	17	13	9	18	57	125	134	165	214	119
Generative „	0·04	0·01	0·08	94	7	87	2	–	–	–	–	2	–	1	3	5	10	16	20	18	14	5
Puerperal Fever	0·08	–	0·15	164	–	164	–	–	–	–	–	–	–	–	4	39	89	32	–	–	–	–
Childbirth	0·05	–	0·09	97	–	97	–	–	–	–	–	–	–	–	6	13	51	26	1	–	–	–
Violence	0·36	0·52	0·22	766	516	250	184	29	19	23	11	266	59	37	22	32	42	73	82	77	47	29
Other Causes	2·92	3·08	2·77	6163	3062	3101	3072	143	51	23	21	3310	69	67	62	64	135	181	191	249	516	1319

Marriages - - - 12,850

Births - { Males - 36,612 / Females - 34,904 } 71,516

Annual Rate per 1000 living { Persons Married 12·18 / Births - - 33·90 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

27.—GREENWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·33			†147	–	–	–	–	65·62	7·43	3·54	4·93	6·62	9·03	13·24	19·43	32·51	63·93	150·22
Males	—			23·05			†157	–	–	–	–	69·84	7·22	3·73	5·14	7·80	10·87	15·92	22·43	35·71	72·19	155·29
Females	—			19·70			†136	–	–	–	–	61·42	7·65	3·34	4·73	5·59	7·39	10·74	16·71	29·76	57·80	147·23
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·05 per cent.			148,323			4346	3910	4009	3932	3883	20080	18137	16650	14096	13201	22780	17315	12253	7773	4433	1605
Males				71,661			2153	1946	2017	1952	1943	10011	9087	8586	6807	6152	10761	8350	5831	3593	1888	595
Females				76,662			2193	1964	1992	1980	1940	10069	9050	8064	7289	7049	12019	8965	6422	4180	2545	1010
Deaths from All Causes, 1881–90. Persons	21·03			31,185			7580	2780	1309	886	621	13176	1348	589	695	874	2058	2292	2331	2527	2834	2411
Males	22·57			16,175			4122	1429	687	441	313	6992	656	320	350	480	1170	1329	1308	1283	1363	924
Females	19·58			15,010			3458	1351	622	445	308	6184	692	269	345	394	888	963	1073	1244	1471	1487
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·88	1·02	0·75	1303	730	573	107	54	52	51	38	302	161	93	131	136	224	136	90	21	5	4
Measles	0·65	0·69	0·61	966	495	471	164	345	207	114	64	894	61	8	–	1	1	1	–	–	–	–
Scarlet Fever	0·73	0·77	0·69	1083	552	531	34	127	176	178	152	667	303	61	21	9	14	5	2	1	–	–
Diphtheria	0·29	0·29	0·29	432	211	221	17	54	66	65	64	266	127	16	6	7	3	4	2	1	–	–
Whooping-cough	0·69	0·68	0·70	1023	490	533	379	336	153	72	40	980	41	–	1	–	–	–	1	–	–	–
Typhus	0·02	0·03	0·02	37	22	15	–	–	–	–	–	–	2	6	2	5	5	9	6	2	–	–
Enteric Fever	0·26	0·30	0·23	393	213	180	6	5	6	5	8	30	36	51	68	56	83	41	15	8	4	1
Simple Continued Fever	0·01	0·00	0·03	22	2	20	1	1	–	1	2	5	3	–	–	–	7	1	–	2	2	2
Diarrhœa and Dysentery	0·73	0·80	0·67	1087	572	515	732	141	22	9	6	960	6	4	–	3	9	16	16	19	27	27
Cholera	0·03	0·04	0·02	46	27	19	24	10	–	–	–	34	2	2	–	–	–	–	3	4	1	–
Cancer	0·58	0·38	0·76	856	272	584	–	–	–	–	2	2	2	–	4	4	31	108	201	242	199	63
Tabes Mesenterica	0·39	0·46	0·32	576	327	249	358	114	42	13	10	537	19	8	2	5	3	2	–	–	–	–
Phthisis	1·90	2·33	1·49	2815	1670	1145	43	28	12	11	12	106	50	66	162	320	728	681	426	201	62	13
Other Tub. & Scrof. Dis.	0·45	0·52	0·40	673	370	303	210	134	64	34	25	467	81	29	25	18	18	12	7	8	5	3
Diseases of Nervous System	2·35	2·50	2·20	3480	1792	1688	1165	244	92	61	45	1607	103	40	51	36	98	151	239	334	495	326
Diseases of Circulatory „	1·86	1·35	1·37	2017	966	1051	23	9	3	6	3	44	28	39	47	25	140	266	344	423	441	220
Diseases of Respiratory „	3·99	4·33	3·67	5918	3101	2817	1448	858	306	185	102	2899	159	32	31	55	203	295	425	587	739	493
Diseases of Digestive „	1·15	1·14	1·15	1702	820	882	424	160	32	22	11	649	40	25	27	44	89	138	211	212	167	100
Diseases of Urinary „	0·42	0·55	0·29	617	392	225	11	8	5	7	4	35	18	8	11	23	49	71	102	117	117	66
Diseases of Generative „	0·05	0·01	0·08	69	8	61	3	–	1	–	–	4	–	–	1	3	9	13	11	18	7	3
Puerperal Fever	0·08	–	0·15	114	–	114	–	–	–	–	–	–	–	–	3	24	62	25	–	–	–	–
Childbirth	0·06	–	0·12	89	–	89	–	–	–	–	–	–	–	–	5	9	38	34	3	–	–	–
Violence	0·69	0·97	0·43	1019	692	327	238	23	28	20	20	329	44	41	50	34	104	110	103	97	69	38
Other Causes	3·27	3·41	3·14	4848	2451	2397	2143	129	42	32	13	2359	62	60	47	57	140	173	174	230	494	1052

Marriages - - - 9,593

Births - Males - 26,308; Females - 25,343 } 51,651

Annual Rate per 1000 living { Persons Married 12·94; Births - - 34·82

Deaths from Childbirth and Puerperal Fever - - - - - } 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

28.—LEWISHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·61		†121	–	–	–	–	44·61	3·78	2·28	2·32	3·01	4·47	7·66	12·69	24·33	52·48	132·64
Annual Death-Rate per 1000. Males	—				16·04		†135	–	–	–	–	49·37	3·88	2·22	3·14	3·91	5·06	8·83	15·32	27·79	62·86	137·53
Annual Death-Rate per 1000. Females	—				13·26		†107	–	–	–	–	39·90	3·68	2·34	1·82	2·54	4·09	6·78	10·71	21·90	45·96	129·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 30·03 per cent.			83,980			1975	1841	1947	1899	1895	9557	9073	8588	9174	8769	13703	10002	7106	4426	2519	1063
Mean Population, 1881–91. Males				35,912			975	918	978	943	934	4748	4588	4142	3500	3019	5398	4282	3054	1828	972	381
Mean Population, 1881–91. Females				48,068			1000	923	969	956	961	4809	4485	4446	5674	5750	8305	5720	4052	2598	1547	682
Deaths from All Causes, 1881–90. Persons	13·54			11,369			2817	804	295	193	154	4263	343	196	213	264	613	766	902	1077	1322	1410
Deaths from All Causes, 1881–90. Males	15·60			5,604			1598	425	142	101	78	2344	178	92	110	118	273	378	468	508	611	524
Deaths from All Causes, 1881–90. Females	11·99			5,765			1219	379	153	92	76	1919	165	104	103	146	340	388	434	569	711	886
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	14	6	8	–	–	–	–	–	–	–	1	1	2	2	3	2	2	1	–
Measles	0·31	0·41	0·24	263	147	116	52	94	46	24	16	232	25	3	1	1	1	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·10	90	41	49	4	16	8	11	16	55	26	4	2	–	3	–	–	–	–	–
Diphtheria	0·19	0·23	0·16	162	83	79	7	9	22	21	28	87	53	10	2	3	3	2	2	–	–	–
Whooping-cough	0·42	0·46	0·40	356	166	190	157	109	33	33	8	340	14	1	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·12	97	40	57	–	1	2	2	1	6	12	12	15	17	12	11	3	5	2	2
Simple Continued Fever	0·00	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Diarrhœa and Dysentery	0·43	0·52	0·36	362	187	175	271	33	11	–	–	315	2	–	–	–	2	3	3	5	10	22
Cholera	0·01	0·01	0·01	7	4	3	5	–	–	–	–	5	–	–	–	–	–	–	1	–	–	1
Cancer	0·58	0·44	0·69	490	158	332	–	–	–	–	1	1	1	–	–	2	10	54	102	149	124	47
Tabes Mesenterica	0·20	0·25	0·16	168	90	78	93	33	9	8	6	149	8	4	1	2	1	–	1	2	–	–
Phthisis	1·18	1·45	0·98	993	520	473	28	8	8	3	5	52	18	35	61	104	238	222	159	74	24	6
Other Tub. & Scrof. Dis.	0·32	0·42	0·24	267	152	115	79	51	22	15	16	183	29	23	11	4	6	6	4	–	1	–
Diseases of Nervous System	1·82	2·13	1·59	1527	765	762	411	94	20	16	7	548	34	14	16	14	39	63	120	185	262	232
Diseases of Circulatory „	1·18	1·18	1·19	994	424	570	6	3	–	–	–	9	11	22	25	25	40	83	119	196	276	188
Diseases of Respiratory „	2·41	2·94	2·00	2018	1055	963	524	229	79	41	32	905	50	12	20	14	61	107	117	172	248	312
Diseases of Digestive „	1·10	1·29	0·96	924	462	462	217	74	10	8	6	315	23	15	15	20	49	69	109	112	115	82
Diseases of Urinary „	0·35	0·51	0·24	296	183	113	3	1	2	–	2	8	2	4	5	4	17	28	42	65	68	53
Diseases of Generative „	0·05	0·01	0·09	43	2	41	–	1	–	–	–	1	–	–	–	2	5	6	11	7	7	4
Puerperal Fever	0·07	–	0·12	58	–	58	–	–	–	–	–	–	–	–	1	14	33	10	–	–	–	–
Childbirth	0·05	–	0·08	38	–	38	–	–	–	–	–	–	–	–	–	5	17	16	–	–	–	–
Violence	0·35	0·50	0·23	292	181	111	56	8	7	4	8	83	14	10	11	13	27	35	36	21	22	20
Other Causes	2·27	2·63	2·03	1907	936	971	904	40	16	7	2	969	21	26	26	18	47	48	71	82	160	439

Marriages - - - 5,053

Births - Males - 11,846; Females - 11,443 — 23,289

Annual Rate per 1000 living: Persons Married 12·06; Births - - 27·78

Deaths from Childbirth and Puerperal Fever - - - - - 4·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

29.—WOOLWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·60	†124	–	–	–	–	50·82	4·53	2·54	3·49	5·43	7·09	11·19	17·26	28·96	62·89	141·16
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·01	†137	–	–	–	–	56·14	4·35	2·29	3·53	5·97	7·87	12·94	18·94	32·20	69·62	151·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·27	†110	–	–	–	–	45·56	4·73	2·79	3·44	4·74	6·28	9·38	15·48	25·93	57·66	134·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 32·75 per cent.	94,085	2639	2415	2501	2408	2428	12391	11158	9614	9675	9223	14790	11032	7959	4865	2479	899
Mean Population, 1881–91. Males	Decennial Increase of Population 32·75 per cent.	48,484	1332	1195	1225	1194	1212	6158	5614	4890	5580	5172	7588	5597	4097	2354	1083	351
Mean Population, 1881–91. Females	Decennial Increase of Population 32·75 per cent.	45,601	1307	1220	1276	1214	1216	6233	5544	4724	4095	4051	7202	5435	3862	2511	1396	548
Deaths from All Causes, 1881–90. Persons	16·77	15,780	3855	1329	543	337	233	6297	506	244	338	501	1049	1234	1374	1409	1559	1269
Deaths from All Causes, 1881–90. Males	17·44	8,458	2179	695	282	183	118	3457	244	112	197	309	597	724	776	758	754	530
Deaths from All Causes, 1881–90. Females	16·06	7,322	1676	634	261	154	115	2840	262	132	141	192	452	510	598	651	805	739

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·02	0·03	27	12	15	9	2	–	–	–	11	3	–	–	5	5	1	1
Measles	0·45	0·47	0·43	423	227	196	84	165	72	43	29	393	28	–	1	1	–	–	–
Scarlet Fever	0·15	0·16	0·13	139	78	61	9	19	23	17	16	84	40	6	4	3	1	1	–
Diphtheria	0·19	0·17	0·21	178	84	94	11	19	29	22	39	120	43	7	1	2	2	1	1
Whooping-cough	0·49	0·38	0·62	464	182	282	204	143	62	35	12	456	8	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·12	0·08	94	57	37	–	2	1	6	2	11	8	12	14	10	12	10	4
Simple Continued Fever	0·02	0·02	0·02	21	10	11	2	1	2	2	–	7	4	–	–	3	1	2	1
Diarrhœa and Dysentery	0·48	0·51	0·46	455	245	210	307	67	8	4	1	387	2	–	–	1	5	6	4
Cholera	0·04	0·05	0·03	38	23	15	18	6	2	–	–	26	1	–	–	–	2	1	3
Cancer	0·53	0·33	0·73	495	161	334	1	1	1	–	–	3	3	1	–	2	26	62	109
Tabes Mesenterica	0·33	0·37	0·30	314	179	135	168	63	23	11	3	268	29	4	3	2	4	3	–
Phthisis	1·95	2·26	1·62	1835	1096	739	27	12	11	6	5	61	36	56	124	218	478	393	291
Other Tub. & Scrof. Dis.	0·55	0·61	0·49	519	294	225	149	106	54	32	31	372	62	25	17	13	11	7	5
Diseases of Nervous System	2·08	2·20	1·95	1954	1066	888	577	114	53	35	25	804	60	27	20	24	39	83	163
Diseases of Circulatory "	1·47	1·42	1·51	1380	690	690	9	3	3	2	1	18	14	28	31	33	74	186	217
Diseases of Respiratory "	3·11	3·29	2·92	2926	1596	1330	736	402	134	87	48	1407	75	13	18	39	99	134	226
Diseases of Digestive "	1·03	0·98	1·08	969	477	492	280	99	27	6	6	418	21	9	20	17	46	70	108
Diseases of Urinary "	0·43	0·53	0·31	401	259	142	5	6	4	2	1	18	8	9	6	16	43	52	69
Diseases of Generative "	0·05	0·00	0·09	43	2	41	1	–	–	1	–	2	–	–	–	–	8	11	6
Puerperal Fever	0·09	–	0·19	86	–	86	–	–	–	–	–	–	–	–	3	21	39	22	1
Childbirth	0·04	–	0·09	39	–	39	–	–	–	–	–	–	–	–	3	7	15	13	1
Violence	0·68	0·99	0·35	642	482	160	89	25	14	13	7	148	22	19	47	42	72	84	81
Other Causes	2·48	2·56	2·42	2338	1238	1100	1169	74	20	13	7	1283	39	28	26	42	67	92	83

Marriages	8,157	Annual Rate per 1000 living	Persons Married 17·34	Deaths from Childbirth and Puerperal Fever	4·02 per 1000 Births.
Births: Males 15,855	31,126		Births 33·08		
Births: Females 15,271					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

30.—EPSOM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·28	†103	–	–	–	–	36·78	4·04	2·38	3·45	5·09	9·99	17·26	23·69	37·02	69·14	152·23
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·79	†112	–	–	–	–	39·47	3·52	2·21	3·77	6·26	12·56	21·99	27·36	37·61	73·13	169·73
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·87	†94	–	–	–	–	34·09	4·60	2·58	3·17	4·27	8·02	13·21	20·61	36·51	65·80	139·78
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·48 per cent.	45,615	996	986	1034	1015	1050	5081	5813	5747	4260	3847	6676	5308	3947	2688	1620	628
Mean Population, 1881–91. Males		21,584	506	483	539	512	501	2541	2985	3071	2018	1598	2897	2447	1798	1231	737	261
Mean Population, 1881–91. Females		24,031	490	503	495	503	549	2540	2828	2676	2242	2249	3779	2861	2149	1457	883	367
Deaths from All Causes, 1881–90. Persons	17·92	8,173	1202	348	140	91	88	1869	235	137	147	196	667	916	935	995	1120	956
Deaths from All Causes, 1881–90. Males	19·42	4,191	657	178	71	43	54	1003	105	68	76	100	364	538	492	463	539	443
Deaths from All Causes, 1881–90. Females	16·57	3,982	545	170	69	48	34	866	130	69	71	96	303	378	443	532	581	513

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·01	9	6	3	–	–	–	–	–	–	–	–	1	–	6	1	–	1	–	–
Measles	0·22	0·23	0·21	101	50	51	25	31	12	9	6	83	17	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·22	0·13	79	48	31	5	10	7	6	11	39	24	10	2	1	2	1	–	–	–	–
Diphtheria	0·19	0·19	0·20	88	41	47	3	5	8	10	7	33	37	10	2	2	2	2	–	–	–	–
Whooping-cough	0·32	0·31	0·33	147	68	79	69	34	24	9	6	142	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·06	0·07	30	13	17	–	–	–	1	–	1	2	3	5	–	4	11	–	1	3	–
Simple Continued Fever	0·01	–	0·02	4	–	4	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·30	0·34	0·26	136	73	63	91	19	1	2	2	115	–	1	–	–	–	–	3	3	5	9
Cholera	0·01	0·00	0·01	4	1	3	1	–	–	–	1	2	–	–	–	–	–	1	1	–	–	–
Cancer	0·59	0·40	0·77	271	87	184	–	–	–	–	–	–	1	1	1	3	4	29	61	91	56	24
Tabes Mesenterica	0·16	0·20	0·12	71	43	28	48	9	3	1	3	64	2	2	1	1	–	1	–	–	–	–
Phthisis	2·53	2·64	2·43	1155	570	585	24	10	7	5	2	48	13	19	55	83	274	246	208	129	68	12
Other Tub. & Scrof. Dis.	0·33	0·34	0·32	150	73	77	35	26	13	5	16	95	28	11	4	1	5	1	3	1	1	–
Diseases of Nervous System	4·71	5·51	3·99	2149	1190	959	159	25	12	7	9	212	22	18	20	36	209	382	379	339	342	190
Diseases of Circulatory „	1·64	1·73	1·56	747	373	374	7	–	–	1	2	10	9	15	12	11	26	67	104	154	196	143
Diseases of Respiratory „	2·36	2·74	2·02	1076	591	485	234	130	38	24	14	440	35	10	7	15	32	54	57	99	170	157
Diseases of Digestive „	0·84	0·87	0·82	384	187	197	61	27	4	4	4	100	10	13	8	8	17	27	32	53	66	50
Diseases of Urinary „	0·34	0·45	0·25	156	97	59	2	1	–	–	1	4	2	1	2	4	14	22	24	27	35	21
Diseases of Generative „	0·06	0·01	0·10	27	2	25	3	–	–	–	–	3	–	–	1	–	4	5	6	4	3	1
Puerperal Fever	0·05	–	0·10	24	–	24	–	–	–	–	–	–	–	–	–	5	18	1	–	–	–	–
Childbirth	0·05	–	0·10	25	–	25	–	–	–	–	–	–	–	–	1	2	8	13	1	–	–	–
Violence	0·34	0·48	0·21	153	103	50	16	4	5	3	3	31	10	8	7	12	14	19	13	18	10	11
Other Causes	2·61	2·67	2·54	1187	575	612	419	17	6	3	1	446	17	14	18	11	28	32	43	75	165	338

Marriages - - - 2,084

Births - Males 5,858, Females 5,768 } 11,626

Annual Rate per 1000 living { Persons Married 9·14; Births - - 25·49

Deaths from Childbirth and Puerperal Fever - - - - - } 4·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

31.—CHERTSEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·17	†94	–	–	–	–	32·59	3·73	2·60	3·58	3·14	4·91	8·47	13·32	20·56	51·12	141·87
Males	—	13·97	†104	–	–	–	–	35·55	3·39	2·13	3·47	3·40	5·67	10·30	15·79	22·76	55·16	143·54
Females	—	12·41	†84	–	–	–	–	29·69	4·08	3·15	3·70	2·93	4·29	6·88	11·09	18·56	47·54	140·42
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·77 per cent.	29,955	754	745	768	755	770	3792	3620	3660	2821	2423	4341	3437	2560	1780	1072	449
Males		14,519	382	367	373	368	389	1879	1829	1976	1468	1059	1939	1592	1216	848	504	209
Females		15,436	372	378	395	387	381	1913	1791	1684	1353	1364	2402	1845	1344	932	568	240
Deaths from All Causes, 1881–90. Persons	13·48	4,039	778	241	97	75	45	1236	135	95	101	76	213	291	341	366	548	637
Males	14·44	2,096	438	126	43	37	24	668	62	42	51	36	110	164	192	193	278	300
Females	12·59	1,943	340	115	54	38	21	568	73	53	50	40	103	127	149	173	270	337

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·05	0·02	10	7	3	1	–	–	–	–	1	–	1	1	–	4	–	1	1	1	–
Measles	0·23	0·23	0·23	68	33	35	16	25	8	8	1	58	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	41	20	21	3	3	6	5	6	23	14	2	–	–	–	2	–	–	–	–
Diphtheria	0·21	0·21	0·21	63	31	32	5	7	4	9	7	32	17	8	2	1	1	2	–	–	–	–
Whooping-cough	0·31	0·29	0·33	93	42	51	35	34	10	7	3	89	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·12	32	14	18	–	–	1	1	1	3	2	3	9	2	3	4	3	1	2	–
Simple Continued Fever	0·03	0·02	0·04	9	3	6	–	–	–	–	1	1	1	2	–	–	–	2	1	1	–	1
Diarrhœa and Dysentery	0·34	0·43	0·25	101	62	39	61	9	1	1	–	72	–	1	–	–	2	1	–	–	2	23
Cholera	0·03	0·03	0·03	8	4	4	6	–	–	1	–	7	–	–	–	–	–	–	1	–	–	–
Cancer	0·61	0·49	0·72	182	71	111	1	–	1	–	–	2	–	–	1	–	5	10	39	50	46	29
Tabes Mesenterica	0·07	0·06	0·08	22	9	13	7	3	–	2	2	14	–	3	1	–	2	2	–	–	–	–
Phthisis	1·42	1·54	1·30	424	223	201	3	3	3	1	1	11	7	18	36	36	90	90	76	37	17	6
Other Tub. & Scrof. Dis.	0·33	0·32	0·34	99	46	53	30	16	7	8	2	63	16	6	6	1	3	2	1	1	–	–
Diseases of Nervous System	1·88	1·98	1·79	564	287	277	104	34	8	8	3	157	10	8	10	4	19	27	32	60	128	109
Circulatory „	1·32	1·39	1·25	395	202	193	2	–	1	–	–	3	8	11	5	5	20	43	56	67	99	78
Respiratory „	2·28	2·36	2·21	683	342	341	143	75	36	17	12	283	28	6	3	3	16	22	42	56	92	132
Digestive „	0·73	0·81	0·65	219	118	101	49	12	3	–	1	65	3	4	3	2	5	17	24	21	44	31
Urinary „	0·36	0·48	0·25	108	69	39	2	–	1	–	–	3	1	1	2	2	9	9	15	17	27	22
Generative „	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	–	1	1	–	2	5	4	2
Puerperal Fever	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	1	2	9	6	–	–	–	–
Childbirth	0·05	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	3	4	7	–	–	–	–
Violence	0·56	0·84	0·29	167	122	45	12	7	2	2	3	26	8	7	10	7	8	23	25	19	21	13
Other Causes	2·33	2·67	2·03	704	391	313	298	13	5	5	2	323	7	13	11	7	12	22	23	30	65	191

Marriages - - - 1,638

Births - Males - 4,228; Females - 4,059 } 8,287

Annual Rate per 1000 living { Persons Married 10·94; Births - - 27·66

Deaths from Childbirth and Puerperal Fever - - - } 3·86 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

32.—GUILDFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·01	†95	-	-	-	-	35·79	4·25	2·52	3·66	5·77	8·87	13·46	18·33	29·31	57·50	149·05
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·94	†105	-	-	-	-	39·89	4·05	1·71	2·89	6·53	10·69	17·10	22·18	33·14	59·93	143·30
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·12	†83	-	-	-	-	31·70	4·44	3·50	4·53	5·10	7·29	10·19	15·06	25·96	55·29	154·12
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·83 per cent.	47,186	1142	1101	1107	1145	1126	5621	5275	5327	4616	3970	7020	5648	4278	2979	1767	685
Mean Population, 1881–91. Males		23,103	584	536	547	574	569	2810	2618	2926	2454	1854	3264	2666	1961	1388	841	321
Mean Population, 1881–91. Females		24,083	558	565	560	571	557	2811	2657	2401	2162	2116	3756	2982	2317	1591	926	364
Deaths from All Causes, 1881–90. Persons	16·63	7,845	1272	399	167	101	73	2012	224	134	169	229	623	760	784	873	1016	1021
Deaths from All Causes, 1881–90. Males	17·89	4,133	724	226	80	52	39	1121	106	50	71	121	349	456	435	460	504	460
Deaths from All Causes, 1881–90. Females	15·41	3,712	548	173	87	49	34	891	118	84	98	108	274	304	349	413	512	561

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·02	0·03	0·01	9	7	2
Measles	0·29	0·31	0·27	136	72	64
Scarlet Fever	0·06	0·09	0·04	29	20	9
Diphtheria	0·21	0·15	0·26	97	35	62
Whooping-cough	0·32	0·32	0·32	151	75	76
Typhus	0·00	–	0·00	1	–	1
Enteric Fever	0·11	0·10	0·11	50	24	26
Simple Continued Fever	0·01	0·01	0·00	3	2	1
Diarrhœa and Dysentery	0·31	0·36	0·27	148	84	64
Cholera	0·01	0·01	0·01	6	3	3
Cancer	0·69	0·48	0·89	327	112	215
Tabes Mesenterica	0·18	0·19	0·16	84	45	39
Phthisis	1·86	2·02	1·71	879	467	412
Other Tub. & Scrof. Dis.	0·33	0·39	0·27	157	91	66
Diseases of Nervous System	3·11	3·37	2·85	1466	779	687
Diseases of Circulatory "	1·69	1·73	1·65	796	399	397
Diseases of Respiratory "	2·45	2·66	2·25	1157	615	542
Diseases of Digestive "	0·90	0·99	0·82	426	229	197
Diseases of Urinary "	0·42	0·52	0·31	196	121	75
Diseases of Generative "	0·07	0·01	0·13	33	2	31
Puerperal Fever	0·06	—	0·12	28	–	28
Childbirth	0·05	—	0·10	23	–	23
Violence	0·65	1·00	0·32	308	230	78
Other Causes	2·83	3·15	2·54	1335	721	614

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	1	–	–	–	–	1	–	1	–	1	3	1	1	–	1	–
Measles	23	42	30	18	3	116	18	1	–	–	1	–	–	–	–	–
Scarlet Fever	3	6	4	5	3	21	5	2	–	–	–	1	–	–	–	–
Diphtheria	3	2	1	12	15	33	31	15	6	1	6	3	1	1	–	–
Whooping-cough	73	46	14	10	2	145	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	–	1	–	–	–	1	5	6	11	5	9	3	5	2	3	–
Simple Continued Fever	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	82	15	–	3	–	100	–	–	2	–	5	–	6	1	13	21
Cholera	–	–	–	–	–	–	1	1	–	–	–	1	–	–	3	–
Cancer	–	2	–	–	–	2	1	–	–	1	13	41	65	90	80	34
Tabes Mesenterica	46	14	5	1	3	69	4	5	3	3	–	–	–	–	–	–
Phthisis	2	8	5	4	2	21	13	20	60	94	221	200	143	77	26	4
Other Tub. & Scrof. Dis.	32	25	11	11	6	85	27	12	11	–	10	5	4	3	–	–
Diseases of Nervous System	174	49	25	8	6	262	23	12	17	32	108	185	192	214	248	173
Diseases of Circulatory "	4	3	1	1	2	11	7	17	12	14	44	76	110	162	226	117
Diseases of Respiratory "	260	123	50	19	20	472	34	5	10	16	41	77	78	104	159	161
Diseases of Digestive "	77	21	11	2	2	113	12	7	7	10	23	33	46	67	65	43
Diseases of Urinary "	1	1	–	–	–	2	–	4	5	8	19	20	33	44	30	31
Diseases of Generative "	1	1	–	–	–	2	–	–	1	–	5	6	8	7	2	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	16	9	1	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	3	12	8	–	–	–	–
Violence	21	7	5	4	6	43	16	6	11	21	48	47	47	32	22	15
Other Causes	469	33	5	3	2	512	21	20	13	18	38	43	44	68	138	420

Marriages - - - 2,866

Births - { Males - 6,869 / Females - 6,582 } 13,451

Annual Rate per 1000 living { Persons Married 12·15 / Births - - 28·51 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

33.—FARNHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·76	†122	–	–	–	–	47·27	5·89	3·41	3·06	5·44	6·09	11·30	15·20	26·65	57·57	142·69
Males	—	17·52	†130	–	–	–	–	50·70	6·12	2·98	2·70	5·33	6·04	12·53	17·99	29·41	60·74	142·50
Females	—	16·05	†113	–	–	–	–	43·87	5·67	3·85	3·86	5·73	6·15	9·86	12·20	23·88	54·51	142·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·40 per cent.	45,121	1203	1142	1122	1103	1025	5595	4683	4041	5332	6523	7721	4726	3073	1966	1044	417
Males		25,867	602	549	566	559	515	2791	2303	2014	3699	4708	4518	2546	1590	986	512	200
Females		19,254	601	593	556	544	510	2804	2380	2027	1633	1815	3203	2180	1483	980	532	217
Deaths from All Causes, 1881–90. Persons	15·00	6,768	1729	492	176	140	108	2645	276	138	163	355	470	534	467	524	661	595
Males	14·42	3,731	954	242	93	74	52	1415	141	60	100	251	273	319	286	290	311	285
Females	15·77	3,037	775	259	83	66	56	1230	135	78	63	104	197	215	181	234	290	310

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	5	4	1	–	–	–	–	1	1	–	–	1	–	–	1	–	1	–	1
Measles	0·19	0·17	0·22	86	44	42	15	34	12	10	6	77	8	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·07	0·07	32	18	14	–	4	5	5	3	17	9	4	1	–	–	1	–	–	–	–
Diphtheria	0·64	0·52	0·80	289	135	154	9	23	29	41	34	136	105	31	5	5	4	1	–	1	–	1
Whooping-cough	0·39	0·34	0·46	176	87	89	83	57	18	8	8	174	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·25	0·10	83	64	19	1	–	2	2	2	7	5	4	10	35	8	5	4	3	2	–
Simple Continued Fever	0·02	0·02	0·02	8	4	4	1	–	1	–	–	2	2	1	–	–	–	1	1	1	–	–
Diarrhœa and Dysentery	0·58	0·51	0·66	260	133	127	167	39	7	8	2	223	2	–	–	3	6	2	1	6	8	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·39	0·24	0·58	174	63	111	–	–	–	–	–	–	1	–	–	1	6	23	41	45	33	24
Tabes Mesenterica	0·21	0·18	0·26	96	46	50	52	22	4	2	2	82	6	5	1	–	1	–	1	–	–	–
Phthisis	1·61	1·77	1·39	726	458	268	9	7	5	3	2	26	11	18	44	106	186	169	101	45	17	3
Other Tub. & Scrof. Dis.	0·39	0·34	0·45	175	88	87	46	31	14	9	6	106	27	8	6	8	9	4	2	3	2	–
Diseases of Nervous System	2·02	1·93	2·13	910	500	410	278	45	21	11	8	363	19	16	17	22	31	46	51	109	131	105
Circulatory „	1·23	1·18	1·29	553	305	248	4	1	–	1	1	7	7	16	19	24	34	61	86	96	128	75
Respiratory „	2·64	2·66	2·61	1190	688	502	319	157	48	29	24	577	38	9	11	37	40	64	67	88	131	128
Digestive „	0·84	0·74	0·98	380	192	188	117	40	2	2	1	162	5	3	3	25	24	36	35	43	31	13
Urinary „	0·29	0·32	0·26	133	83	50	–	1	–	1	–	2	–	–	4	11	16	17	21	22	23	17
Generative „	0·03	–	0·06	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Puerperal Fever	0·08	–	0·18	35	–	35	–	–	–	–	–	–	–	–	1	7	16	11	–	–	–	–
Childbirth	0·06	–	0·14	27	–	27	–	–	–	–	–	–	–	–	1	7	6	12	1	–	–	–
Violence	0·53	0·66	0·35	237	170	67	28	12	5	6	3	54	9	11	16	31	37	26	22	12	12	7
Other Causes	2·60	2·50	2 75	1181	649	532	600	19	3	2	5	629	20	12	22	32	40	49	33	49	83	212

Marriages - - - 3,246

Births - Males - 7,330, Females - 6,833 } 14,163

Annual Rate per 1000 living { Persons Married 14·39, Births - - 31·39

Deaths from Childbirth and Puerperal Fever - - - - - } 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	12·59		†85	–	–	–	–	28·80	3·81	2·08	3·59	3·71	5·02	7·85	11·92	20·65	55·56	139·37
Males	—				12·90		†95	–	–	–	–	31·65	3·10	2·66	3·18	2·76	5·08	7·67	14·38	19·56	63·40	137·75
Females	—				12·30		†75	–	–	–	–	25·87	4·52	1·42	4·14	4·75	4·96	8·03	9·46	21·78	47·37	141·18
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·91 per cent.			17,429			463	429	423	454	457	2226	2073	1970	1589	1457	2511	1872	1544	1162	738	287
Males				8,964			232	215	214	226	241	1128	1033	1054	912	762	1261	926	772	588	377	151
Females				8,465			231	214	209	228	216	1098	1040	916	677	695	1250	946	772	574	361	136
Deaths from All Causes, 1881–90. Persons	13·65			2,379			425	119	53	23	21	641	79	41	57	54	126	147	184	240	410	400
Males	14·22			1,275			240	64	29	11	13	357	32	28	29	21	64	71	111	115	239	208
Females	13·04			1,104			185	55	24	12	8	284	47	13	28	33	62	76	73	125	171	192
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	—	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·09	0·21	26	8	18	2	9	4	1	–	16	6	–	–	1	1	1	–	–	1	–
Scarlet Fever	0·05	0·09	0·01	9	8	1	–	1	1	–	1	3	–	4	1	–	1	–	–	–	–	–
Diphtheria	0·28	0·28	0·27	48	25	23	2	3	2	3	6	16	17	9	5	–	–	–	1	–	–	–
Whooping-cough	0·26	0·35	0·17	45	31	14	29	12	1	2	1	45	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	14	8	6	–	–	–	–	–	–	–	2	2	1	4	2	2	1	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·18	0·16	0·20	31	14	17	17	2	3	–	–	22	1	–	–	–	–	2	–	3	2	1
Cholera	0·02	–	0·04	3	–	3	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·57	0·67	108	51	57	–	–	–	–	–	–	–	1	1	–	4	2	21	32	32	15
Tabes Mesenterica	0·09	0·11	0·07	16	10	6	5	1	1	2	1	10	1	–	1	–	–	1	1	1	–	1
Phthisis	1·17	1·10	1·24	204	99	105	8	4	2	2	–	16	4	4	17	30	45	45	15	18	10	–
Other Tub. & Scrof. Dis.	0·23	0·22	0·24	40	20	20	9	11	1	3	–	24	4	5	1	2	1	1	1	–	1	–
Diseases of Nervous System	1·81	1·77	1·86	315	159	156	56	8	6	2	2	74	6	3	7	4	7	8	28	41	81	56
Circulatory „	1·84	1·81	1·88	321	162	159	3	1	1	–	–	5	2	2	4	4	12	19	32	62	113	66
Respiratory „	2·40	2·72	2·06	418	244	174	83	50	22	5	7	167	16	3	5	4	13	19	29	27	70	65
Digestive „	0·90	0·94	0·86	157	84	73	20	11	5	–	1	37	8	2	3	1	6	11	19	23	24	23
Urinary „	0·37	0·48	0·25	64	43	21	–	–	–	1	1	2	–	–	1	–	4	5	9	11	19	13
Generative „	0·05	0·01	0·09	9	1	8	1	–	–	–	–	1	–	–	–	–	2	5	–	–	1	–
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Violence	0·41	0·59	0·21	71	53	18	4	1	1	1	1	8	3	2	3	2	7	11	8	10	15	2
Other Causes	2·62	2·82	2·43	460	253	207	183	4	3	1	–	191	11	3	6	3	12	7	18	11	40	158

Marriages - - - 1,042

Births - { Males - 2,536 / Females - 2,471 } 5,007

Annual Rate per 1000 living { Persons married 11·96 / Births - - 28·73 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

35.—DORKING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	12·69		†82	–	–	–	–	28·30	1·94	2·38	3·61	3·83	5·96	7·98	12·01	24·41	49·66	151·49
Annual Death-Rate per 1000. Males	—				13·82		†97	–	–	–	–	34·00	1·96	2·61	3·18	3·96	6·75	8·26	12·73	26·34	53·87	171·43
Annual Death-Rate per 1000. Females	—				11·63		†66	–	–	–	–	22·42	1·91	2·16	4·04	3·72	5·27	7·75	11·36	22·54	45·77	135·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·40 per cent.			16,337			393	366	401	395	413	1968	1910	1845	1442	1357	2267	1917	1499	1102	727	303
Mean Population, 1881–91. Males				7,899			204	192	206	193	205	1000	969	919	724	631	1052	872	707	543	349	133
Mean Population, 1881–91. Females				8,438			189	174	195	202	208	968	941	926	718	726	1215	1045	792	559	378	170
Deaths from All Causes, 1881–90. Persons	14·07			2,299			359	103	41	36	18	557	37	44	52	52	135	153	180	269	361	459
Deaths from All Causes, 1881–90. Males	15·48			1,223			221	63	21	23	12	340	19	24	23	25	71	72	90	143	188	228
Deaths from All Causes, 1881–90. Females	12·75			1,076			138	40	20	13	6	217	18	20	29	27	64	81	90	126	173	231
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·13	0·15	0·12	22	12	10	2	8	5	3	1	19	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·13	0·05	14	10	4	–	2	2	3	1	8	2	2	1	–	1	–	–	–	–	–
Diphtheria	0·10	0·10	0·09	16	8	8	–	1	2	3	3	9	4	1	–	–	–	2	–	–	–	–
Whooping-cough	0·27	0·29	0·25	44	23	21	19	16	2	6	1	44	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·06	0·12	15	5	10	–	–	–	–	–	–	2	1	2	–	3	3	–	3	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·12	0·16	0·08	20	13	7	11	2	–	1	–	14	–	–	–	–	–	–	–	2	1	3
Cholera	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·72	0·54	0·88	117	43	74	–	–	–	–	–	–	–	–	–	2	–	6	24	27	35	23
Tabes Mesenterica	0·06	0·05	0·06	9	4	5	1	2	–	–	–	3	1	2	1	–	–	1	–	1	–	–
Phthisis	1·32	1·53	1·13	216	121	95	2	2	–	–	–	4	4	7	13	19	66	46	32	18	7	–
Other Tub. & Scrof. Dis.	0·37	0·42	0·33	61	33	28	12	6	5	4	4	31	9	10	5	2	3	1	–	–	–	–
Diseases of Nervous System	1·92	2·13	1·73	314	168	146	51	12	5	1	1	70	7	3	4	5	15	9	20	39	73	69
Diseases of Circulatory „	1·79	1·92	1·67	293	152	141	1	–	–	–	–	1	2	9	4	3	4	23	37	52	85	73
Diseases of Respiratory „	2·19	2·54	1·86	358	201	157	62	29	15	11	3	120	3	2	4	1	8	21	19	54	49	77
Diseases of Digestive „	0·67	0·73	0·62	110	58	52	18	13	1	–	3	35	–	1	3	2	3	6	9	16	19	16
Diseases of Urinary „	0·61	0·84	0·40	100	66	34	–	–	–	–	–	–	–	1	1	3	6	12	11	20	30	16
Diseases of Generative „	0·09	0·01	0·17	15	1	14	1	–	–	–	–	1	–	–	1	1	1	3	3	4	1	–
Puerperal Fever	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	3	6	4	–	–	–	–
Childbirth	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–
Violence	0·41	0·66	0·18	67	52	15	5	2	3	4	1	15	–	1	4	7	9	6	8	5	5	7
Other Causes	2·97	3·18	2·78	485	250	235	173	8	1	–	–	182	1	3	8	4	7	7	16	27	55	175

Marriages - - - 859

Births - { Males - 2,272 / Females - 2,094 } 4,366

Annual Rate per 1000 living { Persons Married 10·52 / Births - - 26·72 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

36.—REIGATE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·25	†93	–	–	–	–	33·15	3·43	3·42	4·74	4·39	5·38	6·94	12·26	21·55	49·28	136·36
Males	—	14·29	†99	–	–	–	–	36·62	3·79	3·47	5·57	5·20	6·28	8·19	12·75	24·16	53·55	141·41
Females	—	12·27	†86	–	–	–	–	29·74	3·08	3·38	3·86	3·76	4·67	5·89	11·82	19·21	45·54	131·91
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·49 per cent.	33,469	768	770	781	795	774	3888	3934	3855	3460	3004	4852	3789	2961	2065	1177	484
Males		15,932	379	375	391	395	388	1928	1952	1932	1776	1328	2134	1733	1396	977	549	227
Females		17,537	389	395	390	400	386	1960	1982	1923	1684	1676	2718	2056	1565	1088	628	257
Deaths from All Causes, 1881–90. Persons	13·22	4,424	832	244	104	63	46	1289	135	132	164	132	261	263	363	445	580	660
Males	14·56	2,320	447	135	54	41	29	706	74	67	99	69	134	142	178	236	294	321
Females	12·00	2,104	385	109	50	22	17	583	61	65	65	63	127	121	185	209	286	339

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·03	0·01	6	4	2	–	–	–	–	–	–	–	–	1	–	3	–	1	–	1	–
Measles	0·27	0·28	0·27	91	44	47	13	27	9	13	5	67	8	6	4	4	2	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·07	29	17	12	–	3	3	3	2	11	9	4	2	–	–	1	1	1	–	–
Diphtheria	0·21	0·18	0·24	70	28	42	3	3	4	8	4	22	25	12	6	2	–	1	2	–	–	–
Whooping-cough	0·33	0·31	0·34	109	50	59	60	25	14	4	2	105	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	11	5	6	–	–	–	–	–	–	1	–	–	3	1	1	3	–	2	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	2	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·26	0·20	77	42	35	43	7	–	–	–	50	1	–	2	–	2	4	–	1	7	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·30	0·64	160	47	113	2	–	–	–	1	3	–	–	–	1	1	14	41	42	40	18
Tabes Mesenterica	0·10	0·11	0·09	33	17	16	11	7	2	1	2	23	4	2	2	–	1	1	–	–	–	–
Phthisis	1·23	1·45	1·04	413	231	182	4	3	3	–	1	11	7	19	54	56	104	70	54	18	16	4
Other Tub. & Scrof. Dis.	0·22	0·31	0·13	72	50	22	14	11	8	3	4	40	5	5	9	5	4	1	2	1	–	–
Diseases of Nervous System	1·97	2·22	1·76	661	353	308	106	30	20	5	6	167	24	19	24	13	21	21	46	103	115	108
Circulatory „	1·44	1·49	1·40	483	238	245	4	1	–	–	–	5	3	11	6	9	19	25	58	106	135	106
Respiratory „	2·39	2·70	2·11	800	430	370	155	85	28	16	13	297	25	16	11	7	21	38	50	62	132	141
Digestive „	0·89	1·02	0·78	299	162	137	52	25	5	4	2	88	8	6	16	4	14	17	32	38	44	32
Urinary „	0·36	0·50	0·24	121	79	42	2	–	–	1	–	3	–	5	2	2	8	12	16	24	25	24
Generative „	0·05	0·01	0·08	16	2	14	–	–	–	–	–	–	–	–	1	1	1	–	7	1	4	1
Puerperal Fever	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	3	11	8	–	–	–	–
Childbirth	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	1	12	9	–	–	–	–
Violence	0·42	0·72	0·14	140	115	25	11	4	3	4	2	24	4	9	6	7	20	18	14	18	14	6
Other Causes	2·34	2·52	2·16	785	404	381	352	11	5	1	2	371	7	17	17	14	16	22	36	30	45	210

Marriages - - - 2,018

Births - { Males - 4,530; Females - 4,457 } 8,987

Annual Rate per 1000 living { Persons Married 12·06; Births - - 26·85 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

37.—GODSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·03	†94	–	–	–	–	30·92	3·72	2·15	5·83	8·45	10·67	17·55	19·21	37·28	79·51	155·35
Males	—	18·92	†99	–	–	–	–	33·82	4·14	2·16	5·04	10·55	11·26	19·61	21·85	39·36	84·13	150·33
Females	—	17·18	†88	–	–	–	–	27·93	3·31	2·14	6·89	5·87	10·08	15·48	16·59	35·23	75·19	160·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·90 per cent.	18,303	412	397	404	408	420	2041	1933	1719	1699	1715	2764	2228	1780	1325	781	318
Males		9,379	202	205	200	220	208	1035	966	878	973	948	1385	1117	888	658	378	153
Females		8,924	210	192	204	188	212	1006	967	841	726	767	1379	1111	892	667	403	165
Deaths from All Causes, 1881–90. Persons	19·78	3,621	427	106	46	28	24	631	72	37	99	145	295	391	342	494	621	494
Males	20·62	1,934	233	67	26	10	14	350	40	19	49	100	156	219	194	259	318	230
Females	18·90	1,687	194	39	20	18	10	281	32	18	50	45	139	172	148	235	303	264

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·04	0·04	0·04	8	4	4	1	1	–	–	–	2	–	–	–	1	2	–	2	1	–	–
Measles	0·19	0·26	0·12	35	24	11	7	9	5	3	3	27	6	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·07	0·06	0·08	13	6	7	1	2	1	3	3	10	2	1	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·09	0·20	26	8	18	1	1	2	6	3	13	11	2	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·22	0·29	47	21	26	24	9	6	4	1	44	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·19	0·09	26	18	8	–	–	1	–	–	1	3	1	4	10	4	2	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·22	0·34	51	21	30	10	6	3	–	1	20	1	–	1	–	–	1	3	5	12	8
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·73	0·66	0·81	134	62	72	–	–	–	–	–	–	–	–	–	–	1	8	32	46	31	16
Tabes Mesenterica	0·11	0·10	0·12	20	9	11	7	2	1	–	1	11	–	–	4	3	1	–	1	–	–	–
Phthisis	2·27	2·62	1·91	416	246	170	12	3	2	2	1	20	4	5	26	54	109	92	55	38	12	1
Other Tub. & Scrof. Dis.	0·32	0·31	0·34	59	29	30	14	11	3	2	3	33	10	2	3	2	4	2	2	1	–	–
Diseases of Nervous System	5·51	5·62	5·39	1008	527	481	56	10	5	2	1	74	6	7	21	31	95	153	128	179	214	100
Diseases of Circulatory „	2·13	2·15	2·11	390	202	188	2	1	–	–	–	3	3	3	7	6	13	40	46	88	124	57
Diseases of Respiratory „	2·83	3·16	2·49	518	296	222	80	37	13	4	5	139	15	2	10	13	30	42	33	66	110	58
Diseases of Digestive „	0·74	0·82	0·66	136	77	59	19	11	–	2	1	33	3	1	4	3	9	14	7	24	25	13
Diseases of Urinary „	0·35	0·42	0·28	64	39	25	–	–	–	–	–	–	–	1	3	3	4	9	7	15	17	5
Diseases of Generative „	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Puerperal Fever	0·07	–	0·13	12	–	12	–	–	–	–	–	–	–	–	2	3	5	2	–	–	–	–
Childbirth	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–
Violence	0·42	0·67	0·16	77	63	14	10	–	3	–	1	14	1	4	7	4	6	4	12	12	10	3
Other Causes	3·11	3·00	3·21	568	281	287	183	3	1	–	–	187	4	8	7	9	7	17	13	19	64	233

Marriages - - 836

Births - { Males - 2,353 / Females - 2,196 } 4,549

Annual Rate per 1000 living { Persons Married 9·14 / Births - - 24·85 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

38.—CROYDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·60	†118	–	–	–	–	45·49	3·54	2·25	2·96	3·60	5·54	9·97	14·95	26·82	54·22	133·00
Males	—	17·05	†129	–	–	–	–	48·35	3·53	2·17	3·32	4·14	6·64	11·79	17·55	32·98	63·27	146·51
Females	—	14·22	†107	–	–	–	–	42·62	3·55	2·33	2·71	3·26	4·76	8·48	12·83	22·12	47·89	124·80
Mean Population, 1881–91. Persons	Decennial Increase of Population 27·37 per cent.	135,480	3377	3172	3180	3212	3215	16156	16077	15005	13425	13009	20782	16043	11429	7390	4382	1782
Males		60,664	1664	1612	1609	1588	1629	8102	7992	7240	5630	5002	8672	7210	5139	3199	1805	673
Females		74,816	1713	1560	1571	1624	1586	8054	8085	7765	7795	8007	12110	8833	6290	4191	2577	1109
Deaths from All Causes, 1881–90. Persons	14·99	20,311	4629	1470	634	352	265	7350	569	338	398	468	1152	1599	1709	1982	2376	2370
Males	16·91	10,261	2564	747	320	155	131	3917	282	157	187	207	576	850	902	1055	1142	986
Females	13·43	10,050	2065	723	314	197	134	3433	287	181	211	261	576	749	807	927	1234	1384

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·06	0·08	0·05	87	47	40	6	8	3	2	2	21	3	3	2	12	22	11	8	1	4	–
Measles	0·38	0·43	0·34	512	261	251	108	180	90	39	37	454	46	4	2	–	3	1	1	1	–	–
Scarlet Fever	0·16	0·17	0·15	212	101	111	12	36	32	25	22	127	54	12	3	1	8	4	1	1	1	–
Diphtheria	0·19	0·20	0·19	262	122	140	12	25	36	39	20	132	86	17	9	–	6	4	4	2	2	–
Whooping-cough	0·43	0·48	0·40	588	291	297	225	194	83	36	22	560	27	–	–	1	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	6	4	2	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–
Enteric Fever	0·11	0·13	0·09	147	80	67	1	3	4	3	1	12	18	15	11	16	37	18	5	9	5	1
Simple Continued Fever	0·01	0·02	0·01	19	10	9	–	3	1	2	–	6	2	1	–	2	1	1	2	2	1	1
Diarrhœa and Dysentery	0·45	0·52	0·40	613	314	299	438	75	17	1	6	537	2	2	1	–	5	7	5	11	17	26
Cholera	0·02	0·02	0·01	22	14	8	10	4	–	1	1	16	1	1	–	–	1	1	–	1	1	–
Cancer	0·62	0·47	0·75	844	283	561	1	–	1	–	3	5	2	–	3	8	20	89	179	227	214	97
Tabes Mesenterica	0·24	0·26	0·22	319	158	161	170	55	18	6	8	257	22	15	3	2	8	4	2	4	1	1
Phthisis	1·40	1·71	1·16	1902	1035	867	32	21	13	5	10	81	19	62	139	192	394	442	282	197	80	14
Other Tub. & Scrof. Dis.	0·36	0·43	0·30	482	261	221	134	101	41	33	19	328	49	29	15	22	15	10	11	3	–	–
Diseases of Nervous System	2·12	2·44	1·86	2872	1480	1392	634	132	50	28	25	869	53	36	27	32	127	256	286	337	467	382
Circulatory „	1·43	1·47	1·40	1935	889	1046	20	3	1	2	1	27	18	34	31	39	72	182	271	352	527	382
Respiratory „	2·61	3·02	2·27	3535	1835	1700	909	441	189	89	61	1689	68	19	30	32	109	182	213	314	408	471
Digestive „	0·94	1·02	0·88	1276	618	658	260	99	17	11	7	394	30	22	33	12	66	95	159	185	176	104
Urinary „	0·45	0·68	0·27	616	413	203	6	4	–	2	3	15	5	8	15	17	29	54	97	138	137	101
Generative „	0·05	0·01	0·08	63	4	59	4	–	–	1	–	5	1	1	1	2	12	7	11	10	9	4
Puerperal Fever	0·07	–	0·13	101	–	101	–	–	–	–	–	–	–	–	2	19	52	27	1	–	–	–
Childbirth	0·05	–	0·09	69	–	69	–	–	–	–	–	–	–	–	2	9	25	31	2	–	–	–
Violence	0·40	0·64	0·21	545	386	159	85	15	21	16	6	143	20	17	18	17	63	54	65	50	55	43
Other Causes	2·44	2·70	2·17	3284	1655	1629	1562	71	17	11	11	1672	43	40	50	32	76	118	103	137	270	743

Marriages - - - 9,311

Births - { Males - 19,933 / Females - 19,229 } 39,162

Annual Rate per 1000 living { Persons Married 13·75 / Births - - 28·91 }

Deaths from Childbirth and Puerperal Fever - - - - 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

39.—KINGSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·86	†115	–	–	–	–	41·95	3·96	2·10	3·07	3·30	5·35	8·88	14·07	26·06	52·65	134·92
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·37	†125	–	–	–	–	45·92	3·79	2·09	3·31	4·24	6·43	11·06	16·67	30·74	62·87	140·41
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·44	†105	–	–	–	–	38·03	4·13	2·11	2·90	2·68	4·58	7·08	11·97	22·54	45·84	131·61
Mean Population, 1881-91. Persons	Decennial Increase of Population 34·09 per cent.	90,088	2232	2109	2199	2159	2175	10874	10357	9184	8977	8885	14528	10890	7548	4861	2807	1177
Mean Population, 1881-91. Males	Decennial Increase of Population 34·09 per cent.	40,290	1107	1048	1099	1073	1085	5412	5121	4393	3870	3513	6034	4917	3372	2092	1123	443
Mean Population, 1881-91. Females	Decennial Increase of Population 34·09 per cent.	49,798	1125	1061	1100	1086	1090	5462	5236	4791	5107	5372	8494	5973	4176	2769	1684	734
Deaths from All Causes, 1881-90. Persons	14·29	12,873	3051	767	327	231	186	4562	410	193	276	293	777	967	1062	1267	1478	1588
Deaths from All Causes, 1881-90. Males	16·17	6,513	1690	407	180	108	100	2485	194	92	128	149	388	544	562	643	706	622
Deaths from All Causes, 1881-90. Females	12·77	6,360	1361	360	147	123	86	2077	216	101	148	144	389	423	500	624	772	966

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	11	6	5	1	–	–	–	1	2	1	–	1	–	3	1	2	–	1	–
Measles	0·22	0·25	0·19	199	102	97	36	58	43	20	16	173	24	1	–	–	–	–	–	–	–	1
Scarlet Fever	0·11	0·14	0·09	101	55	46	5	8	23	10	10	56	30	6	3	1	3	–	1	–	1	–
Diphtheria	0·19	0·20	0·17	167	81	86	5	19	20	23	24	91	54	7	4	3	3	1	1	–	2	1
Whooping-cough	0·29	0·28	0·29	257	114	143	111	85	23	12	11	242	12	–	2	–	1	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·08	0·07	0·08	71	30	41	–	2	–	–	2	4	11	10	8	9	8	9	3	7	1	1
Simple Continued Fever	0·02	0·01	0·02	16	6	10	1	2	1	1	3	8	1	1	–	1	3	–	–	1	1	–
Diarrhœa and Dysentery	0·41	0·47	0·36	368	191	177	272	42	4	2	1	321	3	–	–	–	2	1	3	8	8	22
Cholera	0·01	0·01	0·01	12	6	6	5	–	–	1	–	6	2	–	–	–	–	–	1	3	–	–
Cancer	0·56	0·36	0·71	502	146	356	2	–	–	–	–	2	1	–	1	3	13	40	116	147	120	59
Tabes Mesenterica	0·18	0·18	0·18	164	73	91	78	37	9	6	2	132	7	10	1	1	5	3	2	2	1	–
Phthisis	1·41	1·76	1·13	1273	708	565	35	13	3	6	4	61	21	29	94	98	292	296	194	115	57	16
Other Tub. & Scrof. Dis.	0·39	0·52	0·28	349	209	140	99	73	36	22	16	246	43	16	10	6	13	8	3	1	2	1
Diseases of Nervous System	1·89	2·17	1·67	1703	873	830	423	95	33	27	26	604	52	20	25	31	46	74	129	188	276	258
Diseases of Circulatory „	1·56	1·62	1·51	1407	653	754	10	1	1	3	4	19	6	19	31	33	75	126	182	266	341	309
Diseases of Respiratory „	2·40	2·76	2·10	2158	1111	1047	544	226	90	71	42	973	65	20	14	24	75	106	128	197	265	291
Diseases of Digestive „	0·99	1·08	0·91	891	436	455	229	60	18	7	6	320	18	12	15	10	45	68	104	104	123	72
Diseases of Urinary „	0·40	0·56	0·27	360	224	136	4	5	3	3	1	16	3	1	3	6	20	40	55	63	91	62
Diseases of Generative „	0·05	0·01	0·08	42	3	39	–	–	–	–	–	–	–	1	2	2	2	9	9	6	6	5
Puerperal Fever	0·09	–	0·16	81	–	81	–	–	–	–	–	–	–	–	3	10	45	23	–	–	–	–
Childbirth	0·05	–	0·10	48	–	48	–	–	–	–	–	–	–	–	3	5	18	22	–	–	–	–
Violence	0·50	0·83	0·23	450	333	117	52	8	7	10	9	86	20	16	25	24	50	71	54	60	26	18
Other Causes	2·48	2·88	2·22	2242	1153	1089	1139	33	13	7	8	1200	36	24	30	26	55	69	75	99	156	472

Marriages - - - 5,691

Births - { Males - 13,540 / Females - 12,963 } 26,503

Annual Rate per 1000 living { Persons Married 12·63 / Births - - 29·42 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

40.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·33	†131	–	–	–	–	51·16	4·29	2·06	3·41	4·05	6·14	10·33	16·81	29·29	59·02	145·32
Annual Death-Rate per 1000. Males	—					19·04	†140	–	–	–	–	55·96	4·78	2·18	3·68	5·18	8·41	11·30	20·04	33·98	71·25	145·00
Annual Death-Rate per 1000. Females	—					15·71	†121	–	–	–	–	46·68	3·80	1·95	3·23	3·40	4·66	9·60	14·44	26·08	51·74	145·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·53 per cent.			37,590			912	815	851	830	849	4257	3871	3641	3812	4000	6285	4559	3194	2151	1286	534
Mean Population, 1881–91. Males				16,046			439	402	402	404	408	2055	1925	1742	1522	1468	2484	1964	1352	874	480	180
Mean Population, 1881–91. Females				21,544			473	413	449	426	441	2202	1946	1899	2290	2532	3801	2595	1842	1277	806	354
Deaths from All Causes, 1881–90. Persons	16·68			6,270			1408	431	171	98	70	2178	166	75	130	162	386	471	537	630	759	776
Deaths from All Causes, 1881–90. Males	18·73			3,014			771	222	84	39	34	1150	92	38	56	76	209	222	271	297	342	261
Deaths from All Causes, 1881–90. Females	15·11			3,256			637	209	87	59	36	1028	74	37	74	86	177	249	266	333	417	515
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	5	3	2	–	1	–	–	–	1	1	–	–	1	–	1	–	1	–	–
Measles	0·36	0·45	0·29	136	73	63	33	48	21	13	11	126	7	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·09	38	19	19	–	8	11	2	6	27	10	–	–	–	1	–	–	–	–	–
Diphtheria	0·15	0·14	0·17	58	22	36	2	7	10	5	9	33	17	2	2	–	1	–	2	–	1	–
Whooping-cough	0·49	0·49	0·49	185	79	106	73	68	21	11	6	179	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·19	0·20	74	31	43	–	–	2	–	1	3	11	5	8	12	11	10	7	4	1	2
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	–	1	–	1	1	–	–	–	2	–	–	–	–	1
Diarrhœa and Dysentery	0·63	0·76	0·54	238	122	116	179	24	4	2	2	211	1	1	–	–	1	1	2	5	9	7
Cholera	0·02	0·01	0·02	6	2	4	1	–	–	–	–	1	–	–	–	–	–	–	2	1	1	1
Cancer	0·79	0·51	0·99	296	82	214	1	–	–	–	–	1	–	–	–	1	7	33	70	80	67	37
Tabes Mesenterica	0·23	0·29	0·19	87	46	41	49	23	6	2	1	81	1	3	1	–	1	–	–	–	–	–
Phthisis	1·39	1·82	1·07	523	292	231	5	9	4	1	–	19	14	11	37	55	120	130	86	43	8	–
Other Tub. & Scrof. Dis.	0·43	0·50	0·37	160	80	80	54	37	13	12	8	124	16	4	5	2	3	4	1	1	–	–
Diseases of Nervous System	1·99	2·10	1·90	747	337	410	185	33	12	6	6	242	14	7	7	9	16	42	59	95	147	109
Diseases of Circulatory „	1·37	1·48	1·29	514	237	277	2	–	1	–	3	6	2	7	15	9	30	51	51	114	144	85
Diseases of Respiratory „	2·80	3·23	2·47	1051	518	533	236	107	47	27	12	429	22	3	10	11	28	51	67	101	159	170
Diseases of Digestive „	1·26	1·28	1·25	475	206	269	113	36	4	4	–	157	10	4	7	8	30	36	61	68	61	33
Diseases of Urinary „	0·55	0·75	0·40	208	121	87	3	1	1	2	–	7	2	–	3	4	19	21	39	34	47	32
Diseases of Generative „	0·08	0·02	0·13	31	4	27	1	–	–	–	–	1	1	1	–	1	3	8	4	4	3	5
Puerperal Fever	0·10	–	0·18	39	–	39	–	–	–	–	–	–	–	–	1	8	21	9	–	–	–	–
Childbirth	0·05	–	0·08	18	–	18	–	–	–	–	–	–	–	–	1	4	9	4	–	–	–	–
Violence	0·88	1·47	0·43	329	236	93	52	4	6	2	3	67	17	13	18	21	46	36	39	37	21	14
Other Causes	2·79	3·14	2·53	1047	503	544	419	25	8	8	2	462	13	12	15	16	36	34	47	42	90	280

Marriages - - - 2,347

Births - { Males - 5,492 / Females - 5,264 } 10,756

Annual Rate per 1000 living { Persons Married 12·49 / Births - - 28·61 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

41.—BROMLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·88	†108	–	–	–	–	40·18	3·77	2·13	2·83	2·84	4·60	7·03	11·83	22·75	53·81	139·61
Annual Death-Rate per 1000. Males	—	Standard 14·67	†117	–	–	–	–	44·09	3·33	2·22	2·83	3·26	5·30	8·07	13·22	23·92	55·71	150·74
Annual Death-Rate per 1000. Females	—	Population* 13·13	†98	–	–	–	–	36·32	4·21	2·05	2·84	2·60	4·11	6·18	10·65	21·77	52·37	132·18
Mean Population, 1881–91. Persons	Decennial Increase of Population 39·20 per cent.	59,113	1502	1420	1453	1494	1434	7303	6923	6057	5786	5871	9676	7115	4997	3072	1639	674
Mean Population, 1881–91. Males		26,528	747	708	716	747	709	3627	3457	2933	2442	2211	3980	3198	2292	1409	709	270
Mean Population, 1881–91. Females		32,585	755	712	737	747	725	3676	3466	3124	3344	3660	5696	3917	2705	1663	930	404
Deaths from All Causes, 1881–90. Persons	13·05	7,713	1905	559	211	153	106	2934	261	129	164	167	445	500	591	699	882	941
Deaths from All Causes, 1881–90. Males	14·44	3,831	1048	312	106	76	57	1599	115	65	69	72	211	258	303	337	395	407
Deaths from All Causes, 1881–90. Females	11·91	3,882	857	247	105	77	49	1335	146	64	95	95	234	242	288	362	487	534

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·04	0·06	0·01	21	17	4	2	–	–	–	–	2	1	–	6	3	5	3	–	1	–	–
Measles	0·31	0·37	0·27	186	99	87	27	71	31	23	10	162	21	1	–	–	–	2	–	–	–	–
Scarlet Fever	0·14	0·15	0·13	83	40	43	7	10	9	11	11	48	23	2	2	–	5	2	1	–	–	–
Diphtheria	0·17	0·16	0·17	100	43	57	6	8	15	12	9	50	37	8	3	–	2	–	–	–	–	–
Whooping-cough	0·40	0·43	0·38	239	114	125	126	69	21	10	7	233	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	48	23	25	–	–	–	–	–	–	3	4	5	6	14	7	3	6	–	–
Simple Continued Fever	0·01	–	0·02	5	–	5	–	–	–	–	–	–	–	2	1	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·45	0·52	0·40	268	138	130	183	31	1	1	1	217	3	1	1	–	2	2	3	4	12	23
Cholera	0·01	–	0·01	4	–	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1
Cancer	0·43	0·31	0·52	252	83	169	1	–	–	–	–	1	–	1	1	3	5	17	55	76	68	25
Tabes Mesenterica	0·14	0·14	0·14	80	35	45	40	17	4	–	–	61	2	6	6	3	1	1	–	–	–	–
Phthisis	1·12	1·29	0·98	660	342	318	8	10	7	5	1	31	18	15	47	70	169	149	101	46	12	2
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	175	91	84	57	41	14	9	8	129	21	12	4	1	4	2	1	1	–	–
Diseases of Nervous System	1·65	1·91	1·43	973	506	467	251	59	17	14	11	352	20	15	10	13	23	36	68	96	176	164
Diseases of Circulatory „	1·45	1·45	1·45	855	384	471	14	1	1	–	1	17	6	16	15	11	36	71	122	154	215	192
Diseases of Respiratory „	2·35	2·71	2·06	1390	719	671	393	151	64	46	29	683	58	5	7	9	32	48	77	122	173	176
Diseases of Digestive „	0·84	0·89	0·81	499	235	264	113	40	9	6	4	172	10	7	10	11	24	36	55	67	74	33
Diseases of Urinary „	0·32	0·43	0·24	192	115	77	6	4	–	–	1	11	2	3	3	4	15	19	27	41	32	35
Diseases of Generative „	0·03	0·01	0·05	18	2	16	1	–	1	–	–	2	–	–	2	1	1	4	2	3	2	1
Puerperal Fever	0·07	–	0·12	40	–	40	–	–	–	–	–	–	–	–	2	8	26	4	–	–	–	–
Childbirth	0·05	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	1	13	16	–	–	–	–
Violence	0·43	0·70	0·21	256	186	70	34	13	7	6	7	67	6	12	16	10	35	30	25	27	14	14
Other Causes	2·26	2·48	2·07	1338	659	679	633	34	10	10	6	693	24	19	22	13	33	51	50	55	103	275

Marriages - - - 3,247

Births - Males - 8,963; Females - 8,754 — 17,717

Annual Rate per 1000 living: Persons Married 10·99; Births - - 29·97

Deaths from Childbirth and Puerperal Fever - - - - - 4·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

42.—DARTFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·81	†115	–	–	–	–	42·89	6·33	5·17	6·92	7·69	7·95	10·89	15·03	30·36	62·13	156·84
Annual Death-Rate per 1000. Males	—	18·52	†126	–	–	–	–	45·40	6·45	5·07	7·33	8·68	9·00	11·78	16·29	32·94	64·19	154·90
Annual Death-Rate per 1000. Females	—	17·13	†104	–	–	–	–	40·34	6·19	5·28	6·43	6·75	6·95	10·03	13·81	28·00	60·24	158·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 28·57 per cent.	61,069	1724	1564	1609	1591	1610	8098	7649	7120	6100	5330	8747	6729	4982	3379	2073	862
Mean Population, 1881–91. Males		30,790	873	785	825	800	792	4075	3952	3824	3286	2605	4256	3320	2455	1615	994	408
Mean Population, 1881–91. Females		30,279	851	779	784	791	818	4023	3697	3296	2814	2725	4491	3409	2527	1764	1079	454
Deaths from All Causes, 1881–90. Persons	18·01	11,000	2139	652	304	228	150	3473	484	368	422	410	695	733	749	1026	1288	1352
Deaths from All Causes, 1881–90. Males	18·65	5,742	1187	326	155	105	77	1850	255	194	241	226	383	391	400	532	638	632
Deaths from All Causes, 1881–90. Females	17·37	5,258	952	326	149	123	73	1623	229	174	181	184	312	342	349	494	650	720

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	1·32	1·63	1·00	804	501	303	61	25	23	28	12	149	86	79	79	110	159	85	43	8	6	–
Measles	0·29	0·30	0·28	177	93	84	30	59	33	18	12	152	17	5	1	2	–	–	–	–	–	–
Scarlet Fever	0·15	0·14	0·16	90	43	47	6	16	9	14	13	58	19	7	2	2	–	1	1	–	–	–
Diphtheria	0·29	0·24	0·34	179	75	104	7	16	25	29	21	98	54	13	4	5	3	–	2	–	–	–
Whooping-cough	0·29	0·24	0·34	177	74	103	81	43	22	7	7	160	14	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	2	4	–	–	–	–	1	1	–	1	1	–	–	3	–	–	–	–
Enteric Fever	0·15	0·16	0·15	93	48	45	–	–	2	2	2	6	9	23	11	11	14	5	7	3	2	2
Simple Continued Fever	0·03	0·02	0·04	19	7	12	1	2	1	2	–	6	1	1	–	–	–	–	–	2	4	5
Diarrhœa and Dysentery	0·51	0·52	0·51	314	159	155	202	30	5	4	4	245	10	3	5	–	1	4	2	5	11	28
Cholera	0·01	0·02	0·00	8	7	1	6	–	–	–	–	6	–	–	–	–	–	1	1	–	–	–
Cancer	0·52	0·40	0·64	319	124	195	–	–	–	–	–	–	–	1	–	–	12	20	69	83	90	44
Tabes Mesenterica	0·32	0·30	0·35	198	93	105	126	31	10	7	–	174	10	6	4	1	1	1	–	1	–	–
Phthisis	1·35	1·31	1·39	824	403	421	17	11	6	5	4	43	25	32	89	106	193	152	96	66	20	2
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	202	110	92	54	42	14	10	2	122	22	13	11	10	8	10	2	2	2	–
Diseases of Nervous System	2·86	2·93	2·79	1747	903	844	294	80	25	19	14	432	64	61	86	45	66	102	134	229	294	234
Diseases of Circulatory "	1·53	1·46	1·60	935	450	485	9	1	1	2	1	14	11	16	13	17	44	69	100	183	275	193
Diseases of Respiratory "	2·99	3·11	2·86	1823	957	866	388	191	85	50	44	758	74	37	33	19	45	83	103	194	252	225
Diseases of Digestive "	1·03	1·01	1·04	626	310	316	126	57	8	6	3	200	13	13	16	10	28	47	54	98	97	50
Diseases of Urinary "	0·36	0·48	0·24	221	147	74	5	2	3	6	1	17	3	3	2	5	18	24	30	38	46	35
Diseases of Generative "	0·05	0·01	0·09	32	4	28	3	–	–	–	–	3	–	1	1	3	4	3	8	6	2	1
Puerperal Fever	0·06	–	0·13	39	–	39	–	–	–	–	–	–	–	–	–	9	16	14	–	–	–	–
Childbirth	0·07	–	0·14	42	–	42	–	–	–	–	–	–	–	–	1	9	14	18	–	–	–	–
Violence	0·62	0·94	0·29	379	290	89	40	10	18	9	6	83	12	13	26	29	43	40	46	43	25	19
Other Causes	2·87	3·06	2·68	1746	942	804	683	36	14	10	3	746	40	37	37	17	26	51	51	65	162	514

Marriages - - - 3,240

Births - { Males - 9,453 / Females - 9,177 } 18,630

Annual Rate per 1000 living { Persons Married 10·61 / Births - - 30·51 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

43.—GRAVESEND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 18·29			†126	–	–	–	–	56·14	4·99	2·51	3·41	4·52	7·57	10·88	18·30	29·02	57·61	145·88
Males	—			19·61			†132	–	–	–	–	60·06	4·32	2·81	3·71	3·84	8·77	13·00	21·17	32·59	66·30	147·40
Females	—			17·04			†119	–	–	–	–	52·14	5·69	2·21	3·16	5·20	6·30	8·82	15·63	26·00	51·39	144·87
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·46 per cent.			23,589			577	534	562	542	530	2745	2567	2552	2579	2280	3555	2729	1951	1382	861	388
Males				11,576			292	275	280	276	264	1387	1319	1283	1186	1145	1825	1346	940	632	359	154
Females				12,013			285	259	282	266	266	1358	1248	1269	1393	1135	1730	1383	1011	750	502	234
Deaths from All Causes, 1881–90. Persons	18·27			4,310			904	339	139	96	63	1541	128	64	88	103	269	297	357	401	496	566
Males	19·17			2,219			488	186	75	50	34	833	57	36	44	44	160	175	199	206	238	227
Females	17·41			2,091			416	153	64	46	29	708	71	28	44	59	109	122	158	195	258	339
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·02	0·03	6	2	4	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–
Measles	0·33	0·36	0·31	79	42	37	16	24	18	12	6	76	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·37	0·38	0·37	88	44	44	3	12	15	16	15	61	24	2	–	–	1	–	–	–	–	–
Diphtheria	0·20	0·20	0·20	47	23	24	5	7	11	5	6	34	8	3	–	–	1	1	–	–	–	–
Whooping-cough	0·59	0·54	0·64	140	63	77	64	53	12	5	3	137	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·11	0·12	0·11	27	14	13	–	–	–	1	–	1	2	3	3	2	5	4	5	1	1	–
Simple Continued Fever	0·03	0·04	0·01	6	5	1	–	–	2	–	–	2	1	–	–	–	1	–	–	1	1	–
Diarrhœa and Dysentery	0·64	0·67	0·61	151	78	73	101	26	3	1	–	131	–	–	1	–	–	–	–	–	8	11
Cholera	0·01	–	0·02	2	–	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·56	1·00	185	65	120	–	–	–	–	1	1	1	–	–	1	7	11	35	55	48	26
Tabes Mesenterica	0·19	0·19	0·19	45	22	23	25	8	2	2	1	38	5	–	1	–	–	–	1	–	–	–
Phthisis	1·75	1·99	1·52	412	230	182	8	5	2	2	2	19	8	12	29	36	114	81	54	43	12	4
Other Tub. & Scrof. Dis.	0·37	0·36	0·37	87	42	45	26	14	9	9	6	64	13	1	1	3	–	2	3	–	–	–
Diseases of Nervous System	2·10	2·07	2·13	495	239	256	111	27	12	8	3	161	12	5	5	6	12	25	41	56	91	81
Circulatory „	1·56	1·52	1·59	367	176	191	1	1	1	–	1	4	1	4	5	6	17	39	54	70	91	76
Respiratory „	3·29	3·55	3·05	777	411	366	181	108	41	25	12	367	17	3	3	5	16	47	46	73	97	103
Digestive „	1·15	1·18	1·12	271	137	134	45	26	3	3	–	77	5	8	8	7	6	17	31	30	54	28
Urinary „	0·51	0·57	0·46	121	66	55	2	1	1	1	2	7	2	2	–	2	7	10	25	22	19	25
Generative „	0·05	0·01	0·09	12	1	11	–	–	–	–	–	–	–	–	1	–	–	4	4	–	2	1
Puerperal Fever	0·07	–	0·14	17	–	17	–	–	–	–	–	–	–	–	1	5	7	4	–	–	–	–
Childbirth	0·04	–	0·07	9	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Violence	0·98	1·59	0·38	230	184	46	21	6	2	5	2	36	9	15	16	14	42	30	25	17	13	13
Other Causes	3·12	3·24	3·00	735	374	361	294	20	5	1	3	323	14	5	14	14	26	18	31	33	59	198

Marriages - - - 1,817

Births - { Males - 3,693 / Females - 3,487 } 7,180

Annual Rate per 1000 living { Persons Married 15·41 / Births - - 30·44 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

44.—STROOD.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·84	†140	–	–	–	–	53·67	5·15	2·77	4·01	5·13	6·10	9·17	12·55	27·22	53·31	135·99
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·87	†161	–	–	–	–	60·81	4·88	2·96	3·93	4·61	5·88	8·77	14·34	31·31	52·31	144·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·86	†118	–	–	–	–	46·69	5·43	2·57	4·12	5·82	6·35	9·64	10·47	22·99	54·27	129·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 30·40 per cent.	31,594	961	886	922	882	895	4546	4078	3580	2945	2710	4544	3567	2622	1620	968	414
Mean Population, 1881–91. Males	Decennial Increase of Population 30·40 per cent.	16,679	480	426	459	446	437	2248	2071	1789	1730	1541	2465	1938	1409	824	476	188
Mean Population, 1881–91. Females	Decennial Increase of Population 30·40 per cent.	14,915	481	460	463	436	458	2298	2007	1791	1215	1169	2079	1629	1213	796	492	226
Deaths from All Causes, 1881–90. Persons	17·28	5,459	1600	453	174	132	81	2440	210	99	118	139	277	327	329	441	516	563
Deaths from All Causes, 1881–90. Males	17·72	2,955	944	232	72	75	44	1367	101	53	68	71	145	170	202	258	249	271
Deaths from All Causes, 1881–90. Females	16·79	2,504	656	221	102	57	37	1073	109	46	50	68	132	157	127	183	267	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·07	0·08	0·05	21	14	7	2	–	1	–	–	3	1	–	2	–	6	5	2	2	–	–
Measles	0·39	0·37	0·42	124	61	63	20	44	23	17	5	109	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·22	0·32	83	36	47	3	15	8	21	8	55	21	5	1	–	1	–	–	–	–	–
Diphtheria	0·27	0·24	0·31	86	40	46	9	6	10	13	14	52	25	4	2	1	–	1	–	1	–	–
Whooping-cough	0·48	0·36	0·61	151	60	91	66	49	14	9	7	145	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·19	0·13	52	32	20	1	–	–	1	–	2	7	6	4	6	10	7	3	6	1	–
Simple Continued Fever	0·02	0·02	0·02	7	4	3	1	–	1	–	–	2	–	–	–	1	–	1	–	2	1	–
Diarrhœa and Dysentery	0·62	0·67	0·56	195	112	83	136	22	4	1	–	163	3	1	–	–	1	1	1	3	13	9
Cholera	0·09	0·11	0·07	30	19	11	23	3	1	–	–	27	1	–	–	–	1	–	–	1	–	–
Cancer	0·53	0·30	0·78	167	50	117	–	–	–	1	–	1	–	1	–	–	7	20	36	51	29	22
Tabes Mesenterica	0·35	0·41	0·29	111	68	43	69	22	9	3	4	107	2	–	1	1	–	–	–	–	–	–
Phthisis	1·28	1·18	1·40	405	196	209	18	9	8	1	2	38	16	14	30	46	95	74	55	26	10	1
Other Tub. & Scrof. Dis.	0·32	0·37	0·27	102	61	41	30	25	9	9	3	76	15	4	1	2	2	–	2	–	–	–
Diseases of Nervous System	2·13	2·21	2·04	673	369	304	268	50	18	5	5	346	18	12	7	9	14	23	33	58	89	64
Diseases of Circulatory „	1·23	1·21	1·25	389	202	187	1	–	–	–	–	1	7	7	15	9	19	44	55	73	93	66
Diseases of Respiratory „	3·35	3·51	3·16	1057	585	472	323	149	47	39	24	582	38	2	4	14	16	38	37	88	121	117
Diseases of Digestive „	0·94	0·98	0·90	297	163	134	77	33	8	4	2	124	3	5	5	7	12	19	32	38	34	18
Diseases of Urinary „	0·27	0·36	0·17	86	60	26	2	–	1	–	1	4	1	2	1	1	2	11	10	20	24	10
Diseases of Generative „	0·05	–	0·10	15	–	15	–	1	–	–	–	1	–	–	–	1	1	4	2	2	3	1
Puerperal Fever	0·10	–	0·21	31	–	31	–	–	–	–	–	–	–	–	2	4	18	7	–	–	–	–
Childbirth	0·06	–	0·13	19	–	19	–	–	–	–	–	–	–	–	2	2	8	7	–	–	–	–
Violence	1·04	1·67	0·33	328	279	49	27	5	6	3	5	46	12	21	35	29	49	42	34	30	16	14
Other Causes	3·26	3·26	3·25	1027	544	483	524	20	6	5	1	556	18	13	6	6	15	23	27	40	82	241

Marriages - - - 2,205

Births - { Males - 5,871 / Females - 5,536 } 11,407

Annual Rate per 1000 living { Persons Married 13·96 / Births - - 36·10 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births. ‡ Prior to 26th December 1884 this District was known as North Aylesford.

45.—HOO.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·36	†114	–	–	–	–	44·40	5·06	4·46	6·71	3·48	5·24	10·00	14·51	17·62	50·42	141·51
Annual Death-Rate per 1000. Males	—			In Standard Population*		16·45	†128	–	–	–	–	47·58	5·79	4·66	6·22	3·05	5·50	11·02	17·49	17·74	53·03	161·54
Annual Death-Rate per 1000. Females	—			In Standard Population*		14·34	†100	–	–	–	–	41·09	4·26	4·26	7·50	4·07	4·88	8·43	10·64	17·44	47·17	122·22
Mean Population, 1881-91. Persons	Decennial Increase of Population 12·17 per cent.			3,624			114	102	101	111	99	527	494	381	313	287	496	420	324	210	119	53
Mean Population, 1881-91. Males				2,022			63	51	50	56	49	269	259	193	193	164	291	254	183	124	66	26
Mean Population, 1881-91. Females				1,602			51	51	51	55	50	258	235	188	120	123	205	166	141	86	53	27
Deaths from All Causes, 1881-90. Persons	16·39			594			156	37	18	7	16	234	25	17	21	10	26	42	47	37	60	75
Deaths from All Causes, 1881-90. Males	17·01			344			88	21	6	3	10	128	15	9	12	5	16	28	32	22	35	42
Deaths from All Causes, 1881-90. Females	15·61			250			68	16	12	4	6	106	10	8	9	5	10	14	15	15	25	33
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·41	0·30	0·56	15	6	9	4	5	2	–	2	13	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	–	0·12	2	–	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·36	0·30	0·44	13	6	7	1	–	1	2	2	6	4	3	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·10	0·25	6	2	4	1	3	1	1	–	6	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·12	4	2	2	–	–	1	–	–	1	1	–	–	1	–	–	1	–	–	–
Simple Continued Fever	0·03	–	0·06	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·63	0·64	0·62	23	13	10	16	1	2	–	–	19	–	–	–	–	–	–	–	–	2	2
Cholera	0·03	–	0·06	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·52	0·30	0·81	19	6	13	–	–	–	–	–	–	–	–	–	–	–	2	2	5	8	2
Tabes Mesenterica	0·03	0·10	–	2	2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·30	1·14	1·50	47	23	24	1	1	2	–	–	4	–	2	3	2	11	7	10	3	4	1
Other Tub. & Scrof. Dis.	0·19	0·20	0·19	7	4	3	3	1	–	–	–	4	3	–	–	–	–	–	–	–	–	–
Diseases of Nervous System	2·26	2·32	2·18	82	47	35	39	8	1	1	3	52	1	2	–	2	–	3	3	5	5	9
Diseases of Circulatory „	1·24	1·34	1·12	45	27	18	1	–	–	–	–	1	–	3	4	–	1	3	7	9	12	5
Diseases of Respiratory „	2·70	3·12	2·18	98	63	35	22	8	5	3	6	44	6	–	3	1	5	5	10	8	9	7
Diseases of Digestive „	0·72	0·99	0·37	26	20	6	8	1	2	–	1	12	2	–	–	1	1	2	–	2	4	2
Diseases of Urinary „	0·22	0·25	0·19	8	5	3	–	–	–	–	–	–	1	–	–	1	1	2	2	–	–	1
Diseases of Generative „	0·08	–	0·19	3	–	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1
Puerperal Fever	0·08	–	0·19	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Childbirth	0·14	–	0·31	5	–	5	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–
Violence	1·49	2·37	0·37	54	48	6	2	5	–	–	2	9	3	4	9	1	6	7	9	3	2	1
Other Causes	3·59	3·44	3·78	130	70	60	57	2	1	–	–	60	1	2	2	–	–	4	2	2	13	44

Marriages - - - 246

Births - { Males - 690, Females - 677 } 1,367

Annual Rate per 1000 living { Persons Married 13·58, Births - - 37·72 }

Deaths from Childbirth and Puerperal Fever - - - } 5·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

46.—MEDWAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·88	†130	–	–	–	–	52·66	5·44	2·75	4·91	5·37	6·47	10·67	16·84	29·62	59·91	143·53
Annual Death-Rate per 1000. Males	—	18·84	†142	–	–	–	–	57·70	5·15	2·70	5·08	5·43	6·28	11·17	19·61	32·49	63·99	142·39
Annual Death-Rate per 1000. Females	—	16·98	†117	–	–	–	–	47·77	5·72	2·79	4·72	5·28	6·71	10·10	13·8[illegible]	26·84	56·26	144·47
Mean Population, 1881–91. Persons	Decennial Increase of Population 22·17 per cent.	68,476	1827	1723	1705	1730	1749	8734	7983	6918	6556	7037	10844	8050	5723	3680	2078	873
Mean Population, 1881–91. Males		35,774	899	827	856	858	860	4300	3979	3411	3505	4196	5926	4287	2983	1810	983	394
Mean Population, 1881–91. Females		32,702	928	896	849	872	889	4434	4004	3507	3051	2841	4018	3763	2740	1870	1095	479
Deaths from All Causes, 1881–90. Persons	17·58	12,036	2913	872	371	254	189	4599	434	190	222	378	702	859	964	1090	1245	1253
Deaths from All Causes, 1881–90. Males	17·88	6,398	1623	443	196	127	92	2481	205	92	178	228	372	479	585	588	629	561
Deaths from All Causes, 1881–90. Females	17·24	5,638	1290	429	175	127	97	2118	229	98	144	150	330	380	379	502	616	692

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·03	0·03	0·02	19	12	7	3	–	1	–	–	4	1	–	2	1	2	8	–	1	–	–
Measles	0·24	0·25	0·23	165	89	76	22	70	28	11	11	142	19	1	–	2	1	–	–	–	–	–
Scarlet Fever	0·35	0·30	0·41	240	107	133	12	25	43	35	34	149	67	10	2	4	6	1	1	–	–	–
Diphtheria	0·26	0·25	0·27	178	89	89	4	17	23	33	25	102	58	7	4	2	2	2	–	–	–	1
Whooping-cough	0·39	0·33	0·46	268	118	150	132	70	32	14	10	258	9	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Enteric Fever	0·17	0·17	0·17	115	60	55	–	–	4	4	1	9	15	12	28	15	18	7	4	3	4	–
Simple Continued Fever	0·03	0·03	0·02	18	10	8	–	2	1	1	1	5	2	1	2	–	1	3	–	1	3	–
Diarrhœa and Dysentery	0·54	0·53	0·55	370	190	180	258	52	9	4	1	324	6	–	–	1	3	6	4	9	8	9
Cholera	0·03	0·02	0·04	20	6	14	13	2	–	–	–	15	–	–	–	2	1	–	1	–	1	–
Cancer	0·59	0·39	0·80	401	138	263	–	–	–	–	–	–	–	–	3	2	12	43	103	125	87	26
Tabes Mesenterica	0·33	0·30	0·37	226	106	120	113	54	6	8	4	185	18	9	3	3	3	2	2	–	1	–
Phthisis	1·81	1·94	1·67	1241	696	545	28	24	14	6	7	79	30	40	107	129	279	267	195	83	29	3
Other Tub. & Scrof. Dis.	0·51	0·55	0·46	348	196	152	125	62	31	22	17	257	30	17	8	13	9	6	4	4	–	–
Diseases of Nervous System	2·33	2·45	2·17	1588	877	711	483	114	43	30	16	686	50	15	23	29	41	68	106	173	228	169
Diseases of Circulatory „	1·44	1·48	1·40	987	530	457	9	–	–	2	4	15	10	23	28	24	61	108	167	223	211	117
Diseases of Respiratory „	2·67	2·81	2·52	1830	1007	823	411	258	85	54	40	848	40	4	22	41	59	98	130	187	226	166
Diseases of Digestive „	1·10	1·11	1·10	756	397	359	198	49	17	7	4	275	19	7	16	25	43	55	77	103	94	42
Diseases of Urinary „	0·40	0·52	0·28	277	185	92	3	1	7	2	3	16	9	6	5	7	25	35	40	46	60	28
Diseases of Generative „	0·04	0·01	0·08	30	3	27	–	1	–	–	–	1	–	–	2	–	6	5	6	5	2	3
Puerperal Fever	0·06	–	0·13	43	–	43	–	–	–	–	–	–	–	–	2	5	15	21	–	–	–	–
Childbirth	0·05	–	0·10	34	–	34	–	–	–	–	–	–	–	–	2	6	16	10	–	–	–	–
Violence	0·63	0·91	0·33	431	324	107	29	19	15	11	4	78	23	16	35	41	44	57	44	40	30	23
Other Causes	3·58	3·49	3·66	2448*	1255	1193	1070	52	12	10	7	1151	19	21	28	26	54	57	78	87	261	666

Marriages - - - 5,558

Births - { Males - 11,409 / Females - 11,020 } 22,429

Annual Rate per 1000 living { Persons Married 16·23 / Births - - 32·75

Deaths from Childbirth and Puerperal Fever - - - - - } 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

47.—MALLING

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·14	†114	–	–	–	–	41·33	4·92	2·21	3·90	4·69	7·28	8·77	12·74	22·56	54·12	147·05
Annual Death-Rate per 1000. Males	—	15·87	†129	–	–	–	–	45·50	5·62	1·98	3·13	4·56	7·14	9·56	14·30	22·10	60·08	154·74
Annual Death-Rate per 1000. Females	—	14·46	†98	–	–	–	–	37·22	4·22	2·45	4·87	4·84	7·41	7·98	11·16	23·04	48·08	139·11
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·36 per cent.	27,114	773	761	740	799	755	3828	3577	3167	2515	2110	3587	2952	2285	1640	996	457
Mean Population, 1881–91. Males		13,790	389	359	374	401	376	1899	1778	1614	1407	1097	1792	1486	1147	837	501	232
Mean Population, 1881–91. Females		13,324	384	402	366	398	379	1929	1799	1553	1108	1013	1795	1466	1138	803	495	225
Deaths from All Causes, 1881–90. Persons	16·29	4,417	1043	261	121	93	64	1582	176	70	98	99	261	259	291	370	539	672
Deaths from All Causes, 1881–90. Males	17·18	2,369	598	135	55	45	31	864	100	32	44	50	128	142	164	185	301	359
Deaths from All Causes, 1881–90. Females	15·37	2,048	445	126	66	48	33	718	76	38	54	49	133	117	127	185	238	313

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·02	6	4	2	–	–	–	–	–	–	1	–	4	1	–	–	–	–
Measles	0·17	0·17	0·17	46	24	22	10	14	9	5	2	40	5	–	–	1	–	–	–	–
Scarlet Fever	0·11	0·12	0·10	29	16	13	3	3	2	6	3	17	10	–	–	1	–	1	–	–
Diphtheria	0·27	0·27	0·27	73	37	36	2	3	7	12	7	31	27	7	1	2	2	1	1	1
Whooping-cough	0·31	0·28	0·33	83	39	44	43	18	12	3	5	81	2	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·20	0·22	0·19	55	30	25	–	1	2	2	–	5	9	5	4	11	11	2	5	3
Simple Continued Fever	0·02	0·02	0·02	6	3	3	1	1	–	–	–	2	–	1	1	–	–	–	1	1
Diarrhœa and Dysentery	0·37	0·44	0·30	100	60	40	68	8	2	1	2	81	–	–	–	–	–	1	–	4
Cholera	0·04	0·04	0·04	11	6	5	6	1	1	–	–	8	–	–	–	–	–	1	1	–
Cancer	0·61	0·43	0·80	166	59	107	–	–	–	–	–	–	–	–	–	–	3	13	36	47
Tabes Mesenterica	0·21	0·22	0·22	59	30	29	36	9	4	–	1	50	2	3	2	2	–	–	–	–
Phthisis	1·30	1·33	1·26	352	184	168	8	3	3	2	–	16	9	12	29	38	95	75	47	19
Other Tub. & Scrof. Dis.	0·47	0·53	0·41	127	73	54	33	24	10	7	9	83	15	5	9	2	3	5	3	1
Diseases of Nervous System	2·32	2·46	2·18	629	339	290	162	33	11	9	5	220	28	7	7	5	20	21	34	56
Diseases of Circulatory „	1·55	1·60	1·51	421	220	201	4	2	–	1	1	8	4	8	7	10	24	36	51	79
Diseases of Respiratory „	3·17	3·53	2·81	860	486	374	246	106	39	34	16	441	35	4	7	7	12	26	40	64
Diseases of Digestive „	0·99	1·07	0·92	269	147	122	72	16	7	1	1	97	10	3	5	–	16	14	20	26
Diseases of Urinary „	0·39	0·54	0·24	106	74	32	2	2	1	–	3	8	3	–	3	1	6	9	13	19
Diseases of Generative „	0·05	0·01	0·09	14	2	12	–	–	–	–	–	–	–	–	–	1	1	3	5	1
Puerperal Fever	0·09	–	0·18	24	–	24	–	–	–	–	–	–	–	–	–	5	11	7	1	–
Childbirth	0·07	–	0·14	18	–	18	–	–	–	–	–	–	–	–	–	2	8	8	–	–
Violence	0·62	0·91	0·31	167	126	41	9	4	7	4	5	29	9	7	9	6	22	17	19	22
Other Causes	2·93	2·95	2·85	793	408	385	338	13	4	6	4	365	7	8	12	6	21	18	14	27

	75 and upwds.
Diseases of Nervous System	123
Diseases of Circulatory „	81
Diseases of Respiratory „	110
Diseases of Digestive „	33
Diseases of Urinary „	21
Diseases of Generative „	1
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	256

Marriages - - - 1,528

Births - { Males - 4,644 / Females - 4,525 } 9,169

Annual Rate per 1000 living { Persons Married 11·27 / Births - - 33·82 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·70			†91	–	–	–	–	33·59	3·77	2·65	4·05	5·15	5·36	8·20	12·07	24·19	52·19	143·43
Annual Death-Rate per 1000. Males	—			13·99			†99	–	–	–	–	36·26	3·33	2·26	3·45	4·22	5·79	8·14	12·23	26·93	58·19	146·96
Annual Death-Rate per 1000. Females	—			13·43			†82	–	–	–	–	30·99	4·23	3·02	4·66	5·95	4·99	8·26	11·91	21·45	46·76	140·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·32 per cent.			28,593			703	707	727	715	723	3575	3498	3289	2666	2351	4011	3292	2502	1790	1117	502
Mean Population, 1881–91. Males				13,937			351	357	361	357	342	1768	1774	1634	1335	1090	1865	1572	1226	895	531	247
Mean Population, 1881–91. Females				14,656			352	350	366	358	381	1807	1724	1655	1331	1261	2146	1720	1276	895	586	255
Deaths from All Causes, 1881–90. Persons	14·59			4,172			756	242	76	77	50	1201	132	87	108	121	215	270	302	433	583	720
Deaths from All Causes, 1881–90. Males	15·27			2,128			424	122	34	34	27	641	59	37	46	46	108	128	150	241	309	363
Deaths from All Causes, 1881–90. Females	13·95			2,044			332	120	42	43	23	560	73	50	62	75	107	142	152	192	274	357
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·09	0·01	15	13	2	1	–	–	–	–	1	–	–	–	–	3	4	1	3	2	1
Measles	0·28	0·29	0·28	81	40	41	11	28	15	7	6	67	12	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	26	10	16	3	2	2	2	2	11	9	3	–	2	–	1	–	–	–	–
Diphtheria	0·19	0·16	0·21	53	22	31	2	5	8	3	6	24	15	8	1	1	–	1	1	–	1	1
Whooping-cough	0·29	0·27	0·31	83	37	46	35	26	6	8	2	77	5	–	–	–	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·06	0·08	21	9	12	–	–	–	1	–	1	2	2	4	2	3	4	1	1	1	–
Simple Continued Fever	0·02	0·03	0·02	7	4	3	–	–	1	–	1	2	–	1	–	–	1	1	1	–	1	–
Diarrhœa and Dysentery	0·34	0·42	0·27	97	58	39	55	15	–	3	1	74	–	–	–	2	–	1	1	3	9	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·52	0·76	185	73	112	–	–	–	1	–	1	–	1	–	–	5	19	30	50	53	26
Tabes Mesenterica	0·12	0·14	0·11	35	19	16	11	4	5	1	–	21	6	2	2	2	–	2	–	–	–	–
Phthisis	1·47	1·51	1·42	419	211	208	6	6	1	3	1	17	6	18	37	53	92	73	69	41	11	2
Other Tub. & Scrof. Dis.	0·40	0·47	0·33	114	65	49	20	21	5	7	5	58	20	10	6	7	3	1	2	5	2	–
Diseases of Nervous System	2·06	2·12	2·01	590	296	294	119	35	8	14	5	181	10	8	16	8	18	34	35	66	111	103
Diseases of Circulatory „	1·57	1·49	1·64	448	207	241	2	–	2	–	–	4	5	9	7	5	14	30	50	84	125	115
Diseases of Respiratory „	2·15	2·45	1·87	616	342	274	141	65	11	17	13	247	14	4	7	6	9	24	33	59	94	119
Diseases of Digestive „	0·88	0·83	0·93	252	115	137	48	12	2	1	4	67	9	3	5	7	3	12	27	39	56	24
Diseases of Urinary „	0·40	0·55	0·25	113	77	36	–	–	1	–	–	1	–	1	–	2	8	9	16	22	22	32
Diseases of Generative „	0·07	0·01	0·13	20	1	19	–	–	–	–	2	2	–	–	–	1	4	4	5	1	–	3
Puerperal Fever	0·09	–	0·17	25	–	25	–	–	–	–	–	–	–	–	1	4	12	8	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	6	7	4	–	–	–	–
Violence	0·47	0·68	0·27	134	95	39	11	8	3	7	1	30	6	3	5	4	13	16	13	17	12	15
Other Causes	2·87	3·11	2·65	821	434	387	291	15	6	2	1	315	13	14	17	8	18	22	17	42	83	272

Marriages - - - 1,549

Births - Males 4,266, Females 4,037 — 8,303

Annual Rate per 1000 living: Persons Married 10·83; Births - - 29·04

Deaths from Childbirth and Puerperal Fever - - - - - 5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

49.—TUNBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·53	†100	–	–	–	–	35·88	3·69	2·66	3·64	5·10	6·15	9·67	13·01	24·16	56·33	146·69
Males	—	15·27	†110	–	–	–	–	39·56	3·87	2·23	2·74	5·86	6·31	10·79	15·56	26·44	60·17	148·46
Females	—	13·83	†89	–	–	–	–	32·17	3·51	3·09	4·45	4·58	6·04	8·80	11·10	22·40	53·23	145·35
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·30 per cent.	54,933	1340	1279	1319	1322	1332	6592	6451	6209	5502	4649	7739	6236	4936	3556	2157	906
Males		25,178	657	637	659	689	667	3309	3207	3139	2623	1876	3283	2725	2115	1547	964	390
Females		29,755	683	642	660	633	665	3283	3244	3070	2879	2773	4456	3511	2821	2009	1193	516
Deaths from all Causes, 1881–90. Persons	15·16	8,329	1519	482	162	104	98	2365	238	165	200	237	476	603	642	859	1215	1329
Males	16·22	4,083	855	260	85	56	53	1309	124	70	72	110	207	294	329	409	580	579
Females	14·27	4,246	664	222	77	48	45	1056	114	95	128	127	269	309	313	450	635	750
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·01	0·01	0·01	6	3	3	–	1	–	–	–	–	2	1	1	1	–	–
Measles	0·20	0·21	0·19	112	54	58	26	38	14	9	9	96	11	2	–	–	1	–	2	–	–	–
Scarlet Fever	0·06	0·05	0·07	32	12	20	2	5	5	2	6	20	7	3	2	–	–	–	–	–	–	–
Diphtheria	0·22	0·22	0·21	119	56	63	3	4	13	9	17	46	57	11	2	–	–	–	2	–	–	1	–
Whooping-cough	0·26	0·23	0·24	141	70	71	73	46	12	4	2	137	4	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·11	57	24	33	1	–	–	–	1	2	7	14	7	2	9	9	3	3	1	–
Simple Continued Fever	0·02	0·02	0·02	9	4	5	–	–	–	–	1	1	3	1	2	–	2	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·44	0·35	216	112	104	129	21	7	2	–	159	3	2	–	–	–	1	6	4	13	28
Cholera	0·02	0·03	0·01	10	7	3	1	3	–	–	–	4	–	–	–	–	–	1	1	1	2	1
Cancer	0·78	0·60	0·92	426	152	274	–	1	–	–	1	2	1	2	2	1	12	39	87	121	97	62
Tabes Mesenterica	0·20	0·18	0·22	112	46	66	51	20	6	2	1	80	7	9	5	–	6	2	2	–	–	1
Phthisis	1·62	1·68	1·57	891	424	467	13	12	1	1	2	29	17	27	92	108	209	192	123	60	26	8
Other Tub. & Scrof. Dis.	0·40	0·40	0·39	217	100	117	62	39	14	12	18	145	20	13	11	9	14	2	1	2	–	–
Diseases of Nervous System	1·94	2·08	1·82	1066	523	543	176	65	18	8	13	280	17	15	17	9	32	43	75	134	247	197
Circulatory "	1·76	1·88	1·65	964	473	491	6	1	3	1	–	11	13	13	9	20	30	66	93	191	297	221
Respiratory "	2·44	2·63	2·28	1340	663	677	306	148	41	31	15	541	30	12	7	11	39	59	65	109	187	280
Digestive "	0·95	1·00	0·91	523	251	272	98	35	9	2	3	147	11	8	5	12	20	31	51	79	84	75
Urinary "	0·63	0·80	0·48	344	201	143	4	2	3	3	2	14	3	5	2	8	17	37	37	59	97	65
Generative "	0·07	0·00	0·12	37	1	36	–	–	–	–	–	–	–	–	1	3	5	9	5	8	4	2
Puerperal Fever	0·07	–	0·12	37	–	37	–	–	–	–	–	–	–	–	3	7	13	13	1	–	–	–
Childbirth	0·04	–	0·08	23	–	23	–	–	–	–	–	–	–	–	–	3	11	9	–	–	–	–
Violence	0·45	0·69	0·25	249	175	74	19	10	6	8	4	47	9	7	14	16	24	24	31	27	27	23
Other Causes	2·53	2·92	2·25	1398	732	666	549	31	10	10	3	603	18	21	19	28	30	63	58	60	132	366

Marriages - - - 3,650

Births - { Males - 7,739 / Females - 7,460 } 15,199

Annual Rate per 1000 living { Persons Married 13·29 / Births - - 27·67 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

50.—MAIDSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·12	†125	–	–	–	–	48·10	5·13	3·27	4·98	6·76	9·50	14·50	19·69	32·77	64·80	155·10
Males	—	20·19	†134	–	–	–	–	52·20	4·92	3·33	4·60	7·41	10·44	16·80	21·22	34·99	71·50	155·50
Females	—	18·11	†116	–	–	–	–	44·13	5·34	3·21	5·39	6·17	8·66	12·39	18·31	30·80	59·08	154·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·51 per cent.	46,572	1156	1121	1160	1138	1205	5780	5554	5167	4419	3830	6549	5407	4123	3052	1858	833
Males		22,560	569	554	573	550	595	2841	2785	2521	2304	1821	3075	2583	1960	1432	856	382
Females		24,012	587	567	587	588	610	2939	2769	2646	2115	2009	3474	2824	2163	1620	1002	451
Deaths from All Causes, 1881–90. Persons	20·24	9,427	1814	544	197	131	94	2780	285	169	220	259	622	784	812	1000	1204	1292
Males	21·38	4,823	980	285	109	65	44	1483	137	84	106	135	321	434	416	501	612	594
Females	19·17	4,604	834	259	88	66	50	1297	148	85	114	124	301	350	396	499	592	698

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·05	0·05	0·04	22	12	10	2	2	–	1	–	5	2	–	4	2	5	3
Measles	0·26	0·29	0·23	120	65	55	19	52	14	12	9	106	12	2	–	–	–	–
Scarlet Fever	0·08	0·10	0·07	38	22	16	–	3	9	4	3	19	13	4	–	–	1	–
Diphtheria	0·25	0·20	0·30	117	44	73	3	4	9	18	20	54	44	11	2	2	1	1
Whooping-cough	0·42	0·39	0·45	196	87	109	90	60	19	15	7	191	5	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·13	54	23	31	–	–	–	2	3	5	6	3	8	9	12	3
Simple Continued Fever	0·02	0·01	0·02	7	3	4	1	–	1	–	–	2	3	–	–	–	–	–
Diarrhœa and Dysentery	0·55	0·62	0·47	254	140	114	174	33	6	1	1	215	2	–	–	–	1	5
Cholera	0·01	–	0·01	3	–	3	2	–	–	1	–	3	–	–	–	–	–	–
Cancer	0·78	0·55	0·99	362	125	237	1	–	–	–	–	1	–	–	3	3	8	36
Tabes Mesenterica	0·24	0·18	0·30	112	40	72	54	16	6	1	3	80	6	5	6	4	1	5
Phthisis	2·20	2·16	2·23	1024	488	536	13	14	3	3	2	35	25	26	82	113	235	197
Other Tub. & Scrof. Dis.	0·47	0·54	0·40	217	121	96	57	34	18	15	11	135	27	17	10	5	9	5
Diseases of Nervous System	3·64	4·31	3·01	1694	971	723	255	67	22	10	5	359	21	34	27	21	100	209
Circulatory „	1·96	1·91	2·01	913	430	483	5	1	3	1	1	11	9	10	13	10	56	82
Respiratory „	3·02	3·10	2·94	1407	700	707	311	175	67	32	20	605	48	11	9	17	52	60
Digestive „	1·06	1·14	0·99	494	257	237	100	30	4	–	1	135	8	8	8	10	22	39
Urinary „	0·53	0·71	0·37	249	160	89	1	1	–	–	3	5	7	1	4	3	10	23
Generative „	0·06	0·00	0·12	29	1	28	–	1	–	–	–	1	–	–	1	1	5	9
Puerperal Fever	0·09	–	0·17	42	–	42	–	–	–	–	–	–	–	–	2	13	21	6
Childbirth	0·05	–	0·09	21	–	21	–	–	–	–	–	–	–	–	1	2	9	9
Violence	0·72	1·15	0·31	335	260	75	28	10	3	8	3	52	25	15	19	26	36	45
Other Causes	3·66	3·87	3·52	1717	874	843	698	41	13	7	2	761	22	22	21	18	38	47

	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	4	2	5	3	1	–	–
Measles	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	1	–	1	–	–	–
Diphtheria	2	2	1	1	–	2	–	–
Whooping-cough	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–
Enteric Fever	8	9	12	3	3	3	2	–
Simple Continued Fever	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	–	–	1	5	1	6	12	12
Cholera	–	–	–	–	–	–	–	–
Cancer	3	3	8	36	68	108	89	46
Tabes Mesenterica	6	4	1	5	3	1	1	–
Phthisis	82	113	235	197	143	92	65	11
Other Tub. & Scrof. Dis.	10	5	9	5	4	3	1	1
Nervous System	27	21	100	209	220	204	281	218
Circulatory	13	10	56	82	114	201	242	165
Respiratory	9	17	52	60	71	139	184	211
Digestive	8	10	22	39	54	74	76	60
Urinary	4	3	10	23	39	52	72	33
Generative	1	1	5	9	5	3	4	–
Puerperal Fever	2	13	21	6	–	–	–	–
Childbirth	1	2	9	9	–	–	–	–
Violence	19	26	36	45	35	32	31	19
Other Causes	21	18	38	47	50	79	144	515

Marriages - - - 3,370

Births - { Males - 7,322 / Females - 7,208 } 14,530

Annual Rate per 1000 living { Persons Married 14·47 / Births 31·20

Deaths from Childbirth and Puerperal Fever - - - - - - 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

51.—HOLLINGBURN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·95		†100	–	–	–	–	35·59	4·98	2·31	4·04	5·96	5·80	7·47	11·87	21·58	55·23	135·55
Males	—				14·59		†114	–	–	–	–	42·29	4·87	1·78	2·38	5·11	7·05	6·99	11·20	23·63	62·35	129·11
Females	—				13·35		†85	–	–	–	–	29·02	5·09	2·90	5·93	6·78	4·60	7·95	12·54	19·37	47·06	142·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·17 per cent.			13,679			321	343	343	365	342	1714	1707	1602	1338	1040	1742	1405	1222	987	621	301
Males				6,927			167	165	162	175	180	849	842	843	714	509	851	701	616	512	332	158
Females				6,752			154	178	181	190	162	865	865	759	624	531	891	704	606	475	289	143
Deaths from All Causes, 1881–90. Persons	15·81			2,163			414	105	35	32	24	610	85	37	54	62	101	105	145	213	343	408
Males	16·86			1,168			245	59	25	19	11	359	41	15	17	26	60	49	69	121	207	204
Females	14·74			995			169	46	10	13	13	251	44	22	37	36	41	56	76	92	136	204
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·07	0·07	0·06	9	5	4	1	–	–	–	–	1	–	–	–	2	2	1	2	1	–	–
Measles	0·19	0·17	0·21	26	12	14	3	9	2	3	2	19	5	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·03	0·10	9	2	7	–	2	1	2	2	7	2	–	–	–	–	–	–	–	–	–
Diphtheria	0·40	0·39	0·41	55	27	28	6	4	5	5	5	25	25	3	1	–	–	–	–	–	1	–
Whooping-cough	0·27	0·27	0·27	37	19	18	16	13	3	3	1	36	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·10	0·13	0·06	13	9	4	–	–	–	–	–	–	1	1	3	1	3	1	–	2	1	–
Simple Continued Fever	0·03	0·03	0·03	4	2	2	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–
Diarrhœa and Dysentery	0·25	0·20	0·30	34	14	20	19	3	3	–	1	26	–	–	1	–	1	1	–	–	2	3
Cholera	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	0·60	0·38	0·83	82	26	56	–	–	–	–	–	–	–	–	–	–	1	7	16	24	24	10
Tabes Mesenterica	0·09	0·07	0·10	12	5	7	3	4	–	–	–	7	2	–	–	–	1	1	–	–	1	–
Phthisis	1·43	1·30	1·56	195	90	105	8	1	1	1	1	12	2	7	20	32	40	23	31	17	8	3
Other Tub. & Scrof. Dis.	0·25	0·30	0·19	34	21	13	10	5	1	2	2	20	4	2	2	4	1	1	–	–	–	–
Diseases of Nervous System	1·90	2·06	1·73	260	143	117	61	12	4	3	2	82	6	7	6	2	7	11	9	25	58	47
Circulatory „	1·66	1·70	1·62	227	118	109	2	1	–	–	–	3	2	4	3	4	5	17	20	47	74	48
Respiratory „	2·65	3·09	2·19	362	214	148	78	32	12	10	6	138	24	1	5	2	9	10	23	28	57	65
Digestive „	0·90	0·97	0·83	123	67	56	16	4	–	1	2	23	2	–	4	2	4	3	15	22	33	15
Urinary „	0·32	0·48	0·16	44	33	11	1	–	–	–	–	1	–	–	–	2	3	2	4	11	9	12
Generative „	0·03	0·01	0·04	4	1	3	1	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
Puerperal Fever	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–
Childbirth	0·10	–	0·19	13	–	13	–	–	–	–	–	–	–	–	1	2	3	6	1	–	–	–
Violence	0·64	1·03	0·24	87	71	16	8	2	–	1	–	11	5	5	4	5	8	10	9	14	12	4
Other Causes	3·79	4·15	3·51	523	287	236	181	13	3	1	–	198	4	5	3	3	9	6	11	20	63	201

Marriages - - - 826

Births - { Males - 2,141 / Females - 1,999 } 4,140

Annual Rate per 1000 living { Persons Married 12·08 / Births - - 30·27 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

52.—CRANBROOK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·81	†104	–	–	–	–	35·26	3·69	2·18	3·37	5·08	6·37	7·20	11·48	22·22	54·74	147·55
Males	—	13·21	†112	–	–	–	–	37·94	2·72	1·15	2·60	4·14	5·93	5·97	9·76	22·69	57·19	146·26
Females	—	14·38	†96	–	–	–	–	32·62	4·68	3·28	4·32	5·84	6·76	8·30	13·11	21·75	52·19	148·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·23 per cent.	13,752	326	320	330	345	344	1665	1736	1695	1334	1024	1679	1487	1202	990	654	286
Males		6,828	163	162	155	169	176	825	881	872	732	459	792	704	584	498	334	147
Females		6,924	163	158	175	176	168	840	855	823	602	565	887	783	618	492	320	139
Deaths from All Causes, 1881–90. Persons	15·54	2,137	385	101	43	34	24	587	64	37	45	52	107	107	138	220	358	422
Males	15·38	1,050	210	53	20	16	14	313	24	10	19	19	47	42	57	113	191	215
Females	15·70	1,087	175	48	23	18	10	274	40	27	26	33	60	65	81	107	167	207

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·23	0·22	31	16	15	1	14	8	4	–	27	3	–	–	–	–	1	–	–	–
Scarlet Fever	0·06	0·03	0·09	8	2	6	1	–	–	1	1	3	2	–	1	–	–	2	–	–	–
Diphtheria	0·27	0·22	0·32	37	15	22	4	4	1	4	5	18	14	4	–	–	1	–	–	–	–
Whooping-cough	0·33	0·40	0·27	46	27	19	25	9	7	3	1	45	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·13	0·12	0·14	18	8	10	–	–	–	–	1	1	3	1	2	2	2	1	2	1	2
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·29	0·28	0·30	40	19	21	13	6	1	2	1	23	1	–	–	–	–	–	3	2	4
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·65	0·41	0·88	89	28	61	–	–	–	–	–	–	–	–	–	1	1	6	18	26	23
Tabes Mesenterica	0·12	0·10	0·14	17	7	10	6	2	1	1	–	10	1	1	–	1	3	–	–	–	1
Phthisis	1·25	1·11	1·39	172	76	96	3	–	–	1	–	4	2	8	13	22	45	23	20	22	11
Other Tub. & Scrof. Dis.	0·29	0·29	0·29	40	20	20	12	3	2	1	2	20	2	3	5	1	4	2	–	2	1
Diseases of: Nervous System	2·17	2·36	1·98	298	161	137	52	11	5	4	2	74	9	4	1	4	9	19	14	39	64
Circulatory „	1·98	1·80	2·15	272	123	149	3	1	–	–	–	4	1	3	6	1	10	6	29	38	100
Respiratory „	2·76	2·93	2·59	379	200	179	70	30	7	9	7	123	16	3	6	3	8	13	12	42	63
Digestive „	1·14	1·10	1·18	157	75	82	32	6	5	2	1	46	4	3	–	5	3	10	11	17	30
Urinary „	0·39	0·50	0·29	54	34	20	2	–	1	–	–	3	–	1	–	2	4	3	5	8	19
Generative „	0·08	0·03	0·13	11	2	9	1	–	–	–	–	1	–	–	–	–	1	2	1	2	2
Puerperal Fever	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–
Childbirth	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	1	4	6	–	–	–
Violence	0·41	0·51	0·32	57	35	22	4	1	1	1	2	9	4	2	4	3	4	3	5	11	7
Other Causes	2·82	2·94	2·71	387	200	187	156	14	4	1	1	176	1	2	7	4	4	7	16	10	31

Marriages - - - 744

Births - { Males - 1,881 / Females - 1,830 } 3,711

Annual Rate per 1000 living { Persons Married 10·82 / Births - - 26·99

Deaths from Childbirth and Puerperal Fever - - - - - } 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

53.—TENTERDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·15			†98	–	–	–	–	32·70	3·61	2·59	3·44	5·50	6·11	7·11	11·00	24·03	46·85	135·18
Males	—			13·08			†106	–	–	–	–	36·08	3·81	2·15	3·59	4·18	4·48	7·87	12·24	22·82	49·25	128·35
Females	—			13·23			†88	–	–	–	–	29·15	3·43	3·04	3·29	6·79	7·57	6·41	9·85	25·35	44·36	142·06
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·73 per cent.			10,214			275	235	284	262	268	1324	1301	1197	929	727	1228	1083	900	749	523	253
Males				5,063			141	125	139	131	143	679	630	604	473	359	581	521	433	390	266	127
Females				5,151			134	110	145	131	125	645	671	593	456	368	647	562	467	359	257	126
Deaths from All Causes, 1881–90. Persons	15·67			1,601			295	70	25	29	14	433	47	31	32	40	75	77	99	180	245	342
Males	16·14			817			167	48	12	12	6	245	24	13	17	15	26	41	53	89	131	163
Females	15·22			784			128	22	13	17	8	188	23	18	15	25	49	36	46	91	114	179
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Measles	0·06	0·08	0·04	6	4	2	2	2	1	1	–	6	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	–	0·02	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·24	0·24	0·25	25	12	13	1	3	1	3	2	10	9	4	2	–	–	–	–	–	–	–
Whooping-cough	0·28	0·34	0·23	29	17	12	18	8	1	1	1	29	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·04	0·06	5	2	3	–	–	–	1	–	1	–	1	1	2	–	–	–	–	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·19	0·24	0·14	19	12	7	11	4	–	–	–	15	–	–	–	–	–	–	–	–	1	3
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·55	0·64	61	28	33	–	–	–	–	–	–	–	–	–	1	1	–	11	20	19	9
Tabes Mesenterica	0·18	0·22	0·14	18	11	7	9	2	2	1	–	14	1	2	1	–	–	–	–	–	–	–
Phthisis	1·40	1·24	1·55	143	63	80	–	1	1	–	1	3	–	8	17	17	40	23	15	9	8	3
Other Tub. & Scrof. Dis.	0·20	0·24	0·16	20	12	8	2	1	1	2	2	8	2	1	–	3	3	–	1	1	1	–
Diseases of Nervous System	2·35	2·41	2·29	240	122	118	55	8	7	4	3	77	6	2	–	3	7	4	15	26	44	56
Circulatory „	1·64	1·66	1·61	167	84	83	2	1	–	1	–	4	3	2	2	3	6	8	13	28	63	35
Respiratory „	2·73	2·96	2·50	279	150	129	45	23	6	12	3	89	20	4	1	4	4	12	18	40	37	50
Digestive „	0·94	1·03	0·85	96	52	44	16	4	1	1	–	22	4	2	2	3	–	6	16	19	12	10
Urinary „	0·21	0·28	0·14	21	14	7	–	–	1	–	–	1	–	1	–	–	–	2	1	5	3	8
Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
Puerperal Fever	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·08	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	–	2	6	–	–	–	–
Violence	0·50	0·65	0·35	51	33	18	5	4	1	2	–	12	1	–	3	1	2	7	3	6	9	7
Other Causes	3·88	3·90	3·89	399	198	201	129	8	2	–	2	141	–	4	3	2	5	8	6	24	46	160

Marriages - - - 587

Births - { Males - 1,570 / Females - 1,449 } 3,019

Annual Rate per 1000 living { Persons Married 11·49 / Births - - 29·56 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

54.—WEST ASHFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·98	†99	–	–	–	–	35·34	4·18	3·05	3·50	5·19	6·64	8·59	12·41	21·61	49·15	143·34
Annual Death-Rate per 1000. Males	—	14·30	†105	–	–	–	–	37·87	4·17	3·07	3·30	4·95	6·28	8·52	13·41	25·50	48·62	149·36
Annual Death-Rate per 1000. Females	—	13·68	†93	–	–	–	–	32·83	4·18	3·03	3·73	5·43	6·99	8·66	11·45	17·73	49·64	138·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 4·45 per cent.	18,529	480	448	465	488	479	2360	2323	2162	1771	1445	2530	1991	1580	1194	820	353
Mean Population, 1881-91. Males		9,223	227	240	238	241	229	1175	1152	1106	939	727	1242	963	768	596	399	156
Mean Population, 1881-91. Females		9,306	253	208	227	247	250	1185	1171	1056	832	718	1288	1028	812	598	421	197
Deaths from All Causes, 1881-90. Persons	15·31	2,836	565	155	59	28	27	834	97	66	62	75	168	171	196	258	403	506
Deaths from All Causes, 1881-90. Males	15·57	1,436	306	80	32	12	15	445	48	34	31	36	78	82	103	152	194	233
Deaths from All Causes, 1881-90. Females	15·04	1,400	259	75	27	16	12	389	49	32	31	39	90	89	93	106	209	273

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·17	0·12	27	16	11	8	6	4	2	3	23	2	–	–	1	1	–	–	–
Scarlet Fever	0·08	0·08	0·09	15	7	8	1	1	2	3	2	9	2	2	–	–	1	1	–	–
Diphtheria	0·19	0·16	0·23	36	15	21	–	3	4	1	3	11	17	7	–	–	–	–	–	1
Whooping-cough	0·32	0·31	0·32	59	29	30	35	11	3	4	2	55	4	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·11	19	9	10	–	–	–	–	1	1	3	4	2	3	–	4	1	1
Simple Continued Fever	0·03	0·05	0·01	6	5	1	–	–	–	–	1	1	4	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·38	0·62	93	35	58	59	12	2	1	–	74	1	–	–	1	1	1	–	4
Cholera	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1
Cancer	0·70	0·40	1·00	130	37	93	–	–	–	1	–	1	–	–	–	–	6	6	29	31
Tabes Mesenterica	0·14	0·18	0·10	26	17	9	12	4	–	1	–	17	4	2	2	–	–	–	–	–
Phthisis	1·40	1·21	1·58	259	112	147	3	3	1	–	1	8	6	11	25	29	74	48	27	22
Other Tub. & Scrof. Dis.	0·36	0·35	0·38	67	32	35	20	8	6	2	2	38	8	11	2	3	3	1	–	1
Diseases of Nervous System	2·13	2·20	2·06	395	203	192	68	25	8	3	1	105	14	8	4	5	15	13	37	37
Diseases of Circulatory „	1·54	1·66	1·43	286	153	133	2	–	–	–	–	2	2	5	3	7	14	23	29	40
Diseases of Respiratory „	2·44	2·74	2·14	452	253	199	103	59	13	6	7	188	15	4	5	2	4	17	21	44
Diseases of Digestive „	0·77	0·78	0·76	143	72	71	22	6	2	1	–	31	3	2	2	5	8	16	14	23
Diseases of Urinary „	0·46	0·59	0·33	85	54	31	1	–	–	–	1	2	1	1	2	2	7	4	8	12
Diseases of Generative „	0·05	0·01	0·09	9	1	8	–	–	1	–	–	1	–	–	–	1	–	3	2	–
Puerperal Fever	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	1	7	2	–	–
Childbirth	0·10	–	0·17	16	–	16	–	–	–	–	–	–	–	–	1	1	6	8	–	–
Violence	0·62	0·95	0·29	115	88	27	10	6	7	3	2	28	3	5	8	7	11	10	12	13
Other Causes	3·16	3·22	3·10	585	295	290	221	11	6	–	1	239	8	3	6	7	10	12	16	29

Marriages	1,327	Annual Rate per 1000 living: Persons Married	14·32
Births: Males 2,909	5,695	Births	30·74
Females 2,786			

Deaths from Childbirth and Puerperal Fever 4·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

55.—EAST ASHFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 12·69			†89	–	–	–	–	31·53	4·06	1·87	3·90	5·04	7·59	8·61	8·64	18·73	40·56	133·13
Males	—			12·49			†108	–	–	–	–	37·02	4·29	1·57	2·63	3·50	5·43	7·81	10·26	17·79	41·08	130·77
Females	—			12·87			†71	–	–	–	–	26·24	3·83	2·18	5·67	6·68	9·70	9·40	7·00	19·74	40·00	135·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·63 per cent.			13,819			374	360	393	383	352	1862	1848	1655	1179	993	1673	1451	1204	945	683	326
Males				7,035			186	173	185	184	185	913	933	830	685	514	828	717	604	489	353	169
Females				6,784			188	187	208	199	167	949	915	825	494	479	845	734	600	456	330	157
Deaths from All Causes, 1881–90. Persons	14·71			2,033			389	103	49	24	22	587	75	31	46	50	127	125	104	177	277	434
Males	14·83			1,043			234	55	25	11	13	338	40	13	18	18	45	56	62	87	145	221
Females	14·59			990			155	48	24	13	9	249	35	18	28	32	82	69	42	90	132	213
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·14	0·16	21	10	11	10	6	2	1	–	19	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·07	0·01	6	5	1	–	1	1	–	2	4	–	–	1	–	–	–	–	–	1	–
Diphtheria	0·33	0·30	0·37	46	21	25	1	1	4	4	4	14	19	5	3	–	2	2	–	1	–	–
Whooping-cough	0·22	0·24	0·21	31	17	14	15	6	3	3	–	27	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	0·09	0·07	0·10	12	5	7	–	–	–	–	1	1	2	3	1	–	1	3	–	–	–	1
Simple Continued Fever	0·04	0·03	0·04	5	2	3	–	1	1	1	–	3	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·49	0·44	0·55	68	31	37	39	10	1	–	–	50	1	1	–	–	1	1	–	1	4	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·57	0·38	0·77	79	27	52	–	–	–	–	1	1	–	1	–	–	1	7	11	25	15	18
Tabes Mesenterica	0·17	0·18	0·16	24	13	11	11	5	1	–	–	17	2	–	2	–	1	1	1	–	–	–
Phthisis	1·34	1·14	1·55	185	80	105	3	6	2	–	1	12	3	1	11	27	62	29	21	13	5	1
Other Tub. & Scrof. Dis.	0·25	0·26	0·24	34	18	16	12	1	3	1	2	19	5	4	1	1	1	–	1	2	–	–
Diseases of Nervous System	1·67	1·79	1·55	231	126	105	40	8	6	2	3	59	8	5	4	4	6	11	8	23	49	54
Circulatory „	1·59	1·38	1·81	220	97	123	2	–	1	–	–	3	3	2	2	3	9	13	13	41	68	63
Respiratory „	2·61	2·74	2·48	361	193	168	86	32	16	10	4	148	16	2	3	6	12	14	14	31	46	69
Digestive „	0·90	0·95	0·84	124	67	57	17	10	–	–	2	29	2	2	3	1	4	8	7	17	27	24
Urinary „	0·33	0·40	0·25	45	28	17	–	–	–	–	–	–	–	1	3	–	3	4	6	5	12	11
Generative „	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	1	–	1	2	2	1	2	1
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–
Childbirth	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	2	1	4	4	–	–	–	–
Violence	0·44	0·71	0·16	61	50	11	4	6	2	1	1	14	3	3	–	2	5	9	8	6	8	3
Other Causes	3·25	3·61	2·89	449	253	196	149	10	6	1	1	167	6	–	8	3	11	13	12	10	40	179

Marriages - - - 895

Births - { Males - 2,166 / Females - 2,185 } 4,351

Annual Rate per 1000 living { Persons Married 12·95 / Births - - 31·49 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

56.—BRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·60	†95	–	–	–	–	33·38	4·64	2·43	4·55	6·30	9·40	16·89	17·27	33·09	54·23	148·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·89	†115	–	–	–	–	38·34	4·89	2·20	4·73	6·07	10·57	20·61	19·76	35·73	57·31	141·61
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·38	†74	–	–	–	–	28·41	4·40	2·66	4·35	6·49	8·31	13·31	14·98	30·63	51·18	155·29
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·86 per cent.	12,634	303	295	332	320	320	1570	1507	1357	1054	905	1649	1403	1233	952	673	331
Mean Population, 1881-91. Males		6,237	153	158	156	160	158	785	757	681	571	412	795	689	592	459	335	161
Mean Population, 1881-91. Females		6,397	150	137	176	160	162	785	750	676	483	493	854	714	641	493	338	170
Deaths from All Causes, 1881-90. Persons	19·86	2,509	333	107	34	23	27	524	70	33	48	57	155	237	213	315	365	492
Deaths from All Causes, 1881-90. Males	21·36	1,332	205	54	20	9	13	301	37	15	27	25	84	142	117	164	192	228
Deaths from All Causes, 1881-90. Females	18·40	1,177	128	53	14	14	14	223	33	18	21	32	71	95	96	151	173	264

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·27	0·27	34	17	17	9	11	5	1	1	27	5	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·03	3	1	2	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·36	0·29	0·44	46	18	28	2	1	2	3	7	15	20	3	3	1	1	1	1	1	–	–
Whooping-cough	0·25	0·32	0·19	32	20	12	16	12	1	–	2	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·19	0 06	16	12	4	–	–	1	2	–	3	–	–	1	2	–	4	–	3	2	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·37	0·36	46	23	23	20	7	1	–	2	30	1	–	1	–	2	–	1	1	3	7
Cholera	0·01	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·59	0·80	88	37	51	–	–	–	–	–	–	–	–	–	–	3	7	11	28	25	14
Tabes Mesenterica	0·17	0·13	0·22	22	8	14	10	6	1	1	–	18	–	2	2	–	–	–	–	–	–	–
Phthisis	2·03	1·99	2·06	256	124	132	6	–	–	–	2	8	2	4	14	28	64	54	36	36	7	3
Other Tub. & Scrof. Dis.	0·37	0·35	0·39	47	22	25	10	9	5	3	–	27	6	4	4	2	2	–	2	–	–	–
Diseases of Nervous System	4·04	4·68	3·44	511	291	220	39	10	5	5	2	61	7	5	11	9	37	86	68	82	75	70
Diseases of Circulatory „	2·27	2·20	2·35	287	137	150	1	–	–	–	–	1	1	2	2	3	5	23	30	61	81	78
Diseases of Respiratory „	3·07	3·83	2·33	388	239	149	84	34	8	5	7	138	10	3	2	2	9	14	26	39	63	82
Diseases of Digestive „	0·89	0·96	0·83	113	60	53	17	4	2	2	1	26	6	1	2	1	6	10	7	15	25	14
Diseases of Urinary „	0·79	1·01	0·58	100	63	37	–	1	–	–	–	1	1	–	–	–	5	10	14	13	29	27
Diseases of Generative „	0·09	–	0·19	12	–	12	–	–	–	–	–	–	–	–	–	–	1	2	3	6	–	–
Puerperal Fever	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–
Childbirth	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Violence	0·40	0·64	0·16	50	40	10	–	3	2	–	–	5	4	4	4	2	7	8	7	2	3	4
Other Causes	3·53	3·52	3·50	444	220	224	119	8	–	1	2	130	5	4	2	2	9	13	7	28	52	192

Marriages - - - 683

Births - { Males - 1,783 / Females - 1,736 } 3,519

Annual Rate per 1000 living { Persons Married 10·81 / Births - - 27·85

Deaths from Childbirth and Puerperal Fever - - - - - } 3·69 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

57.—CANTERBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·25	†130	–	–	–	–	55·65	4·29	5·35	5·87	7·61	9·97	15·44	18·43	32·87	63·93	138·10
Males	—	22·51	†139	–	–	–	–	59·15	4·69	5·05	5·52	7·30	11·74	19·09	25·77	38·35	79·29	146·67
Females	—	18·11	†121	–	–	–	–	51·95	3·91	5·65	6·32	8·02	8·26	11·96	12·19	28·26	53·00	132·46
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·22 per cent.	17,590	398	380	410	403	364	1955	1888	1776	1960	1827	2557	1930	1487	1089	743	378
Males		8,804	196	206	210	206	188	1006	916	891	1106	1041	1261	943	683	498	309	150
Females		8,786	202	174	200	197	176	949	972	885	854	786	1296	987	804	591	434	228
Deaths from All Causes, 1881–90. Persons	21·03	3,700	661	213	93	66	55	1088	81	95	115	139	255	298	274	358	475	522
Males	22·49	1,980	363	119	58	26	29	595	43	45	61	76	148	180	176	191	245	220
Females	19·58	1,720	298	94	35	40	26	493	38	50	54	63	107	118	98	167	230	302

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·63	0·62	0·63	110	55	55	33	37	13	15	5	103	3	3	–	1	–	–	–	–	–
Scarlet Fever	0·02	0·03	0·01	4	3	1	–	–	–	2	1	3	–	–	1	–	–	–	–	–	–
Diphtheria	0·24	0·33	0·16	43	29	14	2	4	3	5	12	26	10	2	2	2	1	–	–	–	–
Whooping-cough	0·27	0·27	0·27	48	24	24	20	18	4	1	3	46	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·33	0·24	50	29	21	–	–	–	2	–	2	4	12	9	7	5	6	3	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·49	0·52	0·46	86	46	40	55	11	–	1	–	67	–	1	–	2	3	1	–	2	5
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	1·13	0·99	1·27	199	87	112	–	–	1	–	–	1	–	–	1	1	6	22	36	60	50
Tabes Mesenterica	0·47	0·49	0·44	82	43	39	46	17	5	2	–	70	4	4	1	1	1	1	–	–	–
Phthisis	2·36	2·75	1·97	415	242	173	–	1	2	2	1	6	2	11	38	55	107	93	56	26	18
Other Tub. & Scrof. Dis.	0·43	0·53	0·33	76	47	29	16	5	8	4	12	45	9	6	4	2	5	4	1	–	–
Diseases of Nervous System	2·44	2·43	2·45	429	214	215	109	24	13	9	3	158	9	8	5	10	13	20	23	43	77
Circulatory „	2·27	2·57	1·98	400	226	174	1	1	–	1	1	4	4	12	13	10	23	33	50	79	109
Respiratory „	3·55	3·59	3·51	624	316	308	128	81	37	19	15	280	11	4	10	16	16	28	32	48	88
Digestive „	1·06	1·10	1·02	187	97	90	16	6	4	1	–	27	6	5	2	5	18	19	23	28	32
Urinary „	0·61	0·86	0·35	107	76	31	–	–	–	–	–	–	–	4	7	5	9	12	11	18	23
Generative „	0·13	0·03	0·22	22	3	19	–	–	–	–	–	–	–	1	3	2	5	3	1	6	–
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	2	2	4	–	–	–
Violence	0·93	1·43	0·42	163	126	37	13	3	3	2	2	23	8	8	8	6	12	19	17	19	30
Other Causes	3·62	3·62	3·66	638	317	321	221	5	–	–	–	226	9	14	10	10	26	31	21	28	42

Marriages - - - 1,530

Births - Males - 2,620; Females - 2,459 — 5,079

Annual Rate per 1000 living: Persons Married 17·40; Births - - 28·87

Deaths from Childbirth and Puerperal Fever - - - - - 3·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

58.—BLEAN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 14·49	†108	–	–	–	–	39·57	5·05	2·82	4·00	5·28	5·36	9·14	12·70	19·98	51·00	131·18
Annual Death Rate per 1000. Males	—	15·13	†120	–	–	–	–	41·94	5·27	2·32	4·05	6·64	5·83	9·38	14·73	20·10	53·77	150·83
Annual Death Rate per 1000. Females	—	13·89	†95	–	–	–	–	37·12	4·82	3·37	3·96	4·25	4·98	8·94	10·96	19·89	48·71	116·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·89 per cent.	19,516	504	478	502	507	506	2497	2533	2450	1950	1402	2405	2056	1661	1296	849	417
Mean Population, 1881–91. Males		9,384	250	251	250	259	256	1266	1310	1293	964	602	1080	949	767	587	385	181
Mean Population, 1881–91. Females		10,132	254	227	252	248	250	1231	1223	1157	986	800	1325	1107	894	709	464	236
Deaths from All Causes, 1881–90. Persons	15·90	3,104	616	174	82	65	51	988	128	69	78	74	129	188	211	259	433	547
Deaths from All Causes, 1881–90. Males	16·75	1,572	354	88	38	30	21	531	69	30	39	40	63	89	113	118	207	273
Deaths from All Causes, 1881–90. Females	15·12	1,532	262	86	44	35	30	457	59	39	39	34	66	99	98	141	226	274

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	0·26	0·28	0·24	50	26	24	12	19	7	4	3	45	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·20	0·22	41	19	22	6	6	3	5	4	24	13	2	2	–	–	–	–	–	–
Diphtheria	0·34	0·25	0·42	66	23	43	3	2	8	9	13	35	27	3	1	–	–	–	–	–	–
Whooping-cough	0·36	0·35	0·38	71	33	38	31	25	5	6	–	67	4	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·17	33	16	17	–	–	–	–	–	–	8	4	2	2	6	6	1	4	–
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	–	–	1	–	1	4	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·47	0·34	78	44	34	53	8	1	1	1	64	–	–	–	–	–	3	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·40	0·61	100	38	62	–	–	–	–	–	–	–	–	–	–	1	6	18	27	34
Tabes Mesenterica	0·30	0·30	0·30	58	28	30	32	14	4	–	–	50	2	3	2	–	–	1	–	–	–
Phthisis	1·50	1·59	1·41	292	149	143	5	4	1	1	1	12	9	7	33	44	55	47	43	23	18
Other Tub. & Scrof. Dis.	0·54	0·65	0·44	106	61	45	31	16	6	8	8	69	14	8	7	1	4	2	1	–	–
Diseases of Nervous System	2·11	1·99	2·22	412	187	225	83	15	8	5	4	115	10	7	4	7	7	26	16	43	84
Diseases of Circulatory „	1·76	1·74	1·79	344	163	181	1	–	1	–	–	2	1	8	6	6	9	28	43	57	98
Diseases of Respiratory „	2·41	2·69	2·16	471	252	219	113	42	29	19	11	214	13	6	1	3	3	14	19	28	70
Diseases of Digestive „	1·12	1·17	1·07	218	110	108	28	11	1	1	3	44	4	1	3	1	9	16	31	28	43
Diseases of Urinary „	0·41	0·60	0·25	81	56	25	1	1	2	–	–	4	1	–	1	1	4	4	9	15	23
Diseases of Generative „	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2
Puerperal Fever	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	4	4	1	–	–
Violence	0·49	0·79	0·22	96	74	22	7	3	2	–	1	13	3	3	5	4	11	10	12	12	15
Other Causes	2·83	3·05	2·60	553	287	266	210	8	4	5	2	229	11	15	10	3	10	17	13	20	43

Marriages - - - 1,207

Births - Males - 2,952; Females - 2,756 } 5,708

Annual Rate per 1000 living: Persons Married 12·37; Births - - 29·25

Deaths from Childbirth and Puerperal Fever - - - - - 2·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

59.—FAVERSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·15			†127	–	–	–	–	46·54	4·21	2·31	3·65	5·45	5·63	8·29	10·88	22·16	50·31	142·17
Males	—			15·18			†140	–	–	–	–	50·28	4·01	1·25	3·49	4·40	5·02	8·43	11·11	22·38	52·01	144·70
Females	—			15·12			†115	–	–	–	–	42·94	4·40	3·44	3·84	6·54	6·24	8·15	10·65	21·94	48·65	139·63
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·26 per cent.			25,363			756	706	723	704	693	3582	3280	3114	2327	2000	3319	2653	2132	1566	956	434
Males				12,320			364	351	350	337	354	1756	1646	1604	1259	1022	1653	1328	1071	791	473	217
Females				12,543			392	355	373	367	339	1826	1634	1510	1068	978	1666	1325	1061	775	483	217
Deaths from All Causes, 1881–90. Persons	16·38			4,155			1135	284	107	71	70	1667	138	72	85	109	187	220	232	347	481	617
Males	16·45			2,109			620	123	63	40	37	883	66	20	44	45	83	112	119	177	246	314
Females	16·31			2,046			515	161	44	31	33	784	72	52	41	64	104	108	113	170	235	303
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Measles	0·24	0·23	0·25	61	30	31	11	20	13	11	3	58	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·10	0·12	28	13	15	4	7	1	3	8	23	3	1	–	–	1	–	–	–	–	–
Diphtheria	0·25	0·23	0·27	64	30	34	–	3	5	6	9	23	36	4	–	–	–	–	–	1	–	–
Whooping-cough	0·46	0·41	0·51	117	53	64	65	37	7	4	3	116	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·33	0·36	0·30	83	46	37	–	1	1	–	6	8	14	14	12	9	11	8	2	4	1	–
Simple Continued Fever	0·09	0·07	0·10	22	9	13	1	1	2	1	1	6	2	4	–	–	1	1	1	2	4	1
Diarrhœa and Dysentery	0·52	0·55	0·49	133	71	62	101	13	1	–	–	115	–	–	–	3	–	–	–	2	6	7
Cholera	0·01	0·01	0·02	3	1	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·50	0·31	0·69	127	40	87	–	–	–	–	1	1	–	–	–	–	5	8	21	39	33	20
Tabes Mesenterica	0·29	0·27	0·32	74	34	40	46	10	4	3	1	64	1	2	2	–	2	–	1	1	–	1
Phthisis	1·23	1·14	1·32	311	146	165	11	5	1	1	1	19	4	16	31	47	68	60	40	18	8	–
Other Tub. & Scrof. Dis.	0·27	0·29	0·26	69	37	32	24	9	8	1	2	44	10	6	–	2	5	–	1	1	–	–
Diseases of Nervous System	1·79	1·89	1·68	453	242	211	127	33	13	3	6	182	15	4	7	7	7	21	30	53	68	59
Circulatory „	1·57	1·50	1·65	399	192	207	7	–	–	–	–	7	2	5	4	7	16	32	42	86	114	84
Respiratory „	2·63	2·79	2·45	666	358	308	197	91	40	30	22	380	21	–	4	7	19	23	22	53	74	63
Digestive „	0·95	0·92	0·99	242	118	124	62	17	3	1	4	87	5	2	4	6	9	19	25	30	42	13
Urinary „	0·31	0·41	0·20	78	53	25	4	1	–	1	–	6	4	1	3	–	3	8	6	10	24	13
Generative „	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	1	–	8	–	2	–	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	3	6	4	–	–	–	–
Childbirth	0·04	–	0·07	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–	–	–
Violence	0·48	0·69	0·26	121	88	33	8	5	1	5	2	21	6	3	8	4	15	11	14	15	11	13
Other Causes	4·19	4·25	4·15	1065	544	521	465	30	7	1	1	504	11	10	8	10	14	15	25	30	95	343

Marriages - - - 1,777

Births - Males - 4,434; Females - 4,486 — 8,920

Annual Rate per 1000 living: Persons Married 14·01; Births - - 35·17

Deaths from Childbirth and Puerperal Fever - - - - - 2·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

60.—MILTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·36	†126	–	–	–	–	45·42	4·12	3·23	4·48	6·26	6·66	7·44	11·86	23·00	49·26	142·90
Annual Death-Rate per 1000. Males	—	15·79	†141	–	–	–	–	48·35	3·54	3·32	4·29	5·67	6·21	7·69	13·71	22·52	55·87	149·70
Annual Death-Rate per 1000. Females	—	14·95	†112	–	–	–	–	42·55	4·70	3·13	4·71	6·88	7·13	7·18	9·88	23·50	42·01	136·26
Mean Population, 1881-91. Persons	Decennial Increase of Population 7·30 per cent.	24,119	753	689	732	696	670	3540	3179	2852	2277	1948	3258	2541	1998	1374	814	338
Mean Population, 1881-91. Males		12,310	377	341	347	359	330	1754	1583	1447	1258	988	1658	1287	1036	706	426	167
Mean Population, 1881-91. Females		11,809	376	348	385	337	340	1786	1596	1405	1019	960	1600	1254	962	668	388	171
Deaths from All Causes, 1881-90. Persons	16·16	3,898	1131	278	85	74	40	1608	131	92	102	122	217	189	237	316	401	483
Deaths from All Causes, 1881-90. Males	16·68	2,053	632	127	36	30	23	848	56	48	54	56	103	99	142	159	238	250
Deaths from All Causes, 1881-90. Females	15·62	1,845	499	151	49	44	17	760	75	44	48	66	114	90	95	157	163	233

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	5	3	2	1	–	–	–	–	1	–	–	–	1	–	2	1	–	–	–
Measles	0·16	0·10	0·23	39	12	27	5	15	3	8	1	32	6	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·20	0·25	55	25	30	–	8	7	13	2	30	17	5	1	1	1	–	–	–	–	–
Diphtheria	0·10	0·11	0·10	25	13	12	1	–	5	5	2	13	9	1	–	1	1	–	–	–	–	–
Whooping-cough	0·38	0·32	0·43	91	40	51	40	31	11	3	2	87	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·32	0·35	0·30	78	43	35	–	2	1	1	3	7	4	17	16	11	9	7	3	2	2	–
Simple Continued Fever	0·05	0·06	0·03	12	8	4	–	–	1	–	–	1	2	2	1	3	1	–	1	1	–	–
Diarrhœa and Dysentery	0·60	0·57	0·63	144	70	74	128	12	2	–	–	142	–	–	–	–	–	–	1	–	–	1
Cholera	0·02	0·02	0·03	5	2	3	3	–	–	–	–	3	–	–	–	–	1	–	–	–	1	–
Cancer	0·46	0·34	0·59	112	42	70	–	–	–	–	–	–	–	–	–	–	2	12	32	35	17	14
Tabes Mesenterica	0·27	0·30	0·24	65	37	28	40	12	2	1	2	57	2	3	–	1	–	1	1	–	–	–
Phthisis	1·36	1·24	1·47	327	153	174	4	7	2	1	–	14	9	20	37	41	92	51	31	20	10	2
Other Tub. & Scrof. Dis.	0·39	0·37	0·41	94	45	49	27	19	6	5	2	59	8	4	5	10	4	3	1	–	–	–
Diseases of Nervous System	1·92	2·03	1·81	464	250	214	191	44	11	7	6	259	14	5	1	3	7	17	26	35	57	40
Diseases of Circulatory „	1·43	1·54	1·32	345	189	156	7	–	1	–	–	8	5	5	3	5	19	20	44	86	82	68
Diseases of Respiratory „	2·44	2·63	2·24	588	324	264	168	81	25	22	13	309	24	6	8	9	11	18	26	50	74	53
Diseases of Digestive „	0·92	0·92	0·91	221	113	108	47	13	2	3	1	66	5	7	8	2	11	13	21	35	42	11
Diseases of Urinary „	0·44	0·60	0·27	106	74	32	–	1	1	–	1	3	1	2	1	5	11	7	15	21	23	17
Diseases of Generative „	0·05	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	2	3	6	–	–	–
Puerperal Fever	0·12	–	0·25	30	–	30	–	–	–	–	–	–	–	–	4	11	9	6	–	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	1	4	3	4	–	–	–	–
Violence	0·51	0·77	0·25	124	95	29	6	10	–	4	1	21	10	7	9	8	20	10	10	11	11	7
Other Causes	3·92	4·17	3·66	944	513	431	463	23	5	1	4	496	11	8	6	6	12	15	18	20	82	270

Marriages - - - 1,756

Births - Males - 4,495; Females - 4,456 — 8,951

Annual Rate per 1000 living: Persons Married 14·56; Births - - 37·11

Deaths from Childbirth and Puerperal Fever - - - - - 4·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

61.—SHEPPEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·53	†108	–	–	–	–	42·53	4·30	3·39	4·14	4·25	5·97	9·56	13·83	22·91	57·35	144·76
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·99	†122	–	–	–	–	47·90	5·43	3·20	3·05	3·20	5·02	8·77	14·69	23·32	59·38	167·42
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·09	†93	–	–	–	–	37·03	3·18	3·56	5·61	6·02	7·30	10·54	12·76	22·43	55·23	128·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·21 per cent.	18,406	502	467	467	484	436	2356	2117	1916	1764	1836	2899	2165	1526	1052	565	210
Mean Population, 1881–91. Males		9,994	254	231	236	261	210	1192	1049	906	1015	1155	1693	1187	844	566	288	89
Mean Population, 1881–91. Females		8,412	248	236	231	223	226	1164	1068	1010	749	681	1206	968	682	486	277	121
Deaths from All Causes, 1881–90. Persons	15·04	2,769	612	211	76	58	45	1002	91	65	73	78	173	207	211	241	324	304
Deaths from All Causes, 1881–90. Males	14·92	1,491	352	116	40	33	30	571	57	29	31	37	85	105	124	132	171	149
Deaths from All Causes, 1881–90. Females	15·19	1,278	260	95	36	25	15	431	34	36	42	41	88	102	87	109	153	155

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·28	0·18	43	28	15	9	13	10	3	5	40	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·25	0·12	35	25	10	1	4	5	4	6	20	15	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·07	0·10	15	7	8	1	–	1	5	1	8	5	–	1	–	1	–	–	–	–
Whooping-cough	0·26	0·25	0·27	48	25	23	20	22	1	3	1	47	1	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·18	0·11	0·27	34	11	23	–	–	–	–	1	1	2	9	6	4	7	4	1	–	–
Simple Continued Fever	0·04	0·04	0·04	7	4	3	–	–	–	–	–	–	1	–	–	1	2	1	–	2	–
Diarrhœa and Dysentery	0·53	0·56	0·49	97	56	41	63	14	4	2	–	83	–	1	–	1	–	3	–	2	5
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·40	0·18	0·65	73	18	55	–	–	–	–	–	–	–	–	–	–	1	10	13	26	11
Tabes Mesenterica	0·27	0·30	0·23	49	30	19	28	10	4	3	–	45	1	–	–	–	1	1	–	–	1
Phthisis	1·25	1·11	1·42	230	111	119	1	1	–	–	1	3	1	10	25	27	53	58	28	20	5
Other Tub. & Scrof. Dis.	0·28	0·34	0·21	52	34	18	12	9	4	2	6	33	4	6	2	1	3	–	1	1	1
Diseases of Nervous System	2·24	2·34	2·13	413	234	179	105	34	10	13	1	163	11	10	9	5	11	18	26	49	64
Diseases of Circulatory „	1·36	1·32	1·42	251	132	119	3	–	–	1	1	5	5	6	5	3	12	27	40	37	71
Diseases of Respiratory „	2·60	2·45	2·77	478	245	233	116	67	23	9	14	229	20	7	8	7	16	23	33	41	61
Diseases of Digestive „	1·12	1·05	1·20	206	105	101	49	17	4	3	2	75	3	7	2	6	13	17	22	25	25
Diseases of Urinary „	0·40	0·44	0·34	73	44	29	–	–	1	2	–	3	4	1	2	3	7	10	12	8	17
Diseases of Generative „	0·04	0·02	0·06	7	2	5	1	–	–	–	–	1	–	–	1	–	–	1	2	–	1
Puerperal Fever	0·08	–	0·18	15	–	15	–	–	–	–	–	–	–	–	1	5	8	1	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–
Violence	0·74	1·11	0·30	136	111	25	10	3	5	6	1	25	5	3	7	12	23	18	18	16	5
Other Causes	2·69	2·69	2·72	498	268	230	193	17	4	2	5	221	10	4	4	1	10	14	15	14	57
Diseases of Generative „																					75 and upwds.
Violence																					148

Marriages - - 1,101

Births - { Males - 2,890, Females - 2,787 } 5,677

Annual Rate per 1000 living { Persons Married 11·96, Births - - 30·84 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

62.—THANET.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·71	†137	–	–	–	–	49·29	4·64	3·83	4·70	5·76	7·75	11·95	16·64	27·20	57·30	140·45
Males	—					19·29	†147	–	–	–	–	52·77	4·48	4·12	5·25	7·29	9·12	14·15	19·48	31·41	66·55	149·59
Females	—					16·22	†127	–	–	–	–	45·83	4·80	3·52	4·28	4·83	6·79	10·27	14·51	24·20	50·83	134·55
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·83 per cent.			54,335			1269	1142	1233	1246	1265	6155	6337	7071	5829	4719	7455	5874	4512	3298	2143	942
Males				24,507			630	574	616	636	614	3070	3234	3690	2533	1798	3080	2544	1935	1372	882	369
Females				29,828			639	568	617	610	651	3085	3103	3381	3296	2921	4375	3330	2577	1926	1261	573
Deaths from All Causes, 1881–90. Persons	17·71			9,624			1980	521	229	163	141	3034	294	271	274	272	578	702	751	897	1228	1323
Males	19·46			4,769			1077	272	116	83	72	1620	145	152	133	131	281	360	377	431	587	552
Females	16·28			4,855			903	249	113	80	69	1414	149	119	141	141	297	342	374	466	641	771
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	6	4	2	1	–	–	–	–	1	–	–	–	3	–	–	1	–	1	–
Measles	0·26	0·33	0·21	143	80	63	24	51	20	18	12	125	14	1	3	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·09	0·06	38	21	17	1	3	6	5	7	22	9	4	1	–	2	–	–	–	–	–
Diphtheria	0·20	0·21	0·18	107	52	55	4	4	16	18	14	56	36	8	1	1	2	1	1	1	–	–
Whooping-cough	0·42	0·47	0·37	227	116	111	127	48	23	10	6	214	8	4	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–
Enteric Fever	0·25	0·22	0·26	134	55	79	–	1	7	3	4	15	18	17	20	17	26	5	10	4	2	–
Simple Continued Fever	0·01	0·01	0·01	6	2	4	–	–	–	2	–	2	1	–	–	–	–	–	–	2	1	–
Diarrhœa and Dysentery	0·65	0·77	0·54	351	189	162	271	39	5	2	2	319	1	1	–	–	1	1	–	7	18	3
Cholera	0·00	–	0·01	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·81	0·55	1·03	442	136	306	1	1	–	–	1	3	–	2	2	6	16	42	82	119	124	46
Tabes Mesenterica	0·19	0·19	0·19	104	47	57	41	14	7	5	3	70	9	14	3	–	4	2	1	–	1	–
Phthisis	1·65	1·94	1·40	894	476	418	12	9	4	3	4	32	26	41	75	99	225	194	124	48	25	5
Other Tub. & Scrof. Dis.	0·63	0·76	0·53	344	185	159	90	67	28	16	22	223	36	33	20	8	11	4	6	2	1	–
Diseases of Nervous System	2·17	2·41	1·97	1179	590	589	243	50	20	12	9	334	34	15	15	11	30	66	101	157	232	184
Circulatory „	1·78	1·81	1·75	966	443	523	10	1	–	1	1	13	10	18	20	25	43	91	120	188	274	164
Respiratory „	2·71	2·93	2·53	1473	718	755	326	162	67	49	38	642	41	18	18	10	31	74	78	111	209	241
Digestive „	1·18	1·28	1·10	641	313	328	114	31	8	3	4	160	12	13	15	12	37	66	81	90	90	65
Urinary „	0·50	0·66	0·37	270	161	109	1	2	2	2	1	8	5	3	4	7	16	24	39	52	59	53
Generative „	0·08	0·02	0·12	41	6	35	1	–	–	–	–	1	–	2	2	1	9	6	6	5	5	4
Puerperal Fever	0·06	–	0·10	30	–	30	–	–	–	–	–	–	–	–	2	6	12	10	–	–	–	–
Childbirth	0·05	–	0·09	27	–	27	–	–	–	–	–	–	–	–	–	5	11	11	–	–	–	–
Violence	0·60	0·96	0·30	325	235	90	30	6	8	6	5	55	9	14	23	28	46	46	36	35	17	16
Other Causes	3·42	3·82	3·15	1871	938	933	682	32	8	7	8	737	25	62	49	33	56	59	64	75	169	542

Marriages - - - 3,409

Births - { Males - 7,319 / Females - 7,120 } 14,439

Annual Rate per 1000 living { Persons Married 12·55 / Births - - 26·57

Deaths from Childbirth and Puerperal Fever - - - - - 3·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

63.—EASTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000. Persons	—	In Standard Population* 14·24	†108	–	–	–	–	36·39	3·83	3·35	3·40	5·32	5·63	8·65	13·47	23·18	55·44	134·25
Annual Death-rate per 1000. Males	—	14·98	†120	–	–	–	–	40·42	3·77	2·24	3·72	6·45	5·62	8·54	14·45	25·80	59·08	146·89
Annual Death-rate per 1000. Females	—	13·53	†96	–	–	–	–	32·38	3·90	4·46	2·89	4·26	5·63	8·76	12·61	20·88	52·19	124·29
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·41 per cent.	28,553	659	685	648	680	689	3361	3340	3107	3180	2235	3751	3028	2457	2015	1387	692
Mean Population, 1881–91. Males		14,256	329	335	331	330	350	1675	1698	1560	1935	1086	1780	1464	1156	942	655	305
Mean Population, 1881–91. Females		14,297	330	350	317	350	339	1686	1642	1547	1245	1149	1971	1564	1301	1073	732	387
Deaths from All Causes, 1881–90. Persons	16·29	4,651	860	198	66	62	37	1223	128	104	108	119	211	262	331	467	769	929
Deaths from All Causes, 1881–90. Males	16·75	2,388	486	109	32	26	24	677	64	35	72	70	100	125	167	243	387	448
Deaths from All Causes, 1881–90. Females	15·83	2,263	374	89	34	36	13	546	64	69	36	49	111	137	164	224	382	481

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·18	0·20	53	25	28	12	18	6	5	1	42	8	1	–	–	1	–	–	1	–
Scarlet Fever	0·07	0·08	0·05	19	12	7	–	1	2	6	2	11	4	2	–	–	1	1	–	–	–
Diphtheria	0·17	0·11	0·23	49	16	33	1	3	2	6	3	15	20	8	1	–	2	–	1	2	–
Whooping-cough	0·27	0·24	0·30	77	34	43	45	20	5	2	–	72	5	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·26	0·27	0·25	75	39	36	1	1	4	1	2	9	7	16	12	8	10	3	6	1	1
Simple Continued Fever	0·03	0·04	0·02	8	5	3	–	–	–	–	1	1	–	–	–	–	–	–	3	1	–
Diarrhœa and Dysentery	0·44	0·48	0·41	127	68	59	81	12	1	–	–	94	3	1	–	–	2	1	–	2	9
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–
Cancer	0·66	0·46	0·86	188	65	123	–	–	1	–	–	1	–	–	1	1	3	14	38	49	55
Tabes Mesenterica	0·24	0·25	0·24	69	35	34	38	7	8	2	1	56	3	3	1	2	2	1	–	–	1
Phthisis	1·23	1·25	1·20	350	178	172	8	2	1	–	1	12	9	18	31	46	85	75	41	23	10
Other Tub. & Scrof. Dis.	0·25	0·26	0·23	70	37	33	24	13	1	1	1	40	10	8	2	3	3	2	1	–	1
Diseases of Nervous System	2·47	2·55	2·39	705	363	342	136	25	9	9	4	183	17	8	8	9	8	24	61	80	162
Diseases of Circulatory „	2·06	2·10	2·01	587	300	287	1	–	–	–	1	2	6	9	10	4	15	44	53	117	188
Diseases of Respiratory „	2·59	2·81	2·36	739	401	338	163	68	21	20	9	281	15	6	10	8	14	24	36	57	134
Diseases of Digestive „	1·04	0·97	1·11	297	138	159	43	14	1	2	2	62	4	7	9	4	14	20	31	53	64
Diseases of Urinary „	0·42	0·53	0·31	119	75	44	1	–	–	2	2	5	1	2	2	2	3	9	10	25	35
Diseases of Generative „	0·05	0·01	0·10	15	1	14	–	–	–	–	–	–	–	–	–	–	–	4	7	2	2
Puerperal Fever	0·04	–	0·08	11	–	11	–	–	–	–	–	–	–	–	–	2	8	1	–	–	–
Childbirth	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	–	1	6	3	–	–	–
Violence	0·61	0·95	0·28	175	135	40	19	4	4	2	4	33	9	5	11	14	22	14	19	16	21
Other Causes	3·15	3·20	3·11	903	459	444	287	10	–	4	3	304	7	9	10	15	12	22	22	36	86

Marriages - - - 6,801

Births - Males - 4,061; Females - 3,916 — 7,977

Annual Rate per 1000 living: Persons Married 12·62; Births - - 27·94

Deaths from Childbirth and Puerperal Fever - - - - - 2·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·59			†120	–	–	–	–	44·98	3·67	1·89	3·72	5·56	6·26	10·81	14·70	25·40	48·16	137·85
Annual Death-Rate per 1000. Males	—			16·74			†129	–	–	–	–	48·14	3·76	1·57	3·94	6·61	7·17	12·73	17·06	28·41	50·23	146·36
Annual Death-Rate per 1000. Females	—			14·51			†111	–	–	–	–	41·75	3·58	2·20	3·48	4·32	5·36	9·05	12·63	22·82	46·55	131·75
Mean Population, 1881–91. Persons	Decennial Increase of Population, 9·92 per cent.			38,639			975	891	944	919	897	4626	4444	4076	4006	3883	5610	4153	3258	2339	1520	724
Mean Population, 1881–91. Males				19,098			502	441	463	470	465	2341	2210	2032	2081	2102	2776	1988	1524	1077	665	302
Mean Population, 1881–91. Females				19,541			473	450	481	449	432	2285	2234	2044	1925	1781	2834	2165	1734	1262	855	422
Deaths from All Causes, 1881–90. Persons	16·28			6,289			1365	406	146	91	73	2081	163	77	149	216	351	449	479	594	732	998
Deaths from All Causes, 1881–90. Males	17·05			3,257			757	219	67	49	35	1127	83	32	82	139	199	253	260	306	334	442
Deaths from All Causes, 1881–90. Females	15·52			3,032			608	187	79	42	38	954	80	45	67	77	152	196	219	288	398	556
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·02	5	2	3	–	–	–	1	1	2	–	–	–	–	1	–	2	–	–	–
Measles	0·40	0·46	0·35	156	87	69	38	63	23	15	7	146	6	1	–	1	–	–	1	–	–	1
Scarlet Fever	0·10	0·10	0·11	40	19	21	2	4	4	5	6	21	16	2	–	1	–	–	–	–	–	–
Diphtheria	0·05	0·03	0·06	18	6	12	–	3	1	1	2	7	5	1	1	–	1	–	1	1	1	–
Whooping-cough	0·35	0·33	0·37	136	63	73	66	42	13	6	3	130	5	–	–	–	–	–	–	–	1	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	54	27	27	–	–	2	–	–	2	9	9	9	6	8	4	2	3	1	1
Simple Continued Fever	0·03	0·03	0·04	13	6	7	1	–	–	1	–	2	–	1	3	1	1	2	1	2	–	–
Diarrhœa and Dysentery	0·55	0·58	0·52	212	110	102	140	31	–	1	3	175	–	–	–	1	6	1	2	4	6	17
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·52	0·38	0·66	202	73	129	–	3	–	–	–	3	1	–	–	1	11	26	40	48	49	23
Tabes Mesenterica	0·14	0·14	0·15	56	27	29	32	8	–	2	–	42	5	1	5	–	1	1	–	–	1	–
Phthisis	1·28	1·41	1·15	494	270	224	5	5	–	3	2	15	10	21	42	74	120	108	66	32	5	1
Other Tub. & Scrof. Dis.	0·23	0·26	0·20	88	49	39	14	13	7	8	7	49	17	5	5	8	2	1	–	1	–	–
Diseases of Nervous System	2·31	2·35	2·28	894	449	445	206	40	22	11	8	287	24	6	11	11	32	39	75	116	138	155
Diseases of Circulatory "	1·55	1·55	1·55	598	296	302	4	2	1	1	1	9	8	8	16	17	21	58	82	111	150	118
Diseases of Respiratory "	2·73	2·89	2·57	1055	552	503	236	117	47	27	17	444	20	1	9	11	31	57	61	98	140	183
Diseases of Digestive "	1·20	1·17	1·22	462	224	238	91	34	8	1	6	140	9	4	11	10	21	33	46	69	71	48
Diseases of Urinary "	0·35	0·48	0·23	137	92	45	2	–	–	1	–	3	3	1	4	3	7	9	14	32	26	35
Diseases of Generative "	0·04	–	0·08	16	–	16	1	–	–	–	–	1	–	–	1	1	1	2	2	3	3	2
Puerperal Fever	0·05	–	0·10	19	–	19	–	–	–	–	–	–	–	–	–	6	7	6	–	–	–	–
Childbirth	0·05	–	0·10	19	–	19	–	–	–	–	–	–	–	–	–	1	7	10	1	–	–	–
Violence	0·91	1·45	0·38	351	276	75	23	10	9	5	6	53	11	3	17	49	50	63	42	24	22	17
Other Causes	3·28	3·28	3·23	1261	627	634	504	31	9	2	4	550	14	13	14	13	23	29	41	50	117	397

Marriages - - - 3,152

Births - Males - 5,885; Females - 5,458 — 11,343

Annual Rate per 1000 living: Persons Married 16·32; Births - - 29·36

Deaths from Childbirth and Puerperal Fever - - - - - 3·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

65.—ELHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·30	†117	–	–	–	–	45·54	4·67	2·51	2·71	4·05	5·95	10·15	14·00	24·98	47·92	127·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·22	†124	–	–	–	–	47·12	4·47	2·42	3·27	4·61	6·87	11·28	16·34	29·20	51·45	133·70
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·43	†109	–	–	–	–	43·95	4·86	2·60	2·18	3·50	5·18	9·17	12·13	21·47	45·03	121·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·84 per cent.	37,349	878	860	853	855	873	4319	4029	3747	3947	4075	5882	4228	3078	2150	1300	594
Mean Population, 1881–91. Males		17,827	447	432	426	428	436	2169	1990	1863	1927	2019	2694	1960	1371	976	585	273
Mean Population, 1881–91. Females		19,522	431	428	427	427	437	2150	2039	1884	2020	2056	3188	2268	1707	1174	715	321
Deaths from All Causes, 1881–90. Persons	15·12	5,646	1246	371	166	115	69	1967	188	94	107	165	350	429	431	537	623	755
Deaths from All Causes, 1881–90. Males	16·23	2,893	665	188	74	63	32	1022	89	45	63	93	185	221	224	285	301	365
Deaths from All Causes, 1881–90. Females	14·10	2,753	581	183	92	52	37	945	99	49	44	72	165	208	207	252	322	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·02	–	4	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Measles	0·27	0·29	0·25	99	51	48	20	46	9	10	4	89	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·16	0·16	59	28	31	2	8	10	10	6	36	14	4	3	1	1	–	–	–	–	–
Diphtheria	0·38	0·31	0·45	143	55	88	2	14	24	25	20	85	46	5	2	1	1	2	–	1	–	–
Whooping-cough	0·37	0·30	0·43	138	54	84	58	48	18	8	1	133	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·10	42	23	19	–	–	–	2	–	2	3	3	7	6	9	4	4	1	3	–
Simple Continued Fever	0·01	0·01	0·02	4	1	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–
Diarrhœa and Dysentery	0·45	0·47	0·44	168	83	85	124	18	2	1	2	147	–	–	–	2	3	2	2	1	3	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·42	0·67	205	75	130	–	–	–	–	–	–	–	–	–	1	7	28	42	54	46	27
Tabes Mesenterica	0·16	0·20	0·13	60	35	25	38	6	1	2	1	48	1	1	4	3	–	1	–	–	2	–
Phthisis	1·42	1·50	1·34	530	268	262	20	7	2	4	2	35	7	20	34	60	123	129	67	35	19	1
Other Tub. & Scrof. Dis.	0·33	0·36	0·30	123	65	58	30	20	13	5	2	70	13	15	7	6	4	3	1	3	1	–
Diseases of Nervous System	1·92	2·12	1·74	717	377	340	179	38	21	12	9	259	25	6	3	10	28	25	49	80	122	110
Diseases of Circulatory „	1·33	1·63	1·44	572	291	281	5	–	–	2	1	8	8	6	6	11	18	52	72	121	140	130
Diseases of Respiratory „	2·61	3·03	2·23	975	540	435	283	121	53	26	11	494	26	6	7	16	43	37	50	80	101	115
Diseases of Digestive „	1·06	1·03	0·96	372	184	188	85	26	3	1	3	118	5	5	7	9	19	33	46	51	47	32
Diseases of Urinary „	0·51	0·68	0·36	192	121	71	3	–	1	1	–	5	1	3	1	7	12	25	26	37	44	31
Diseases of Generative „	0·04	–	0·08	15	–	15	–	–	–	–	–	–	–	–	–	1	–	3	5	4	2	–
Puerperal Fever	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	3	18	9	–	–	–	–
Childbirth	0·07	–	0·13	25	–	25	–	–	–	–	–	–	–	–	–	5	11	9	–	–	–	–
Violence	0·52	0·88	0·19	195	157	38	9	4	4	4	4	25	7	5	12	12	31	33	29	19	12	10
Other Causes	2·62	2·69	2·53	978	481	497	388	15	5	2	3	413	18	13	13	10	21	33	38	49	79	291

Marriages - - - 2,672

Births - { Males - 5,359 / Females - 5,322 } 10,681

Annual Rate per 1000 living { Persons Married 14·31 / Births - - 28·60 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·15 per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·69	†88	–	–	–	–	30·06	4·17	3·03	5·68	6·57	7·56	10·46	13·82	16·12	51·12	131·40
Annual Death-Rate per 1000. Males	—	Standard 13·89	†88	–	–	–	–	30·86	3·39	3·32	4·38	6·43	7·84	10·84	14·98	21·27	56·62	122·95
Annual Death-Rate per 1000. Females	—	Population* 13·50	†89	–	–	–	–	29·20	5·01	2·72	7·41	6·76	7·22	10·00	12·55	10·63	45·45	140·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·04 per cent.	6,238	184	169	168	162	172	855	743	692	563	502	847	669	550	428	268	121
Mean Population, 1881–91. Males		3,322	94	86	91	91	82	444	384	361	320	280	459	369	287	221	136	61
Mean Population, 1881–91. Females		2,916	90	83	77	71	90	411	359	331	243	222	388	300	263	207	132	60
Deaths from All Causes, 1881–90. Persons	15·21	949	171	46	21	15	4	257	31	21	32	33	64	70	76	69	137	159
Deaths from All Causes, 1881–90. Males	15·41	512	88	25	12	8	4	137	13	12	14	18	36	40	43	47	77	75
Deaths from All Causes, 1881–90. Females	14·99	437	83	21	9	7	–	120	18	9	18	15	28	30	33	22	60	84

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·15	0·17	10	5	5	4	3	1	–	–	8	1	–	–	–	–	–	1	–
Scarlet Fever	0·14	0·18	0·10	9	6	3	–	2	2	2	–	6	1	–	–	–	1	1	–	–
Diphtheria	0·22	0·18	0·27	14	6	8	–	1	4	1	–	6	5	2	–	–	1	–	–	–
Whooping-cough	0·30	0·27	0·34	19	9	10	8	5	1	4	–	18	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·10	7	4	3	–	–	–	–	–	–	2	1	2	1	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·21	0·51	22	7	15	13	4	1	–	1	19	–	–	–	–	1	–	–	–
Cholera	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2
Cancer	0·16	0·12	0·21	10	4	6	–	–	–	–	–	–	–	–	–	–	–	–	2	3
Tabes Mesenterica	0·14	0·15	0·14	9	5	4	8	–	–	–	–	8	1	–	–	–	–	–	–	–
Phthisis	1·91	1·60	2·26	119	53	66	3	3	–	1	–	7	1	6	16	13	25	16	17	8
Other Tub. & Scrof. Dis.	0·27	0·27	0·27	17	9	8	5	2	–	2	–	9	2	–	–	2	–	2	–	1
Diseases of Nervous System	2·15	1·99	2·33	134	66	68	27	7	4	1	1	40	3	–	5	–	7	4	8	13
Diseases of Circulatory „	1·15	1·17	1·13	72	39	33	–	–	–	–	–	–	–	1	–	2	2	11	9	10
Diseases of Respiratory „	1·78	2·14	1·37	111	71	40	18	7	–	2	1	28	4	2	–	–	2	7	13	8
Diseases of Digestive „	1·23	1·26	1·20	77	42	35	11	9	3	1	–	24	2	2	2	2	1	7	7	7
Diseases of Urinary „	0·30	0·42	0·17	19	14	5	–	–	1	–	1	2	1	–	1	1	3	–	1	2
Diseases of Generative „	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Puerperal Fever	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Childbirth	0·10	–	0·21	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–
Violence	0·96	1·57	0·27	60	52	8	1	–	2	1	–	4	4	1	2	8	12	8	3	7
Other Causes	3·68	3·58	3·77	228	119	109	73	3	2	–	–	78	3	6	4	3	6	7	14	10

	75 and upwds.
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	–
Whooping-cough	–
Typhus	–
Enteric Fever	–
Simple Continued Fever	–
Diarrhœa and Dysentery	–
Cholera	2
Cancer	–
Tabes Mesenterica	1
Phthisis	–
Other Tub. & Scrof. Dis.	1
Diseases of Nervous System	24
Diseases of Circulatory	14
Diseases of Respiratory	24
Diseases of Digestive	9
Diseases of Urinary	3
Diseases of Generative	–
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	4
	76

Marriages - - - 381

Births - Males - 1,005; Females - 931 } 1,936

Annual Rate per 1,000 living { Persons Married 12·22; Births - - 31·04

Deaths from Childbirth and Puerperal Fever - - - - - } 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

67.—RYE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·38	†90	–	–	–	–	30·60	4·54	2·64	3·12	5·13	6·22	8·61	12·42	22·80	50·24	142·75
Annual Death-Rate per 1000. Males	—	13·35	†99	–	–	–	–	32·19	5·09	2·33	2·36	4·65	6·26	8·96	12·35	22·38	51·64	150·00
Annual Death-Rate per 1000. Females	—	13·40	†81	–	–	–	–	29·02	4·01	2·95	3·99	5·62	6·18	8·28	12·48	23·20	48·88	135·97
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·74 per cent.	11,815	320	289	295	301	321	1526	1476	1401	1027	839	1464	1277	1055	864	617	269
Mean Population, 1881–91. Males		5,849	157	138	158	150	158	761	727	688	551	430	703	625	510	420	304	130
Mean Population, 1881–91. Females		5,966	163	151	137	151	163	765	749	713	476	409	761	652	545	444	313	139
Deaths from All Causes, 1881–90. Persons	15·82	1,869	320	72	31	23	21	467	67	37	32	43	91	110	131	197	310	384
Deaths from All Causes, 1881–90. Males	16·07	940	176	34	13	12	10	245	37	16	13	20	44	56	63	94	157	195
Deaths from All Causes, 1881–90. Females	15·57	929	144	38	18	11	11	222	30	21	19	23	47	54	68	103	153	189

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	–	0·02	1	–	1
Measles	0·08	0·05	0·12	10	3	7
Scarlet Fever	0·03	0·02	0·03	3	1	2
Diphtheria	0·27	0·24	0·30	32	14	18
Whooping-cough	0·22	0·14	0·30	26	8	18
Typhus	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	10	5	5
Simple Continued Fever	0·06	0·07	0·05	7	4	3
Diarrhœa and Dysentery	0·28	0·29	0·27	33	17	16
Cholera	–	–	–	–	–	–
Cancer	0·74	0·43	1·06	88	25	63
Tabes Mesenterica	0·19	0·12	0·25	22	7	15
Phthisis	1·50	1·45	1·54	177	85	92
Other Tub. & Scrof. Dis.	0·12	0·14	0·10	14	8	6
Diseases of Nervous System	2·01	1·90	2·13	238	111	127
Diseases of Circulatory "	1·55	1·61	1·49	183	94	89
Diseases of Respiratory "	2·78	3·35	2·23	329	196	133
Diseases of Digestive "	0·87	0·92	0·82	103	54	49
Diseases of Urinary "	0·57	0·72	0·42	67	42	25
Diseases of Generative "	0·03	–	0·07	4	–	4
Puerperal Fever	0·04	–	0·08	5	–	5
Childbirth	0·08	–	0·15	9	–	9
Violence	0·58	0·96	0·20	68	56	12
Other Causes	3·73	3·57	3·86	440	210	230

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	–	1	4	2	–	7	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	2	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	4	4	9	15	5	1	–	1	1	–	–	–	–
Whooping-cough	16	8	2	–	–	26	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	1	1	2	1	1	–	1	2	2	–	–	–
Simple Continued Fever	–	–	–	–	–	–	2	–	–	–	1	1	–	1	–	2
Diarrhœa and Dysentery	16	4	–	1	–	21	3	–	–	–	1	1	1	–	2	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	1	4	16	25	23	19
Tabes Mesenterica	9	3	2	–	1	15	1	2	1	–	–	1	–	–	2	–
Phthisis	–	–	–	–	–	–	5	7	14	26	46	31	27	18	3	–
Other Tub. & Scrof. Dis.	5	3	1	–	1	10	1	2	–	–	–	–	–	1	–	–
Diseases of Nervous System	37	7	5	2	4	55	9	4	3	7	5	18	10	24	46	57
Diseases of Circulatory "	4	1	–	–	–	5	–	1	2	–	3	12	16	34	57	53
Diseases of Respiratory "	51	20	13	9	7	100	13	3	–	–	7	8	21	38	68	71
Diseases of Digestive "	20	7	–	1	–	28	1	3	1	–	3	5	9	13	26	14
Diseases of Urinary "	1	2	–	–	1	4	–	3	–	–	3	3	6	14	21	13
Diseases of Generative "	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
Violence	3	2	1	–	1	7	6	1	5	3	3	11	4	10	11	7
Other Causes	157	12	3	4	1	177	6	4	4	4	8	8	15	19	51	144

Marriages - - - 738

Births - { Males - 1,769 / Females - 1,770 } 3,539

Annual Rate per 1000 living { Persons Married 12·49 / Births - - 29·95

Deaths from Childbirth and Puerperal Fever - - - - - } 3·96 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·13	†119	–	–	–	–	44·30	3·47	2·56	3·60	5·07	7·44	11·30	15·62	24·90	52·29	129·45
Males	—					18·29	†133	–	–	–	–	49·46	3·14	2·43	4·30	6·11	9·42	14·47	20·71	29·23	61·67	157·37
Females	—					14·08	†105	–	–	–	–	39·18	3·81	2·70	3·15	4·50	6·24	9·25	12·46	22·25	46·22	113·72
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·61 per cent.			56,798			1273	1159	1259	1206	1202	6099	5878	5892	5971	5626	8847	6762	5159	3562	2136	866
Males				23,751			620	575	637	623	586	3041	2990	2926	2350	1981	3322	2654	1980	1355	840	312
Females				33,047			653	584	622	583	616	3058	2888	2966	3621	3645	5525	4108	3179	2207	1296	554
Deaths from All Causes, 1881–90. Persons	15·69			8,910			1692	569	212	135	94	2702	204	151	215	285	658	764	806	887	1117	1121
Males	18·54			4,403			972	290	117	72	53	1504	94	71	101	121	313	384	410	396	518	491
Females	13·64			4,507			720	279	95	63	41	1198	110	80	114	164	345	380	396	491	599	630
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·05	0·02	21	13	8	6	1	–	–	1	8	2	1	–	2	5	1	–	2	–	–
Measles	0·32	0·42	0·25	180	99	81	32	79	29	15	13	168	8	1	–	1	1	1	–	–	–	–
Scarlet Fever	0·04	0·06	0·03	24	14	10	–	3	3	2	5	13	7	–	1	1	2	–	–	–	–	–
Diphtheria	0·15	0·17	0·13	85	41	44	2	4	10	12	10	38	30	7	2	1	4	–	1	1	1	–
Whooping-cough	0·34	0·34	0·35	194	80	114	81	66	25	13	4	189	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·08	46	21	25	–	1	–	1	1	3	2	4	5	8	10	4	5	1	4	–
Simple Continued Fever	0·01	–	0·01	4	–	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–
Diarrhœa and Dysentery	0·45	0·54	0·38	253	128	125	156	33	6	2	3	200	–	–	–	1	2	2	2	5	15	26
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·80	0·57	0·97	456	136	320	1	1	–	1	–	3	–	1	1	4	18	46	96	115	119	53
Tabes Mesenterica	0·18	0·24	0·13	100	56	44	47	15	7	1	3	73	6	5	6	2	3	2	1	2	–	–
Phthisis	2·14	2·72	1·72	1213	645	568	13	6	7	4	3	33	9	22	89	152	318	302	189	78	19	2
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	208	102	106	45	38	23	14	10	130	23	16	7	9	9	3	4	4	3	–
Diseases of Nervous System	1·91	2·17	1·73	1085	515	570	214	71	33	17	4	339	34	12	11	15	24	56	83	150	193	168
Diseases of Circulatory „	1·57	1·87	1·35	889	444	445	10	2	1	2	3	18	12	12	18	11	42	88	112	167	261	148
Diseases of Respiratory „	2·35	2·76	2·05	1334	656	678	298	170	43	34	23	568	22	13	12	12	49	66	91	124	183	194
Diseases of Digestive „	0·96	1·17	0·82	547	277	270	114	38	12	7	2	173	13	8	14	10	24	48	66	75	74	42
Diseases of Urinary „	0·52	0·71	0·39	298	168	130	5	7	–	–	1	13	2	6	3	8	28	33	43	44	72	46
Diseases of Generative „	0·07	0·01	0·11	37	2	35	1	–	–	–	–	1	–	2	1	3	4	8	3	6	5	4
Puerperal Fever	0·06	–	0·10	34	–	34	–	–	–	–	–	–	–	–	–	6	19	9	–	–	–	–
Childbirth	0·04	–	0·07	24	–	24	–	–	–	–	–	–	–	–	–	2	11	10	1	–	–	–
Violence	0·44	0·75	0·21	248	178	70	21	5	4	2	6	38	10	12	13	13	35	22	33	27	20	25
Other Causes	2·85	3·47	2·42	1629	827	802	646	29	9	8	2	694	19	29	31	23	50	63	76	85	146	413

Marriages - - - 3,571

Births - Males - 7,318; Females - 6,880 — 14,198

Annual Rate per 1000 living: Persons Married 12·57; Births - - 25·00

Deaths from Childbirth and Puerperal Fever - - - - - 4·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

69.—BATTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·88	†93	–	–	–	–	31·23	4·46	2·63	3·46	4·78	5·75	7·36	11·16	20·95	45·99	142·12
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·92	†100	–	–	–	–	35·21	4·83	2·11	2·20	4·14	4·91	7·38	12·92	21·26	42·73	146·67
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·84	†85	–	–	–	–	27·14	4·09	3·18	4·98	5·41	6·49	7·34	9·49	20·64	49·38	137·32
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·92 per cent.	15,865	437	399	436	420	412	2104	2017	1862	1416	1256	2174	1712	1335	1036	661	292
Mean Population, 1881–91. Males	Decennial Increase of Population 19·92 per cent.	7,920	213	203	215	216	218	1065	1014	950	773	628	1018	827	650	508	337	150
Mean Population, 1881–91. Females	Decennial Increase of Population 19·92 per cent.	7,945	224	196	221	204	194	1039	1003	912	643	628	1156	885	685	528	324	142
Deaths from All Causes, 1881–90. Persons	14·13	2,241	450	111	43	35	18	657	90	49	49	60	125	126	149	217	304	415
Deaths from All Causes, 1881–90. Males	14·57	1,154	254	71	25	16	9	375	49	20	17	26	50	61	84	108	144	220
Deaths from All Causes, 1881–90. Females	13·68	1,087	196	40	18	19	9	282	41	29	32	34	75	65	65	109	160	195

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·17	0·19	0·15	27	15	12	7	7	5	1	1	21	5	1	–	–	–	–	–	–
Scarlet Fever	0·04	0·06	0·03	7	5	2	–	1	–	1	1	3	1	–	–	1	–	2	–	–	–	–
Diphtheria	0·25	0·13	0·38	40	10	30	–	1	1	4	1	7	19	10	1	–	1	1	1	–	–	–
Whooping-cough	0·18	0·15	0·21	29	12	17	21	5	2	1	–	29	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·08	0·08	0·09	13	6	7	–	–	–	1	–	1	2	2	2	2	2	–	1	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·30	0·25	44	24	20	19	4	–	–	–	23	–	–	–	1	1	–	1	3	4	11
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·37	0·81	93	29	64	–	–	–	–	–	–	–	–	–	–	–	4	10	32	37	10
Tabes Mesenterica	0·25	0·24	0·25	39	19	20	20	6	1	–	1	28	4	2	2	–	1	–	2	–	–	–
Phthisis	1·41	1·24	1·59	224	98	126	6	3	2	–	–	11	4	11	27	27	58	44	22	14	6	–
Other Tub. & Scrof. Dis.	0·43	0·42	0·44	68	33	35	23	7	5	3	3	41	13	2	1	5	1	2	2	–	1	–
Diseases of Nervous System	1·76	1·82	1·70	279	144	135	50	10	3	5	6	74	8	5	2	7	9	10	20	27	50	67
Diseases of Circulatory „	1·61	1·67	1·55	255	132	123	–	–	1	–	–	1	2	2	–	1	12	18	25	58	60	76
Diseases of Respiratory „	2·54	2·78	2·30	403	220	183	77	46	15	11	4	153	18	2	5	4	10	15	29	41	60	66
Diseases of Digestive „	0·84	0·97	0·72	134	77	57	22	13	3	2	–	40	8	6	2	3	6	6	9	17	20	17
Diseases of Urinary „	0·28	0·42	0·15	45	33	12	1	–	–	–	–	1	–	1	–	1	2	1	4	5	17	13
Diseases of Generative „	0·05	0·03	0·08	8	2	6	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Childbirth	0·07	–	0·14	11	–	11	–	–	–	–	–	–	–	–	–	1	9	1	–	–	–	–
Violence	0·40	0·51	0·29	63	40	23	9	–	1	3	–	13	1	2	4	1	7	9	9	5	4	8
Other Causes	2·83	3·15	2·48	449	251	198	195	8	2	3	1	209	4	3	3	2	5	11	12	10	43	147

Marriages - - - 1,046

Births - Males - 2,537; Females - 2,317 — 4,854

Annual Rate per 1000 living: Persons Married 13·19; Births - - 30·60

Deaths from Childbirth and Puerperal Fever - - - - - 3·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·96	†114	–	–	–	–	43·49	5·42	2·45	2·97	3·90	5·90	9·23	13·25	21·04	52·59	127·92
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·44	†128	–	–	–	–	49·30	4·63	2·46	2·80	4·26	6·79	10·54	16·67	23·90	57·85	147·54
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·56	†98	–	–	–	–	37·85	6·22	2·44	3·10	3·69	5·26	8·20	10·67	18·96	48·62	113·78
Mean Population, 1881–91. Persons	Decennial Increase of Population 48·53 per cent.	34,491	826	762	816	768	746	3918	3673	3756	3939	3637	5608	3869	2747	1825	1082	437
Mean Population, 1881–91. Males		15,371	393	385	408	367	378	1931	1857	1912	1645	1386	2341	1699	1182	770	465	183
Mean Population, 1881–91. Females		19,120	433	377	408	401	368	1987	1816	1844	2294	2251	3267	2170	1565	1055	617	254
Deaths from All Causes, 1881–90. Persons	13·97	4,818	1143	288	121	90	62	1704	199	92	117	142	331	357	364	384	569	559
Deaths from All Causes, 1881–90. Males	15·93	2,448	657	151	57	52	35	952	86	47	46	59	159	179	197	184	269	270
Deaths from All Causes, 1881–90. Females	12·40	2,370	486	137	64	38	27	752	113	45	71	83	172	178	167	200	300	289

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Measles	0·18	0·23	0·14	63	36	27	14	17	8	7	5	51	8	2	2	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	13	8	5	1	2	–	1	–	4	3	1	–	2	2	–	1	–	–	–
Diphtheria	0·50	0·51	0·49	171	78	93	5	11	20	20	16	72	75	14	6	3	–	1	–	–	–	–
Whooping-cough	0·28	0·34	0·24	98	53	45	48	35	6	4	4	97	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	35	16	19	2	1	1	2	1	7	1	5	4	2	6	4	4	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·61	0·75	0·49	209	115	94	168	12	2	2	–	184	2	–	–	1	2	2	2	2	6	8
Cholera	0·01	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·57	0·65	211	87	124	1	1	–	–	1	3	–	–	–	2	4	16	46	55	69	16
Tabes Mesenterica	0·23	0·27	0·20	79	41	38	42	14	6	2	–	64	4	4	2	1	2	–	1	–	1	–
Phthisis	1·37	1·47	1·29	473	226	247	15	4	4	3	–	26	10	11	36	47	139	108	53	32	10	1
Other Tub. & Scrof. Dis.	0·39	0·50	0·30	135	77	58	32	32	14	5	8	91	17	9	5	5	3	3	2	–	–	–
Diseases of Nervous System	1·55	1·78	1·37	535	273	262	123	27	12	6	3	171	9	7	12	10	14	22	44	61	97	88
Diseases of Circulatory "	1·34	1·50	1·20	461	231	230	3	–	–	–	–	3	6	5	6	9	32	41	68	70	122	99
Diseases of Respiratory "	2·18	2·53	1·90	752	389	363	196	83	33	23	15	350	35	7	10	9	28	30	33	43	102	105
Diseases of Digestive "	1·04	1·12	0·97	357	172	185	91	24	6	6	2	129	9	7	5	8	17	26	28	46	57	25
Diseases of Urinary "	0·45	0·68	0·27	155	104	51	3	–	–	–	–	3	1	2	4	4	14	18	19	31	32	27
Diseases of Generative "	0·06	0·01	0·11	22	1	21	–	–	–	–	–	–	–	–	–	1	4	8	5	3	1	–
Puerperal Fever	0·09	–	0·16	31	–	31	–	–	–	–	–	–	–	–	–	8	10	13	–	–	–	–
Childbirth	0·05	–	0·08	16	–	16	–	–	–	–	–	–	–	–	–	2	6	8	–	–	–	–
Violence	0·45	0·68	0·26	154	105	49	20	5	5	2	1	33	4	9	8	13	18	17	24	9	10	9
Other Causes	2·43	2·82	2·14	844	433	411	376	20	4	7	6	413	14	9	17	15	30	40	33	30	62	181

Marriages - - - 2,255

Births - { Males - 5,122 / Females - 4,944 } 10,066

Annual Rate per 1000 living { Persons Married 13·08 / Births - - 29·18 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

71.—HAILSHAM.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·55	†105	–	–	–	–	33·48	4·30	3·77	4·34	6·55	7·90	10·38	9·51	20·52	50·46	162·13
Males	—	14·02	†117	–	–	–	–	37·12	4·47	2·47	2·27	6·27	7·29	8·23	10·73	19·25	46·11	182·14
Females	—	14·86	†93	–	–	–	–	29·82	4·12	5·19	7·06	6·85	8·50	12·47	8·29	21·80	55·52	140·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·21 per cent.	13,775	384	363	365	373	376	1861	1838	1620	1243	993	1735	1455	1157	955	646	272
Males		7,076	178	173	192	191	198	932	940	849	705	526	864	717	578	478	347	140
Females		6,699	206	190	173	182	178	929	898	771	538	467	871	738	579	477	299	132
Deaths from All Causes, 1881–90. Persons	16·28	2,243	457	86	31	29	20	623	79	61	54	65	137	151	110	196	326	441
Males	16·24	1,149	258	43	17	14	14	346	42	21	16	33	63	59	62	92	160	255
Females	16·33	1,09	199	43	14	15	6	277	37	40	38	32	74	92	48	104	166	186

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·08	0·07	11	6	5	2	3	2	–	–	7	1	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·04	0·03	5	3	2	1	1	2	–	–	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·38	0·30	0·46	52	21	31	–	1	2	9	4	16	19	9	2	1	3	1	–	–	1	–
Whooping-cough	0·23	0·24	0·22	32	17	15	15	9	2	3	1	30	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·12	14	6	8	–	–	–	1	–	1	–	1	4	1	–	2	3	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·17	0·14	0·21	24	10	14	9	4	–	1	–	14	1	–	–	–	–	1	–	1	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·44	0·63	73	31	42	–	–	–	–	–	–	–	–	–	–	1	7	6	22	24	13
Tabes Mesenterica	0·15	0·16	0·15	21	11	10	9	1	1	1	–	12	6	1	–	2	–	–	–	–	–	–
Phthisis	2·03	1·77	2·31	280	125	155	12	6	1	–	–	19	8	16	29	33	77	53	20	20	5	–
Other Tub. & Scrof. Dis.	0·25	0·27	0·22	34	19	15	14	2	2	–	2	20	2	3	1	1	2	1	3	–	–	1
Diseases of Nervous System	1·90	1·91	1·88	261	135	126	52	16	3	2	–	73	4	8	3	9	8	9	23	32	45	47
Circulatory „	1·74	1·56	1·94	240	110	130	4	–	–	–	–	4	3	2	4	2	7	19	16	47	82	54
Respiratory „	2·44	2·66	2·21	336	188	148	79	28	11	10	9	137	16	2	1	1	10	18	14	22	46	69
Digestive „	1·13	1·19	1·08	156	84	72	31	7	–	1	2	41	9	1	3	–	3	10	9	30	28	22
Urinary „	0·31	0·37	0·25	43	26	17	–	1	–	–	–	1	–	–	1	1	–	2	3	3	18	14
Generative „	0·05	0·01	0·09	7	1	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	1	2	3	2	–	–	–	–
Childbirth	0·13	–	0·27	18	–	18	–	–	–	–	–	–	–	–	3	3	7	5	–	–	–	–
Violence	0·43	0·59	0·25	59	42	17	3	3	1	1	1	9	3	5	1	4	7	6	6	6	6	6
Other Causes	4·13	4·43	3·82	569	314	255	226	4	4	–	1	235	5	9	1	5	8	14	6	11	65	210

Marriages - - - 842

Births { Males - 2,211 / Females - 2,151 } 4,362

Annual Rate per 1000 living { Persons Married 12·23 / Births - - 31·67 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·96 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

72.—TICEHURST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·34	†92	–	–	–	–	30·41	3·53	2·98	3·96	5·94	5·42	8·71	11·60	23·21	48·69	151·38
Annual Death-Rate per 1000. Males	—	13·61	†110	–	–	–	–	35·27	2·95	3·15	3·45	7·17	4·61	7·94	10·75	26·36	46·67	159·74
Annual Death-Rate per 1000. Females	—	13·08	†74	–	–	–	–	25·61	4·13	2·82	4·53	4·94	6·12	9·37	12·39	20·25	50·81	143·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·74 per cent.	17,162	439	440	415	441	452	2187	2207	1978	1591	1363	2289	1883	1474	1103	762	325
Mean Population, 1881–91. Males		8,360	230	211	207	217	221	1086	1117	985	840	614	1063	869	707	535	390	154
Mean Population, 1881–91. Females		8,802	209	229	208	224	231	1101	1090	993	751	749	1226	1014	767	568	372	171
Deaths from All Causes, 1881–90. Persons	14·71	2,524	458	113	43	26	25	665	78	59	63	81	124	164	171	256	371	492
Deaths from All Causes, 1881–90. Males	15·35	1,283	279	52	24	13	15	383	33	31	29	44	49	69	76	141	182	246
Deaths from All Causes, 1881–90. Females	14·10	1,241	179	61	19	13	10	282	45	28	34	37	75	95	95	115	189	246

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–
Measles	0·08	0·07	0·08	13	6	7	1	7	1	–	1	10	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·08	0·20	25	7	18	1	2	1	3	2	9	7	5	1	–	1	1	–	1	–	–
Diphtheria	0·24	0·19	0·30	42	16	26	2	3	3	5	5	18	13	8	–	1	1	1	–	–	–	–
Whooping-cough	0·17	0·17	0·18	30	14	16	17	10	3	–	–	30	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·07	11	5	6	–	–	–	–	–	–	2	2	1	–	1	2	1	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·38	0·17	47	32	15	21	9	1	1	1	33	1	–	–	2	–	–	–	2	2	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·57	0·80	118	48	70	–	–	–	–	–	–	–	1	–	–	1	2	28	21	39	26
Tabes Mesenterica	0·19	0·19	0·18	32	16	16	12	2	3	–	1	18	1	4	1	3	1	2	–	1	1	–
Phthisis	1·59	1·58	1·59	272	132	140	2	2	1	–	1	6	6	8	33	45	61	51	26	22	13	1
Other Tub. & Scrof. Dis.	0·31	0·31	0·31	53	26	27	18	9	3	3	1	34	5	–	1	4	2	1	2	4	–	–
Diseases of Nervous System	1·68	1·84	1·53	289	154	135	50	15	4	2	1	72	4	6	3	4	8	16	24	34	50	68
Diseases of Circulatory „	1·80	1·65	1·94	309	138	171	–	–	–	–	–	–	3	2	6	5	2	16	24	72	86	93
Diseases of Respiratory „	2·13	2·30	1·97	365	192	173	76	33	12	7	10	138	11	5	4	3	8	12	23	30	65	66
Diseases of Digestive „	1·12	1·05	1·18	192	88	104	47	12	5	2	–	66	7	6	3	4	9	14	14	18	30	21
Diseases of Urinary „	0·50	0·74	0·26	85	62	23	–	–	–	1	–	1	3	–	1	3	7	9	6	10	27	18
Diseases of Generative „	0·02	–	0·03	3	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
Puerperal Fever	0·10	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	–	5	11	1	–	–	–
Childbirth	0·06	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	–	6	4	1	–	–	–
Violence	0·39	0·62	0·17	67	52	15	2	3	2	1	1	9	6	2	2	3	5	6	6	13	8	7
Other Causes	3·12	3·50	2·80	537	291	246	209	6	3	1	1	220	7	9	6	3	6	14	13	26	48	185

Marriages - - - 1,097

Births - { Males - 2,537 / Females - 2,434 } 4,971

Annual Rate per 1000 living { Persons Married 12·78 / Births - - 28·97 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

73.—UCKFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·78	†82	–	–	–	–	28·49	3·83	2·55	3·55	4·72	5·99	7·73	11·00	21·16	50·17	149·19
Annual Death-Rate per 1000. Males	—	12·35	†96	–	–	–	–	32·69	3·54	2·22	2·69	3·62	3·82	7·32	11·02	21·04	50·64	146·08
Annual Death-Rate per 1000. Females	—	13·20	†68	–	–	–	–	24·40	4·11	2·87	4·62	5·83	8·02	8·13	10·98	21·29	49·65	153·01
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·85 per cent.	20,988	586	535	594	547	553	2815	2771	2630	2002	1590	2654	2185	1755	1323	893	370
Mean Population, 1881–91. Males		10,522	291	256	285	268	289	1389	1383	1304	1114	801	1282	1065	844	670	466	204
Mean Population, 1881–91. Females		10,466	295	279	309	279	264	1426	1388	1326	888	789	1372	1120	911	653	427	166
Deaths from All Causes, 1881–90. Persons	13·92	2,922	529	164	58	30	21	802	106	67	71	75	159	169	193	280	448	552
Deaths from All Causes, 1881–90. Males	14·12	1,486	314	91	29	11	9	454	49	29	30	29	49	78	93	141	236	298
Deaths from All Causes, 1881–90. Females	13·72	1,436	215	73	29	19	12	348	57	38	41	46	110	91	100	139	212	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·10	0·17	28	10	18	5	9	7	1	1	23	2	1	–	–	–	1	1	–	–
Scarlet Fever	0·05	0·05	0·05	10	5	5	1	–	–	2	–	3	2	2	1	–	1	–	–	1	–
Diphtheria	0·23	0·23	0·23	48	24	24	2	3	2	2	4	13	21	8	–	–	2	1	1	–	2
Whooping-cough	0·22	0·21	0·24	47	22	25	26	12	7	1	–	46	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·09	0·17	27	9	18	–	–	1	1	–	2	7	3	4	3	3	2	1	–	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·19	0·14	0·24	40	15	25	18	7	2	–	1	28	1	–	–	1	2	–	–	–	2
Cholera	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·45	0·81	132	47	85	–	–	–	–	–	–	–	–	–	–	2	9	25	33	38
Tabes Mesenterica	0·13	0·12	0·13	27	13	14	10	3	1	–	1	15	4	2	3	1	1	–	–	–	1
Phthisis	1·51	1·45	1·58	318	153	165	4	3	–	1	1	9	5	13	29	39	71	57	44	30	18
Other Tub. & Scrof. Dis.	0·32	0·29	0·35	67	30	37	10	14	2	5	2	33	12	8	2	2	2	2	3	–	3
Diseases of Nervous System	1·73	1·96	1·50	363	206	157	53	25	7	2	2	89	7	7	6	4	5	13	21	52	79
Diseases of Circulatory „	1·66	1·50	1·82	348	158	190	–	2	–	–	–	2	3	4	5	3	10	18	32	50	117
Diseases of Respiratory „	2·62	2·91	2·32	549	306	243	132	64	21	11	5	233	25	2	4	7	10	18	24	40	91
Diseases of Digestive „	0·74	0·69	0·78	155	73	82	16	7	3	1	2	29	6	1	3	2	6	11	15	22	33
Diseases of Urinary „	0·41	0·48	0·34	87	51	36	1	–	–	–	–	1	1	2	3	–	7	6	7	21	17
Diseases of Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2
Puerperal Fever	0·07	–	0·13	14	–	14	–	–	–	–	–	–	–	–	–	4	7	3	–	–	–
Childbirth	0·11	–	0·23	24	–	24	–	–	–	–	–	–	–	–	–	2	13	8	1	–	–
Violence	0·37	0·51	0·22	77	54	23	12	4	3	1	1	21	3	3	5	1	5	9	7	13	4
Other Causes	2·62	2·93	2·30	549	309	240	238	11	2	2	1	254	6	11	6	5	12	10	9	15	39

Marriages - - - 1,172

Births - Males - 3,266; Females - 3,170 — 6,436

Annual Rate per 1000 living: Persons Married 11·17; Births - - 30·67

Deaths from Childbirth and Puerperal Fever - - - - - 5·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

74.—EAST GRINSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 12·85			†92	–	–	–	–	30·11	4·94	2·22	3·44	4·34	5·99	8·47	11·16	21·06	50·27	133·64
Males	—			13·83			†107	–	–	–	–	34·91	5·41	2·47	3·05	4·48	6·53	9·16	13·44	22·55	49·61	142·86
Females	—			11·92			†75	–	–	–	–	25·30	4·47	1·99	3·88	4·21	5·45	7·79	8·82	19·52	50·94	123·03
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·06 per cent.			19,237			494	488	488	508	516	2494	2450	2251	1774	1519	2671	2148	1657	1192	754	327
Males				9,696			248	250	239	247	265	1249	1220	1093	950	782	1332	1070	841	603	381	175
Females				9,541			246	238	249	261	251	1245	1230	1158	824	737	1339	1078	816	589	373	152
Deaths from All Causes, 1881–90. Persons	13·74			2,643			502	122	57	52	18	751	121	50	61	66	160	182	185	251	379	437
Males	15·12			1,466			300	67	32	31	6	436	66	27	29	35	87	98	113	136	189	250
Females	12·34			1,177			202	55	25	21	12	315	55	23	32	31	73	84	72	115	190	187
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Measles	0·25	0·28	0·22	48	27	21	8	12	7	5	1	33	13	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·04	0·06	0·02	8	6	2	2	2	1	–	–	5	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·26	0·31	0·21	50	30	20	1	3	4	7	4	19	20	6	2	–	2	–	1	–	–	–
Whooping-cough	0·25	0·28	0·22	48	27	21	22	10	9	4	–	45	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·12	0·13	0·12	24	13	11	–	–	–	–	–	–	2	2	2	2	5	7	1	1	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·26	0·19	43	25	18	13	4	2	4	1	24	4	–	–	–	–	–	–	1	7	7
Cholera	0·01	0·02	–	2	2	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·57	0·83	134	55	79	–	–	2	–	–	2	1	–	2	–	5	12	26	37	33	16
Tabes Mesenterica	0·09	0·08	0·10	18	8	10	9	5	–	–	–	14	1	–	2	–	–	1	–	–	–	–
Phthisis	1·31	1·58	1·04	252	153	99	2	3	3	–	–	8	12	7	26	27	71	49	34	13	4	1
Other Tub. & Scrof. Dis.	0·40	0·34	0·46	77	33	44	18	11	3	4	2	38	13	9	5	4	1	3	1	1	1	1
Diseases of Nervous System	1·47	1·66	1·28	283	161	122	47	8	2	8	–	65	9	4	4	1	4	11	11	34	70	70
Circulatory „	1·58	1·65	1·50	303	160	143	3	1	–	–	–	4	1	4	7	5	12	19	27	54	91	79
Respiratory „	2·77	3·02	2·52	533	293	240	121	42	14	10	7	194	18	4	4	6	5	21	29	52	80	120
Digestive „	0·85	0·91	0·79	163	88	75	31	11	4	4	3	53	7	1	1	–	2	15	15	19	30	20
Urinary „	0·38	0·56	0·20	73	54	19	–	–	–	–	–	–	1	1	1	1	7	7	9	13	13	20
Generative „	0·05	0·02	0·07	9	2	7	–	–	–	–	–	–	–	–	–	–	1	1	5	–	1	1
Puerperal Fever	0·11	–	0·23	22	–	22	–	–	–	–	–	–	–	–	–	4	9	9	–	–	–	–
Childbirth	0·03	–	0·05	5	–	5	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
Violence	0·51	0·72	0·30	99	70	29	15	2	2	5	–	24	5	4	2	5	15	6	13	11	10	4
Other Causes	2·31	2·63	1·99	445	255	190	209	8	4	1	–	222	7	7	3	11	14	20	12	14	38	97

Marriages - - 1,054

Births - { Males - 2,805 / Females - 2,677 } 5,482

Annual Rate per 1000 living { Persons Married 10·96 / Births - - 28·50

Deaths from Childbirth and Puerperal Fever - - - - - 4·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

75.—CUCKFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	12·24		†88	–	–	–	–	29·59	3·41	2·38	2·72	4·93	5·95	7·27	9·31	20·14	46·67	141·12
Males	—				12·60		†100	–	–	–	–	32·82	3·17	2·47	2·38	4·72	5·16	7·57	9·72	22·33	48·15	153·09
Females	—				11·90		†76	–	–	–	–	26·41	3·64	2·26	3·11	5·12	6·66	6·98	8·92	18·04	45·12	129·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·98 per cent.			23,832			594	578	543	599	562	2876	2907	3031	2352	1867	3242	2629	2063	1524	947	394
Males				11,909			303	280	271	285	287	1426	1450	1658	1260	890	1531	1268	998	748	486	194
Females				11,923			291	298	272	314	275	1450	1457	1373	1092	977	1711	1361	1065	776	461	200
Deaths from All Causes, 1881–90. Persons	12·84			3,059			568	159	49	39	36	851	99	72	64	92	193	191	192	307	442	556
Males	13·41			1,597			327	73	24	19	25	468	46	41	30	42	79	96	97	167	234	297
Females	12·26			1,462			241	86	25	20	11	383	53	31	34	50	114	95	95	140	208	259
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Measles	0·13	0·12	0·15	32	14	18	2	7	7	2	2	20	8	1	–	1	1	1	–	–	–	–
Scarlet Fever	0·05	0·08	0·03	13	10	3	–	1	3	–	1	5	2	4	–	–	1	–	–	1	–	–
Diphtheria	0·15	0·13	0·17	35	15	20	–	2	2	5	8	17	10	6	–	–	–	1	1	–	–	–
Whooping-cough	0·32	0·29	0·36	77	34	43	37	28	8	2	1	76	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·13	27	12	15	1	1	–	–	–	2	4	1	5	4	4	4	–	2	1	–
Simple Continued Fever	0·02	0·02	0·03	5	2	3	–	–	–	–	–	–	–	3	–	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·24	0·22	0·25	56	26	30	32	12	–	–	1	45	–	–	–	–	–	–	–	2	1	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·42	0·69	132	50	82	–	–	1	–	–	1	–	–	–	1	1	7	29	32	34	27
Tabes Mesenterica	0·09	0·11	0·08	22	13	9	9	1	1	2	2	15	3	–	1	–	2	1	–	–	–	–
Phthisis	1·26	1·26	1·26	300	150	150	3	3	–	1	1	8	4	8	21	45	76	62	33	29	11	3
Other Tub. & Scrof. Dis.	0·35	0·34	0·37	84	40	44	16	17	2	9	3	47	14	9	–	4	3	4	–	2	1	–
Diseases of Nervous System	1·56	1·64	1·49	372	195	177	80	16	3	2	4	105	11	7	4	5	11	12	28	33	83	73
Circulatory „	1·68	1·69	1·68	401	201	200	2	–	–	1	–	3	3	8	7	6	17	27	28	66	136	100
Respiratory „	2·17	2·54	1·79	516	303	213	108	58	14	11	11	202	17	6	8	5	13	13	19	58	70	105
Digestive „	0·62	0·72	0·51	147	86	61	25	6	–	–	–	31	4	8	3	3	6	11	15	20	27	19
Urinary „	0·48	0·61	0·34	114	73	41	1	–	–	–	–	1	3	3	3	1	6	12	13	16	23	33
Generative „	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	–	3	–	1	3	2	–
Puerperal Fever	0·09	–	0·18	21	–	21	–	–	–	–	–	–	–	–	1	4	12	4	–	–	–	–
Childbirth	0·06	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	2	7	6	–	–	–	–
Violence	0·43	0·58	0·28	102	69	33	9	2	3	1	2	17	7	2	2	5	16	14	10	13	7	9
Other Causes	2·43	2·53	2·25	577	303	274	243	5	5	3	–	256	7	6	9	5	13	12	14	30	46	179

Marriages - - - 1,200

Births - Males - 3,256, Females - 3,178 } 6,434

Annual Rate per 1000 living { Persons Married 10·07, Births - - 27·00

Deaths from Childbirth and Puerperal Fever - - - - } 5·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

76.—LEWES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 16·13			†103	–	–	–	–	35·07	3·64	2·29	3·81	6·58	8·39	12·78	17·17	29·51	59·78	161·90
Males	—			17·07			†116	–	–	–	–	38·89	3·79	2·09	3·59	6·38	8·75	15·25	17·86	32·37	64·71	170·67
Females	—			15·24			†89	–	–	–	–	31·21	3·49	2·52	4·09	6·82	8·03	10·36	16·49	26·67	55·16	153·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·99 per cent.			33,223			831	798	761	815	830	4035	4064	3839	3943	2749	4636	3803	2941	2155	1370	588
Males				16,951			418	395	384	414	418	2029	2056	2012	1673	1473	2344	1882	1461	1075	663	283
Females				16,272			413	403	377	401	412	2006	2008	1827	1370	1276	2292	1921	1480	1080	707	305
Deaths from All Causes, 1881–90. Persons	17·26			5,735			930	245	103	68	69	1415	148	88	116	181	389	486	505	636	819	952
Males	18·15			3,076			531	133	56	38	31	789	78	42	60	94	205	287	261	348	429	483
Females	16·34			2,659			399	112	47	30	38	626	70	46	56	87	184	199	244	288	390	469
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	7	4	3	1	1	–	–	–	2	–	–	1	1	1	2	–	–	–	–
Measles	0·16	0·19	0·12	52	32	20	13	17	8	3	5	46	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·06	21	11	10	3	7	1	1	5	17	4	–	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·19	0·18	61	32	29	2	2	5	6	5	20	26	9	4	–	–	1	1	–	–	–
Whooping-cough	0·29	0·23	0·34	95	39	56	45	23	15	8	–	91	3	1	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·07	28	17	11	–	–	–	–	–	–	–	2	3	4	6	4	3	2	4	–
Simple Continued Fever	0·02	0·01	0·02	5	2	3	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–
Diarrhœa and Dysentery	0·31	0·28	0·34	103	47	56	53	7	1	2	1	64	1	2	–	1	3	1	4	4	8	15
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·47	0·75	201	79	122	1	1	–	1	–	3	1	–	–	1	8	21	38	44	62	23
Tabes Mesenterica	0·30	0·31	0·30	101	53	48	56	16	11	2	1	86	8	2	–	1	1	1	2	–	–	–
Phthisis	1·93	1·88	1·99	641	318	323	11	7	1	2	1	22	8	12	44	76	165	127	91	69	24	3
Other Tub. & Scrof. Dis.	0·54	0·55	0·52	178	94	84	53	34	4	8	9	108	17	12	6	7	11	5	2	7	3	–
Diseases of Nervous System	3·21	3·68	2·78	1076	623	453	137	38	12	9	6	202	18	9	16	14	52	130	133	147	179	176
Diseases of Circulatory „	1·81	1·69	1·94	601	286	315	–	–	–	–	–	–	6	3	9	10	24	41	71	126	191	120
Diseases of Respiratory „	2·52	2·77	2·26	836	469	367	163	65	31	16	22	297	26	9	5	11	23	36	44	76	142	167
Diseases of Digestive „	0·94	0·97	0·90	312	165	147	34	12	4	1	4	55	5	2	4	10	17	23	22	53	63	58
Diseases of Urinary „	0·45	0·53	0·37	150	90	60	1	1	–	–	1	3	2	4	3	4	10	25	26	26	23	24
Diseases of Generative „	0·05	0·01	0·10	18	2	16	1	–	–	–	–	1	–	1	–	2	1	1	1	7	1	3
Puerperal Fever	0·04	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	4	8	2	–	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	–	2	11	6	1	–	–	–
Violence	0·73	1·17	0·26	241	199	42	14	4	5	4	4	31	7	4	13	21	24	37	35	36	24	9
Other Causes	2·95	3·03	2·80	972	513	459	342	10	5	5	5	367	8	14	8	11	24	23	30	38	95	354

Marriages - - - 1,830

Births - Males - 4,561; Females - 4,480 } 9,041

Annual Rate per 1000 living { Persons Married 11·02; Births - - 27·21

Deaths from Childbirth and Puerperal Fever - - - - - } 3·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

77.—BRIGHTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·08			†150	–	–	–	–	61·34	4·70	2·51	3·78	4·47	6·77	11·66	18·56	29·17	57·12	144·58
Annual Death-Rate per 1000. Males	—			In Standard Population* 20·94			†165	–	–	–	–	67·22	5·04	2·39	4·35	5·40	8·02	14·02	22·60	34·09	63·28	148·97
Annual Death-Rate per 1000. Females	—			In Standard Population* 17·32			†134	–	–	–	–	55·54	4·36	2·63	3·37	3·89	5·88	9·93	15·64	25·80	53·12	141·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·66 per cent.			100,904			2369	2110	2165	2143	2192	10979	10460	10272	10260	9755	15909	12209	9221	6391	3806	1642
Mean Population, 1881–91. Males				44,184			1209	1043	1085	1042	1076	5455	5253	5054	4298	3761	6620	5158	3862	2596	1498	629
Mean Population, 1881–91. Females				56,720			1160	1067	1080	1101	1116	5524	5207	5218	5962	5994	9289	7051	5359	3795	2308	1013
Deaths from All Causes, 1881–90. Persons	18·76			18,932			4112	1467	545	365	246	6735	492	258	388	436	1077	1423	1711	1864	2174	2374
Deaths from All Causes, 1881–90. Males	21·14			9,340			2304	776	273	194	120	3667	265	121	187	203	531	723	873	885	948	937
Deaths from All Causes, 1881–90. Females	16·91			9,592			1808	691	272	171	126	3068	227	137	201	233	546	700	838	979	1226	1437
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	8	4	4	–	1	–	1	–	2	2	1	–	2	1	–	–	–	–	–
Measles	0·43	0·50	0·38	437	221	216	74	172	89	52	24	411	22	2	1	–	–	1	–	–	–	–
Scarlet Fever	0·22	0·25	0·19	215	109	106	12	33	24	42	26	137	59	6	4	2	2	4	1	–	–	–
Diphtheria	0·14	0·16	0·12	140	71	69	10	6	18	25	19	78	44	7	3	2	1	–	3	2	–	–
Whooping-cough	0·54	0·54	0·53	540	238	302	213	167	67	43	26	516	23	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
Enteric Fever	0·14	0·19	0·11	145	82	63	–	4	3	1	2	10	15	16	26	17	23	18	11	8	1	–
Simple Continued Fever	0·01	0·01	0·00	6	4	2	–	1	–	–	–	1	–	–	1	–	1	1	2	–	–	–
Diarrhœa and Dysentery	0·75	0·93	0·61	754	409	345	574	94	11	4	3	686	4	–	–	2	–	3	5	8	19	27
Cholera	0·01	0·01	0·01	11	4	7	8	2	–	–	–	10	1	–	–	–	–	–	–	–	–	–
Cancer	0·87	0·58	1·10	882	256	626	1	2	2	1	1	7	1	2	4	7	34	106	196	253	190	82
Tabes Mesenterica	0·24	0·26	0·22	238	114	124	113	46	20	8	4	191	15	11	5	6	2	3	4	1	–	–
Phthisis	1·93	2·43	1·55	1952	1075	877	14	25	12	6	8	65	27	47	116	195	455	467	357	170	48	5
Other Tub. & Scrof. Dis.	0·52	0·69	0·39	528	306	222	127	113	49	43	19	351	54	31	19	16	21	16	8	9	2	1
Diseases of Nervous System	2·21	2·58	1·93	2235	1140	1095	555	141	37	15	17	765	34	25	24	19	56	90	181	254	428	359
Diseases of Circulatory „	1·63	1·69	1·59	1649	747	902	1	2	2	1	–	6	16	19	45	40	74	180	233	320	423	293
Diseases of Respiratory „	3·30	3·64	3·03	3328	1607	1721	731	467	152	91	58	1499	81	8	27	29	86	145	246	331	451	425
Diseases of Digestive „	1·10	1·18	1·05	1116	521	595	198	69	19	6	11	303	18	15	19	15	64	103	160	182	148	89
Diseases of Urinary „	0·55	0·77	0·37	550	341	209	6	5	5	2	3	21	16	5	11	12	39	63	88	112	114	69
Diseases of Generative „	0·08	0·01	0·13	78	5	73	2	–	1	–	–	3	–	–	2	–	13	20	20	9	7	4
Puerperal Fever	0·04	–	0·08	45	–	45	–	–	–	–	–	–	–	–	2	12	20	11	–	–	–	–
Childbirth	0·04	–	0·08	43	–	43	–	–	–	–	–	–	–	–	1	5	22	15	–	–	–	–
Violence	0·55	0·83	0·34	559	367	192	91	15	12	11	12	141	22	19	25	25	61	63	68	63	39	33
Other Causes	3·45	3·88	3·09	3470	1718	1752	1382	102	22	13	13	1532	38	43	52	29	102	114	128	142	303	987

Marriages - - - 8,129

Births - { Males - 13,953 / Females - 13,485 } 27,438

Annual Rate per 1000 living { Persons Married 16·11 / Births - - 27·19 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

78.—STEYNING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·38	†112	–	–	–	–	42·29	4·03	2·30	2·93	3·45	5·52	7·90	11·94	21·96	50·68	137·12
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·75	†122	–	–	–	–	47·10	3·84	2·15	3·32	4·25	6·33	8·75	14·24	25·35	59·22	150·44
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·09	†100	–	–	–	–	37·41	4·22	2·44	2·63	2·94	4·97	7·28	10·34	19·54	44·79	128·32
Mean Population, 1881–91. Persons	Decennial Increase of Population 25·81 per cent.	55,423	1303	1166	1250	1247	1208	6174	5908	5658	5704	5399	8786	6535	4815	3457	2125	862
Mean Population, 1881–91. Males		24,322	631	599	617	643	618	3108	2996	2790	2439	2069	3537	2755	1981	1436	868	343
Mean Population, 1881–91. Females		31,101	672	567	633	604	590	3066	2912	2868	3265	3330	5249	3780	2834	2021	1257	519
Deaths from All Causes, 1881–90. Persons	14·30	7,926	1646	531	186	138	110	2611	238	130	167	186	485	516	575	759	1077	1182
Deaths from All Causes, 1881–90. Males	16·24	3,949	930	293	102	78	61	1464	115	60	81	88	224	241	282	364	514	516
Deaths from All Causes, 1881–90. Females	12·79	3,977	716	238	84	60	49	1147	123	70	86	98	261	275	293	395	563	666

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·07	0·10	0·05	41	25	16	3	–	–	1	1	5	2	4	4	4	8	8	1
Measles	0·23	0·29	0·18	125	70	55	25	37	25	13	6	106	13	3	–	–	2	1	–
Scarlet Fever	0·24	0·29	0·19	131	71	60	5	15	20	21	14	75	37	6	2	1	6	2	1
Diphtheria	0·20	0·21	0·19	109	50	59	–	10	15	13	15	53	39	7	4	2	1	3	–
Whooping-cough	0·40	0·38	0·41	221	93	128	106	65	24	12	8	215	6	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	2	4	–	–	–	–	–	–	–	–	1	–	2	1	–
Enteric Fever	0·22	0·25	0·19	120	62	58	1	2	1	1	2	7	8	15	19	13	30	18	6
Simple Continued Fever	0·03	0·03	0·03	16	8	8	–	–	–	–	–	–	6	1	3	1	1	–	–
Diarrhœa and Dysentery	0·57	0·70	0·47	317	170	147	226	37	4	5	2	274	2	2	1	1	3	1	5
Cholera	0·01	0·01	0·00	4	3	1	2	1	–	–	–	3	–	–	–	–	–	–	–
Cancer	0·78	0·56	0·94	430	137	293	–	–	–	–	–	–	–	1	1	1	10	44	85
Tabes Mesenterica	0·14	0·17	0·11	76	41	35	36	18	7	1	2	64	1	2	3	1	1	1	1
Phthisis	1·28	1·43	1·17	712	348	364	3	4	3	2	3	15	10	21	62	74	189	156	90
Other Tub. & Scrof. Dis.	0·38	0·46	0·32	210	111	99	68	38	14	15	10	145	26	11	8	4	10	2	1
Diseases of Nervous System	1·74	2·08	1·48	964	505	459	192	64	19	10	7	292	20	9	7	8	33	48	75
Diseases of Circulatory „	1·40	1·50	1·32	775	364	411	10	1	1	1	2	15	11	10	8	8	29	59	85
Diseases of Respiratory „	2·06	2·50	1·71	1142	609	533	261	143	35	26	24	489	27	8	7	12	31	39	55
Diseases of Digestive „	0·96	1·05	0·89	533	255	278	100	44	7	6	2	159	8	10	5	9	18	47	58
Diseases of Urinary „	0·40	0·55	0·28	220	134	86	3	5	2	1	2	13	5	2	3	3	25	16	32
Diseases of Generative „	0·07	0·02	0·11	38	4	34	–	–	–	–	–	–	–	–	–	1	3	5	12
Puerperal Fever	0·06	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	10	17	3	–
Childbirth	0·05	–	0·10	30	–	30	–	–	–	–	–	–	–	–	–	5	11	13	1
Violence	0·37	0·61	0·19	206	148	58	35	7	2	3	4	51	2	8	11	11	24	15	28
Other Causes	2·63	3·04	2·35	1469	739	730	570	40	7	7	6	630	15	10	17	17	31	34	39

	5–	35–	45–	55–	65–	75 and upwds.
Small-pox	4	24	24	12	9	9
Measles	3	6	3	1	–	–
Scarlet Fever	2	6	2	1	1	–
Diphtheria	1	3	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	–	2	1	–	2	–
Enteric Fever	2	30	18	6	1	1
Simple Continued Fever	1	1	–	–	2	2
Diarrhœa and Dysentery	1	3	1	5	3	9
Cholera	–	–	–	–	–	1
Cancer	1	1	10	44	85	110
Tabes Mesenterica	2	3	1	1	1	2
Phthisis	21	62	74	189	156	90
Other Tub. & Scrof. Dis.	11	8	4	10	2	1
Diseases of Nervous System	9	7	8	33	48	75
Diseases of Circulatory „	10	8	8	29	59	85
Diseases of Respiratory „	8	7	12	31	39	55
Diseases of Digestive „	10	5	9	18	47	58
Diseases of Urinary „	2	3	3	25	16	32
Diseases of Generative „	–	–	1	3	5	12
Puerperal Fever	–	–	1	10	17	3
Childbirth	–	–	–	5	11	13
Violence	8	11	11	24	15	28
Other Causes	10	17	17	31	34	39

	65–	75 and upwds.
Small-pox	3	1
Measles	–	–
Scarlet Fever	1	–
Diphtheria	–	–
Whooping-cough	–	–
Typhus	–	–
Enteric Fever	1	1
Simple Continued Fever	2	–
Diarrhœa and Dysentery	3	9
Cholera	–	1
Cancer	110	123
Tabes Mesenterica	–	–
Phthisis	59	30
Other Tub. & Scrof. Dis.	2	1
Diseases of Nervous System	118	178
Diseases of Circulatory „	148	242
Diseases of Respiratory „	106	180
Diseases of Digestive „	69	97
Diseases of Urinary „	35	51
Diseases of Generative „	8	4
Puerperal Fever	–	–
Childbirth	–	–
Violence	24	18
Other Causes	68	138

Marriages - - - 3,218

Births - { Males - 7,620 / Females - 7,137 } 14,757

Annual Rates per 1000 living { Persons Married 11·61 / Births - - 26·63 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

79.—HORSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·34	†93	–	–	–	–	33·28	4·54	2·24	3·74	4·92	6·27	7·65	11·89	21·36	51·28	130·80
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·44	†112	–	–	–	–	39·71	5·08	2·24	3·66	4·59	6·48	7·61	14·12	21·51	52·88	147·32
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·30	†73	–	–	–	–	26·88	3·98	2·24	3·84	5·25	6·07	7·68	9·76	21·21	49·70	116·09
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·59 per cent.	23,593	626	583	613	608	599	3029	3018	2810	2192	1787	3096	2616	2086	1545	979	435
Mean Population, 1881–91. Males	Decennial Increase of Population 11·59 per cent.	11,760	313	282	299	323	294	1511	1536	1428	1176	872	1498	1261	1020	767	486	205
Mean Population, 1881–91. Females	Decennial Increase of Population 11·59 per cent.	11,833	313	301	314	285	305	1518	1482	1382	1016	915	1598	1355	1066	778	493	230
Deaths from All Causes, 1881–90. Persons	14·50	3,421	649	183	103	42	31	1008	137	63	82	88	194	200	248	330	502	569
Deaths from All Causes, 1881–90. Males	15·77	1,854	401	102	56	26	15	600	78	32	43	40	97	96	144	165	257	302
Deaths from All Causes, 1881–90. Females	13·24	1,567	248	81	47	16	16	408	59	31	39	48	97	104	104	165	245	267

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·22	0·25	0·20	53	29	24	8	18	10	4	2	42	8	2	–	–	–	–	1	–
Scarlet Fever	0·09	0·09	0·10	22	10	12	3	3	1	–	1	8	11	3	–	–	–	–	–	–
Diphtheria	0·22	0·26	0·19	53	30	23	5	3	9	3	5	25	20	6	1	–	–	1	–	–
Whooping-cough	0·38	0·43	0·32	89	51	38	38	23	14	7	3	85	4	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Enteric Fever	0·08	0·10	0·06	19	12	7	–	–	–	–	–	–	2	2	2	5	4	–	2	2
Simple Continued Fever	0·03	0·04	0·03	8	5	3	–	–	–	–	1	1	–	–	1	1	–	–	–	2
Diarrhœa and Dysentery	0·30	0·37	0·22	70	44	26	29	5	1	–	2	37	–	1	–	–	1	1	–	4
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·66	0·54	0·79	156	63	93	–	–	–	–	–	–	1	–	–	1	4	16	30	47
Tabes Mesenterica	0·10	0·14	0·06	23	16	7	9	5	3	1	1	19	2	1	–	1	–	–	–	–
Phthisis	1·52	1·62	1·41	358	191	167	1	3	1	1	–	6	9	14	34	43	89	68	47	35
Other Tub. & Scrof. Dis.	0·40	0·51	0·29	94	60	34	29	17	12	2	–	60	13	4	4	2	–	2	5	3
Diseases of Nervous System	1·86	1·86	1·86	439	219	220	85	22	9	3	4	123	10	10	4	4	9	10	23	59
Diseases of Circulatory "	1·38	1·19	1·38	326	163	163	2	–	1	1	–	4	4	7	7	4	15	24	36	68
Diseases of Respiratory "	2·24	2·50	1·99	529	294	235	112	47	31	10	7	207	24	4	5	8	18	22	31	37
Diseases of Digestive "	0·97	1·02	0·91	228	120	108	44	18	5	2	–	69	8	1	5	3	15	10	20	34
Diseases of Urinary "	0·39	0·50	0·28	92	59	33	3	1	3	–	–	7	3	–	2	3	8	6	14	9
Diseases of Generative "	0·04	0·01	0·07	9	1	8	1	–	–	–	–	1	–	–	–	–	1	2	1	1
Puerperal Fever	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	1	1	5	4	–	–
Childbirth	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–
Violence	0·53	0·77	0·30	125	90	35	9	4	2	7	2	24	7	3	9	4	9	11	12	13
Other Causes	2·99	3·35	2·59	704	395	309	271	14	1	1	3	290	10	5	6	6	13	18	26	15

	75 and upwds.
Diseases of Nervous System	88
Diseases of Circulatory "	45
Diseases of Respiratory "	89
Diseases of Digestive "	24
Diseases of Urinary "	20
Diseases of Generative "	–
Puerperal Fever	–
Childbirth	–
Violence	16
Other Causes	250

Marriages - - - 1,379

Births - Males - 3,574, Females - 3,410 } 6,984

Annual Rate per 1000 living { Persons Married 11·69; Births - - 29·60

Deaths from Childbirth and Puerperal Fever - - - - - } 2·86 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

30.—TEYWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·25	†80	–	–	–	–	26·99	3·40	2·33	4·73	5·64	6·50	9·91	12·07	22·41	55·47	143·36
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·95	†90	–	–	–	–	30·27	3·30	1·91	4·34	5·85	7·61	11·38	14·60	21·86	57·89	149·15
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·59	†70	–	–	–	–	23·93	3·49	2·77	5·19	5·41	5·43	8·49	9·53	22·99	53·04	137·04
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·70 per cent.	9,513	222	235	230	245	239	1171	1176	1118	846	692	1154	1019	903	714	494	226
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·70 per cent.	4,785	111	109	107	119	119	565	575	576	461	359	565	501	452	366	247	118
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·70 per cent.	4,728	111	126	123	126	120	606	601	542	385	333	589	518	451	348	247	108
Deaths from All Causes, 1881–90. Persons	15·81	1,504	211	58	20	18	9	316	40	26	40	39	75	101	109	160	274	324
Deaths from All Causes, 1881–90. Males	16·87	807	117	36	7	7	4	171	19	11	20	21	43	57	66	80	143	176
Deaths from All Causes, 1881–90. Females	14·74	697	94	22	13	11	5	145	21	15	20	18	32	44	43	80	131	148

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·02	0·11	6	1	5	2	1	1	–	–	4	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·03	0·02	0·04	3	1	2	1	1	–	1	–	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·27	0·21	0·34	26	10	16	1	1	2	4	4	12	10	3	1	–	–	–	–	–	–
Whooping-cough	0·21	0·23	0·19	20	11	9	13	3	1	1	–	18	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·17	13	5	8	–	–	–	–	–	–	–	2	2	1	2	1	3	–	2
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·21	0·17	18	10	8	5	3	1	–	1	10	–	–	–	–	–	2	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·59	0·89	69	28	41	–	–	–	–	–	–	–	–	–	–	1	3	10	14	28	13
Tabes Mesenterica	0·04	0·04	0·04	4	2	2	–	–	–	2	–	2	–	1	–	–	–	–	1	–	–	–
Phthisis	1·59	1·84	1·33	151	88	63	2	1	–	–	–	3	1	8	14	20	36	30	21	9	4	5
Other Tub. & Scrof. Dis.	0·34	0·42	0·25	32	20	12	4	6	2	1	–	13	1	3	2	2	2	2	6	–	1	–
Diseases of Nervous System	2·26	2·26	2·28	216	108	108	35	12	4	2	1	54	8	2	3	2	1	7	9	28	45	57
Diseases of Circulatory „	1·87	1·86	1·88	178	89	89	1	–	–	–	1	2	3	–	3	2	9	14	14	32	64	35
Diseases of Respiratory „	2·57	2·86	2·26	244	137	107	37	20	4	6	–	67	9	2	3	5	11	16	14	25	44	48
Diseases of Digestive „	0·97	1·05	0·89	92	50	42	16	3	1	–	1	21	2	2	1	–	4	1	14	16	21	10
Diseases of Urinary „	0·53	0·71	0·34	50	34	16	–	–	–	–	–	–	–	–	1	1	1	6	4	14	15	8
Diseases of Generative „	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Childbirth	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Violence	0·56	0·77	0·34	53	37	16	3	3	3	1	–	10	2	1	4	3	4	8	3	7	7	4
Other Causes	3·38	3·68	3·08	322	176	146	91	4	1	–	1	97	1	2	4	2	4	7	10	14	41	140

Marriages - - - 499

Births { Males - 1,306 / Females - 1,345 } 2,651

Annual Rate per 1000 living { Persons Married 10·49 / Births - - 27·87 }

Deaths from Childbirth and Puerperal Fever - - - - - 1·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

81.—THAKEHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·17	†70	–	–	–	–	26·17	3·35	1·92	3·44	5·09	6·07	8·91	10·33	21·78	49·62	127·37
Males	—	12·16	†79	–	–	–	–	28·39	2·06	2·27	2·25	4·01	6·24	8·99	11·56	23·40	55·28	120·00
Females	—	12·17	†60	–	–	–	–	23·78	4·71	1·54	5·14	6·21	5·91	8·84	9·04	20·00	43·75	134·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·85 per cent.	8,167	217	217	191	227	214	1066	1045	938	756	589	1005	875	726	597	391	179
Males		4,220	119	111	104	116	103	553	535	484	445	299	497	434	372	312	199	90
Females		3,947	98	106	87	111	111	513	510	454	311	290	508	441	354	285	192	89
Deaths from All Causes, 1881–90. Persons	14·13	1,154	164	64	18	14	19	279	35	18	26	30	61	78	75	130	194	228
Males	14·34	605	97	31	12	8	9	157	11	11	10	12	31	39	43	73	110	108
Females	13·91	549	67	33	6	6	10	122	24	7	16	18	30	39	32	57	84	120

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	0·05	0·05	4	2	2	1	1	–	1	1	4	–	–	–	–	–	–	1	–	–
Scarlet Fever	0·16	0·17	0·15	13	7	6	2	1	1	4	1	9	–	1	2	–	–	–	–	–	–
Diphtheria	0·34	0·33	0·35	28	14	14	2	1	2	3	3	11	8	5	3	–	–	–	–	–	1
Whooping-cough	0·23	0·21	0·25	19	9	10	8	6	1	2	1	18	1	–	–	–	–	–	–	–	–
Typhus	0·04	0·07	–	3	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Enteric Fever	0·13	0·17	0·10	11	7	4	–	–	–	–	–	–	–	2	–	2	1	3	1	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·25	18	8	10	1	5	–	1	–	7	1	–	1	–	–	–	–	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·47	0·76	50	20	30	–	–	–	–	–	–	–	–	–	1	–	2	10	15	12
Tabes Mesenterica	0·07	0·07	0·08	6	3	3	2	–	–	–	1	3	1	–	–	–	–	1	1	–	–
Phthisis	1·41	1·45	1·37	115	61	54	–	–	–	–	–	–	1	2	8	13	23	31	14	14	7
Other Tub. & Scrof. Dis.	0·29	0·28	0·30	24	12	12	4	4	1	–	2	11	4	1	2	2	1	1	1	–	1
Diseases of Nervous System	1·81	1·92	1·70	148	81	67	29	7	2	–	–	38	4	1	–	2	5	6	7	21	31
Circulatory „	1·40	1·16	1·65	114	49	65	1	–	–	–	–	1	1	–	–	1	4	4	9	21	39
Respiratory „	2·73	3·08	2·35	223	130	93	36	32	8	2	7	85	5	–	1	1	4	5	11	20	37
Digestive „	1·04	0·95	1·14	85	40	45	14	2	1	–	1	18	3	–	4	1	3	1	5	9	28
Urinary „	0·28	0·33	0·23	23	14	9	–	–	–	–	–	–	–	–	–	–	4	1	1	3	8
Generative „	0·07	–	0·15	6	–	6	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1
Puerperal Fever	0·12	–	0·25	10	–	10	–	–	–	–	–	–	–	–	–	1	2	7	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
Violence	0·73	1·21	0·23	60	51	9	2	1	2	–	–	5	5	4	3	2	9	5	8	10	5
Other Causes	2·34	2·21	2·45	189	93	96	62	4	–	1	2	69	1	–	1	3	2	8	6	10	22

Marriages - - - 454

Births - { Males - 1,233 / Females - 1,125 } 2,358

Annual Rate per 1000 living { Persons Married 11·12 / Births - - 28·87 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·94 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

82.—EAST PRESTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·68	†94	–	–	–	–	33·40	3·51	2·30	3·90	4·36	6·62	9·36	13·79	22·94	51·17	120·68
Males	—	14·82	†104	–	–	–	–	37·10	3·50	2·20	4·18	5·56	7·90	11·47	14·63	26·48	54·86	125·95
Females	—	12·59	†83	–	–	–	–	29·70	3·52	2·39	3·66	3·57	5·68	7·79	13·15	20·15	48·28	116·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 22·87 per cent.	29,379	685	660	681	697	690	3413	3420	3398	2924	2521	4003	3312	2610	1918	1241	619
Males		13,401	341	336	342	347	340	1706	1770	1681	1339	1008	1697	1412	1135	846	545	262
Females		15,978	344	324	339	350	350	1707	1650	1717	1585	1513	2306	1900	1475	1072	696	357
Deaths from All Causes, 1881–90. Persons	14·70	4,319	716	210	97	62	55	1140	120	78	114	110	265	310	360	440	635	747
Males	16·11	2,159	409	111	45	40	28	633	62	37	56	56	134	162	166	224	299	330
Females	13·52	2,160	307	99	52	22	27	507	58	41	58	54	131	148	194	216	336	417

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·15	0·19	0·12	45	26	19	9	13	6	6	2	36	4	2	–	–	2	–	1	–	–
Scarlet Fever	0·16	0·18	0·14	46	24	22	3	4	10	5	4	26	12	2	2	1	1	2	–	–	–
Diphtheria	0·20	0·19	0·20	58	26	32	1	4	2	5	10	22	25	4	2	1	1	–	–	1	2
Whooping-cough	0·36	0·33	0·38	105	44	61	46	31	17	7	2	103	1	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·16	0·09	36	22	14	–	–	1	–	1	2	2	5	7	4	7	3	5	–	1
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·37	0·49	0·27	108	65	43	76	12	3	2	1	94	2	–	–	–	1	–	1	1	3
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·60	0·92	227	80	147	–	–	1	–	–	1	2	–	1	1	2	25	50	59	53
Tabes Mesenterica	0·12	0·12	0·12	35	16	19	11	5	5	1	–	22	1	2	2	1	3	1	–	1	2
Phthisis	1·67	1·90	1·48	490	254	236	15	12	6	2	1	36	5	16	42	52	136	83	75	33	11
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	82	39	43	17	9	10	6	4	46	9	8	4	3	2	6	–	2	2
Diseases of Nervous System	1·89	2·10	1·72	555	281	274	128	28	8	5	5	174	21	10	3	6	9	28	35	63	114
Circulatory „	1·82	1·72	1·90	535	231	304	7	1	1	–	–	9	1	7	11	8	18	39	64	110	153
Respiratory „	1·97	2·43	1·60	580	325	255	127	55	20	15	13	230	17	3	12	5	21	28	38	49	94
Digestive „	1·02	1·06	0·98	299	142	157	46	25	3	1	4	79	7	6	5	4	8	26	31	40	58
Urinary „	0·37	0·53	0·24	110	71	39	1	–	–	1	–	2	1	1	2	4	7	13	13	21	29
Generative „	0·04	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	–	–	1	–	6	–	2
Puerperal Fever	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	4	5	3	–	–	–
Childbirth	0·08	–	0·14	23	–	23	–	–	–	–	–	–	–	–	–	2	9	11	1	–	–
Violence	0·49	0·76	0·26	143	102	41	17	–	3	3	6	29	5	6	12	6	14	15	16	19	9
Other Causes	2·77	3·03	2·53	814	407	407	211	10	1	3	2	227	5	4	9	7	18	26	24	41	102

Marriages - - 1,663

Births - { Males - 3,942 / Females - 3,681 } 7,623

Annual Rate per 1000 living { Persons Married 11·32 / Births - - 25·95 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

83.—WESTHAMPNETT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·89	†86	–	–	–	–	29·85	4·55	2·87	3·15	5·74	5·55	8·34	12·01	21·32	48·70	130·74
Annual Death-Rate per 1000. Males	—	13·89	†97	–	–	–	–	32·73	4·86	2·82	3·51	5·22	6·18	9·23	14·00	24·48	53·48	144·49
Annual Death-Rate per 1000. Females	—	11·95	†74	–	–	–	–	26·96	4·23	2·93	2·78	6·17	4·99	7·53	10·24	18·44	44·48	119·06
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·07 per cent.	20,643	500	488	510	520	521	2539	2504	2331	1840	1464	2684	2291	1906	1496	1074	514
Mean Population, 1881–91. Males		10,029	239	250	262	263	260	1274	1276	1169	941	670	1262	1083	900	715	503	236
Mean Population, 1881–91. Females		10,614	261	238	248	257	261	1265	1228	1162	899	794	1422	1208	1006	781	571	278
Deaths from All Causes, 1881–90. Persons	15·33	3,164	485	141	56	43	33	758	114	67	58	84	149	191	229	319	523	672
Deaths from All Causes, 1881–90. Males	16·64	1,669	283	60	31	21	22	417	62	33	33	35	78	100	126	175	269	341
Deaths from All Causes, 1881–90. Females	14·09	1,495	202	81	25	22	11	341	52	34	25	49	71	91	103	144	254	331

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·08	0·15	0·01	16	15	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	8	5
Measles	0·07	0·11	0·03	14	11	3	5	4	3	–	–	12	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	17	9	8	1	2	1	–	3	7	5	3	1	–	–	–	–	1	–	–
Diphtheria	0·35	0·39	0·32	73	39	34	2	4	5	10	7	28	27	12	2	1	1	1	–	1	–	–
Whooping-cough	0·24	0·21	0·26	49	21	28	27	14	3	1	1	46	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·17	0·23	41	17	24	–	1	2	1	–	4	4	7	5	6	5	6	4	–	–	–
Simple Continued Fever	0·06	0·08	0·04	12	8	4	–	–	–	1	–	1	–	1	–	–	2	1	1	1	2	3
Diarrhœa and Dysentery	0·22	0·27	0·17	45	27	18	22	3	1	2	–	28	1	–	–	2	1	–	–	3	6	4
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·59	0·72	135	59	76	–	–	–	1	–	1	–	–	–	–	2	4	30	30	50	18
Tabes Mesenterica	0·12	0·19	0·05	24	19	5	6	8	3	–	–	17	3	1	–	1	1	1	–	–	–	–
Phthisis	1·47	1·73	1·23	304	173	131	1	1	1	–	–	3	5	7	28	41	62	69	43	32	11	3
Other Tub. & Scrof. Dis.	0·26	0·29	0·23	53	29	24	14	7	1	2	2	26	10	4	4	2	3	1	1	1	1	–
Diseases of Nervous System	2·24	2·25	2·23	463	226	237	72	25	12	8	6	123	13	6	3	5	11	12	25	45	120	100
Diseases of Circulatory "	1·58	1·59	1·58	327	159	168	2	–	–	1	–	3	3	2	2	5	10	20	34	63	99	86
Diseases of Respiratory "	2·45	2·74	2·17	505	275	230	103	52	16	13	8	192	22	2	4	6	14	18	24	45	78	100
Diseases of Digestive "	1·12	1·12	1·13	232	112	120	36	11	1	1	1	50	6	4	2	2	8	17	25	38	48	32
Diseases of Urinary "	0·45	0·66	0·25	92	66	26	1	–	–	–	–	1	–	3	–	2	2	6	12	12	32	22
Diseases of Generative "	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	3
Puerperal Fever	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Childbirth	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	1	2	7	–	–	–	–
Violence	0·59	0·92	0·27	121	92	29	10	1	6	–	3	20	3	11	3	6	9	15	13	20	11	10
Other Causes	2·97	3·07	2·82	610	310	300	183	8	1	1	2	195	6	4	3	3	10	7	16	24	56	286

Marriages - - - 1.168

Births - { Males - 2,929 / Females - 2,736 } 5,665

Annual Rate per 1000 living { Persons Married 11·32 / Births - - 27·44

Deaths from Childbirth and Puerperal Fever - - - - - } 3·18 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

84.—CHICHESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·54			†109	–	–	–	–	39·21	4·28	3·28	5·08	4·79	9·66	14·91	19·32	30·75	64·59	142·86
Males	—			19·44			†126	–	–	–	–	42·27	5·52	2·24	4·60	5·78	11·38	17·58	27·36	34·85	79·17	137·31
Females	—			15·74			†92	–	–	–	–	36·13	3·05	4·33	5·57	3·98	8·26	12·40	12·72	27·34	54·55	146·30
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·96 per cent.			8,228			180	183	183	190	195	931	912	885	945	731	1097	939	730	530	353	175
Males				3,900			85	93	96	98	94	466	453	446	478	329	492	455	329	241	144	67
Females				4,328			95	90	87	92	101	465	459	439	467	402	605	484	401	289	209	108
Deaths from All Causes, 1881–90. Persons	18·77			1,544			238	65	29	15	18	365	39	29	48	35	106	140	141	163	228	250
Males	20·23			789			140	29	13	8	7	197	25	10	22	19	56	80	90	84	114	92
Females	17·44			755			98	36	16	7	11	168	14	19	26	16	50	60	51	79	114	158
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·03	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·21	0·23	18	8	10	1	5	5	2	2	15	1	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·05	–	0·09	4	–	4	–	–	1	–	–	1	1	–	–	1	1	–	–	–	–	–
Diphtheria	0·21	0·18	0·23	17	7	10	–	2	1	–	7	10	4	1	1	–	–	–	1	–	–	–
Whooping-cough	0·50	0·51	0·49	41	20	21	26	11	1	2	1	41	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·40	0·49	0·32	33	19	14	–	1	–	–	2	3	3	5	3	4	9	2	1	2	1	–
Simple Continued Fever	0·02	0·03	0·02	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·45	0·46	0·44	37	18	19	27	1	1	–	–	29	–	–	–	–	2	–	1	–	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1·18	0·95	1·39	97	37	60	–	–	–	1	–	1	–	1	1	–	2	11	26	18	25	12
Tabes Mesenterica	0·11	0·08	0·14	9	3	6	4	2	–	1	–	7	1	1	–	–	–	–	–	–	–	–
Phthisis	2·24	2·85	1·69	184	111	73	3	1	–	1	1	6	5	5	15	10	47	43	22	19	9	3
Other Tub. & Scrof. Dis.	0·38	0·44	0·32	31	17	14	8	5	5	–	–	18	4	1	3	–	3	2	–	–	–	–
Diseases of Nervous System	2·24	2·23	2·24	184	87	97	23	9	2	–	2	36	1	2	3	–	6	9	15	24	46	42
Circulatory „	1·48	1·59	1·39	122	62	60	3	–	–	–	–	3	1	4	1	4	6	14	18	17	34	20
Respiratory „	3·04	3·21	2·89	250	125	125	50	19	7	6	2	84	6	1	2	3	7	16	17	28	36	50
Digestive „	1·37	1·51	1·25	113	59	54	16	2	–	2	–	20	–	2	3	2	4	9	14	20	26	13
Urinary „	0·73	1·08	0·42	60	42	18	2	–	–	–	–	2	1	–	3	2	3	5	7	11	11	15
Generative „	0·11	0·03	0·18	9	1	8	–	–	–	–	–	–	–	–	1	–	1	3	–	1	3	–
Puerperal Fever	0·10	–	0·18	8	–	8	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–
Childbirth	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Violence	0·73	1·00	0·49	60	39	21	3	–	4	–	–	7	5	3	4	5	2	7	6	9	5	7
Other Causes	3·16	3·35	2·97	261	132	129	71	6	2	–	1	80	6	3	6	2	9	14	13	14	31	83

Marriages - - - 552

Births - { Males - 1,114 / Females - 1,070 } 2,184

Aunual Rate per 1000 living { Persons Married 13·42 / Births - - 26·54 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

85.—MIDHURST.

Causes of Death.	Crude Death-rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-rate per 1000. Persons	—			In Standard Population*		13·04	†85	–	–	–	–	29·57	4·07	2·15	4·18	5·49	6·26	7·73	12·56	20·14	50·76	141·14
Annual Death-rate per 1000. Males	—					13·23	†98	–	–	–	–	33·63	3·83	2·00	4·06	5·04	5·98	8·21	13·25	20·98	49·28	139·87
Annual Death-rate per 1000. Females	—					12·86	†71	–	–	–	–	25·47	4·32	2·31	4·32	5·95	6·55	7·24	11·87	19·25	52·38	142·47
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·94 per cent.			14,085			370	359	359	372	346	1806	1770	1673	1244	1057	1788	1527	1266	993	662	299
Mean Population, 1881-91. Males				7,193			174	189	188	183	173	907	913	850	689	536	887	767	634	510	347	153
Mean Population, 1881-91. Females				6,892			196	170	171	189	173	899	857	823	555	521	901	760	632	483	315	146
Deaths from All Causes, 1881-90. Persons	14·90			2,099			335	108	41	29	21	534	72	36	52	58	112	118	159	200	336	422
Deaths from All Causes, 1881-90. Males	15·35			1,104			199	57	23	16	10	305	35	17	28	27	53	63	84	107	171	214
Deaths from All Causes, 1881-90. Females	14·44			995			136	51	18	13	11	229	37	19	24	31	59	55	75	93	165	208
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	–	1	–	2	–	1	–	1	1	–
Measles	0·13	0·13	0·15	19	9	10	7	4	3	2	–	16	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·17	25	13	12	–	2	2	4	3	11	10	3	–	1	–	–	–	–	–	–
Diphtheria	0·28	0·25	0·32	40	18	22	1	2	4	3	5	15	15	6	1	–	1	1	1	–	–	–
Whooping-cough	0·29	0·31	0·28	41	22	19	21	6	6	4	1	38	2	–	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·14	0·19	23	10	13	–	–	–	–	–	–	–	3	2	6	3	2	4	3	–	–
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1
Diarrhœa and Dysentery	0·16	0·13	0·20	23	9	14	5	2	1	–	1	9	2	–	–	–	–	–	3	1	4	4
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·50	0·43	0·57	70	31	39	–	–	–	–	–	–	–	–	–	–	–	8	15	19	19	9
Tabes Mesenterica	0·18	0·22	0·15	26	16	10	13	7	1	–	–	21	2	1	1	–	–	1	–	–	–	–
Phthisis	1·42	1·40	1·44	200	101	99	1	–	–	–	–	1	3	4	20	30	58	31	30	19	4	–
Other Tub. & Scrof. Dis.	0·34	0·35	0·33	48	25	23	10	11	4	1	2	28	8	3	1	1	4	–	2	1	–	–
Diseases of Nervous System	1·82	1·78	1·86	256	128	128	41	17	1	–	2	61	6	4	3	3	5	12	18	33	61	50
Diseases of Circulatory „	1·72	1·67	1·77	242	120	122	1	–	–	–	–	1	1	1	3	2	4	12	25	52	73	68
Diseases of Respiratory „	2·15	2·49	1·79	302	179	123	67	28	11	10	1	117	12	–	3	2	6	11	11	27	59	54
Diseases of Digestive „	1·00	0·99	1·02	141	71	70	24	14	–	2	–	40	2	2	8	1	5	5	18	13	34	13
Diseases of Urinary „	0·36	0·50	0·22	51	36	15	–	–	1	–	–	1	–	1	–	2	3	4	8	4	16	12
Diseases of Generative „	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Childbirth	0·09	–	0·17	12	–	12	–	–	–	–	–	–	–	–	–	–	7	5	–	–	–	–
Violence	0·43	0·64	0·22	61	46	15	4	4	3	2	3	16	3	4	2	3	2	10	4	8	5	4
Other Causes	3·51	3·68	3·30	494	265	229	140	11	4	1	3	159	3	3	7	2	10	11	16	17	59	207

Marriages - - 750

Births - { Males - 2,037 / Females - 1,916 } 3,953

Annual Rate per 1000 living { Persons Married 10·65 / Births - - 28·07 }

Deaths from Childbirth and Puerperal Fever - - - - 5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

86.—WESTBOURNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·11	†84	–	–	–	–	27·70	3·71	1·82	2·89	5·94	4·72	7·53	11·44	23·01	45·48	130·93
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·38	†87	–	–	–	–	27·91	3·63	1·42	2·81	5·81	3·75	8·97	14·29	24·70	44·56	152·22
Annual Death-Rate per 1000. Females	—	In Standard Population* 11·86	†82	–	–	–	–	27·49	3·79	2·24	3·01	6·06	5·62	6·19	8·67	21·25	46·58	112·50
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·53 per cent.	7,252	200	186	182	205	191	964	916	824	622	505	890	810	682	491	354	194
Mean Population, 1881-91. Males		3,647	99	92	80	105	97	473	468	422	356	241	427	390	336	251	193	90
Mean Population, 1881-91. Females		3,605	101	94	102	100	94	491	448	402	266	264	463	420	346	240	161	104
Deaths from All Causes, 1881-90. Persons	14·80	1,073	179	50	25	4	9	267	34	15	18	30	42	61	78	113	161	254
Deaths from All Causes, 1881-90. Males	15·44	563	93	22	14	–	3	132	17	6	10	14	16	35	48	62	86	137
Deaths from All Causes, 1881-90. Females	14·15	510	86	28	11	4	6	135	17	9	8	16	26	26	30	51	75	117

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·11	0·11	8	4	4	2	4	1	–	–	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diphtheria	0·32	0·19	0·44	23	7	16	–	1	5	1	4	11	8	3	–	–	–	1	–	–	–
Whooping-cough	0·39	0·41	0·36	28	15	13	18	6	2	–	–	26	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·27	0·28	20	10	10	–	1	–	–	–	1	3	2	5	3	1	3	–	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·16	0·19	13	6	7	7	2	–	–	–	9	1	–	–	–	–	–	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·77	0·89	60	28	32	–	1	–	–	–	1	–	–	–	–	–	3	8	13	24	11
Tabes Mesenterica	0·06	0·03	0·08	4	1	3	2	1	–	–	–	3	–	1	–	–	–	–	–	–	–
Phthisis	1·39	1·54	1·25	101	56	45	1	–	–	–	–	1	1	2	5	12	20	16	22	13	8	1
Other Tub. & Scrof. Dis.	0·22	0·22	0·22	16	8	8	7	3	4	–	–	14	1	1	–	–	–	–	–	–	–	–
Diseases of Nervous System	2·11	2·14	2·08	153	78	75	28	3	4	1	–	36	2	2	1	1	2	8	5	15	28	53
Diseases of Circulatory „	1·37	1·29	1·44	99	47	52	1	–	–	–	–	1	–	1	1	4	4	8	12	18	22	28
Diseases of Respiratory „	2·83	3·26	2·39	205	119	86	33	16	5	1	3	58	9	2	–	1	4	6	11	18	33	63
Diseases of Digestive „	1·19	1·18	1·19	86	43	43	17	4	–	1	–	22	2	–	1	2	–	3	14	13	19	10
Diseases of Urinary „	0·36	0·58	0·14	26	21	5	–	–	–	–	–	–	–	–	–	–	2	3	2	8	5	6
Diseases of Generative „	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
Puerperal Fever	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Childbirth	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Violence	0·46	0·63	0·28	33	23	10	2	4	3	–	2	11	–	–	1	1	–	2	3	7	2	6
Other Causes	2·50	2·66	2·42	184	97	87	61	4	1	–	–	66	4	1	3	4	2	6	1	5	19	73

Marriages - - - 403

Births - Males - 1,074; Females - 1,048 } 2,122

Annual Rate per 1000 living { Persons Married 11·11; Births - - 29·26

Deaths from Childbirth and Puerperal Fever - - - - - } 4·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

87.—HAVANT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·69	†96	–	–	–	–	37·29	5·74	2·41	3·79	5·76	6·18	9·21	13·32	22·90	53·18	138·58
Annual Death-Rate per 1000. Males	—	15·14	†106	–	–	–	–	38·69	6·09	1·85	3·53	7·47	6·20	10·34	15·68	20·38	57·21	151·16
Annual Death-Rate per 1000. Females	—	14·26	†87	–	–	–	–	35·90	5·41	3·04	4·01	4·39	6·16	8·26	11·21	25·30	49·55	128·83
Mean Population, 1881–91. Person	Decennial Increase of Population 13·97 per cent.	9,267	241	216	234	228	245	1164	1097	1121	871	695	1198	1031	826	642	425	197
Mean Population, 1881–91. Males		4,417	120	104	114	116	125	579	542	595	397	308	532	474	389	314	201	86
Mean Population, 1881–91. Females		4,850	121	112	120	112	120	585	555	526	474	387	666	557	437	328	224	111
Deaths from All Causes, 1881–90. Persons	16·42	1,522	735	90	28	31	30	434	63	27	33	40	74	95	110	147	226	273
Deaths from All Causes, 1881–90. Males	17·14	757	141	44	13	13	13	224	33	11	14	23	33	49	61	64	115	130
Deaths from All Causes, 1881–90. Females	15·77	765	114	46	15	18	17	210	30	16	19	17	41	46	49	83	111	143

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·23	0·10	15	10	5	2	5	1	2	1	11	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·05	0·07	0·04	5	3	2	–	2	1	–	1	4	–	1	–	–	–	–	–	–	–	–
Diphtheria	0·58	0·52	0·64	54	23	31	1	3	7	7	12	30	20	2	–	–	2	–	–	–	–	–
Whooping-cough	0·19	0·14	0·25	18	6	12	10	4	2	2	–	18	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·32	0·36	0·29	30	16	14	–	2	1	–	–	3	7	2	7	4	1	2	–	2	2	–
Simple Continued Fever	0·05	0·02	0·08	5	1	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2
Diarrhœa and Dysentery	0·35	0·41	0·29	32	18	14	18	1	1	2	–	22	2	–	1	–	–	–	–	–	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·82	0·63	0·99	76	28	48	–	1	–	–	–	1	–	–	–	–	1	6	13	18	28	9
Tabes Mesenterica	0·14	0·16	0·12	13	7	6	3	5	1	–	–	9	–	3	–	–	–	–	1	–	–	–
Phthisis	1·72	1·92	1·53	159	85	74	5	1	–	1	–	7	4	4	14	20	28	27	30	17	7	1
Other Tub. & Scrof. Dis.	0·52	0·52	0·52	48	23	25	14	10	5	–	1	30	6	5	–	–	2	1	2	–	2	–
Diseases of Nervous System	2·05	2·17	1·94	190	96	94	45	10	–	–	3	58	4	2	1	3	–	10	8	24	32	48
Diseases of Circulatory „	1·80	1·79	1·81	167	79	88	1	–	–	–	–	1	2	–	1	1	4	10	17	33	54	44
Diseases of Respiratory „	2·75	3·03	2·50	255	134	121	54	27	6	8	10	105	6	2	3	1	3	11	14	21	29	60
Diseases of Digestive „	1·05	1·27	0·85	97	56	41	7	10	1	1	–	19	4	1	1	–	2	6	4	12	28	20
Diseases of Urinary „	0·35	0·45	0·25	32	20	12	–	1	–	–	–	1	2	1	–	–	4	3	1	2	11	7
Diseases of Generative „	0·04	–	0·08	4	–	4	–	1	–	1	–	2	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	0·09	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	1	6	1	–	–	–	–
Childbirth	0·09	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	1	6	1	–	–	–	–
Violence	0·67	0·97	0·39	62	43	19	4	–	2	4	1	11	2	3	2	7	9	4	9	3	4	8
Other Causes	2·63	2·48	2·78	244	109	135	91	7	–	3	1	102	1	1	3	1	6	12	8	15	25	70

Marriages - - - 520

Births - Males - 1,336; Females - 1,315 — 2,651

Annual Rate per 1000 living: Persons Married 11·22; Births - - 28·61

Deaths from Childbirth and Puerperal Fever - - - - - 6·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

88.—PORTSEA ISLAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·07			†139	–	–	–	–	57·61	5·52	2·86	4·25	5·38	7·84	11·84	17·96	29·55	61·77	148·33
Males	—			20·20			†152	–	–	–	–	62·70	5·31	2·81	3·89	5·63	8·16	12·72	20·17	33·70	66·30	154·32
Females	—			18·01			†125	–	–	–	–	52·55	5·74	2·90	4·59	5·15	7·55	11·03	15·89	25·99	58·33	144·46
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·41 per cent.			143,650			3950	3557	3659	3626	3574	18366	16405	14709	14108	13800	22502	16906	12238	8277	4690	1649
Males				69,486			1944	1786	1852	1811	1772	9165	8264	7219	6963	6639	10734	8084	5924	3822	2024	648
Females				74,164			2006	1771	1807	1815	1802	9201	8141	7490	7145	7161	11768	8822	6314	4455	2666	1001
Deaths from All Causes, 1881–90. Persons	18·80			27,002			6592	2120	885	563	421	10581	906	420	599	743	1765	2001	2198	2446	2897	2446
Males	19·81			13,762			3678	1089	464	297	218	5746	439	203	271	374	876	1028	1195	1288	1342	1000
Females	17·85			13,240			2914	1031	421	266	203	4835	467	217	328	369	889	973	1003	1158	1555	1446
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	0·00	7	4	3	–	–	–	–	–	–	–	–	–	5	1	1	–	–	–	–
Measles	0·44	0·47	0·40	625	325	300	109	267	92	68	33	569	52	2	–	–	2	–	–	–	–	–
Scarlet Fever	0·13	0·13	0·13	184	89	95	10	28	31	27	24	120	45	11	–	2	4	2	–	–	–	–
Diphtheria	0·44	0·46	0·42	630	321	309	18	68	81	98	89	354	218	30	10	3	5	5	2	1	2	–
Whooping-cough	0·37	0·35	0·39	526	240	286	214	180	74	32	15	515	11	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·44	0·43	0·46	636	298	338	13	19	35	22	25	114	74	69	69	71	112	53	32	25	15	2
Simple Continued Fever	0·05	0·05	0·05	71	32	39	3	6	7	4	10	30	12	2	–	4	1	5	5	7	5	–
Diarrhœa and Dysentery	0·83	0·90	0·76	1190	627	563	856	146	23	1	5	1031	5	2	2	9	21	9	15	16	45	35
Cholera	0·01	0·01	0·01	12	6	6	6	3	–	–	–	9	1	–	–	–	1	–	–	–	1	–
Cancer	0·66	0·47	0·85	953	324	629	–	1	1	1	–	3	–	2	5	8	30	109	216	257	233	90
Tabes Mesenterica	0·44	0·54	0·35	630	373	257	412	115	35	13	8	583	17	11	10	4	4	–	1	–	–	–
Phthisis	1·97	2·15	1·79	2822	1497	1325	28	22	11	14	11	86	55	69	210	303	689	651	448	224	78	9
Other Tub. & Scrof. Dis.	0·37	0·43	0·31	532	299	233	156	93	58	32	33	372	64	33	12	12	12	9	6	8	2	2
Diseases of Nervous System	2·63	2·89	2·38	3774	2006	1768	1052	236	92	48	32	1460	78	43	60	42	153	251	322	412	585	368
Circulatory „	1·57	1·67	1·47	2249	1160	1089	15	6	3	2	3	29	28	33	51	47	149	244	361	457	534	316
Respiratory „	3·42	3·55	3·29	4905	2465	2440	1313	689	245	137	97	2481	127	33	36	49	126	209	285	444	646	469
Digestive „	1·02	1·02	1·03	1471	706	765	346	105	26	13	6	496	27	23	19	36	96	141	188	194	165	86
Urinary „	0·43	0·55	0·31	615	382	233	3	7	6	3	3	22	9	2	8	18	56	72	100	136	132	60
Generative „	0·05	0·01	0·08	67	7	60	2	–	–	1	–	3	–	–	2	5	10	7	17	5	14	4
Puerperal Fever	0·08	–	0·16	119	–	119	–	–	–	–	–	–	–	–	8	23	62	25	1	–	–	–
Childbirth	0·04	–	0·09	64	–	64	–	–	–	–	–	–	–	–	2	12	26	24	–	–	–	–
Violence	0·55	0·78	0·33	783	542	241	137	32	31	26	13	239	29	17	38	46	89	72	86	71	51	45
Other Causes	2·86	2·94	2·79	4137	2059	2078	1899	97	34	21	14	2035	54	38	57	44	116	112	113	189	389	960

Marriages - - - 13,518

Births - { Males - 24,146 / Females - 23,376 } 47,522

Annual Rate per 1000 living { Persons Married 18·82 / Births - - 33·08 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

89.—ALVERSTOKE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		19·22	†123	–	–	–	–	49·47	4·76	2·12	6·76	8·66	11·72	15·23	21·17	30·64	60·44	140·23
Males	—					22·07	†127	–	–	–	–	52·33	5·09	1·70	7·82	11·15	16·02	19·93	26·37	35·90	66·01	145·81
Females	—					16·53	†119	–	–	–	–	46·67	4·41	2·54	5·02	4·33	6·44	10·02	16·02	25·58	55·74	135·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·85 per cent.			23,518			649	592	609	606	578	3034	2711	2260	2367	2539	3807	2613	1800	1273	771	343
Males				12,581			327	304	292	291	288	1502	1374	1119	1471	1615	2098	1375	895	624	353	155
Females				10,937			322	288	317	315	290	1532	1337	1141	896	924	1709	1238	905	649	418	188
Deaths from All Causes, 1881–90. Persons	19·64			4,620			952	297	120	75	57	1501	129	48	160	220	446	398	381	390	466	481
Males	21·45			2,699			505	154	57	42	28	786	70	19	115	180	336	274	236	224	233	226
Females	17·56			1,921			447	143	63	33	29	715	59	29	45	40	110	124	145	166	233	255
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
Measles	0·48	0·52	0·42	112	66	46	25	43	20	7	4	99	11	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·15	0·16	0·14	35	20	15	2	7	3	6	5	23	11	–	–	1	–	–	–	–	–	–
Diphtheria	0·17	0·11	0·23	39	14	25	–	1	4	4	6	15	15	2	4	1	–	1	1	–	–	–
Whooping-cough	0·29	0·21	0·37	68	27	41	35	14	8	4	2	63	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·33	0·50	0·13	77	63	14	–	2	–	2	1	5	2	3	12	28	19	5	3	–	–	–
Simple Continued Fever	0·06	0·05	0·07	14	6	8	–	–	1	4	–	5	4	–	2	1	–	–	2	–	–	–
Diarrhœa and Dysentery	0·68	0·69	0·66	159	87	72	108	16	4	–	3	131	1	–	–	5	4	7	–	3	5	3
Cholera	0·01	0·01	0·02	3	1	2	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·52	0·76	149	66	83	1	–	–	–	–	1	–	–	–	–	3	12	29	42	44	18
Tabes Mesenterica	0·43	0·46	0·38	100	58	42	61	25	4	2	–	92	4	–	1	–	1	1	–	–	1	–
Phthisis	2·36	3·07	1·54	554	386	168	10	2	1	–	4	17	6	10	50	64	177	135	58	29	7	1
Other Tub. & Scrof. Dis.	0·34	0·41	0·26	80	52	28	26	17	8	3	–	54	5	7	1	3	4	4	–	1	–	1
Diseases of Nervous System	2·48	2·70	2·24	584	339	245	153	43	19	11	2	228	16	5	17	14	22	28	54	56	80	64
Circulatory "	1·73	1·82	1·63	407	229	178	1	1	–	1	1	4	–	8	8	9	33	54	70	85	78	58
Respiratory "	3·23	3·64	2·75	759	458	301	186	85	34	23	20	348	24	2	22	31	57	47	39	49	77	63
Digestive "	1·22	1·22	1·23	288	154	134	49	21	6	–	2	78	8	3	7	10	23	28	39	44	30	18
Urinary "	0·63	0·81	0·43	149	102	47	4	–	1	–	2	7	2	1	4	3	16	23	28	29	22	14
Generative "	0·07	0·03	0·12	17	4	13	–	–	–	–	–	–	–	–	1	1	4	3	4	2	2	–
Puerperal Fever	0·08	–	0·17	19	–	19	–	–	–	–	–	–	–	–	–	4	10	4	1	–	–	–
Childbirth	0·03	–	0·07	8	–	8	–	–	–	–	–	–	–	–	2	–	2	4	–	–	–	–
Violence	0·64	0·95	0·28	151	120	31	18	1	3	5	2	29	4	2	9	17	35	16	12	9	13	5
Other Causes	3·58	3·53	3·63	841	443	398	270	19	4	3	3	299	11	4	18	25	35	26	39	41	107	236

Marriages - - 1,812

Births - { Males - 3,971 / Females - 3,751 } 7,722

Annual Rate per 1000 living { Persons Married 15·41 / Births - - 32·83 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

90.—FAREHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 17·71			†97	–	–	–	–	36·69	4·52	2·96	5·03	6·83	9·41	17·30	21·76	30·85	59·98	150·51
Males	—			19·16			†111	–	–	–	–	41·22	4·72	2·12	4·22	6·70	9·97	22·30	26·42	36·57	60·84	150·83
Females	—			16·33			†81	–	–	–	–	32·23	4·32	3·88	5·98	6·96	8·89	12·64	17·67	25·50	59·20	150·23
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·33 per cent.			17,943			434	417	432	435	430	2148	1992	1990	1630	1464	2433	2000	1691	1342	857	396
Males				8,895			213	204	222	215	211	1065	996	1037	877	746	1184	964	791	648	406	181
Females				9,048			221	213	210	220	219	1083	996	953	753	718	1249	1036	900	694	451	215
Deaths from All Causes, 1881-90. Persons	19·99			3,586			500	156	55	42	35	788	90	59	82	100	229	346	368	414	514	596
Males	21·29			1,894			293	81	29	18	18	439	47	22	37	50	118	215	209	237	247	273
Females	18·70			1,692			207	75	26	24	17	349	43	37	45	50	111	131	159	177	267	323
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	–	4	4	–	1	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–
Measles	0·13	0·13	0·12	23	12	11	3	11	1	4	2	21	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·03	0·07	9	3	6	–	5	–	3	–	8	–	–	1	–	–	–	–	–	–	–
Diphtheria	0·28	0·28	0·29	51	25	26	1	6	6	3	5	21	21	7	–	1	–	1	–	–	–	–
Whooping-cough	0·27	0·24	0·30	48	21	27	23	10	9	–	3	45	2	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·46	0·44	0·48	82	39	43	–	1	1	5	–	7	6	14	14	12	12	8	5	3	1	–
Simple Continued Fever	0·03	0·03	0·02	5	3	2	–	–	–	1	1	2	–	1	1	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·38	0·45	0·31	68	40	28	33	9	1	–	–	43	–	–	3	–	–	2	5	6	5	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·53	0·90	128	47	81	–	–	1	–	–	1	–	–	–	–	5	10	26	37	35	14
Tabes Mesenterica	0·21	0·22	0·20	38	20	18	19	8	1	–	1	29	1	3	1	1	–	1	–	2	–	–
Phthisis	2·03	2·02	2·03	364	180	184	3	3	–	1	2	9	6	9	23	42	78	74	70	40	12	1
Other Tub. & Scrof. Dis.	0·25	0·27	0·22	44	24	20	10	13	5	1	3	32	5	–	2	–	2	–	1	2	–	–
Diseases of Nervous System	4·93	5·74	4·14	885	510	375	89	21	8	6	3	127	15	6	14	21	68	144	114	115	168	93
Circulatory „	2·11	2·10	2·11	378	187	191	2	1	–	–	–	3	2	3	3	3	12	31	51	76	117	77
Respiratory „	2·49	2·78	2·20	446	247	199	87	45	18	12	7	169	20	3	3	2	15	22	39	46	69	58
Digestive „	0·73	0·74	0·72	131	66	65	19	8	1	2	2	32	–	2	2	5	6	11	17	29	12	15
Urinary „	0·38	0·47	0·30	69	42	27	–	–	1	–	–	1	–	–	2	2	2	7	8	23	11	13
Generative „	0·03	–	0·07	6	–	6	–	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–
Puerperal Fever	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	2	4	3	1	–	–	–
Childbirth	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–
Violence	0·58	0·92	0·24	104	82	22	8	4	–	2	3	17	6	4	–	5	13	12	16	13	11	7
Other Causes	3·82	3·86	3·79	686	342	344	202	11	2	2	3	220	4	6	10	3	9	16	13	21	71	313

Marriages - - - 973

Births - { Males - 2,635 / Females - 2,510 } 5,175

Annual Rate per 1000 living { Persons Married 10·85 / Births - - 28·84 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·29 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

91.—ISLE OF WIGHT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·28	†89	–	–	–	–	32·05	3·78	2·46	4·48	6·49	8·63	10·39	12·43	22·96	50·22	138·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·58	†100	–	–	–	–	35·44	3·49	2·03	5·01	8·55	10·64	12·85	15·50	25·45	51·78	140·87
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·06	†78	–	–	–	–	28·67	4·07	2·89	4·01	4·95	7·00	8·30	9·84	20·82	48·85	136·42
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·84 per cent.	76,153	1762	1687	1800	1737	1770	8756	8471	8017	7371	6657	11097	8971	7121	5130	3188	1374
Mean Population, 1881-91. Males	Decennial Increase of Population 6·84 per cent.	35,707	896	814	893	875	890	4368	4218	3999	3454	2842	4972	4118	3259	2373	1485	619
Mean Population, 1881-91. Females	Decennial Increase of Population 6·84 per cent.	40,446	866	873	907	862	880	4388	4253	4018	3917	3815	6125	4853	3862	2757	1703	755
Deaths from All Causes, 1881-90. Persons	15·16	11,541	1770	497	236	167	136	2806	320	197	330	432	958	932	885	1178	1601	1902
Deaths from All Causes, 1881-90. Males	16·80	6,000	1004	271	127	80	66	1548	147	81	173	243	529	529	505	604	769	872
Deaths from All Causes, 1881-90. Females	13·70	5,541	766	226	109	87	70	1258	173	116	157	189	429	403	380	574	832	1030

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·20	0·24	0·17	154	86	68	30	49	21	21	13	134	17	–	2	–	1	–	–	–	–
Scarlet Fever	0·07	0·07	0·08	55	24	31	2	8	9	6	4	29	19	3	–	2	1	–	–	–	1
Diphtheria	0·24	0·23	0·24	181	82	99	4	13	26	24	19	86	57	19	8	–	5	1	3	2	–
Whooping-cough	0·25	0·25	0·24	190	91	99	98	46	21	13	6	184	6	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·17	0·13	112	59	53	1	1	4	–	3	9	8	14	17	15	26	16	5	2	–
Simple Continued Fever	0·03	0·04	0·02	22	13	9	3	–	1	–	1	5	1	2	3	2	3	1	2	–	1
Diarrhœa and Dysentery	0·20	0·21	0·19	150	74	76	76	17	7	2	1	103	2	–	2	3	5	3	1	2	8
Cholera	0·01	0·00	0·01	4	1	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	1
Cancer	0·63	0·45	0·79	483	162	321	1	1	2	–	1	5	–	–	2	3	15	46	90	144	117
Tabes Mesenterica	0·12	0·14	0·10	88	49	39	36	13	6	2	–	57	11	2	3	4	8	1	1	–	–
Phthisis	2·17	2·72	1·68	1650	971	679	5	6	2	3	–	16	17	36	140	241	522	357	188	94	30
Other Tub. & Scrof. Dis.	0·41	0·42	0·39	310	151	159	63	33	16	22	24	158	40	27	28	12	20	3	8	8	2
Diseases of Nervous System	1·90	2·13	1·70	1446	760	686	261	66	20	14	6	367	28	16	20	11	54	69	113	194	294
Diseases of Circulatory „	1·69	1·76	1·62	1286	630	656	9	–	1	–	3	13	6	9	17	21	58	98	154	244	399
Diseases of Respiratory „	2·35	2·66	2·07	1787	950	837	401	165	69	44	26	705	55	11	20	20	52	75	69	168	266
Diseases of Digestive „	0·91	0·99	0·84	695	355	340	78	32	9	5	11	135	17	10	6	13	28	71	71	117	132
Diseases of Urinary „	0·42	0·64	0·23	322	227	95	1	1	1	1	1	5	6	6	2	7	23	33	40	47	83
Diseases of Generative „	0·06	0·01	0·10	44	4	40	–	–	–	–	–	–	–	–	–	2	2	9	10	7	10
Puerperal Fever	0·06	–	0·11	43	–	43	–	–	–	–	–	–	–	–	1	16	15	11	–	–	–
Childbirth	0·06	–	0·11	43	–	43	–	–	–	–	–	–	–	–	2	5	20	16	–	–	–
Violence	0·49	0·80	0·22	375	285	90	20	9	10	3	6	48	10	10	23	29	50	56	46	44	27
Other Causes	2·74	2·86	2·66	2099	1024	1075	679	37	11	7	11	745	20	32	33	26	48	66	84	105	230

Marriages - - - 4,[illegible]09

Births - Males - 10,042; Females - 9,821 — 19,863

Annual Rate per 1000 living: Persons Married 12·10; Births - - 26·08

Deaths from Childbirth and Puerperal Fever - - - - - 4·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

92.—LYMINGTON.

Causes of Deaths.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·22	†82	–	–	–	–	28·80	2·71	2·31	4·16	5·70	6·51	8·98	12·86	21·49	51·21	150·18
Males	—	13·39	†87	–	–	–	–	29·32	2·56	2·33	4·05	5·49	6·07	10·03	15·21	23·94	49·31	161·31
Females	—	13·06	†78	–	–	–	–	28·24	2·86	2·30	4·28	5·88	6·87	8·08	10·86	19·39	52·87	139·44
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·68 per cent.	13,264	350	301	333	333	308	1625	1549	1556	1249	1071	1752	1381	1213	968	621	279
Males		6,381	184	152	171	178	154	839	780	772	618	510	791	638	559	447	290	137
Females		6,883	166	149	162	155	154	786	769	784	631	561	961	743	654	521	331	142
Deaths from All Causes, 1881–90. Persons	15·06	1,998	293	111	33	20	11	468	42	36	52	61	114	124	156	208	318	419
Males	15·75	1,005	158	51	23	10	4	246	20	18	25	28	48	64	85	107	143	221
Females	14·43	993	135	60	10	10	7	222	22	18	27	33	66	60	71	101	175	198

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·27	0·19	30	17	13	5	8	5	3	2	23	3	1	1	–	1	1	–	–	–
Scarlet Fever	0·02	0·02	0·03	3	1	2	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·11	0·07	12	7	5	–	–	1	2	–	3	5	2	1	–	–	1	–	–	–
Whooping-cough	0·29	0·25	0·33	39	16	23	21	12	5	1	–	39	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·05	0·13	12	3	9	–	–	1	–	–	1	–	1	–	3	2	3	2	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·20	0·13	0·28	27	8	19	7	2	1	–	–	10	–	–	–	1	–	–	–	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·53	0·80	89	34	55	–	–	–	–	–	–	–	–	–	–	1	10	16	19	30
Tabes Mesenterica	0·06	0·02	0·10	8	1	7	2	1	–	–	–	3	2	2	1	–	–	–	–	–	–
Phthisis	1·41	1·49	1·34	187	95	92	1	1	–	–	–	2	3	9	18	28	55	31	19	13	6
Other Tub. & Scrof. Dis.	0·21	0·25	0·17	28	16	12	10	6	1	1	–	18	2	–	4	2	–	–	1	–	1
Diseases of Nervous System	2·09	1·94	2·22	277	124	153	41	13	3	3	2	62	6	7	6	4	6	9	24	45	60
Circulatory "	1·67	1·72	1·63	222	110	112	–	–	–	–	–	–	1	1	1	1	6	13	21	42	60
Respiratory "	3·08	3·48	2·69	407	222	185	84	49	11	7	6	157	8	5	3	2	8	16	27	35	60
Digestive "	1·05	1·16	0·94	139	74	65	22	7	2	–	–	31	–	1	2	4	4	6	17	18	30
Urinary "	0·38	0·61	0·17	51	39	12	1	1	–	–	–	2	2	1	1	1	2	3	6	10	12
Generative "	0·06	–	0·10	7	–	7	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1
Puerperal Fever	0·10	–	0·19	13	–	13	–	–	–	–	–	–	–	–	1	2	5	5	–	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	–	4	4	–	–	–
Violence	0·52	0·86	0·20	69	55	14	4	3	–	1	1	9	2	3	9	6	12	9	6	5	6
Other Causes	2·76	2·86	2·70	368	183	185	95	8	3	–	–	106	7	3	2	5	7	13	15	19	48

Marriages - - - 866

Births - { Males - 1,820 / Females - 1,741 } 3,561

Annual Rate per 1000 living { Persons Married 13·06 / Births - - 26·85

Deaths from Childbirth and Puerperal Fever - - - - - } 6·18 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

93.—CHRISTCHURCH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·92			†111	–	–	–	–	39·95	4·03	2·81	4·77	6·71	10·11	11·51	13·53	22·67	51·84	120·20
Males	—			18·42			†128	–	–	–	–	45·36	3·32	2·61	5·58	10·19	14·42	15·72	17·55	26·31	59·33	136·06
Females	—			13·57			†94	–	–	–	–	34·61	4·73	3·01	4·27	4·82	7·40	8·68	10·90	20·18	46·20	109·27
Mean Population, 1881–91. Persons	Decennial Increase of Population 84·07 per cent.			41,836			981	901	903	916	902	4603	4198	3879	4422	4605	7281	5004	3540	2409	1385	510
Males				17,634			495	443	444	461	443	2286	2106	1918	1704	1619	2809	2010	1402	977	595	208
Females				24,202			486	458	459	455	459	2317	2092	1961	2718	2986	4472	2994	2138	1432	790	302
Deaths from All Causes, 1881–90. Persons	15·07			6,305			1213	337	137	87	65	1839	169	109	211	309	736	576	479	546	718	613
Males	18·58			3,277			716	173	72	40	36	1037	70	50	95	165	405	316	246	257	353	283
Females	12·51			3,028			497	164	65	47	29	802	99	59	116	144	331	260	233	289	365	330
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·19	0·15	69	33	36	17	21	14	4	1	57	9	–	1	–	2	–	–	–	–	–
Scarlet Fever	0·05	0·05	0·05	22	9	13	1	4	2	2	3	12	4	4	2	–	–	–	–	–	–	–
Diphtheria	0·19	0·19	0·19	79	34	45	1	7	13	9	9	39	24	7	5	1	2	1	–	–	–	–
Whooping-cough	0·35	0·45	0·29	148	79	69	83	34	14	5	4	140	6	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·10	0·12	0·08	41	21	20	–	–	–	1	2	3	4	4	8	7	8	4	–	1	1	1
Simple Continued Fever	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Diarrhœa and Dysentery	0·26	0·30	0·23	109	53	56	76	11	4	–	1	92	2	–	1	1	1	2	2	2	1	5
Cholera	0·02	0·02	0·01	7	4	3	5	–	–	–	–	5	–	–	–	–	1	–	–	–	1	–
Cancer	0·60	0·47	0·70	252	82	170	–	1	1	–	–	2	–	–	–	2	6	22	51	69	74	26
Tabes Mesenterica	0·20	0·22	0·19	83	38	45	46	9	3	2	2	62	3	5	3	1	5	2	2	–	–	–
Phthisis	3·23	4·27	2·47	1352	753	599	17	4	3	5	2	31	5	23	110	211	480	294	121	53	23	1
Other Tub. & Scrof. Dis.	0·42	0·53	0·35	177	93	84	51	27	15	12	9	114	28	11	5	5	12	1	–	1	–	–
Diseases of Nervous System	1·54	1·88	1·30	645	331	314	147	50	13	10	8	228	13	16	13	10	18	41	45	77	100	84
Diseases of Circulatory „	1·58	1·86	1·38	661	328	333	5	–	–	–	2	7	5	6	11	13	31	45	78	124	195	146
Diseases of Respiratory „	2·19	2·74	1·78	915	484	431	212	115	41	27	15	410	37	5	10	8	41	50	55	70	123	106
Diseases of Digestive „	0·96	1·26	0·75	403	222	181	98	30	3	3	2	136	10	6	7	5	23	32	40	50	55	39
Diseases of Urinary „	0·46	0·70	0·25	193	124	69	4	–	–	–	–	4	–	2	3	3	15	21	37	26	54	28
Diseases of Generative „	0·03	–	0·05	11	–	11	–	–	–	–	–	–	–	–	–	–	2	2	3	1	2	1
Puerperal Fever	0·09	–	0·15	37	–	37	–	–	–	–	–	–	–	–	1	6	20	9	1	–	–	–
Childbirth	0·05	–	0·09	22	–	22	–	–	–	–	–	–	–	–	1	2	11	8	–	–	–	–
Violence	0·37	0·64	0·18	156	113	43	20	7	5	3	1	36	5	7	12	19	16	17	13	12	15	4
Other Causes	2·21	2·67	1·87	918	473	445	429	17	6	4	4	460	14	11	17	14	41	25	30	60	74	172

Marriages - - - 2,747

Births - { Males - 5,612 / Females - 5,313 } 10,925

Annual Rate per 1000 living { Persons Married 13·13 / Births - - 26·11 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

94.—RINGWOOD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Annual Death-Rate per 1000. Persons	—			In Standard Population*		12·94	†91	–	–	–	–	28·06	2·44	2·22	4·44	5·54	5·12	8·10	12·20	26·20	52·06	143·08
Annual Death-Rate per 1000. Males	—					12·85	†100	–	–	–	–	29·25	2·68	1·89	3·40	5·64	4·50	6·42	14·59	29·69	52·67	146·38
Annual Death-Rate per 1000. Females	—					13·02	†81	–	–	–	–	26·79	2·22	2·55	5·63	5·45	5·70	9·71	10·11	22·93	51·47	139·34
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·04 per cent.			5,517			136	136	132	158	133	695	697	631	496	415	684	605	500	397	267	130
Mean Population, 1881-91. Males				2,726			75	74	69	76	65	359	336	317	265	195	333	296	233	192	131	69
Mean Population, 1881-91. Females				2,791			61	62	63	82	68	336	361	314	231	220	351	309	267	205	136	61
Death from All Causes, 1881-90. Persons	15·32			845			139	30	11	12	3	195	17	14	22	23	35	49	61	104	139	186
Death from All Causes, 1881-90. Males	15·96			435			79	14	6	4	2	105	9	6	9	11	15	19	34	57	69	101
Death from All Causes, 1881-90. Females	14·69			410			60	16	5	8	1	90	8	8	13	12	20	30	27	47	70	85
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·15	0·07	6	4	2	1	1	1	2	–	5	–	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·02	0·04	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	4	2	2	..	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–
Whooping-cough	0·34	0·26	0·43	19	7	12	13	4	1	1	–	19	–	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·04	0·07	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Simple Continued Fever	0·02	–	0·04	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·08	0·07	0·07	4	2	2	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·51	0·75	35	14	21	–	–	–	–	–	–	–	–	–	–	1	1	4	14	8	7
Tabes Mesenterica	0·08	0·04	0·11	4	1	3	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–	–
Phthisis	1·49	1·39	1·58	82	38	44	–	–	–	–	–	–	1	1	10	13	21	12	9	10	4	1
Other Tub. & Scrof. Dis.	0·33	0·22	0·43	18	6	12	5	–	–	1	1	7	2	1	4	2	–	2	–	–	–	–
Diseases of Nervous System	1·76	1·72	1·79	97	47	50	14	4	1	–	–	19	3	2	1	1	4	3	5	18	21	20
Diseases of Circulatory „	2·43	2·20	2·65	134	60	74	–	–	1	–	–	1	2	2	3	1	–	9	13	29	46	28
Diseases of Respiratory „	2·25	2·46	2·04	124	67	57	39	18	3	3	1	64	4	1	–	–	2	2	12	7	22	10
Diseases of Digestive „	0·98	1·03	0·93	54	28	26	5	–	1	1	–	7	1	4	–	2	1	6	6	12	9	6
Diseases of Urinary „	0·25	0·29	0·21	14	8	6	–	–	–	1	–	1	–	–	–	–	–	3	6	2	2	–
Diseases of Generative „	0·04	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Puerperal Fever	0·05	–	0·11	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Childbirth	0·05	–	0·11	3	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Violence	0·40	0·70	0·11	22	19	3	–	1	1	–	1	3	–	–	2	1	3	2	3	3	3	2
Other Causes	3·88	4·70	3·12	215	128	87	58	1	2	1	–	62	–	1	1	1	1	4	3	9	21	112

Marriages - - - 340

Births - { Males - 787, Females - 741 } 1,528

Annual Rate per 1000 living { Persons Married 12·33, Births - - 27·70 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

95.—FORDINGBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·01	†100	–	–	–	–	35·76	2·29	3·10	3·03	4·00	6·06	7·57	10·90	21·77	58·07	168·66
Annual Death-Rate per 1000. Males	—	14·08	†110	–	–	–	–	39·74	2·29	2·65	2·79	2·62	5·11	8·36	11·16	23·53	60·57	164·79
Annual Death-Rate per 1000. Females	—	13·94	†90	–	–	–	–	31·94	2·30	3·61	3·31	5·43	6·95	6·83	10·68	20·08	55·62	173·02
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·11 per cent.	6,238	157	152	165	163	160	797	785	709	595	450	775	621	532	487	353	134
Mean Population, 1881–91. Males		3,118	75	80	77	84	74	390	393	377	323	229	372	299	251	238	175	71
Mean Population, 1881–91. Females		3,120	82	72	88	79	86	407	392	332	272	221	403	322	281	249	178	63
Deaths from All Causes, 1881–90. Persons	16·83	1,050	186	56	21	12	10	285	18	22	18	18	47	47	58	106	205	226
Deaths from All Causes, 1881–90. Males	17·32	540	102	28	10	8	7	155	9	10	9	6	19	25	28	56	106	117
Deaths from All Causes, 1881–90. Females	16·35	510	84	28	11	4	3	130	9	12	9	12	28	22	30	50	99	109

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·16	0·29	14	5	9	6	4	–	1	–	11	–	1	–	–	1	1	–	–	–	–
Scarlet Fever	0·02	0·03	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·06	0·13	6	2	4	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–
Whooping-cough	0·46	0·51	0·42	29	16	13	16	7	4	–	1	28	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	0·03	0·03	0·03	2	1	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·29	0 22	0·35	18	7	11	7	2	1	2	–	12	–	–	–	–	–	–	1	–	2	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·46	0·26	0·67	29	8	21	–	–	–	–	–	–	–	–	–	–	–	2	3	11	10	3
Tabes Mesenterica	0·10	0·06	0·13	6	2	4	–	3	–	–	–	3	1	1	–	1	–	–	–	–	–	–
Phthisis	1·07	0·90	1·25	67	28	39	–	2	–	–	–	2	–	3	7	9	15	11	12	8	–	–
Other Tub. & Scrof. Dis.	0·51	0·51	0·51	32	16	16	6	7	4	2	1	20	1	2	2	–	2	1	4	–	–	–
Diseases of Nervous System	2·16	2·60	1·73	135	81	54	19	10	1	3	–	33	5	5	1	1	4	5	7	9	35	30
Diseases of Circulatory „	1·62	1·64	1·61	101	51	50	–	–	–	–	–	–	–	–	1	1	4	3	9	28	38	17
Diseases of Respiratory „	2·36	2·18	2·53	147	68	79	37	16	5	–	3	61	4	–	–	2	3	6	6	13	31	21
Diseases of Digestive „	0·87	1·06	0·67	54	33	21	13	3	–	–	1	17	–	4	1	–	4	2	4	10	11	1
Diseases of Urinary „	0·24	0·38	0·10	15	12	3	–	–	–	–	1	1	–	–	–	–	1	4	1	1	6	1
Diseases of Generative „	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Puerperal Fever	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth	0·10	–	0·19	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Violence	0·51	0·71	0·32	32	22	10	1	1	3	3	–	8	3	1	1	–	3	3	3	4	5	1
Other Causes	5·62	5·98	5·29	351	186	165	81	–	2	–	2	85	2	2	5	2	7	5	6	21	67	149

Marriages - - - 394

Births - { Males - 928, Females - 938 } 1,866

Annual Rate per 1000 living { Persons Married 12·63; Births - - 29·91 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

96.—NEW FOREST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 12·57	†80	–	–	–	–	28·77	2·19	1·90	2·76	4·66	5·45	7·66	13·31	24·01	51·73	136·27
Annual Death-Rate per 1000. Males	—	In Standard Population.* 13·04	†88	–	–	–	–	31·50	1·99	1·40	2·93	5·31	5·99	7·15	14·44	25·43	56·63	141·30
Annual Death-Rate per 1000. Females	—	In Standard Population.* 12·13	†72	–	–	–	–	26·16	2·39	2·41	2·53	4·02	4·93	8·13	12·28	22·69	47·09	131·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·83 per cent.	13,607	323	326	335	356	339	1679	1691	1529	1270	1030	1836	1488	1195	958	636	295
Mean Population, 1881–91. Males	Decennial Increase of Population 5·83 per cent.	6,771	165	158	158	166	172	819	855	783	716	508	902	713	568	460	309	138
Mean Population, 1881–91. Females	Decennial Increase of Population 5·83 per cent.	6,836	158	168	177	190	167	860	836	746	554	522	934	775	627	498	327	157
Deaths from All Causes, 1881–90. Persons	14·45	1,966	306	95	47	17	18	483	37	29	35	48	100	114	159	230	329	402
Deaths from All Causes, 1881–90. Males	14·89	1,008	168	46	25	9	10	258	17	11	21	27	54	51	82	117	175	195
Deaths from All Causes, 1881–90. Females	14·01	958	138	49	22	8	8	225	20	18	14	21	46	63	77	113	154	207

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·18	0·15	0·20	24	10	14	2	11	4	2	3	22	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·01	0·15	11	1	10	3	1	1	4	1	10	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·04	0·03	0·04	5	2	3	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·15	0·18	22	10	12	10	7	3	–	1	21	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·06	0·12	12	4	8	–	1	–	–	–	1	1	1	1	1	3	–	2	1	1	–
Simple Continued Fever	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–
Diarrhœa and Dysentery	0·11	0·12	0·10	15	8	7	4	3	1	–	–	8	1	–	–	2	–	–	–	1	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·38	0·94	90	26	64	–	–	–	–	–	–	–	–	–	2	1	7	20	28	20	12
Tabes Mesenterica	0·08	0·06	0·10	11	4	7	4	2	1	–	–	7	2	1	1	–	–	–	–	–	–	–
Phthisis	1·26	1·14	1·39	172	77	95	11	6	1	1	–	19	3	6	15	20	41	30	26	11	1	–
Other Tub. & Scrof. Dis.	0·21	0·31	0·12	29	21	8	7	10	2	2	2	23	2	2	1	–	–	1	–	–	–	–
Diseases of Nervous System	2·16	2·14	2·18	294	145	149	61	14	9	–	2	86	3	1	4	5	9	15	29	49	50	43
Diseases of Circulatory „	1·61	1·61	1·61	219	109	110	–	–	–	–	–	–	2	1	1	3	7	14	24	54	72	41
Diseases of Respiratory „	2·59	2·72	2·47	353	184	169	60	23	12	7	6	108	8	3	2	2	14	16	16	29	74	81
Diseases of Digestive „	0·96	1·11	0·82	131	75	56	20	11	3	–	–	34	7	2	2	2	6	7	17	18	27	9
Diseases of Urinary „	0·33	0·53	0·13	45	36	9	1	–	2	–	–	3	–	1	1	–	3	4	7	10	10	6
Diseases of Generative „	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Puerperal Fever	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–
Violence	0·51	0·86	0·16	69	58	11	7	–	3	–	1	11	1	2	4	6	7	5	12	9	12	–
Other Causes	3·27	3·49	3·04	444	236	208	116	6	5	1	2	130	2	4	2	4	3	7	5	19	61	207

Marriages - - - 753

Births - { Males - 1,919 / Females - 1,911 } 3,830

Annual Rate per 1000 living { Persons Married 11·07 / Births - - 28·15 }

Deaths from Childbirth and Puerperal Fever - - - - - 2·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

97.—SOUTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·80	†135	–	–	–	–	53·60	3·77	2·53	4·03	5·32	7·98	12·83	19·61	32·32	61·02	154·44
Annual Death-Rate per 1000. Males	—	Standard 20·48	†147	–	–	–	–	57·69	3·51	2·73	4·20	6·11	8·26	15·65	23·33	38·10	69·38	167·01
Annual Death-Rate per 1000. Females	—	Population* 17·22	†123	–	–	–	–	49·46	4·02	2·34	3·88	4·66	7·73	10·34	16·26	27·37	54·86	147·03
Mean Population, 1881-91. Persons	Decennial Increase of Population 4·67 per cent.	54,226	1415	1317	1349	1341	1295	6717	6130	5727	5211	4926	8157	6350	4957	3363	1911	777
Mean Population, 1881-91. Males		25,780	711	671	669	670	652	3373	3073	2819	2477	2243	3813	2984	2349	1551	810	288
Mean Population, 1881-91. Females		28,446	704	646	680	671	643	3344	3057	2908	2734	2683	4344	3366	2608	1812	1101	489
Deaths from All Causes, 1881-90. Persons	19·07	10,339	2308	715	263	194	120	3600	231	145	210	262	651	815	972	1087	1166	1200
Deaths from All Causes, 1881-90. Males	20·70	5,336	1289	370	139	99	49	1946	108	77	104	137	315	467	548	591	562	481
Deaths from All Causes, 1881-90. Females	17·59	5,003	1019	345	124	95	71	1654	123	68	106	125	336	348	424	496	604	719

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	5	2	3	2	–	–	–	–	2	–	–	–	1	2	–	–	–	–	–
Measles	0·38	0·40	0·36	206	103	103	35	84	28	27	20	194	9	2	–	–	–	1	–	–	–	–
Scarlet Fever	0·18	0·17	0·19	98	44	54	5	13	16	19	7	60	21	9	3	1	4	–	–	–	–	–
Diphtheria	0·09	0·07	0·11	49	17	32	1	3	8	6	4	22	18	–	1	3	4	–	1	–	–	–
Whooping-cough	0·44	0·39	0·49	239	100	139	92	81	28	19	15	235	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·13	0·16	0·11	72	42	30	1	–	2	–	1	4	4	20	10	11	10	7	3	1	1	1
Simple Continued Fever	0·04	0·04	0·04	21	10	11	–	1	1	1	1	4	3	2	2	–	1	4	2	–	3	–
Diarrhœa and Dysentery	0·54	0·60	0·49	294	154	140	182	35	5	1	–	223	1	1	1	1	4	7	6	14	14	22
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·46	0·73	327	119	208	–	–	2	–	–	2	–	–	2	2	17	29	70	96	73	36
Tabes Mesenterica	0·21	0·22	0·18	109	58	51	57	22	6	2	–	87	8	5	2	2	1	–	–	3	1	–
Phthisis	1·90	2·16	1·67	1031	556	475	25	18	9	5	1	58	14	17	85	126	241	229	172	63	25	1
Other Tub. & Scrof. Dis.	0·33	0·41	0·26	181	106	75	52	45	14	16	6	133	22	4	3	4	9	1	2	2	1	–
Diseases of Nervous System	2·65	2·84	2·49	1438	731	707	350	85	30	19	13	497	32	19	11	16	41	93	134	197	243	155
Diseases of Circulatory „	1·59	1·78	1·41	860	459	401	4	–	–	2	1	7	3	10	22	13	55	89	147	186	187	141
Diseases of Respiratory „	3·60	3·90	3·33	1950	1004	946	457	216	91	54	36	854	36	4	8	16	60	93	161	227	255	236
Diseases of Digestive „	1·25	1·23	1·26	676	318	358	111	54	9	2	2	178	12	8	8	8	43	68	76	107	110	58
Diseases of Urinary „	0·60	0·82	0·39	324	212	112	6	–	–	2	–	8	6	–	9	5	27	57	60	59	62	31
Diseases of Generative „	0·07	0·01	0·12	35	2	33	–	–	–	–	–	–	1	–	–	–	6	10	9	7	2	–
Puerperal Fever	0·09	–	0·18	51	–	51	–	–	–	–	–	–	–	–	2	12	25	11	1	–	–	–
Childbirth	0·06	–	0·12	33	–	33	–	–	–	–	–	–	–	–	1	4	14	14	–	–	–	–
Violence	0·72	1·15	0·32	388	297	91	40	14	7	12	9	82	21	18	28	20	46	47	45	41	22	18
Other Causes	3·59	3·88	3·33	1951	1001	950	888	44	7	7	4	950	16	26	11	17	41	55	83	84	167	501

Marriages - - - 5,204

Births - { Males - 8,774 / Females - 8,314 } 17,088

Annual Rate per 1,000 living { Persons Married 19·19 / Births - - 31·51 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

98.—SOUTH STONEHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·53	†95	–	–	–	–	35·59	3·51	1·72	3·78	7·68	7·66	9·62	12·41	22·57	51·91	145·31
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·01	†104	–	–	–	–	38·80	3·05	1·49	3·94	11·30	10·54	10·71	14·60	24·51	57·86	155·24
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·12	†86	–	–	–	–	32·38	3·99	1·93	3·63	4·47	5·15	8·69	10·56	20·94	46·91	137·92
Mean Population, 1881–91. Persons	Decennial Increase of Population, 23·86 per cent.	46,199	1280	1174	1246	1223	1203	6126	5776	5188	4286	3969	6579	5228	3899	2778	1699	671
Mean Population, 1881–91. Males		22,108	635	595	603	619	610	3062	2946	2550	2080	1868	3064	2419	1788	1269	776	286
Mean Population, 1881–91. Females		24,091	645	579	643	604	593	3064	2830	2638	2206	2101	3515	2809	2111	1509	923	385
Deaths from All Causes 1881–90. Persons	14·97	6,914	1350	455	173	111	91	2180	203	89	162	305	504	503	484	627	882	975
Deaths from All Causes 1881–90. Males	16·54	3,656	754	234	96	56	48	1188	90	38	82	211	323	259	261	311	449	444
Deaths from All Causes 1881–90. Females	13·52	3,258	596	221	77	55	43	992	113	51	80	94	181	244	223	316	433	531

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·26	0·24	115	57	58	25	35	19	10	9	98	15	–	–	–	1	1	–	–
Scarlet Fever	0·11	0·09	0·13	51	20	31	5	8	8	5	5	31	13	3	1	–	1	2	–	–
Diphtheria	0·10	0·07	0·13	46	15	31	3	2	6	6	8	25	16	4	–	–	–	–	–	1
Whooping-cough	0·37	0·37	0·37	170	82	88	78	54	22	6	6	166	4	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·14	69	36	33	–	–	2	2	1	5	8	6	12	19	11	5	–	1
Simple Continued Fever	0·02	0·02	0·01	8	5	3	–	–	1	1	1	3	–	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·42	0·54	0·32	196	119	77	89	28	5	–	1	123	–	1	–	11	20	10	2	6
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·66	0·48	0·84	307	105	202	1	1	–	–	1	3	1	–	2	2	13	35	48	77
Tabes Mesenterica	0·18	0·18	0·17	81	40	41	30	16	11	4	1	62	12	1	2	1	2	–	1	–
Phthisis	1·71	2·08	1·37	791	460	331	6	9	2	2	1	20	12	10	61	149	232	148	96	38
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	120	66	54	31	27	5	10	6	79	10	6	4	7	5	2	2	1
Diseases of Nervous System	2·10	2·37	1·85	971	525	446	224	63	22	9	11	329	22	18	15	17	28	44	65	128
Diseases of Circulatory "	1·57	1·68	1·47	725	372	353	5	–	–	2	–	7	9	7	13	18	33	63	80	129
Diseases of Respiratory "	2·36	2·56	2·18	1091	565	526	262	142	44	39	25	512	48	4	11	12	31	51	46	85
Diseases of Digestive "	1·00	1·17	0·84	462	259	203	91	33	5	4	4	137	4	6	11	17	35	37	49	58
Diseases of Urinary "	0·43	0·57	0·31	199	125	74	5	1	3	1	1	11	3	1	3	5	13	32	33	29
Diseases of Generative "	0·05	0·00	0·09	23	1	22	–	–	–	–	–	–	–	1	–	2	–	2	6	7
Puerperal Fever	0·05	–	0·10	23	–	23	–	–	–	–	–	–	–	–	–	4	12	7	–	–
Childbirth	0·06	–	0·12	29	–	29	–	–	–	–	–	–	–	–	–	3	11	14	1	–
Violence	0·45	0·69	0·22	207	153	54	30	9	7	5	3	54	8	8	16	19	15	20	22	20
Other Causes	2·67	2·95	2·40	1229	651	578	465	27	11	5	7	515	18	13	11	19	40	30	31	47

	75 and upwds.
Diseases of Nervous System	141
Diseases of Circulatory "	143
Diseases of Respiratory "	164
Diseases of Digestive "	43
Diseases of Urinary "	25
Diseases of Generative "	1
Puerperal Fever	–
Childbirth	–
Violence	8
Other Causes	382

Marriages - - - 2,671

Births - { Males - 7,232, Females - 6,940 } 14,172

Annual Rate per 1000 living { Persons Married 11·56, Births - - 30·68 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

99.—ROMSEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·44	†90	–	–	–	–	32·44	4·02	2·00	3·04	4·75	6·20	7·40	13·07	22·78	57·55	130·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·61	†97	–	–	–	–	33·48	4·20	1·71	2·77	4·44	6·53	8·47	13·95	22·47	59·18	140·20
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·28	†83	–	–	–	–	31·40	3·82	2·31	3·38	5·05	5·89	6·41	12·25	23·10	55·92	123·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·43 per cent.	10,691	278	290	279	270	270	1387	1320	1248	986	821	1354	1108	964	790	490	223
Mean Population, 1881–91. Males	Decennial Increase of Population 1·43 per cent.	5,350	130	141	151	141	133	696	666	643	542	405	658	531	466	396	245	102
Mean Population, 1881–91. Females	Decennial Increase of Population 1·43 per cent.	5,341	148	149	128	129	137	691	654	605	444	416	696	577	498	394	245	121
Deaths from All Causes, 1881–90. Persons	15·37	1,643	288	79	39	26	18	450	53	25	30	39	84	82	126	180	282	292
Deaths from All Causes, 1881–90. Males	15·61	835	156	37	21	10	9	233	28	11	15	18	43	45	65	89	145	143
Deaths from All Causes, 1881–90. Females	15·13	808	132	42	18	16	9	217	25	14	15	21	41	37	61	91	137	149

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·35	0·30	0·39	37	16	21	3	12	6	4	3	28	8	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·12	0·15	0·09	13	8	5	1	1	1	2	–	5	5	1	1	–	–	1	–	–	–	–
Diphtheria	0·10	0·09	0·11	11	5	6	–	1	1	1	–	3	4	–	1	1	2	–	–	–	–	–
Whooping-cough	0·35	0·37	0·32	37	20	17	18	15	2	1	1	37	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·04	0·08	6	2	4	–	–	–	1	–	1	–	1	2	1	1	–	–	–	–	–
Simple Continued Fever	0·04	0·02	0·06	4	1	3	–	–	1	–	1	2	1	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·41	0·43	0·39	44	23	21	24	6	3	–	1	34	1	–	–	–	–	–	–	2	6	1
Cholera	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Cancer	0·53	0·47	0·60	57	25	32	–	–	–	–	–	–	1	–	–	–	–	2	12	18	19	5
Tabes Mesenterica	0·03	0·02	0·04	3	1	2	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
Phthisis	1·13	1·18	1·09	121	63	58	2	–	–	1	1	4	3	3	7	13	37	26	16	7	5	–
Other Tub. & Scrof. Dis.	0·31	0·34	0·28	33	18	15	7	6	2	3	1	19	3	6	1	1	–	–	–	–	3	–
Diseases of Nervous System	2·17	2·24	2·10	232	120	112	43	10	7	4	1	65	5	3	5	–	6	5	17	37	45	44
Diseases of Circulatory „	1·91	1·42	2·40	204	76	128	–	–	–	–	–	–	1	2	2	6	8	10	23	47	72	33
Diseases of Respiratory „	2·32	2·71	1·93	248	145	103	58	15	7	5	4	89	6	–	2	3	10	8	11	17	46	56
Diseases of Digestive „	0·93	0·95	0·90	99	51	48	14	3	3	–	2	22	5	3	1	–	5	11	16	9	20	7
Diseases of Urinary „	0·48	0·69	0·26	51	37	14	–	–	–	1	–	1	1	–	1	2	3	5	9	13	12	4
Diseases of Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	3	2	2	–	–	–	–
Violence	0·61	0·86	0·36	65	46	19	7	2	4	3	1	17	6	2	3	3	4	3	8	7	9	3
Other Causes	3·35	3·33	3·41	361	178	183	110	8	2	–	2	122	3	4	3	5	3	6	12	23	41	139

Marriages - - - 682

Births - Males - 1,606; Females - 1,590 } 3,196

Annual Rate per 1000 living { Persons Married 12·76; Births - - 29·89

Deaths from Childbirth and Puerperal Fever - - - - - } 3·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

100.—STOCKBRIDGE. ‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·19	†84	–	–	–	–	30·94	2·69	1·41	2·70	3·44	6·05	6·64	13·60	22·14	56·93	158·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·44	†97	–	–	–	–	37·19	3·77	1·24	1·37	3·15	5·55	6·38	14·65	23·13	55·23	150·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·96	†71	–	–	–	–	24·82	1·67	1·60	4·53	3·75	6·54	6·89	12·61	21·13	58·75	169·01
Mean Population, 1881–91.‡ Persons	Decennial Decrease of Population 1·64 per cent.	6,738	161	163	165	163	169	821	817	779	629	494	827	708	647	533	332	151
Mean Population, 1881–91.‡ Males	Decennial Decrease of Population 1·64 per cent.	3,418	77	84	83	80	82	406	398	403	364	254	414	345	314	268	172	80
Mean Population, 1881–91.‡ Females	Decennial Decrease of Population 1·64 per cent.	3,320	84	79	82	83	87	415	419	376	265	240	413	363	333	265	160	71
Deaths from All Causes, 1881–90. Persons	15·63	1,053	158	57	18	8	13	254	22	11	17	17	50	47	88	118	189	240
Deaths from All Causes, 1881–90. Males	16·15	552	92	34	10	8	7	151	15	5	5	8	23	22	46	62	95	120
Deaths from All Causes, 1881–90. Females	15·09	501	66	23	8	–	6	103	7	6	12	9	27	25	42	56	94	120

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·10	0·12	0·09	7	4	3	2	2	2	–	–	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	0·03	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·12	0·09	7	4	3	–	–	–	–	3	3	4	–	–	–	–	–	–	–	–
Whooping-cough	0·25	0·23	0·27	17	8	9	6	7	3	–	1	17	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·18	0·27	15	6	9	3	4	1	1	–	9	–	–	–	–	–	1	–	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	0·29	0·69	33	10	23	–	–	–	–	–	–	–	–	–	–	1	3	6	11	7	5
Tabes Mesenterica	0·12	0·09	0·15	8	3	5	5	1	1	–	–	7	–	–	–	–	1	–	–	–	–	–
Phthisis	1·26	1·20	1·33	85	41	44	1	2	–	–	1	4	2	3	5	9	24	15	14	6	3	–
Other Tub. & Scrof. Dis.	0·21	0·29	0·12	14	10	4	4	4	–	–	–	8	2	1	–	–	2	1	–	–	–	–
Diseases of Nervous System	2·40	2·57	2·23	162	88	74	27	10	–	1	–	38	1	–	3	3	5	4	24	23	33	28
Diseases of Circulatory „	1·69	1·67	1·72	114	57	57	–	–	–	–	–	–	–	–	1	1	2	9	9	34	42	16
Diseases of Respiratory „	2·43	2·96	1·90	164	101	63	38	18	9	1	3	69	5	1	–	1	3	3	11	14	28	29
Diseases of Digestive „	0·79	0·91	0·66	53	31	22	5	2	–	1	1	9	–	–	1	–	2	3	8	10	14	6
Diseases of Urinary „	0·31	0·47	0·15	21	16	5	–	–	–	–	–	–	1	2	2	–	–	3	2	2	9	–
Diseases of Generative „	0·06	–	0·12	4	–	4	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
Puerperal Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·10	–	0·21	7	–	7	–	–	–	–	–	–	–	–	2	1	4	–	–	–	–	–
Violence	0·39	0·56	0·21	26	19	7	3	4	–	2	–	9	3	–	1	–	2	1	3	3	2	2
Other Causes	4·65	4·43	4·79	311	152	159	63	3	2	2	4	74	2	4	–	–	2	4	11	14	49	151

Marriages - - - 421

Births - { Males - 951, Females - 929 } 1,880

Annual Rate per 1000 living { Persons Married 12·50, Births - - 27·90 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·26 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 730.

101.—WINCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·61	†111	–	–	–	–	40·92	3·28	1·88	3·67	4·96	6·96	10·86	14·05	27·89	56·44	147·10
Males	—	16·57	†119	–	–	–	–	44·65	3·06	1·46	2·84	5·08	8·43	12·07	16·88	30·94	62·06	148·41
Females	—	14·70	†104	–	–	–	–	37·35	3·51	2·35	4·77	4·84	5·64	9·75	11·48	25·18	51·84	146·06
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·88 per cent.	32,395	799	731	768	747	743	3788	3536	3618	3628	2824	4584	3564	2797	2105	1382	569
Males		16,113	382	351	386	363	370	1852	1800	1914	2076	1397	2171	1707	1333	989	622	252
Females		16,282	417	380	382	384	373	1936	1736	1704	1552	1427	2413	1857	1464	1116	760	317
Deaths from All Causes, 1881–90. Persons	16·39	5,310	1001	292	128	66	63	1550	116	68	133	140	319	387	393	587	780	837
Males	16·88	2,720	541	163	70	27	26	827	55	28	59	71	183	206	225	306	386	374
Females	15·91	2,590	460	129	58	39	37	723	61	40	74	69	136	181	168	281	394	463

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	4	2	2	1	2	–	–	–	3	–	–	–	–	1	–	–	–	–	–
Measles	0·35	0·40	0·29	113	65	48	17	38	27	12	7	101	9	–	1	–	1	1	–	–	–	–
Scarlet Fever	0·05	0·07	0·03	15	11	4	1	2	1	2	2	8	3	1	1	–	1	1	–	–	–	–
Diphtheria	0·13	0·11	0·15	41	17	24	1	4	4	3	3	15	16	2	3	–	1	1	1	1	1	–
Whooping-cough	0·28	0·26	0·29	90	42	48	44	20	7	9	2	82	8	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·09	0·09	31	15	16	–	–	–	–	–	–	2	3	5	4	6	6	2	3	–	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·35	0·41	124	57	67	77	13	5	–	1	96	1	–	1	–	1	–	4	3	4	14
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·65	0·47	0·84	212	75	137	–	–	–	–	–	–	1	1	–	–	3	20	43	62	55	27
Tabes Mesenterica	0·12	0·13	0·11	39	21	18	13	8	1	1	2	25	6	1	2	2	–	3	–	–	–	–
Phthisis	1·53	1·72	1·35	497	277	220	12	3	4	2	3	24	3	11	45	52	133	101	73	32	19	4
Other Tub. & Scrof. Dis.	0·33	0·36	0·29	106	58	48	19	19	12	4	5	59	7	7	7	8	7	5	3	1	2	–
Diseases of Nervous System	2·46	2·52	2·40	797	406	391	186	46	14	7	7	260	12	7	11	9	23	25	42	106	154	148
Circulatory	2·12	2·14	2·10	686	344	342	4	–	–	–	1	5	2	8	12	11	20	69	89	140	195	135
Respiratory	2·82	2·98	2·65	913	481	432	194	84	35	18	18	349	16	5	9	15	25	45	38	78	163	170
Digestive	1·05	1·02	1·08	340	164	176	56	23	8	2	4	93	6	3	9	3	15	24	28	54	62	43
Urinary	0·46	0·58	0·34	149	93	56	1	–	1	–	–	2	1	4	6	6	10	14	19	39	31	17
Generative	0·05	0·01	0·08	15	2	13	1	1	–	–	–	2	–	–	–	–	2	4	3	1	2	1
Puerperal Fever	0·08	–	0·17	27	–	27	–	–	–	–	–	–	–	–	1	5	16	5	–	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	3	7	8	1	–	–	–
Violence	0·52	0·76	0·28	168	122	46	11	4	5	5	5	30	9	5	6	9	23	24	16	17	16	13
Other Causes	2·83	2·88	2·82	920	466	454	362	25	4	1	3	395	13	10	13	13	24	31	31	49	76	265

Marriages - - - 2,243

Births - Males - 4,565, Females - 4,431 } 8,996

Annual Rate per 1000 living { Persons Married 13·85; Births - - 27·77

Deaths from Childbirth and Puerperal Fever - - - - - } 5·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

102.—DROXFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·87	†89	–	–	–	–	31·29	4·11	2·39	3·02	4·33	5·91	8·10	9·77	22·16	49·59	138·87
Annual Death-Rate per 1000. Males	—	13·66	†103	–	–	–	–	38·13	4·28	2·82	2·44	4·70	6·02	8·28	10·32	20·45	53·97	139·19
Annual Death-Rate per 1000. Females	—	12·13	†75	–	–	–	–	24·79	3·93	1·98	3·67	3·97	5·80	7·93	9·25	23·91	44·90	138·52
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·74 per cent.	11,295	275	265	283	264	297	1384	1364	1295	995	832	1456	1173	1024	880	609	283
Mean Population, 1881–91. Males		5,605	134	134	144	117	145	674	677	638	532	404	698	580	494	445	315	148
Mean Population, 1881–91. Females		5,690	141	131	139	147	152	710	687	657	463	428	758	593	530	435	294	135
Deaths from All Causes, 1881–90. Persons	15·56	1,757	283	85	28	19	18	433	56	31	30	36	86	95	100	195	302	393
Deaths from All Causes, 1881–90. Males	16·84	944	168	49	18	12	10	257	29	18	13	19	42	48	51	91	170	206
Deaths from All Causes, 1881–90. Females	14·29	813	115	36	10	7	8	176	27	13	17	17	44	47	49	104	132	187

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·29	0·21	28	16	12	1	10	2	3	2	18	7	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·13	0·16	0·11	15	9	6	1	2	2	4	1	10	4	–	–	–	–	1	–	–	–	–
Diphtheria	0·29	0·36	0·23	33	20	13	2	1	2	3	3	11	14	5	–	2	1	–	–	–	–	–
Whooping-cough	0·23	0·20	0·26	26	11	15	13	8	3	–	–	24	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·09	8	3	5	–	–	–	–	–	–	–	1	–	1	3	2	1	–	–	–
Simple Continued Fever	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–
Diarrhœa and Dysentery	0·16	0·18	0·14	18	10	8	5	1	–	–	–	6	2	1	–	–	–	1	–	1	–	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·52	0·63	65	29	36	–	–	–	–	–	–	–	–	–	1	1	7	10	15	22	9
Tabes Mesenterica	0·08	0·12	0·04	9	7	2	6	1	–	–	–	7	1	–	1	–	–	–	–	–	–	–
Phthisis	1·27	1·21	1·32	143	68	75	3	1	2	–	–	6	3	7	13	16	33	26	15	18	4	2
Other Tub. & Scrof. Dis.	0·32	0·37	0·26	36	21	15	9	9	2	–	3	23	2	3	3	–	–	2	1	1	–	1
Diseases of Nervous System	2·42	2·72	2·13	273	152	121	47	11	6	2	4	70	4	3	2	5	11	9	13	35	59	62
Diseases of Circulatory "	2·22	2·23	2·21	251	125	126	–	–	–	–	–	–	2	1	–	1	7	12	26	43	70	89
Diseases of Respiratory "	2·53	2·94	2·13	286	165	121	66	26	5	7	3	107	9	2	2	3	2	6	7	32	46	70
Diseases of Digestive "	1·08	1·20	0·97	122	67	55	17	4	2	–	2	25	1	3	2	1	8	4	11	23	29	15
Diseases of Urinary "	0·65	0·77	0·53	73	43	30	–	–	–	–	–	–	–	–	1	1	2	7	3	14	28	17
Diseases of Generative "	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–
Childbirth	0·04	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Violence	0·41	0·68	0·14	46	38	8	–	2	2	–	–	4	3	2	1	3	7	6	6	3	9	2
Other Causes	2·69	2·80	2·60	306	158	148	113	9	–	–	–	122	1	2	4	1	3	6	6	9	34	118

Marriages - - 610

Births - Males 1,637, Females 1,536 — 3,173

Annual Rate per 1000 living: Persons Married 10·80; Births 28·09

Deaths from Childbirth and Puerperal Fever 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

103.—CATHERINGTON

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·79	†103	–	–	–	–	32·19	3·54	0·90	3·87	4·80	4·42	7·72	14·02	13·90	48·15	168·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·78	†110	–	–	–	–	30·81	2·96	0·62	1·97	6·48	8·53	10·14	15·75	14·02	49·28	190·91
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·80	†97	–	–	–	–	33·52	4·12	1·17	6·06	3·31	5·21	5·44	12·41	13·79	46·97	145·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·85 per cent.	2,868	77	65	75	60	74	351	339	332	284	229	362	285	264	223	135	64
Mean Population, 1881–91. Males		1,406	36	33	39	25	39	172	169	161	152	108	170	138	127	107	69	33
Mean Population, 1881–91. Females		1,462	41	32	36	35	35	179	170	171	132	121	192	147	137	116	66	31
Deaths from All Causes, 1881–90. Persons	14·96	429	78	18	6	5	6	113	12	3	11	11	16	22	37	31	65	108
Deaths from All Causes, 1881–90. Males	15·72	221	40	7	1	3	2	53	5	1	3	7	6	14	20	15	34	63
Deaths from All Causes, 1881–90. Females	14·23	208	38	11	5	2	4	60	7	2	8	4	10	8	17	16	31	45

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·03	–	0·07	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·07	0·21	4	1	3	–	1	1	1	1	4	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·21	0·36	0·07	6	5	1	–	–	–	1	–	1	5	–	–	–	–	–	–	–	–	–
Whooping-cough	0·31	0·28	0·34	9	4	5	7	2	–	–	–	9	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·43	0·07	7	6	1	–	–	–	–	–	–	1	1	1	1	2	1	–	–	–	–
Simple Continued Fever	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·17	0·14	0·21	5	2	3	2	2	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·57	0·62	17	8	9	–	–	–	–	–	–	–	–	–	–	1	1	4	1	8	2
Tabes Mesenterica	0·07	0·07	0·07	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·26	1·07	1·44	36	15	21	–	–	–	–	–	–	–	1	3	4	8	5	9	4	2	–
Other Tub. & Scrof. Dis.	0·56	0·50	0·62	16	7	9	6	2	–	1	1	10	1	–	2	1	–	–	1	–	1	–
Diseases of Nervous System	1·60	1·85	1·37	46	26	20	12	4	–	–	1	17	1	–	–	2	–	2	2	4	5	13
Diseases of Circulatory „	1·85	2·06	1·64	53	29	24	–	–	–	–	–	–	1	–	–	1	1	2	7	3	19	19
Diseases of Respiratory „	2·51	2·49	2·53	72	35	37	17	4	3	1	1	26	1	–	1	–	–	1	3	9	10	21
Diseases of Digestive „	1·12	1·14	1·09	32	16	16	9	1	–	–	1	11	2	–	–	–	1	–	3	3	7	5
Diseases of Urinary „	0·24	0·43	0·07	7	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3
Diseases of Generative „	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth	0·03	–	0·07	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violence	0·66	1·00	0·34	19	14	5	2	–	–	1	–	3	–	–	–	1	1	5	2	–	2	5
Other Causes	3·28	3·26	3·19	93	46	47	21	2	1	–	–	24	–	–	3	–	2	4	6	4	10	40

Marriages - - - 160

Births - { Males - 364 / Females - 390 } 754

Annual Rate per 1000 living { Persons Married 11·16 / Births - - 26·29 }

Deaths from Childbirth and Puerperal Fever - - - - - } 2·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

104.—PETERSFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·41	†88	–	–	–	–	32·40	4·54	3·06	3·11	5·33	5·59	8·42	11·57	21·55	53·17	137·12
Annual Death-Rate per 1000. Males	—					14·36	†99	–	–	–	–	35·11	4·51	3·53	2·48	5·65	6·65	10·16	13·94	22·89	56·23	146·61
Annual Death-Rate per 1000. Females	—					12·51	†76	–	–	–	–	29·73	4·56	2·61	3·85	5·05	4·63	6·83	9·32	20·26	49·80	127·03
Mean Population. 1881–91. Persons	Decennial Increase of Population 10·00 per cent.			10,768			300	273	270	297	258	1398	1366	1209	965	788	1412	1176	942	747	536	229
Mean Population. 1881–91. Males				5,314			155	132	129	146	133	695	665	595	524	372	677	561	459	367	281	118
Mean Population. 1881–91. Females				5,454			145	141	141	151	125	703	701	614	441	416	735	615	483	380	255	111
Deaths from All Causes, 1881–90. Persons	15·52			1,671			278	94	34	26	21	453	62	37	30	42	79	99	109	161	285	314
Deaths from All Causes, 1881–90. Males	17·12			910			161	42	15	16	10	244	30	21	13	21	45	57	64	84	158	173
Deaths from All Causes, 1881–90. Females	13·95			761			117	52	19	10	11	209	32	16	17	21	34	42	45	77	127	141
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·16	0·23	0·09	17	12	5	1	6	2	3	–	12	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·02	2	1	1	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·65	0·56	0·73	70	30	40	–	5	4	11	9	29	23	13	–	1	–	2	–	–	2	–
Whooping-cough	0·35	0·18	0·51	38	10	28	19	8	6	2	2	37	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·13	0·07	11	7	4	–	–	–	–	–	–	2	2	3	–	2	–	–	–	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·11	0·11	0·11	12	6	6	6	–	1	–	–	7	1	–	–	–	–	–	–	–	1	3
Cholera	0·01	0·02	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·76	0·68	0·84	82	36	46	–	–	–	–	–	–	–	–	–	–	1	5	12	17	30	17
Tabes Mesenterica	0·12	0·15	0·09	13	8	5	4	1	–	–	–	5	3	1	3	–	–	1	–	–	–	–
Phthisis	1·18	1·24	1·12	127	66	61	–	2	1	–	–	3	–	2	9	13	34	34	11	13	6	2
Other Tub. & Scrof. Dis.	0·34	0·40	0·29	37	21	16	6	11	5	1	1	24	6	2	4	–	–	1	–	–	–	–
Diseases of Nervous System	2·15	2·30	2·02	232	122	110	41	14	1	4	3	63	4	1	1	5	7	8	17	27	52	47
Diseases of Circulatory „	1·91	1·98	1·85	206	105	101	–	1	–	–	–	1	2	1	5	2	4	15	19	25	73	59
Diseases of Respiratory „	2·55	3·14	1·98	275	167	108	66	29	7	2	3	107	8	2	–	2	7	7	18	27	43	54
Diseases of Digestive „	0·64	0·73	0·55	69	39	30	7	4	2	–	–	13	3	3	–	1	3	3	7	11	14	11
Diseases of Urinary „	0·63	0·85	0·42	68	45	23	1	–	–	–	1	2	–	2	4	2	5	5	5	8	19	16
Diseases of Generative „	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Violence	0·44	0·64	0·24	47	34	13	5	1	3	2	–	11	1	1	–	6	3	4	5	10	4	2
Other Causes	3·24	3·74	2·75	348	199	149	121	12	1	1	1	136	5	5	1	8	9	9	13	22	38	102

Marriages - - - 615

Births - { Males - 1,619 / Females - 1,543 } 3,162

Annual Rate per 1000 living { Persons Married 11·42 / Births - - 29·36 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

105.—ALRESFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·74	†96	–	–	–	–	32·40	2·36	1·87	3·45	6·06	4·11	6·99	11·59	21·13	51·74	146·41
Males	—	13·89	†120	–	–	–	–	39·14	2·49	1·27	2·82	4·96	4·46	7·30	12·70	24·81	52·54	171·62
Females	—	11·64	†69	–	–	–	–	25·43	2·21	2·45	4·14	7·11	3·79	6·68	10·51	17·15	50·90	122·78
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·43 per cent.	6,798	178	156	167	162	161	824	849	801	609	495	875	730	621	497	344	153
Males		3,413	86	75	88	89	81	419	442	393	319	242	426	356	307	258	177	74
Females		3,385	92	81	79	73	80	405	407	408	290	253	449	374	314	239	167	79
Deaths from All Causes, 1881–90. Persons	14·99	1,019	183	49	18	11	6	267	20	15	21	30	36	51	72	105	178	224
Males	16·67	569	120	27	11	2	4	164	11	5	9	12	19	26	39	64	93	127
Females	13·29	450	63	22	7	9	2	103	9	10	12	18	17	25	33	41	85	97

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·13	0·15	0·12	9	5	4	3	–	–	2	1	6	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·04	0·06	0·03	3	2	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Diphtheria	0·25	0·35	0·15	17	12	5	1	2	2	1	3	9	5	2	–	–	–	–	1	–	–
Whooping-cough	0·22	0·21	0·24	15	7	8	7	7	–	1	–	15	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·06	0·03	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·15	0·09	8	5	3	4	1	–	–	–	5	–	–	–	–	–	–	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·47	0·59	36	16	20	–	–	–	–	–	–	–	–	–	–	1	2	3	12	13
Tubes Mesenterica	0·12	0·06	0·18	8	2	6	2	3	–	–	–	5	–	–	–	2	–	–	1	–	–
Phthisis	1·09	1·14	1·03	74	39	35	1	1	–	–	–	2	1	2	8	15	13	16	9	7	1
Other Tub. & Scrof. Dis.	0·13	0·06	0·21	9	2	7	2	2	–	1	–	5	1	2	1	–	–	–	–	–	–
Diseases of Nervous System	2·27	2·49	2·04	154	85	69	27	12	3	2	–	44	–	1	3	1	2	5	9	21	29
Circulatory „	2·15	1·93	2·36	146	66	80	–	1	–	–	–	1	1	1	2	1	4	7	19	21	51
Respiratory „	2·63	3·20	2·04	179	110	69	41	15	9	2	1	68	3	–	3	–	6	7	10	12	29
Digestive „	1·04	1·26	0·83	71	43	28	16	2	1	–	–	19	4	3	1	3	–	5	11	8	9
Urinary „	0·35	0·44	0·27	24	15	9	1	–	–	–	–	1	1	1	–	1	1	2	–	5	9
Generative „	0·04	–	0·09	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Puerperal Fever	0·06	–	0·12	4	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
Childbirth	0·09	–	0·18	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Violence	0·43	0·70	0·15	29	24	5	3	–	–	–	–	3	1	–	–	1	2	2	3	7	6
Other Causes	3·25	3·91	2·54	220	133	87	75	3	2	2	1	83	–	2	1	2	3	1	5	9	29

Marriages - - - 373

Births - { Males - 997, Females - 910 } 1,907

Annual Rate per 1000 living { Persons Married 10·97, Births - - 28·05

Deaths from Childbirth and Puerperal Fever - - - - } 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

106.—ALTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·09			†91	–	–	–	–	31·13	3·12	2·25	4·18	4·73	6·38	7·40	11·79	21·16	53·79	139·05
Males	—			13·36			†103	–	–	–	–	33·09	2·89	2·01	3·56	5·14	6·42	7·38	12·80	22·99	57·10	145·27
Females	—			12·84			†78	–	–	–	–	29·18	3·33	2·49	4·92	4·36	6·35	7·42	10·76	19·36	50·57	133·53
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·34 per cent.			15,172			382	391	385	387	411	1956	1894	1870	1436	1056	1817	1689	1399	1054	686	315
Males				7,536			186	201	195	187	207	976	933	946	786	506	857	813	711	522	338	148
Females				7,636			196	190	190	200	204	980	961	924	650	550	960	876	688	532	348	167
Deaths from All Causes 1881–90. Persons	14·87			2,256			392	118	39	34	26	609	59	42	60	50	116	125	165	223	369	438
Males	15·35			1,157			226	53	17	15	12	323	27	19	28	26	55	60	91	120	193	215
Females	14·39			1,099			166	65	22	19	14	286	32	23	32	24	61	65	74	103	176	223
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·12	0·28	30	9	21	5	9	4	4	2	24	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·17	0·20	28	13	15	2	1	4	6	4	17	6	2	–	2	–	–	–	–	1	–
Diphtheria	0·08	0·03	0·13	12	2	10	–	1	–	5	–	6	4	1	–	–	–	1	–	–	–	–
Whooping-cough	0·20	0·16	0·25	31	12	19	16	7	2	1	2	28	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·08	0·04	9	6	3	–	–	–	–	–	–	1	–	3	2	–	1	1	–	1	–
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·28	0·29	0·26	42	22	20	19	7	1	2	2	31	4	–	–	–	1	–	–	–	–	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·53	0·68	92	40	52	–	–	–	–	–	–	–	–	–	–	1	3	15	26	38	9
Tabes Mesenterica	0·17	0·17	0·17	26	13	13	13	7	2	1	–	23	3	–	–	–	–	–	–	–	–	–
Phthisis	1·56	1·62	1·51	237	122	115	4	–	2	–	1	7	–	11	25	19	59	45	35	27	7	2
Other Tub. & Scrof. Dis.	0·34	0·35	0·35	53	26	27	12	11	3	1	3	30	7	5	3	1	3	2	2	–	–	–
Diseases of Nervous System	2·06	2·21	1·91	312	166	146	70	22	2	1	2	97	6	5	6	5	3	9	20	35	74	52
Circulatory „	2·02	2·23	1·81	306	168	138	1	–	–	–	1	2	2	1	5	3	9	15	33	53	97	86
Respiratory „	2·35	2·30	2·40	356	173	183	77	37	14	12	6	146	6	2	3	3	6	15	17	28	63	67
Digestive „	0·81	0·82	0·80	123	62	61	16	8	2	1	2	29	2	5	–	3	3	11	12	12	24	22
Urinary „	0·52	0·58	0·46	79	44	35	–	–	–	–	–	–	1	2	1	1	7	4	11	24	19	9
Generative „	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	1	1	4	2	–	–	–	–
Childbirth	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	1	1	3	4	–	–	–	–
Violence	0·44	0·65	0·22	66	49	17	5	2	1	–	–	8	5	3	5	4	7	7	8	8	8	3
Other Causes	2·84	3·03	2·63	431	229	202	152	6	2	–	1	161	4	4	6	5	9	5	10	9	36	182

Marriages - - - 898

Births - Males - 2,195; Females - 2,117 } 4,312

Annual Rate per 1,000 living: Persons Married 11·84; Births - - 28·42

Deaths from Childbirth and Puerperal Fever - - - - 3·94 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

107.—HARTLEY WINTNEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·26	†105	–	–	–	–	34·74	4·21	2·28	3·03	3·94	5·04	7·95	11·75	21·66	51·14	135·59
Annual Death-Rate per 1000. Males	—	14·05	†117	–	–	–	–	38·39	4·61	2·49	2·97	3·66	5·01	8·37	14·43	23·95	52·66	141·85
Annual Death-Rate per 1000. Females	—	12·52	†94	–	–	–	–	31·07	3·80	2·04	3·14	4·59	5·08	7·52	9·18	19·45	49·65	128·82
Mean Population, 1881–91. Persons	Decennial Increase of Population 14·98 per cent.	22,924	550	529	535	525	515	2654	2568	2412	2477	2894	3314	2239	1813	1362	837	354
Mean Population, 1881–91. Males		12,713	273	282	267	260	249	1331	1280	1285	1650	2022	1857	1135	887	668	414	184
Mean Population, 1881–91. Females		10,211	277	247	268	265	266	1323	1288	1127	827	872	1457	1104	926	694	423	170
Deaths from All Causes, 1881–90. Persons	13·24	3,035	630	151	60	45	36	922	108	55	75	114	167	178	213	295	428	480
Deaths from All Causes, 1881–90. Males	13·21	1,680	354	88	26	25	18	511	59	32	49	74	93	95	128	160	218	261
Deaths from All Causes, 1881–90. Females	13·27	1,355	276	63	34	20	18	411	49	23	26	40	74	83	85	135	210	219

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·02	5	3	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
Measles	0·20	0·20	0·19	45	26	19	5	16	2	4	2	29	10	1	1	2	–	–	1	1	–
Scarlet Fever	0·10	0·07	0·13	22	9	13	1	–	2	5	–	8	7	1	2	2	2	–	–	–	–
Diphtheria	0·26	0·24	0·27	59	31	28	3	2	4	5	12	26	16	10	5	1	–	–	–	1	–
Whooping-cough	0·24	0·13	0·38	56	17	39	27	18	4	1	3	53	3	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·11	0·06	20	14	6	–	–	1	–	–	1	3	3	3	3	1	2	3	1	–
Simple Continued Fever	0·03	0·03	0·03	6	3	3	–	1	–	–	–	1	–	–	1	1	1	–	–	–	–
Diarrhœa and Dysentery	0·26	0·28	0·23	59	36	23	35	7	–	1	–	43	1	–	–	1	–	2	–	–	1
Cholera	0·01	0·02	0·01	3	2	1	1	1	1	–	–	3	–	–	–	–	–	–	–	4	8
Cancer	0·43	0·35	0·53	98	44	54	–	–	–	–	–	–	2	–	–	1	–	6	22	28	29	10
Tabes Mesenterica	0·11	0·12	0·10	25	15	10	10	9	3	–	–	22	1	1	–	–	1	–	–	–	–	–
Phthisis	1·26	1·25	1·27	289	159	130	6	2	1	1	–	10	9	7	19	43	74	51	44	21	11	–
Other Tub. & Scrof. Dis.	0·38	0·34	0·44	88	43	45	31	9	5	4	2	51	10	8	5	4	7	1	1	–	1	–
Diseases of Nervous System	1·71	1·77	1·65	393	225	168	78	10	7	2	3	100	6	6	5	8	8	18	19	60	80	83
Diseases of Circulatory „	1·23	1·09	1·40	282	139	143	2	–	–	–	–	2	3	2	8	3	7	24	33	62	84	54
Diseases of Respiratory „	2·36	2·48	2·21	541	315	226	127	45	24	12	6	214	20	5	10	17	16	16	26	37	71	109
Diseases of Digestive „	0·87	0·95	0·77	200	121	79	39	11	2	3	3	58	4	3	1	5	3	11	19	32	44	20
Diseases of Urinary „	0·42	0·45	0·39	97	57	40	1	–	1	2	1	5	2	1	5	3	4	9	7	20	25	16
Diseases of Generative „	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	3	–	–	2	1	–
Puerperal Fever	0·05	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	1	3	6	–	–	–	–
Childbirth	0·05	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	3	5	4	–	–	–	–
Violence	0·39	0·53	0·22	90	68	22	5	7	1	2	1	16	2	2	4	5	14	9	14	9	9	6
Other Causes	2·74	2·77	2·67	627	353	274	259	13	2	3	3	280	9	5	5	10	16	19	21	21	68	173

Marriages - - - 1,233

Births - { Males - 3,032 / Females - 2,947 } 5,979

Annual Rate per 1000 living { Persons Married 10·76 / Births - - 26·08 }

Deaths from Childbirth and Puerperal Fever - - - - 3·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

108.—BASINGSTOKE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·57	†94	–	–	–	–	33·31	3·49	2·17	3·12	4·62	6·28	8·49	10·73	24·67	52·27	145·50
Annual Death-Rate per 1000. Males	—					13·95	†109	–	–	–	–	38·10	2·55	1·93	2·14	3·45	5·78	8·70	13·22	25·82	55·86	151·55
Annual Death-Rate per 1000. Females	—					13·20	†79	–	–	–	–	28·66	4·42	2·42	4·29	5·74	6·74	8·30	8·34	23·56	48·94	139·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·99 per cent.			19,948			532	472	534	513	519	2570	2524	2306	1889	1492	2613	2202	1742	1305	905	400
Mean Population, 1881–91. Males				9,922			273	210	258	266	258	1265	1256	1191	1026	725	1263	1069	855	643	435	194
Mean Population, 1881–91. Females				10,026			259	262	276	247	261	1305	1268	1115	863	767	1350	1133	887	662	470	206
Deaths from All Causes, 1881–90. Persons	15·22			3,037			578	134	69	39	36	856	88	50	59	69	164	187	187	322	473	582
Deaths from All Causes, 1881–90. Males	15·78			1,566			341	65	38	23	15	482	32	23	22	25	73	93	113	166	243	294
Deaths from All Causes, 1881–90. Females	14·67			1,471			237	69	31	16	21	374	56	27	37	44	91	94	74	156	230	288
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	–	3	3	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
Measles	0·15	0·16	0·14	30	16	14	3	6	6	4	4	23	3	3	–	–	1	–	–	–	–	–
Scarlet Fever	0·16	0·12	0·19	31	12	19	–	5	5	3	5	18	9	1	–	1	1	1	–	–	–	–
Diphtheria	0·08	0·04	0·11	15	4	11	–	–	–	1	1	2	8	2	1	2	–	–	–	–	–	–
Whooping-cough	0·24	0·25	0·23	48	25	23	26	15	2	1	2	46	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·03	0·07	10	3	7	–	–	–	1	–	1	–	1	3	1	2	1	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·28	0·18	46	28	18	21	3	2	–	3	29	–	–	–	–	2	1	2	1	5	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·52	0·40	0·63	103	40	63	–	–	–	–	–	–	–	–	–	–	2	10	16	30	31	14
Tabes Mesenterica	0·15	0·10	0·20	30	10	20	12	4	6	–	1	23	5	1	–	–	1	–	–	–	–	–
Phthisis	1·34	1·32	1·37	268	131	137	1	2	1	1	–	5	3	6	17	29	64	68	31	25	18	2
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	59	32	27	14	14	7	3	2	40	7	4	1	1	3	2	–	1	–	–
Diseases of Nervous System	1·86	1·85	1·86	371	184	187	64	16	2	5	4	91	8	2	3	7	11	13	31	44	82	79
Diseases of Circulatory „	2·08	1·92	2·25	415	189	226	3	1	–	2	–	6	5	6	4	12	14	20	30	94	125	99
Diseases of Respiratory „	2·33	2·65	2·01	465	263	202	127	42	25	10	8	212	20	4	3	2	14	13	25	42	69	61
Diseases of Digestive „	0·88	1·01	0·75	175	100	75	20	6	4	–	1	31	5	7	4	1	9	14	19	37	27	21
Diseases of Urinary „	0·34	0·46	0·22	68	46	22	1	–	–	2	1	4	4	1	7	1	3	5	2	13	17	11
Diseases of Generative „	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	1	1	–	–	1	2	1	–	–
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	1	9	4	–	–	–	–
Childbirth	0·09	–	0·18	18	–	18	–	–	–	–	–	–	–	–	–	–	11	7	–	–	–	–
Violence	0·46	0·65	0·28	92	64	28	9	3	3	1	2	18	5	1	5	4	9	13	12	7	13	5
Other Causes	3·83	4·18	3·52	768	415	353	277	17	6	3		305	3	10	10	7	8	13	17	26	86	283

Marriages - - - 1,152

Births - { Males - 3,128 / Females - 2,989 } 6,117

Annual Rate per 1000 living { Persons Married 11·55 / Births - - 30·66 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

109.—WHITCHURCH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·02	†112	–	–	–	–	39·89	3·91	2·10	5·35	4·78	7·71	10·20	11·51	24·40	47·16	146·22
Males	—					14·18	†114	–	–	–	–	38·07	4·09	1·62	4·01	3·56	7·08	10·45	12·99	24·73	45·71	140·68
Females	—					15·81	†111	–	–	–	–	41·69	3·72	2·59	6·93	5·96	8·33	9·96	10·08	24·06	48·59	151·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·61 per cent.			5,557			157	153	147	152	143	752	691	618	505	460	739	549	469	373	282	119
Males				2,774			79	73	72	75	74	373	342	309	274	225	367	268	231	186	140	59
Females				2,783			78	80	75	77	69	379	349	309	231	235	372	281	238	187	142	60
Deaths from All Causes, 1881–90. Persons	17·17			954			203	52	23	15	7	300	27	13	27	22	57	56	54	91	133	174
Males	16·47			457			96	21	15	8	2	142	14	5	11	8	26	28	30	46	64	83
Females	17·86			497			107	31	8	7	5	158	13	8	16	14	31	28	24	45	69	91
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·22	0·11	9	6	3	3	2	–	1	–	6	1	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·11	6	3	3	–	–	2	–	–	2	3	–	–	–	1	–	–	–	–	–
Diphtheria	0·27	0·18	0·36	15	5	10	–	–	2	1	2	5	7	2	1	–	–	–	–	–	–	–
Whooping-cough	0·58	0·54	0·61	32	15	17	12	14	–	2	3	31	1	–	–	–	–	–	–	–	–	–
Typhus	0·04	0·07	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·05	0·04	0·07	3	1	2	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–
Simple Continued Fever	0·04	0·04	0·04	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·40	0·43	0·36	22	12	10	19	–	–	–	–	19	–	–	–	–	–	–	–	1	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·68	0·61	36	19	17	–	–	–	–	–	–	–	–	–	–	1	4	5	12	11	3
Tabes Mesenterica	0·02	0·04	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	1·69	1·33	2·05	94	37	57	3	1	–	–	–	4	1	3	8	14	25	17	11	9	2	–
Other Tub. & Scrof. Dis.	0·23	0·25	0·22	13	7	6	2	3	1	1	–	7	1	–	3	1	1	–	–	–	–	–
Diseases of Nervous System	2·20	2·02	2·37	122	56	66	28	6	3	2	1	40	1	1	3	1	3	8	4	8	23	30
Circulatory „	2·36	2·38	2·34	131	66	65	–	–	–	–	–	–	1	3	2	1	5	12	10	22	41	34
Respiratory „	2·83	2·59	3·05	157	72	85	36	18	11	6	–	71	4	1	1	2	3	5	6	18	19	27
Digestive „	1·13	1·08	1·19	63	30	33	10	3	1	–	–	14	3	–	1	–	6	3	3	7	14	12
Urinary „	0·41	0·61	0·22	23	17	6	–	–	–	–	–	–	–	–	–	–	2	2	6	4	5	4
Generative „	0·05	0·04	0·07	3	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·07	–	0·14	4	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
Violence	0·34	0·47	0·22	19	13	6	5	–	2	1	1	9	–	–	1	1	3	1	3	1	–	–
Other Causes	3·54	3·35	3·72	197	93	104	84	4	1	–	–	89	3	3	4	1	4	1	6	9	16	61

Marriages - - - 353

Births - Males - 845, Females - 968 } 1,813

Annual Rate per 1000 living { Persons Married 12·70; Births - - 32·63

Deaths from Childbirth and Puerperal Fever - - - - - } 2·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

110.—ANDOVER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·18	†91	–	–	–	–	32·26	3·81	1·68	3·51	3·90	6·71	8·23	14·14	24·96	63·99	151·46
Annual Death-Rate per 1000. Males	—	14·45	†89	–	–	–	–	32·34	4·53	1·55	3·72	3·21	7·05	9·48	16·62	26·38	64·88	155·41
Annual Death-Rate per 1000. Females	—	13·92	†93	–	–	–	–	32·18	3·08	1·80	3·25	4·56	6·40	7·07	11·68	23·56	63·09	147·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·89 per cent.	15,631	387	400	406	387	376	1956	1890	1789	1455	1205	1981	1640	1464	1206	736	309
Mean Population, 1881–91. Males		7,802	198	200	207	188	184	977	949	902	779	591	965	791	728	599	373	148
Mean Population, 1881–91. Females		7,829	189	200	199	199	192	979	941	887	676	614	1016	849	736	607	363	161
Deaths from All Causes, 1881–90. Persons	16·29	2,546	413	118	47	30	23	631	72	30	51	47	133	135	207	301	471	468
Deaths from All Causes, 1881–90. Males	16·85	1,315	203	64	23	16	10	316	43	14	29	19	68	75	121	158	242	230
Deaths from All Causes, 1881–90. Females	15·72	1,231	210	54	24	14	13	315	29	16	22	28	65	60	86	143	229	238

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·27	0·15	33	21	12	5	13	2	3	1	24	7	1	–	–	–	–	–	1	–	–
Scarlet Fever	0·07	0·09	0·05	11	7	4	–	1	3	2	–	6	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·09	0·09	14	7	7	–	1	–	2	2	5	6	1	–	–	1	–	–	1	–	–
Whooping-cough	0·33	0·32	0·33	51	25	26	23	14	6	4	2	49	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·13	0·08	16	10	6	–	–	–	2	1	3	–	–	5	–	1	1	2	3	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·26	0·26	0·27	41	20	21	11	5	3	1	1	21	–	–	–	1	–	–	1	1	6	11
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·59	0·97	122	46	76	–	–	–	–	–	–	–	–	–	–	4	9	22	34	39	14
Tabes Mesenterica	0·11	0·10	0·11	17	8	9	4	3	3	–	–	10	–	4	1	1	–	–	1	–	–	–
Phthisis	1·20	1·27	1·12	187	99	88	–	2	–	1	–	3	5	5	12	26	49	38	27	11	9	2
Other Tub. & Scrof. Dis.	0·29	0·26	0·32	45	20	25	15	7	3	1	2	28	5	3	1	1	4	2	1	–	–	–
Diseases of Nervous System	1·86	1·82	1·89	290	142	148	42	13	4	–	7	66	9	3	2	–	7	15	21	47	65	55
Diseases of Circulatory „	2·27	2·23	2·31	355	174	181	1	3	–	1	–	5	2	3	7	1	17	12	37	72	127	72
Diseases of Respiratory „	2·90	3·13	2·67	453	244	209	76	33	16	11	5	141	12	3	4	4	11	18	32	52	84	92
Diseases of Digestive „	0·96	1·00	0·92	150	78	72	26	12	–	–	1	39	4	1	3	1	8	8	17	31	32	6
Diseases of Urinary „	0·58	0·88	0·27	90	69	21	–	1	–	–	–	1	1	–	–	2	7	9	16	13	29	12
Diseases of Generative „	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Puerperal Fever	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Childbirth	0·10	–	0·19	15	–	15	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–
Violence	0·47	0·70	0·24	74	55	19	6	–	3	–	–	9	5	3	8	3	3	5	6	13	9	10
Other Causes	3·65	3·70	3·64	573	289	284	204	10	4	2	1	221	9	2	7	2	13	11	24	20	70	194

Marriages - - - 971

Births - Males 2,287, Femal 2,248 } 4,535

Annual Rate per 1000 living { Persons Married 12·42; Births - - 29·01

Deaths from Childbirth and Puerperal Fever - - - - - } 4·19 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

111.—KINGSCLERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·49	†101	–	–	–	–	33·13	3·09	1·40	3·27	4·61	6·82	7·23	9·01	19·61	41·31	140·20
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·41	†111	–	–	–	–	36·07	2·23	0·99	3·15	3·25	7·04	5·98	10·62	19·09	40·79	148·98
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·56	†91	–	–	–	–	30·31	3·91	1·82	3·44	6·00	6·63	8·41	7·42	20·12	41·86	131·68
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·44 per cent.	8,586	239	203	230	215	236	1123	1102	997	764	608	1011	899	777	663	443	199
Mean Population, 1881–91. Males	Decennial Increase of Population 1·44 per cent.	4,303	110	108	101	110	120	549	539	503	444	308	483	435	386	330	228	98
Mean Population, 1881–91. Females	Decennial Increase of Population 1·44 per cent.	4,283	129	95	129	105	116	574	563	494	320	300	528	464	391	333	215	101
Deaths from All Causes, 1881–90. Persons	14·78	1,269	260	54	30	13	15	372	34	14	25	28	69	65	70	130	183	279
Deaths from All Causes, 1881–90. Males	14·92	642	142	29	15	6	6	198	12	5	14	10	34	26	41	63	93	146
Deaths from All Causes, 1881–90. Females	14·64	627	118	25	15	7	9	174	22	9	11	18	35	39	29	67	90	133

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·16	0·28	19	7	12	2	4	6	3	–	15	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·05	0·14	8	2	6	1	1	1	–	1	4	2	–	–	–	2	–	–	–	–	–
Diphtheria	0·16	0·12	0·21	14	5	9	–	1	2	–	5	8	6	–	–	–	–	–	–	–	–	–
Whooping-cough	0·27	0·21	0·33	23	9	14	14	6	1	–	1	22	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·12	0·30	18	5	13	–	–	–	1	1	2	2	1	2	2	1	2	2	3	1	–
Simple Continued Fever	0·03	0·05	0·02	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·14	0·12	0·16	12	5	7	3	–	–	–	–	3	1	–	–	1	–	1	2	1	1	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·42	0·86	55	18	37	–	–	–	–	–	–	–	–	–	–	1	3	12	18	15	6
Tabes Mesenterica	0·10	0·12	0·09	9	5	4	3	2	1	–	1	7	–	1	–	–	–	–	–	1	–	–
Phthisis	1·06	1·07	1·05	91	46	45	3	–	1	–	–	4	2	2	6	11	25	20	7	10	4	–
Other Tub. & Scrof. Dis.	0·26	0·30	0·21	22	13	9	6	3	2	–	1	12	2	–	–	3	1	1	1	1	1	–
Diseases of Nervous System	1·62	1·70	1·54	139	73	66	34	8	1	2	1	46	2	2	3	2	3	1	8	19	24	29
Diseases of Circulatory „	1·18	1·25	1·10	101	54	47	–	–	–	–	–	–	–	–	–	1	5	10	12	18	36	19
Diseases of Respiratory „	3·06	3·14	2·99	263	135	128	51	11	9	3	2	76	4	2	3	2	11	10	9	22	53	71
Diseases of Digestive „	0·78	0·91	0·65	67	39	28	12	10	1	1	1	25	–	1	2	1	2	3	5	7	12	9
Diseases of Urinary „	0·31	0·40	0·23	27	17	10	–	1	–	–	–	1	1	–	–	–	1	1	1	5	8	9
Diseases of Generative „	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	2
Puerperal Fever	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–
Childbirth	0·09	–	0·19	8	–	8	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–
Violence	0·47	0·58	0·35	40	25	15	7	3	4	–	–	14	3	1	3	1	3	3	3	2	2	5
Other Causes	3·95	4·20	3·66	338	182	156	124	4	1	3	1	133	5	3	5	1	7	5	5	21	26	127

Marriages - - 518

Births - Males - 1,283; Females - 1,291 — 2,574

Annual Rate per 1000 living: Persons Married 12·07; Births - - 29·98

Deaths from Childbirth and Puerperal Fever - - - - - 5·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

112.—NEWBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·87	†112	–	–	–	–	41·36	3·87	2·53	3·45	5·15	6·80	8·93	12·93	23·28	49·68	141·93
Males	—	15·66	†122	–	–	–	–	44·64	4·79	2·15	2·53	5·06	7·38	10·09	13·85	23·99	54·77	155·46
Females	—	14·12	†101	–	–	–	–	38·16	2·97	2·89	4·34	5·23	6·31	7·90	12·16	22·61	45·09	130·82
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·64 per cent.	21,502	522	502	528	504	509	2565	2584	2493	2087	1631	2721	2308	1949	1551	1105	508
Males		10,242	258	265	249	235	261	1268	1273	1211	1026	751	1246	1080	888	746	524	229
Females		11,260	264	237	279	269	248	1297	1311	1282	1061	880	1475	1228	1061	805	581	279
Deaths from All Causes, 1881–90. Persons	16·99	3,654	692	179	72	62	56	1061	100	63	72	84	185	206	252	361	549	721
Males	18·19	1,863	387	84	36	36	23	566	61	26	26	38	92	109	123	179	287	356
Females	15·91	1,791	305	95	36	26	33	495	39	37	46	46	93	97	129	182	262	365

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·19	0·17	38	19	19	5	18	5	2	4	34	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·18	43	23	20	–	5	4	3	8	20	17	5	1	–	–	–	–	–	–
Diphtheria	0·20	0·20	0·20	42	20	22	1	6	4	7	3	21	12	7	–	–	1	–	–	–	1
Whooping-cough	0·21	0·19	0·24	46	19	27	29	10	4	1	2	46	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·14	0·17	33	14	19	–	–	1	1	2	4	2	3	7	4	5	4	1	2	1
Simple Continued Fever	0·02	–	0·04	4	–	4	–	–	–	2	–	2	–	2	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·37	0·27	68	38	30	38	7	1	–	3	49	–	–	–	–	–	1	–	1	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·57	0·98	168	58	110	–	–	–	–	–	–	1	–	–	1	4	6	35	52	45
Tabes Mesenterica	0·07	0·10	0·05	16	10	6	8	1	–	1	1	11	2	2	1	–	–	–	–	–	–
Phthisis	1·52	1·65	1·40	327	169	158	5	5	1	1	2	14	2	10	30	31	77	63	45	36	15
Other Tub. & Scrof. Dis.	0·36	0·46	0·28	78	47	31	21	9	6	4	7	47	13	3	4	3	3	1	2	1	–
Diseases of Nervous System	2·24	2·47	2·02	481	253	228	130	32	5	5	5	177	8	4	6	3	12	14	30	46	95
Circulatory „	1·89	1·84	1·94	407	188	219	1	–	–	–	–	1	3	3	4	4	19	29	43	76	118
Respiratory „	3·01	3·43	2·66	650	351	299	144	51	29	22	12	258	20	5	1	2	10	18	28	62	107
Digestive „	0·89	0·91	0·87	191	93	98	27	12	3	3	2	47	6	4	1	7	9	14	22	24	35
Urinary „	0·41	0·56	0·28	89	57	32	–	–	–	–	–	–	1	1	–	4	8	7	12	12	27
Generative „	0·05	0·02	0·07	10	2	8	1	–	–	–	–	1	–	–	2	–	1	2	1	–	3
Puerperal Fever	0·04	–	0·07	8	–	8	–	–	–	–	–	–	–	–	–	5	1	2	–	–	–
Childbirth	0·09	–	0·18	20	–	20	–	–	–	–	–	–	–	–	–	5	8	7	–	–	–
Violence	0·56	0·81	0·33	120	83	37	10	3	5	3	3	24	4	7	4	5	11	16	12	14	9
Other Causes	3·80	4·06	3·51	815	419	396	272	20	4	7	2	305	6	6	11	10	16	22	21	35	89

Marriages	1,380	Annual Rate per 1000 living: Persons Married 12·84; Births 28·70	Deaths from Childbirth and Puerperal Fever 4·54 per 1000 Births.
Births: Males 3,163; Females 3,009	6,172		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

113.—HUNGERFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·77		†99	–	–	–	–	34·27	4·40	2·43	2·99	5·69	5·40	6·61	12·52	23·66	52·62	151·86
Annual Death-Rate per 1000. Males	—				13·56		†107	–	–	–	–	36·89	3·53	1·59	2·22	5·84	4·94	6·73	12·55	24·55	51·51	157·89
Annual Death-Rate per 1000. Females	—				13·96		†92	–	–	–	–	31·69	5·25	3·31	4·04	5·54	5·87	6·49	12·48	22·81	53·67	146·15
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·41 per cent.			17,409			452	445	448	438	429	2212	2181	1973	1640	1265	2074	1741	1574	1365	954	430
Mean Population, 1881-91. Males				8,772			224	215	230	207	219	1095	1077	1005	947	651	1052	847	757	668	464	209
Mean Population, 1881-91. Females				8,637			228	230	218	231	210	1117	1104	968	693	614	1022	894	817	697	490	221
Deaths from All Causes, 1881-90. Persons	16·80			2,925			507	131	54	38	28	758	96	48	49	72	112	115	197	323	502	653
Deaths from All Causes, 1881-90. Males	16·58			1,454			270	68	27	21	18	404	38	16	21	38	52	57	95	164	239	330
Deaths from All Causes, 1881-90. Females	17·03			1,471			237	63	27	17	10	354	58	32	28	34	60	58	102	159	263	323
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Measles	0·18	0·22	0·15	32	19	13	8	9	2	4	1	24	4	2	1	–	–	–	–	–	–	1
Scarlet Fever	0·20	0·16	0·24	35	14	21	–	6	2	1	2	11	16	6	–	1	–	1	–	–	–	–
Diphtheria	0·13	0·10	0·15	22	9	13	1	2	4	4	–	11	11	–	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·22	0·30	45	19	26	25	13	3	2	–	43	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·09	0·13	19	8	11	–	–	–	–	–	–	1	1	3	5	5	2	1	–	1	–
Simple Continued Fever	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·24	0·25	0·23	42	22	20	17	5	4	1	–	27	1	1	–	–	–	–	1	1	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·40	0·66	92	35	57	–	–	–	–	–	–	–	–	–	–	–	5	16	26	31	14
Tabes Mesenterica	0·23	0·22	0·24	40	19	21	13	10	3	2	1	29	3	2	–	–	2	1	2	1	–	–
Phthisis	1·14	0·95	1·34	199	83	116	3	1	–	–	–	4	5	7	13	43	42	28	30	20	5	2
Other Tub. & Scrof. Dis.	0·17	0·15	0·20	30	13	17	14	3	2	–	2	21	6	2	–	–	1	–	–	–	–	–
Diseases of Nervous System	2·25	2·00	2·50	391	175	216	73	19	3	5	3	103	5	9	10	4	5	13	19	52	81	90
Diseases of Circulatory „	2·00	2·04	1·97	349	179	170	6	–	–	–	–	6	2	3	4	1	3	11	35	70	117	97
Diseases of Respiratory „	3·11	3·23	3·00	542	283	259	87	34	15	11	14	161	20	5	5	4	9	10	35	64	94	135
Diseases of Digestive „	1·34	1·41	1·26	233	124	109	39	16	2	1	1	59	11	2	2	6	8	19	16	30	51	29
Diseases of Urinary „	0·56	0·73	0·39	98	64	34	–	–	1	–	–	1	–	3	–	–	4	8	14	19	29	20
Diseases of Generative „	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	–	1	1	2	5	1	–
Puerperal Fever	0·02	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Childbirth	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	1	10	1	–	–	–	–
Violence	0·49	0·68	0·29	85	60	25	10	2	8	2	2	24	6	1	6	4	9	5	7	5	7	11
Other Causes	3·68	3·69	3·67	640	324	316	211	11	5	5	2	234	3	3	5	3	9	9	19	30	76	249

Marriages - - - 1,146

Births - { Males - 2,534, Females - 2,576 } 5,110

Annual Rate per 1000 living { Persons Married 13·17, Births - - 29·35 }

Deaths from Childbirth and Puerperal Fever - - - - 3·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

114.—FARINGDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·57			†103	–	–	–	–	36·19	4·94	2·45	3·35	5·26	7·01	9·08	12·96	22·16	53·20	152·91
Males	—			14·94			†119	–	–	–	–	39·91	4·88	3·02	2·85	4·38	6·97	9·66	13·17	24·39	52·82	157·69
Females	—			14·21			†87	–	–	–	–	32·36	5·00	1·87	3·97	6·16	7·05	8·54	12·76	20·08	53·56	148·54
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·12 per cent.			13,610			340	342	339	367	350	1738	1720	1630	1255	951	1583	1409	1289	1020	688	327
Males				6,773			166	172	178	188	178	882	840	827	701	480	760	683	615	492	337	156
Females				6,837			174	170	161	179	172	856	880	803	554	471	823	726	674	528	351	171
Deaths from All Causes, 1881–90. Persons	17·22			2,344			405	108	53	30	33	629	85	40	42	50	111	128	167	226	366	500
Males	17·76			1,203			234	52	28	19	19	352	41	25	20	21	53	66	81	120	178	246
Females	16·69			1,141			171	56	25	11	14	277	44	15	22	29	58	62	86	106	188	254
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·19	29	16	13	2	11	8	–	4	25	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·42	0·49	0·37	58	33	25	5	6	10	8	10	39	16	2	–	1	–	–	–	–	–	–
Diphtheria	0·04	0·06	0·02	5	4	1	1	1	–	–	–	2	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·18	0·12	0·25	25	8	17	12	5	4	2	1	24	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·24	0·28	0·19	32	19	13	–	1	–	1	3	5	8	3	4	1	4	3	2	1	–	1
Simple Continued Fever	0·02	0·03	0·02	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·22	0·31	0·13	30	21	9	16	1	–	1	–	18	–	–	1	–	–	1	–	2	2	6
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·56	0·49	0·63	76	33	43	–	1	–	–	–	1	–	–	–	–	1	5	11	27	14	17
Tabes Mesenterica	0·43	0·43	0·44	59	29	30	34	10	3	–	2	49	3	1	1	1	–	1	2	–	1	–
Phthisis	1·45	1·43	1·46	197	97	100	15	4	–	1	1	21	7	8	11	25	43	38	27	12	5	–
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	41	23	18	10	5	1	3	2	21	7	2	3	2	2	–	3	1	–	–
Diseases of Nervous System	2·47	2·44	2·50	336	165	171	44	12	8	3	2	69	5	4	2	–	9	10	18	35	92	92
Circulatory „	1·97	1·76	2·18	268	149	149	1	–	–	–	–	1	2	3	4	1	11	15	27	55	83	66
Respiratory „	2·88	3·03	2·73	392	205	187	66	29	12	6	5	118	11	2	4	3	5	14	30	34	64	107
Digestive „	1·23	1·25	1·20	167	85	82	28	9	1	2	–	40	3	–	2	1	5	10	18	29	32	27
Urinary „	0·42	0·63	0·20	57	43	14	–	1	–	–	–	1	1	1	1	2	4	3	6	5	18	15
Generative „	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3
Puerperal Fever	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	4	3	3	1	–	–	–
Violence	0·54	0·80	0·29	74	54	20	5	2	4	1	1	13	9	8	3	3	9	6	5	4	7	7
Other Causes	3·44	3·61	3·26	469	246	223	165	10	2	2	2	181	6	5	5	4	12	19	15	19	45	158

Marriages - - - 868

Births - Males - 1,963; Females - 1,970 — 3,933

Annual Rate per 1000 living: Persons Married 12·76; Births - - 28·90

Deaths from Childbirth and Puerperal Fever - - - - - 4·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

115.—ABINGDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·48	†106	–	–	–	–	38·10	3·63	2·41	3·03	5·58	6·74	8·09	12·29	21·94	55·77	150·13
Males	—	14·87	†117	–	–	–	–	41·91	3·87	1·92	2·48	4·83	6·86	7·72	13·49	24·26	54·73	163·93
Females	—	14·11	†95	–	–	–	–	34·26	3·40	2·95	3·70	6·28	6·63	8·41	11·22	19·83	56·73	138·32
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·24 per cent.	19,983	520	512	513	540	521	2606	2532	2370	1982	1505	2552	2077	1668	1349	945	397
Males		9,848	258	262	257	273	260	1310	1267	1250	1090	725	1180	959	786	643	455	183
Females		10,135	262	250	256	267	261	1296	1265	1120	892	780	1372	1118	882	706	490	214
Deaths from All Causes, 1881–90. Persons	16·26	3,250	644	197	65	43	44	993	92	57	60	84	172	168	205	296	527	596
Males	16·75	1,650	359	106	30	25	29	549	49	24	27	35	81	74	106	156	249	390
Females	15·79	1,600	285	91	35	18	15	444	43	33	33	49	91	94	99	140	278	296

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·21	0·24	0·17	41	24	17	6	13	9	2	4	34	4	2	–	–	–	1	–	–	–
Scarlet Fever	0·37	0·35	0·38	73	34	39	3	15	10	15	10	53	12	8	–	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·14	21	7	14	–	–	2	2	4	8	10	–	2	–	1	–	–	–	–
Whooping-cough	0·32	0·32	0·32	64	32	32	36	20	3	2	2	63	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·03	0·03	6	3	3	–	–	1	–	2	3	–	1	–	–	–	2	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·40	0·44	0·36	79	43	36	49	9	3	–	1	62	1	–	–	–	–	–	–	2	4	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·42	0·88	130	41	89	–	–	–	–	–	–	–	–	–	–	2	7	24	38	43	16
Tabes Mesenterica	0·12	0·13	0·10	23	13	10	6	6	–	–	1	13	2	3	2	1	2	–	–	–	–	–
Phthisis	1·40	1·44	1·35	279	142	137	10	9	1	–	–	20	8	10	22	27	75	43	36	22	14	2
Other Tub. & Scrof. Dis.	0·41	0·46	0·37	82	45	37	11	10	6	5	11	43	14	5	4	3	3	3	–	2	4	1
Diseases of Nervous System	1·69	1·66	1·74	339	163	176	69	16	8	2	–	95	4	7	4	8	8	21	21	34	67	70
Circulatory „	1·80	1·56	2·02	359	154	205	–	2	–	–	1	3	4	2	5	4	5	16	34	62	130	94
Respiratory „	2·55	2·87	2·24	510	283	227	124	58	12	9	3	206	8	3	4	9	16	15	24	42	88	95
Digestive „	0·94	0·91	0·96	187	90	97	31	14	3	–	2	50	5	2	2	5	8	8	15	24	40	28
Urinary „	0·68	0·90	0·46	136	89	47	–	–	1	1	1	3	1	–	1	2	10	9	17	22	47	24
Generative „	0·06	0·02	0·09	11	2	9	–	–	–	–	–	–	–	–	1	–	1	2	2	–	4	1
Puerperal Fever	0·10	–	0·19	19	–	19	–	–	–	–	–	–	–	–	–	6	9	4	–	–	–	–
Childbirth	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	1	3	7	1	–	–	–
Violence	0·64	1·00	0·30	128	98	30	4	3	2	2	1	12	14	7	7	10	15	12	14	12	14	11
Other Causes	3·70	3·91	3·56	748	385	363	295	22	4	3	1	325	4	7	6	7	14	19	16	35	72	243

Marriages - - - 1,164

Births - Males - 3,072; Females - 3,005 — 6,077

Annual Rate per 1000 living: Persons Married 11·65; Births - - 30·41

Deaths from Childbirth and Puerperal Fever - - - - - 5·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

116.—WANTAGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·22			†98	–	–	–	–	35·01	4·11	1·74	4·18	5·88	6·69	7·10	12·26	22·96	56·63	154·25
Annual Death-Rate per 1000. Males	—			In Standard Population* 14·61			†111	–	–	–	–	39·55	3·80	1·88	3·54	5·48	5·17	8·19	13·79	25·04	56·67	161·45
Annual Death-Rate per 1000. Females	—			In Standard Population* 13·85			†84	–	–	–	–	30·32	4·45	1·59	5·04	6·34	8·25	6·02	10·81	20·88	56·59	147·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·61 per cent.			16,855			448	434	436	434	410	2162	2139	2009	1626	1225	2093	1689	1493	1224	830	365
Mean Population, 1881–91. Males				8,696			229	218	230	211	212	1100	1105	1063	931	657	1063	842	725	611	420	179
Mean Population, 1881–91. Females				8,159			219	216	206	223	198	1062	1034	946	695	568	1030	847	768	613	410	186
Deaths from All Causes, 1881–90. Persons	16·48			2,777			502	143	49	33	30	757	88	35	68	72	140	120	183	281	470	563
Deaths from All Causes, 1881–90. Males	16·90			1,470			297	77	30	15	16	435	42	20	33	36	55	69	100	153	238	289
Deaths from All Causes, 1881–90. Females	16·02			1,307			205	66	19	18	14	322	46	15	35	36	85	51	83	128	232	274
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·04	0·05	7	3	4	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–	1
Measles	0·20	0·18	0·22	34	16	18	4	12	7	1	2	26	5	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·13	0·21	28	11	17	2	3	–	5	5	15	13	–	–	–	–	–	–	–	–	–
Diphtheria	0·07	0·08	0·06	12	7	5	–	–	1	2	1	4	2	1	1	1	1	–	1	–	–	1
Whooping-cough	0·36	0·37	0·34	60	32	28	29	19	3	4	2	57	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·15	0·15	0·15	25	13	12	–	–	–	–	–	–	10	1	4	–	2	2	3	1	2	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·54	0·55	0·53	91	48	43	40	8	6	1	3	58	2	1	–	2	1	–	2	2	6	17
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·37	0·81	98	32	66	–	–	–	–	–	–	1	–	–	–	1	9	16	30	30	11
Tabes Mesenterica	0·09	0·07	0·12	16	6	10	5	3	3	–	–	11	3	–	1	–	1	–	–	–	–	–
Phthisis	1·43	1·38	1·48	241	120	121	3	4	5	2	–	14	5	5	21	44	52	36	25	22	15	2
Other Tub. & Scrof. Dis.	0·36	0·36	0·37	61	31	30	13	13	5	2	1	34	10	4	–	3	3	3	2	2	–	–
Diseases of Nervous System	1·94	2·09	1·78	327	182	145	57	14	4	1	1	77	8	2	8	1	11	8	24	43	71	74
Diseases of Circulatory „	2·36	2·13	2·57	398	188	210	5	–	–	–	1	6	2	2	7	3	7	10	35	64	144	118
Diseases of Respiratory „	2·55	2·71	2·38	430	236	194	112	38	8	12	7	177	7	1	7	5	10	11	16	37	71	88
Diseases of Digestive „	1·13	1·22	1·04	191	106	85	37	14	2	1	3	57	5	1	6	2	9	9	23	27	32	20
Diseases of Urinary „	0·35	0·56	0·12	59	49	10	–	–	–	1	–	1	1	–	–	–	5	3	7	7	18	17
Diseases of Generative „	0·08	–	0·17	14	–	14	–	–	–	–	–	–	–	–	1	–	5	3	2	3	–	–
Puerperal Fever	0·05	–	0·11	9	–	9	–	–	–	–	–	–	–	–	–	1	7	–	1	–	–	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	3	4	2	2	–	–	–
Violence	0·52	0·66	0·38	88	57	31	6	3	4	–	1	14	6	7	6	3	7	8	5	15	11	6
Other Causes	3·41	3·85	2·97	574	333	241	189	11	1	1	3	205	4	6	5	4	13	16	16	27	70	208

Marriages - - - 1,036

Births - { Males - 2,678 / Females - 2,429 } 5,107

Annual Rate per 1000 living { Persons Married 12·29 / Births - - 30·30 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

117.—WALLINGFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·12	†97	–	–	–	–	33·39	3·63	2·34	4·39	6·65	8·89	13·20	17·25	25·80	62·82	169·97
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·73	†109	–	–	–	–	34·76	3·42	2·96	4·45	4·33	10·31	15·06	19·23	27·79	68·54	175·76
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·54	†84	–	–	–	–	31·98	3·83	1·63	4·31	8·95	7·54	11·46	15·39	24·03	57·58	163·92
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·47 per cent.	14,600	334	341	357	340	377	1749	1765	1711	1276	1022	1788	1652	1449	1120	745	323
Mean Population, 1881–91. Males		7,305	179	171	180	164	195	889	877	913	696	508	873	797	702	529	356	165
Mean Population, 1881–91. Females		7,295	155	170	177	176	182	860	888	798	580	514	915	855	747	591	389	158
Deaths from All Causes, 1881–90. Persons	18·80	2,745	380	115	40	27	22	584	64	40	56	68	159	218	250	289	468	549
Deaths from All Causes, 1881–90. Males	19·78	1,445	215	48	23	13	10	309	39	27	31	22	90	120	135	147	244	290
Deaths from All Causes, 1881–90. Females	17·82	1,300	165	67	17	14	12	275	34	13	25	46	69	98	115	142	224	259

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·22	0·22	34	16	18	7	10	5	3	3	28	4	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·03	0·01	0·04	4	1	3	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·12	0·12	18	9	9	–	1	–	1	2	4	7	4	2	–	–	1	–	–	–	–
Whooping-cough	0·31	0·25	0·38	46	18	28	24	10	6	3	2	45	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·01	0·10	8	1	7	–	–	–	–	–	–	1	–	–	2	–	–	3	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·52	0·64	0·40	76	47	29	20	5	–	–	1	26	–	–	–	–	9	2	1	5	12	21
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·67	0·49	0·85	98	36	62	–	–	–	–	–	–	–	–	–	–	2	15	21	17	34	9
Tabes Mesenterica	0·07	0·04	0·10	10	3	7	2	1	1	–	1	5	1	–	2	–	2	–	–	–	–	–
Phthisis	1·55	1·68	1·43	227	123	104	1	–	1	–	–	2	1	1	14	29	55	53	37	24	11	–
Other Tub. & Scrof. Dis.	0·39	0·36	0·42	57	26	31	15	17	2	4	2	40	7	1	2	2	3	–	2	–	–	–
Diseases of Nervous System	3·41	3·81	3·02	498	278	220	57	13	7	2	2	81	7	7	6	13	24	66	63	65	101	65
Diseases of Circulatory „	2·10	2·04	2·17	307	149	158	1	–	–	–	–	1	3	2	7	3	10	10	41	56	89	85
Diseases of Respiratory „	2·74	2·89	2·59	400	211	189	52	35	6	7	6	106	11	7	–	2	16	23	27	48	88	72
Diseases of Digestive „	0·99	1·01	0·97	145	74	71	25	4	1	–	–	30	5	2	3	4	9	14	17	27	23	11
Diseases of Urinary „	0·34	0·44	0·23	49	32	17	1	–	–	–	–	1	–	1	–	–	3	9	6	9	11	9
Diseases of Generative „	0·04	0·01	0·07	6	1	5	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
Puerperal Fever	0·07	–	0·14	10	–	10	–	–	–	–	–	–	–	–	1	4	3	2	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–
Violence	0·57	0·85	0·29	83	62	21	1	7	4	1	1	14	6	7	6	4	9	8	4	9	10	6
Other Causes	4·54	4·90	4·18	661	357	304	174	12	7	6	1	200	8	6	12	5	10	11	24	26	89	270

Marriages - - - 797

Births - { Males - 1,966 / Females - 1,959 } 3,925

Annual Rate per 1000 living { Persons Married 10·92 / Births - - 26·88 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

118.—BRADFIELD. ‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·42			†96	–	–	–	–	34·87	3·90	2·27	2·34	4·38	5·35	7·68	10·47	23·07	51·96	150·88
Males	—			13·89			†105	–	–	–	–	37·81	4·26	2·39	1·68	4·29	5·55	7·67	11·88	22·13	58·31	157·86
Females	—			12·98			†88	–	–	–	–	31·85	3·56	2·13	3·29	4·47	5·16	7·70	9·08	24·02	45·36	144·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·05 per cent.			17,835			462	466	454	488	450	2320	2255	2074	1709	1370	2319	1939	1537	1179	791	342
Males				9,085			241	244	237	247	208	1177	1102	1089	1010	699	1136	952	766	592	403	159
Females				8,750			221	222	217	241	242	1143	1153	985	699	671	1183	987	771	587	388	183
Deaths from All Causes, 1881–90. Persons	15·01			2,677			545	131	60	38	35	809	88	47	40	60	124	149	161	272	411	516
Males	15·51			1,409			300	70	29	25	21	445	47	26	17	30	63	73	91	131	235	251
Females	14·49			1,263			245	61	31	13	14	364	41	21	23	30	61	76	70	141	176	265
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·22	0·24	0·21	40	22	18	7	13	4	7	5	36	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·10	0·15	22	9	13	–	2	2	1	7	12	6	4	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·17	0·11	25	15	10	–	2	2	2	4	10	11	3	1	–	–	–	–	–	–	–
Whooping-cough	0·23	0·23	0·23	41	21	20	22	11	3	1	2	39	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·06	0·11	15	5	10	–	–	1	1	–	2	2	1	1	2	2	2	1	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·35	0·35	63	32	31	31	8	3	1	2	45	3	–	–	–	1	2	1	1	3	7
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·34	0·88	108	31	77	–	–	–	–	–	–	–	–	–	–	2	7	25	25	34	15
Tabes Mesenterica	0·11	0·14	0·07	19	13	6	12	4	1	1	–	18	–	–	1	–	–	–	–	–	–	–
Phthisis	1·12	1·13	1·10	199	103	96	9	4	–	–	–	13	1	5	13	31	43	37	27	22	6	1
Other Tub. & Scrof. Dis.	0·29	0·35	0·23	52	32	20	13	9	5	3	4	34	6	2	1	3	3	1	2	–	–	–
Diseases of Nervous System	1·70	1·78	1·62	304	162	142	61	15	10	1	3	90	8	5	5	4	7	10	10	39	54	72
Circulatory "	1·81	1·82	1·81	323	165	158	2	–	1	–	–	3	5	1	–	3	10	20	25	74	118	64
Respiratory "	2·66	2·72	2·59	474	247	227	115	41	19	11	4	190	20	5	1	3	15	27	20	39	78	76
Digestive "	0·87	0·95	0·80	156	86	70	43	11	1	3	1	59	6	3	1	1	12	6	11	21	23	13
Urinary "	0·32	0·40	0·24	57	36	21	–	–	1	–	–	1	2	3	1	1	1	5	4	16	16	7
Generative "	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	2	3	4	–	–	–	–
Childbirth	0·06	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	–	6	5	–	–	–	–
Violence	0·59	0·91	0·25	105	83	22	7	2	4	2	2	17	9	6	10	5	11	9	15	6	9	8
Other Causes	3·62	3·81	3·43	646	346	300	223	9	3	4	1	240	4	8	4	5	7	12	19	27	67	253

Marriages - - - 954

Births - { Males - 2,866 / Females - 2,787 } 5,653

Annual Rate per 1000 living { Persons Married 10·70 / Births - - - 31·70 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·54 per 1000 Births.

* *See* pages xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

119.—READING. ‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·14	†122	–	–	–	–	44·77	4·21	2·31	3·28	4·69	6·28	10·29	15·19	29·32	57·87	139·56
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·22	†135	–	–	–	–	48·34	4·64	2·27	3·74	5·18	6·42	11·32	18·41	31·86	63·99	141·80
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·11	†109	–	–	–	–	41·12	3·79	2·34	2·83	4·21	6·15	9·32	12·24	27·21	53·32	138·08
Mean Population, 1881–91.‡ Persons	Decennial Increase of Population 22·27 per cent.	52,336	1503	1381	1396	1413	1330	7023	6221	5593	5208	4822	8182	6152	4267	2650	1576	642
Mean Population, 1881–91.‡ Males	Decennial Increase of Population 22·27 per cent.	25,543	747	709	703	727	664	3550	3080	2774	2593	2374	4018	2987	2037	1202	672	256
Mean Population, 1881–91.‡ Females	Decennial Increase of Population 22·27 per cent.	26,793	756	672	693	686	666	3473	3141	2819	2615	2448	4164	3165	2230	1448	904	386
Deaths from All Causes, 1881–90. Persons	15·88	8,312	1958	637	241	175	133	3144	262	129	171	226	514	633	648	777	912	896
Deaths from All Causes, 1881–90. Males	16·79	4,289	1105	333	131	79	68	1716	143	63	97	123	258	338	375	383	430	363
Deaths from All Causes, 1881–90. Females	15·02	4,023	853	304	110	96	65	1428	119	66	74	103	256	295	273	394	482	533

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Measles	0·43	0·46	0·40	224	118	106	48	69	34	26	20	197	23	1	2	–	–	1	–	–	–	–
Scarlet Fever	0·12	0·14	0·10	64	36	28	4	12	11	8	5	40	16	3	1	2	–	2	–	–	–	–
Diphtheria	0·14	0·16	0·12	71	40	31	1	6	11	12	16	46	19	3	2	–	–	–	1	–	–	–
Whooping-cough	0·35	0·31	0·38	183	80	103	65	56	23	21	9	174	9	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·20	0·15	90	51	39	–	–	3	2	2	7	11	8	14	7	15	12	8	2	4	2
Simple Continued Fever	0·01	0·01	0·01	5	3	2	1	–	1	–	1	3	1	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·54	0·59	0·50	284	150	134	207	29	4	3	2	245	3	1	–	1	1	4	2	2	7	18
Cholera	0·01	0·02	0·00	6	5	1	3	1	–	–	–	4	–	–	–	–	–	–	1	1	–	–
Cancer	0·72	0·59	0·84	375	150	225	5	1	–	–	–	6	–	2	2	2	19	48	80	106	73	37
Tabes Mesenterica	0·18	0·17	0·18	93	44	49	34	22	7	5	4	72	8	2	5	1	2	–	1	–	2	–
Phthisis	1·57	1·86	1·30	823	474	349	31	19	6	4	2	62	11	18	51	99	199	175	109	63	32	4
Other Tub. & Scrof. Dis.	0·37	0·38	0·36	195	98	97	56	44	10	16	6	132	31	5	3	6	8	4	2	3	–	1
Diseases of: Nervous System	1·96	2·04	1·88	1026	521	505	262	74	28	7	9	380	21	22	11	6	33	53	68	118	171	143
Diseases of: Circulatory „	1·46	1·37	1·54	763	350	413	5	1	3	1	–	10	6	13	16	16	35	71	110	156	201	126
Diseases of: Respiratory „	2·98	3·15	2·82	1560	804	756	379	232	82	40	41	774	48	6	13	13	34	66	70	120	193	223
Diseases of: Digestive „	0·86	0·88	0·84	449	224	225	104	24	3	1	5	137	9	9	9	4	19	48	50	58	63	43
Diseases of: Urinary „	0·40	0·51	0·29	210	131	79	4	3	1	2	1	11	6	4	4	2	22	21	31	40	41	28
Diseases of: Generative „	0·09	0·01	0·16	45	2	43	1	1	–	–	–	2	–	–	1	2	8	10	9	8	4	1
Puerperal Fever	0·11	–	0·22	59	–	59	–	–	–	–	–	–	–	–	1	14	31	13	–	–	–	–
Childbirth	0·04	–	0·08	21	–	21	–	–	–	–	–	–	–	–	–	3	9	9	–	–	–	–
Violence	0·52	0·86	0·20	274	220	54	17	5	4	15	7	48	22	8	12	23	30	38	35	27	20	11
Other Causes	2·84	3·08	2·64	1489	787	702	731	38	10	12	3	794	18	21	24	24	48	56	71	73	101	259

Marriages - - - 4,042

Births - Males - 8,175; Females - 7,833 — 16,008

Annual Rate per 1000 living: Persons Married 15·45; Births - - 30·59

Deaths from Childbirth and Puerperal Fever - - - - - 5·00 per 1000 Births.

* *See* pages xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

120.—WOKINGHAM. ‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·22	†103	–	–	–	–	40·85	5·50	2·64	3·52	4·90	5·94	9·30	13·21	23·11	52·03	157·58
Males	—					16·35	†116	–	–	–	–	48·32	4·73	2·28	3·64	4·53	6·62	10·55	14·85	25·51	54·82	157·40
Females	—					14·16	†89	–	–	–	–	33·70	6·29	3·01	3·38	5·25	5·33	8·15	11·77	20·86	49·50	157·76
Mean Population, 1881–91.‡ Persons	Decennial Increase of Population 8·45 per cent.			18,281			474	445	468	467	462	2316	2307	2081	1647	1409	2457	2075	1680	1216	763	330
Males				8,976			248	215	231	222	216	1132	1163	1052	878	685	1163	995	788	588	363	169
Females				9,305			226	230	237	245	246	1184	1144	1029	769	724	1294	1080	892	628	400	161
Deaths from All Causes, 1881–90. Persons	16·49			3,014			607	158	79	56	46	946	127	55	58	69	146	193	222	281	397	520
Males	17·86			1,603			352	87	42	36	30	547	55	24	32	31	77	105	117	150	199	266
Females	15·16			1,411			255	71	37	20	16	399	72	31	26	38	69	88	105	131	198	254
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·69	0·13	0·04	16	12	4	1	–	–	2	–	3	–	–	–	3	4	2	2	2	–	–
Measles	0·25	0·27	0·24	46	24	22	15	10	7	3	5	40	3	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·03	0·15	17	3	14	1	1	2	2	–	6	7	2	–	–	1	1	–	–	–	–
Diphtheria	0·42	0·36	0·47	76	32	44	3	4	7	14	7	35	32	5	2	–	–	2	–	–	–	–
Whooping-cough	0·26	0·19	0·33	48	17	31	25	15	5	3	–	48	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·06	0·06	0·06	11	5	6	–	2	–	–	–	2	–	1	1	–	4	2	1	–	–	–
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Diarrhœa and Dysentery	0·42	0·50	0·33	76	45	31	47	9	4	–	–	60	3	–	–	–	1	2	–	5	4	1
Cholera	0·01	0·02	–	2	2	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	0·36	0·64	92	32	60	–	–	–	–	–	–	1	–	–	1	2	5	12	25	30	16
Tabes Mesenterica	0·11	0·14	0·08	20	13	7	12	2	2	–	1	17	1	1	–	1	–	–	–	–	–	–
Phthisis	1·33	1·39	1·27	243	125	118	7	6	2	–	–	15	3	6	15	25	57	59	35	21	5	2
Other Tub. & Scrof. Dis.	0·30	0·30	0·29	54	27	27	16	8	7	1	1	33	11	3	3	3	1	–	–	–	–	–
Diseases of Nervous System	2·48	2·79	2·18	453	250	203	99	23	11	5	8	146	20	3	3	3	12	19	36	35	89	87
Circulatory „	1·65	1·65	1·66	302	148	154	1	–	1	–	–	2	1	8	4	5	10	22	26	56	93	75
Respiratory „	2·90	3·17	2·64	530	284	246	103	60	22	19	17	221	30	5	6	2	14	22	35	51	70	74
Digestive „	1·03	1·04	1·03	189	93	96	27	10	1	1	2	41	8	7	2	6	5	12	21	29	29	29
Urinary „	0·40	0·56	0·25	73	50	23	2	–	–	–	–	2	1	1	4	–	3	9	12	7	15	19
Generative „	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Puerperal Fever	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	1	3	4	5	–	–	–	–
Childbirth	0·08	–	0·16	15	–	15	–	–	–	–	–	–	–	–	–	4	5	6	–	–	–	–
Violence	0·46	0·74	0·20	85	66	19	6	1	–	5	1	13	2	2	5	4	8	11	17	10	4	9
Other Causes	3·52	4·12	2·94	643	371	272	241	7	7	1	4	260	3	9	12	9	14	14	22	38	54	208

Marriages - - - 1,063

Births - Males - 3,028, Females - 2,868 } 5,896

Annual Rate per 1000 living { Persons Married 11·63; Births - - 32·25

Deaths from Childbirth and Puerperal Fever - - - - - 4·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

121.—COOKHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·16	†95	–	–	–	–	34·09	4·68	2·46	3·56	4·61	5·42	9·66	12·49	24·53	54·06	150·83
Males	—	14·78	†101	–	–	–	–	36·33	4·31	2·08	3·19	5·07	5·79	11·72	13·02	23·72	58·74	175·37
Females	—	13·57	†88	–	–	–	–	31·80	5·05	2·88	3·94	4·23	5·10	7·80	12·02	25·29	50·00	131·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·79 per cent.	18,707	470	463	477	467	455	2332	2244	2151	1742	1562	2693	2122	1633	1174	751	303
Males		9,095	254	237	239	237	211	1178	1136	1108	879	710	1261	1007	768	565	349	134
Females		9,612	216	226	238	230	244	1154	1108	1043	863	852	1432	1115	865	609	402	169
Deaths from All Causes, 1881–90. Persons	14·93	2,793	516	133	53	52	41	795	105	53	62	72	146	205	204	288	406	457
Males	15·71	1,429	282	68	31	25	22	428	49	23	28	36	73	118	100	134	205	235
Females	14·19	1,364	234	65	22	27	19	367	56	30	34	36	73	87	104	154	201	222

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·04	0·07	0·02	8	6	2	1	–	–	–	–	1	–	–	–	–	2	1	1	–	3	–
Measles	0·29	0·31	0·27	54	28	26	9	16	9	3	3	40	9	3	–	–	–	2	–	–	–	–
Scarlet Fever	0·06	0·06	0·06	11	5	6	–	4	1	2	1	8	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·38	0·41	0·35	71	37	34	–	1	4	11	19	35	31	5	–	–	–	–	–	–	–	–
Whooping-cough	0·28	0·26	0·29	52	24	28	32	10	2	3	1	48	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·09	16	7	9	–	–	–	–	–	–	1	3	2	3	4	2	–	1	–	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·29	0·30	0·28	54	27	27	29	3	–	2	1	35	–	–	–	–	1	2	–	3	6	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·54	0·80	126	49	77	–	–	–	–	–	–	1	–	1	1	3	15	23	32	34	16
Tabes Mesenterica	0·07	0·07	0·08	14	6	8	2	1	2	3	–	8	2	–	2	–	–	1	1	–	–	–
Phthisis	1·30	1·34	1·26	243	122	121	2	2	–	1	1	6	6	6	14	25	60	60	32	19	11	4
Other Tub. & Scrof. Dis.	0·51	0·57	0·45	95	52	43	48	17	5	5	1	76	6	7	3	1	–	2	–	–	–	–
Diseases of: Nervous System	2·35	2·67	2·05	440	243	197	109	11	5	3	3	131	5	2	6	4	13	14	30	54	85	96
Circulatory „	1·81	1·63	1·99	339	148	191	1	–	–	1	–	2	4	5	5	6	8	27	34	73	104	71
Respiratory „	2·28	2·52	2·05	426	229	197	87	48	15	12	7	169	14	2	1	6	13	18	24	33	62	84
Digestive „	0·79	0·76	0·82	148	69	79	25	4	–	–	2	31	5	–	4	3	4	12	11	26	31	21
Urinary „	0·37	0·47	0·27	69	43	26	–	1	1	3	1	6	1	1	2	3	4	7	13	8	13	11
Generative „	0·05	–	0·09	9	–	9	–	1	–	–	–	1	1	–	–	–	–	1	4	1	1	–
Puerperal Fever	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	–	3	1	4	–	–	–	–
Childbirth	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Violence	0·49	0·77	0·22	91	70	21	4	2	2	1	–	9	4	8	5	9	11	13	16	6	4	6
Other Causes	2·73	2·87	2·60	511	263	248	167	12	7	2	1	189	8	10	16	8	19	22	15	32	51	141

Marriages - - - 1,163

Births - Males - 2,779; Females - 2,654 — 5,433

Annual Rate per 1000 living: Persons Married 12·43; Births - - 29·04

Deaths from Childbirth and Puerperal Fever - - - - - 2·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

122.—EASTHAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·94	†88	–	–	–	–	33·25	4·51	0·92	3·07	4·75	6·08	8·24	15·27	23·87	54·20	154·89
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·99	†91	–	–	–	–	36·14	5·35	0·86	3·11	3·11	7·29	8·63	20·31	26·76	59·07	155·56
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·95	†84	–	–	–	–	30·40	3·70	1·00	3·01	6·32	4·89	7·84	10·13	20·65	48·39	154·12
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·25 per cent.	13,182	304	314	305	328	304	1555	1530	1516	1336	1052	1860	1578	1257	838	476	184
Mean Population, 1881–91. Males	Decennial Increase of Population 8·25 per cent.	6,808	154	151	144	166	157	772	747	817	805	514	919	800	635	441	259	99
Mean Population, 1881–91. Females	Decennial Increase of Population 8·25 per cent.	6,374	150	163	161	162	147	783	783	699	531	538	941	778	622	397	217	85
Deaths from All Causes, 1881–90. Persons	14·18	1,869	318	103	48	26	22	517	69	14	41	50	113	130	192	200	258	285
Deaths from All Causes, 1881–90. Males	15·53	1,057	169	53	27	17	13	279	40	7	25	16	67	69	129	118	153	154
Deaths from All Causes, 1881–90. Females	12·74	812	149	50	21	9	9	238	29	7	16	34	46	61	63	82	105	131

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·31	0·24	36	21	15	6	15	6	2	1	30	4	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	8	5	3	–	1	1	1	2	5	2	–	–	–	1	–	–	–	–	–
Diphtheria	0·21	0·24	0·19	28	16	12	1	3	4	3	3	14	12	1	1	–	–	–	–	–	–	–
Whooping-cough	0·27	0·28	0·25	35	19	16	21	6	7	1	–	35	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·09	0·13	14	6	8	–	–	–	–	–	–	2	1	2	6	3	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·18	0·19	24	12	12	12	2	–	–	–	14	1	–	–	1	1	–	–	1	3	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·57	0·71	84	39	45	–	–	–	–	–	–	–	–	1	–	1	11	15	21	28	7
Tabes Mesenterica	0·17	0·13	0·20	22	9	13	11	3	1	–	–	15	2	1	–	–	1	1	1	1	–	–
Phthisis	1·39	1·73	1·02	183	118	65	3	–	2	1	1	7	–	3	12	23	45	34	37	19	2	1
Other Tub. & Scrof. Dis.	0·24	0·22	0·27	32	15	17	7	6	2	1	2	18	4	–	3	1	2	2	1	–	1	–
Diseases of Nervous System	2·18	2·39	1·95	287	163	124	50	14	6	4	4	78	6	1	5	1	15	21	34	33	50	43
Diseases of Circulatory „	1·72	1·81	1·63	227	123	104	–	–	1	–	–	1	2	3	1	4	8	14	24	48	67	55
Diseases of Respiratory „	2·44	2·79	2·04	321	190	131	67	34	13	10	7	131	21	1	5	2	6	11	25	31	53	35
Diseases of Digestive „	0·80	0·82	0·77	105	56	49	16	10	2	1	–	29	1	1	–	–	7	6	20	14	14	13
Diseases of Urinary „	0·32	0·40	0·24	42	27	15	–	–	–	–	–	–	2	–	–	2	2	6	6	9	9	6
Diseases of Generative „	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	–	1	4	–	2	1
Puerperal Fever	0·09	–	0·19	12	–	12	–	–	–	–	–	–	–	–	–	3	5	4	–	–	–	–
Childbirth	0·08	–	0·17	11	–	11	–	–	–	–	–	–	–	–	–	1	3	6	1	–	–	–
Violence	0·33	0·54	0·09	43	37	6	2	2	2	1	1	8	3	–	2	–	6	3	11	9	–	1
Other Causes	2·61	2·95	2·28	346	200	146	122	7	1	1	1	132	6	2	7	6	7	10	13	14	29	120

Marriages - - - 563

Births - Males - 1,855; Females - 1,765 — 3,620

Annual Rate per 1000 living: Persons Married 8·54; Births - - 27·46

Deaths from Childbirth and Puerperal Fever - - - - - 6·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

123.—WINDSOR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·32			†101	–	–	–	–	41·34	4·67	2·19	4·08	4·17	6·40	10·57	16·16	29·79	68·15	138·79
Males	—			17·91			†111	–	–	–	–	45·21	4·52	2·16	3·85	3·92	7·24	13·16	19·72	33·52	79·66	159·52
Females	—			14·83			†90	–	–	–	–	37·38	4·82	2·22	4·31	4·44	5·60	8·31	13·26	26·69	59·32	127·03
Mean Population, 1881-91. Persons	Decennial Increase of Population 11·47 per cent.			33,827			813	754	795	780	777	3919	3703	3563	3259	3407	5437	4059	2970	1947	1099	464
Males				16,472			405	387	399	383	408	1982	1857	1855	1611	1762	2651	1892	1334	883	477	168
Females				17,355			408	367	396	397	369	1937	1846	1708	1648	1645	2786	2167	1636	1064	622	296
Deaths from All Causes 1881-90. Persons	15·89			5,376			956	345	148	104	67	1620	173	78	133	142	348	429	480	580	749	644
Males	16·99			2,799			543	175	82	63	33	896	84	40	62	69	192	249	263	296	380	268
Females	14·85			2,577			413	170	66	41	34	724	89	38	71	73	156	180	217	284	369	376
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·06	0·01	11	9	2	1	–	1	–	1	3	–	–	1	–	2	3	1	1	–	–
Measles	0·32	0·33	0·31	108	54	54	16	34	15	13	10	88	18	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·08	0·06	0·09	26	10	16	2	3	3	4	4	16	9	1	–	–	–	–	–	–	–	–
Diphtheria	0·30	0·27	0·34	103	44	59	4	9	17	13	12	55	37	4	1	1	1	–	–	2	2	–
Whooping-cough	0·32	0·35	0·28	107	58	49	46	33	16	6	3	104	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·15	0·06	35	24	11	1	–	1	1	–	3	6	3	1	5	10	5	1	–	1	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·44	0·48	0·40	148	79	69	103	24	1	2	–	130	–	–	–	–	–	1	1	1	7	8
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·51	0·94	247	84	163	–	–	–	–	–	–	–	2	2	–	8	26	52	68	63	26
Tabes Mesenterica	0·12	0·15	0·10	42	24	18	24	5	2	2	–	33	4	–	2	–	1	1	–	1	–	–
Phthisis	1·90	2·19	1·62	642	361	281	13	18	7	3	2	43	15	11	55	64	133	139	91	57	31	3
Other Tub. & Scrof. Dis.	0·38	0·46	0·31	128	75	53	27	20	12	9	3	71	18	8	9	5	9	5	3	–	–	–
Diseases of Nervous System	2·04	2·32	1·78	691	382	309	118	28	21	7	4	178	16	9	7	13	26	41	72	96	140	93
Circulatory „	1·69	1·70	1·69	573	280	293	6	–	–	–	1	7	3	9	11	9	29	55	74	127	159	90
Respiratory „	2·73	2·90	2·57	924	478	446	217	117	36	29	18	417	20	3	5	12	36	44	54	71	138	124
Digestive „	0·85	0·90	0·80	287	148	139	54	17	4	2	3	80	1	1	13	4	18	17	38	48	47	20
Urinary „	0·57	0·70	0·44	192	116	76	1	–	1	1	2	5	1	4	1	9	12	17	36	42	40	25
Generative „	0·03	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	–	–	4	4	–	2	–	1
Puerperal Fever	0·03	–	0·06	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Childbirth	0·05	–	0·10	17	–	17	–	–	–	–	–	–	–	–	2	–	5	10	–	–	–	–
Violence	0·52	0·77	0·28	175	126	49	12	5	5	5	1	28	3	6	11	8	23	25	26	17	20	8
Other Causes	2·66	2·67	2·59	895	445	450	310	32	6	7	3	358	18	16	12	9	25	32	31	47	101	246

Marriages	2,066	Annual Rate per 1000 living: Persons Married 12·22; Births 28·06	Deaths from Childbirth and Puerperal Fever 2·95 per 1000 Births.
Births: Males 4,896; Females 4,596	9,492		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

124.—STAINES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·36			†116	–	–	–	–	41·69	4·35	2·68	4·09	4·32	5·63	9·55	14·04	26·26	55·28	146·15
Males	—			16·52			†132	–	–	–	–	46·28	4·39	2·49	4·22	4·42	6·37	11·30	15·82	27·71	59·58	158·13
Females	—			14·26			†100	–	–	–	–	36·85	4·31	2·96	3·94	4·24	5·00	7·91	12·40	24·90	51·03	137·33
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·12 per cent.			25,333			633	586	635	650	665	3169	3335	3768	2324	1967	3266	2732	2080	1443	872	377
Males				12,850			338	298	336	328	325	1625	1710	2249	1233	906	1507	1328	999	700	433	160
Females				12,483			295	288	299	322	340	1544	1625	1519	1091	1061	1759	1404	1081	743	439	217
Deaths from All Causes, 1881–90. Persons	15·38			3,896			861	231	107	68	54	1321	145	101	95	85	184	261	292	379	482	551
Males	16·22			2,084			505	129	52	35	31	752	75	56	52	40	96	150	158	194	258	253
Females	14·52			1,812			356	102	55	33	23	569	70	45	43	45	88	111	134	185	224	298
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·06	0·03	12	8	4	–	1	–	–	–	1	1	–	1	4	1	2	1	1	–	–
Measles	0·35	0·35	0·34	88	45	43	18	20	11	11	8	68	17	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·05	0·13	23	7	16	–	3	4	5	2	14	7	2	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·16	0·18	44	21	23	–	1	10	7	6	24	14	4	–	1	–	–	1	–	–	–
Whooping-cough	0·40	0·39	0·40	101	51	50	40	31	12	7	5	95	5	–	–	–	1	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteric Fever	0·32	0·31	0·32	80	40	40	–	1	2	2	2	7	13	22	12	5	7	6	4	3	1	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·63	0·38	128	81	47	93	19	2	–	–	114	1	–	1	–	–	–	1	1	4	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·43	0·84	160	55	105	–	–	–	–	–	–	–	–	1	1	1	17	41	44	32	23
Tabes Mesenterica	0·25	0·26	0·24	64	34	30	42	6	3	–	2	53	6	2	1	–	2	–	–	–	–	–
Phthisis	1·44	1·74	1·14	365	223	142	14	6	3	–	–	23	8	14	27	34	62	84	49	40	21	3
Other Tub. & Scrof. Dis.	0·34	0·39	0·28	86	51	35	31	13	6	4	2	56	11	4	6	1	1	2	1	1	3	–
Diseases of Nervous System	1·90	1·95	1·86	483	251	232	98	19	7	11	5	140	15	9	4	7	12	19	40	66	91	80
Circulatory „	1·45	1·37	1·54	368	176	192	3	1	–	–	–	4	1	5	6	3	15	34	37	67	112	84
Respiratory „	2·93	3·15	2·70	742	405	337	182	78	32	18	15	325	22	7	5	2	21	28	40	61	101	130
Digestive „	1·00	0·96	1·03	253	124	129	45	12	4	1	3	65	8	7	4	5	8	20	35	34	44	23
Urinary „	0·40	0·51	0·29	101	65	36	3	1	–	–	–	4	1	–	2	2	6	13	13	23	19	18
Generative „	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	2	3	3	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	4	6	4	–	–	–	–
Childbirth	0·05	–	0·10	13	–	13	–	–	–	–	–	–	–	–	1	1	7	4	–	–	–	–
Violence	0·47	0·69	0·24	119	89	30	11	5	5	1	2	24	5	11	12	7	13	11	9	9	10	8
Other Causes	2·52	2·80	2·26	637	356	281	281	14	6	1	2	304	9	12	10	7	19	15	18	26	41	176

Marriages - - - 1,441

Births - { Males - 3,838 / Females - 3,566 } 7,404

Annual Rate per 1000 living { Persons Married 11·38 / Births - - 29·23 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

125.—UXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·55	†120	–	–	–	–	45·49	4·33	1·99	3·69	5·60	9·09	15·54	21·66	34·41	61·17	155·76
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·37	†134	–	–	–	–	50·78	4·11	1·87	2·81	5·33	10·38	18·70	26·62	40·78	69·33	163·78
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·84	†105	–	–	–	–	40·24	4·55	2·11	4·72	5·86	7·89	12·70	17·21	29·28	54·80	150·34
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·02 per cent.	28,911	743	685	724	733	729	3614	3488	3221	2438	2267	4070	3410	2747	1944	1226	486
Mean Population, 1881–91. Males		14,113	359	339	359	378	365	1800	1753	1657	1315	1106	1965	1615	1300	868	538	196
Mean Population, 1881–91. Females		14,798	384	346	365	355	364	1814	1735	1564	1123	1161	2105	1795	1447	1076	688	290
Deaths from All Causes, 1881–90. Persons	19·88	5,747	1053	323	130	79	59	1644	151	64	90	127	370	530	595	669	750	757
Deaths from All Causes, 1881–90. Males	21·35	3,013	611	170	68	35	30	914	72	31	37	59	204	302	346	354	373	321
Deaths from All Causes, 1881–90. Females	18·48	2,734	442	153	62	44	29	730	79	33	53	68	166	228	249	315	377	436

	Persons.	Males.	Females.	Persons.	Females.	Males.	Persons.													
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
Measles	0·37	0·35	0·39	106	49	57	15	44	20	4	5	88	14	1	1	1	–	–	–	1
Scarlet Fever	0·13	0·12	0·14	38	17	21	–	4	5	7	5	21	12	1	1	1	2	–	–	–
Diphtheria	0·23	0·23	0·23	67	33	34	4	10	5	7	8	34	25	4	1	1	1	1	–	–
Whooping-cough	0·38	0·40	0·36	110	56	54	55	28	14	6	6	109	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Enteric Fever	0·13	0·16	0·11	39	23	16	–	–	2	1	–	3	5	5	5	6	6	3	3	2
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·42	0·47	0·37	121	66	55	86	17	1	2	–	106	–	–	1	–	1	–	3	2
Cholera	0·01	0·01	0·01	4	2	2	–	2	–	–	–	2	–	–	–	–	1	–	–	1
Cancer	0·80	0·57	1·01	230	81	149	–	–	–	–	–	–	–	–	1	–	4	24	47	69
Tabes Mesenterica	0·10	0·11	0·10	30	15	15	14	5	1	1	–	21	1	2	2	–	–	1	–	3
Phthisis	1·84	1·98	1·70	531	279	252	6	10	–	1	–	17	7	9	30	45	114	124	102	56
Other Tub. & Scrof. Dis.	0·31	0·28	0·33	89	40	49	21	10	11	4	3	49	8	8	8	3	1	2	5	4
Diseases of Nervous System	3·99	4·58	3·43	1153	646	507	133	30	10	7	4	184	18	7	10	15	84	194	178	161
Diseases of Circulatory „	1·84	1·83	1·85	532	258	274	5	2	–	2	–	9	4	7	4	10	28	45	64	106
Diseases of Respiratory „	3·59	3·98	3·23	1039	561	478	237	104	40	19	15	415	18	5	6	2	39	47	69	125
Diseases of Digestive „	0·95	1·01	0·90	276	143	133	36	26	6	3	4	75	6	3	2	4	18	19	34	41
Diseases of Urinary „	0·54	0·60	0·48	155	84	71	3	1	1	1	1	7	2	–	2	5	12	15	24	19
Diseases of Generative „	0·04	–	0·07	11	–	11	–	1	–	–	–	1	–	–	–	–	1	3	3	–
Puerperal Fever	0·11	–	0·21	31	–	31	–	–	–	–	–	–	–	–	–	9	11	11	–	–
Childbirth	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	–	8	3	1	–
Violence	0·80	1·12	0·49	230	158	72	20	11	7	11	5	54	22	3	12	11	21	16	28	34
Other Causes	3·23	3·52	2·96	935	498	437	418	18	7	3	3	449	7	9	3	12	18	21	32	46

Diseases of Nervous System	3·99	4·58	3·43	1153	646	507	133	30	10	7	4	184	18	7	10	15	84	194	178	161
Diseases of Circulatory „	1·84	1·83	1·85	532	258	274	5	2	–	2	–	9	4	7	4	10	28	45	64	106
Diseases of Respiratory „	3·59	3·98	3·23	1039	561	478	237	104	40	19	15	415	18	5	6	2	39	47	69	125
Diseases of Digestive „	0·95	1·01	0·90	276	143	133	36	26	6	3	4	75	6	3	2	4	18	19	34	41
Diseases of Urinary „	0·54	0·60	0·48	155	84	71	3	1	1	1	1	7	2	–	2	5	12	15	24	19
Diseases of Generative „	0·04	–	0·07	11	–	11	–	1	–	–	–	1	–	–	–	–	1	3	3	–

	75 and upwds.
Diseases of Nervous System	119
Diseases of Circulatory „	108
Diseases of Respiratory „	152
Diseases of Digestive „	22
Diseases of Urinary „	38
Diseases of Generative „	1
Puerperal Fever	–
Childbirth	–
Violence	11
Other Causes	266

Marriages - - - 1,566

Births - Males - 4,559; Females - 4,197 — 8,756

Annual Rate per 1000 living: Persons Married 10·83; Births - - - 30·29

Deaths from Childbirth and Puerperal Fever - - - - - - - 4·91 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

126.—BRENTFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·70	†136	–	–	–	–	51·90	4·25	2·73	2·80	3·76	5·80	9·41	14·33	27·30	58·31	140·63
Males	—					17·89	†148	–	–	–	–	55·94	4·34	2·94	3·09	4·41	6·19	10·44	15·76	32·06	66·04	145·44
Females	—					15·58	†123	–	–	–	–	47·87	4·17	2·50	2·57	3·31	5·51	8·55	13·17	23·82	52·91	137·65
Mean Population, 1881–91. Persons	Decennial Increase of Population 30·71 per cent.			117,345			3090	2886	2936	2884	2877	14673	14245	13164	11815	11096	18071	13480	9551	6113	3643	1489
Males				53,904			1511	1456	1478	1417	1478	7340	7239	6693	5244	4517	7813	6103	4303	2583	1499	570
Females				63,441			1579	1430	1458	1467	1399	7333	7006	6471	6571	6579	10258	7377	5248	3530	2149	919
Deaths from All Causes, 1881–90. Persons	16·11			18,905			5012	1383	579	374	268	7616	606	359	331	417	1049	1268	1369	1669	2127	2094
Males	17·48			9,424			2771	732	270	193	140	4106	314	197	162	199	484	637	678	828	990	829
Females	14·94			9,481			2241	651	309	181	128	3510	292	162	169	218	565	631	691	841	1137	1265
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·02	26	15	11	4	–	–	–	–	4	1	1	2	3	6	3	4	1	1	–
Measles	0·36	0·45	0·28	418	242	176	86	159	68	32	28	373	41	1	–	–	2	–	–	–	–	1
Scarlet Fever	0·20	0·22	0·19	237	119	118	7	30	32	42	26	137	71	22	5	–	1	1	–	–	–	–
Diphtheria	0·18	0·17	0·19	207	89	118	6	17	31	30	26	110	73	13	2	3	2	2	1	–	1	–
Whooping-cough	0·40	0·35	0·44	469	191	278	211	121	61	33	20	446	22	–	–	–	–	–	–	1	–	–
Typhus	0·01	0·01	0·00	8	6	2	–	–	–	–	–	–	1	1	2	–	–	2	2	–	–	–
Enteric Fever	0·13	0·15	0·12	157	79	78	–	2	4	1	4	11	15	17	21	24	18	25	13	6	6	1
Simple Continued Fever	0·02	0·03	0·01	23	15	8	–	1	–	3	3	7	5	6	1	1	–	–	1	2	–	–
Diarrhœa and Dysentery	0·66	0·77	0·57	774	413	361	575	93	15	1	3	687	1	2	2	3	2	3	5	14	23	32
Cholera	0·01	0·01	0·00	6	4	2	–	3	–	–	–	3	1	–	1	–	–	1	–	–	–	–
Cancer	0·55	0·38	0·70	649	207	442	3	–	1	–	–	4	1	1	–	2	21	52	139	194	157	78
Tab s Mesenterica	0·26	0·32	0·20	301	175	126	183	47	17	11	9	267	10	14	3	4	1	1	–	1	–	–
Phthisis	1·45	1·62	1·32	1699	872	827	58	22	19	6	10	115	36	58	102	160	454	368	229	118	52	7
Other Tub. & Scrof. Dis.	0·48	0·58	0·40	566	315	251	200	109	38	23	24	394	52	34	17	12	14	20	15	6	1	1
Diseases of: Nervous System	2·09	2·29	1·92	2456	1237	1219	674	156	53	30	13	926	67	29	29	30	64	115	167	279	423	327
Circulatory „	1·44	1·37	1·49	1687	741	946	33	6	2	1	5	47	19	37	31	36	85	170	224	313	441	284
Respiratory „	2·97	3·32	2·67	3487	1792	1695	925	410	172	105	65	1677	83	23	22	32	95	158	213	286	448	450
Digestive „	1·02	1·08	0·98	1201	582	619	308	105	17	14	12	456	20	20	14	16	59	77	109	174	182	74
Urinary „	0·35	0·46	0·26	415	250	165	10	3	3	1	–	17	11	4	5	5	22	59	54	89	85	64
Generative „	0·06	0·00	0·10	65	1	64	–	–	–	–	–	–	–	1	1	4	10	14	17	10	5	3
Puerperal Fever	0·07	–	0·12	76	–	76	–	–	–	–	–	–	–	–	–	17	35	23	1	–	–	–
Childbirth	0·05	–	0·09	55	–	55	–	–	–	–	–	–	–	–	–	6	33	14	2	–	–	–
Violence	0·55	0·84	0·30	649	453	196	119	17	22	18	7	183	37	33	33	30	59	76	73	50	46	29
Other Causes	2·78	3·03	2·57	3274	1626	1648	1610	82	24	23	13	1752	39	42	38	29	66	84	100	125	256	743

Marriages - - - 7,261

Births - Males - 18,750; Females - 18,188 — 36,938

Annual Rate per 1000 living: Persons Married 12·38; Births - - 31·48

Deaths from Childbirth and Puerperal Fever - - - - - 3·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

127.—HENDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·29	†145	–	–	–	–	53·37	4·29	2·33	2·48	2·66	4·88	7·86	13·21	27·08	57·47	143·22
Males	—	17·67	†159	–	–	–	–	58·74	4·60	1·88	2·14	2·76	5·29	8·88	15·03	31·90	64·20	160·55
Females	—	14·99	†130	–	–	–	–	48·10	3·97	2·74	2·76	2·60	4·55	6·96	11·65	23·23	52·56	132·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 76·91 per cent.	75,574	2092	1974	2069	1992	1996	10123	9357	8421	7379	7060	12233	9023	5911	3515	1888	664
Males		35,137	1015	982	1022	996	1002	5017	4669	4085	3362	2976	5483	4210	2727	1561	796	251
Females		40,437	1077	992	1047	996	994	5106	4688	4336	4017	4084	6750	4813	3184	1954	1092	413
Deaths from All Causes, 1881–90. Persons	15·15	11,446	3513	1068	393	252	177	5403	401	196	183	188	597	709	781	952	1085	951
Males	16·73	5,879	1967	566	194	126	94	2947	215	77	72	82	290	374	410	498	511	403
Females	13·77	5,567	1546	502	199	126	83	2456	186	119	111	106	307	335	371	454	574	548

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·03	18	7	11	3	1	1	1	1	7	4	1	–	2	3	–	1	–	–	–
Measles	0·44	0·49	0·41	336	172	164	81	122	59	38	12	312	20	1	1	–	–	2	–	–	–	–
Scarlet Fever	0·16	0·19	0·13	118	67	51	6	18	18	16	13	71	39	6	1	–	1	–	–	–	–	–
Diphtheria	0·28	0·30	0·26	213	106	107	8	25	31	34	33	131	62	12	1	1	2	3	–	1	–	–
Whooping-cough	0·52	0·50	0·54	393	174	219	158	138	47	20	15	378	13	1	–	–	–	–	1	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·14	107	52	55	4	4	2	3	3	16	9	15	13	12	15	11	8	5	2	1
Simple Continued Fever	0·01	0·02	–	6	6	–	1	–	1	–	2	4	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·74	0·83	0·67	561	290	271	442	64	2	1	2	511	1	1	1	–	4	1	2	7	11	22
Cholera	0·02	0·03	0·00	14	12	2	9	1	–	–	–	10	1	–	–	–	1	–	–	1	–	1
Cancer	0·50	0·38	0·60	376	133	243	–	–	1	–	–	1	1	2	1	2	12	40	86	93	98	40
Tabes Mesenterica	0·31	0·35	0·27	233	124	109	164	41	10	4	2	221	6	2	1	–	–	1	–	1	–	1
Phthisis	1·23	1·42	1·06	930	500	430	37	17	6	3	5	68	17	25	53	69	222	218	153	72	26	7
Other Tub. & Scrof. Dis.	0·45	0·58	0·34	343	205	138	98	80	25	25	15	243	42	22	15	3	7	5	3	2	–	1
Diseases of Nervous System	1·68	1·88	1·50	1270	662	608	368	103	38	16	14	539	33	16	15	11	29	50	103	147	182	145
Circulatory "	1·23	1·22	1·23	928	429	499	22	2	1	6	2	33	19	24	16	12	52	95	97	199	213	168
Respiratory "	2·88	3·31	2·51	2177	1163	1014	662	315	126	63	40	1206	55	16	18	8	60	82	125	171	246	190
Digestive "	1·00	1·07	0·93	755	377	378	223	74	11	6	9	323	30	10	9	8	37	52	72	81	96	37
Urinary "	0·37	0·43	0·31	276	150	126	8	3	–	1	1	13	5	7	6	9	17	28	40	63	56	32
Generative "	0·04	–	0·07	28	–	28	–	–	1	–	–	1	–	–	–	1	4	5	8	5	3	1
Puerperal Fever	0·08	–	0·15	62	–	62	–	–	–	–	–	–	–	–	1	10	34	17	–	–	–	–
Childbirth	0·05	–	0·10	41	–	41	–	–	–	–	–	–	–	–	1	6	15	18	1	–	–	–
Violence	0·48	0·74	0·25	362	261	101	83	12	4	11	3	113	19	12	16	17	37	32	31	41	27	17
Other Causes	2·52	2·82	2·27	1899	989	910	1136	48	9	4	5	1202	25	23	14	17	45	49	50	63	124	287

Marriages - - - 4,150

Births - { Males - 12,333, Females - 11,906 } 24,239

Annual Rate per 1000 living { Persons Married 10·98, Births - - 32·07 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

128.—BARNET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·84	†100	–	–	–	–	36·37	4·05	2·35	2·83	4·81	10·24	17·99	21·81	35·07	64·70	144·18
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·47	†115	–	–	–	–	40·06	3·80	1·98	3·22	5·43	13·79	23·53	29·61	40·75	74·46	166·14
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·36	†86	–	–	–	–	32·64	4·29	2·76	2·50	4·41	7·55	13·33	15·34	30·60	57·81	132·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 35·12 per cent.	40,085	994	935	928	977	967	4801	4442	4292	3853	3638	6287	5047	3577	2244	1354	550
Mean Population, 1881–91. Males		18,351	503	475	472	492	472	2414	2159	2225	1737	1436	2713	2308	1621	989	560	189
Mean Population, 1881–91. Females		21,734	491	460	456	485	495	2387	2283	2067	2116	2202	3574	2739	1956	1255	794	361
Deaths from All Causes, 1881–90. Persons	17·71	7,099	1151	327	128	70	70	1746	180	101	109	175	644	908	780	787	876	793
Deaths from All Causes, 1881–90. Males	20·48	3,758	664	171	66	36	30	967	82	44	56	78	374	543	480	403	417	314
Deaths from All Causes, 1881–90. Females	15·37	3,341	487	156	62	34	40	779	98	57	53	97	270	365	300	384	459	479

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·09	0·04	25	17	8	1	–	–	–	–	1	2	2	2	2	9	3	1	2	1	–
Measles	0·23	0·27	0·21	94	49	45	22	33	11	4	8	78	13	1	–	–	–	1	–	–	1	–
Scarlet Fever	0·11	0·08	0·13	44	15	29	6	7	7	2	5	27	10	6	1	–	–	–	–	–	–	–
Diphtheria	0·21	0·21	0·22	85	38	47	8	4	8	7	15	42	31	4	1	1	3	2	–	1	–	–
Whooping-cough	0·39	0·41	0·38	157	75	82	77	52	11	7	6	153	3	–	–	–	1	–	–	–	–	–
Typhus	0·00	0·01	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·06	0·08	0·05	25	15	10	–	–	1	1	–	2	2	2	3	2	6	5	1	1	1	–
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·45	0·54	0·37	180	99	81	101	25	5	2	1	134	2	–	–	–	2	9	11	7	7	8
Cholera	0·02	0·02	0·02	8	3	5	2	2	–	–	–	4	–	–	–	1	–	1	–	2	–	–
Cancer	0·67	0·48	0·84	270	88	182	–	1	1	–	–	2	1	–	1	–	6	27	57	68	75	33
Tabes Mesenterica	0·15	0·14	0·16	60	26	34	29	15	4	1	3	52	2	–	2	–	4	–	–	–	–	–
Phthisis	1·64	1·78	1·52	657	326	331	8	–	5	–	1	14	6	21	35	63	201	147	103	52	12	3
Other Tub. & Scrof. Dis.	0·31	0·35	0·28	125	65	60	37	30	10	5	1	83	21	6	3	4	4	4	–	–	–	–
Diseases of Nervous System	4·87	6·61	3·40	1953	1214	739	144	33	14	4	4	199	15	10	24	44	235	438	310	242	260	176
Diseases of Circulatory „	1·54	1·63	1·46	617	300	317	5	2	–	–	2	9	3	9	5	10	39	53	79	135	158	117
Diseases of Respiratory „	2·63	2·92	2·39	1056	536	520	206	82	34	19	15	356	35	7	5	10	49	60	89	114	161	170
Diseases of Digestive „	0·99	0·98	0·99	395	179	216	69	20	6	2	3	100	9	6	10	8	14	38	34	69	69	38
Diseases of Urinary „	0·32	0·46	0·20	128	85	43	1	–	1	–	–	2	1	2	2	–	11	21	24	24	25	16
Diseases of Generative „	0·03	0·01	0·05	12	1	11	–	–	–	–	–	–	1	–	–	1	–	4	–	2	4	–
Puerperal Fever	0·07	–	0·13	28	–	28	–	–	–	–	–	–	–	–	–	8	16	10	–	–	–	–
Childbirth	0·06	–	0·11	23	–	23	–	–	–	–	–	–	–	–	–	3	8	12	–	–	–	–
Violence	0·50	0·81	0·24	200	148	52	26	5	4	9	3	47	12	4	5	7	24	31	21	24	12	13
Other Causes	2·39	2·59	2·16	950	476	474	409	16	5	7	3	440	10	20	9	11	18	41	49	44	90	218

Marriages - - - 1,935

Births - { Males - 5,791 / Females - 5,694 } 11,485

Annual Rate per 1000 living { Persons Married 9·65 / Births - - 28·65 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

129.—EDMONTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·21			†125	–	–	–	–	49·10	5·02	2·66	3·06	3·57	5·24	8·35	14·00	26·76	59·77	142·27
Males	—			17·36			†139	–	–	–	–	53·27	4·84	2·86	3·30	4·04	5·19	8·73	16·09	30·84	66·47	158·15
Females	—			15·13			†110	–	–	–	–	44·87	5·20	2·47	2·86	3·21	5·29	8·00	12·11	23·43	55·00	132·42
Mean Population, 1881-91. Persons	Decennial Increase of Population 73·93 per cent.			190,657			5438	5102	5289	5238	5135	26202	24462	20939	18672	17018	29687	22545	14683	8953	5317	2179
Males				90,344			2766	2515	2660	2680	2555	13176	12318	10392	8367	7480	13682	10880	6981	4024	2210	834
Females				100,313			2672	2587	2629	2558	2580	13026	12144	10547	10305	9538	16005	11665	7702	4929	3107	1345
Deaths from All Causes, 1881-90. Persons	15·73			29,996			8012	2486	1087	688	591	12864	1227	557	571	608	1556	1883	2056	2396	3178	3100
Males	16·94			15,302			4553	1248	572	341	305	7019	596	297	276	302	710	950	1123	1241	1469	1319
Females	14·65			14,694			3459	1238	515	347	286	5845	631	260	295	306	846	933	933	1155	1709	1781
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·07	0·08	0·06	129	74	55	19	4	4	3	1	31	10	7	10	13	21	16	10	5	1	5
Measles	0·43	0·47	0·39	819	424	395	169	291	132	77	66	735	77	5	–	–	1	1	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	493	232	261	19	52	77	80	69	297	152	22	9	4	7	2	–	–	–	–
Diphtheria	0·39	0·38	0·39	739	345	394	28	77	106	99	106	416	247	39	7	6	6	9	5	2	2	–
Whooping-cough	0·58	0·58	0·57	1103	528	575	470	322	148	63	46	1049	48	2	1	1	1	–	–	–	–	1
Typhus	0·00	0·00	–	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·19	370	181	189	9	15	6	7	9	46	30	53	44	52	61	37	28	12	6	1
Simple Continued Fever	0·01	0·01	0·01	25	12	13	2	–	1	1	2	6	5	1	–	1	3	4	1	2	2	–
Diarrhœa and Dysentery	0·69	0·78	0·61	1314	705	609	999	137	26	2	5	1169	11	4	–	2	2	7	10	17	26	66
Cholera	0·02	0·02	0·02	43	20	23	27	6	–	2	1	36	1	–	–	–	–	1	–	4	–	1
Cancer	0·49	0·33	0·63	931	300	631	3	1	2	–	1	7	–	3	1	1	23	95	209	259	236	97
Tabes Mesenterica	0·30	0·36	0·24	565	321	244	339	108	31	17	9	504	19	13	9	3	4	5	3	3	2	–
Phthisis	1·27	1·43	1·09	2392	1296	1096	43	33	17	12	7	112	56	79	184	234	581	532	377	157	66	14
Other Tub. & Scrof. Dis.	0·45	0·52	0·39	864	469	395	298	171	78	44	48	639	96	31	26	15	17	16	12	7	4	1
Diseases of Nervous System	1·84	2·05	1·66	3508	1848	1660	934	220	80	59	34	1327	93	48	38	29	85	155	251	380	622	480
Circulatory "	1·15	1·04	1·24	2184	936	1248	38	8	8	2	3	59	28	48	46	46	128	197	286	412	582	352
Respiratory "	2·87	3·18	2·60	5471	2868	2603	1373	723	266	162	116	2640	139	46	36	41	140	228	319	503	760	619
Digestive "	0·95	1·02	0·88	1805	918	887	504	153	29	20	17	723	50	23	25	25	77	128	190	225	229	110
Urinary "	0·36	0·45	0·28	681	404	277	8	5	8	3	3	27	9	9	17	11	48	96	104	130	145	85
Generative "	0·04	0·01	0·08	85	7	78	4	1	–	–	–	5	–	–	2	2	13	20	12	14	13	4
Puerperal Fever	0·08	–	0·16	161	–	161	–	–	–	–	–	–	–	–	3	16	95	47	–	–	–	–
Childbirth	0·05	–	0·10	104	–	104	–	–	–	–	–	–	–	–	3	12	42	43	4	–	–	–
Violence	0·49	0·73	0·27	931	661	270	151	39	26	20	29	265	67	51	51	49	93	93	94	82	51	35
Other Causes	2·75	3·04	2·53	5277	2751	2526	2575	120	42	15	19	2771	88	73	58	45	108	151	141	182	431	1229

Marriages - - - 9,646

Births - Males - 32,707; Females - 31,325 } 64,032

Annual Rate per 1000 living { Persons Married 10·12; Births - - 33·58

Deaths from Childbirth and Puerperal Fever - - - - } 4·14 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

130.—WARE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·75	†102	–	–	–	–	37·66	5·59	2·94	3·13	4·90	5·01	8·73	12·13	23·91	57·46	159·09
Males	—	15·60	†115	–	–	–	–	40·67	6·17	2·84	2·99	3·99	4·81	10·32	14·78	26·20	63·73	167·72
Females	—	13·95	†88	–	–	–	–	34·69	5·02	3·05	3·34	5·78	5·19	7·28	9·75	21·73	51·76	152·78
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·25 per cent.	19,124	486	466	479	469	495	2395	2326	2315	2013	1470	2475	2050	1657	1238	811	374
Males		9,613	240	223	229	242	256	1190	1151	1267	1204	726	1164	979	785	603	386	158
Females		9,511	246	243	250	227	239	1205	1175	1048	809	744	1311	1071	872	635	425	216
Deaths from All Causes, 1881–90. Persons	16·19	3,096	569	173	75	45	40	902	130	68	63	72	124	179	201	296	466	595
Males	16·62	1,598	332	80	36	19	17	484	71	36	36	29	56	101	116	158	246	265
Females	15·75	1,498	237	93	39	26	23	418	59	32	27	43	68	78	85	138	220	330

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	0·30	0·31	0·28	57	30	27	12	26	9	1	3	51	2	2	–	1	–	1	–	–	–	–
Scarlet Fever	0·31	0·30	0·32	59	29	30	2	5	9	8	5	29	18	6	4	–	1	1	–	–	–	–
Diphtheria	0·17	0·18	0·16	32	17	15	–	1	3	1	6	11	16	5	–	–	–	–	–	–	–	–
Whooping-cough	0·47	0·45	0·48	89	43	46	26	28	16	5	6	81	7	–	–	–	–	1	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·09	21	12	9	–	–	–	–	–	–	5	2	3	1	5	2	1	–	2	–
Simple Continued Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
Diarrhœa and Dysentery	0·50	0·55	0·44	95	53	42	60	12	2	1	–	75	–	1	–	2	–	1	1	2	8	5
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·41	0·74	109	39	70	–	–	–	–	–	–	–	–	–	1	4	8	21	34	26	15
Tabes Mesenterica	0·08	0·09	0·06	15	9	6	5	2	2	1	–	10	2	–	–	–	–	2	–	1	–	–
Phthisis	1·20	1·31	1·09	230	126	104	4	2	2	–	–	8	3	4	27	29	44	44	40	19	9	3
Other Tub. & Scrof. Dis.	0·22	0·22	0·22	42	21	21	9	3	5	1	3	21	6	9	2	1	2	1	–	–	–	–
Diseases of Nervous System	2·32	2·31	2·33	443	222	221	85	18	7	8	1	119	15	6	3	7	13	21	30	49	89	91
Circulatory „	1·48	1·50	1·46	283	144	139	1	–	–	–	–	1	2	2	3	4	10	23	33	59	89	57
Respiratory „	2·95	3·32	2·58	564	319	245	106	47	8	14	11	186	23	6	4	3	10	22	22	53	117	118
Digestive „	0·87	0·84	0·89	166	81	85	29	13	4	1	1	48	4	4	4	5	3	8	10	26	33	21
Urinary „	0·42	0·55	0·28	80	53	27	1	1	–	1	2	5	5	1	1	3	3	7	8	10	22	15
Generative „	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	1	1	–	–	4	4	1	1	5
Puerperal Fever	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	5	3	2	–	–	–	–
Childbirth	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–
Violence	0·54	0·82	0·26	104	79	25	9	3	3	1	–	16	13	6	5	7	9	13	9	16	5	5
Other Causes	3·46	3·30	3·67	665	317	348	220	12	5	2	1	240	9	10	6	2	13	13	21	26	65	260

Marriages - - - 821

Births - { Males - 2,875 / Females - 2,687 } 5,562

Annual Rate per 1000 living { Persons Married 8·59 / Births - - 29·08 }

Deaths from Childbirth and Puerperal Fever - - - - - 2·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

131.—BISHOP STORTFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·18	†92	–	–	–	–	34·09	4·47	3·36	3·22	5·38	5·86	7·44	12·61	23·69	52·70	166·51
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·21	†105	–	–	–	–	38·04	5·04	3·63	2·76	5·62	5·97	7·89	14·51	27·65	56·07	182·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·20	†78	–	–	–	–	30·02	3·90	3·05	3·80	5·16	5·75	7·03	10·85	20·02	49·55	153·31
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·30 per cent.	21,659	539	494	555	537	568	2693	2708	2620	2020	1598	2629	2339	1990	1549	1074	439
Mean Population, 1881-91. Males	Decennial Decrease of Population 1·30 per cent.	10,789	273	244	293	273	284	1367	1349	1376	1125	765	1272	1116	958	745	519	197
Mean Population, 1881-91. Females	Decennial Decrease of Population 1·30 per cent.	10,870	266	250	262	264	284	1326	1359	1244	895	833	1357	1223	1032	804	555	242
Deaths from All Causes, 1881-90. Persons	16·26	3,521	550	181	76	68	43	918	121	88	65	86	154	174	251	367	566	731
Deaths from All Causes, 1881-90. Males	17·35	1,872	318	100	34	45	23	520	68	50	31	43	76	88	139	206	291	360
Deaths from All Causes, 1881-90. Females	15·17	1,649	232	81	42	23	20	398	53	38	34	43	78	86	112	161	275	371

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·24	0·31	0·17	52	33	19	11	15	7	5	6	44	8	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·14	0·10	26	15	11	–	2	4	2	2	10	12	3	1	–	–	–	–	–	–
Diphtheria	0·31	0·33	0·29	68	36	32	3	3	4	7	7	24	26	13	1	–	3	1	–	–	–
Whooping-cough	0·43	0·38	0·48	93	41	52	46	27	9	6	1	89	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	26	12	14	–	–	1	1	1	3	3	4	3	2	4	1	4	2	–
Simple Continued Fever	0·03	0·03	0·04	7	3	4	–	–	1	–	–	1	1	1	–	–	–	1	2	–	1
Diarrhœa and Dysentery	0·38	0·47	0·29	82	51	31	35	11	–	–	–	46	1	–	–	–	–	–	–	5	9
Cholera	0·01	–	0·03	3	–	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1
Cancer	0·79	0·64	0·94	171	69	102	–	–	–	–	–	–	–	–	–	–	5	5	39	46	51
Tabes Mesenterica	0·14	0·15	0·13	30	16	14	11	8	–	2	–	21	3	1	2	–	–	1	2	–	–
Phthisis	1·47	1·62	1·32	319	175	144	10	4	2	2	–	18	4	20	34	44	62	53	38	31	11
Other Tub. & Scrof. Dis.	0·28	0·27	0·29	61	29	32	13	11	8	3	1	36	9	2	1	3	3	2	4	1	–
Diseases of Nervous System	2·66	2·91	2·41	576	314	262	92	35	6	4	6	143	13	7	4	4	11	17	40	59	129
Diseases of Circulatory „	1·58	1·53	1·63	342	165	177	1	–	–	–	–	1	3	5	1	7	10	13	28	58	118
Diseases of Respiratory „	2·65	3·04	2·27	575	328	247	97	46	22	19	11	195	16	5	4	5	7	19	31	50	107
Diseases of Digestive „	1·00	1·03	0·97	216	111	105	27	10	4	3	2	46	5	–	2	2	8	12	27	45	36
Diseases of Urinary „	0·52	0·67	0·37	112	72	40	1	–	–	2	–	3	1	1	1	2	4	4	10	16	27
Diseases of Generative „	0·07	0·01	0·14	16	1	15	–	–	–	–	–	–	–	–	1	–	1	4	2	4	4
Puerperal Fever	0·06	–	0·12	13	–	13	–	–	–	–	–	–	–	–	–	3	5	5	–	–	–
Childbirth	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–
Violence	0·50	0·72	0·28	108	78	30	5	1	1	6	4	17	2	10	4	2	13	14	5	20	11
Other Causes	2·85	2·98	2·68	614	322	292	197	8	7	6	2	220	10	16	5	9	14	18	19	30	61

Marriages	1,076	
Births – Males	3,040	5,997
Births – Females	2,957	

Annual Rate per 1000 living { Persons Married 9·94; Births 27·69 }

Deaths from Childbirth and Puerperal Fever 3·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

132.—ROYSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·33	†95	–	–	–	–	32·48	4·29	2·22	3·61	6·07	6·24	7·18	9·89	20·28	50·41	154·33
Annual Death-Rate per 1000. Males	—	13·30	†108	–	–	–	–	35·47	3·83	1·49	2·47	3·99	6·00	7·24	10·21	23·03	52·86	163·53
Annual Death-Rate per 1000. Females	—	13·36	†81	–	–	–	–	29·43	4·76	3·03	5·19	8·25	6·47	7·12	9·58	17·60	48·05	146·47
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·83 per cent.	23,936	610	572	589	622	606	2999	3097	2929	2218	1566	2708	2549	2255	1829	1208	578
Mean Population, 1881–91. Males		12,133	300	290	305	303	316	1514	1542	1542	1293	802	1317	1243	1117	903	594	266
Mean Population, 1881–91. Females		11,803	310	282	284	319	290	1485	1555	1387	925	764	1391	1306	1138	926	614	312
Deaths from All Causes, 1881–90. Persons	15·85	3,794	619	173	84	59	39	974	133	65	80	95	169	183	223	371	609	892
Deaths from All Causes, 1881–90. Males	15·85	1,923	359	80	50	31	17	537	59	23	32	32	79	90	114	208	314	435
Deaths from All Causes, 1881–90. Females	15·85	1,871	260	93	34	28	22	437	74	42	48	63	90	93	109	163	295	457

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Measles	0·25	0·21	0·29	60	26	34	8	20	8	4	1	41	14	1	1	–	1	2	–	–	–
Scarlet Fever	0·17	0·13	0·20	40	16	24	–	7	8	8	4	27	10	2	–	1	–	–	–	–	–
Diphtheria	0·33	0·28	0·39	80	34	46	2	3	9	5	12	31	35	9	1	1	–	2	–	1	–
Whooping-cough	0·25	0·22	0·28	60	27	33	25	18	7	4	5	59	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·05	15	9	6	–	–	–	1	–	1	3	2	4	–	1	2	1	–	1
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·29	0·26	66	35	31	28	10	1	1	–	40	3	–	–	–	1	–	1	1	9
Cholera	0·02	0·01	0·03	4	1	3	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1
Cancer	0·74	0·56	0·92	176	68	108	–	–	–	1	–	1	–	–	–	1	2	8	32	48	59
Tabes Mesenterica	0·13	0·14	0·11	30	17	13	14	9	1	–	–	24	2	1	2	1	–	–	–	–	–
Phthisis	1·39	1·21	1·58	333	147	186	1	2	1	4	1	9	5	16	33	49	77	56	42	29	16
Other Tub. & Scrof. Dis.	0·22	0·26	0·18	53	32	21	9	11	5	7	4	36	7	3	2	1	3	–	1	–	–
Diseases of Nervous System	2·11	2·14	2·08	504	259	245	55	22	8	4	1	90	9	4	4	9	9	11	34	68	121
Diseases of Circulatory „	1·75	1·69	1·80	418	205	213	3	–	–	1	–	4	4	4	6	3	11	29	25	83	126
Diseases of Respiratory „	2·78	3·07	2·49	666	372	294	161	50	23	11	7	252	25	3	5	8	19	14	19	51	119
Diseases of Digestive „	0·95	0·88	1·02	227	107	120	40	4	4	2	–	50	4	3	8	4	9	12	19	33	39
Diseases of Urinary „	0·49	0·63	0·35	118	77	41	1	–	1	1	–	3	–	2	4	1	4	10	14	16	38
Diseases of Generative „	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	–	2	1	–	6
Puerperal Fever	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Childbirth	0·10	–	0·20	24	–	24	–	–	–	–	–	–	–	–	2	2	7	12	1	–	–
Violence	0·43	0·64	0·21	103	78	25	7	7	4	2	3	23	4	7	5	1	8	6	13	9	14
Other Causes	3·30	3·39	3·24	793	409	384	264	10	4	3	1	282	6	7	2	9	14	16	19	31	58
																					349

Marriages - - - 1,224

Births - { Males - 3,320 / Females - 3,227 } 6,547

Annual Rate per 1000 living { Persons Married 10·23 / Births - - 27·35 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

133.—HITCHIN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·48		†120	–	–	–	–	43·42	4·33	2·78	3·86	4·48	6·72	7·92	12·21	25·38	53·87	158·73
Males	—				16·39		†139	–	–	–	–	48·46	4·85	2·72	3·63	4·55	6·79	7·72	13·14	29·17	58·84	163·71
Females	—				14·62		†101	–	–	–	–	38·37	3·81	2·84	4·08	4·43	6·66	8·07	11·40	22·03	49·54	154·58
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·60 per cent.			27,499			735	675	722	703	723	3558	3507	3273	2616	2076	3454	2918	2458	1891	1227	521
Males				13,049			359	336	359	364	365	1783	1773	1653	1294	901	1532	1283	1134	888	571	237
Females				14,450			376	339	363	339	358	1775	1734	1620	1322	1175	1922	1635	1324	1003	656	284
Deaths from All Causes, 1881–90. Persons	17·14			4,713			1021	251	133	82	58	1545	152	91	101	93	232	231	300	480	661	827
Males	18·53			2,418			598	127	70	37	32	864	86	45	47	41	104	99	149	259	336	388
Females	15·88			2,295			423	124	63	45	26	681	66	46	54	52	128	132	151	221	325	439
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·01	5	3	2	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	–
Measles	0·35	0·42	0·28	96	55	41	25	22	14	14	11	86	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·32	0·19	69	42	27	6	8	17	11	7	49	15	4	1	–	–	–	–	–	–	–
Diphtheria	0·21	0·21	0·21	57	27	30	2	3	8	5	7	25	23	5	1	–	–	1	–	1	–	1
Whooping-cough	0·43	0·38	0·47	118	50	68	56	33	17	6	4	116	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·11	0·09	28	15	13	–	1	–	–	–	1	4	3	4	5	4	2	4	1	–	–
Simple Continued Fever	0·01	0·02	0·01	4	2	2	1	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·56	0·67	0·46	154	88	66	95	22	4	2	–	123	1	–	–	–	3	–	–	1	8	18
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·52	0·43	0·60	142	56	86	–	–	–	–	–	–	–	–	1	1	4	17	32	38	31	18
Tabes Mesenterica	0·22	0·21	0·23	61	28	33	27	14	5	1	2	49	3	2	2	1	2	1	1	–	–	–
Phthisis	1·20	1·22	1·18	329	159	170	–	–	1	2	–	3	9	10	34	42	92	63	44	27	5	–
Other Tub. & Scrof. Dis.	0·28	0·28	0·28	76	36	40	11	10	2	4	3	30	10	8	11	1	8	1	3	3	1	–
Diseases of Nervous System	2·28	2·35	2·21	627	307	320	150	25	11	6	3	195	15	13	5	9	13	19	37	70	133	118
Circulatory „	1·77	1·89	1·67	487	246	241	1	2	1	–	1	5	8	4	6	7	22	27	58	120	142	88
Respiratory „	3·01	3·21	2·82	827	419	408	173	75	32	19	16	315	21	12	6	6	19	19	40	86	128	175
Digestive „	1·07	1·11	1·04	295	145	150	50	16	7	3	1	77	7	5	8	2	17	17	36	48	48	30
Urinary „	0·35	0·53	0·18	95	69	26	–	–	1	2	1	4	2	3	1	–	3	11	10	15	20	26
Generative „	0·05	0·02	0·08	14	3	11	1	–	–	–	–	1	–	–	1	3	2	2	1	3	1	–
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	1	3	6	12	1	–	–	–
Childbirth	0·08	–	0·15	21	–	21	–	–	–	–	–	–	–	–	3	–	10	8	–	–	–	–
Violence	0·43	0·67	0·21	119	88	31	9	3	3	–	2	17	6	9	4	3	11	12	11	19	18	9
Other Causes	3·87	4·46	3·35	1036	580	486	414	17	9	7	–	447	16	11	11	8	15	19	22	48	125	344

Marriages - - - 1,533

Births - Males - 4,312, Females - 4,191 } 8,503

Annual Rate per 1000 living { Persons Married 11·15, Births - - 30·92

Deaths from Childbirth and Puerperal Fever - - - - - } 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

134.—HERTFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·99			†102	–	–	–	–	37·76	3·54	2·82	3·29	4·95	7·31	9·35	14·04	27·60	53·19	144·64
Annual Death-Rate per 1000. Males	—			15·88			†111	–	–	–	–	41·08	3·28	2·36	2·51	5·14	7·70	10·90	15·59	31·96	58·38	155·70
Annual Death-Rate per 1000. Females	—			14·16			†92	–	–	–	–	34·41	3·85	3·36	4·23	4·77	6·94	7·94	12·61	23·65	48·77	135·83
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·64 per cent.			16,965			403	382	403	405	404	1997	2203	2201	1672	1272	2094	1851	1460	1127	752	336
Mean Population, 1881–91. Males				8,540			202	196	209	196	199	1002	1189	1188	915	622	1013	881	699	535	346	149
Mean Population, 1881–91. Females				8,425			201	186	194	209	205	995	1014	1013	757	650	1081	970	761	592	406	187
Deaths from All Causes 1881–90. Persons	16·15			2,740			465	154	61	45	29	754	78	62	55	63	153	173	205	311	400	486
Deaths from All Causes 1881–90. Males	16·65			1,422			259	82	34	16	21	412	39	28	23	32	78	96	109	171	202	232
Deaths from All Causes 1881–90. Females	15·64			1,318			206	72	27	29	8	342	39	34	32	31	75	77	96	140	198	254
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·33	0·34	0·32	56	29	27	6	21	9	8	3	47	8	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·06	12	7	5	1	1	1	1	1	5	5	1	1	–	–	–	–	–	–	–
Diphtheria	0·12	0·06	0·19	21	5	16	–	2	3	3	3	11	7	2	–	1	–	–	–	–	–	–
Whooping-cough	0·35	0·39	0·32	60	33	27	20	20	7	5	2	54	5	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·09	19	11	8	–	–	–	1	–	1	–	2	1	4	3	1	2	3	1	1
Simple Continued Fever	0·04	0·05	0·04	7	4	3	–	–	–	–	1	1	2	–	–	–	–	–	–	–	4	–
Diarrhœa and Dysentery	0·43	0·50	0·36	73	43	30	28	11	3	3	2	47	–	–	–	–	–	1	–	3	11	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·62	0·74	115	53	62	–	–	–	–	1	1	1	–	–	–	6	9	20	28	35	15
Tabes Mesenterica	0·05	0·06	0·04	8	5	3	3	3	–	–	–	6	1	–	–	–	1	–	–	–	–	–
Phthisis	1·31	1·36	1·26	222	116	106	2	3	–	2	–	7	3	8	14	23	60	53	30	19	4	1
Other Tub. & Scrof. Dis.	0·25	0·28	0·23	43	24	19	16	3	2	–	2	23	6	3	4	–	4	2	–	–	–	1
Diseases of Nervous System	1·89	2·04	1·73	320	174	146	70	5	3	4	1	83	7	4	7	5	8	8	36	45	58	59
Diseases of Circulatory „	1·51	1·41	1·63	257	120	137	1	–	–	–	–	1	2	8	3	5	15	16	25	47	84	51
Diseases of Respiratory „	3·25	3·17	3·34	552	271	281	104	54	16	14	6	194	12	5	9	7	11	22	36	67	97	92
Diseases of Digestive „	1·07	1·12	1·02	182	96	86	35	17	5	1	1	59	2	8	4	2	11	12	11	29	22	22
Diseases of Urinary „	0·38	0·50	0·25	64	43	21	–	–	–	–	2	2	–	–	–	3	5	10	9	11	14	10
Diseases of Generative „	0·03	0·02	0·04	5	2	3	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–
Puerperal Fever	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	2	3	7	1	–	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–
Violence	0·73	0·99	0·47	124	84	40	6	5	2	3	4	20	9	6	3	2	7	16	14	19	12	16
Other Causes	3·41	3·53	3·26	578	302	276	173	9	10	–	–	192	8	14	7	7	10	17	21	38	57	207

Marriages - - - 904

Births - { Males - 2,325 / Females - 2,234 } 4,559

Annual Rate per 1000 living { Persons Married 10·66 / Births - - 26·87 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

135.—HATFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·70		†100	–	–	–	–	34·63	3·53	2·44	4·68	4·26	4·28	7·70	13·16	23·73	54·29	142·17
Annual Death-Rate per 1000. Males	—				14·42		†117	–	–	–	–	38·15	5·10	2·73	2·71	2·56	4·37	9·48	15·72	27·68	52·46	150·00
Annual Death-Rate per 1000. Females	—				13·02		†83	–	–	–	–	31·20	1·95	2·16	6·89	6·06	4·20	6·16	10·73	19·72	56·18	134·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·76 per cent.			9,056			245	228	242	244	245	1204	1132	1023	834	681	1284	1000	798	573	361	166
Mean Population, 1881–91. Males				4,492			115	110	124	118	128	595	569	513	442	351	618	464	388	289	183	80
Mean Population, 1881–91. Females				4,564			130	118	118	126	117	609	563	510	392	330	666	536	410	284	178	86
Deaths from All Causes, 1881–90. Persons	14·96			1,355			272	73	26	26	20	417	40	25	39	29	55	77	105	136	196	236
Deaths from All Causes, 1881–90. Males	16·01			719			162	37	9	9	10	227	29	14	12	9	27	44	61	80	96	120
Deaths from All Causes, 1881–90. Females	13·94			636			110	36	17	17	10	190	11	11	27	20	28	33	44	56	100	116
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Measles	0·24	0·24	0·24	22	11	11	3	6	3	2	1	15	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·07	0·02	4	3	1	1	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–
Diphtheria	0·23	0·31	0·15	21	14	7	1	2	1	2	5	11	7	2	–	–	–	–	–	1	–	–
Whooping-cough	0·32	0·33	0·31	29	15	14	13	6	6	3	–	28	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	6	3	3	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–
Simple Continued Fever	0·04	0·02	0·07	4	1	3	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·39	0·29	0·48	35	13	22	22	3	–	–	–	25	1	–	–	–	–	1	1	–	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·49	0·61	50	22	28	–	–	–	–	–	–	1	–	–	–	1	5	15	13	12	3
Tabes Mesenterica	0·02	0·02	0·02	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·31	1·22	1·41	119	55	64	1	2	–	–	1	4	–	3	21	15	26	27	14	8	1	–
Other Tub. & Scrof. Dis.	0·41	0·51	0·31	37	23	14	7	3	2	3	4	19	6	5	–	1	1	–	3	1	1	–
Diseases of Nervous System	1·88	2·03	1·73	170	91	79	49	11	2	4	2	68	3	2	1	3	1	7	7	20	31	27
Diseases of Circulatory „	1·56	1·54	1·58	141	69	72	1	–	–	–	–	1	–	4	3	2	4	5	15	25	45	37
Diseases of Respiratory „	2·83	2·98	2·67	256	134	122	60	23	8	8	4	103	8	1	4	1	6	5	18	28	45	37
Diseases of Digestive „	0·85	0·91	0·79	77	41	36	18	7	–	2	2	29	1	1	–	2	2	7	8	12	9	6
Diseases of Urinary „	0·47	0·73	0·22	43	33	10	–	1	–	1	–	2	–	1	1	–	2	2	5	8	16	6
Diseases of Generative „	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·06	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
Childbirth	0·08	–	0·15	7	–	7	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–
Violence	0·49	0·76	0·22	44	34	10	5	2	2	–	–	9	2	1	–	1	2	4	11	6	3	5
Other Causes	3·09	3·47	2·74	280	155	125	89	7	–	–	1	97	1	4	4	2	5	8	7	13	31	108

Marriages - - - 420

Births - Males - 1,380 } 2,709
Births - Females - 1,329 }

Annual Rate per 1000 living { Persons Married 9·28
Births - - 29·91

Deaths from Childbirth and Puerperal Fever - - - - - } 4·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

136—ST. ALBANS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·93			†114	–	–	–	–	40·81	4·02	2·33	3·61	4·77	6·09	9·05	13·19	25·60	52·07	141·20
Annual Death-Rate per 1000. Males	—			15·43			†122	–	–	–	–	43·62	3·77	2·07	3·04	4·24	6·20	10·62	15·94	26·91	53·81	144·00
Annual Death-Rate per 1000. Females	—			14·46			†106	–	–	–	–	38·06	4·27	2·58	4·17	5·19	6·00	7·74	10·88	24·51	50·60	138·96
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·35 per cent.			25,084			654	633	680	627	670	3264	3160	2793	2325	1949	3432	2863	2199	1586	1064	449
Mean Population, 1881–91. Males				11,829			324	307	349	294	340	1614	1592	1398	1150	850	1515	1300	1004	721	485	200
Mean Population, 1881–91. Females				13,255			330	326	331	333	330	1650	1568	1395	1175	1099	1917	1563	1195	865	579	249
Deaths from All Causes, 1881–90. Persons	16·16			4,053			890	211	109	65	57	1332	127	65	84	93	209	259	290	406	554	634
Deaths from All Causes, 1881–90. Males	16·90			1,999			478	112	54	32	28	704	60	29	35	36	94	138	160	194	261	288
Deaths from All Causes, 1881–90. Females	15·50			2,054			412	99	55	33	29	628	67	36	49	57	115	121	130	212	293	346
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·27	0·29	0·25	67	34	33	14	17	13	12	5	61	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·15	0·17	41	18	23	3	1	6	7	4	21	17	2	1	–	–	–	–	–	–	–
Diphtheria	0·13	0·15	0·11	32	18	14	–	–	6	2	8	16	8	6	1	1	–	–	–	–	–	–
Whooping-cough	0·37	0·36	0·39	94	42	52	47	26	12	3	4	92	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·14	0·25	50	17	33	–	–	4	–	–	4	4	7	7	5	10	5	5	3	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·46	0·52	0·41	116	61	55	91	9	4	–	–	104	–	–	–	–	–	–	1	1	2	8
Cholera	0·03	0·05	0·01	7	6	1	5	–	–	–	–	5	–	–	–	–	–	–	–	–	1	1
Cancer	0·71	0·53	0·87	178	63	115	1	–	–	–	–	1	1	2	–	–	5	11	29	58	50	21
Tabes Mesenterica	0·13	0·14	0·11	32	17	15	10	7	3	–	1	21	3	1	4	1	2	–	–	–	–	–
Phthisis	1·37	1·39	1·35	343	164	179	8	2	–	–	2	12	7	15	24	38	85	70	43	37	11	1
Other Tub. & Scrof. Dis.	0·46	0·52	0·40	115	62	53	31	21	9	4	4	69	19	4	9	3	3	3	3	2	–	–
Diseases of Nervous System	2·40	2·50	2·30	601	296	305	136	30	10	11	6	193	16	9	8	6	13	17	35	58	130	116
Diseases of Circulatory "	1·81	1·67	1·92	453	198	255	5	–	–	–	1	6	2	3	12	7	13	40	48	82	125	115
Diseases of Respiratory "	2·94	3·32	2·59	738	394	344	158	76	31	18	15	298	25	1	2	9	15	29	43	74	118	124
Diseases of Digestive "	0·98	1·08	0·88	245	128	117	60	9	2	–	–	71	5	6	2	2	11	15	31	30	42	30
Diseases of Urinary "	0·39	0·46	0·32	98	55	43	1	–	–	–	1	2	2	–	4	4	6	12	13	17	20	18
Diseases of Generative "	0·06	–	0·11	14	–	14	1	–	–	–	–	1	–	–	–	1	–	2	3	6	–	1
Puerperal Fever	0·06	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	5	6	4	–	–	–	–
Childbirth	0·10	–	0·19	25	–	25	–	–	–	–	–	–	–	–	1	–	9	14	1	–	–	–
Violence	0·48	0·66	0·32	120	78	42	12	5	8	4	2	31	6	4	4	3	18	13	14	10	9	8
Other Causes	2·65	2·96	2·44	668	347	321	307	8	1	4	4	324	4	5	5	8	13	23	21	28	46	191

Marriages - - - 1,565

Births - { Males - 3,929 / Females - 3,892 } 7,821

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 31·18 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

137.—WATFORD.

Causes of Death.	Crude-Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 18·61			†109	–	–	–	–	40·37	4·98	2·29	4·15	6·56	8·56	14·16	20·47	37·10	74·66	170·40
Males	—			20·19			†122	–	–	–	–	44·51	5·15	2·12	3·63	7·87	10·43	16·76	24·28	41·38	81·52	178·38
Females	—			17·11			†95	–	–	–	–	36·31	4·80	2·47	4·67	5·38	6·97	11·89	17·10	33·57	69·54	164·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·21 per cent.			35,121			878	817	846	852	818	4211	4238	4245	3084	2807	4942	4104	3243	2286	1417	544
Males				16,866			449	400	417	414	405	2085	2135	2217	1542	1321	2273	1909	1524	1032	606	222
Females				18,255			429	417	429	438	413	2126	2103	2028	1542	1486	2669	2195	1719	1254	811	322
Deaths from All Causes, 1881–90. Persons	19·42			6,821			1046	321	140	101	92	1700	211	97	128	184	423	581	664	848	1058	927
Males	20·69			3,489			592	172	68	52	44	928	110	47	56	104	237	320	370	427	494	396
Females	18·25			3,332			454	149	72	49	48	772	101	50	72	80	186	261	294	421	564	531
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·02	8	5	3	–	–	–	–	–	–	–	1	–	1	2	3	–	1	–	–
Measles	0·32	0·37	0·27	113	63	50	18	44	13	13	11	99	10	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·13	0·12	43	22	21	3	3	6	10	7	29	9	4	–	–	1	–	–	–	–	–
Diphtheria	0·35	0·39	0·32	124	65	59	3	7	16	16	21	63	48	7	3	1	2	–	–	–	–	–
Whooping-cough	0·29	0·29	0·28	101	49	52	50	27	12	6	1	96	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·11	0·11	0·10	37	18	19	–	–	–	1	–	1	2	9	6	7	7	2	3	–	–	–
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·26	104	56	48	62	8	–	–	2	72	2	–	–	–	1	1	3	5	12	8
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·53	0·82	239	90	149	1	1	–	–	–	2	–	–	–	2	3	23	47	68	75	19
Tabes Mesenterica	0·22	0·25	0·20	78	42	36	50	7	4	3	–	64	5	4	–	2	–	2	–	1	–	–
Phthisis	1·92	2·48	1·41	675	418	257	7	9	2	2	2	22	8	15	43	68	161	177	101	51	26	3
Other Tub. & Scrof. Dis.	0·33	0·38	0·28	115	64	51	33	15	7	2	8	65	24	8	3	1	6	4	3	–	1	–
Diseases of Nervous System	4·90	5·09	4·73	1722	859	863	130	43	22	8	11	214	22	8	28	40	101	166	220	302	358	263
Circulatory „	2·21	1·89	2·51	778	319	459	5	4	–	–	1	10	7	9	11	16	27	51	101	174	218	154
Respiratory „	2·77	3·12	2·45	974	526	448	201	112	46	36	22	417	33	5	6	9	26	37	53	94	149	145
Digestive „	0·91	0·91	0·90	318	154	164	53	16	1	1	4	75	11	7	6	4	21	27	39	49	54	25
Urinary „	0·58	0·75	0·43	204	126	78	3	2	2	1	–	8	6	2	2	2	5	18	33	40	47	41
Generative „	0·05	0·01	0·09	19	2	17	–	–	–	–	–	–	–	–	–	2	4	–	4	4	5	–
Puerperal Fever	0·05	–	0·09	17	–	17	–	–	–	–	–	–	–	–	–	4	5	8	–	–	–	–
Childbirth	0·05	–	0·09	16	–	16	–	–	–	–	–	–	–	–	–	2	8	6	–	–	–	–
Violence	0·49	0·76	0·25	173	128	45	14	3	5	1	1	24	6	6	8	12	18	27	28	17	16	11
Other Causes	2·73	2·84	2·61	957	480	477	413	19	4	1	1	438	13	8	11	10	24	28	29	41	97	258

Marriages - - - 1,853

Births - { Males - 4,836 / Females - 4,765 } 9,601

Annual Rate per 1000 living { Persons Married 10·55 / Births - - 27·34 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

138.—HEMEL HEMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·99			†117	–	–	–	–	43·30	2·87	2·24	3·90	7·29	6·91	9·11	14·55	26·00	62·61	142·19
Annual Death-Rate per 1000. Males	—			In Standard Population* 17·22			†125	–	–	–	–	46·60	3·53	2·58	4·12	7·09	7·91	10·62	17·25	29·52	67·73	150·00
Annual Death-Rate per 1000. Females	—			In Standard Population* 14·82			†108	–	–	–	–	39·98	2·20	1·88	3·70	7·45	6·10	7·81	12·37	23·09	58·07	134·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·49 per cent.			14,861			387	361	383	360	382	1873	1815	1740	1383	1139	1925	1713	1347	1004	666	256
Mean Population, 1881–91. Males				7,070			190	187	204	176	183	940	907	890	680	508	860	791	603	454	313	124
Mean Population, 1881–91. Females				7,791			197	174	179	184	199	933	908	850	703	631	1065	922	744	550	353	132
Deaths from All Causes, 1881–90. Persons	17·27			2,566			528	149	55	46	33	811	52	39	54	83	133	156	196	261	417	364
Deaths from All Causes, 1881–90. Males	19·02			1,345			288	74	32	27	17	438	32	23	28	36	68	84	104	134	212	186
Deaths from All Causes, 1881–90. Females	15·67			1,221			240	75	23	19	16	373	20	16	26	47	65	72	92	127	205	178
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·23	0·27	0·19	34	19	15	5	11	4	8	6	34	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	14	8	6	–	3	4	2	2	11	2	–	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·15	25	13	12	5	3	4	2	5	19	6	–	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·28	0·24	39	20	19	20	10	3	4	1	38	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·14	0·15	22	10	12	–	–	–	1	–	1	1	–	5	7	4	3	–	–	1	–
Simple Continued Fever	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·50	0·61	0·40	74	43	31	51	14	–	–	–	65	1	–	–	–	–	2	–	1	2	3
Cholera	0·01	–	0·03	2	–	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·48	1·04	115	34	81	–	–	–	–	–	–	–	–	1	2	3	7	21	31	31	19
Tabes Mesenterica	0·20	0·25	0·14	29	18	11	12	6	2	–	1	21	1	3	1	–	–	1	1	1	–	–
Phthisis	1·49	1·71	1·30	222	121	101	–	3	2	1	–	6	2	8	9	33	60	51	31	16	6	–
Other Tub. & Scrof. Dis.	0·32	0·34	0·31	48	24	24	7	8	5	5	5	30	4	2	3	2	2	1	2	1	1	–
Diseases of Nervous System	1·90	2·45	1·40	282	173	109	54	11	6	1	3	75	4	4	4	1	5	14	21	37	78	39
Diseases of Circulatory „	2·41	2·48	2·35	358	175	183	2	–	–	–	–	2	–	5	2	7	5	18	35	77	122	85
Diseases of Respiratory „	2·67	2·97	2·39	396	210	186	102	58	17	13	4	194	16	2	2	6	10	20	21	32	45	48
Diseases of Digestive „	0·98	0·96	1·00	146	68	78	35	9	3	3	2	52	3	4	3	3	3	7	22	15	22	12
Diseases of Urinary „	0·61	0·81	0·42	90	57	33	–	–	–	–	–	–	1	–	–	3	7	5	20	23	18	13
Diseases of Generative „	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	1	–	3	–	1	3	1
Puerperal Fever	0·11	–	0·22	17	–	17	–	–	–	–	–	–	–	–	2	3	7	5	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Violence	0·60	1·00	0·23	89	71	18	9	1	4	5	1	20	3	6	6	5	13	9	12	9	6	–
Other Causes	3·67	3·98	3·38	545	281	264	224	12	1	1	3	241	7	5	14	9	10	7	10	17	81	144

Marriages - - - 896

Births - Males - 2,312; Females - 2,214 — 4,526

Annual Rate per 1000 living: Persons Married 12·06; Births - - 30·46

Deaths from Childbirth and Puerperal Fever - - - - - 5·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

139.—BERKHAMPSTEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·69	†127	–	–	–	–	47·84	3·29	1·86	3·07	4·66	5·84	8·33	12·75	26·63	54·29	149·07
Annual Death-Rate per 1000. Males	—	16·58	†140	–	–	–	–	51·55	3·85	1·94	3·06	4·84	5·35	10·10	13·30	27·87	60·00	162·69
Annual Death-Rate per 1000. Females	—	14·85	†113	–	–	–	–	44·24	2·71	1·77	3·09	4·53	6·23	6·89	12·30	25·55	49·87	135·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·56 per cent.	15,473	405	402	379	367	412	1965	1945	1831	1496	1179	2020	1740	1349	1014	665	269
Mean Population, 1881–91. Males		7,364	189	194	194	188	201	966	986	928	785	517	897	782	609	470	290	134
Mean Population, 1881–91. Females		8,109	216	208	185	179	211	999	959	903	711	662	1123	958	740	544	375	135
Deaths from All Causes, 1881–90. Persons	16·84	2,606	608	175	84	47	26	940	64	34	46	55	118	145	172	270	361	401
Deaths from All Causes, 1881–90. Males	18·12	1,334	338	79	42	22	17	498	38	18	24	25	48	79	81	131	174	218
Deaths from All Causes, 1881–90. Females	15·69	1,272	270	96	42	25	9	442	26	16	22	30	70	66	91	139	187	183

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·58	0·62	0·53	89	46	43	16	26	19	16	6	83	4	1	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·15	21	9	12	1	3	6	1	3	14	6	–	–	–	1	–	–	–	–
Diphtheria	0·08	0·11	0·65	12	8	4	1	1	2	1	2	7	2	–	2	1	–	–	–	–	–
Whooping-cough	0·43	0·46	0·41	67	34	33	31	22	7	2	1	63	4	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·08	0·04	9	6	3	–	–	–	–	–	–	2	–	2	1	2	–	1	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·81	0·91	0·72	125	67	58	80	18	2	–	1	101	–	–	–	–	1	1	4	2	4
Cholera	0·02	0·03	0·01	3	2	1	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–
Cancer	0·63	0·35	0·90	99	26	73	–	–	–	–	–	–	–	–	–	–	1	11	19	29	30
Tabes Mesenterica	0·12	0·15	0·10	19	11	8	13	2	1	–	–	16	1	2	–	–	–	–	–	–	–
Phthisis	1·30	1·25	1·34	201	92	109	1	1	–	2	1	5	3	8	16	26	52	40	28	18	5
Other Tub. & Scrof. Dis.	0·23	0·29	0·17	35	21	14	5	7	4	1	1	18	4	–	6	–	1	4	–	1	1
Diseases of Nervous System	1·88	2·11	1·67	290	155	135	53	15	7	4	–	79	3	3	4	3	6	12	24	43	59
Diseases of Circulatory „	1·77	1·87	1·67	273	138	135	1	–	1	–	–	2	3	7	5	2	12	20	39	50	70
Diseases of Respiratory „	3·51	3·67	3·37	543	270	273	106	57	26	15	8	212	15	3	3	11	17	23	28	65	88
Diseases of Digestive „	0·70	0·65	0·75	109	48	61	22	10	1	2	1	36	4	1	–	2	1	7	5	20	24
Diseases of Urinary „	0·45	0·68	0·25	70	50	20	1	–	–	1	–	2	–	1	–	2	6	9	4	9	17
Diseases of Generative „	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1
Puerperal Fever	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–
Childbirth	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Violence	0·58	0·83	0·36	90	61	29	17	3	5	1	1	27	7	4	–	2	7	8	7	10	10
Other Causes	3·43	3·94	2·98	533	290	243	260	8	3	1	1	273	6	4	8	3	4	5	11	20	52

Marriages - - 916

Births - { Males - 2,413 / Females - 2,388 } 4,801

Annual Rate per 1000 living { Persons Married 11·84 / Births - - 31·03

Deaths from Childbirth and Puerperal Fever - - - - - } 1·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

140.—AMERSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·09	†108	–	–	–	–	38·44	3·73	1·34	3·32	4·60	5·10	8·79	11·47	22·64	55·00	148·48
Males	—	14·62	†121	–	–	–	–	40·49	3·57	1·62	3·14	5·73	5·16	7·74	13·45	26·50	56·26	158·90
Females	—	13·60	†95	–	–	–	–	36·43	3·87	1·06	3·53	3·50	5·05	9·74	9·56	18·98	53·88	139·90
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·65 per cent.	19,387	519	504	517	521	509	2570	2496	2313	1775	1457	2490	2026	1665	1334	900	361
Males		9,548	266	250	256	254	251	1277	1231	1176	925	715	1202	969	818	649	423	163
Females		9,839	253	254	261	267	258	1293	1265	1137	850	742	1288	1057	847	685	477	198
Deaths from All Causes, 1881–90. Persons	15·82	3,067	643	185	77	48	35	988	93	31	59	67	127	178	191	302	495	536
Males	16·40	1,566	362	80	37	21	17	517	44	19	29	41	62	75	110	172	238	259
Females	15·26	1,501	281	105	40	27	18	471	49	12	30	26	65	103	81	130	257	277

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·33	0·32	0·34	64	31	33	15	16	9	8	4	52	12	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·10	17	7	10	1	1	3	2	3	10	5	1	1	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·09	19	10	9	1	2	4	2	3	12	5	1	–	1	–	–	–	–	–
Whooping-cough	0·34	0·29	0·38	65	28	37	33	19	3	6	1	62	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Enteric Fever	0·07	0·09	0·05	14	9	5	–	–	–	–	1	1	1	–	2	–	4	2	2	1	1
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	1	1	–	–	2	–	–	1	–	1	1	–	1	–
Diarrhœa and Dysentery	0·45	0·50	0·40	87	48	39	42	17	6	1	1	67	–	–	–	–	1	3	–	1	6
Cholera	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Cancer	0·57	0·43	0·71	111	41	70	–	–	–	–	–	–	–	1	–	–	4	12	19	29	31
Tabes Mesenterica	0·14	0·16	0·12	27	15	12	15	–	1	–	–	16	7	1	1	–	–	–	1	–	1
Phthisis	1·07	0·93	1·20	207	89	118	3	2	1	2	–	8	3	3	15	23	50	58	30	12	5
Other Tub. & Scrof. Dis.	0·38	0·47	0·29	74	45	29	30	15	5	3	–	53	6	2	3	3	2	–	2	2	–
Diseases of Nervous System	2·33	2·33	2·33	451	222	229	77	16	7	4	2	106	6	5	3	9	11	16	31	44	116
Circulatory „	1·70	1·82	1·59	330	174	156	2	–	–	–	–	2	5	2	1	4	7	14	30	65	115
Respiratory „	3·19	3·48	2·92	619	332	287	144	66	29	17	15	271	18	3	5	7	8	18	34	54	96
Digestive „	0·92	0·96	0·87	178	92	86	32	15	2	1	2	52	5	1	1	–	10	8	16	29	32
Urinary „	0·44	0·61	0·27	85	58	27	1	1	1	–	–	3	–	–	3	4	3	11	7	18	20
Generative „	0·05	0·01	0·09	10	1	9	–	–	–	–	–	–	–	–	–	–	1	3	1	3	–
Puerperal Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	1	3	5	8	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–
Violence	0·51	0·70	0·32	98	67	31	9	3	3	2	2	19	8	4	7	4	9	7	8	13	12
Other Causes	2·93	3·03	2·90	572	287	285	238	11	2	–	1	252	9	7	15	7	6	12	10	27	59

Marriages - - - 1,102

Births - { Males - 3,002, Females - 2,970 } 5,972

Annual Rate per 1000 living { Persons Married 11·37, Births - - 30·80 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

141.—ETON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·81			†99	–	–	–	–	37·37	3·83	2·05	3·27	4·46	5·50	8·83	12·35	24·69	63·25	164·63
Annual Death-Rate per 1000. Males	—			In Standard Population* 16·20			†111	–	–	–	–	41·74	3·95	1·80	2·71	5·26	6·96	10·82	14·17	27·72	66·38	191·26
Annual Death-Rate per 1000. Females	—			In Standard Population* 13·51			†88	–	–	–	–	33·06	3·71	2·35	4·03	3·74	4·25	7·09	10·69	22·07	60·52	143·17
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·07 per cent.			28,423			708	631	682	689	678	3388	3418	3567	2964	2285	3784	3195	2615	1782	1015	410
Mean Population, 1881–91. Males				14,089			369	316	319	343	335	1682	1720	1947	1700	1083	1738	1488	1249	826	473	183
Mean Population, 1881–91. Females				14,334			339	315	363	346	343	1706	1698	1620	1264	1202	2046	1707	1366	956	542	227
Deaths from All Causes, 1881–90. Persons	14·91			4,239			784	250	98	73	61	1266	131	73	97	102	208	282	323	440	642	675
Deaths from All Causes, 1881–90. Males	16·04			2,260			445	131	50	41	35	702	68	35	46	57	121	161	177	229	314	350
Deaths from All Causes, 1881–90. Females	13·81			1,979			339	119	48	32	26	564	63	38	51	45	87	121	146	211	328	325
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·06	0·02	11	8	3	2	–	–	–	–	2	–	1	2	1	–	1	–	2	2	–
Measles	0·19	0·16	0·22	54	22	32	5	23	6	8	4	46	6	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·18	0·13	43	25	18	5	9	7	4	5	30	9	4	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·11	0·14	35	15	20	1	3	3	6	4	17	10	1	–	1	1	4	–	1	–	–
Whooping-cough	0·31	0·27	0·35	88	38	50	35	31	11	7	1	85	2	–	–	–	–	–	–	–	–	1
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Enteric Fever	0·20	0·24	0·15	56	34	22	2	1	2	1	–	6	8	8	6	2	2	4	5	4	7	4
Simple Continued Fever	0·03	0·02	0·04	9	3	6	1	1	1	–	–	3	2	–	1	–	–	–	1	–	2	–
Diarrhœa and Dysentery	0·28	0·31	0·26	80	43	37	54	11	1	1	–	67	3	–	1	–	–	–	–	–	2	7
Cholera	0·01	–	0·02	3	–	3	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·40	0·70	156	56	100	–	–	1	–	–	1	–	–	–	–	2	17	31	44	37	24
Tabes Mesenterica	0·14	0·13	0·14	39	19	20	18	7	1	1	2	29	2	3	–	–	–	2	2	1	–	–
Phthisis	1·26	1·38	1·14	357	194	163	6	4	4	2	2	18	7	5	23	35	84	77	60	29	17	2
Other Tub. & Scrof. Dis.	0·30	0·33	0·26	84	47	37	20	14	3	4	5	46	9	5	8	3	4	4	–	3	2	–
Diseases of Nervous System	2·01	2·24	1·78	570	315	255	97	27	9	6	6	145	17	5	8	8	16	31	40	71	125	104
Diseases of Circulatory „	1·58	1·60	1·56	448	225	223	8	–	–	–	2	10	2	3	7	6	17	36	45	96	135	91
Diseases of Respiratory „	2·76	3·05	2·47	784	430	354	151	86	33	23	20	313	20	9	6	6	17	33	45	63	138	134
Diseases of Digestive „	0·92	0·87	0·97	261	122	139	40	14	5	2	2	63	3	2	7	3	10	10	25	47	61	30
Diseases of Urinary „	0·41	0·51	0·31	116	72	44	2	1	1	2	1	7	3	2	2	4	3	12	14	19	24	26
Diseases of Generative „	0·07	0·01	0·13	19	1	18	–	–	–	–	–	–	–	1	–	–	2	3	3	2	7	1
Puerperal Fever	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	–	6	4	4	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	1	1	5	4	4	2	–	–	–
Violence	0·62	1·03	0·22	177	145	32	15	2	3	2	4	26	13	10	9	18	21	23	21	23	10	3
Other Causes	2·84	3·14	2·56	815	446	369	320	16	6	4	3	349	15	12	14	4	20	16	29	35	73	248

Marriages - - - 1,638

Births - { Males - 4,021 / Females - 3,861 } 7,882

Annual Rate per 1000 living { Persons Married 11·53 / Births - - 27·73 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

142.—WYCOMBE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·58	†129	–	–	–	–	46·87	3·57	2·15	3·11	5·02	5·97	7·97	13·21	24·35	52·71	155·49
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·93	†140	–	–	–	–	50·89	3·38	2·08	2·69	4·70	5·79	7·75	14·31	24·96	56·05	156·18
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·25	†116	–	–	–	–	42·80	3·77	2·21	3·58	5·33	6·14	8·18	12·16	23·78	49·59	154·83
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·21 per cent.	42,335	1156	1089	1135	1169	1152	5701	5483	5081	4086	3286	5458	4517	3687	2682	1662	692
Mean Population, 1881-91. Males	Decennial Increase of Population 10·21 per cent.	20,960	576	541	572	604	574	2867	2751	2549	2158	1597	2642	2169	1796	1290	801	340
Mean Population, 1881-91. Females	Decennial Increase of Population 10·21 per cent.	21,375	580	548	563	565	578	2834	2732	2532	1928	1689	2816	2348	1891	1392	861	352
Deaths from All Causes, 1881-90. Persons	16·65	7,047	1765	495	193	138	81	2672	196	109	127	165	326	360	487	653	876	1076
Deaths from All Causes, 1881-90. Males	17·26	3,618	992	254	104	71	38	1459	93	53	58	75	153	168	257	322	449	531
Deaths from All Causes, 1881-90. Females	16·04	3,429	773	241	89	67	43	1213	103	56	69	90	173	192	230	331	427	545

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	10	5	5	2	–	1	–	–	3	–	–	2	1	2	1	–	1	–	–
Measles	0·42	0·47	0·38	179	98	81	23	52	43	23	13	154	20	4	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·21	0·16	78	43	35	3	18	7	7	14	49	20	5	2	2	–	–	–	–	–	–
Diphtheria	0·08	0·06	0·10	34	12	22	1	4	4	2	3	14	11	4	–	1	1	1	–	1	1	–
Whooping-cough	0·32	0·27	0·36	134	56	78	64	39	17	8	3	131	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	—	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	0·15	0·10	53	32	21	–	–	–	1	1	2	3	6	5	10	10	11	1	2	2	1
Simple Continued Fever	0·03	0·02	0·03	11	4	7	–	1	–	–	2	3	2	1	–	–	–	1	2	1	1	–
Diarrhœa and Dysentery	0·49	0·52	0·45	206	110	96	128	36	4	3	–	171	–	–	–	–	1	4	1	5	9	15
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	0·45	0·35	0·56	192	73	119	–	–	–	–	1	1	–	1	1	–	6	21	48	48	49	17
Tabes Mesenterica	0·26	0·31	0·21	110	66	44	67	27	5	3	1	103	2	2	1	1	–	1	–	–	–	–
Phthisis	1·30	1·29	1·32	552	270	282	12	5	6	4	1	28	14	19	40	70	135	96	85	50	13	2
Other Tub. & Scrof. Dis.	0·32	0·37	0·27	135	78	57	45	25	6	3	2	81	21	7	9	5	5	3	2	2	–	–
Diseases of Nervous System	2·01	2·03	1·98	849	425	424	179	50	16	11	5	261	23	10	23	15	27	28	61	104	143	154
Diseases of Circulatory "	1·44	1·39	1·48	609	292	317	4	1	1	1	–	7	7	16	11	14	21	40	79	130	162	122
Diseases of Respiratory "	3·09	3·27	2·91	1308	686	622	329	155	51	48	23	606	30	5	11	13	27	51	81	145	170	169
Diseases of Digestive "	1·04	1·10	0·98	441	231	210	109	27	7	9	6	158	9	7	6	5	17	23	46	60	67	43
Diseases of Urinary "	0·30	0·44	0·16	127	92	35	3	3	–	4	1	11	–	3	3	2	4	10	14	18	41	21
Diseases of Generative "	0·06	—	0·13	27	–	27	1	–	–	–	–	1	–	–	–	1	4	3	5	8	4	1
Puerperal Fever	0·06	—	0·13	27	–	27	–	–	–	–	–	–	–	–	2	6	11	8	–	–	–	–
Childbirth	0·09	—	0·17	37	–	37	–	–	–	–	–	–	–	–	1	2	13	20	1	–	–	–
Violence	0·48	0·69	0·28	204	144	60	23	11	11	4	3	52	12	6	6	8	11	14	24	27	24	20
Other Causes	4·08	4·30	3·86	1721	900	821	771	41	14	7	2	835	19	13	4	9	29	23	37	51	190	511

Marriages - - - 2,830

Births - { Males - 7,069 / Females - 6,649 } 13,718

Annual Rate per 1000 living { Persons Married 13·37 / Births - - 32·40

Deaths from Childbirth and Puerperal Fever - - - - - } 4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

143.—AYLESBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·64	†119	–	–	–	–	42·54	4·72	2·47	4·24	5·97	7·83	10·14	13·76	26·97	67·71	156·58
Males	—					17·26	†134	–	–	–	–	48·36	4·85	2·34	3·14	6·47	7·47	10·25	13·81	27·82	72·66	164·23
Females	—					16·04	†102	–	–	–	–	36·84	4·59	2·61	5·46	5·51	8·16	10·05	13·71	26·19	63·28	149·26
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·99 per cent.			25,096			621	644	626	646	662	3199	3093	2794	2310	1859	3220	2780	2348	1806	1155	532
Males				12,308			299	325	306	334	320	1584	1547	1413	1212	897	1553	1337	1101	859	545	260
Females				12,788			322	319	320	312	342	1615	1546	1381	1098	962	1667	1443	1247	947	610	272
Deaths from All Causes, 1881–90. Persons	18·90			4,744			890	226	106	76	63	1361	146	69	98	111	252	282	323	487	782	833
Males	19·80			2,437			513	128	59	37	29	766	75	33	38	58	116	137	152	239	396	427
Females	18·04			2,307			377	98	47	39	34	595	71	36	60	53	136	145	171	248	386	406
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	6	3	3	–	–	–	–	–	–	–	–	2	–	–	2	2	–	–	–
Measles	0·36	0·38	0·34	91	47	44	16	30	11	4	12	73	15	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·30	0·23	67	37	30	1	8	16	8	7	40	18	5	1	1	1	1	–	–	–	–
Diphtheria	0·36	0·37	0·35	90	45	45	–	7	9	16	11	43	35	8	2	–	–	–	1	1	–	–
Whooping-cough	0·37	0·37	0·37	93	46	47	54	18	9	4	7	92	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·10	0·16	32	12	20	–	–	–	1	–	1	5	5	8	1	2	3	4	1	2	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·46	0·50	0·43	116	61	55	44	9	6	1	1	61	–	1	–	2	4	5	3	7	17	16
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·63	0·38	0·87	158	47	111	–	–	–	1	–	1	1	–	1	–	3	16	24	43	51	18
Tabes Mesenterica	0·18	0·16	0·19	44	20	24	15	6	3	2	–	26	4	1	4	3	3	1	1	1	–	–
Phthisis	1·55	1·45	1·64	388	178	210	9	1	2	2	–	14	1	9	31	44	110	77	52	33	15	2
Other Tub. & Scrof. Dis.	0·31	0·32	0·30	77	39	38	21	14	4	3	1	43	11	4	5	2	5	4	1	2	–	–
Diseases of: Nervous System	2·79	3·13	2·46	700	385	315	93	18	9	4	3	127	10	6	15	8	31	49	64	91	173	126
Circulatory "	1·82	1·67	1·97	457	205	252	1	–	–	1	1	3	2	2	4	7	15	23	42	96	147	116
Respiratory "	3·38	3·55	3·22	849	437	412	196	74	26	19	13	328	23	5	5	4	19	32	48	89	139	157
Digestive "	1·06	0·98	1·14	267	121	146	42	14	3	5	1	65	8	7	5	5	9	14	30	42	60	22
Urinary "	0·47	0·72	0·24	119	88	31	2	–	–	1	–	3	1	–	1	1	5	7	9	22	36	34
Generative "	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	2	2	2	5	1	–	1
Puerperal Fever	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	4	7	1	–	–	–	–
Childbirth	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	1	5	7	–	–	–	–
Violence	0·57	0·81	0·34	144	100	44	15	8	4	2	2	31	6	6	4	14	9	15	16	16	14	13
Other Causes	4·00	4·59	3·43	1004	566	438	381	19	4	2	4	410	5	7	7	12	22	23	20	42	128	328

Marriages - - - 1,618

Births - Males - 3,827; Females - 3,681 — 7,508

Annual Rate per 1000 living: Persons Married 12·89; Births - - 29·92

Deaths from Childbirth and Puerperal Fever - - - - - 3·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

144.—WINSLOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·89	†120	–	–	–	–	40·41	3·37	2·75	2·44	3·79	7·08	9·95	9·30	22·72	61·89	153·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·85	†139	–	–	–	–	47·24	2·90	1·26	1·52	2·97	7·14	8·88	9·52	21·86	59·72	153·16
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·92	†100	–	–	–	–	33·83	3·82	4·27	3·37	4·56	7·02	10·90	9·09	23·57	64·29	153·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·05 per cent.	7,822	177	182	180	186	198	923	979	945	780	554	918	814	710	625	412	162
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·05 per cent.	3,834	94	91	84	90	94	453	482	477	394	269	434	383	336	311	216	79
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·05 per cent.	3,988	83	91	96	96	104	470	497	468	386	285	484	431	374	314	196	83
Deaths from All Causes, 1881–90. Persons	16·99	1,329	267	58	27	11	10	373	33	26	19	21	65	81	66	142	255	248
Deaths from All Causes, 1881–90. Males	17·29	663	156	30	19	6	3	214	14	6	6	8	31	34	32	68	129	121
Deaths from All Causes, 1881–90. Females	16·70	666	111	28	8	5	7	159	19	20	13	13	34	47	34	74	126	127

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·05	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·13	0·10	9	5	4	1	4	3	–	1	9	–	–	–	–	1	–	–
Scarlet Fever	0·23	0·29	0·18	18	11	7	3	3	3	2	2	13	3	1	–	1	–	–	–
Diphtheria	0·12	0·05	0·18	9	2	7	–	–	1	1	–	2	4	1	1	–	–	1	–
Whooping-cough	0·29	0·21	0·38	23	8	15	11	8	2	–	–	21	2	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·08	0·08	6	3	3	–	–	–	–	–	–	–	2	–	–	2	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·31	0·25	22	12	10	12	4	–	–	–	16	–	–	–	–	1	–	1
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·56	0·42	0·70	44	16	28	–	–	–	–	–	–	–	–	–	–	1	7	8
Tabes Mesenterica	0·31	0·39	0·23	24	15	9	14	3	–	1	–	18	1	2	2	–	1	–	–
Phthisis	1·30	0·91	1·68	102	35	67	2	1	–	–	–	3	2	6	7	6	26	25	6
Other Tub. & Scrof. Dis.	0·20	0·13	0·28	16	5	11	3	1	2	–	–	6	3	3	1	1	2	–	–
Diseases of Nervous System	1·85	2·11	1·60	145	81	64	29	4	1	2	–	36	4	–	3	1	5	7	8
Diseases of Circulatory „	1·62	1·70	1·55	127	65	62	–	1	–	1	–	2	2	1	3	1	3	8	10
Diseases of Respiratory „	2·47	2·63	2·31	193	101	92	40	22	9	2	6	79	4	5	1	2	8	10	13
Diseases of Digestive „	0·95	0·99	0·90	74	38	36	8	2	1	2	–	13	2	2	1	2	2	6	10
Diseases of Urinary „	0·40	0·55	0·25	31	21	10	–	–	–	–	–	–	1	–	–	1	2	1	2
Diseases of Generative „	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	–	2	1
Puerperal Fever	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Childbirth	0·10	–	0·20	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–
Violence	0·31	0·42	0·20	24	16	8	2	–	–	–	1	3	1	–	–	–	4	2	3
Other Causes	5·67	5·92	5·42	444	227	217	142	5	5	–	–	152	4	3	–	2	3	7	4

	75 and upwds.
Diseases of Nervous System	19
Diseases of Circulatory „	22
Diseases of Respiratory „	14
Diseases of Digestive „	4
Diseases of Urinary „	5
Diseases of Generative „	–
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	1
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	–
Whooping-cough	–
Typhus	–
Enteric Fever	–
Simple Continued Fever	1
Diarrhœa and Dysentery	–
Cholera	1
Cancer	3
Tabes Mesenterica	–
Phthisis	1
Other Tub. & Scrof. Dis.	–
Nervous System	43
Circulatory „	50
Respiratory „	35
Digestive „	20
Urinary „	12
Generative „	7
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	74

Marriages - - - 441

Births - { Males - 1,123 / Females - 1,108 } 2,231

Annual Rate per 1000 living { Persons Married 11·28 / Births - - 28·52 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

145.—NEWPORT PAGNELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·84	†114	–	–	–	–	41·13	4·14	2·65	4·07	5·08	5·95	8·13	11·39	23·38	55·70	144·34
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·12	†126	–	–	–	–	45·02	4·32	2·69	3·87	4·79	5·14	7·56	12·66	22·99	58·98	150·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·58	†102	–	–	–	–	37·49	3·96	2·62	4·30	5·36	6·69	8·65	10·25	23·74	52·76	139·57
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·59 per cent.	25,098	693	653	713	634	670	3366	3191	2826	2307	1829	3275	2681	2186	1758	1167	512
Mean Population, 1881–91. Males		12,214	357	313	336	322	320	1648	1550	1415	1213	897	1557	1270	1035	844	551	234
Mean Population, 1881–91. Females		12,884	339	340	377	312	350	1718	1641	1411	1094	932	1718	1411	1151	914	616	278
Deaths from All Causes, 1881–90. Persons	16·90	4,242	911	232	103	69	71	1386	132	75	94	93	195	218	249	411	650	739
Deaths from All Causes, 1881–90. Males	17·31	2,114	505	123	48	33	33	742	67	38	47	43	80	96	131	194	325	351
Deaths from All Causes, 1881–90. Females	16·52	2,128	406	109	55	36	38	644	65	37	47	50	115	122	118	217	325	388

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·28	0·30	73	34	39	16	21	13	7	7	64	6	1	1	–	–	–	1	–	–	–
Scarlet Fever	0·14	0·13	0·15	35	16	19	–	5	10	5	2	22	6	5	2	–	–	–	–	–	–	–
Diphtheria	0·20	0·17	0·23	50	21	29	1	3	1	3	13	21	17	6	1	1	1	–	–	3	–	–
Whooping-cough	0·41	0·44	0·39	104	54	50	63	25	8	2	5	103	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·02	6	4	2	–	–	–	–	–	–	–	1	1	–	1	1	1	1	–	–
Enteric Fever	0·20	0·21	0·19	51	26	25	–	1	1	1	1	4	10	5	6	5	7	4	6	3	1	–
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·44	0·39	0·48	110	48	62	60	10	2	1	1	74	3	–	–	2	–	1	1	3	10	16
Cholera	0·01	0·01	0·02	3	1	2	1	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·51	0·75	158	62	96	–	–	–	–	–	–	–	–	1	1	4	10	32	40	53	17
Tabes Mesenterica	0·27	0·31	0·23	68	38	30	43	8	3	3	2	59	4	1	–	–	1	1	1	–	–	1
Phthisis	1·24	1·15	1·33	311	140	171	9	8	3	2	–	22	5	12	28	40	84	56	36	21	6	1
Other Tub. & Scrof. Dis.	0·29	0·29	0·29	74	36	38	18	10	7	5	9	49	13	4	2	2	2	1	1	–	–	–
Diseases of Nervous System	2·30	2·47	2·14	577	301	276	104	26	5	8	6	149	13	8	8	5	6	23	24	73	137	131
Diseases of Circulatory „	1·54	1·45	1·62	386	177	209	4	–	–	–	1	5	4	4	11	8	11	22	45	66	125	85
Diseases of Respiratory „	2·67	2·88	2·48	670	351	319	153	74	34	22	18	301	22	6	2	6	15	19	32	56	115	96
Diseases of Digestive „	1·18	1·09	1·27	296	133	163	43	18	3	3	2	69	9	7	5	3	15	20	22	45	60	41
Diseases of Urinary „	0·52	0·60	0·43	130	74	56	1	4	1	1	–	7	–	2	2	2	4	8	11	38	29	27
Diseases of Generative „	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	3	1	3	4	2	2	3	2
Puerperal Fever	0·07	–	0·13	17	–	17	–	–	–	–	–	–	–	–	1	4	8	4	–	–	–	–
Childbirth	0·07	–	0·13	17	–	17	–	–	–	–	–	–	–	–	–	5	2	10	–	–	–	–
Violence	0·59	0·97	0·23	148	118	30	9	3	5	5	–	22	10	6	11	8	17	12	14	16	18	14
Other Causes	3·73	3·93	3·53	935	480	455	386	16	6	1	3	412	8	7	9	–	13	21	20	44	93	308

Marriages - - - 1,566

Births - { Males - 3,996 / Females - 3,970 } 7,966

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 31·74

Deaths from Childbirth and Puerperal Fever - - - - 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

146.—BUCKINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·32	†108	–	–	–	–	39·76	3·70	2·34	4·87	6·29	7·88	8·58	12·74	19·75	62·43	152·29
Annual Death-Rate per 1000. Males	—	15·38	†117	–	–	–	–	42·97	4·25	1·98	4·50	5·64	8·61	7·74	13·74	17·26	63·66	153·06
Annual Death-Rate per 1000. Females	—	15·26	†99	–	–	–	–	36·36	3·13	2·71	5·28	6·89	7·27	9·33	11·82	21·98	61·25	151·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·32 per cent.	11,995	269	277	282	302	296	1426	1432	1370	1108	858	1485	1293	1091	942	684	306
Mean Population, 1881–91. Males		5,886	135	149	150	156	143	733	730	706	578	408	674	607	524	446	333	147
Mean Population, 1881–91. Females		6,109	134	128	132	146	153	693	702	664	530	450	811	686	567	496	351	159
Deaths from All Causes, 1881–90. Persons	18·39	2,206	363	87	56	32	29	567	53	32	54	54	117	111	139	186	427	466
Deaths from All Causes, 1881–90. Males	18·69	1,100	203	46	24	23	19	315	31	14	26	23	58	47	72	77	212	225
Deaths from All Causes, 1881–90. Females	18·10	1,106	160	41	32	9	10	252	22	18	28	31	59	64	67	109	215	241

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·29	0·39	0·20	35	23	12	7	10	7	6	3	33	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·25	0·21	28	15	13	3	2	4	3	5	17	4	5	–	1	1	–	–	–	–	–
Diphtheria	0·16	0·20	0·11	19	12	7	1	4	1	3	6	15	2	–	1	–	–	1	–	–	–	–
Whooping-cough	0·25	0·25	0·25	30	15	15	16	8	4	1	–	29	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·22	0·20	25	13	12	–	–	–	1	–	1	–	2	4	4	5	2	4	2	–	1
Simple Continued Fever	0·02	–	0·03	2	–	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·37	0·25	0·47	44	15	29	21	6	1	1	–	29	–	1	–	1	–	1	–	1	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·94	0·68	1·20	113	40	73	–	–	–	–	–	–	–	–	–	–	2	5	22	34	38	12
Tabes Mesenterica	0·21	0·20	0·21	25	12	13	11	1	1	–	–	13	1	2	2	1	3	1	2	–	–	–
Phthisis	1·31	1·38	1·24	157	81	76	4	2	–	–	1	7	2	4	19	24	35	32	13	15	6	–
Other Tub. & Scrof. Dis.	0·46	0·49	0·43	55	29	26	10	5	8	1	3	27	10	3	9	1	1	3	1	–	–	–
Diseases of Nervous System	2·41	2·55	2·28	289	150	139	34	10	3	1	3	51	8	2	4	3	11	8	18	30	89	65
Diseases of Circulatory „	1·65	1·34	1·95	198	79	119	–	–	–	–	–	–	–	4	6	3	9	8	16	39	79	34
Diseases of Respiratory „	2·37	2·74	2·01	284	161	123	64	24	19	12	5	124	12	–	2	3	9	12	17	13	54	38
Diseases of Digestive „	0·81	0·87	0·75	97	51	46	10	2	2	2	–	16	3	4	–	1	7	9	11	13	25	8
Diseases of Urinary „	0·49	0·63	0·36	59	37	22	–	1	–	–	1	2	1	–	1	4	2	5	4	12	22	6
Diseases of Generative „	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
Puerperal Fever	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	5	4	–	–	–	–
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–
Violence	0·53	0·75	0·31	63	44	19	3	1	1	1	–	6	4	1	4	4	5	4	6	6	15	8
Other Causes	5·46	5·48	5·48	657	322	335	179	11	4	–	2	196	3	2	2	3	16	12	22	19	93	289

Marriages - - 718

Births - Males - 1,736 } 3,359
Births - Females - 1,623 }

Annual Rate per 1000 living { Persons Married 11·97
Births - - 28·00 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

147.—HENLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·95	†98	–	–	–	–	35·10	4·26	2·46	2·98	3·76	5·35	7·81	13·40	20·86	59·75	152·88
Annual Death-Rate per 1000. Males	—	14·52	†114	–	–	–	–	38·30	4·63	2·32	2·90	3·55	5·21	7·84	14·01	24·22	63·66	161·18
Annual Death-Rate per 1000. Females	—	13·41	†81	–	–	–	–	31·77	3·89	2·60	3·08	3·96	5·48	7·79	12·84	17·92	56·24	145·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 12·71 per cent.	21,262	539	500	540	593	523	2695	2723	2481	2080	1648	2860	2329	1843	1371	867	365
Mean Population, 1881–91. Males		10,555	277	264	272	296	267	1376	1360	1250	1171	789	1382	1122	885	640	410	170
Mean Population, 1881–91. Females		10,707	262	236	268	297	256	1319	1363	1231	909	859	1478	1207	958	731	457	195
Deaths from All Causes, 1881–90. Persons	15·01	3,191	597	184	76	50	39	946	116	61	62	62	153	182	247	286	518	558
Deaths from All Causes, 1881–90. Males	15·68	1,655	357	89	39	27	15	527	63	29	34	28	72	88	124	155	261	274
Deaths from All Causes, 1881–90. Females	14·35	1,536	240	95	37	23	24	419	53	32	28	34	81	94	123	131	257	284

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·17	0·15	0·19	36	16	20	10	10	7	4	–	31	2	2	–	–	–	1	–	–	–
Scarlet Fever	0·15	0·16	0·14	32	17	15	3	5	2	7	5	22	5	3	1	–	1	–	–	–	–
Diphtheria	0·26	0·25	0·28	56	26	30	–	4	6	5	3	18	24	9	2	1	1	–	–	1	–
Whooping-cough	0·30	0·23	0·36	63	24	39	24	19	8	2	5	58	5	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·04	0·04	0·05	9	4	5	1	–	–	–	–	1	–	–	2	–	1	1	2	1	1
Simple Continued Fever	0·01	–	0·03	3	–	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Diarrhœa and Dysentery	0·31	0·33	0·29	66	35	31	32	7	2	2	–	43	2	–	–	–	1	–	–	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·48	0·77	133	51	82	–	–	–	1	–	1	–	–	1	–	1	5	27	36	52
Tabes Mesenterica	0·12	0·15	0·09	26	16	10	10	5	1	1	–	17	6	–	1	1	1	–	–	–	–
Phthisis	1·25	1·19	1·31	266	126	140	6	3	2	1	2	14	3	11	18	26	61	64	37	16	13
Other Tub. & Scrof. Dis.	0·30	0·42	0·19	64	44	20	17	15	5	3	1	41	11	4	–	6	1	–	1	–	–
Diseases of Nervous System	2·09	2·35	1·83	444	248	196	63	20	10	2	2	97	14	3	8	2	14	14	40	58	86
Diseases of Circulatory „	1·97	1·89	2·05	419	199	220	3	–	–	–	1	4	4	6	2	1	12	20	48	73	150
Diseases of Respiratory „	2·61	2·97	2·26	555	313	242	150	66	23	12	15	266	15	5	1	1	14	21	31	35	72
Diseases of Digestive „	0·99	0·94	1·04	210	99	111	49	12	1	1	1	64	8	2	3	6	5	15	25	25	34
Diseases of Urinary „	0·43	0·62	0·25	92	65	27	1	–	–	–	–	1	3	1	4	3	5	7	8	14	29
Diseases of Generative „	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2
Puerperal Fever	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	–	2	10	3	–	–	–
Childbirth	0·08	–	0·16	17	–	17	–	–	–	–	–	–	–	–	1	4	3	9	–	–	–
Violence	0·45	0·64	0·25	95	68	27	2	5	2	4	2	15	6	3	9	5	11	10	12	3	14
Other Causes	2·76	2·86	2·62	584	303	281	226	13	7	5	2	253	8	11	6	4	10	12	16	21	59

Marriages	1,207	Annual Rate per 1000 living: Persons Married	11·35
Births: Males	3,137	Births	28·68
Births: Females	2,962	Deaths from Childbirth and Puerperal Fever	5·25 per 1000 Births.
Births	6,099		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

148.—THAME.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·85	†107	–	–	–	–	35·23	4·56	2·14	3·26	4·52	5·46	7·86	11·60	24·14	52·28	149·38
Males	—					13·87	†119	–	–	–	–	39·03	5·37	1·70	3·18	3·57	5·68	7·55	12·23	20·53	51·25	153·70
Females	—					13·83	†94	–	–	–	–	31·46	3·75	2·62	3·37	5·47	5·26	8·14	11·02	27·44	53·30	145·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·41 per cent.			13,625			338	349	333	349	371	1740	1754	1684	1226	951	1630	1386	1190	1019	723	322
Males				6,787			159	171	178	174	184	866	875	882	692	476	775	649	564	487	359	162
Females				6,838			179	178	155	175	187	874	879	802	534	475	855	737	626	532	364	160
Deaths from All Causes, 1881–90. Persons	16·54			2,253			428	100	34	29	22	613	80	36	40	43	89	109	138	246	378	481
Males	16·71			1,134			241	51	21	12	13	338	47	15	22	17	44	49	69	100	184	249
Females	16·36			1,119			187	49	13	17	9	275	33	21	18	26	45	60	69	146	194	232
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·16	0·13	0·19	22	9	13	3	7	2	3	2	17	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	–	0·03	2	–	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·15	0·18	22	10	12	–	1	1	4	3	9	9	3	1	–	–	–	–	–	–	–
Whooping-cough	0·22	0·16	0·28	30	11	19	15	9	2	1	–	27	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·15	0·04	13	10	3	–	–	–	–	–	–	2	2	3	1	2	1	2	–	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·22	0·16	26	15	11	11	2	–	–	–	13	–	–	–	2	–	–	–	2	2	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·40	0·89	88	27	61	–	–	–	–	–	–	–	–	–	–	–	9	11	28	31	9
Tabes Mesenterica	0·11	0·13	0·09	15	9	6	9	2	–	1	–	12	2	–	1	–	–	–	–	–	–	–
Phthisis	1·20	1·12	1·29	164	76	88	5	1	–	–	–	6	7	8	14	16	36	31	21	16	9	–
Other Tub. & Scrof. Dis.	0·35	0·37	0·34	48	25	23	14	4	3	–	1	22	12	3	1	1	3	2	2	2	–	–
Diseases of Nervous System	2·10	2·30	1·90	286	156	130	65	8	3	–	2	78	5	4	3	3	8	8	25	40	58	54
Circulatory „	1·73	1·68	1·77	235	114	121	1	–	–	1	–	2	–	–	4	3	10	14	22	51	76	53
Respiratory „	2·69	2·68	2·69	366	182	184	77	47	16	12	9	161	17	3	2	1	5	10	17	33	55	62
Digestive „	1·21	0·99	1·43	165	67	98	19	6	4	2	3	34	2	5	3	1	8	14	13	34	34	17
Urinary „	0·32	0·41	0·22	43	28	15	–	–	–	–	–	–	3	1	1	1	2	8	6	7	7	7
Generative „	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–
Puerperal Fever	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–
Childbirth	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Violence	0·45	0·62	0·28	61	42	19	4	5	1	2	2	14	6	4	4	3	5	2	3	6	9	5
Other Causes	4·72	5·19	4·28	645	352	293	204	6	2	3	–	215	7	3	3	7	6	4	14	25	94	267

Marriages - - - 788

Births - { Males - 2,020 / Females - 1,994 } 4,014

Annual Rate per 1000 living { Persons Married 11·57 / Births - - 29·46 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

149.—HEADINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·39	†122	–	–	–	–	45·25	4·00	2·98	4·14	5·91	8·26	13·47	17·44	31·93	72·23	166·97
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·54	†131	–	–	–	–	50·05	4·24	2·77	4·60	7·17	9·78	16·68	20·64	37·77	85·94	186·42
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·37	†112	–	–	–	–	40·41	3·77	3·18	3·77	4·97	7·12	10·92	14·88	27·41	62·67	151·62
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·49 per cent.	31,665	822	731	784	748	791	3876	3621	3561	3239	2776	4576	3555	2735	1929	1246	551
Mean Population, 1881–91. Males		14,506	420	371	395	366	394	1946	1818	1767	1435	1186	1964	1577	1216	842	512	243
Mean Population, 1881–91. Females		17,159	402	360	389	382	397	1930	1803	1794	1804	1590	2612	1978	1519	1087	734	308
Deaths from All Causes, 1881–90. Persons	19·18	6,073	1152	324	130	82	66	1754	145	106	134	164	378	479	477	616	900	920
Deaths from All Causes, 1881–90. Males	21·84	3,168	638	188	72	42	34	974	77	49	66	85	192	263	251	318	440	453
Deaths from All Causes, 1881–90. Females	16·93	2,905	514	136	58	40	32	780	68	57	68	79	186	216	226	298	460	467

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Measles	0·27	0·36	0·20	86	52	34	15	36	21	5	3	80	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·23	0·16	60	33	27	2	7	7	10	12	38	13	2	2	5	–	–	–	–	–	–
Diphtheria	0·06	0·07	0·06	20	10	10	–	2	3	1	2	8	7	2	1	–	2	–	–	–	–	–
Whooping-cough	0·29	0·31	0·27	92	45	47	35	27	11	12	4	89	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Enteric Fever	0·12	0·17	0·08	38	24	14	–	–	–	–	1	1	5	1	6	10	6	5	–	1	3	–
Simple Continued Fever	0·03	0·05	0·01	9	7	2	–	–	–	–	–	–	–	5	2	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·40	0·49	0·33	127	71	56	78	12	1	–	1	92	2	–	1	–	4	1	1	4	12	10
Cholera	0·02	0·02	0·01	5	3	2	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
Cancer	0·91	0·75	1·04	287	109	178	–	–	–	–	–	–	1	–	2	2	8	34	53	77	77	33
Tabes Mesenterica	0·10	0·12	0·08	31	17	14	13	3	2	–	–	18	3	2	3	–	1	–	3	1	–	–
Phthisis	1·89	2·21	1·61	597	321	276	2	5	2	2	–	11	6	20	42	62	143	135	87	58	29	4
Other Tub. & Scrof. Dis.	0·74	0·83	0·67	235	120	115	68	51	17	7	11	154	31	12	8	8	10	8	2	1	1	–
Diseases of Nervous System	3·00	3·22	2·81	949	467	482	135	23	14	6	5	183	8	7	15	10	35	84	91	148	214	154
Diseases of Circulatory „	1·74	1·80	1·69	551	261	290	5	–	1	–	1	7	5	7	13	8	25	43	60	110	170	103
Diseases of Respiratory „	2·78	3·37	2·27	879	489	390	191	103	32	25	14	365	20	8	2	13	40	29	40	71	143	148
Diseases of Digestive „	1·09	1·32	0·90	346	191	155	57	22	4	1	1	85	5	4	5	11	23	33	46	55	51	28
Diseases of Urinary „	0·65	0·88	0·46	207	128	79	3	–	1	1	1	6	3	3	2	6	13	22	29	31	57	35
Diseases of Generative „	0·09	0·01	0·16	30	2	28	1	1	–	–	–	2	–	–	–	2	5	7	5	6	1	2
Puerperal Fever	0·08	–	0·15	26	–	26	–	–	–	–	–	–	–	–	–	5	11	9	1	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	3	8	7	1	–	–	–
Violence	0·58	0·86	0·35	184	124	60	11	9	9	7	5	41	13	11	8	4	18	24	19	19	11	16
Other Causes	4·07	4·75	3·48	1289	691	598	531	23	5	5	5	569	15	21	21	14	26	32	39	34	131	387

Marriages - - - 1,956

Births - Males - 4,874; Females - 4,605 } 9,479

Annual Rate per 1000 living { Persons Married 12·35; Births - - 29·94 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

150.—OXFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·41	†147	–	–	–	–	55·24	4·28	2·09	2·81	3·89	4·85	9·02	13·57	24·89	51·30	133·80
Males	—					17·18	†161	–	–	–	–	60·44	4·19	1·88	2·90	4·31	4·84	9·60	14·33	26·80	55·78	135·14
Females	—					15·68	†131	–	–	–	–	50·00	4·38	2·29	2·74	3·48	4·86	8·52	12·92	23·27	48·12	132·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·68 per cent.			21,858			537	542	521	489	516	2605	2405	2298	2418	2160	3258	2461	1931	1306	729	287
Males				10,397			273	282	256	241	255	1307	1218	1120	1103	1068	1549	1135	886	597	303	111
Females				11,461			264	260	265	248	261	1298	1187	1178	1315	1092	1709	1326	1045	709	426	176
Deaths from All Causes, 1881–90. Persons	15·86			3,467			954	271	115	49	50	1439	103	48	68	84	158	222	262	325	374	384
Males	16·64			1,730			544	132	67	23	24	790	51	21	32	46	75	109	127	160	169	150
Females	15·16			1,737			410	139	48	26	26	649	52	27	36	38	83	113	135	165	205	234
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·43	0·42	0·43	93	44	49	17	34	23	7	6	87	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·35	0·38	0·31	76	40	36	3	13	15	12	9	52	21	2	–	1	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	15	7	8	–	1	1	1	2	5	3	1	–	2	–	–	4	–	–	–
Whooping-cough	0·33	0·35	0·31	72	36	36	38	17	12	2	3	72	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·14	34	18	16	–	–	1	–	3	4	5	6	4	7	5	2	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·75	0·82	0·70	165	85	80	119	22	5	2	1	149	–	1	1	1	–	1	1	3	4	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·28	0·81	122	29	93	–	–	–	–	–	–	–	–	–	1	4	15	28	36	27	11
Tabes Mesenterica	0·12	0·13	0·10	26	14	12	13	2	1	1	1	18	1	1	4	2	–	–	–	–	–	–
Phthisis	1·54	1·82	1·28	336	189	147	8	10	–	–	2	20	7	6	24	30	64	73	67	32	11	2
Other Tub. & Scrof. Dis.	0·38	0·36	0·41	84	37	47	24	15	10	3	5	57	13	3	4	2	1	2	–	1	–	1
Diseases of Nervous System	1·91	2·04	1·80	418	212	206	123	18	10	6	5	162	7	3	1	3	5	14	23	53	76	71
Circulatory "	1·28	0·99	1·54	279	103	176	3	1	1	–	1	6	3	7	4	4	18	24	34	58	68	53
Respiratory "	2·84	3·00	2·69	620	312	308	163	87	24	11	6	291	14	–	5	3	18	27	29	63	92	78
Digestive "	0·93	0·98	0·39	204	102	102	37	16	5	1	1	60	1	3	6	7	5	17	33	35	23	14
Urinary "	0·27	0·38	0·16	58	40	18	1	–	1	–	1	3	–	1	1	1	1	7	8	10	13	13
Generative "	0·02	–	0·03	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–
Puerperal Fever	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	–	1	5	8	4	–	–	–
Childbirth	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	1	5	4	–	–	–	–
Violence	0·51	0·76	0·29	112	79	33	6	4	2	2	3	17	11	3	5	11	13	11	14	11	8	8
Other Causes	3·27	3·67	2·94	718	381	337	399	31	3	1	1	435	11	11	8	3	10	21	18	20	52	129

Marriages - - 1,721

Births - Males 3,372, Females 3,126 } 6,498

Annual Rate per 1000 living: Persons Married 15·75; Births - - 29·73

Deaths from Childbirth and Puerperal Fever - - - - - 4·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

151.—BICESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·57	†89	–	–	–	–	32·27	3·59	2·63	3·82	4·57	7·04	8·03	11·32	23·24	51·31	149·23
Annual Death-Rate per 1000. Males	—					13·73	†95	–	–	–	–	32·74	3·32	2·44	4·29	4·54	6·88	7·82	11·55	23·67	54·79	172·97
Annual Death-Rate per 1000. Females	—					13·42	†82	–	–	–	–	31·78	3·85	2·81	3·24	4·60	7·19	8·23	11·11	22·80	47·95	129·14
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·26 per cent.			14,070			363	328	360	351	352	1754	1726	1600	1309	1094	1761	1407	1263	1067	766	323
Mean Population, 1881–91. Males				7,044			178	171	184	183	182	898	844	818	723	551	857	678	606	545	376	148
Mean Population, 1881–91. Females				7,026			185	157	176	168	170	856	882	782	586	543	904	729	657	522	390	175
Deaths from All Causes, 1881–90. Persons	16·15			2,273			370	108	45	23	20	566	62	42	50	50	124	113	143	248	393	482
Deaths from All Causes, 1881–90. Males	16·62			1,171			200	52	19	13	10	294	28	20	31	25	59	53	70	129	206	256
Deaths from All Causes, 1881–90. Females	15·68			1,102			170	56	26	10	10	272	34	22	19	25	65	60	73	119	187	226
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·16	0·17	0·14	22	12	10	4	11	4	–	2	21	–	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·23	0·20	30	16	14	3	4	6	5	4	22	8	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	14	7	7	1	–	1	1	1	4	6	1	1	–	–	1	–	1	–	–
Whooping-cough	0·14	0·13	0·16	20	9	11	8	8	1	1	2	20	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	20	10	10	–	–	–	2	1	3	3	3	5	3	2	1	–	–	–	–
Simple Continued Fever	0·03	0·06	–	4	4	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·24	0·24	0·24	34	17	17	14	2	2	–	1	19	2	–	1	1	–	–	–	3	2	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·78	0·61	0·95	110	43	67	–	–	–	–	–	–	–	–	–	–	1	9	17	35	30	18
Tabes Mesenterica	0·16	0·17	0·14	22	12	10	10	4	2	1	–	17	3	1	–	1	–	–	–	–	–	–
Phthisis	1·31	1·32	1·28	183	93	90	4	1	1	1	–	7	1	6	17	25	44	28	30	17	8	–
Other Tub. & Scrof. Dis.	0·28	0·28	0·27	39	20	19	10	6	1	–	1	18	6	6	2	1	3	1	–	1	1	–
Diseases of Nervous System	2·32	2·47	2·16	326	174	152	44	13	3	2	1	63	7	7	1	3	3	8	16	40	92	86
Diseases of Circulatory "	1·57	1·43	1·71	221	101	120	1	–	–	–	–	1	2	2	2	2	9	13	17	49	66	58
Diseases of Respiratory "	2·80	3·08	2·52	394	217	177	95	38	15	7	3	158	7	4	3	5	15	12	21	37	59	73
Diseases of Digestive "	1·14	1·14	1·15	161	80	81	27	7	3	2	2	41	6	3	5	1	6	11	15	26	30	17
Diseases of Urinary "	0·44	0·64	0·24	62	45	17	–	1	1	–	–	2	1	–	–	1	6	2	5	15	17	13
Diseases of Generative "	0·06	–	0·13	9	–	9	–	–	–	–	–	–	–	1	–	1	2	3	1	–	1	–
Puerperal Fever	0·09	–	0·17	12	–	12	–	–	–	–	–	–	–	–	1	1	4	5	1	–	–	–
Childbirth	0·11	–	0·23	16	–	16	–	–	–	–	–	–	–	–	1	3	9	3	–	–	–	–
Violence	0·48	0·75	0·21	68	53	15	3	1	1	–	1	6	4	2	5	1	7	10	8	3	14	8
Other Causes	3·58	3·66	3·53	505	258	247	146	12	4	1	1	164	4	6	5	1	11	5	12	21	73	203

Marriages - - 865

Births - Males - 2,095, Females - 2,074 } 4,169

Annual Rate per 1000 living { Persons Married 12·30; Births - - 29·63

Deaths from Childbirth and Puerperal Fever - - - - } 6·72 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

152.—WOODSTOCK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·52			†108	–	–	–	–	35·63	4·21	2·51	3·20	6·38	5·57	7·59	12·56	22·58	59·63	168·44
Annual Death-Rate per 1000. Males	—			14·65			†118	–	–	–	–	38·76	3·73	2·89	2·50	6·15	6·20	5·98	13·78	22·86	58·62	182·93
Annual Death-Rate per 1000. Females	—			14·40			†98	–	–	–	–	32·51	4·70	2·11	4·01	6·58	5·04	9·02	11·49	22·31	60·60	155·71
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·79 per cent.			13,201			368	315	346	336	344	1709	1661	1552	1189	972	1615	1384	1210	992	654	263
Mean Population, 1881–91. Males				6,468			189	162	169	166	168	854	832	795	610	455	742	652	566	490	319	123
Mean Population, 1881–91. Females				6,733			179	153	177	170	176	855	829	757	549	517	873	732	644	502	335	140
Deaths from All Causes, 1881–90. Persons	16·83			2,222			423	97	36	30	23	609	70	39	38	62	90	105	152	224	390	443
Deaths from All Causes, 1881–90. Males	17·25			1,116			238	52	15	16	10	331	31	23	16	28	46	39	78	112	187	225
Deaths from All Causes, 1881–90. Females	16·43			1,106			185	45	21	14	13	278	39	16	22	34	44	66	74	112	203	218
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·35	0·42	0·28	46	27	19	10	19	4	2	2	37	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·25	0·27	34	16	18	2	2	6	3	6	19	11	4	–	–	–	–	–	–	–	–
Diphtheria	0·05	0·09	0·01	7	6	1	–	–	2	–	1	3	3	1	–	–	–	–	–	–	–	–
Whooping-cough	0·24	0·25	0·24	32	16	16	16	6	4	3	2	31	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·18	23	11	12	–	–	–	1	–	1	1	6	3	3	6	–	3	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·32	0·28	40	21	19	21	3	–	–	–	24	2	–	1	–	1	1	2	2	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·45	0·77	81	29	52	–	–	–	–	–	–	–	–	–	–	3	6	17	18	24	13
Tabes Mesenterica	0·17	0·19	0·15	22	12	10	12	6	–	–	–	18	1	2	–	1	–	–	–	–	–	–
Phthisis	1·24	1·07	1·41	164	69	95	–	–	2	1	1	4	6	3	13	27	38	32	19	15	6	1
Other Tub. & Scrof. Dis.	0·14	0·17	0·12	19	11	8	7	1	–	2	1	11	5	1	–	1	–	–	–	–	1	–
Diseases of Nervous System	2·33	2·46	2·20	307	159	148	57	8	3	3	3	74	6	3	7	4	6	11	17	39	71	69
Diseases of Circulatory „	1·66	1·36	1·95	219	88	131	1	–	–	–	–	1	1	1	3	3	3	8	33	42	81	43
Diseases of Respiratory „	3·02	3·39	2·67	399	219	180	99	35	10	6	2	152	11	1	–	2	4	10	21	45	79	74
Diseases of Digestive „	0·96	0·91	1·01	127	59	68	19	9	3	1	2	34	4	2	3	1	4	5	14	23	26	11
Diseases of Urinary „	0·47	0·65	0·30	62	42	20	–	–	–	1	–	1	–	2	–	2	8	8	7	9	14	11
Diseases of Generative „	0·02	–	0·03	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	–	4	2	3	–	–	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Violence	0·57	0·82	0·33	75	53	22	3	1	1	4	2	11	8	7	2	7	5	3	9	8	7	8
Other Causes	4·12	4·28	3·96	544	278	266	175	7	1	3	1	187	2	3	5	6	7	13	10	23	77	209

Marriages - - - 820

Births - { Males - 2,016 / Females - 1,885 } 3,901

Annual Rate per 1000 living { Persons Married 12·42 / Births - - 29·55 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

153.—WITNEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·46	†109	–	–	–	–	38·67	4·36	2·60	3·91	5·70	5·48	8·00	11·59	20·59	56·08	153·52
Annual Death-Rate per 1000. Males	—	15·07	†124	–	–	–	–	43·54	3·85	2·22	3·16	6·15	5·35	7·73	13·07	21·46	57·77	171·43
Annual Death-Rate per 1000. Females	—	13·89	†93	–	–	–	–	33·84	4·87	2·99	4·78	5·28	5·59	8·23	10·27	19·75	54·37	137·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·39 per cent.	21,375	566	529	549	532	581	2757	2728	2534	1997	1509	2446	2201	1958	1593	1127	525
Mean Population, 1881–91. Males		10,528	286	254	270	259	302	1371	1352	1264	1077	732	1177	1035	926	783	566	245
Mean Population, 1881–91. Females		10,847	280	275	279	273	279	1386	1376	1270	920	777	1269	1166	1032	810	561	280
Deaths from All Causes, 1881–90. Persons	17·39	3,718	701	185	91	58	31	1066	119	66	78	86	134	176	227	328	632	806
Deaths from All Causes, 1881–90. Males	18·38	1,935	407	106	41	27	16	597	52	28	34	45	63	80	121	168	327	420
Deaths from All Causes, 1881–90. Females	16·44	1,783	294	79	50	31	15	469	67	38	44	41	71	96	106	160	305	386

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·35	0·39	0·30	74	41	33	14	26	8	4	6	58	13	2	–	–	–	–	1	–
Scarlet Fever	0·20	0·14	0·26	43	15	28	2	3	8	8	5	26	11	3	2	–	–	1	–	–
Diphtheria	0·04	0·02	0·06	9	2	7	–	–	–	1	–	1	3	4	–	1	–	1	–	–
Whooping-cough	0·27	0·26	0·29	58	27	31	24	18	8	6	–	56	1	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·13	30	16	14	–	–	1	–	–	1	1	7	4	3	3	5	1	2
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Diarrhœa and Dysentery	0·25	0·28	0·23	54	29	25	18	5	1	1	–	25	1	–	–	–	–	–	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·41	0·75	124	43	81	–	–	–	1	–	1	–	–	–	–	3	11	24	37
Tabes Mesenterica	0·12	0·08	0·16	25	8	17	4	2	2	2	1	11	5	2	3	2	–	1	1	–
Phthisis	1·44	1·50	1·37	307	158	149	–	1	3	4	–	8	15	7	28	47	63	56	41	31
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	56	30	26	11	13	1	2	2	29	11	4	3	3	1	2	1	–
Diseases of: Nervous System	2·29	2·44	2·14	489	257	232	90	32	13	5	3	143	10	7	9	1	5	16	31	55
Diseases of: Circulatory "	1·68	1·80	1·56	358	189	169	4	–	–	–	1	5	2	5	8	2	8	15	31	71
Diseases of: Respiratory "	2·85	3·13	2·59	609	328	281	144	53	31	16	9	253	20	3	2	6	15	16	33	51
Diseases of: Digestive "	0·90	0·90	0·89	192	95	97	35	4	4	1	2	46	8	6	2	4	4	12	20	33
Diseases of: Urinary "	0·42	0·60	0·25	90	63	27	–	1	–	1	–	2	4	2	2	–	6	12	13	16
Diseases of: Generative "	0·03	0·01	0·06	7	1	6	–	–	–	–	–	–	–	–	–	–	1	1	2	1
Puerperal Fever	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	–	1	6	–	–	–
Childbirth	0·07	–	0·13	14	–	14	–	–	–	–	–	–	–	–	–	5	5	4	–	–
Violence	0·40	0·64	0·17	85	67	18	1	2	4	2	–	9	6	7	8	1	6	9	13	7
Other Causes	5·05	5·32	4·78	1082	563	519	354	25	7	4	2	392	8	5	7	9	7	14	13	20

	65–	75 and upwds.
Diseases of: Nervous System	115	97
Diseases of: Circulatory "	141	70
Diseases of: Respiratory "	115	95
Diseases of: Digestive "	41	16
Diseases of: Urinary "	22	11
Diseases of: Generative "	1	1
Puerperal Fever	–	–
Childbirth	–	–
Violence	11	8
Other Causes	124	483

Marriages - - - 1,325

Births - { Males - 3,289 / Females - 3,170 } 6,459

Annual Rate per 1000 living { Persons Married 12·40 / Births - - 30·22 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

154.—CHIPPING NORTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·17	†99	–	–	–	–	33·94	3·43	2·06	3·59	4·62	4·71	7·27	9·91	20·88	55·92	147·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·32	†113	–	–	–	–	38·74	3·93	2·63	2·03	2·95	5·32	6·53	9·23	20·89	57·74	146·67
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·04	†84	–	–	–	–	29·26	2·93	1·48	5·36	6·14	4·15	7·96	10·59	20·87	54·05	147·51
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·81 per cent.	18,031	479	471	465	503	457	2375	2330	2188	1671	1278	2210	1871	1644	1250	853	361
Mean Population, 1881–91. Males	Decennial Increase of Population 0·81 per cent.	8,934	235	227	230	246	234	1172	1171	1104	887	610	1052	904	813	608	433	180
Mean Population, 1881–91. Females	Decennial Increase of Population 0·81 per cent.	9,097	244	244	235	257	223	1203	1159	1084	784	668	1158	967	831	642	420	181
Deaths from All Causes, 1881–90. Persons	15·10	2,722	544	142	53	38	29	806	80	45	60	59	104	136	163	261	477	531
Deaths from All Causes, 1881–90. Males	15·63	1,396	318	78	24	20	14	454	46	29	18	18	56	59	75	127	250	264
Deaths from All Causes, 1881–90. Females	14·58	1,326	226	64	29	18	15	352	34	16	42	41	48	77	88	134	227	267

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·07	–	6	6	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	3	–
Measles	0·32	0·31	0·33	58	28	30	10	25	7	3	1	46	10	–	–	–	2	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·12	25	14	11	1	5	3	3	4	16	8	1	–	–	–	–	–	–	–	–
Diphtheria	0·04	0·02	0·07	8	2	6	–	–	–	1	1	2	5	–	–	1	–	–	–	–	–	–
Whooping-cough	0·29	0·27	0·32	53	24	29	33	13	2	–	1	49	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·10	0·11	19	9	10	–	–	–	–	1	1	1	3	4	3	2	1	2	1	1	–
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1
Diarrhœa and Dysentery	0·26	0·28	0·23	46	25	21	13	6	–	3	–	22	1	–	1	–	1	1	1	3	2	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·49	0·77	114	44	70	–	–	–	–	–	–	–	1	–	1	1	13	17	33	30	18
Tabes Mesenterica	0·13	0·19	0·08	24	17	7	11	1	1	2	1	16	3	1	2	–	1	1	–	–	–	–
Phthisis	0·98	0·91	1·04	176	81	95	1	–	–	2	–	3	6	8	25	19	36	35	25	12	6	1
Other Tub. & Scrof. Dis.	0·39	0·48	0·31	71	43	28	32	12	5	3	3	55	4	3	2	1	2	–	1	3	–	–
Diseases of Nervous System	2·09	2·21	1·98	377	197	180	61	14	8	2	2	87	9	6	6	4	4	8	19	43	114	77
Diseases of Circulatory „	1·96	1·86	2·07	354	166	188	4	2	1	–	–	7	2	1	3	4	9	16	31	59	122	100
Diseases of Respiratory „	2·36	2·62	2·10	425	234	191	94	38	18	11	5	166	9	6	–	4	10	18	23	31	72	86
Diseases of Digestive „	0·97	0·94	0·99	174	84	90	35	10	1	4	4	54	2	3	8	2	5	6	13	26	39	16
Diseases of Urinary „	0·61	0·69	0·53	110	62	48	2	–	–	1	2	5	1	1	–	4	5	10	17	21	26	20
Diseases of Generative „	0·03	–	0·05	5	–	5	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Childbirth	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	1	2	2	8	–	–	–	–
Violence	0·45	0·63	0·27	81	56	25	10	1	1	2	1	15	5	7	2	4	13	5	6	10	8	6
Other Causes	3·17	3·39	2·95	571	303	268	237	15	6	1	3	262	10	3	6	7	6	7	7	18	53	192

Marriages - - - 1,074

Births - { Males - 2,806 / Females - 2,698 } 5,504

Annual Rate per 1000 living { Persons Married 11·91 / Births - - 30·53 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·00 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

155.—BANBURY

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·43	†115	–	–	–	–	41·70	3·77	1·94	3·72	3·94	7·16	9·70	12·69	22·31	60·20	162·89
Annual Death-Rate per 1000. Males	—	16·25	†125	–	–	–	–	44·44	4·01	1·81	4·43	4·06	7·29	11·44	13·77	23·09	67·25	170·48
Annual Death-Rate per 1000. Females	–	14·66	†104	–	–	–	–	38·96	3·53	2·07	2·95	3·83	7·05	8·16	11·69	21·57	54·07	156·11
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·17 per cent.	29,808	745	679	717	744	734	3619	3605	3565	2847	2259	3672	3124	2751	2322	1470	574
Mean Population, 1881–91. Males		14,632	378	351	344	370	364	1807	1820	1824	1491	1084	1742	1469	1314	1126	684	271
Mean Population, 1881–91. Females		15,176	367	328	373	374	370	1812	1785	1741	1356	1175	1930	1655	1437	1196	786	303
Deaths from All Causes, 1881–90. Persons	17·32	5,162	993	266	135	70	45	1509	136	69	106	89	263	303	349	518	885	935
Deaths from All Causes, 1881–90. Males	18·30	2,677	552	127	62	38	24	803	73	33	66	44	127	168	181	260	460	462
Deaths from All Causes, 1881–90. Females	16·37	2,485	441	139	73	32	21	706	63	36	40	45	136	135	168	258	425	473

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·04	0·01	7	6	1	1	–	–	–	–	1	–	–	–	–	1	1	1	2	1	–
Measles	0·33	0·39	0·27	98	57	41	18	36	16	12	3	85	10	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·14	0·14	0·15	43	20	23	3	6	10	7	4	30	9	3	1	–	–	–	–	–	–	–
Diphtheria	0·02	0·01	0·04	7	1	6	–	1	1	–	1	3	2	1	–	–	1	–	–	–	–	–
Whooping-cough	0·34	0·23	0·43	100	34	66	48	26	11	6	2	93	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·08	0·08	0·09	25	12	13	–	–	1	1	1	3	1	4	3	2	5	3	1	2	1	–
Simple Continued Fever	0·01	0·01	–	2	2	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·24	0·32	83	35	48	32	9	3	3	1	48	–	1	–	–	1	–	1	5	18	9
Cholera	0·01	0·01	0·01	3	1	2	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·47	0·72	179	69	110	–	–	–	–	–	–	–	1	–	–	4	15	27	50	61	21
Tabes Mesenterica	0·21	0·21	0·20	62	31	31	23	11	5	4	–	43	7	5	3	–	2	–	–	1	–	1
Phthisis	1·25	1·35	1·16	374	198	176	14	4	4	1	1	24	11	13	35	37	89	67	55	28	13	2
Other Tub. & Scrof. Dis.	0·20	0·16	0·23	59	24	35	12	8	4	3	1	28	6	4	7	5	3	2	1	1	2	–
Diseases of Nervous System	2·48	2·63	2·35	740	384	356	113	36	15	10	9	183	14	7	15	2	22	36	49	98	165	149
Diseases of Circulatory „	1·69	1·59	1·79	504	233	271	2	1	–	–	–	3	1	2	8	7	22	38	49	94	181	99
Diseases of Respiratory „	3·07	3·57	2·60	916	522	394	217	85	49	13	15	379	33	5	5	10	27	41	45	85	149	137
Diseases of Digestive „	1·05	1·13	0·98	313	165	148	35	15	4	–	2	56	7	1	6	8	13	23	39	58	60	30
Diseases of Urinary „	0·56	0·72	0·42	168	105	63	2	1	1	–	–	4	4	2	2	4	6	11	19	33	48	35
Diseases of Generative „	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	–	–	–	7	4	3	2	2
Puerperal Fever	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Childbirth	0·08	–	0·16	24	–	24	–	–	–	–	–	–	–	–	–	4	13	7	–	–	–	–
Violence	0·62	0·88	0·37	184	128	56	20	3	4	6	2	35	16	12	12	2	13	21	15	16	24	18
Other Causes	4·17	4·44	3·84	1237	650	587	450	24	6	4	3	487	8	7	7	6	32	23	42	42	151	482

Marriages - - - 2,008

Births - Males - 4,431; Females - 4,237 — 8,668

Annual Rate per 1000 living: Persons Married 13·47; Births - - 29·08

Deaths from Childbirth and Puerperal Fever - - - - - 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

156.—BRACKLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·19	†108	–	–	–	–	36·62	4·01	2·85	4·12	5·83	6·76	7·79	10·86	20·71	58·38	136·73
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·31	†114	–	–	–	–	37·92	4·70	3·32	3·13	6·56	6·65	7·21	12·01	21·67	56·83	145·26
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·08	†101	–	–	–	–	35·19	3·29	2·32	5·30	5·12	6·86	8·32	9·83	19·80	59·88	129·30
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·51 per cent.	11,985	294	282	301	288	307	1472	1423	1369	1117	857	1435	1283	1123	956	656	294
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·51 per cent.	5,997	151	158	151	154	156	770	724	723	608	427	677	610	533	466	322	137
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·51 per cent.	5,988	143	124	150	134	151	702	699	646	509	430	758	673	590	490	334	157
Deaths from All Causes, 1881–90. Persons	16·96	2,033	361	87	39	31	21	539	57	39	46	50	97	100	122	198	383	402
Deaths from All Causes, 1881–90. Males	17·23	1,033	197	43	28	16	8	292	34	24	19	28	45	44	64	101	183	199
Deaths from All Causes, 1881–90. Females	16·70	1,000	164	44	11	15	13	247	23	15	27	22	52	56	58	97	200	203

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·38	0·43	0·32	45	26	19	10	14	8	3	2	37	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·22	0·23	27	13	14	1	4	3	5	3	16	6	4	–	–	1	–	–	–	–	–
Diphtheria	0·14	0·13	0·15	17	8	9	–	–	3	2	2	7	5	1	–	2	2	–	–	–	–	–
Whooping-cough	0·24	0·23	0·25	29	14	15	14	7	2	3	1	27	1	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·17	0·15	0·18	20	9	11	1	–	–	2	–	3	2	2	5	2	2	2	2	–	–	–
Simple Continued Fever	0·04	0·07	0·02	5	4	1	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	–
Diarrhœa and Dysentery	0·41	0·32	0·50	49	19	30	16	–	1	–	–	17	–	1	–	–	2	1	–	2	12	14
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·57	0·38	0·75	68	23	45	–	–	–	–	–	–	–	–	–	–	–	4	11	22	26	5
Tabes Mesenterica	0·18	0·23	0·13	22	14	8	12	1	2	1	1	17	–	2	1	–	–	–	1	–	1	–
Phthisis	1·20	1·28	1·12	144	77	67	4	1	1	–	–	6	3	5	13	18	44	24	12	11	6	2
Other Tub. & Scrof. Dis.	0·45	0·53	0·37	54	32	22	10	9	3	–	1	23	6	5	7	3	3	3	2	–	2	–
Diseases of Nervous System	2·53	2·50	2·56	303	150	153	50	4	3	1	4	62	5	2	–	–	5	9	12	28	85	95
Diseases of Circulatory "	2·14	2·05	2·22	256	123	133	2	–	–	1	–	3	3	5	7	7	5	11	22	37	87	69
Diseases of Respiratory "	2·65	2·70	2·59	317	162	155	84	31	6	7	3	131	5	–	2	4	5	8	14	25	62	61
Diseases of Digestive "	1·09	1·18	1·00	131	71	60	21	8	3	1	1	34	3	1	1	2	5	6	17	24	22	16
Diseases of Urinary "	0·61	0·72	0·50	73	43	30	1	–	–	1	–	2	2	–	1	3	5	4	6	7	26	17
Diseases of Generative "	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	1	2	4	3	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Violence	0·46	0·70	0·22	55	42	13	1	1	3	1	1	7	3	3	2	2	6	5	5	10	6	6
Other Causes	3·27	3·34	3·26	394	199	195	134	7	1	3	2	147	5	6	4	4	5	18	14	27	47	117

Marriages - - - 734

Births - Males - 1,727; Females - 1,626 — 3,353

Annual Rate per 1000 living: Persons Married 12·25; Births - - 27·98

Deaths from Childbirth and Puerperal Fever - - - - - 4·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

157.—TOWCESTER.

Causes of Deaths.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·64		†115	–	–	–	–	39·36	4·02	1·94	4·28	4·90	5·63	8·90	10·24	22·33	53·97	164·68
Males	—				14·70		†121	–	–	–	–	43·79	3·98	2·12	3·72	4·02	5·73	8·96	10·80	22·68	52·58	155·22
Females	—				14·57		†108	–	–	–	–	34·98	4·07	1·75	4·96	5·73	5·53	8·86	9·72	22·00	55·26	174·07
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·96 per cent.			12,272			321	286	318	309	336	1570	1491	1393	1122	877	1493	1269	1182	963	643	269
Males				6,058			168	145	152	146	170	781	754	709	618	423	698	603	565	463	310	134
Females				6,214			153	141	166	163	166	789	737	684	504	454	795	666	617	500	333	135
Deaths from All Causes, 1881–90. Persons	17·27			2,119			412	99	52	36	19	618	60	27	48	43	84	113	121	215	347	443
Males	17·46			1,058			229	52	33	20	8	342	30	15	23	17	40	54	61	105	163	208
Females	17·07			1,061			183	47	19	16	11	276	30	12	25	26	44	59	60	110	184	235
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·23	0·24	29	14	15	11	11	3	2	1	28	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·20	0·16	22	12	10	–	5	4	3	4	16	4	–	2	–	–	–	–	–	–	–
Diphtheria	0·05	0·07	0·03	6	4	2	–	–	–	–	2	2	2	1	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·30	0·23	32	18	14	12	11	3	3	1	30	2	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·11	14	7	7	1	1	–	–	–	2	4	2	1	2	1	1	–	1	–	–
Simple Continued Fever	0·03	0·02	0·05	4	1	3	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·35	0·30	0·40	43	18	25	10	4	1	1	–	16	1	–	1	–	2	–	3	1	10	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·40	0·90	80	24	56	–	–	–	–	–	–	–	–	–	1	–	5	12	25	23	14
Tabes Mesenterica	0·22	0·23	0·21	27	14	13	12	3	4	2	1	22	2	–	–	–	2	1	–	–	–	–
Phthisis	1·25	1·32	1·17	153	80	73	3	1	1	–	1	6	4	7	28	13	28	27	18	14	7	1
Other Tub. & Scrof. Dis.	0·34	0·41	0·27	42	25	17	16	5	4	3	–	28	6	2	3	–	1	–	–	–	2	–
Diseases of Nervous System	2·07	2·31	1·83	254	140	114	41	7	1	2	1	52	6	2	3	1	6	11	14	31	68	60
Circulatory "	1·92	1·82	2·03	236	110	126	1	–	–	–	–	1	2	2	3	5	4	14	25	47	70	63
Respiratory "	2·62	2·48	2·75	321	150	171	84	26	17	9	4	140	14	3	–	6	6	7	15	25	47	58
Digestive "	1·31	1·34	1·29	161	81	80	33	11	2	3	–	49	3	3	2	1	3	9	13	27	32	19
Urinary "	0·37	0·50	0·24	45	30	15	–	–	–	–	–	–	1	–	1	3	4	6	4	11	10	5
Generative "	0·06	0·02	0·10	7	1	6	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	1
Puerperal Fever	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Violence	0·55	0·76	0·34	67	46	21	5	2	5	3	–	15	5	1	2	4	4	10	5	6	9	6
Other Causes	4·53	4·63	4·40	556	283	273	183	12	7	5	3	210	2	4	1	3	14	12	10	27	66	207

Marriages - - 817

Births - Males - 1,885; Females - 1,695 } 3,580

Annual Rate per 1000 living { Persons Married 13·31; Births - - 29·17

Deaths from Childbirth and Puerperal Fever - - - - - } 5·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

158.—POTTERSPURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·92	†119	–	–	–	–	40·08	5·86	2·82	4·23	5·56	5·45	7·26	10·18	23·58	56·81	157·48
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·25	†137	–	–	–	–	44·53	5·57	2·15	3·96	5·95	5·05	6·71	11·45	26·72	56·06	157·28
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·61	†100	–	–	–	–	35·55	6·15	3·54	4·57	5·14	5·83	7·78	9·01	20·79	57·49	157·66
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·28 per cent.	12,493	322	298	321	333	303	1577	1536	1452	1207	990	1689	1322	1090	865	551	214
Mean Population, 1881–91. Males	Decennial Increase of Population 4·28 per cent.	6,269	172	144	159	172	148	795	772	745	682	504	831	641	524	408	264	103
Mean Population, 1881–91. Females	Decennial Increase of Population 4·28 per cent.	6,224	150	154	162	161	155	782	764	707	525	486	858	681	566	457	287	111
Deaths from All Causes, 1881–90. Persons	16·19	2,022	431	110	39	30	22	632	90	41	51	55	92	96	111	204	313	337
Deaths from All Causes, 1881–90. Males	16·49	1,034	256	60	19	10	9	354	43	16	27	30	42	43	60	109	148	162
Deaths from All Causes, 1881–90. Females	15·87	988	175	50	20	20	13	278	47	25	24	25	50	53	51	95	165	175

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·15	0·13	0·18	19	8	11	3	6	–	3	2	14	4	–	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·05	0·08	8	3	5	–	–	2	1	–	3	3	2	–	–	–	–	–	–	–
Diphtheria	0·24	0·18	0·31	30	11	19	1	1	7	2	4	15	11	2	–	–	2	–	–	–	–
Whooping-cough	0·32	0·24	0·40	40	15	25	20	14	1	4	1	40	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·39	0·40	0·39	49	25	24	–	1	–	2	–	3	6	3	12	3	10	5	4	2	–
Simple Continued Fever	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·17	0·19	0·14	21	12	9	13	–	–	1	–	14	1	–	–	–	–	–	–	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·65	0·96	101	41	60	–	–	–	–	–	–	1	–	–	–	1	6	18	26	38
Tabes Mesenterica	0·20	0·19	0·21	25	12	13	15	4	2	–	–	21	2	–	–	1	–	1	–	–	–
Phthisis	1·17	1·08	1·25	146	68	78	3	1	–	1	–	5	5	7	13	23	39	22	14	13	3
Other Tub. & Scrof. Dis.	0·32	0·32	0·32	40	20	20	7	7	2	2	–	18	12	5	3	1	–	–	1	–	–
Diseases of Nervous System	2·19	2·35	2·04	274	147	127	56	12	4	3	2	77	7	6	3	4	4	10	13	34	57
Diseases of Circulatory „	1·57	1·42	1·72	196	89	107	–	–	–	–	–	–	2	4	3	5	4	11	17	47	73
Diseases of Respiratory „	2·01	2·23	1·78	251	140	111	56	30	8	8	6	108	16	–	5	4	6	7	6	26	40
Diseases of Digestive „	1·05	1·02	1·08	131	64	67	25	16	6	1	2	50	6	4	3	2	3	4	12	18	21
Diseases of Urinary „	0·43	0·56	0·31	54	35	19	–	1	–	–	–	1	1	2	4	2	3	4	6	8	18
Diseases of Generative „	0·02	0·02	0·03	3	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–
Childbirth	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	1	4	1	–	–
Violence	0·53	0·85	0·21	66	53	13	2	2	4	–	4	12	7	2	3	1	9	6	8	9	6
Other Causes	4·42	4·56	4·23	551	287	264	229	15	3	2	1	250	6	4	2	6	6	13	11	17	53

Marriages	758	Annual Rate per 1000 living: Persons Married	12·13
Births: Males	1,870	Annual Rate per 1000 living: Births	29·00
Births: Females	1,753	Deaths from Childbirth and Puerperal Fever	3·86 per 1000 Births.
Births	3,623		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

159.—HARDINGSTONE.

Cause of Death.	Crude Death-Rate per 1000.	All Causes.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·67	†118	–	–	–	–	41·99	4·30	3·39	4·16	5·25	4·72	8·08	11·80	21·34	55·01	134·16
Annual Death-Rate per 1000. Males	—	15·14	†139	–	–	–	–	48·97	4·33	3·63	3·84	4·79	3·45	8·03	9·68	23·97	57·09	136·19
Annual Death-Rate per 1000. Females	—	14·23	†96	–	–	–	–	35·45	4·27	3·14	4·57	5·75	5·97	8·13	13·94	18·85	52·89	131·96
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·12 per cent.	10,545	290	273	285	280	277	1405	1302	1179	937	838	1398	1126	924	745	489	202
Mean Population, 1881–91. Males		5,314	146	131	138	132	133	680	646	606	521	438	695	548	465	363	247	105
Mean Population, 1881–91. Females		5,231	144	142	147	148	144	725	656	573	416	400	703	578	459	382	242	97
Deaths from All Causes, 1881–90. Persons	16·44	1,734	381	112	47	34	16	590	56	40	39	44	66	91	109	159	269	271
Deaths from All Causes, 1881–90. Males	17·09	908	226	63	20	17	7	333	28	22	20	21	24	44	45	87	141	143
Deaths from All Causes, 1881–90. Females	15·79	826	155	49	27	17	9	257	28	18	19	23	42	47	64	72	128	128

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·39	0·55	0·23	41	29	12	3	17	4	7	1	32	6	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·23	0·34	30	12	18	2	1	7	6	4	20	6	2	1	–	1	–	–	–	–	–
Diphtheria	0·13	0·06	0·21	14	3	11	–	1	1	3	3	8	4	2	–	–	–	–	–	–	–	–
Whooping-cough	0·25	0·21	0·29	26	11	15	10	7	7	1	1	26	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·15	0·11	14	8	6	–	1	–	–	–	1	1	3	2	3	3	1	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·57	0·60	0·54	60	32	28	28	5	2	2	–	37	1	–	1	1	–	–	3	1	9	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	0·51	0·48	52	27	25	–	–	–	–	–	–	–	–	–	–	–	4	6	15	21	6
Tabes Mesenterica	0·26	0·21	0·31	27	11	16	13	5	4	1	–	23	1	1	–	–	1	1	–	–	–	–
Phthisis	1·22	1·07	1·38	129	57	72	–	2	–	–	–	2	3	8	18	16	27	21	20	10	4	–
Other Tub. & Scrof. Dis.	0·31	0·41	0·21	33	22	11	15	5	2	–	1	23	5	2	1	1	1	–	–	–	–	–
Diseases of Nervous System	2·18	2·33	2·03	230	124	106	48	8	6	2	1	65	6	3	2	2	2	10	11	27	49	53
Diseases of Circulatory "	1·69	1·28	2·10	178	68	110	1	–	–	–	–	1	1	2	4	2	4	9	25	31	65	34
Diseases of Respiratory "	2·95	3·31	2·58	311	176	135	73	39	10	10	4	136	8	2	–	6	4	12	16	28	51	48
Diseases of Digestive "	0·84	0·64	1·05	89	34	55	20	13	1	–	–	34	2	3	–	1	2	4	8	16	12	7
Diseases of Urinary "	0·46	0·64	0·27	48	34	14	5	–	–	–	–	5	2	–	1	2	3	5	6	7	13	4
Diseases of Generative "	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Puerperal Fever	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–
Childbirth	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–
Violence	0·63	1·09	0·15	66	58	8	1	1	1	1	1	5	2	7	6	5	4	8	6	15	6	2
Other Causes	3·47	3·80	3·13	366	202	164	162	7	2	1	–	172	8	3	2	3	7	8	7	8	38	110

Marriages - - - 781
Births - { Males - 1,628 / Females - 1,614 } 3,242

Annual Rate per 1000 living { Persons Married 14·81 / Births - - 30·74 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

160.—NORTHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·02	†156	–	–	–	–	60·78	4·71	3·05	4·10	4·99	7·78	12·09	16·57	31·34	71·79	175·32
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·13	†169	–	–	–	–	65·33	5·15	2·85	4·24	5·06	8·27	12·98	18·19	33·78	79·90	180·47
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·98	†142	–	–	–	–	56·39	4·28	3·23	3·96	4·93	7·30	11·21	14·98	29·04	64·69	171·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·46 per cent.	71,780	2081	1860	1911	1915	1880	9647	8741	8010	7493	6488	10778	8047	5940	3883	2056	697
Mean Population, 1881–91. Males		35,127	1036	907	936	922	927	4728	4348	3896	3581	3140	5357	3998	2936	1886	960	297
Mean Population, 1881–91. Females		36,653	1045	953	975	993	953	4919	4393	4114	3912	3348	5421	4049	3004	1997	1096	400
Deaths from All Causes, 1881–90. Persons	19·31	13,861	3782	1105	459	309	208	5863	412	244	307	324	839	973	984	1217	1476	1222
Deaths from All Causes, 1881–90. Males	20·41	7,171	2087	545	219	149	89	3089	224	111	152	159	443	519	534	637	767	536
Deaths from All Causes, 1881–90. Females	18·25	6,690	1695	560	240	160	119	2774	188	133	155	165	396	454	450	580	709	686

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	0·00	14	13	1	1	–	–	–	1	2	–	–	–	–	2	1	2	1	2	4
Measles	0·62	0·60	0·64	445	212	233	78	150	81	60	43	412	28	3	1	–	–	1	–	–	–	–
Scarlet Fever	0·32	0·31	0·33	232	110	122	13	25	44	31	33	146	68	12	4	1	–	1	–	–	–	–
Diphtheria	0·06	0·05	0·07	43	17	26	3	1	3	3	12	22	16	3	2	–	–	–	–	–	–	–
Whooping-cough	0·50	0·45	0·54	357	158	199	136	123	41	33	15	348	9	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·09	0·10	0·09	68	35	33	–	2	1	–	3	6	4	10	10	7	16	6	5	3	1	–
Simple Continued Fever	0·02	0·01	0·03	14	4	10	1	–	2	1	1	5	2	2	1	–	1	1	2	–	–	–
Diarrhœa and Dysentery	0·95	1·04	0·87	684	364	320	507	77	11	2	6	603	3	–	1	–	3	4	9	12	23	26
Cholera	0·00	0·01	–	3	3	–	1	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·61	0·45	0·77	439	157	282	2	–	–	–	–	2	–	2	4	3	20	65	111	134	78	20
Tabes Mesenterica	0·15	0·15	0·15	108	54	54	54	17	11	3	2	87	4	7	4	1	3	2	–	–	–	–
Phthisis	1·84	2·02	1·66	1319	709	610	62	35	20	15	4	136	20	30	106	135	344	283	159	78	26	2
Other Tub. & Scrof. Dis.	0·48	0·57	0·39	344	201	143	136	68	25	22	8	259	21	17	16	6	14	4	3	3	1	–
Diseases of Nervous System	3·13	3·53	2·74	2245	1239	1006	654	103	34	22	18	831	51	36	37	29	93	167	188	259	336	218
Diseases of Circulatory „	1·31	1·24	1·38	940	435	505	2	–	–	1	–	3	12	22	19	20	68	88	134	181	251	142
Diseases of Respiratory „	3·51	3·65	3·38	2519	1282	1237	667	350	140	84	40	1281	83	18	11	20	50	101	126	245	319	265
Diseases of Digestive „	1·15	1·18	1·12	825	416	409	224	76	16	6	5	327	21	16	15	20	42	63	77	99	100	45
Diseases of Urinary „	0·44	0·60	0·28	313	210	103	14	8	5	7	5	39	9	10	11	13	26	35	31	51	64	24
Diseases of Generative „	0·06	0·01	0·11	41	2	39	1	–	–	–	–	1	–	–	1	2	5	11	9	2	9	1
Puerperal Fever	0·10	–	0·19	71	–	71	–	–	–	–	–	–	–	–	4	13	33	20	1	–	–	–
Childbirth	0·05	–	0·10	36	–	36	–	–	–	–	–	–	–	–	1	5	14	16	–	–	–	–
Violence	0·62	0·92	0·34	447	324	123	43	21	11	14	5	94	31	18	29	16	44	43	43	47	45	37
Other Causes	3·28	3·48	3·07	2353	1226	1127	1183	49	14	5	6	1257	30	38	30	33	61	61	84	100	221	438

Marriages - - - 5,566

Births - { Males - 12,323 / Females - 11,948 } 24,271

Annual Rate per 1000 living { Persons Married 15·51 / Births - - 33·81 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

161.—DAVENTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·87	†106	–	–	–	–	36·67	2·80	1·52	3·24	5·45	5·72	8·41	10·14	21·79	52·25	163·68
Annual Death-Rate per 1000. Males	—	14·10	†117	–	–	–	–	39·44	2·86	1·04	2·39	4·64	6·10	8·76	11·98	23·03	54·58	163·96
Annual Death-Rate per 1000. Females	—	13·64	†95	–	–	–	–	33·84	2·73	2·02	4·30	6·45	5·32	8·05	8·34	20·63	50·09	163·43
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·66 per cent.	18,081	424	415	435	434	433	2141	2074	1902	1667	1486	2309	1926	1686	1455	1022	413
Mean Population, 1881–91. Males		9,185	217	206	230	214	213	1080	1049	960	922	819	1163	970	835	699	491	197
Mean Population, 1881–91. Females		8,896	207	209	205	220	220	1061	1025	942	745	667	1146	956	851	756	531	216
Deaths from All Causes, 1881–90. Persons	16·59	2,990	531	150	51	30	23	785	58	29	54	81	132	162	171	317	534	676
Deaths from All Causes, 1881–90. Males	16·70	1,534	300	79	20	12	15	426	30	10	22	38	71	85	100	161	268	323
Deaths from All Causes, 1881–90. Females	16·47	1,465	231	71	31	18	8	359	28	19	32	43	61	77	71	156	266	353

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
Measles	0·14	0·16	0·12	26	15	11	3	7	4	3	2	19	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·02	0·08	9	2	7	–	2	–	2	2	6	–	3	–	–	–	–	–	–	–	–
Diphtheria	0·03	0·02	0·03	5	2	3	1	–	1	1	1	4	1	–	–	–	–	–	–	–	–	–
Whooping-cough	0·19	0·15	0·22	34	14	20	16	8	5	3	–	32	1	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·08	12	5	7	–	–	–	–	–	–	2	1	1	3	2	–	1	–	1	1
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·36	0·43	71	33	38	24	9	3	–	–	36	1	–	–	–	–	5	–	5	10	14
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·63	0·54	0·71	113	50	63	–	–	–	–	–	–	–	–	–	1	6	2	21	30	31	22
Tabes Mesenterica	0·20	0·17	0·22	36	16	20	21	8	1	1	–	31	2	–	–	2	–	1	–	–	–	–
Phthisis	1·24	1·15	1·33	224	106	118	7	4	1	2	1	15	7	7	23	30	41	44	24	16	14	3
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	34	17	17	6	8	2	1	1	18	7	2	1	2	1	1	1	–	1	–
Diseases of Nervous System	2·24	2·11	2·37	405	194	211	64	24	5	3	3	99	7	3	5	4	5	14	22	53	97	96
Diseases of Circulatory "	2·49	2·22	2·77	450	204	246	4	1	–	–	1	6	2	1	3	6	13	17	22	77	129	174
Diseases of Respiratory "	2·58	2·98	2·16	466	274	192	109	37	17	10	8	181	2	3	2	7	14	21	27	44	78	87
Diseases of Digestive "	1·37	1·48	1·25	247	136	111	60	26	6	–	2	94	9	4	–	4	8	12	20	28	37	31
Diseases of Urinary "	0·48	0·66	0·29	87	61	26	1	–	–	–	–	1	–	–	1	1	5	8	3	17	36	15
Diseases of Generative "	0·08	0·01	0·16	15	1	14	1	–	–	–	–	1	–	–	1	3	3	1	2	2	–	2
Puerperal Fever	0·09	–	0·19	17	–	17	–	–	–	–	–	–	–	–	2	5	8	2	–	–	–	–
Childbirth	0·07	–	0·13	12	–	12	–	–	–	–	–	–	–	–	1	–	4	6	1	–	–	–
Violence	0·59	0·90	0·27	107	83	24	3	3	3	1	1	11	6	2	4	5	10	14	14	14	17	10
Other Causes	3·42	3·50	3·42	621	318	303	210	13	3	3	1	230	3	2	9	7	11	14	13	30	82	220

Marriages - - - 1,174

Births - Males - 2,567; Females - 2,431 — 4,998

Annual Rate per 1000 living: Persons Married 12·99; Births - 27·64

Deaths from Childbirth and Puerperal Fever - - - - 5·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

162.—BRIXWORTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·15		†117	–	–	–	–	40·09	3·82	3·21	4·06	5·64	6·04	6·64	8·39	20·57	50·14	151·03
Males	—				14·01		†125	–	–	–	–	44·46	4·11	3·06	2·58	5·23	5·40	5·50	7·45	21·17	54·27	143·15
Females	—				14·28		†109	–	–	–	–	35·96	3·53	3·38	6·05	6·10	6·67	7·74	9·27	20·00	46·05	159·03
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·62 per cent.			12,761			313	281	293	321	296	1504	1494	1431	1084	975	1573	1340	1251	1089	730	290
Males				6,424			150	132	140	157	152	731	730	751	621	516	778	655	604	529	363	146
Females				6,337			163	149	153	164	144	773	764	680	463	459	795	685	647	560	367	144
Deaths from All Causes, 1881–90. Persons	16·63			2,122			409	89	49	33	23	603	57	46	44	55	95	89	105	224	366	438
Males	16·53			1,062			219	51	25	17	13	325	30	23	16	27	42	36	45	112	197	209
Females	16·73			1,060			190	38	24	16	10	278	27	23	28	28	53	53	60	112	169	229
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·36	0·21	36	23	13	9	9	5	3	3	29	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·20	0·21	26	13	13	4	1	5	4	2	16	6	3	1	–	–	–	–	–	–	–
Diphtheria	0·38	0·37	0·39	49	24	25	–	2	3	10	5	20	15	11	1	1	–	–	–	–	–	–
Whooping-cough	0·28	0·30	0·27	36	19	17	24	6	4	2	–	36	–	–	–	–	–	–	–	1	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Simple Continued Fever	0·03	–	0·06	4	–	4	–	–	1	–	–	1	–	–	1	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·27	0·34	0·21	35	22	13	17	3	–	1	1	22	1	–	–	–	–	1	–	1	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·47	0·88	86	30	56	–	–	–	–	1	1	–	–	–	1	1	1	17	26	29	10
Tabes Mesenterica	0·09	0·08	0·11	12	5	7	6	1	–	–	–	7	2	2	1	–	–	–	–	–	–	–
Phthisis	1·13	1·17	1·09	144	75	69	1	5	–	–	–	6	2	3	15	24	37	18	10	15	13	1
Other Tub. & Scrof. Dis.	0·31	0·23	0·38	39	15	24	6	8	4	3	1	22	4	2	3	3	1	2	1	1	–	–
Diseases of Nervous System	2·70	2·88	2·51	344	185	159	45	6	3	2	3	59	3	9	6	2	9	8	18	49	90	91
Circulatory "	1·67	1·46	1·88	213	94	119	1	–	–	–	1	2	1	–	1	–	10	17	24	40	67	51
Respiratory "	2·83	2·94	2·71	361	189	172	106	39	19	7	5	176	8	2	3	4	12	9	6	30	49	62
Digestive "	1·18	1·14	1·23	151	73	78	27	7	2	1	–	37	3	3	4	–	2	10	9	22	40	21
Urinary "	0·44	0·59	0·28	56	38	18	–	–	–	–	–	–	–	1	–	2	6	1	4	14	17	11
Generative "	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	–
Puerperal Fever	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	1	3	1	5	–	–	–	–
Childbirth	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–	–
Violence	0·45	0·70	0·19	57	45	12	3	1	2	–	–	6	1	3	2	8	4	4	7	4	12	6
Other Causes	3·49	3·28	3·69	445	211	234	160	1	1	–	1	163	3	7	5	6	7	5	6	20	45	178

Marriages - - - 800

Births - Males - 1,753; Females - 1,748 — 3,501

Annual Rate per 1000 living: Persons Married 12·54; Births - - 27·44

Deaths from Childbirth and Puerperal Fever - - - - - 5·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

163.—WELLINGBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·04	†135	–	–	–	–	49·31	3·90	3·01	3·35	5·55	5·51	8·02	12·06	23·10	58·19	155·15
Males	—					16·69	†148	–	–	–	–	53·83	3·53	2·86	2·92	5·35	4·84	7·76	12·88	24·31	63·37	178·16
Females	—					15·43	†121	–	–	–	–	44·91	4·28	3·17	3·80	5·75	6·18	8·29	11·26	21·89	53·29	136·92
Mean Population, 1881–91. Persons	Decennial Increase of Population 18·17 per cent.			40,297			1185	1062	1075	1092	1057	5471	5123	4512	4354	3567	5811	4262	3201	2260	1270	466
Males				20,080			574	518	530	540	539	2701	2550	2238	2225	1812	2914	2114	1576	1127	617	206
Females				20,217			611	544	545	552	518	2770	2573	2274	2129	1755	2897	2148	1625	1133	653	260
Deaths from All Causes, 1881–90. Persons	15·91			6,410			1810	471	182	147	88	2698	200	136	146	198	320	342	386	522	739	723
Males	16·48			3,310			1013	240	91	72	38	1454	90	64	65	97	141	104	203	274	391	367
Females	15·33			3,100			797	231	91	75	50	1244	110	72	81	101	179	178	183	248	348	356
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Measles	0·34	0·38	0·31	138	76	62	32	40	25	19	9	125	11	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·25	0·24	0·26	102	49	53	9	13	14	24	9	69	22	4	3	2	1	1	–	–	–	–
Diphtheria	0·09	0·08	0·10	36	16	20	1	3	–	10	5	19	10	1	2	–	–	2	–	1	–	1
Whooping-cough	0·52	0·46	0·59	211	92	119	97	61	24	13	9	204	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	0·23	0·23	0·22	91	46	45	–	–	1	1	2	4	11	20	19	12	10	9	6	–	–	–
Simple Continued Fever	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·44	0·33	155	89	66	108	17	1	–	1	127	–	2	–	1	2	–	–	4	5	14
Cholera	0·01	0·01	0·01	4	2	2	1	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Cancer	0·59	0·46	0·72	238	93	145	–	–	–	1	1	2	–	–	1	–	7	17	53	81	59	18
Tabes Mesenterica	0·26	0·29	0·24	106	58	48	61	20	7	3	–	91	5	2	4	2	2	–	–	–	–	–
Phthisis	1·39	1·45	1·34	562	291	271	19	8	3	2	3	35	6	23	52	84	126	114	67	35	19	1
Other Tub. & Scrof. Dis.	0·59	0·61	0·56	236	122	114	78	42	11	10	12	153	30	20	6	7	7	6	4	1	1	1
Diseases of Nervous System	1·76	1·84	1·68	708	369	339	194	34	20	6	9	263	10	12	9	10	15	20	42	87	139	101
Circulatory	1·41	1·39	1·42	567	280	287	1	1	–	–	–	2	9	14	10	15	19	46	66	122	180	84
Respiratory	3·14	3·41	2·87	1264	684	580	414	174	59	45	20	712	35	9	9	15	26	31	48	88	152	139
Digestive	0·84	0·83	0·85	338	167	171	99	24	3	4	1	131	11	6	9	7	16	24	31	38	47	18
Urinary	0·28	0·33	0·22	111	67	44	1	2	1	2	2	8	3	1	1	5	12	5	17	21	25	13
Generative	0·02	–	0·04	9	–	9	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	1
Puerperal Fever	0·08	–	0·16	33	–	33	–	–	–	–	–	–	–	–	1	7	14	10	1	–	–	–
Childbirth	0·06	–	0·11	23	–	23	–	–	–	–	–	–	–	–	1	3	8	11	–	–	–	–
Violence	0·50	0·77	0·23	201	155	46	16	9	6	6	1	38	13	9	12	14	24	20	25	19	22	5
Other Causes	3·16	3·26	3·05	1271	653	618	679	23	7	1	4	714	16	11	6	12	26	22	25	25	87	327

Marriages - - - 2,880

Births - { Males - 6,823 / Females - 6,611 } 13,434

Annual Rate per 1000 living { Persons Married 14·29 / Births - - 33·34

Deaths from Childbirth and Puerperal Fever - - - - - } 4·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

164.—KETTERING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·60	†138	–	–	–	–	50·83	3·54	2·51	3·41	3·91	5·51	7·13	11·32	22·08	54·95	151·54
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·43	†159	–	–	–	–	56·81	3·52	2·56	2·87	3·43	4·92	7·13	13·06	23·14	59·13	160·62
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·82	†116	–	–	–	–	44·84	3·55	2·46	3·97	4·44	6·13	7·13	9·58	21·02	50·87	142·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 38·89 per cent.	30,580	928	844	878	825	828	4303	3902	3384	3111	2787	4432	3197	2359	1694	1021	390
Mean Population, 1881–91. Males		15,480	459	430	431	405	426	2151	1961	1677	1601	1459	2296	1612	1179	847	504	193
Mean Population, 1881–91. Females		15,100	469	414	447	420	402	2152	1941	1707	1510	1328	2136	1585	1180	847	517	197
Deaths from All Causes, 1881–90. Persons	15·99	4,890	1476	414	138	92	67	2187	138	85	106	109	244	228	267	374	561	591
Deaths from All Causes, 1881–90. Males	16·90	2,616	866	213	66	45	32	1222	69	43	46	50	113	115	154	196	298	310
Deaths from All Causes, 1881–90. Females	15·06	2,274	610	201	72	47	35	965	69	42	60	59	131	113	113	178	263	281

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	5	4	1	–	–	1	–	–	1	–	–	–	1	3	–	–	–	–	–
Measles	0·53	0·54	0·52	161	83	78	32	64	27	14	12	149	9	1	–	2	–	–	–	–	–	–
Scarlet Fever	0·18	0·21	0·15	55	33	22	4	8	8	10	6	36	11	3	3	1	–	–	–	1	–	–
Diphtheria	0·08	0·10	0·05	23	15	8	1	6	3	2	2	14	8	1	–	–	–	–	–	–	–	–
Whooping-cough	0·33	0·27	0·38	100	42	58	50	29	12	4	2	97	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·31	0·31	0·31	95	48	47	–	2	2	2	2	8	16	18	15	7	14	11	2	3	1	–
Simple Continued Fever	0·03	0·03	0·02	8	5	3	1	1	–	–	–	2	1	2	1	–	–	1	–	–	1	–
Diarrhœa and Dysentery	0·48	0·52	0·44	147	81	66	93	18	1	–	1	113	1	–	–	–	2	–	3	8	8	12
Cholera	0·01	0·01	0·01	3	1	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Cancer	0·49	0·40	0·58	150	62	88	–	–	–	–	–	–	–	–	–	2	6	11	29	49	39	14
Tabes Mesenterica	0·20	0·21	0·19	60	32	28	37	9	3	2	1	52	3	1	1	2	1	–	–	–	–	–
Phthisis	1·06	1·11	1·01	325	172	153	2	4	1	1	–	8	9	11	29	45	87	66	43	19	7	1
Other Tub. & Scrof. Dis.	0·39	0·34	0·44	118	52	66	48	21	3	9	4	85	14	6	4	2	4	1	2	–	–	–
Diseases of Nervous System	2·01	2·25	1·76	614	348	266	156	36	14	7	8	221	17	4	12	3	15	20	32	78	123	89
Diseases of Circulatory „	1·27	1·31	1·23	389	203	186	7	1	–	1	–	9	2	8	10	8	25	33	38	73	120	63
Diseases of Respiratory „	2·96	3·25	2·66	904	503	401	287	125	41	28	20	501	24	4	6	8	19	22	36	58	97	129
Diseases of Digestive „	1·00	0·95	1·05	306	147	159	84	37	5	3	1	130	4	5	7	5	12	18	32	30	49	14
Diseases of Urinary „	0·23	0·32	0·15	71	49	22	1	–	1	1	2	5	1	1	2	4	4	3	9	7	21	14
Diseases of Generative „	0·02	–	0·03	5	–	5	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–
Puerperal Fever	0·08	–	0·15	23	–	23	–	–	–	–	–	–	–	–	1	7	9	6	–	–	–	–
Childbirth	0·07	–	0·15	22	–	22	–	–	–	–	–	–	–	–	–	3	11	6	2	–	–	–
Violence	0·46	0·67	0·25	141	103	38	15	12	3	3	4	37	7	7	5	7	11	12	16	19	16	4
Other Causes	3·78	4·06	3·52	1164	632	532	657	41	13	5	2	718	8	13	9	2	20	16	22	27	78	251

Marriages - - - 2,102

Births - { Males - 5,459 / Females - 5,240 } 10,699

Annual Rate per 1000 living { Persons Married 13·75 / Births - - 34·99 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

165.—THRAPSTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·38	†122	–	–	–	–	41·30	5·97	3·79	5·45	5·73	6·85	9·23	9·76	23·64	51·20	143·86
Males	—					15·98	†134	–	–	–	–	46·53	5·83	3·42	4·95	5·86	5·88	8·21	11·55	23·23	56·41	164·00
Females	—					14·82	†109	–	–	–	–	36·47	6·11	4·15	6·04	5·60	7·82	10·23	8·01	24·07	46·01	128·13
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·53 per cent.			14,848			387	351	403	405	374	1920	1942	1743	1414	1099	1840	1603	1383	994	625	285
Males				7,429			195	174	188	189	176	922	960	876	768	563	919	792	684	508	312	125
Females				7,419			192	177	215	216	198	998	982	867	646	536	921	811	699	486	313	160
Deaths from All Causes, 1881–90. Persons	16·76			2,489			553	130	42	42	26	793	116	66	77	63	126	148	135	235	320	410
Males	17·27			1,283			308	70	19	17	15	429	56	30	38	33	54	65	79	118	176	205
Females	16·26			1,206			245	60	23	25	11	364	60	36	39	30	72	83	56	117	144	205
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·26	0·20	34	19	15	7	4	6	6	1	24	7	2	–	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·08	0·09	13	6	7	1	1	1	2	–	5	5	2	1	–	–	–	–	–	–	–
Diphtheria	0·22	0·27	0·18	33	20	13	1	1	–	5	5	12	11	8	1	–	–	1	–	–	–	–
Whooping-cough	0·53	0·51	0·55	79	38	41	35	26	7	6	2	76	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·42	0·42	0·42	62	31	31	–	1	2	1	1	5	10	11	12	7	6	6	3	1	1	–
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·26	0·40	49	19	30	20	4	2	1	–	27	1	–	–	–	–	2	1	3	10	5
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·53	0·47	0·59	79	35	44	–	–	–	–	–	–	–	–	–	–	4	4	17	29	17	8
Tabes Mesenterica	0·28	0·28	0·27	41	21	20	24	2	1	2	–	29	3	1	2	2	1	2	1	–	–	–
Phthisis	1·34	1·24	1·44	199	92	107	9	2	–	–	2	13	13	14	26	22	44	41	12	10	4	–
Other Tub. & Scrof. Dis.	0·26	0·27	0·24	38	20	18	8	5	3	3	1	20	6	1	2	2	3	1	–	2	1	–
Diseases of Nervous System	1·74	1·71	1·78	259	127	132	54	16	6	4	4	84	12	5	4	3	3	7	16	36	55	34
Circulatory „	1·58	1·67	1·50	235	124	111	–	–	–	–	–	–	1	2	5	5	9	21	24	51	72	45
Respiratory „	2·81	3·24	2·37	417	241	176	105	40	9	5	6	165	16	2	6	6	16	23	26	36	51	70
Digestive „	1·13	1·17	1·09	168	87	81	27	12	–	3	–	42	7	6	4	1	8	10	13	31	30	16
Urinary „	0·38	0·53	0·23	56	39	17	–	–	–	1	–	1	3	–	1	2	4	3	5	7	17	13
Generative „	0·05	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	–
Puerperal Fever	0·08	–	0·16	12	–	12	–	–	–	–	–	–	–	–	1	1	5	4	1	–	–	–
Childbirth	0·09	–	0·18	13	–	13	–	–	–	–	–	–	–	–	–	1	4	8	–	–	–	–
Violence	0·49	0·71	0·27	73	53	20	2	1	2	1	–	6	12	6	6	2	8	6	4	7	9	7
Other Causes	4·16	4·17	4·18	619	310	309	260	15	3	2	4	284	4	6	6	9	8	7	9	21	53	212

Marriages - - - 1,003

Births - Males - 2,295 / Females - 2,239 } 4,534

Annual Rate per 1000 living { Persons Married 13·51 / Births - - 30·54

Deaths from Childbirth and Puerperal Fever - - - - } 5·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

166.—OUNDLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·36	†99	–	–	–	–	32·44	2·96	2·49	4·47	5·86	6·30	7·47	10·61	21·63	50·26	149·39
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·83	†112	–	–	–	–	37·01	2·58	1·93	3·94	5·00	6·56	7·85	10·31	24·72	51·58	161·69
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·90	†85	–	–	–	–	28·05	3·34	3·13	5·13	6·68	6·04	7·12	10·89	18·60	48·95	138·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·55 per cent.	13,484	309	333	324	320	323	1609	1653	1646	1276	939	1588	1352	1254	1077	760	330
Mean Population, 1881–91. Males	Decennial Decrease of Population 8·55 per cent.	6,761	141	168	164	149	167	789	815	880	711	460	777	650	611	534	380	154
Mean Population, 1881–91. Females	Decennial Decrease of Population 8·55 per cent.	6,723	168	165	160	171	156	820	838	766	565	479	811	702	643	543	380	176
Deaths from All Causes, 1881–90. Persons	16·06	2,166	364	85	33	20	20	522	49	41	57	55	100	101	133	233	382	493
Deaths from All Causes, 1881–90. Males	16·61	1,123	211	50	14	9	8	292	21	17	28	23	51	51	63	132	196	249
Deaths from All Causes, 1881–90. Females	15·51	1,043	153	35	19	11	12	230	28	24	29	32	49	50	70	101	186	244

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Measles	0·09	0·10	0·07	12	7	5	3	5	1	–	1	10	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·09	0·16	17	6	11	1	1	4	2	3	11	3	2	–	–	–	1	–	–	–	–
Diphtheria	0·07	0·09	0·06	10	6	4	–	–	1	1	1	3	4	1	1	–	–	1	–	–	–	–
Whooping-cough	0·30	0·33	0·28	41	22	19	22	13	1	4	–	40	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Enteric Fever	0·17	0·16	0·18	23	11	12	–	–	–	1	–	1	4	2	3	5	4	2	–	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·46	0·27	49	31	18	18	7	–	–	–	25	1	–	–	–	1	–	–	1	9	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·87	0·79	112	59	53	–	–	–	–	–	–	1	–	–	–	4	4	16	41	37	9
Tabes Mesenterica	0·05	0·06	0·04	7	4	3	2	–	–	–	1	3	1	2	1	–	–	–	–	–	–	–
Phthisis	1·34	1·33	1·35	180	89	91	7	2	–	–	1	10	4	9	18	28	33	29	23	17	8	1
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	32	16	16	6	7	5	2	1	21	2	2	3	1	1	–	–	2	–	–
Diseases of: Nervous System	2·34	2·41	2·26	315	163	152	77	12	4	3	1	97	4	6	4	1	6	12	25	33	72	55
Diseases of: Circulatory „	1·88	2·01	1·76	254	136	118	2	–	–	–	1	3	1	4	3	3	7	12	20	54	99	48
Diseases of: Respiratory „	2·11	2·28	1·95	285	154	131	79	28	10	2	8	127	11	3	4	2	7	14	12	23	43	39
Diseases of: Digestive „	0·83	0·83	0·83	112	56	56	12	5	2	2	1	22	3	1	4	2	4	5	16	29	21	5
Diseases of: Urinary „	0·30	0·43	0·16	40	29	11	–	–	–	–	–	–	1	–	2	1	2	3	4	6	15	6
Diseases of: Generative „	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1
Puerperal Fever	0·13	–	0·27	18	–	18	–	–	–	–	–	–	–	–	–	4	8	6	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–
Violence	0·57	0·89	0·25	77	60	17	7	1	4	2	1	15	4	4	10	4	9	6	4	6	8	7
Other Causes	4·19	3·98	4·40	564	270	294	128	3	1	1	–	133	2	5	3	3	9	3	13	18	65	310

Persons.

Marriages - - - 857

Births - Males - 1,877; Females - 1,790 } 3,667

Annual Rate per 1000 living { Persons Married 12·71; Births - - 27·20

Deaths from Childbirth and Puerperal Fever - - - - } 6·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

167.—PETERBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·46			†122	–	–	–	–	44·01	4·55	3·03	4·73	5·37	5·85	8·13	12·14	23·71	54·86	147·69
Males	—			16·00			†137	–	–	–	–	49·28	4·51	2·64	4·27	5·12	5·54	7·42	13·40	24·43	57·68	157·05
Females	—			14·96			†107	–	–	–	–	38·77	4·60	3·42	5·20	5·62	6·14	8·81	10·97	23·03	52·29	140·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·30 per cent.			43,428			1187	1101	1142	1137	1148	5715	5424	5044	4294	3446	5934	4745	3690	2704	1717	715
Males				21,379			576	566	575	565	565	2847	2729	2499	2179	1719	2888	2292	1784	1310	820	312
Females				22,049			611	535	567	572	583	2868	2695	2545	2115	1727	3046	2453	1906	1394	897	403
Deaths from All Causes, 1881–90. Persons	16·40			7,123			1671	431	156	140	117	2515	247	153	203	185	347	386	448	641	942	1056
Males	16·96			3,625			959	223	72	81	68	1403	123	66	93	88	160	170	239	320	473	490
Females	15·86			3,498			712	208	84	59	49	1112	124	87	110	97	187	216	209	321	469	566
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·00	0·01	4	1	3	1	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–
Measles	0·20	0·22	0·18	85	46	39	21	28	11	13	6	79	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·50	0·53	0·46	215	114	101	15	30	31	31	30	137	56	14	4	–	2	2	–	–	–	–
Diphtheria	0·21	0·17	0·24	90	36	54	4	8	4	15	12	43	27	11	4	1	2	–	–	1	1	–
Whooping-cough	0·35	0·33	0·36	150	70	80	85	46	10	6	1	148	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Enteric Fever	0·18	0·18	0·19	79	38	41	2	–	–	2	3	7	10	9	21	6	6	8	3	3	5	1
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·63	0·64	0·62	273	137	136	186	26	7	3	2	224	–	–	1	–	–	2	1	4	17	24
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·87	0·80	0·95	379	170	209	1	–	1	–	–	2	–	2	3	–	8	36	82	86	117	43
Tabes Mesenterica	0·11	0·13	0·10	49	27	22	15	6	5	1	1	28	8	5	5	1	1	1	–	–	–	–
Phthisis	1·40	1·32	1·48	609	283	326	7	7	2	3	3	22	8	20	71	87	144	101	86	43	22	5
Other Tub. & Scrof. Dis.	0·51	0·55	0·48	223	117	106	52	37	12	16	15	132	39	19	14	5	8	3	2	1	–	–
Diseases of Nervous System	2·09	2·10	2·08	906	448	458	178	41	14	8	5	246	16	16	11	12	23	31	43	120	200	188
Circulatory „	1·47	1·33	1·61	638	284	354	4	1	–	–	–	5	4	6	16	10	22	48	61	124	196	146
Respiratory „	2·69	2·89	2·49	1167	617	550	348	133	40	25	23	569	29	4	9	8	26	46	48	91	170	167
Digestive „	0·79	0·86	0·71	341	184	157	77	26	3	5	2	113	6	5	6	9	11	19	35	49	53	35
Urinary „	0·31	0·45	0·18	136	97	39	–	1	1	1	1	4	6	2	1	2	13	16	12	26	24	30
Generative „	0·05	0·01	0·10	23	2	21	1	–	–	–	–	1	–	–	–	4	5	3	4	3	1	2
Puerperal Fever	0·09	–	0·17	37	–	37	–	–	–	–	–	–	–	–	3	9	14	11	–	–	–	–
Childbirth	0·05	–	0·10	22	–	22	–	–	–	–	–	–	–	–	2	1	10	9	–	–	–	–
Violence	0·62	0·91	0·33	268	195	73	22	5	9	6	5	47	17	20	18	10	28	18	35	28	29	18
Other Causes	3·26	3·53	3·01	1422	755	667	652	36	6	4	8	706	13	18	14	18	23	29	36	62	107	396

Marriages - - - 3,035

Births - { Males - 6,989 / Females - 6,678 } 13,667

Annual Rate per 1000 living { Persons Married 13·98 / Births - - 31·47

Deaths from Childbirth and Puerperal Fever - - - - - 4·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

168.—HUNTINGDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·36	†113	–	–	–	–	38·27	3·86	2·82	4·05	5·83	6·06	7·75	12·44	21·09	57·40	132·97
Males	—					14·78	†118	–	–	–	–	41·01	3·69	2·38	3·38	4·81	4·89	9·02	14·05	25·49	59·12	146·23
Females	—					13·96	†107	–	–	–	–	35·47	4·02	3·30	4·77	6·93	7·18	6·57	10·93	17·12	55·80	122·90
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·53 per cent.			19,327			462	461	493	488	487	2391	2332	2267	1950	1476	2378	2000	1737	1389	946	461
Males				9,583			232	228	254	252	241	1207	1139	1177	1007	769	1166	965	840	659	455	199
Females				9,744			230	233	239	236	246	1184	1193	1090	943	707	1212	1035	897	730	491	262
Deaths from All Causes, 1881–90. Persons	16·55			3,198			615	154	51	55	40	915	90	64	79	86	144	155	216	293	543	613
Males	16·97			1,626			329	90	27	28	21	495	42	28	34	37	57	87	118	168	269	291
Females	16·13			1,572			286	64	24	27	19	420	48	36	45	49	87	68	98	125	274	322
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·16	0·15	0·17	31	14	17	8	15	1	3	1	28	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·14	0·08	21	13	8	2	5	–	3	4	14	5	2	–	–	–	–	–	–	–	–
Diphtheria	0·25	0·18	0·33	49	17	32	1	1	2	10	8	22	17	5	5	–	–	–	–	–	–	–
Whooping-cough	0·27	0·27	0·27	52	26	26	35	8	4	2	3	52	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·17	0·15	0·18	32	14	18	–	–	–	–	–	–	2	3	2	7	7	4	4	2	1	–
Simple Continued Fever	0·19	0·15	0·24	37	14	23	–	–	1	2	1	4	9	6	5	–	2	–	1	4	2	4
Diarrhœa and Dysentery	0·44	0·52	0·37	86	50	36	46	11	4	3	1	65	1	2	1	–	–	–	1	–	2	14
Cholera	0·04	0·05	0·03	8	5	3	1	–	–	–	–	1	1	1	–	–	1	–	–	3	–	1
Cancer	1·06	0·82	1·28	204	79	125	–	–	–	–	1	1	–	–	–	1	6	14	39	49	73	21
Tabes Mesenterica	0·05	0·05	0·04	9	5	4	2	1	–	1	–	4	2	1	1	–	–	–	–	1	–	–
Phthisis	1·41	1·38	1·44	272	132	140	2	2	–	1	–	5	6	6	21	50	63	46	44	18	11	2
Other Tub. & Scrof. Dis.	0·26	0·27	0·26	51	26	25	7	11	4	7	4	33	5	2	5	1	1	–	2	2	–	–
Diseases of: Nervous System	1·96	2·00	1·91	378	192	186	71	26	4	4	2	107	7	4	3	5	9	13	26	38	87	79
Circulatory „	1·67	1·78	1·55	322	171	151	–	–	–	–	–	–	2	7	7	2	9	17	31	63	104	80
Respiratory „	2·53	2·79	2·28	489	267	222	132	46	21	12	10	221	13	3	6	3	11	13	18	41	84	76
Digestive „	0·64	0·72	0·56	124	69	55	13	7	2	1	–	23	2	1	6	–	8	11	14	21	23	15
Urinary „	0·42	0·56	0·29	82	54	28	1	–	1	–	1	3	1	–	1	2	3	6	17	14	18	17
Generative „	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Puerperal Fever	0·04	–	0·08	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Childbirth	0·05	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	–	7	2	–	–	–	–
Violence	0·62	0·90	0·34	119	86	33	9	4	4	4	1	22	12	13	7	3	7	13	4	15	11	12
Other Causes	4·18	4·05	4·33	810	388	422	285	17	3	2	3	310	3	7	8	10	5	13	14	22	127	291

Marriages - - - 1,205

Births - { Males - 2,779 / Females - 2,676 } 5,455

Annual Rate per 1000 living { Persons Married 12·47 / Births - - 28·22 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

169.—ST IVES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		14·28	†106	–	–	–	–	38·43	4·56	3·12	4·11	5·85	6·31	7·28	9·86	23·93	50·23	138·73
Annual Death-Rate per 1000. Males	—					14·90	†118	–	–	–	–	43·47	5·28	2·56	2·97	5·28	5·45	7·13	10·08	28·25	57·60	141·23
Annual Death-Rate per 1000. Females	—					13·68	†94	–	–	–	–	33·60	3·84	3·66	5·45	6·39	7·12	7·42	9·66	19·94	43·96	136·59
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·61 per cent.			16,356			410	361	382	403	385	1941	1994	1921	1558	1128	1887	1717	1582	1283	888	457
Mean Population, 1881–91. Males				8,014			196	184	186	193	191	950	1004	938	812	549	918	814	764	616	408	211
Mean Population, 1881–91. Females				8,342			214	177	196	210	194	991	990	983	716	579	969	903	818	667	480	246
Deaths from All Causes, 1881–90. Persons	17·20			2,814			476	146	57	46	21	746	91	60	64	66	119	125	156	307	446	634
Deaths from All Causes, 1881–90. Males	17·92			1,436			270	82	31	18	12	413	53	24	25	29	50	58	77	174	235	298
Deaths from All Causes, 1881–90. Females	16·52			1,378			206	64	26	28	9	333	38	36	39	37	69	67	79	133	211	336
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·32	0·21	44	26	18	10	13	7	4	2	36	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·11	0·12	19	9	10	–	4	3	2	3	12	5	–	1	–	–	1	–	–	–	–
Diphtheria	0·10	0·12	0·08	17	10	7	–	1	1	2	2	6	6	4	1	–	–	–	–	–	–	–
Whooping-cough	0·26	0·19	0·34	43	15	28	17	13	8	4	1	43	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	15	8	7	–	–	–	–	–	–	1	2	4	2	3	1	–	–	1	1
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·32	0·35	55	26	29	23	6	1	–	1	31	1	–	–	–	1	–	–	4	9	9
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·88	0·77	0·98	144	62	82	–	–	–	–	–	–	–	–	–	–	2	5	18	52	46	21
Tabes Mesenterica	0·28	0·25	0·31	46	20	26	19	10	3	2	–	34	5	3	3	–	1	–	–	–	–	–
Phthisis	1·89	1·77	2·00	309	142	167	18	9	1	–	–	28	9	16	35	33	71	42	30	34	10	1
Other Tub. & Scrof. Dis.	0·32	0·39	0·25	52	31	21	13	6	3	2	1	25	9	6	4	3	–	2	2	1	–	–
Diseases of Nervous System	2·07	2·01	2·12	338	161	177	47	15	9	10	2	83	14	8	4	6	3	11	18	39	84	68
Diseases of Circulatory „	1·46	1·76	1·17	239	141	98	1	–	–	–	–	1	2	1	3	5	5	7	28	52	74	61
Diseases of Respiratory „	2·84	3·01	2·69	465	241	224	101	48	11	15	4	179	13	2	3	1	8	16	18	47	93	85
Diseases of Digestive „	1·00	1·15	0·85	163	92	71	34	13	3	–	1	51	5	1	2	2	6	7	10	25	31	23
Diseases of Urinary „	0·34	0·42	0·25	55	34	21	2	–	–	–	1	3	1	–	1	–	2	3	10	14	11	10
Diseases of Generative „	0·07	0·01	0·12	11	1	10	–	1	–	–	–	1	–	–	–	–	1	1	4	1	2	1
Puerperal Fever	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–
Childbirth	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Violence	0·55	0·77	0·34	90	62	28	5	1	5	3	1	15	8	7	2	4	6	11	4	15	9	9
Other Causes	4·21	4·43	4·09	692	353	339	186	6	2	1	2	197	4	8	–	7	5	14	14	22	76	345

Marriages - - - 991

Births - { Males - 2,289 / Females - 2,194 } 4,483

Annual Rate per 1000 living { Persons Married 12·12 / Births - - 27·41 }

Deaths from Childbirth and Puerperal Fever - - - - - } 2·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

170.—ST. NEOTS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·15	†100	–	–	–	–	33·11	2·97	1·98	3·25	7·20	6·06	7·12	9·78	20·48	52·15	142·08
Males	—					13·82	†114	–	–	–	–	35·96	2·81	2·71	1·72	5·24	6·11	8·29	12·83	22·85	60·30	148·39
Females	—					12·51	†85	–	–	–	–	30·27	3·13	1·26	5·02	8·81	6·01	6·11	7·05	18·25	44·96	137·44
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·87 per cent.			16,073			397	376	403	385	396	1957	2022	1916	1509	1139	1882	1644	1534	1245	859	366
Males				7,812			193	192	207	187	200	979	1032	960	812	515	867	760	725	604	403	155
Females				8,261			204	184	196	198	196	978	990	956	697	624	1015	884	809	641	456	211
Deaths from All Causes, 1881–90. Persons	15·44			2,481			454	112	33	30	19	648	60	38	49	82	114	117	150	255	448	520
Males	16·23			1,268			261	58	16	10	7	352	29	26	14	27	53	63	93	138	243	230
Females	14·68			1,213			193	54	17	20	12	296	31	12	35	55	61	54	57	117	205	290
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·09	0·06	12	7	5	6	5	–	–	–	11	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·14	0·23	30	11	19	3	3	2	6	2	16	12	2	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·17	0·18	28	13	15	1	2	–	2	4	9	7	4	2	4	1	1	–	–	–	–
Whooping-cough	0·24	0·18	0·30	39	14	25	21	10	3	3	–	37	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·11	0·15	0·07	18	12	6	–	–	–	–	–	–	–	2	6	4	3	–	–	3	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·37	0·28	52	29	23	24	6	1	–	–	31	–	–	–	–	–	–	1	1	7	12
Cholera	0·03	0·04	0·01	4	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	2	–
Cancer	0·78	0·78	0·79	126	61	65	–	–	–	–	–	–	–	–	1	1	4	5	24	45	36	10
Tabes Mesenterica	0·12	0·14	0·10	19	11	8	7	2	3	1	–	13	–	2	1	–	2	1	–	–	–	–
Phthisis	1·33	1·27	1·39	214	99	115	13	5	–	3	1	22	1	2	20	35	54	31	17	18	13	1
Other Tub. & Scrof. Dis.	0·39	0·38	0·39	62	30	32	13	11	4	2	2	32	7	4	4	3	9	2	1	–	–	–
Diseases of Nervous System	1·99	2·33	1·67	320	182	138	40	9	9	2	2	62	5	7	2	3	5	12	13	39	91	81
Circulatory „	1·53	1·64	1·43	246	128	118	1	–	–	1	–	2	1	3	1	5	8	14	21	41	79	71
Respiratory „	2·86	2·85	2·87	460	223	237	92	34	8	5	7	146	7	2	3	6	13	17	26	45	87	108
Digestive „	0·83	0·96	0·70	133	75	58	15	8	1	1	–	25	1	2	1	1	4	9	15	21	34	20
Urinary „	0·45	0·60	0·30	72	47	25	–	–	–	–	–	–	1	1	–	2	1	2	5	16	28	16
Generative „	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1
Puerperal Fever	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	3	1	5	1	–	–	–
Violence	0·58	0·77	0·40	93	60	33	5	4	1	3	1	14	9	5	4	5	3	8	4	6	18	17
Other Causes	3·26	3·37	3·19	526	263	263	212	12	1	1	–	226	5	2	3	5	4	6	21	19	52	183

Marriages - - - 1,071

Births - { Males - 2,294 / Females - 2,259 } 4,553

Annual Rate per 1000 living { Persons Married 13·33 / Births - - 28·33

Deaths from Childbirth and Puerperal Fever - - - - 4·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

171.—BEDFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·74	†118	–	–	–	–	41·01	4·73	2·56	3·09	4·19	5·26	7·55	12·89	22·61	57·73	148·30
Annual Death-Rate per 1000. Males	—	15·53	†127	–	–	–	–	44·87	4·87	2·47	2·99	4·14	4·79	8·13	14·65	24·95	63·74	158·40
Annual Death-Rate per 1000. Females	—	13·99	†109	–	–	–	–	37·17	4·59	2·67	3·19	4·22	5·63	7·09	11·46	20·62	52·67	140·31
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·84 per cent.	47,192	1112	1038	1082	1116	1138	5486	5581	5616	5335	4013	6177	5088	4043	3065	1966	822
Mean Population, 1881–91. Males		22,239	571	504	538	571	555	2739	2816	2918	2642	1690	2713	2239	1809	1411	899	363
Mean Population, 1881–91. Females		24,953	541	534	544	545	583	2747	2765	2698	2693	2323	3464	2849	2234	1654	1067	459
Deaths from All Causes, 1881–90. Persons	15·40	7,268	1534	365	164	96	91	2250	264	144	165	168	325	384	521	693	1135	1219
Deaths from All Causes, 1881–90. Males	16·48	3,664	853	198	75	49	54	1229	137	72	79	70	130	182	265	352	573	575
Deaths from All Causes, 1881–90. Females	14·44	3,604	681	167	89	47	37	1021	127	72	86	98	195	202	256	341	562	644

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·24	0·28	0·20	112	63	49	24	40	12	8	8	92	14	3	3	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·16	76	37	39	3	9	9	7	7	35	33	4	2	1	1	–	–	–	–	–
Diphtheria	0·32	0·32	0·31	149	72	77	6	13	17	26	22	84	50	9	1	1	3	–	1	–	–	–
Whooping-cough	0·39	0·38	0·40	185	84	101	103	45	13	11	5	177	8	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Enteric Fever	0·09	0·07	0·11	43	15	28	1	–	–	–	–	1	7	4	12	3	5	7	–	1	2	1
Simple Continued Fever	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·45	0·54	0·37	212	120	92	132	19	5	–	3	159	2	1	–	–	2	1	1	2	15	29
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Cancer	0·69	0·56	0·80	326	126	200	–	1	1	–	–	2	1	1	1	1	6	28	71	82	92	41
Tabes Mesenterica	0·08	0·09	0·08	38	19	19	15	4	4	–	–	23	3	2	3	1	2	3	1	–	–	–
Phthisis	1·19	1·12	1·25	562	249	313	18	7	4	1	5	35	11	25	46	67	130	100	76	38	33	1
Other Tub. & Scrof. Dis.	0·21	0·21	0·20	99	48	51	20	12	7	2	4	45	16	11	10	4	3	4	4	–	1	1
Diseases of Nervous System	2·14	2·19	2·08	1007	487	520	186	47	18	5	5	261	17	16	11	11	28	32	61	127	240	203
Diseases of Circulatory „	1·39	1·43	1·35	655	319	336	3	1	1	–	1	6	10	12	16	7	20	44	72	140	198	130
Diseases of Respiratory „	2·64	2·91	2·39	1244	647	597	277	115	52	26	24	494	31	7	12	7	32	41	68	96	223	233
Diseases of Digestive „	0·96	1·07	0·87	454	237	217	86	23	4	1	–	114	11	10	11	9	14	31	57	74	85	38
Diseases of Urinary „	0·40	0·59	0·24	191	131	60	1	–	1	1	–	3	5	5	4	3	7	15	23	37	55	34
Diseases of Generative „	0·07	0·01	0·13	35	2	33	–	1	–	–	–	1	–	–	–	–	4	6	8	8	8	–
Puerperal Fever	0·05	–	0·10	25	–	25	–	–	–	–	–	–	–	–	–	5	11	9	–	–	–	–
Childbirth	0·06	–	0·12	30	–	30	–	–	–	–	–	–	–	–	–	9	8	12	1	–	–	–
Violence	0·64	1·08	0·24	301	240	61	14	9	11	6	5	45	25	14	19	30	22	23	46	30	29	18
Other Causes	3·22	3·46	3·03	1517	764	753	645	19	5	2	2	673	19	19	14	8	25	27	31	58	153	490

Marriages - - 3,002

Births - Males 6,697, Females 6,260 — 12,957

Annual Rate per 1000 living: Persons Married 12·72; Births 27·46

Deaths from Childbirth and Puerperal Fever 4·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

172.—BIGGLESWADE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population*		17·85	†126	–	–	–	–	44·86	4·80	3·55	4·20	7·24	9·39	11·82	15·95	28·01	64·62	164·60
Annual Death Rate per 1000. Males	—					18·74	†140	–	–	–	–	50·15	5·18	3·45	3·62	6·22	9·82	12·38	18·47	29·57	68·78	172·40
Annual Death Rate per 1000. Females	—					17·01	†110	–	–	–	–	39·53	4·41	3·65	4·89	8·16	9·02	11·34	13·82	26·65	60·88	157·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·09 per cent.			27,093			692	650	676	698	686	3402	3376	3159	2500	1934	3441	2944	2539	1967	1300	531
Mean Population, 1881–91. Males				13,198			358	310	351	343	345	1707	1699	1625	1355	917	1589	1357	1164	920	615	250
Mean Population, 1881–91. Females				13,895			334	340	325	355	341	1695	1677	1534	1145	1017	1852	1587	1375	1047	685	281
Deaths from All Causes, 1881–90. Persons	19·88			5,386			1042	258	107	59	60	1526	162	112	105	140	323	348	405	551	840	874
Deaths from All Causes, 1881–90. Males	21·00			2,771			596	149	57	26	28	856	88	56	49	57	156	168	215	272	423	431
Deaths from All Causes, 1881–90. Females	18·82			2,615			446	109	50	33	32	670	74	56	56	83	167	180	190	279	417	443
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	–	0·11	15	–	15	–	1	–	–	1	2	–	–	–	2	5	3	1	–	1	1
Measles	0·32	0·41	0·24	87	54	33	18	35	11	9	8	81	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·30	81	40	41	6	5	18	7	7	43	32	5	–	–	1	–	–	–	–	–
Diphtheria	0·23	0·24	0·22	63	32	31	1	2	7	7	7	24	31	7	–	1	–	–	–	–	–	–
Whooping-cough	0·39	0·33	0·44	105	44	61	56	27	9	6	4	102	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Enteric Fever	0·09	0·09	0·09	25	12	13	1	–	1	–	1	3	2	2	7	4	3	–	1	3	–	–
Simple Continued Fever	0·02	0·03	0·01	6	4	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	2	2
Diarrhœa and Dysentery	0·34	0·35	0·34	93	46	47	52	12	3	1	–	68	1	–	–	–	–	–	–	4	9	11
Cholera	0·01	0·01	0·01	2	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·40	0·75	157	53	104	–	–	–	–	–	–	–	–	1	–	4	10	32	57	41	12
Tabes Mesenterica	0·25	0·27	0·22	67	36	31	36	18	3	1	2	60	2	2	–	–	–	–	1	2	–	–
Phthisis	2·07	1·86	2·27	560	245	315	1	–	–	1	1	3	10	24	42	71	145	112	89	44	19	1
Other Tub. & Scrof. Dis.	0·41	0·50	0·32	111	66	45	43	13	3	2	3	64	16	12	2	4	6	2	2	1	2	–
Diseases of Nervous System	3·26	3·84	2·70	882	507	375	110	16	4	4	3	137	13	23	15	15	69	97	95	108	166	144
Diseases of Circulatory „	1·89	1·94	1·85	513	256	257	1	1	–	–	–	2	4	8	6	5	16	30	57	108	166	111
Diseases of Respiratory „	2·94	3·23	2·66	796	426	370	189	72	34	17	13	325	19	3	2	8	16	23	36	79	127	158
Diseases of Digestive „	1·33	1·47	1·19	360	194	166	67	28	3	3	1	102	5	6	7	6	11	20	44	53	68	38
Diseases of Urinary „	0·62	0·67	0·58	169	88	81	2	–	1	–	–	3	4	1	5	5	9	12	17	29	49	35
Diseases of Generative „	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	1	1	2	1	1	2	2	–
Puerperal Fever	0·04	–	0·08	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Childbirth	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	1	3	6	7	–	–	–	–
Violence	0·37	0·52	0·22	100	69	31	11	4	4	–	7	26	6	8	3	1	6	9	7	9	11	14
Other Causes	4·25	4·52	4·03	1154	596	558	447	23	5	1	2	478	8	9	13	12	19	17	22	52	177	347

Persons.

Marriages - - - 1,691

Births - { Males - 4,252 / Females - 4,038 } 8,290

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 30·60 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

173.—AMPTHILL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·13			†123	–	–	–	–	44·12	3·87	2·89	4·05	6·30	6·84	7·97	9·15	21·49	52·57	151·92
Annual Death-Rate per 1000. Males	—			In Standard Population* 14·52			†128	–	–	–	–	45·29	3·20	2·07	2·13	6·22	4·87	7·82	10·15	22·97	53·81	150·30
Annual Death-Rate per 1000. Females	—			In Standard Population* 15·71			†117	–	–	–	–	43·01	4·54	3·72	6·24	6·37	8·41	8·08	8·30	20·19	51·44	153·74
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·73 per cent.			15,624			398	388	408	398	407	1999	2013	1831	1407	1095	1856	1632	1475	1205	799	312
Mean Population, 1881–91. Males				7,482			190	180	208	194	204	976	1000	916	750	498	821	729	680	566	381	165
Mean Population, 1881–91. Females				8,142			208	208	200	204	203	1023	1013	915	657	597	1035	903	795	639	418	147
Deaths from All Causes, 1881–90. Persons	17·18			2,684			586	134	67	52	43	882	78	53	57	69	127	130	135	259	420	474
Deaths from All Causes, 1881–90. Males	17·23			1,289			303	61	29	29	20	442	32	19	16	31	40	57	69	130	205	248
Deaths from All Causes, 1881–90. Females	17·13			1,395			283	73	38	23	23	440	46	34	41	38	87	73	66	129	215	226
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·12	0·17	0·07	19	13	6	1	–	–	–	–	1	–	–	–	2	3	5	2	2	1	3
Measles	0·17	0·13	0·20	26	10	16	3	10	4	2	3	22	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·23	0·31	42	17	25	1	5	10	7	6	29	8	4	1	–	–	–	–	–	–	–
Diphtheria	0·16	0·20	0·12	25	15	10	1	–	3	4	5	13	10	–	–	–	–	–	–	1	1	–
Whooping-cough	0·38	0·33	0·43	60	25	35	31	18	8	2	–	59	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·09	0·10	15	7	8	–	–	–	–	1	1	2	3	3	2	2	–	–	–	–	–
Simple Continued Fever	0·03	–	0·06	5	–	5	–	–	–	–	1	1	2	1	1	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·33	0·37	0·28	51	28	23	27	5	1	3	1	37	2	–	–	–	–	–	–	–	–	–
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	5
Cancer	0·60	0·56	0·64	94	42	52	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	0·12	0·07	0·16	18	5	13	6	3	2	1	1	13	3	–	–	–	4	6	15	26	33	10
Phthisis	1·40	1·08	1·70	219	81	138	1	1	–	–	–	2	4	9	29	38	60	35	20	17	4	1
Other Tub. & Scrof. Dis.	0·18	0·20	0·16	28	15	13	6	1	1	4	3	15	2	3	3	1	3	–	1	–	–	–
Diseases of Nervous System	2·29	2·19	2·38	358	164	194	79	12	8	3	7	109	16	4	4	6	7	15	21	36	79	61
Diseases of Circulatory "	1·88	1·90	1·87	294	142	152	–	–	–	–	–	–	2	4	2	2	10	21	15	59	111	68
Diseases of Respiratory "	2·66	2·94	2·41	416	220	196	115	43	24	18	12	212	9	6	1	1	5	10	19	38	67	48
Diseases of Digestive "	1·18	1·03	1·31	184	77	107	32	13	1	1	1	48	4	7	1	6	4	13	18	30	40	13
Diseases of Urinary "	0·33	0·52	0·16	52	39	13	1	–	–	1	–	2	–	1	–	2	2	1	5	15	17	7
Diseases of Generative "	0·04	0·01	0·06	6	1	5	–	1	–	–	–	1	–	–	–	–	–	–	1	1	1	2
Puerperal Fever	0·08	–	0·16	13	–	13	–	–	–	–	–	–	–	–	2	3	1	6	1	–	–	–
Childbirth	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Violence	0·36	0·43	0·29	56	32	24	1	–	1	1	–	3	5	4	5	1	4	3	7	8	8	8
Other Causes	4·45	4·77	4·19	696	355	341	281	22	4	5	2	314	5	6	5	5	17	12	9	21	54	248

Marriages - - - 969

Births - { Males - 2,363 / Females - 2,417 } 4,780

Annual Rate per 1000 living { Persons Married 12·40 / Births - - 30·59

Deaths from Childbirth and Puerperal Fever - - - - - 3·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

174.—WOBURN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 14·88	†112	–	–	–	–	40·74	4·34	3·01	4·35	5·17	6·24	9·17	11·41	20·62	55·37	147·56
Annual Death Rate per 1000. Males	—	15·50	†127	–	–	–	–	45·23	5·03	2·22	3·60	4·65	6·13	10·39	9·25	23·36	57·69	167·57
Annual Death Rate per 1000. Females	—	14·30	†95	–	–	–	–	36·04	3·60	3·82	5·18	5·57	6·33	8·23	13·16	18·16	53·21	131·11
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·81 per cent.	9,588	225	221	216	214	231	1107	1152	1064	897	696	1169	992	920	805	540	246
Mean Population, 1881–91. Males		4,577	119	110	114	111	112	566	596	540	472	301	506	433	411	381	260	111
Mean Population, 1881–91. Females		5,011	106	111	102	103	119	541	555	524	425	395	663	559	509	424	280	135
Deaths from All Causes, 1881–90. Persons	17·78	1,705	290	73	40	31	18	451	50	32	39	36	73	91	105	166	299	363
Deaths from All Causes, 1881–90. Males	18·96	868	175	39	13	17	12	256	30	12	17	14	31	45	38	89	150	186
Deaths from All Causes, 1881–90. Females	16·70	837	115	34	27	13	6	195	20	20	22	22	42	46	67	77	149	177

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·20	0·12	15	9	6	1	9	–	3	–	13	1	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·28	0·18	22	13	9	1	1	4	6	2	14	6	–	–	1	–	1	–	–	–	–
Diphtheria	0·31	0·44	0·20	30	20	10	–	2	4	6	3	15	13	2	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·33	0·20	25	15	10	12	5	4	3	1	25	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·02	0·12	7	1	6	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·32	0·31	0·34	31	14	17	18	3	1	–	1	23	1	–	–	–	–	–	–	–	2	5
Cholera	0·04	0·04	0·04	4	2	2	1	1	–	–	–	2	–	–	–	–	–	–	1	–	1	–
Cancer	0·84	0·59	1·08	81	27	54	–	–	–	–	–	–	–	–	–	–	–	6	16	22	24	13
Tabes Mesenterica	0·09	0·07	0·12	9	3	6	5	–	1	–	1	7	–	–	–	–	1	1	–	–	–	–
Phthisis	1·15	0·81	1·46	110	37	73	–	–	–	–	–	–	2	7	12	14	26	27	15	6	–	1
Other Tub. & Scrof. Dis.	0·53	0·72	0·36	51	33	18	12	9	4	3	2	30	4	4	1	3	5	1	–	3	–	–
Diseases of Nervous System	2·34	2·69	2·02	224	123	101	26	7	4	2	1	40	1	2	5	1	6	6	12	25	72	54
Diseases of Circulatory „	2·32	2·40	2·24	222	110	112	7	–	–	–	–	7	6	2	4	2	7	10	19	32	68	65
Diseases of Respiratory „	2·88	2·99	2·77	276	137	139	55	22	11	3	7	98	8	3	2	1	7	9	13	25	53	57
Diseases of Digestive „	1·12	1·14	1·10	107	52	55	18	4	5	2	–	29	1	4	2	4	–	8	9	21	17	12
Diseases of Urinary „	0·58	0·83	0·36	56	38	18	2	–	–	–	–	2	2	1	–	–	2	1	3	13	16	16
Diseases of Generative „	0·09	–	0·18	9	–	9	–	–	1	–	–	1	–	–	–	1	1	3	1	2	–	–
Puerperal Fever	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	–	5	1	–	–	–	–
Violence	0·40	0·57	0·24	38	26	12	2	1	1	2	–	6	4	5	3	–	2	7	3	2	4	2
Other Causes	3·92	4·51	3·33	375	207	168	130	9	–	–	–	139	1	1	9	7	7	8	11	13	41	138

Marriages - - - 645

Births - Males - 1,382; Females - 1,207 } 2,589

Annual Rate per 1000 living { Persons Married 13·45; Births - - 27·00

Deaths from Childbirth and Puerperal Fever - - - - - } 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

175.—LEIGHTON BUZZARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·25	†121	–	–	–	–	43·98	4·83	2·42	2·78	4·40	5·56	8·67	10·43	22·83	59·47	157·64
Annual Death-Rate per 1000. Males	—	15·63	†136	–	–	–	–	48·84	5·21	2·44	1·46	3·86	4·54	9·40	10·56	22·96	66·76	155·63
Annual Death-Rate per 1000. Females	—	14·89	†106	–	–	–	–	39·14	4·46	2·40	4·12	4·86	6·40	8·03	10·32	22·72	53·18	159·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·90 per cent.	18,454	485	469	496	474	493	2417	2360	2149	1762	1408	2409	2065	1582	1222	792	288
Mean Population, 1881–91. Males		8,819	241	226	248	237	254	1206	1171	1065	889	647	1080	957	720	575	367	142
Mean Population, 1881–91. Females		9,635	244	243	248	237	239	1211	1189	1084	873	761	1329	1108	862	647	425	146
Deaths from All Causes, 1881–90. Persons	16·38	3,022	718	175	73	56	41	1063	114	52	49	62	134	179	165	279	471	454
Deaths from All Causes, 1881–90. Males	17·31	1,527	409	89	37	34	20	589	61	26	13	25	49	90	76	132	245	221
Deaths from All Causes, 1881–90. Females	15·52	1,495	309	86	36	22	21	474	53	26	36	37	85	89	89	147	226	233

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·01	–	1	1	–
Measles	0·43	0·53	0·33	79	47	32
Scarlet Fever	0·15	0·12	0·17	27	11	16
Diphtheria	0·10	0·10	0·09	18	9	9
Whooping-cough	0·28	0·28	0·28	52	25	27
Typhus	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·10	25	15	10
Simple Continued Fever	0·02	0·02	0·01	3	2	1
Diarrhœa and Dysentery	0·41	0·41	0·40	75	36	39
Cholera	0·02	0·01	0·02	3	1	2
Cancer	0·54	0·40	0·66	99	35	64
Tabes Mesenterica	0·48	0·54	0·42	88	48	40
Phthisis	1·33	1·10	1·55	246	97	149
Other Tub. & Scrof. Dis.	0·43	0·54	0·32	79	48	31
Diseases of Nervous System	2·36	2·44	2·28	435	215	220
Diseases of Circulatory "	1·26	1·13	1·37	232	100	132
Diseases of Respiratory "	3·03	3·56	2·55	560	314	246
Diseases of Digestive "	0·98	1·01	0·94	180	89	91
Diseases of Urinary "	0·42	0·54	0·30	77	48	29
Diseases of Generative "	0·03	0·01	0·05	6	1	5
Puerperal Fever	0·08	–	0·15	14	–	14
Childbirth	0·07	–	0·14	13	–	13
Violence	0·40	0·67	0·15	73	59	14
Other Causes	3·41	3·72	3·24	637	326	311

Persons.

	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	16	23	13	8	6	66	10	3	–	–	–	–	–	–	–	–
Scarlet Fever	1	4	7	4	3	19	7	–	–	1	–	–	–	–	–	–
Diphtheria	–	–	1	2	–	3	12	1	–	2	–	–	–	–	–	–
Whooping-cough	28	11	3	2	4	48	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	2	–	2	5	5	2	1	2	4	–	3	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1
Diarrhœa and Dysentery	36	10	1	–	–	47	1	1	–	–	–	1	–	4	5	16
Cholera	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
Cancer	1	–	–	–	–	1	–	–	1	–	1	9	18	33	23	13
Tabes Mesenterica	67	9	3	3	3	85	2	1	–	–	–	–	–	–	–	–
Phthisis	3	2	1	1	1	8	7	9	18	29	53	54	37	20	10	1
Other Tub. & Scrof. Dis.	30	10	4	7	1	52	8	5	4	–	1	5	1	–	2	1
Diseases of Nervous System	69	20	7	5	1	102	11	2	3	2	14	13	20	54	115	99
Diseases of Circulatory "	6	–	–	–	1	7	–	3	5	5	10	12	16	46	76	52
Diseases of Respiratory "	125	55	23	17	18	238	17	3	4	5	14	22	22	43	102	90
Diseases of Digestive "	27	7	2	3	2	41	6	5	4	2	6	13	18	18	42	25
Diseases of Urinary "	1	–	–	–	–	1	5	1	–	2	3	7	3	12	21	22
Diseases of Generative "	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	4	8	2	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	2	1	3	7	–	–	–	–
Violence	6	3	2	2	–	13	5	7	–	2	7	7	7	11	10	4
Other Causes	301	21	6	–	1	329	14	6	6	5	11	21	23	32	61	129

Marriages - - - 1,185

Births - { Males - 3,008 / Females - 2,911 } 5,919

Annual Rate per 1000 living { Persons Married 12·84 / Births - - 32·07 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·56 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

176.—LUTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·33	†154	–	–	–	–	61·06	4·26	2·41	2·87	4·45	6·33	9·46	14·40	26·29	65·03	156·22
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·33	†172	–	–	–	–	66·88	4·40	2·25	2·65	4·27	6·25	10·28	15·94	27·79	70·00	165·42
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·38	†134	–	–	–	–	55·20	4·12	2·56	3·05	4·56	6·38	8·86	13·23	25·14	61·22	149·30
Mean Population, 1881-91. Persons	Decennial Increase of Population 13·56 per cent.	42,178	1147	1047	1076	1071	1026	5367	5025	4689	4349	3755	6039	4787	3667	2552	1450	498
Mean Population, 1881-91. Males	Decennial Increase of Population 13·56 per cent.	18,967	588	529	538	520	518	2693	2498	2265	1923	1498	2510	2043	1581	1112	630	214
Mean Population, 1881-91. Females	Decennial Increase of Population 13·56 per cent.	23,211	559	518	538	551	508	2674	2527	2424	2426	2257	3529	2744	2086	1440	820	284
Deaths from All Causes, 1881-90. Persons	18·14	7,651	2240	542	225	154	116	3277	214	113	125	167	382	453	528	671	943	778
Deaths from All Causes, 1881-90. Males	20·03	3,800	1278	286	98	75	64	1801	110	51	51	64	157	210	252	309	441	354
Deaths from All Causes, 1881-90. Females	16·59	3,851	962	256	127	79	52	1476	104	62	74	103	225	243	276	362	502	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.																
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·26	0·30	0·23	110	56	54	16	43	18	15	10	102	7	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·45	0·49	0·41	188	93	95	9	26	33	30	29	127	50	5	2	1	2	1	–	–	–	–	–
Diphtheria	0·13	0·16	0·11	55	30	25	3	6	10	8	10	37	12	3	2	1	–	–	–	–	–	–	–
Whooping-cough	0·39	0·35	0·43	166	66	100	73	55	19	10	4	161	5	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·09	0·05	0·12	37	10	27	–	–	1	1	–	2	1	6	10	6	6	4	1	1	–	–	–
Simple Continued Fever	0·02	0·04	0·01	10	7	3	–	–	1	–	1	2	–	1	1	–	3	1	–	1	1	–	–
Diarrhœa and Dysentery	0·92	1·08	0·80	389	204	185	315	47	4	1	–	367	2	–	–	–	2	1	–	3	4	10	–
Cholera	0·00	0·01	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·42	0·91	292	80	212	–	–	–	–	1	1	1	–	1	1	11	38	62	70	76	31	–
Tabes Mesenterica	0·19	0·25	0·13	79	48	31	53	10	2	2	1	68	5	1	–	2	1	2	–	–	–	–	–
Phthisis	1·70	1·77	1·64	716	336	380	46	14	5	1	–	66	11	22	56	70	176	140	95	49	26	5	–
Other Tub. & Scrof. Dis.	0·39	0·49	0·31	165	93	72	66	31	15	5	4	121	15	10	2	5	6	2	4	–	–	–	–
Diseases of Nervous System	2·44	2·72	2·20	1027	516	511	271	53	23	13	10	370	23	6	5	14	23	37	73	141	201	134	–
Diseases of Circulatory „	1·55	1·44	1·63	652	273	379	–	–	–	–	1	1	9	16	11	10	32	61	88	145	183	96	–
Diseases of Respiratory „	3·01	3·42	2·68	1269	648	621	351	175	65	54	36	681	40	8	3	14	30	46	62	89	184	112	–
Diseases of Digestive „	0·86	0·96	0·78	364	182	182	65	25	4	2	3	99	10	4	5	5	12	40	48	60	62	19	–
Diseases of Urinary „	0·39	0·56	0·25	163	106	57	2	3	1	–	2	8	4	4	2	9	15	10	26	30	40	15	–
Diseases of Generative „	0·03	0·01	0·04	11	1	10	1	–	–	–	–	1	–	–	–	–	3	1	2	2	2	–	–
Puerperal Fever	0·06	–	0·11	26	–	26	–	–	–	–	–	–	–	–	1	6	7	12	–	–	–	–	–
Childbirth	0·07	–	0·12	28	–	28	–	–	–	–	–	–	–	–	3	5	13	7	–	–	–	–	–
Violence	0·52	0·54	0·14	135	103	32	16	3	5	6	2	32	5	6	8	4	11	9	16	20	15	9	–
Other Causes	4·18	4·96	3·54	1766	946	820	953	50	19	6	2	1030	14	20	13	13	29	40	51	60	149	347	–

Marriages - - 3,296

Births - Males - 7,409, Females - 7,155 } 14,564

Annual Rate per 1000 living: Persons Married 15·63; Births - - 34·53

Deaths from Childbirth and Puerperal Fever - - - - 3·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

177.—CAXTON

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		13·11	†101	–	–	–	–	34·60	3·36	2·15	3·36	7·77	6·44	7·50	8·17	17·36	45·99	142·86
Males	—					12·79	†113	–	–	–	–	37·76	4·11	2·00	2·96	4·47	4·28	6·76	7·06	19·26	47·27	159·65
Females	—					13·41	† 90	–	–	–	–	31·50	2·69	2·31	3·93	11·74	8·56	8·19	9·27	15·38	44·78	128·99
Mean Population, 1881–91. Persons	Decennial Decrease of Population. 9·16 per cent.			9,883			262	242	245	244	270	1263	1339	1211	862	656	1087	1040	906	743	524	252
Males				5,013			123	125	123	119	135	625	632	649	506	358	538	503	453	379	256	114
Females				4,870			139	117	122	125	135	638	707	562	356	298	549	537	453	364	268	138
Deaths from All Causes, 1881–90. Persons	15·88			1,540			293	70	34	25	15	437	45	26	29	51	70	78	74	129	241	360
Males	15·38			771			158	39	22	10	7	236	26	13	15	16	23	34	32	73	121	182
Females	15·79			769			135	31	12	15	8	201	19	13	14	35	47	44	42	56	120	178
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·16	0·08	12	8	4	4	3	1	1	1	10	1	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·17	0·08	0·27	17	4	13	–	4	3	2	2	11	5	–	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·26	0·08	17	13	4	3	–	2	2	2	9	6	–	1	1	–	–	–	–	–	–
Whooping-cough	0·30	0·22	0·39	30	11	19	19	6	2	2	1	30	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	10	5	5	–	1	–	–	–	1	1	1	–	2	2	2	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·23	24	13	11	8	3	–	–	–	11	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	7
Cancer	0·61	0·40	0·83	60	20	40	–	–	–	–	–	–	–	–	–	–	1	7	9	11	26	6
Tabes Mesenterica	0·20	0·24	0·16	20	12	8	11	2	1	–	1	15	2	–	–	–	–	–	1	1	1	–
Phthisis	1·43	1·06	1·81	141	53	88	–	1	3	–	–	4	3	6	8	30	36	23	18	7	5	1
Other Tub. & Scrof. Dis.	0·18	0·26	0·10	18	13	5	3	1	1	1	–	6	2	1	1	–	–	3	–	3	2	–
Diseases of: Nervous System	1·77	1·64	1·91	175	82	93	25	6	4	3	–	38	6	2	5	2	3	3	12	13	38	53
Circulatory "	1·43	1·48	1·38	141	74	67	2	–	–	–	2	4	3	2	2	4	6	5	9	26	44	36
Respiratory "	2·58	2·97	2·18	255	149	106	62	25	9	8	4	108	7	7	2	2	2	10	7	19	44	47
Digestive "	0·99	1·04	0·94	98	52	46	11	11	–	2	–	24	3	1	2	3	–	7	3	17	19	19
Urinary "	0·48	0·54	0·41	47	27	20	–	–	1	–	–	1	–	–	–	1	1	1	5	12	16	10
Generative "	0·05	0·02	0·08	5	1	4	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–
Puerperal Fever	0·13	–	0·27	13	–	13	–	–	–	–	–	–	–	–	2	–	7	4	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–
Violence	0·50	0·60	0·39	49	30	19	8	2	3	4	1	18	3	3	3	1	5	4	4	2	5	1
Other Causes	4·06	4·05	4·05	401	204	197	137	5	4	–	1	147	3	3	1	2	5	7	3	13	37	180

Marriages - - - 512

Births - Males - 1,398 } 2,903
Females - 1,505 }

Annual Rate per 1000 living { Persons Married 10·36
Births - - 29·37

Deaths from Childbirth and Puerperal Fever - - - - } 6·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

178.—CHESTERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·51	†107	–	–	–	–	37·65	5·09	2·76	3·49	6·49	6·88	9·28	12·73	21·97	48·44	134·61
Males	—	15·03	†120	–	–	–	–	41·21	5·29	2·72	2·54	6·05	6·34	9·49	13·19	24·60	55·25	141·43
Females	—	14·02	† 94	–	–	–	–	34·10	4·89	2·80	4·65	6·90	7·39	9·09	12·31	19·52	42·54	128·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·68 per cent.	30,019	728	735	766	748	763	3740	3734	3405	2780	2234	3869	3350	2694	2094	1414	705
Males		14,856	379	351	388	365	383	1866	1873	1725	1533	1075	1894	1623	1281	1008	657	321
Females		15,163	349	384	378	383	380	1874	1861	1680	1247	1159	1975	1727	1413	1086	757	384
Deaths from All Causes, 1881–90. Persons	16·48	4,948	915	236	100	89	68	1408	190	94	97	145	266	311	343	460	685	949
Males	17·01	2,527	513	123	56	46	31	769	99	47	39	65	120	154	169	248	363	454
Females	15·97	2,421	402	113	44	43	37	639	91	47	58	80	146	157	174	212	322	495

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·22	0·24	0·19	65	36	29	14	16	15	5	4	54	11	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·13	0·14	41	20	21	2	5	9	6	5	27	12	1	–	–	1	–	–	–	–
Diphtheria	0·45	0·46	0·45	136	68	68	11	7	16	12	18	64	47	10	3	2	2	2	1	2	1
Whooping-cough	0·40	0·35	0·45	120	52	68	49	45	7	11	3	115	4	–	–	–	–	–	–	–	2
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	0·17	0·13	0·21	52	20	32	1	–	–	1	1	3	7	4	7	8	13	3	1	2	3
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	–	–	1	–	1	–	–	1	–	–	–	–	–	1
Diarrhœa and Dysentery	0·40	0·48	0·33	121	71	50	69	7	1	2	–	79	1	–	–	–	2	4	1	4	8
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
Cancer	0·77	0·65	0·89	232	97	135	–	–	–	–	–	–	–	–	1	–	1	19	39	71	70
Tabes Mesenterica	0·11	0·12	0·10	32	17	15	14	1	–	1	2	18	4	3	2	–	3	–	–	1	1
Phthisis	1·87	1·78	1·97	562	264	298	30	4	–	1	1	36	11	19	41	80	114	96	85	45	31
Other Tub. & Scrof. Dis.	0·48	0·49	0·47	145	73	72	32	17	6	11	6	72	27	16	8	6	2	7	4	–	2
Diseases of Nervous System	2·24	2·46	2·04	674	365	309	87	10	9	9	3	118	12	11	4	10	24	53	56	75	141
Circulatory „	1·56	1·66	1·47	469	246	223	4	3	–	–	1	8	2	5	3	5	17	27	41	88	126
Respiratory „	2·71	3·13	2·30	814	465	349	183	77	27	19	15	321	26	3	10	5	22	22	42	69	124
Digestive „	1·01	0·96	1·07	304	142	162	63	17	3	4	5	92	5	4	6	2	10	12	30	39	62
Urinary „	0·37	0·44	0·30	112	66	46	–	1	1	1	–	3	4	2	–	1	7	11	18	18	26
Generative „	0·04	0·01	0·07	11	1	10	–	–	–	–	–	–	–	–	–	–	2	2	2	1	3
Puerperal Fever	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	–	7	5	6	–	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	1	4	11	5	–	–	–
Violence	0·51	0·74	0·29	154	110	44	14	6	2	5	1	28	7	12	5	10	10	20	11	18	17
Other Causes	2·88	2·76	2·94	857	411	446	342	20	4	–	3	369	10	4	5	5	20	21	11	26	69

Marriages - - 1,776

Births - { Males - 4,285 / Females - 4,293 } 8,578

Annual Rate per 1000 living { Persons Married 11·83 / Births - - 28·58 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

179.—CAMBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·10	†133	–	–	–	–	50·97	4·82	2·50	3·76	4·13	7·56	11·68	18·07	31·84	58·19	151·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·78	†139	–	–	–	–	51·58	4·74	2·57	4·31	4·17	9·16	14·70	22·81	39·66	71·23	168·10
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·51	†126	–	–	–	–	50·34	4·90	2·43	3·29	4·09	6·27	9·23	14·40	26·23	49·94	142·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·58 per cent.	36,173	882	766	823	840	813	4124	3922	3959	4123	3705	5198	4119	3605	2120	1318	580
Mean Population, 1881–91. Males	Decennial Increase of Population 4·58 per cent.	16,724	441	390	417	414	430	2092	1941	1903	1902	1799	2326	1844	1311	885	511	210
Mean Population, 1881–91. Females	Decennial Increase of Population 4·58 per cent.	19,449	441	376	406	426	383	2032	1981	2056	2221	1906	2872	2275	1694	1235	807	370
Deaths from All Causes, 1881–90. Persons	17·79	6,436	1329	395	175	122	81	2102	189	99	155	153	393	481	543	675	767	879
Deaths from All Causes, 1881–90. Males	19·30	3,228	716	192	79	61	31	1079	92	49	82	75	213	271	299	351	364	353
Deaths from All Causes, 1881–90. Females	16·49	3,208	613	203	96	61	50	1023	97	50	73	78	180	210	244	324	403	526
	Persons.	Males.	Females.	Persons.	Males.	Females.												
								Persons.										
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·26	0·30	101	43	58	15	41	19	11	7	93	6	1	–	–	1	–
Scarlet Fever	0·16	0·16	0·16	58	27	31	1	8	10	12	5	36	15	5	1	–	–	–
Diphtheria	0·22	0·22	0·23	80	36	44	1	5	11	14	15	46	22	6	2	–	–	–
Whooping-cough	0·46	0·47	0·45	166	79	87	76	48	21	12	5	162	3	–	1	–	1	–
Typhus	0·00	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Enteric Fever	0·13	0·11	0·14	46	19	27	–	2	–	1	2	5	3	6	7	4	11	5
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	1	–	1	–	2	–	1	–	–	1	–
Diarrhœa and Dysentery	0·61	0·65	0·58	220	108	112	168	23	3	–	1	195	3	–	–	–	–	1
Cholera	0·01	0·01	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	1	–
Cancer	0·95	0·87	1·02	343	145	198	–	–	–	–	–	–	4	–	3	2	8	42
Tabes Mesenterica	0·24	0·27	0·22	88	45	43	51	15	3	1	–	70	3	2	3	–	4	4
Phthisis	2·01	2·51	1·58	727	419	308	17	15	7	4	2	45	9	18	50	77	172	159
Other Tub. & Scrof. Dis.	0·49	0·56	0·44	178	93	85	40	38	13	10	10	111	24	11	9	5	5	4
Diseases of Nervous System	1·89	1·91	1·87	682	319	363	111	33	13	8	7	172	15	10	17	8	14	32
Diseases of Circulatory „	1·54	1·50	1·57	557	251	306	8	2	–	1	1	12	9	6	12	9	26	48
Diseases of Respiratory „	3·19	3·44	2·97	1154	576	578	279	111	55	32	16	493	27	6	8	7	30	47
Diseases of Digestive „	1·01	1·15	0·89	366	193	173	81	15	3	5	2	106	11	5	9	7	17	36
Diseases of Urinary „	0·69	0·84	0·57	251	140	111	4	1	2	–	2	9	4	3	3	5	18	28
Diseases of Generative „	0·10	0·01	0·17	36	2	34	1	–	–	–	–	1	–	–	–	4	7	5
Puerperal Fever	0·06	–	0·11	21	–	21	–	–	–	–	–	–	–	–	1	4	6	10
Childbirth	0·04	–	0·08	16	–	16	–	–	–	–	–	–	–	–	–	1	8	5
Violence	0·62	0·95	0·34	225	159	66	25	7	5	6	3	46	12	7	7	3	31	16
Other Causes	3·07	3·39	2·76	1111	569	542	450	30	9	4	3	496	19	12	22	16	32	39

Causes of Death.	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	18·07	31·84	58·19	151·55
Annual Death-Rate per 1000. Males	22·81	39·66	71·23	168·10
Annual Death-Rate per 1000. Females	14·40	26·23	49·94	142·16
Mean Population, 1881–91. Persons	3605	2120	1318	580
Mean Population, 1881–91. Males	1311	885	511	210
Mean Population, 1881–91. Females	1694	1235	807	370
Deaths from All Causes, 1881–90. Persons	543	675	767	879
Deaths from All Causes, 1881–90. Males	299	351	364	353
Deaths from All Causes, 1881–90. Females	244	324	403	526
	Persons.			
Small-pox	–	–	–	–
Measles	–	–	–	1
Scarlet Fever	–	–	–	–
Diphtheria	1	–	–	–
Whooping-cough	1	2	–	–
Typhus	–	–	–	–
Enteric Fever	4	1	–	–
Simple Continued Fever	–	–	–	–
Diarrhœa and Dysentery	1	1	4	4
Cholera	–	–	–	1
Cancer	46	122	81	35
Tabes Mesenterica	2	–	–	–
Phthisis	117	57	21	2
Other Tub. & Scrof. Dis.	6	2	1	–
Diseases of Nervous System	62	85	136	131
Diseases of Circulatory „	69	102	131	133
Diseases of Respiratory „	68	117	176	175
Diseases of Digestive „	37	53	44	41
Diseases of Urinary „	45	45	60	31
Diseases of Generative „	5	6	8	–
Puerperal Fever	–	–	–	–
Childbirth	2	–	–	–
Violence	31	26	25	21
Other Causes	46	53	79	297

Marriages - - - 2,417

Births - { Males - 5,155 / Females - 4,862 } 10,017

Annual Rate per 1000 living { Persons Married 13·36 / Births - - 27·69 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

180.—LINTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·44			†100	–	–	–	–	32·36	4·74	1·92	3·68	5·87	5·88	7·92	11·35	22·49	48·80	147·01
Annual Death-Rate per 1000. Males	—			In Standard Population* 13·75			†107	–	–	–	–	34·52	4·17	1·42	3·28	6·33	5·05	8·80	11·38	25·39	56·07	153·52
Annual Death-Rate per 1000. Females	—			In Standard Population* 13·14			† 94	–	–	–	–	30·18	5·31	2·41	4·21	5·42	6·68	7·10	11·32	19·65	42·62	142·19
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·67 per cent.			12,870			329	317	345	340	350	1681	1687	1563	1224	903	1496	1301	1119	898	664	334
Mean Population, 1881–91. Males				6,400			163	167	173	162	181	846	840	775	702	442	733	625	545	445	305	142
Mean Population, 1881–91. Females				6,470			166	150	172	178	169	835	847	788	522	461	763	676	574	453	359	192
Deaths from All Causes, 1881–90. Persons	16·22			2,087			384	83	37	18	22	544	80	30	45	53	88	103	127	202	324	491
Deaths from All Causes, 1881–90. Males	16·33			1,045			209	43	19	9	12	292	35	11	23	28	37	55	62	113	171	218
Deaths from All Causes, 1881–90. Females	16·11			1,042			175	40	18	9	10	252	45	19	22	25	51	48	65	89	153	273
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Measles	0·28	0·23	0·32	36	15	21	8	10	4	2	2	26	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·23	0·15	25	15	10	4	5	3	4	4	20	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·12	19	11	8	1	2	2	–	3	8	7	3	–	–	–	–	–	–	–	1
Whooping-cough	0·29	0·22	0·36	37	14	23	23	6	4	2	1	36	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·25	0·32	37	16	21	1	–	–	1	–	2	6	3	5	5	8	4	3	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·35	0·31	43	23	20	19	7	2	1	2	31	–	–	–	–	–	1	–	–	3	8
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Cancer	0·68	0·56	0·79	87	36	51	–	–	–	–	–	–	–	1	–	–	1	5	13	24	35	8
Tabes Mesenterica	0·14	0·13	0·15	18	8	10	5	6	2	–	–	13	3	–	–	–	–	1	1	–	–	–
Phthisis	1·46	1·39	1·53	188	89	99	5	4	1	1	1	12	10	4	23	26	42	27	24	14	5	1
Other Tub. & Scrof. Dis.	0·33	0·28	0·37	42	18	24	15	10	3	1	1	30	6	2	1	1	–	–	1	–	1	–
Diseases of Nervous System	2·22	2·13	2·32	286	136	150	47	1	4	1	2	55	7	2	2	5	9	6	16	34	66	84
Diseases of Circulatory „	1·90	1·97	1·84	245	126	119	1	–	–	–	–	1	1	4	2	3	3	14	21	52	77	67
Diseases of Respiratory „	2·24	2·44	2·06	289	156	133	66	23	4	5	5	103	14	1	2	3	3	13	13	30	46	61
Diseases of Digestive „	0·76	0·73	0·79	98	47	51	13	3	3	–	–	19	3	1	–	1	3	9	11	18	17	16
Diseases of Urinary „	0·37	0·47	0·28	48	30	18	1	–	–	–	–	1	–	1	2	2	1	3	6	7	20	5
Diseases of Generative „	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Puerperal Fever	0·05	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Childbirth	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–
Violence	0·47	0·75	0·19	60	48	12	6	–	4	–	1	11	6	3	1	2	4	6	4	9	5	9
Other Causes	3·95	3·98	3·92	509	255	254	169	6	1	–	–	176	2	3	6	2	8	10	11	14	46	231

Marriages - - - 722

Births - { Males - 1,951 / Females - 1,870 } 3,821

Average Rate per 1000 living { Persons Married 11·22 / Births - - 29·69 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

181.—NEWMARKET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·92	†120	–	–	–	–	42·51	4·00	2·39	3·52	5·28	7·00	7·39	12·55	22·49	52·44	144·40
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·92	†131	–	–	–	–	47·17	4·17	2·14	3·25	5·46	6·83	8·19	12·57	25·55	60·33	159·14
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·97	†109	–	–	–	–	37·91	3·83	2·68	3·87	5·08	7·18	6·60	12·53	19·61	44·96	133·16
Mean Population, 1881–91. Persons	Decennial Increase of Population, 7·82 per cent.	29,339	793	678	756	761	743	3731	3549	3299	2839	2293	3771	3138	2582	2068	1373	696
Mean Population, 1881–91. Males		14,841	387	352	373	368	373	1853	1773	1731	1600	1190	1904	1562	1257	1002	668	301
Mean Population, 1881–91. Females		14,498	406	326	383	393	370	1878	1776	1568	1239	1103	1867	1576	1325	1066	705	395
Deaths from All Causes, 1881–90. Persons	17·17	5,038	1082	287	109	64	44	1586	142	79	100	121	264	232	324	465	720	1005
Deaths from All Causes, 1881–90. Males	17·90	2,656	605	150	57	38	24	874	74	37	52	65	130	128	158	256	403	479
Deaths from All Causes, 1881–90. Females	16·43	2,382	477	137	52	26	20	712	68	42	48	56	134	104	166	209	317	526

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·03	–	5	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–
Measles	0·24	0·24	0·23	69	35	34	18	26	13	6	–	63	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·17	0·17	49	25	24	3	5	7	6	4	25	13	6	2	1	2	–	–	–	–	–
Diphtheria	0·18	0·14	0·22	53	21	32	1	4	2	5	5	17	25	8	2	1	–	–	–	–	–	–
Whooping-cough	0·27	0·28	0·26	80	42	38	46	17	7	5	3	78	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	0·15	0·18	0·13	45	26	19	1	1	1	–	–	3	8	5	7	6	8	2	5	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	0·41	0·40	0·43	121	59	62	78	11	2	2	–	93	3	–	–	1	1	–	–	5	4	14
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Cancer	0·65	0·47	0·83	191	70	121	–	–	–	–	–	–	–	–	–	1	6	9	39	54	59	23
Tabes Mesenterica	0·36	0·34	0·37	105	51	54	49	20	5	3	–	77	7	5	5	1	4	2	1	1	1	1
Phthisis	1·60	1·70	1·50	470	252	218	8	7	2	2	–	19	6	15	41	60	122	84	60	37	23	3
Other Tub. & Scrof. Dis.	0·23	0·23	0·23	67	34	33	11	4	8	6	3	32	7	5	1	–	6	3	4	6	1	2
Diseases of Nervous System	2·10	2·20	2·01	617	326	291	90	28	14	6	4	142	18	9	7	9	11	15	44	81	133	148
Diseases of Circulatory „	2·00	1·98	2·03	588	294	294	4	–	–	1	–	5	–	3	7	10	13	23	52	100	183	192
Diseases of Respiratory „	2·48	2·80	2·16	729	416	313	182	92	29	18	15	336	19	4	4	5	16	21	36	56	98	134
Diseases of Digestive „	1·04	1·07	1·01	305	159	146	36	30	7	1	3	77	8	6	4	3	13	15	25	44	72	38
Diseases of Urinary „	0·31	0·42	0·19	90	63	27	1	1	–	–	–	2	3	1	1	2	7	3	12	13	20	26
Diseases of Generative „	0·06	0·01	0·11	17	1	16	–	–	–	–	–	–	–	–	–	1	1	3	3	3	5	1
Puerperal Fever	0·05	–	0·11	16	–	16	–	–	–	–	–	–	–	–	–	–	9	7	–	–	–	–
Childbirth	0·07	–	0·15	22	–	22	–	–	–	–	–	–	–	–	1	4	8	9	–	–	–	–
Violence	0·48	0·67	0·28	140	99	41	11	5	5	1	4	26	12	4	13	5	16	15	13	15	8	13
Other Causes	4·28	4·54	4·00	1254	674	580	543	36	7	2	3	591	5	8	5	10	20	19	29	48	112	407

Marriages - - - 1,943

Births - { Males - 4,616 / Females - 4,393 } 9,009

Annual Rate per 1000 living { Persons Married 13·25 / Births - - 30·71 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

182.—ELY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 16·08			†130	–	–	–	–	49·02	4·52	3·82	4·61	7·26	6·77	9·20	10·69	21·68	53·24	129·92
Annual Death-Rate per 1000. Males	—			16·72			†146	–	–	–	–	53·44	5·26	3·62	3·15	6·29	6·33	9·64	12·36	24·27	58·15	130·58
Annual Death-Rate per 1000. Females	—			15·48			†112	–	–	–	–	44·58	3·78	4·04	6·34	8·21	7·20	8·77	9·10	19·19	48·47	129·30
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·26 per cent.			20,740			490	486	480	519	520	2495	2611	2406	2041	1583	2511	2174	1843	1545	1033	498
Mean Population, 1881–91. Males				10,377			244	240	253	252	261	1250	1313	1217	1110	779	1233	1068	898	758	509	242
Mean Population, 1881–91. Females				10,363			246	246	227	267	259	1245	1298	1189	931	804	1278	1106	945	787	524	256
Deaths from All Causes, 1881–90. Persons	18·04			3,741			791	235	89	48	60	1223	118	92	94	115	170	200	197	335	550	647
Deaths from All Causes, 1881–90. Males	18·82			1,953			461	115	37	25	30	668	69	44	35	49	78	103	111	184	296	316
Deaths from All Causes, 1881–90. Females	17·25			1,788			330	120	52	23	30	555	49	48	59	66	92	97	86	151	254	331
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·03	5	2	3	1	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–
Measles	0·21	0·19	0·22	43	20	23	10	15	8	2	4	39	2	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	30	15	15	1	5	4	3	5	18	5	6	–	1	–	–	–	–	–	–
Diphtheria	0·22	0·20	0·23	45	21	24	–	6	6	5	5	22	19	1	2	1	–	–	–	–	–	–
Whooping-cough	0·54	0·46	0·63	113	48	65	37	47	9	11	6	110	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·22	0·20	0·24	46	21	25	–	–	–	1	1	2	5	5	11	6	6	1	5	2	2	1
Simple Continued Fever	0·03	0·04	0·02	6	4	2	–	–	–	–	–	–	2	1	1	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·26	0·24	0·27	53	25	28	23	4	3	–	–	30	–	–	1	–	–	1	6	1	7	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·60	1·03	169	62	107	–	–	–	–	–	–	1	–	–	1	4	15	17	53	44	34
Tabes Mesenterica	0·25	0·28	0·21	51	29	22	15	15	4	1	2	37	3	4	3	–	1	–	2	–	1	–
Phthisis	1·82	1·74	1·89	377	181	196	12	6	6	–	3	27	8	17	45	58	67	73	27	39	13	3
Other Tub. & Scrof. Dis.	0·49	0·54	0·44	102	56	46	27	10	4	5	6	52	16	11	5	3	6	3	1	2	3	–
Diseases of Nervous System	1·93	1·99	1·86	400	207	193	80	14	9	4	8	115	7	9	5	4	8	12	13	36	103	88
Diseases of Circulatory „	2·14	2·32	1·96	444	241	203	–	–	–	–	–	–	–	3	5	2	8	26	37	64	166	133
Diseases of Respiratory „	2·40	2·59	2·20	497	269	228	116	57	20	13	15	221	22	6	5	5	7	15	17	47	70	82
Diseases of Digestive „	0·95	1·11	0·80	198	115	83	65	19	2	1	1	88	7	4	4	2	10	13	18	26	16	10
Diseases of Urinary „	0·57	0·74	0·40	118	77	41	3	3	3	–	–	9	–	2	1	3	7	4	14	15	36	27
Diseases of Generative „	0·06	–	0·12	12	–	12	–	1	–	–	–	1	–	–	–	1	–	2	2	3	3	–
Puerperal Fever	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	–	6	12	6	–	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	3	3	4	–	–	–	–
Violence	0·71	1·10	0·33	148	114	34	6	5	8	2	1	22	10	15	4	9	15	10	15	17	18	13
Other Causes	4·10	4·31	3·90	849	445	404	395	28	3	–	3	429	7	6	2	8	14	15	21	30	68	249

Marriages - - - 1,264

Births - { Males - 3,161 / Females - 2,936 } 6,097

Annual Rate per 1000 living { Persons Married 13·15 / Births - - 29·40

Deaths from Childbirth and Puerperal Fever - - - - } 5·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

183.—NORTH WITCHFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·64	†124	–	–	–	–	44·28	3·32	3·00	5·37	5·79	5·20	6·92	10·50	19·76	50·06	143·20
Males	—	15·33	†137	–	–	–	–	51·23	2·88	3·23	4·41	5·65	4·78	6·13	10·90	19·93	54·66	153·42
Females	—	13·98	†110	–	–	–	–	37·58	3·75	2·77	6·42	5·93	5·63	7·70	10·11	19·60	45·64	133·90
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·37 per cent.	15,927	403	399	405	420	437	2064	1958	1868	1564	1210	1943	1735	1372	1088	787	338
Males		7,951	196	199	198	206	214	1013	971	928	816	620	984	865	670	537	386	161
Females		7,976	207	200	207	214	223	1051	987	940	748	590	959	870	702	551	401	177
Deaths from All Causes, 1881–90. Persons	16·62	2,647	619	172	59	42	22	914	65	56	84	70	101	120	144	215	394	484
Males	17·43	1,386	352	101	36	21	9	519	28	30	36	35	47	53	73	107	211	247
Females	15·81	1,261	267	71	23	21	13	395	37	26	48	35	54	67	71	108	183	237

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·23	0·30	0·15	36	24	12	10	12	7	3	–	32	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·16	0·21	30	13	17	2	5	5	3	3	18	5	5	1	–	1	–	–	–	–
Diphtheria	0·14	0·16	0·11	22	13	9	1	3	1	4	2	11	7	–	–	–	–	1	2	–	1
Whooping-cough	0·36	0·29	0·43	57	23	34	29	17	5	3	1	55	2	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	·01	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Enteric Fever	0·09	0·06	0·11	14	5	9	–	–	–	–	–	–	1	1	4	2	2	–	1	–	1
Simple Continued Fever	0·04	0·03	0·05	6	2	4	1	–	–	2	–	3	–	1	–	–	–	–	–	3	–
Diarrhœa and Dysentery	0·40	0·42	0·39	64	33	31	40	6	2	1	–	49	–	–	–	–	1	–	–	1	1
Cholera	0·09	0·09	0·09	14	7	7	4	3	–	–	1	8	1	–	1	–	–	–	–	3	9
Cancer	0·76	0·64	0·88	121	51	70	–	–	–	–	–	–	–	–	1	2	3	8	20	1	2
Tabes Mesenterica	0·26	0·33	0·20	42	26	16	20	7	2	1	–	30	2	4	2	2	1	–	1	29	39	19
Phthisis	1·41	1·17	1·66	225	93	132	6	8	–	–	–	14	5	12	34	34	44	38	17	–	–	–
Other Tub. & Scrof. Dis.	0·56	0·60	0·53	90	48	42	23	15	2	7	3	50	9	13	5	1	2	2	2	15	10	2
Diseases of: Nervous System	1·72	1·86	1·58	274	148	126	49	15	5	5	3	77	3	4	5	4	3	12	12	3	2	1
Circulatory "	1·48	1·53	1·42	235	122	113	4	–	–	1	–	5	1	1	5	5	4	10	24	35	67	52
Respiratory "	2·50	2·62	2·38	398	208	190	168	45	14	6	5	178	11	3	5	4	10	13	17	44	78	58
Digestive "	0·83	0·80	0·85	132	64	68	15	4	3	2	–	24	–	–	1	1	6	10	13	32	74	51
Urinary "	0·35	0·55	0·14	55	44	11	1	–	1	–	–	2	–	–	1	–	2	4	6	18	34	25
Generative "	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	1	–	9	16	15
Puerperal Fever	–	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Childbirth	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	1	2	4	4	1	–	–	–
Violence	0·73	1·00	0·45	116	80	36	10	6	10	3	2	31	8	7	10	9	10	7	10	7	8	9
Other Causes	4·36	4·77	3·91	690	378	312	295	26	2	1	2	326	6	4	8	2	5	7	16	18	58	240

Marriages - - - 1,097

Births - Males - 2,572; Females - 2,438 — 5,010

Annual Rate per 1000 living: Persons Married 13·78; Births - - 31·46

Deaths from Childbirth and Puerperal Fever - - - - 3·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

184.—WHITTLESEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·82	†122	–	–	–	–	42·69	3·56	2·09	5·10	5·58	6·89	7·63	12·48	21·41	53·35	127·53
Males	—	15·27	†133	–	–	–	–	45·39	4·28	2·01	2·64	4·67	6·76	8·41	16·00	24·28	53·33	134·21
Females	—	14·39	†110	–	–	–	–	39·73	2·77	2·17	8·01	6·48	7·01	6·96	9·27	18·80	53·37	122·55
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·86 per cent.	6,400	151	142	163	171	160	787	758	766	628	430	726	668	577	509	373	178
Males		3,200	80	65	85	93	89	412	397	398	341	214	355	309	275	243	180	76
Females		3,200	71	77	78	78	71	375	361	368	287	216	371	359	302	266	193	102
Deaths from All Causes, 1881–90. Persons	17·86	1,143	215	74	29	10	8	336	27	16	32	24	50	51	72	109	199	227
Males	18·19	582	122	37	21	4	3	187	17	8	9	10	24	26	44	59	96	102
Females	17·53	561	93	37	8	6	5	149	10	8	23	14	26	25	28	50	103	125

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·08	0·09	0·06	5	3	2	1	3	–	–	–	4	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·34	0·31	0·38	22	10	12	3	7	2	3	2	17	3	1	1	–	–	–	–	–	–	–
Diphtheria	0·11	0·16	0·06	7	5	2	1	1	–	1	–	3	3	–	1	–	–	–	–	–	–	–
Whooping-cough	0·25	0·22	0·28	16	7	9	7	8	1	–	–	16	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	–	0·06	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·03	–	0·06	2	–	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	0·09	0·09	0·09	6	3	3	–	2	–	1	–	3	1	–	–	1	–	–	–	–	1	–
Diarrhœa and Dysentery	0·53	0·44	0·63	34	14	20	14	4	2	–	–	20	1	–	–	–	–	1	–	2	2	8
Cholera	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·78	0·75	0·81	50	24	26	–	–	–	–	–	–	–	–	1	–	–	3	7	13	21	5
Tabes Mesenterica	0·22	0·18	0·25	14	6	8	7	1	1	–	–	9	1	–	2	–	2	–	–	–	–	–
Phthisis	1·42	1·31	1·53	91	42	49	7	5	1	–	1	14	1	5	15	10	21	14	6	4	1	–
Other Tub. & Scrof. Dis.	0·33	0·18	0·47	21	6	15	7	6	–	–	–	13	2	2	–	–	–	2	1	1	–	–
Diseases of Nervous System	2·45	2·41	2·50	157	77	80	34	4	6	–	3	47	3	–	4	3	4	3	8	11	43	31
Circulatory "	1·53	1·34	1·72	98	43	55	1	1	–	–	–	2	–	–	1	2	1	9	13	17	26	27
Respiratory "	3·16	3·47	2·84	202	111	91	45	20	10	3	–	78	3	–	–	–	3	6	12	22	36	42
Digestive "	1·83	2·09	1·56	117	67	50	17	6	1	–	1	25	2	3	2	2	4	5	12	17	37	8
Urinary "	0·33	0·50	0·16	21	16	5	–	–	–	–	–	–	–	–	–	–	1	1	1	3	11	4
Generative "	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Puerperal Fever	0·05	–	0·09	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Childbirth	0·09	–	0·18	6	–	6	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–
Violence	0·63	0·91	0·34	40	29	11	3	1	1	2	–	7	5	4	2	1	2	3	5	6	4	1
Other Causes	3·51	3·68	3·40	225	117	108	68	5	4	–	–	77	1	–	1	1	8	2	7	12	15	101

Marriages - - - 436

Births - { Males - 916, Females - 843 } 1,759

Annual Rate per 1000 living { Persons Married 13·63, Births - - 27·48 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

185.—WISBECH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·83	†131	–	–	–	–	47·77	5·05	3·50	4·59	5·27	6·81	8·86	11·23	23·29	52·23	129·50
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·74	†151	–	–	–	–	55·98	4·92	3·22	4·27	4·81	6·57	8·94	12·60	25·32	55·66	139·62
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·97	†111	–	–	–	–	41·51	5·17	3·80	4·94	5·67	7·02	8·80	10·00	21·54	49·33	121·56
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·80 per cent.	32,341	820	741	797	796	823	3977	3942	3712	3138	2351	3937	3475	2965	2340	1660	844
Mean Population, 1881–91. Males		15,699	403	370	405	402	419	1999	1951	1897	1641	1081	1856	1656	1405	1082	760	371
Mean Population, 1881–91. Females		16,642	417	371	392	394	404	1978	1991	1815	1497	1270	2081	1819	1560	1258	900	473
Deaths from All Causes, 1881–90. Persons	18·28	5,911	1248	339	143	87	83	1900	199	130	144	124	268	308	333	545	867	1093
Deaths from All Causes, 1881–90. Males	19·24	3,020	732	183	76	50	38	1079	96	61	70	52	122	148	177	274	423	518
Deaths from All Causes, 1881–90. Females	17·37	2,891	516	156	67	37	45	821	103	69	74	72	146	160	156	271	444	575

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·20	0·15	56	31	25	14	19	7	3	5	48	7	1	–	–	–	–	–	–	–
Scarlet Fever	0·41	0·44	0·37	131	69	62	5	8	16	12	21	62	46	17	4	1	1	–	–	–	–
Diphtheria	0·30	0·26	0·33	96	41	55	2	2	13	11	11	39	32	10	6	3	3	2	1	–	–
Whooping-cough	0·41	0·39	0·41	131	62	69	80	34	4	4	6	128	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1
Enteric Fever	0·10	0·09	0·10	31	14	17	1	–	1	–	1	3	3	1	5	4	3	6	1	3	2
Simple Continued Fever	0·03	0·03	0·02	9	5	4	–	–	1	1	–	2	2	–	–	–	–	3	–	1	–
Diarrhœa and Dysentery	0·46	0·53	0·40	149	83	66	70	16	8	2	2	98	4	1	1	–	–	–	5	7	14
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·85	0·68	1·02	276	107	169	–	–	–	1	–	1	–	–	3	–	6	23	46	79	76
Tabes Mesenterica	0·14	0·17	0·11	44	26	18	13	9	5	2	–	29	3	3	5	1	3	–	–	–	–
Phthisis	1·38	1·26	1·49	446	198	248	6	4	2	2	1	15	5	15	53	58	124	88	48	33	6
Other Tub. & Scrof. Dis.	0·29	0·29	0·29	94	46	48	15	13	6	3	3	40	16	10	11	3	6	4	1	1	2
Diseases of Nervous System	2·36	2·46	2·27	763	386	377	130	54	13	13	11	221	12	25	13	8	15	29	45	82	157
Diseases of Circulatory „	1·62	1·61	1·60	519	253	266	2	1	3	–	1	7	4	8	7	6	24	30	56	84	177
Diseases of Respiratory „	3·04	3·32	2·78	984	522	462	241	92	42	18	14	407	20	6	4	6	12	37	36	95	180
Diseases of Digestive „	0·90	1·01	0·81	292	158	134	39	29	2	–	2	72	5	5	6	8	11	15	29	50	62
Diseases of Urinary „	0·46	0·56	0·37	149	88	61	6	3	1	2	–	12	3	1	2	4	3	8	13	30	36
Diseases of Generative „	0·06	0·01	0·11	20	1	19	1	–	–	–	–	1	–	1	–	1	1	7	4	3	1
Puerperal Fever	0·06	–	0·11	18	–	18	–	–	–	–	–	–	–	–	1	4	9	4	–	–	–
Childbirth	0·05	–	0·10	16	–	16	–	–	–	–	–	–	–	–	–	–	10	6	–	–	–
Violence	0·67	1·05	0·32	218	165	53	8	8	8	8	1	33	21	19	13	8	12	13	20	23	30
Other Causes	4·51	4·87	4·19	1465	763	702	614	47	11	5	4	681	13	7	10	9	24	33	27	54	124

Marriages - - - 2,188

Births - { Males - 4,847 / Females - 4,656 } 9,503

Annual Rate per 1000 living { Persons Married 13·53 / Births - - 29·38 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

186.—WEST HAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·94	†142	–	–	–	–	57·74	5·33	2·67	3·67	4·20	5·98	9·70	14·72	28·92	59·07	147·04
Males	—	18·67	†153	–	–	–	–	61·89	5·41	2·64	3·63	4·26	5·91	10·07	15·37	30·73	63·31	156·83
Females	—	17·24	†130	–	–	–	–	53·62	5·24	2·71	3·72	4·13	6·05	9·33	14·06	27·27	55·83	140·98
Mean Population, 1881–91. Persons	Decennial Increase of Population 81·70 per cent.	283,046	8916	8313	8565	8526	8335	42655	38902	33426	25859	23169	44040	33925	21066	11869	6088	2047
Males		140,282	4389	4133	4257	4274	4187	21240	19560	16876	12855	11388	21655	17060	10586	5646	2633	783
Females		142,764	4527	4180	4308	4252	4148	21415	19342	16550	13004	11781	22385	16865	10480	6223	3455	1264
Deaths from All Causes, 1881–90. Persons	17·16	48,581	14870	5162	2198	1416	982	24628	2072	894	950	972	2634	3292	3101	3432	3596	3010
Males	17·72	24,854	8144	2693	1103	698	507	13145	1059	445	466	485	1279	1718	1627	1735	1667	1228
Females	16·62	23,727	6726	2469	1095	718	475	11483	1013	449	484	487	1355	1574	1474	1697	1929	1782

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·38	0·43	0·34	1086	597	489	151	52	65	43	37	348	83	67	80	94	210	117	58	22	4	3
Measles	0·55	0·57	0·52	1543	798	745	328	563	268	154	106	1419	115	4	–	3	1	1	–	–	–	–
Scarlet Fever	0·35	0·34	0·35	984	480	504	43	150	179	155	124	651	256	42	13	1	11	7	2	1	–	–
Diphtheria	0·32	0·30	0·33	903	426	477	46	108	133	155	111	553	264	40	12	8	7	8	3	5	2	1
Whooping-cough	0·71	0·64	0·78	2016	896	1120	361	611	233	143	76	1924	86	1	1	–	1	1	1	–	1	–
Typhus	0·01	0·01	0·00	17	11	6	–	–	–	–	–	–	4	2	1	–	4	3	1	–	2	–
Enteric Fever	0·21	0·22	0·21	599	304	295	3	8	20	26	18	75	80	84	72	66	92	62	32	28	6	2
Simple Continued Fever	0·01	0·01	0·01	41	20	21	1	2	2	4	4	13	8	3	2	1	4	–	2	3	5	–
Diarrhœa and Dysentery	0·80	0·86	0·74	2268	1212	1056	1703	304	42	13	9	2071	13	7	3	3	17	16	16	30	34	58
Cholera	0·03	0·04	0·02	87	54	33	51	12	–	–	–	63	5	–	1	1	2	2	5	5	2	1
Cancer	0·40	0·26	0·53	1122	361	761	1	–	3	–	–	4	4	3	4	2	47	152	273	317	228	88
Tabes Mesenterica	0·37	0·41	0·33	1039	574	465	635	207	81	21	13	957	27	23	6	10	5	6	3	2	–	–
Phthisis	1·39	1·49	1·29	3933	2092	1841	97	47	32	20	24	220	89	132	279	341	921	975	572	282	103	19
Other Tub. & Scrof. Dis.	0·49	0·56	0·42	1393	788	605	470	306	152	94	59	1081	134	53	33	17	27	16	11	14	5	2
Diseases of Nervous System	2·23	2·38	2·09	6316	3334	2982	2334	556	224	119	68	3301	191	73	56	57	145	235	378	570	765	545
Circulatory „	1·05	0·97	1·13	2972	1360	1612	48	15	7	7	7	84	64	90	98	58	207	405	462	571	610	323
Respiratory „	3·50	3·76	3·25	9919	5278	4641	2717	1666	579	355	223	5540	352	56	78	69	272	464	580	813	974	721
Digestive „	0·84	0·86	0·83	2385	1201	1184	696	218	44	18	31	1007	64	50	34	36	123	213	241	286	230	101
Urinary „	0·26	0·31	0·21	737	441	296	13	9	14	13	9	58	31	9	14	20	57	97	121	129	121	80
Generative „	0·03	0·01	0·06	91	11	80	4	1	1	1	–	7	–	–	2	1	11	19	16	15	12	8
Puerperal Fever	0·07	–	0·14	201	–	201	–	–	–	–	–	–	–	–	5	42	108	46	–	–	–	–
Childbirth	0·06	–	0·11	163	–	163	–	–	–	–	–	–	–	–	7	19	67	67	3	–	–	–
Violence	0·42	0·60	0·24	1183	837	346	215	46	39	30	18	348	89	57	68	62	122	149	109	90	52	37
Other Causes	2·68	2·69	2·69	7583	3779	3804	4153	281	80	45	45	4904	113	98	81	61	173	231	212	249	440	1021

Marriages - - - 17,071

Births - Males - 53,093; Females - 51,697 } 104,790

Annual Rate per 1000 living: Persons Married 12·06; Births - - 37·02

Deaths from Childbirth and Puerperal Fever - - - - - 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

187.—EPPING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·31	†110	–	–	–	–	38·84	4·19	1·88	3·31	4·55	5·27	7·63	13·19	22·35	56·24	147·60
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·44	†120	–	–	–	–	41·25	4·73	1·62	3·44	5·02	5·82	8·65	15·56	27·42	61·51	160·64
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·23	†100	–	–	–	–	36·48	3·65	2·14	3·18	4·13	4·78	6·68	11·00	17·69	51·20	136·84
Mean Population, 1881-91. Persons	Decennial Increase of Population 20·15 per cent.	23,946	605	566	610	599	599	2979	2938	2711	2326	2022	3226	2622	2131	1597	978	416
Mean Population, 1881-91. Males	Decennial Increase of Population 20·15 per cent.	11,640	300	284	295	290	305	1474	1460	1359	1164	957	1512	1260	1022	766	478	188
Mean Population, 1881-91. Females	Decennial Increase of Population 20·15 per cent.	12,306	305	282	315	309	294	1505	1478	1352	1162	1065	1714	1362	1109	831	500	228
Deaths from All Causes, 1881-90. Persons	15·33	3,672	754	201	84	59	59	1157	123	51	77	92	170	200	281	357	550	614
Deaths from All Causes, 1881-90. Males	16·74	1,949	413	110	38	26	21	608	69	22	40	48	88	109	159	210	294	302
Deaths from All Causes, 1881-90. Females	14·00	1,723	341	91	46	33	38	549	54	29	37	44	82	91	122	147	256	312

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·02	0·03	0·02	5	3	2	1	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–
Measles	0·35	0·40	0·30	83	46	37	17	24	11	8	8	68	13	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·10	0·06	0·13	23	7	16	1	4	1	4	3	13	5	2	1	–	–	2	–	–	–	–
Diphtheria	0·34	0·28	0·40	82	33	49	4	8	8	11	10	41	27	4	4	–	2	–	3	–	1	–
Whooping-cough	0·42	0·41	0·43	101	48	53	61	20	9	4	4	98	2	–	–	–	–	–	1	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·14	34	17	17	1	1	–	–	2	4	4	3	3	6	1	4	1	3	4	1
Simple Continued Fever	0·03	0·03	0·04	8	3	5	–	–	–	–	–	–	1	1	2	–	–	–	–	1	3	–
Diarrhœa and Dysentery	0·43	0·46	0·39	102	54	48	71	8	1	–	–	80	–	–	1	–	1	2	–	2	6	10
Cholera	0·03	0·02	0·03	6	2	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	2	–
Cancer	0·61	0·44	0·77	146	51	95	–	–	–	–	–	–	–	–	–	–	3	6	30	43	50	14
Tabes Mesenterica	0·15	0·19	0·11	36	22	14	21	9	1	1	–	32	–	1	1	1	1	–	–	–	–	–
Phthisis	1·06	1·27	0·87	255	148	107	1	1	1	1	–	4	4	7	18	36	63	49	39	19	16	–
Other Tub. & Scrof. Dis.	0·39	0·46	0·32	93	54	39	24	20	6	5	6	61	14	3	2	4	5	2	1	1	–	–
Diseases of Nervous System	1·82	1·98	1·67	437	231	206	90	18	7	2	3	120	11	2	8	1	14	13	36	67	90	75
Diseases of Circulatory "	1·60	1·72	1·49	383	200	183	1	1	–	2	–	4	3	2	5	7	17	24	32	68	135	86
Diseases of Respiratory "	2·58	2·92	2·26	618	340	278	136	66	27	15	16	260	23	7	4	5	12	19	27	47	90	124
Diseases of Digestive "	0·95	0·95	0·95	227	110	117	39	8	3	1	1	52	5	5	4	4	3	20	29	28	40	37
Diseases of Urinary "	0·48	0·56	0·41	115	65	50	–	1	1	–	1	3	1	–	3	3	3	12	12	16	32	30
Diseases of Generative "	0·02	–	0·04	5	–	5	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1
Puerperal Fever	0·08	–	0·15	19	–	19	–	–	–	–	–	–	–	–	–	4	9	6	–	–	–	–
Childbirth	0·03	–	0·05	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Violence	0·63	1·00	0·28	150	116	34	15	3	3	1	1	23	5	4	4	12	15	20	33	19	8	7
Other Causes	3·06	3·40	2·74	736	398	338	268	8	5	4	4	289	5	8	15	8	16	18	32	43	73	229

Marriages - - - 1,260

Births - { Males - 3,439 / Females - 3,411 } 6,850

Annual Rate per 1000 living { Persons Married 10·52 / Births - - 28·61 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·65 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

188.—ONGAR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·11	† 97	–	–	–	–	31·66	3·46	1·58	3·85	6·84	5·13	8·57	11·46	17·81	53·27	149·59
Males	—	13·79	†104	–	–	–	–	34·24	3·61	1·39	2·76	7·16	5·33	8·99	14·90	18·75	57·19	163·25
Females	—	12·47	† 89	–	–	–	–	29·36	3·30	1·81	5·36	6·50	4·92	8·12	7·87	16·80	48·56	137·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·07 per cent.	10,614	276	241	263	273	280	1333	1358	1327	936	731	1306	1109	960	775	535	244
Males		5,501	139	100	123	128	138	628	692	718	544	377	676	567	490	400	292	117
Females		5,113	137	141	140	145	142	705	666	609	392	354	630	542	470	375	243	127
Deaths from All Causes, 1881–90. Persons	15·41	1,636	281	73	28	24	16	422	47	21	36	50	67	95	110	138	285	365
Males	16·09	885	151	36	9	13	6	215	25	10	15	27	36	51	73	75	167	191
Females	14·69	751	130	37	19	11	10	207	22	11	21	23	31	44	37	63	118	174

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·09	0·15	0·04	10	8	2	–	–	–	–	–	–	–	–	2	2	–	3	1	1	1
Measles	0·11	0·11	0·12	12	6	6	4	3	1	–	1	9	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·04	0·04	0·04	4	2	2	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–
Diphtheria	0·18	0·24	0·14	20	13	7	–	1	1	2	2	6	10	–	1	1	1	–	1	–	–
Whooping-cough	0·41	0·31	0·53	44	17	27	21	14	4	3	1	43	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·11	0·06	9	6	3	–	1	–	–	–	1	–	2	1	2	–	3	–	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·40	0·43	44	22	22	21	4	–	–	–	25	1	–	1	–	2	–	–	2	3	10
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·60	0·47	0·74	64	26	38	–	–	–	–	–	–	–	–	–	1	–	7	16	15	15	10
Tabes Mesenterica	0·09	0·09	0·10	10	5	5	5	3	1	–	–	9	–	–	–	–	1	–	–	–	–	–
Phthisis	1·24	1·33	1·15	132	73	59	8	1	1	–	–	10	1	2	14	23	22	20	14	11	13	2
Other Tub. & Scrof. Dis.	0·23	0·25	0·20	24	14	10	4	4	–	5	1	14	–	–	1	2	2	1	1	2	1	–
Diseases of Nervous System	2·03	2·35	1·68	215	129	86	33	7	2	1	3	46	1	3	3	3	4	10	10	22	55	58
Circulatory "	1·60	1·53	1·68	170	84	86	1	–	–	–	–	1	3	2	3	3	8	10	12	27	49	52
Respiratory "	2·89	2·96	2·82	307	163	144	51	21	15	6	5	98	9	1	1	1	3	11	21	22	63	77
Digestive "	1·17	1·23	1·10	124	68	56	27	5	–	1	–	33	8	4	–	2	7	9	10	13	26	12
Urinary "	0·26	0·40	0·12	28	22	6	–	–	–	–	–	–	–	–	–	–	–	1	7	1	11	8
Generative "	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1
Puerperal Fever	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–
Violence	0·57	0·82	0·31	61	45	16	1	5	1	4	2	13	5	–	4	4	5	8	4	9	5	4
Other Causes	3·24	3·28	3·11	341	181	160	105	4	2	–	1	112	5	5	5	3	7	9	11	11	43	130

Marriages - - 573
Births - { Males - 1,453 / Females - 1,455 } 2,908

Annual Rate per 1000 living { Persons Married 10·80 / Births - - 27·40 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

189.—ROMFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population.* 15·94			†123	–	–	–	–	46·37	4·32	2·55	3·14	4·45	5·89	9·06	15·00	26·35	55·90	145·39
Annual Death Rate per 1000. Males	—			17·00			†137	–	–	–	–	51·79	4·07	1·68	2·39	3·86	6·40	9·92	17·07	28·90	64·05	154·72
Annual Death Rate per 1000. Females	—			14·94			†109	–	–	–	–	40·98	4·56	3·33	3·93	5·05	5·38	8·21	12·98	23·91	49·09	138·01
Mean Population, 1881-91. Persons	Decennial Increase of Population 34·99 per cent.			43,532			1265	1199	1231	1251	1218	6164	5947	5408	4114	3529	6013	4744	3433	2292	1313	575
Mean Population, 1881-91. Males				21,444			620	589	621	639	603	3072	2876	2555	2130	1787	2984	2368	1699	1121	598	254
Mean Population, 1881-91. Females				22,088			645	610	610	612	615	3092	3071	2853	1984	1742	3029	2376	1734	1171	715	321
Deaths from All Causes, 1881-90. Persons	16·11			7,012			1851	541	217	135	114	2858	257	138	129	157	354	430	515	604	734	836
Deaths from All Causes, 1881-90. Males	17·19			3,687			1059	290	113	64	65	1591	117	43	51	69	191	235	290	324	383	393
Deaths from All Causes, 1881-90. Females	15·05			3,325			792	251	104	71	49	1267	140	95	78	88	163	195	225	280	351	443
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons:															
Small-pox	0·08	0·07	0·09	36	16	20	9	1	2	–	2	14	1	4	3	2	5	2	1	3	1	–
Measles	0·31	0·30	0·33	136	64	72	26	49	22	12	9	118	16	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·18	79	39	40	6	14	12	13	7	52	22	2	1	–	1	–	1	–	–	–
Diphtheria	0·27	0·30	0·25	119	64	55	6	9	17	19	24	75	29	5	4	1	–	3	–	1	1	–
Whooping-cough	0·46	0·44	0·48	200	94	106	98	50	21	11	6	186	13	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·18	83	43	40	–	2	3	3	1	9	6	15	11	5	14	11	6	3	3	–
Simple Continued Fever	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·71	0·81	0·62	310	174	136	215	49	4	2	2	272	–	1	–	1	–	2	1	10	12	11
Cholera	0·00	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·42	0·67	238	91	147	–	–	–	–	–	–	–	–	–	2	8	26	40	72	63	27
Tabes Mesenterica	0·17	0·21	0·14	75	44	31	34	19	4	1	2	60	10	1	–	–	3	–	–	1	–	–
Phthisis	1·26	1·32	1·20	550	284	266	3	4	–	–	1	8	7	30	49	61	122	114	98	39	20	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	124	62	62	35	30	9	6	5	85	17	7	5	–	2	1	1	1	3	2
Diseases of Nervous System	2·16	2·35	1·98	940	503	437	356	79	21	10	11	477	29	10	8	10	15	27	54	74	121	115
Diseases of Circulatory „	1·22	1·15	1·29	532	247	285	3	–	1	–	1	5	9	17	8	10	23	43	85	115	133	84
Diseases of Respiratory „	3·13	3·52	2·74	1361	755	606	344	163	73	43	32	655	51	8	2	9	43	55	86	118	158	176
Diseases of Digestive „	0·81	0·89	0·74	353	190	163	57	32	7	4	3	103	9	7	8	4	12	33	46	63	49	29
Diseases of Urinary „	0·37	0·50	0·25	163	108	55	2	1	–	1	3	7	4	2	1	2	3	14	25	36	43	26
Diseases of Generative „	0·06	–	0·11	28	3	25	–	2	1	1	–	4	–	2	–	2	2	3	2	6	5	2
Puerperal Fever	0·10	–	0·19	42	–	42	–	–	–	–	–	–	–	–	–	11	19	12	–	–	–	–
Childbirth	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	–	5	9	15	1	–	–	–
Violence	0·53	0·83	0·24	232	178	54	21	6	6	6	2	41	13	5	13	16	35	29	29	27	11	13
Other Causes	3·20	3·40	2·95	1378	726	652	634	31	14	3	3	685	21	1	15	16	38	40	39	44	111	348

Marriages - - - 2,495

Births - Males - 7,742; Females - 7,282 — 15,024

Annual Rate per 1000 living: Persons Married 11·46; Births - - - 34·51

Deaths from Childbirth and Puerperal Fever - - - - - 4·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

190.—ORSETT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·14	†127	–	–	–	–	51·26	5·48	2·62	4·52	4·80	5·91	9·72	12·27	24·81	50·00	131·40
Annual Death-Rate per 1000. Males	—	17·20	†141	–	–	–	–	55·13	4·91	2·79	4·92	4·48	5·95	10·11	12·42	28·07	53·85	156·35
Annual Death-Rate per 1000. Females	—	15·14	†112	–	–	–	–	47·40	6·03	2·35	3·77	5·27	5·87	9·26	12·08	20·95	45·58	104·31
Mean Population, 1881–91. Persons	Decennial Increase of Population 65·72 per cent.	21,895	674	633	634	631	612	3184	2773	3012	2058	1728	3146	2397	1671	1052	632	242
Mean Population, 1881–91. Males		12,207	326	318	321	323	301	1589	1364	1865	1341	1026	1748	1306	934	570	338	126
Mean Population, 1881–91. Females		9,688	348	315	313	308	311	1595	1409	1147	717	702	1398	1091	737	482	294	116
Deaths from All Causes, 1881–90. Persons	16·25	3,558	1054	295	124	102	57	1632	152	79	93	83	186	233	205	261	316	318
Deaths from All Causes, 1881–90. Males	16·37	1,998	591	147	60	53	25	876	67	52	66	46	104	132	116	160	182	197
Deaths from All Causes, 1881–90. Females	16·10	1,560	463	148	64	49	32	756	85	27	27	37	82	101	89	101	134	121

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·11	0·15	0·06	24	18	6	3	–	–	–	–	3	–	–	3	2	5	7	1	3	–	–
Measles	0·48	0·46	0·50	104	56	48	21	40	14	13	6	94	8	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	0·14	0·23	39	17	22	1	5	6	7	3	22	13	2	1	–	–	1	–	–	–	–
Diphtheria	0·43	0·35	0·53	94	43	51	4	9	13	18	14	58	28	3	3	–	1	1	–	–	–	–
Whooping-cough	0·55	0·42	0·72	121	51	70	68	25	9	11	6	119	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·25	0·20	49	30	19	–	–	3	1	1	5	6	5	10	6	9	2	3	1	2	–
Simple Continued Fever	0·03	0·02	0·05	7	2	5	–	1	2	–	–	3	2	1	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·69	0·62	0·78	152	76	76	106	22	5	1	–	134	2	–	–	–	–	1	–	2	3	10
Cholera	0·02	0·01	0·03	4	1	3	–	1	–	–	–	1	–	2	–	–	–	1	–	–	–	–
Cancer	0·37	0·29	0·47	81	35	46	–	–	–	–	–	–	2	–	–	–	5	6	15	17	28	8
Tabes Mesenterica	0·22	0·20	0·24	48	25	23	30	8	3	1	–	42	5	–	–	1	–	–	–	–	–	–
Phthisis	1·23	1·08	1·41	269	132	137	4	7	3	1	1	16	7	5	18	28	68	55	29	33	9	1
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	83	47	36	20	25	5	3	4	57	13	6	3	1	1	–	1	1	–	–
Diseases of Nervous System	2·01	2·02	2·00	441	247	194	140	38	8	7	5	198	17	7	10	6	11	20	27	36	55	54
Diseases of Circulatory „	1·19	1·11	1·30	261	135	126	1	–	1	–	1	3	2	4	9	5	14	32	31	55	66	40
Diseases of Respiratory „	2·85	2·93	2·76	625	358	267	196	72	35	25	16	344	19	5	3	6	14	19	40	37	71	67
Diseases of Digestive „	0·93	0·91	0·95	203	111	92	72	19	8	6	–	105	5	1	4	5	4	13	12	18	21	15
Diseases of Urinary „	0·38	0·48	0·26	84	59	25	3	1	–	1	–	5	1	2	3	2	5	8	10	14	22	12
Diseases of Generative „	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	1
Puerperal Fever	0·09	–	0·21	20	–	20	–	–	–	–	–	–	–	–	1	3	8	8	–	–	–	–
Childbirth	0·06	–	0·14	14	–	14	–	–	–	–	–	–	–	–	1	–	6	7	–	–	–	–
Violence	0·81	1·30	0·20	178	159	19	7	4	3	3	–	17	11	19	13	13	25	27	13	28	7	5
Other Causes	2·99	3·24	2·61	649	396	253	378	18	6	4	–	406	9	15	11	5	8	24	21	15	31	104

Marriages - - - 1,202

Births - { Males - 4,177 / Females - 4,129 } 8,306

Annual Rate per 1000 living { Persons Married 10·98 / Births - - 37·94 }

Deaths from Childbirth and Puerperal Fever - - - - 4·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

191.—BILLERICAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·48	†105	–	–	–	–	39·37	5·01	3·32	3·69	7·83	11·83	19·74	23·22	37·54	69·69	147·97
Annual Death-Rate per 1000. Males	—	21·71	†115	–	–	–	–	44·03	4·54	3·61	4·27	8·88	13·51	26·00	28·48	40·38	74·57	157·81
Annual Death-Rate per 1000. Females	—	17·39	† 94	–	–	–	–	34·92	5·49	2·99	2·86	6·67	10·18	14·07	18·43	34·71	64·92	138·61
Mean Population, 1881-91. Persons	Decennial Increase of Population 11·94 per cent.	19,443	438	436	439	464	448	2225	2315	2376	1952	1610	2680	2153	1658	1252	828	394
Mean Population, 1881-91. Males		9,885	216	214	211	224	223	1088	1168	1274	1147	845	1325	1023	790	624	409	192
Mean Population, 1881-91. Females		9,558	222	222	228	240	225	1137	1147	1102	805	765	1355	1130	868	628	419	202
Deaths from All Causes, 1881-90. Persons	20·71	4,026	524	172	73	61	46	876	116	79	72	126	317	425	385	470	577	583
Deaths from All Causes, 1881-90. Males	22·58	2,232	291	99	36	30	23	479	53	46	49	75	179	266	225	252	305	303
Deaths from All Causes, 1881-90. Females	18·77	1,794	233	73	37	31	23	397	63	33	23	51	138	159	160	218	272	280

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small pox	0·07	0·11	0·02	13	11	2
Measles	0·23	0·15	0·30	44	15	29
Scarlet Fever	0·13	0·11	0·15	25	11	14
Diphtheria	0·37	0·38	0·35	71	38	33
Whooping-cough	0·41	0·35	0·46	79	35	44
Typhus	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·15	31	17	14
Simple Continued Fever	0·04	0·07	–	7	7	–
Diarrhœa and Dysentery	0·43	0·44	0·41	83	44	39
Cholera	–	–	–	–	–	–
Cancer	0·59	0·41	0·76	114	41	73
Tabes Mesenterica	0·08	0·07	0·08	15	7	8
Phthisis	2·05	2·20	1·89	399	218	181
Other Tub. & Scrof. Dis.	0·25	0·25	0·24	48	25	23
Diseases of Nervous System	4·55	5·35	3·72	885	529	356
Diseases of Circulatory "	2·21	2·20	2·22	430	218	212
Diseases of Respiratory "	3·02	3·38	2·65	587	334	253
Diseases of Digestive "	1·10	1·21	0·98	214	120	94
Diseases of Urinary "	0·44	0·58	0·29	85	57	28
Diseases of Generative "	0·04	–	0·07	7	–	7
Puerperal Fever	0·05	–	0·10	10	–	10
Childbirth	0·05	–	0·09	9	–	9
Violence	0·60	0·86	0·33	117	85	32
Other Causes	3·84	4·29	3·51	753	420	333

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small pox	1	–	1	–	–	2	–	–	1	3	3	1	1	1	–	1
Measles	2	15	7	6	6	36	6	1	–	–	1	–	–	–	–	–
Scarlet Fever	3	2	2	3	6	16	3	3	2	–	1	–	–	–	–	–
Diphtheria	2	8	7	9	11	37	21	7	3	–	–	2	1	–	–	–
Whooping-cough	37	21	6	12	1	77	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	2	–	–	1	–	3	1	1	3	7	10	3	2	–	1	–
Simple Continued Fever	–	–	1	1	–	2	1	–	1	–	–	–	1	1	1	–
Diarrhœa and Dysentery	54	8	2	–	–	64	1	–	–	1	1	1	1	3	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	1	–	3	9	22	33	33	13
Tabes Mesenterica	1	2	1	–	–	4	3	1	2	1	2	–	–	1	1	–
Phthisis	2	3	2	1	4	12	19	13	19	49	85	75	63	38	23	3
Other Tub. & Scrof. Dis.	4	5	5	3	1	18	8	8	4	–	2	3	3	2	–	–
Diseases of Nervous System	67	20	10	6	4	107	17	8	13	19	82	183	123	138	130	65
Diseases of Circulatory "	1	–	1	–	1	3	3	9	4	11	25	35	48	81	135	76
Diseases of Respiratory "	90	45	16	11	7	169	14	8	8	9	43	33	49	72	88	94
Diseases of Digestive "	31	18	5	2	1	57	6	3	1	5	14	18	26	32	29	23
Diseases of Urinary "	–	1	–	–	–	1	2	1	–	1	7	14	9	14	21	15
Diseases of Generative "	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	1	–	8	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–
Violence	5	2	2	3	2	14	2	8	3	10	10	22	11	15	12	10
Other Causes	222	22	5	3	2	254	8	7	6	9	15	21	23	36	96	278

Marriages - - - 857

Births - { Males - 2,532 / Females - 2,474 } 5,006

Annual Rate per 1000 living { Persons Married 8·82 / Births - - 25·75

Deaths from Childbirth and Puerperal Fever - - - - 3·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

192.—CHELMSFORD.

Causes of Death.[1]	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·62	†100	–	–	–	–	36·72	3·62	2·17	3·61	5·10	5·42	8·50	11·23	20·49	49·82	140·51
Annual Death-Rate per 1000. Males	—					14·52	†112	–	–	–	–	40·49	3·95	2·13	3·24	4·88	6·33	9·21	12·69	20·45	56·77	150·83
Annual Death-Rate per 1000. Females	—					12·78	† 87	–	–	–	–	32·88	3·29	2·21	4·04	5·31	4·62	7·86	9·90	20·53	43·41	131·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·82 per cent.			33,577			838	809	850	798	831	4126	4148	3924	3128	2491	4241	3541	3036	2484	1678	780
Mean Population, 1881–91. Males				16,624			420	411	430	394	427	2082	2078	2068	1669	1230	1991	1683	1450	1208	805	360
Mean Population, 1881–91. Females				16,953			418	398	420	404	404	2044	2070	1856	1459	1261	2250	1858	1586	1276	873	420
Deaths from All Causes, 1881–90. Persons	15·79			5,303			956	304	115	94	46	1515	150	85	113	127	230	301	341	509	836	1096
Deaths from All Causes, 1881–90. Males	16·81			2,795			548	162	58	49	26	843	82	44	54	60	126	155	184	247	457	543
Deaths from All Causes, 1881–90. Females	14·79			2,508			408	142	57	45	20	672	68	41	59	67	104	146	157	262	379	553
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·04	0·02	9	6	3	–	–	–	–	–	–	–	–	1	–	2	2	2	2	–	–
Measles	0·21	0·18	0·25	72	30	42	18	27	9	3	2	59	11	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·13	0·08	34	21	13	1	1	4	8	4	18	11	3	1	–	–	1	–	–	–	–
Diphtheria	0·24	0·22	0·25	79	37	42	1	3	10	20	8	42	22	6	5	2	–	2	–	–	–	–
Whooping-cough	0·55	0·50	0·60	185	83	102	95	44	23	9	4	175	10	–	–	–	–	–	–	–	–	–
Typhus	0·00	—	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·10	0·10	0·11	34	16	18	–	–	–	–	1	1	3	6	6	9	2	5	1	1	–	–
Simple Continued Fever	0·01	—	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·42	0·26	114	70	44	71	15	1	4	1	92	–	1	–	–	1	1	–	2	5	12
Cholera	0·02	0·02	0·01	5	3	2	3	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–
Cancer	0·72	0·55	0·89	242	92	150	–	–	–	–	–	–	–	2	1	2	3	19	44	54	71	46
Tabes Mesenterica	0·14	0·16	0·13	48	26	22	19	10	3	–	1	33	5	3	3	–	–	–	3	–	–	1
Phthisis	1·26	1·35	1·18	424	224	200	5	1	–	3	2	11	5	12	39	58	93	86	54	44	20	2
Other Tub. & Scrof. Dis.	0·38	0·44	0·33	129	73	56	24	24	8	4	6	66	15	10	9	5	10	6	1	5	2	–
Diseases of Nervous System	2·15	2·24	2·07	723	373	350	119	41	10	8	5	183	18	2	6	5	19	18	54	80	165	173
Diseases of Circulatory „	1·90	2·02	1·79	640	336	304	2	–	–	1	1	4	3	10	12	4	20	30	50	117	223	167
Diseases of Respiratory „	2·39	2·76	2·04	804	459	345	176	99	37	25	10	347	17	1	5	6	14	21	32	56	110	195
Diseases of Digestive „	0·99	0·97	1·00	332	162	170	49	12	1	1	1	64	10	9	1	5	14	23	39	52	61	54
Diseases of Urinary „	0·47	0·66	0·30	159	109	50	1	–	–	1	–	2	2	2	4	3	8	11	18	27	47	35
Diseases of Generative „	0·04	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	2	2	–	4	4	3	–
Puerperal Fever	0·05	–	0·09	16	–	16	–	–	–	–	–	–	–	–	–	1	4	11	–	–	–	–
Childbirth	0·02	–	0·05	8	–	8	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–	–
Violence	0·55	0·77	0·32	183	128	55	7	4	4	4	–	19	10	5	7	13	18	31	15	22	23	20
Other Causes	3·13	3·28	2·91	1045	547	498	365	23	5	3	–	396	7	12	12	9	20	29	23	41	105	391

Marriages - - - 1,926

Births - { Males - 4,883 / Females - 4,681 } 9,564

Annual Death-rate per 1000 living { Persons Married 11·47 / Births - - 28·48 }

Deaths from Childbirth and Puerperal Fever - - - - - } 2·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

193.—ROCHFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·83			†122	–	–	–	–	41·66	3·77	2·90	4·85	4·82	5·55	8·62	12·71	23·55	55·23	130·91
Males	—			15·47			†134	–	–	–	–	46·03	3·53	2·58	4·76	5·08	5·19	9·20	14·26	24·47	57·58	136·07
Females	—			14·24			†109	–	–	–	–	37·46	4·01	3·18	4·94	4·53	5·94	8·00	11·10	22·59	52·63	125·79
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·03 per cent.			27,339			751	724	736	750	714	3675	3444	3143	2558	2385	3821	3028	2258	1584	1003	440
Males				13,863			360	360	366	357	358	1801	1699	1509	1323	1260	2004	1565	1150	805	528	219
Females				13,476			391	364	370	393	356	1874	1745	1634	1235	1125	1817	1463	1108	779	475	221
Deaths from All Causes, 1881–90. Persons	15·56			4,254			1035	256	106	73	61	1531	130	91	124	115	212	261	287	373	554	576
Males	16·35			2,266			578	130	58	32	31	829	60	39	63	64	104	144	164	197	304	298
Females	14·75			1,988			457	126	48	41	30	702	70	52	61	51	108	117	123	176	250	278
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	6	5	1	–	–	–	1	–	1	–	–	–	–	–	1	2	2	–	–
Measles	0·15	0·13	0·16	40	18	22	8	11	9	2	1	31	4	1	1	–	2	1	–	–	–	–
Scarlet Fever	0·27	0·27	0·28	75	37	38	3	11	10	12	9	45	22	2	2	2	1	–	1	–	–	–
Diphtheria	0·11	0·09	0·13	29	12	17	–	6	1	2	2	11	11	4	–	–	1	1	1	–	–	–
Whooping-cough	0·44	0·32	0·56	120	45	75	66	32	14	4	3	119	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·33	0·38	0·28	90	52	38	2	1	–	1	1	5	7	12	14	17	21	6	5	3	–	–
Simple Continued Fever	0·02	0·01	0·02	5	2	3	–	–	–	1	1	2	–	2	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·71	0·73	0·68	193	101	92	142	17	–	2	–	161	1	–	–	–	2	1	2	2	11	13
Cholera	0·03	0·02	0·03	7	3	4	3	–	–	–	1	4	–	–	1	–	–	–	1	1	–	–
Cancer	0·45	0·33	0·57	123	46	77	–	–	–	–	–	–	–	–	1	1	5	9	15	39	33	20
Tabes Mesenterica	0·15	0·17	0·13	41	24	17	25	10	2	1	–	38	1	1	–	1	–	–	–	–	–	–
Phthisis	1·20	1·24	1·16	328	172	156	3	6	1	1	6	17	7	25	36	28	65	61	49	21	13	6
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	77	40	37	20	15	5	6	3	49	11	6	1	1	2	2	3	1	1	–
Diseases of Nervous System	2·04	2·07	2·01	558	287	271	144	28	11	10	5	198	13	6	11	11	11	21	38	57	99	93
Circulatory „	1·54	1·68	1·39	420	233	187	–	–	–	–	–	–	2	8	8	10	15	31	36	82	131	97
Respiratory „	2·63	2·90	2·35	719	402	317	172	88	38	25	19	342	22	6	6	4	19	22	43	67	96	92
Digestive „	0·90	0·84	0·96	246	117	129	57	13	5	3	1	79	6	2	3	2	10	22	29	33	38	22
Urinary „	0·47	0·69	0·24	129	96	33	3	–	–	1	3	7	3	3	3	3	8	14	11	22	36	19
Generative „	0·06	0·01	0·11	16	1	15	–	–	–	–	–	–	–	–	–	1	2	3	3	2	3	2
Puerperal Fever	0·09	–	0·18	24	–	24	–	–	–	–	–	–	–	–	2	8	7	7	–	–	–	–
Childbirth	0·07	–	0·13	18	–	18	–	–	–	–	–	–	–	–	1	2	8	7	–	–	–	–
Violence	0·63	1·00	0·24	171	138	33	6	7	4	1	2	20	10	7	17	16	23	25	22	9	14	8
Other Causes	2·97	3·14	2·86	819	435	384	381	11	6	–	4	402	9	6	17	8	10	27	25	32	79	204

Marriages - 1,662 | Births - Males 4,306, Females 4,204 | 8,510 | Annual Rate per 1000 living: Persons Married 12·16, Births 31·13 | Deaths from Childbirth and Puerperal Fever 4·94 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

194.—MALDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·58	† 99	–	–	–	–	34·41	3·59	2·87	4·50	5·10	6·67	7·82	10·82	19·30	53·27	139·36
Annual Death-Rate per 1000. Males	—	13·65	†105	–	–	–	–	36·47	3·49	2·52	4·45	4·45	6·19	7·67	11·82	19·33	55·47	147·58
Annual Death-Rate per 1000. Females	—	13·52	† 94	–	–	–	–	32·33	3·69	3·26	4·57	5·77	7·11	7·96	9·85	19·27	50·85	130·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·53 per cent.	23,655	635	623	630	607	655	3150	3150	2892	2156	1549	2729	2417	2098	1746	1237	531
Mean Population, 1881–91. Males		11,997	324	318	313	306	324	1585	1578	1510	1237	786	1308	1174	1032	869	649	269
Mean Population, 1881–91. Females		11,658	311	305	317	301	331	1565	1572	1382	919	763	1421	1243	1066	877	588	262
Deaths from All Causes, 1881–90. Persons	16·02	3,790	712	224	64	40	44	1084	113	83	97	79	182	189	227	337	659	740
Deaths from All Causes, 1881–90. Males	16·50	1,979	384	124	33	15	22	578	55	38	55	35	81	90	122	168	360	397
Deaths from All Causes, 1881–90. Females	15·53	1,811	328	100	31	25	22	506	58	45	42	44	101	99	105	169	299	343

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·13	0·18	36	15	21	9	11	4	3	2	29	6	1	–	1	–	2	1	–	–	–
Scarlet Fever	0·06	0·04	0·08	14	5	9	–	2	1	3	2	8	3	1	1	1	–	–	–	–	–	–
Diphtheria	0·21	0·17	0·26	50	20	30	–	1	7	4	9	21	20	5	3	–	–	–	–	–	–	–
Whooping-cough	0·35	0·30	0·40	83	36	47	39	27	13	2	1	82	1	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·15	36	19	17	1	–	–	–	1	2	3	6	5	2	7	4	3	4	–	–
Simple Continued Fever	0·03	0·03	0·03	7	4	3	–	–	–	–	–	–	1	–	–	–	–	2	–	1	2	1
Diarrhœa and Dysentery	0·30	0·28	0·31	70	34	36	35	11	–	–	2	48	1	1	–	–	2	–	–	3	2	13
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·47	0·75	144	56	88	–	–	–	–	–	–	–	–	1	–	2	11	19	44	45	22
Tabes Mesenterica	0·17	0·18	0·16	41	22	19	23	7	1	–	–	31	2	2	1	4	–	–	–	–	1	–
Phthisis	1·49	1·48	1·49	352	178	174	18	8	3	–	1	30	7	25	36	37	81	51	39	30	15	1
Other Tub. & Scrof. Dis.	0·35	0·37	0·33	82	44	38	10	25	4	1	2	42	10	8	3	5	2	2	5	3	2	–
Diseases of Nervous System	2·32	2·45	2·19	549	294	255	97	24	4	8	7	140	17	12	17	6	11	36	33	46	134	97
Diseases of Circulatory "	1·45	1·40	1·51	344	168	176	2	1	–	–	–	3	4	4	2	1	15	25	34	69	117	70
Diseases of Respiratory "	2·19	2·42	1·96	519	290	229	115	63	13	12	12	215	18	4	7	2	19	13	35	46	83	77
Diseases of Digestive "	0·88	0·88	0·88	208	105	103	29	17	4	2	1	53	6	1	1	5	2	5	19	26	63	27
Diseases of Urinary "	0·34	0·48	0·21	81	57	24	–	–	–	–	–	–	1	–	3	1	5	11	3	7	29	21
Diseases of Generative "	0·08	0·01	0·15	18	1	17	–	–	–	–	–	–	–	–	–	–	1	2	5	5	5	–
Puerperal Fever	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	3	5	1	–	–	–	–
Childbirth	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	4	6	1	–	–	–
Violence	0·49	0·68	0·30	116	81	35	10	6	4	4	3	27	8	5	9	6	9	8	9	11	19	5
Other Causes	4·29	4·54	4·00	1015	547	468	324	21	6	1	1	353	5	8	8	5	17	10	21	42	140	406

Marriages - - - 1,426

Births - { Males - 3,662 / Females - 3,507 } 7,169

Annual Rate per 1000 living { Persons Married 12·06 / Births - - 30·31 }

Deaths from Childbirth and Puerperal Fever - - - - } 2·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

195.—TENDRING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·43	†117	–	–	–	–	40·97	4·52	2·66	4·71	5·13	5·95	8·48	10·86	19·49	49·24	138·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·69	†131	–	–	–	–	46·02	4·47	2·39	4·05	4·70	5·03	8·51	11·43	20·89	48·32	141·58
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·18	†102	–	–	–	–	36·11	4·57	2·93	5·47	5·63	6·90	8·46	10·31	18·06	50·19	135·95
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·73 per cent.	35,439	960	869	929	945	915	4618	4491	4063	3186	2707	4653	3773	3121	2448	1641	738
Mean Population, 1881–91. Males		17,875	472	416	455	466	455	2264	2236	2047	1704	1446	2348	1869	1531	1230	832	368
Mean Population, 1881–91. Females		17,564	488	453	474	479	460	2354	2255	2016	1482	1261	2305	1904	1590	1218	809	370
Deaths from All Causes, 1881–90. Persons	16·19	5,737	1294	335	113	76	74	1892	203	108	150	139	277	320	339	477	808	1024
Deaths from All Causes, 1881–90. Males	16·56	2,960	735	172	56	40	39	1042	100	49	69	68	118	159	175	257	402	521
Deaths from All Causes, 1881–90. Females	15·81	2,777	559	163	57	36	35	850	103	59	81	71	159	161	164	220	406	503

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	1	1	–	–	–	–	1	–	2	–	–	–
Measles	0·12	0·13	0·10	41	23	18	15	12	5	2	3	37	3	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·10	0·08	31	17	14	1	2	4	6	1	14	10	6	1	–	–	–	–	–	–	–
Diphtheria	0·21	0·19	0·23	74	34	40	3	4	5	9	12	33	26	8	–	1	3	1	–	–	2	–
Whooping-cough	0·36	0·32	0·40	129	58	71	72	33	12	4	7	128	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·14	0·13	0·14	48	24	24	–	1	–	–	3	4	10	5	5	5	8	6	2	2	1	–
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	–	1	–	1	2	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·38	0·37	0·39	135	67	68	83	15	–	2	–	100	2	–	1	2	–	1	1	3	11	14
Cholera	0·01	0·01	0·01	3	2	1	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·63	0·48	0·80	225	85	140	1	–	–	1	–	2	–	–	–	–	8	15	40	66	63	31
Tabes Mesenterica	0·21	0·22	0·21	76	39	37	42	11	6	–	–	59	5	4	4	1	2	1	–	–	–	–
Phthisis	1·50	1·28	1·72	530	228	302	14	10	3	2	3	32	19	30	62	63	107	103	55	39	16	4
Other Tub. & Scrof. Dis.	0·35	0·36	0·34	123	64	59	44	29	5	5	3	86	17	1	1	5	6	3	2	1	1	–
Diseases of Nervous System	2·04	2·16	1·92	724	386	338	159	55	13	13	9	249	23	10	13	3	15	14	45	78	158	116
Diseases of Circulatory „	1·58	1·52	1·65	560	271	289	12	2	–	–	1	15	6	8	16	10	18	32	51	99	192	113
Diseases of Respiratory „	2·71	2·88	2·53	959	515	444	203	100	40	16	17	376	45	9	9	7	16	30	37	68	146	216
Diseases of Digestive „	1·05	1·05	1·07	372	187	185	81	13	2	3	1	100	11	6	4	6	13	27	41	50	66	48
Diseases of Urinary „	0·31	0·43	0·18	109	77	32	4	1	1	–	–	6	1	2	3	2	9	12	8	22	29	15
Diseases of Generative „	0·04	0·02	0·07	15	3	12	–	1	–	–	–	1	–	–	–	–	1	–	2	1	8	2
Puerperal Fever	0·06	–	0·12	21	–	21	–	–	–	–	–	–	–	–	–	3	14	4	–	–	–	–
Childbirth	0·06	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	4	9	9	–	–	–	–
Violence	0·65	1·05	0·25	232	188	44	14	4	4	3	8	33	14	13	17	19	22	39	21	20	18	16
Other Causes	3·67	3·83	3·43	1298	688	610	545	42	13	8	5	613	8	6	13	8	23	23	31	27	97	449

Marriages - - - 2,308

Births - { Males - 5,593 / Females - 5,455 } 11,048

Annual Rate per 1000 living { Persons Married 13·03 / Births - - 31·17 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

196.—COLCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·00	†131	–	–	–	–	49·76	4·99	4·10	4·99	5·20	6·61	11·35	15·96	27·35	64·85	167·67
Annual Death-Rate per 1000. Males	—	18·81	†138	–	–	–	–	51·75	4·46	3·56	4·70	5·67	7·98	11·86	17·81	29·62	74·43	179·12
Annual Death-Rate per 1000. Females	—	17·24	†124	–	–	–	–	47·78	5·49	4·63	5·31	4·62	5·14	10·88	14·32	25·51	57·61	159·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·80 per cent.	31,466	768	743	760	726	735	3732	3450	3240	3671	3482	4884	3356	2425	1766	1027	433
Mean Population, 1881–91. Males		15,723	382	376	379	355	367	1859	1682	1600	1956	1923	2530	1619	1140	790	442	182
Mean Population, 1881–91. Females		15,743	386	367	381	371	368	1873	1768	1640	1715	1559	2354	1737	1285	976	585	251
Deaths from All Causes, 1881–90. Persons	17·45	5,492	1232	367	119	82	57	1857	172	133	183	181	323	381	387	483	666	726
Deaths from All Causes, 1881–90. Males	17·69	2,781	653	180	63	39	27	962	75	57	92	109	202	192	203	234	329	326
Deaths from All Causes, 1881–90. Females	17·22	2,711	579	187	56	43	30	895	97	76	91	72	121	189	184	249	337	400

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·02	3	2	3	3	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1
Measles	0·27	0·22	0·32	86	35	51	28	18	14	8	6	74	9	–	1	1	–	–	1	–	–	–
Scarlet Fever	0·04	0·04	0·04	13	7	6	–	2	2	2	–	6	3	3	1	–	–	–	–	–	–	–
Diphtheria	0·14	0·09	0·18	43	14	29	–	4	5	5	4	18	18	2	–	1	1	2	–	1	–	–
Whooping-cough	0·42	0·33	0·50	131	52	79	64	45	10	7	1	127	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Enteric Fever	0·19	0·20	0·18	60	32	28	–	–	1	1	4	6	7	10	5	7	13	3	6	1	1	1
Simple Continued Fever	0·03	0·03	0·03	9	4	5	1	–	–	–	1	2	2	–	–	–	2	–	1	1	1	–
Diarrhœa and Dysentery	0·61	0·55	0·67	192	86	106	113	28	1	1	1	144	2	2	–	1	2	1	–	10	9	21
Cholera	0·00	–	0·01	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·38	0·95	210	60	150	–	–	–	–	–	–	1	2	–	1	3	24	46	52	60	21
Tabes Mesenterica	0·24	0·24	0·24	75	38	37	35	16	4	2	1	58	3	7	2	3	–	–	1	1	–	–
Phthisis	1·96	2·17	1·75	616	341	275	10	11	3	2	3	29	7	32	79	75	124	117	70	55	25	3
Other Tub. & Scrof. Dis.	0·46	0·53	0·39	146	84	62	40	32	9	7	3	91	18	7	9	5	8	3	1	4	–	–
Diseases of Nervous System	2·41	2·52	2·30	758	396	362	166	53	9	11	3	242	22	18	15	16	22	25	44	94	140	120
Diseases of Circulatory „	1·71	1·64	1·78	538	258	280	7	2	–	2	–	11	9	11	12	5	29	48	52	100	153	108
Diseases of Respiratory „	3·04	3·24	2·85	957	509	448	252	107	42	24	19	444	32	13	12	13	34	39	50	63	119	138
Diseases of Digestive „	1·05	1·15	0·95	331	181	150	79	13	4	1	1	98	7	6	12	9	22	35	31	37	46	28
Diseases of Urinary „	0·52	0·59	0·44	163	93	70	1	–	1	2	1	5	3	1	6	6	13	24	20	19	43	23
Diseases of Generative „	0·06	0·01	0·11	19	1	18	–	–	–	–	–	–	–	–	2	1	3	4	4	1	2	2
Puerperal Fever	0·06	–	0·11	18	–	18	–	–	–	–	–	–	–	–	1	5	5	7	–	–	–	–
Childbirth	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	1	3	4	5	2	–	–	–
Violence	0·54	0·79	0·30	171	124	47	19	5	6	4	5	39	11	6	4	16	19	15	21	19	10	11
Other Causes	2·95	2·95	3·00	933	462	471	414	31	7	3	4	459	13	13	20	12	19	29	37	25	57	249

Marriages - - - 2,422

Births - { Males - 4,749 / Females - 4,653 } 9,402

Annual Rate per 1000 living { Persons Married 15·39 / Births - - 29·88

Deaths from Childbirth and Puerperal Fever - . - - - - . } 3·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

197.—LEXDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·77	†103	–	–	–	–	34·93	4·08	2·96	4·40	4·76	6·16	8·56	11·33	20·34	50·00	145·26
Males	—					13·95	†108	–	–	–	–	37·34	4·90	2·29	3·33	3·78	5·91	8·41	12·38	21·72	55·18	147·27
Females	—					13·60	† 97	–	–	–	–	32·43	3·23	3·70	5·77	5·71	6·39	8·69	10·35	19·00	44·65	143·30
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·73 per cent.			21,682			542	556	555	549	589	2791	2821	2570	1976	1556	2549	2197	1977	1608	1120	517
Males				10,905			274	279	283	276	310	1422	1428	1353	1110	768	1219	1035	953	792	569	256
Females				10,777			268	277	272	273	279	1369	1393	1217	866	788	1330	1162	1024	816	551	261
Deaths from All Causes, 1881–90. Persons	16·30			3,534			659	167	71	38	40	975	115	76	87	74	157	188	224	327	560	751
Males	16·85			1,838			354	97	34	25	21	531	70	31	37	29	72	87	118	172	314	377
Females	15·74			1,696			305	70	37	13	19	444	45	45	50	45	85	101	106	155	246	374
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1
Measles	0·17	0·24	0·10	37	26	11	9	9	2	5	3	28	7	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·08	0·09	19	9	10	–	1	3	2	3	9	7	1	2	–	–	–	–	–	–	–
Diphtheria	0·24	0·33	0·15	52	36	16	2	4	5	4	2	17	19	7	3	–	1	1	1	2	1	–
Whooping-cough	0·37	0·28	0·45	80	31	49	52	16	6	3	3	80	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·06	15	8	7	–	–	–	–	–	–	2	3	1	5	1	1	1	1	–	–
Simple Continued Fever	0·04	0·05	0·04	9	5	4	–	–	–	–	–	–	1	1	–	–	–	1	2	1	1	2
Diarrhœa and Dysentery	0·38	0·40	0·36	83	44	39	40	6	2	2	–	50	3	1	–	–	–	1	1	4	8	15
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·60	0·89	161	65	96	–	–	–	–	1	1	–	–	1	–	1	12	32	40	48	26
Tabes Mesenterica	0·20	0·20	0·19	43	22	21	30	6	1	–	–	37	1	2	2	–	–	1	–	–	–	–
Phthisis	1·62	1·56	1·68	351	170	181	8	8	2	1	3	22	9	16	43	32	80	69	44	23	11	2
Other Tub. & Scrof. Dis.	0·30	0·30	0·29	64	33	31	18	11	3	2	5	39	7	5	3	3	1	3	1	2	–	–
Diseases of: Nervous System	2·21	2·38	2·04	480	260	220	81	26	11	4	4	126	15	8	4	6	13	23	24	51	117	93
Circulatory „	2·02	1·92	2·12	437	209	228	4	–	–	–	–	4	1	4	6	6	8	20	33	77	148	130
Respiratory „	2·80	2·90	2·71	608	316	292	138	50	21	9	12	230	22	8	2	5	11	12	23	46	105	141
Digestive „	0·89	0·88	0·91	194	96	98	29	5	4	–	1	39	5	6	4	2	8	10	20	33	40	27
Urinary „	0·35	0·53	0·16	75	58	17	2	–	–	1	–	3	–	–	2	–	3	2	8	9	26	22
Generative „	0·09	0·03	0·15	19	3	16	–	–	–	–	–	–	–	–	1	2	3	3	1	5	3	1
Puerperal Fever	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Childbirth	0·06	–	0·13	14	–	14	–	–	–	–	–	–	–	–	1	1	7	5	–	–	–	–
Violence	0·45	0·73	0·17	98	80	18	5	7	4	3	1	20	10	4	6	6	2	5	14	12	13	6
Other Causes	3·13	3·34	2·93	679	364	315	241	18	7	2	2	270	6	9	4	5	11	14	18	21	39	282

Marriages - - - 1,347

Births - Males 3,284, Females 3,130 } 6,414

Annual Rate per 1000 living: Persons Married 12·43; Births - - 29·58

Deaths from Childbirth and Puerperal Fever - - - - 4·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

198.—HALSTEAD.

Causes of Death.	Crude Death-rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 15·21			†112	–	–	–	–	40·75	5·76	2·61	4·76	5·67	6·96	7·62	10·90	23·29	52·41	159·95
Annual Death-Rate per 1000. Males	—			15·56			†123	–	–	–	–	44·71	5·70	2·27	4·45	5·47	6·11	8·19	12·17	23·08	53·33	170·24
Annual Death-Rate per 1000. Females	—			14·88			† 99	–	–	–	–	36·58	5·81	2·92	5·05	5·82	7·60	7·19	9·86	23·47	51·56	151·26
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·80 per cent.			16,937			380	392	377	397	410	1956	2033	1996	1638	1270	2082	1771	1597	1357	870	367
Mean Population, 1881–91. Males				7,899			185	200	213	195	209	1002	1000	969	787	548	884	769	715	637	420	168
Mean Population, 1881–91. Females				9,038			195	192	164	202	201	954	1033	1027	851	722	1198	1002	882	720	450	199
Deaths from All Causes, 1881–90. Persons	17·29			2,929			521	137	50	48	41	797	117	52	78	72	145	135	174	316	456	587
Deaths from All Causes, 1881–90. Males	18·39			1,453			299	73	28	30	18	448	57	22	35	30	54	63	87	147	224	286
Deaths from All Causes, 1881–90. Females	16·33			1,476			222	64	22	18	23	349	60	30	43	42	91	72	87	169	232	301
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·01	0·04	5	1	4	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–
Measles	0·14	0·16	0·12	24	13	11	7	9	4	1	–	21	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	14	7	7	1	1	2	4	–	8	2	1	2	–	1	–	–	–	–	–
Diphtheria	0·35	0·29	0·41	60	23	37	2	2	2	10	11	27	22	7	1	–	3	–	–	–	–	–
Whooping-cough	0·25	0·25	0·25	43	20	23	29	10	2	1	–	42	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·05	0·10	13	4	9	–	–	–	1	–	1	3	1	2	–	4	–	–	2	–	–
Simple Continued Fever	0·02	–	0·03	3	–	3	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·48	0·30	65	38	27	43	5	–	2	–	50	1	1	1	–	1	2	–	3	1	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·71	0·93	140	56	84	–	–	1	–	–	1	–	1	–	–	5	11	22	38	40	22
Tabes Mesenterica	0·14	0·14	0·14	24	11	13	7	1	1	1	–	10	1	2	2	2	4	1	1	1	–	–
Phthisis	1·75	1·53	1·94	296	121	175	5	3	1	1	1	11	4	10	25	43	69	45	47	24	16	2
Other Tub. & Scrof. Dis.	0·27	0·34	0·21	46	27	19	11	10	–	3	2	26	8	2	2	–	4	1	–	2	1	–
Diseases of Nervous System	2·01	2·30	1·76	341	182	159	51	13	9	4	3	80	15	8	3	2	3	9	17	44	96	64
Diseases of Circulatory „	1·84	1·73	1·94	312	137	175	8	–	–	–	–	8	5	6	9	6	10	13	20	63	92	80
Diseases of Respiratory „	3·24	3·37	3·13	549	266	283	95	61	20	17	19	212	30	4	4	4	9	18	18	48	83	119
Diseases of Digestive „	0·94	1·15	0·75	159	91	68	18	5	1	1	1	26	4	2	8	2	10	8	15	32	32	20
Diseases of Urinary „	0·43	0·70	0·19	72	55	17	1	–	–	1	–	2	1	1	2	1	3	2	9	12	20	19
Diseases of Generative „	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	–	–	4	2	1	2	1
Puerperal Fever	0·02	–	0·03	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·08	–	0·14	13	–	13	–	–	–	–	–	–	–	–	–	1	7	4	1	–	–	–
Violence	0·43	0·76	0·14	73	60	13	10	3	1	1	1	16	9	3	4	2	5	5	3	7	9	10
Other Causes	3·92	4·33	3·59	664	341	323	233	14	6	–	3	256	6	3	10	8	4	10	19	39	64	245

Marriages - - - 1,087

Births - { Males - 2,424 / Females - 2,241 } 4,665

Annual Rate per 1000 living { Persons Married 12·84 / Births - - 27·54 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

199.—BRAINTREE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·59	† 99	–	–	–	–	36·00	3·68	3·12	3·99	5·90	6·82	8·34	10·56	24·55	56·74	157·56
Males	—	15·12	†110	–	–	–	–	39·72	3·89	2·91	3·80	6·19	5·82	8·91	11·39	27·32	61·10	163·25
Females	—	14·08	† 89	–	–	–	–	32·33	3·47	3·33	4·18	5·67	7·66	7·86	9·86	22·01	52·72	153·15
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·49 per cent.	28,555	698	649	703	703	689	3442	3535	3396	2704	2051	3430	2963	2660	2212	1514	648
Males		13,552	354	316	350	343	344	1707	1746	1686	1341	888	1563	1335	1220	1058	725	283
Females		15,003	344	333	353	360	345	1735	1789	1710	1363	1163	1867	1628	1440	1154	789	365
Deaths from All Causes, 1881–90. Persons	17·12	4,889	788	238	97	66	50	1239	130	106	108	121	234	247	281	543	859	1021
Males	18·03	2,444	447	117	54	34	26	678	68	49	51	55	91	119	139	289	443	462
Females	16·30	2,445	341	121	43	32	24	561	62	57	57	66	143	128	142	254	416	559

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	0·01	7	5	2	1	1	–	–	–	2	–	–	1	1	1	2	–	–	–	–
Measles	0·18	0·23	0·14	52	31	21	7	21	5	4	5	42	8	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·19	52	24	28	2	8	7	8	3	28	16	5	2	–	1	–	–	–	–	–
Diphtheria	0·18	0·18	0·19	52	24	28	–	1	8	5	4	18	15	14	–	–	2	1	–	–	2	–
Whooping-cough	0·31	0·24	0·37	88	32	56	45	27	3	7	5	87	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	26	14	12	–	–	–	–	–	–	2	5	6	2	4	1	3	3	–	–
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	1	1	–	1	3	–	–	–	–	–	–	1	–	1	–
Diarrhœa and Dysentery	0·27	0·26	0·29	78	35	43	31	10	3	1	1	46	2	1	–	–	2	1	–	1	8	17
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·69	0·85	221	93	128	1	–	–	–	–	1	–	1	–	1	3	11	34	64	72	34
Tabes Mesenterica	0·09	0·12	0·06	25	16	9	4	8	4	1	1	18	4	2	–	–	1	–	–	–	–	–
Phthisis	1·53	1·44	1·61	436	195	241	5	2	1	1	1	8	4	18	37	58	103	80	51	49	26	2
Other Tub. & Scrof. Dis.	0·46	0·47	0·45	132	64	68	54	24	9	7	4	98	12	8	4	5	–	1	4	–	–	–
Diseases of Nervous System	2·39	2·77	2·05	683	376	307	101	23	11	4	2	141	14	7	11	4	19	29	32	91	188	147
Circulatory „	1·90	1·98	1·83	542	268	274	4	–	–	–	–	4	2	4	7	7	17	22	39	107	194	139
Respiratory „	2·64	2·85	2·45	753	386	367	139	73	30	17	18	277	19	9	6	4	9	26	37	84	138	144
Digestive „	1·04	1·08	0·99	296	147	149	43	12	–	3	2	60	7	6	3	2	18	16	24	60	68	32
Urinary „	0·35	0·48	0·23	100	65	35	–	–	–	1	–	1	1	4	4	9	5	11	7	16	20	22
Generative „	0·08	0·01	0·14	22	1	21	–	–	–	–	–	–	–	–	–	–	3	2	3	7	4	3
Puerperal Fever	0·05	–	0·09	13	–	13	–	–	–	–	–	–	–	–	1	3	6	3	–	–	–	–
Childbirth	0·05	–	0·10	15	–	15	–	–	–	–	–	–	–	–	2	2	9	2	–	–	–	–
Violence	0·53	0·78	0·31	151	105	46	7	2	8	4	2	23	10	5	8	5	9	13	16	22	21	19
Other Causes	3·99	4·11	3·84	1139	561	578	346	25	7	3	1	382	13	16	16	17	21	26	30	39	117	462

Marriages - - - 1,675

Births - { Males - 4,077 / Females - 3,847 } 7,924

Annual Rate per 1000 living { Persons Married 11·73 / Births - - 27·75 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

200.—DUNMOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·80	† 92	–	–	–	–	32·48	4·93	3·00	3·47	6·92	6·91	8·07	10·54	22·25	50·35	145·19
Males	—					14·48	†102	–	–	–	–	37·68	5·52	2·65	2·60	6·12	7·59	8·05	10·86	24·40	53·15	153·10
Females	—					13·17	† 81	–	–	–	–	27·38	4·34	3·41	4·74	7·85	6·28	8·10	10·23	20·19	47·47	138·40
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·46 per cent.			17,332			424	400	429	430	438	2121	2189	2100	1557	1127	1924	1734	1641	1447	1003	489
Males				8,862			206	206	208	213	218	1051	1105	1131	924	605	936	857	810	709	508	226
Females				8,470			218	194	221	217	220	1070	1084	969	633	522	988	877	831	738	495	263
Deaths from All Causes, 1881–90. Persons	17·16			2,975			437	127	59	38	28	689	108	63	54	78	133	140	173	322	505	710
Males	17·66			1,565			253	73	34	22	14	396	61	30	24	37	71	69	88	173	270	346
Females	16·65			1,410			184	54	25	16	14	293	47	33	30	41	62	71	85	149	235	364
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Measles	0·13	0·14	0·13	23	12	11	4	4	5	–	3	16	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·06	11	6	5	–	4	1	2	1	8	2	–	–	1	–	–	–	–	–	–
Diphtheria	0·31	0·26	0·35	53	23	30	1	1	6	6	2	16	23	12	1	–	1	–	–	–	–	–
Whooping-cough	0·39	0·42	0·35	67	37	30	31	18	9	2	4	64	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·08	0·08	0·07	13	7	6	–	–	–	–	–	–	3	3	–	4	–	–	–	3	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·21	41	23	18	16	5	–	1	–	22	1	–	–	–	–	–	–	1	8	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·88	0 61	1·17	153	54	99	–	–	–	–	–	–	–	–	–	1	4	9	28	46	43	22
Tabes Mesenterica	0·16	0·16	0·17	28	14	14	8	4	2	–	1	15	5	2	1	1	–	2	1	1	–	–
Phthisis	1·58	1·68	1·48	274	149	125	1	–	2	2	2	7	7	16	25	40	63	37	39	23	14	3
Other Tub. & Scrof. Dis.	0·31	0·37	0·24	53	33	20	12	9	6	1	1	29	5	5	2	4	1	1	1	2	3	–
Diseases of Nervous System	2·44	2·36	2·53	423	209	214	61	16	6	6	4	93	12	7	4	3	8	11	18	44	101	122
Circulatory „	2·38	2·46	2·29	412	218	194	4	–	–	–	1	5	7	1	7	5	11	22	31	78	135	110
Respiratory „	2·16	2·45	1·85	374	217	157	81	35	14	12	4	146	14	4	2	1	6	7	13	42	63	76
Digestive „	0·91	0·99	0·81	157	88	69	17	8	–	1	1	27	4	1	1	3	5	13	18	28	33	24
Urinary „	0·38	0·53	0·21	65	47	18	–	–	–	1	–	1	–	–	2	–	6	8	4	13	18	13
Generative „	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–	–
Childbirth	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	3	5	4	1	–	–	–
Violence	0·41	0·56	0·25	71	50	21	4	3	3	1	2	13	4	3	3	5	5	10	4	11	7	6
Other Causes	4·13	4·21	4·15	724	373	351	197	20	5		2	227	11	8	6	3	13	12	13	28	80	323

Marriages - - - 930

Births - { Males - 2,481 / Females - 2,268 } 4,749

Annual Rate per 1000 living { Persons Married 10·73 / Births - - 27·40 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

201.—SAFFRON WALDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·73	†88	–	–	–	–	31·05	2·98	2·13	3·36	5·15	6·94	8·58	13·02	22·86	53·82	160·17
Annual Death-Rate per 1000. Males	—	14·14	†97	–	–	–	–	33·42	2·65	2·20	2·23	4·55	5·92	10·09	15·31	25·81	61·95	160·93
Annual Death-Rate per 1000. Females	—	13·34	†78	–	–	–	–	28·74	3·31	2·06	4·72	5·75	7·89	7·19	10·94	20·03	46·45	159·51
Mean Population, 1881-91. Persons	Decennial Decrease of Population 3·39 per cent.	18,273	468	432	458	448	481	2287	2379	2203	1639	1263	2147	1865	1643	1391	994	462
Mean Population, 1881-91. Males		9,042	224	197	233	234	237	1125	1169	1137	897	637	1031	892	784	682	473	215
Mean Population, 1881-91. Females		9,231	244	235	225	214	244	1162	1210	1066	742	626	1116	973	859	709	521	247
Deaths from All Causes, 1881-90. Persons	16·77	3,064	462	135	43	44	26	710	71	47	55	65	149	160	214	318	535	740
Deaths from All Causes, 1881-90. Males	17·33	1,567	260	65	14	24	13	376	31	25	20	29	61	90	120	176	293	346
Deaths from All Causes, 1881-90. Females	16·22	1,497	202	70	29	20	13	334	40	22	35	36	88	70	94	142	242	394

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·01	0·04	5	1	4	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–
Measles	0·38	0·39	0·38	70	35	35	15	17	8	13	6	59	7	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·09	0·04	0·14	17	4	13	1	2	3	2	2	10	4	1	2	–	–	–	–	–	–	–
Diphtheria	0·08	0·08	0·08	14	7	7	–	–	2	1	1	4	8	–	–	1	–	–	–	–	1	–
Whooping-cough	0·23	0·24	0·22	42	22	20	22	12	2	1	2	39	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	22	10	12	–	–	–	–	–	–	1	3	4	3	–	3	3	3	2	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·26	54	30	24	13	3	2	4	1	23	–	–	–	–	3	–	3	2	2	21
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	0·99	0·74	1·24	181	67	114	–	1	–	–	1	2	–	1	–	–	5	6	33	56	43	35
Tabes Mesenterica	0·10	0·07	0·14	19	6	13	–	6	1	1	–	8	2	2	1	1	2	1	–	2	–	–
Phthisis	1·38	1·29	1·46	252	117	135	4	6	4	–	1	15	6	5	20	31	55	49	36	24	7	4
Other Tub. & Scrof. Dis.	0·31	0·40	0·22	56	36	20	20	2	2	1	1	26	10	6	4	1	2	5	1	–	1	–
Diseases of Nervous System	2·41	2·61	2·24	441	236	205	59	15	4	1	2	81	4	3	3	3	12	13	26	43	115	138
Diseases of Circulatory „	2·27	2·34	2·19	414	212	202	2	2	–	–	1	5	3	3	7	1	9	16	29	73	155	113
Diseases of Respiratory „	2·52	2·73	2·31	460	247	213	94	45	11	15	6	171	15	4	1	4	14	13	21	43	73	101
Diseases of Digestive „	0·79	0·90	0·69	145	81	64	19	12	1	–	1	33	3	3	1	2	7	9	13	22	31	21
Diseases of Urinary „	0·59	0·86	0·33	108	78	30	–	1	–	–	–	1	1	1	–	3	5	8	14	16	35	24
Diseases of Generative „	0·05	0·01	0·10	10	1	9	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	1
Puerperal Fever	0·08	–	0·15	14	–	14	–	–	–	–	–	–	–	–	2	1	5	5	1	–	–	–
Childbirth	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	–	2	9	2	–	–	–	–
Violence	0·46	0·69	0·24	84	62	22	2	3	2	1	–	8	1	5	4	1	7	12	14	8	12	12
Other Causes	3·50	3·47	3·51	640	313	327	211	8	1	4	1	225	3	7	5	6	12	17	17	22	56	270

Marriages - - - 1,038

Births - { Males - 2,683 / Females - 2,592 } 5,275

Annual Rate per 1000 living { Persons Married 11·36 / Births - - 28·87

Deaths from Childbirth and Puerperal Fever - - - - - } 5·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

202.—RISBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·84	†110	–	–	–	–	39·29	3·65	3·05	3·58	6·98	6·26	9·25	11·74	23·80	52·71	145·43
Annual Death-Rate per 1000. Males	—	15·33	†123	–	–	–	–	44·45	3·57	1·96	2·14	5·63	6·41	7·94	13·68	28·62	54·03	157·46
Annual Death-Rate per 1000. Females	—	14·38	† 96	–	–	–	–	34·26	3·72	4·17	5·19	8·22	6·12	10·42	10·08	19·60	51·36	134·03
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·69 per cent.	17,270	475	429	486	468	481	2339	2276	2100	1676	1303	2046	1676	1439	1231	812	372
Mean Population, 1881–91. Males		8,451	247	207	236	232	232	1154	1147	1070	886	622	951	793	665	573	409	181
Mean Population, 1881–91. Females		8,819	228	222	250	236	249	1185	1129	1030	790	681	1095	883	774	658	403	191
Deaths from All Causes, 1881–90. Persons	16·97	2,931	612	155	75	44	33	919	83	64	60	91	128	155	169	293	428	541
Deaths from All Causes, 1881–90. Males	17·92	1,514	350	81	44	24	14	513	41	21	19	35	61	63	91	164	221	285
Deaths from All Causes, 1881–90. Females	16·07	1,417	262	74	31	20	19	406	42	43	41	56	67	92	78	129	207	256

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·20	0·21	0·19	35	18	17	7	10	9	4	2	32	3	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·09	0·10	17	8	9	1	2	3	3	2	11	3	2	1	–	–	–	–	–
Diphtheria	0·20	0·26	0·15	35	22	13	2	3	2	7	3	17	13	3	1	–	1	–	–	–
Whooping-cough	0·43	0·38	0·49	75	32	43	39	21	6	5	1	72	3	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·08	0·07	0·08	13	6	7	–	–	–	–	–	–	–	3	2	2	2	1	2	1
Simple Continued Fever	0·04	0·02	0·06	7	2	5	–	–	1	–	–	1	3	1	–	–	–	–	–	2
Diarrhœa and Dysentery	0·51	0·60	0·42	88	51	37	39	10	2	2	2	55	1	1	–	2	–	–	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·62	0·67	111	52	59	–	–	–	–	–	–	–	–	–	–	–	13	16	25
Tabes Mesenterica	0·26	0·30	0·23	45	25	20	15	7	4	2	–	28	6	6	2	–	1	1	–	–
Phthisis	1·69	1·35	2·02	292	114	178	5	2	2	–	1	10	7	12	27	52	65	46	38	24
Other Tub. & Scrof. Dis.	0·32	0·32	0·33	56	27	29	20	15	2	1	2	40	4	4	2	–	1	3	–	–
Diseases of Nervous System	1·87	2·11	1·63	322	178	144	59	11	8	3	2	83	6	4	6	3	8	11	24	41
Diseases of Circulatory „	1·42	1·55	1·29	245	131	114	–	–	–	–	–	–	1	6	6	3	3	19	19	51
Diseases of Respiratory „	2·97	3·29	2·66	513	278	235	123	49	25	12	15	224	18	5	5	3	9	16	20	48
Diseases of Digestive „	1·05	1·08	1·02	181	91	90	23	8	2	1	–	34	2	5	2	8	7	13	16	44
Diseases of Urinary „	0·35	0·46	0·24	60	39	21	1	2	–	–	–	3	1	–	–	3	2	6	7	12
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1
Puerperal Fever	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	1	2	5	2	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	2	3	3	–	–
Violence	0·53	0·80	0·27	92	68	24	7	5	5	2	–	19	3	3	2	3	9	7	7	20
Other Causes	4·15	4·40	3·94	718	371	347	271	10	4	2	3	290	9	8	2	8	12	11	17	21

Marriages	1,127	Annual Rate per 1000 living	Persons Married 13·05	Deaths from Childbirth and Puerperal Fever	3·40 per 1000 Births.
Births: Males 2,851	5,583		Births 32·33		
Births: Females 2,732					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

203.—SUDBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·62			†110	–	–	–	–	40·92	3·85	2·71	4·38	5·72	6·21	7·77	10·61	21·44	51·87	149·71
Males	—			14·90			†122	–	–	–	–	44·39	3·67	2·88	3·64	5·20	5·43	7·72	11·92	23·63	53·93	152·92
Females	—			14·35			† 98	–	–	–	–	37·50	4·03	2·54	5·21	6·20	6·89	7·81	9·43	19·43	49·87	146·53
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·72 per cent.			29,883			733	706	749	751	744	3683	3767	3464	2855	2168	3590	3063	2770	2285	1550	688
Males				14,610			364	351	373	359	380	1827	1905	1734	1512	1039	1675	1399	1317	1096	764	342
Females				15,273			369	355	376	392	364	1856	1862	1730	1343	1129	1915	1664	1453	1189	786	346
Deaths from All Causes, 1881-90. Persons	16·98			5,074			969	303	108	66	61	1507	145	94	125	124	223	238	294	490	804	1030
Males	17·73			2,590			544	159	50	32	26	811	70	50	55	54	91	108	157	259	412	523
Females	16·26			2,484			425	144	58	34	35	696	75	44	70	70	132	130	137	231	392	507
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·03	9	5	4	1	–	–	–	–	1	–	–	–	–	2	1	–	3	2	–
Measles	0·37	0·40	0·34	111	59	52	14	36	21	12	9	92	17	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	41	17	24	2	4	3	5	7	21	18	1	1	–	–	–	–	–	–	–
Diphtheria	0·06	0·04	0·09	19	6	13	–	3	–	3	3	9	6	1	–	1	1	1	–	–	–	–
Whooping-cough	0·48	0·43	0·53	144	63	81	60	44	19	8	6	137	6	–	–	–	–	–	1	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
Enteric Fever	0·09	0·08	0·10	26	11	15	–	2	–	–	1	3	3	2	6	2	4	1	2	2	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·36	0·33	102	52	50	36	13	3	1	2	55	2	1	–	1	–	–	1	3	16	23
Cholera	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Cancer	0·66	0·51	0·81	197	74	123	–	–	–	1	–	1	–	–	–	2	8	7	28	58	67	26
Tabes Mesenterica	0·26	0·29	0·22	77	43	34	48	13	4	2	1	68	4	3	2	–	–	–	–	–	–	–
Phthisis	1·66	1·62	1·70	496	236	260	6	7	4	1	2	20	11	27	56	70	108	78	60	48	17	1
Other Tub. & Scrof. Dis.	0·36	0·40	0·32	108	59	49	26	19	8	4	7	64	14	8	7	5	5	2	1	2	–	–
Diseases of Nervous System	2·07	2·20	1·96	620	321	299	76	24	7	3	–	110	14	5	11	5	11	19	42	81	165	157
Circulatory "	1·68	1·67	1·70	503	244	259	1	–	–	–	–	1	3	9	9	8	12	28	39	96	159	139
Respiratory "	3·19	3·61	2·78	952	527	425	231	86	29	14	13	373	25	8	5	5	23	23	26	80	177	207
Digestive "	1·01	1·03	1·00	303	150	153	39	10	3	2	3	57	7	3	3	3	10	18	32	55	74	41
Urinary "	0·43	0·62	0·24	128	91	37	3	1	–	2	1	7	1	6	4	4	7	10	13	19	33	24
Generative "	0·06	–	0·11	19	2	17	–	–	–	–	–	–	–	–	1	1	1	3	4	3	4	2
Puerperal Fever	0·05	–	0·10	16	–	16	–	–	–	–	–	–	–	–	1	4	7	3	1	–	–	–
Childbirth	0·05	–	0·10	16	–	16	–	–	–	–	–	–	–	–	–	3	5	7	1	–	–	–
Violence	0·42	0·63	0·22	125	92	33	8	6	5	3	4	26	7	6	4	6	3	13	17	16	16	11
Other Causes	3·54	3·66	3·39	1054	534	520	418	35	2	5	2	462	6	11	13	3	15	24	26	23	72	399

Marriages - - - 1,769

Births - Males - 4,473; Females - 4,356 — 8,829

Annual Rate per 1000 living: Persons Married 11·84; Births - - 29·55

Deaths from Childbirth and Puerperal Fever - - - - - 3·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

204.—COSFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·29	† 95	–	–	–	–	36·59	4·08	2·46	4·87	5·44	6·76	7·76	10·88	21·88	52·30	155·16
Annual Death-Rate per 1000. Males	—	14·61	†105	–	–	–	–	40·31	3·98	2·72	3·81	4·46	7·56	6·90	10·96	21·96	56·19	166·83
Annual Death-Rate per 1000. Females	—	13·98	† 84	–	–	–	–	32·95	4·18	2·20	6·08	6·39	6·01	8·57	10·80	21·80	48·38	143·87
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·55 per cent.	15,706	437	406	413	395	404	2055	1959	1790	1436	1140	1938	1495	1406	1202	868	417
Mean Population, 1881–91. Males		7,758	204	213	204	186	210	1017	955	882	762	561	939	725	684	592	436	205
Mean Population, 1881–91. Females		7,948	233	193	209	209	194	1038	1004	908	674	579	999	770	722	610	432	212
Deaths from All Causes, 1881–90. Persons	17·65	2,772	469	131	77	36	39	752	80	44	70	62	131	116	153	263	454	647
Deaths from All Causes, 1881–90. Males	18·55	1,439	263	70	39	19	19	410	38	24	29	25	71	50	75	130	245	342
Deaths from All Causes, 1881–90. Females	16·77	1,333	206	61	38	17	20	342	42	20	41	37	60	66	78	133	209	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	–	–	1	–	–	–	1	4	–	–
Measles	0·12	0·14	0·10	19	11	8	2	7	3	3	–	15	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·15	25	13	12	–	3	3	4	5	15	8	–	–	–	1	1	–	–	–	–
Diphtheria	0·08	0·10	0·06	13	8	5	–	–	2	3	1	6	3	–	2	–	1	–	–	1	–	–
Whooping-cough	0·45	0·45	0·45	71	35	36	30	18	15	1	3	67	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·05	0·09	11	4	7	–	–	–	–	1	1	4	2	2	–	1	–	–	–	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·40	0·24	50	31	19	16	7	–	3	3	29	1	–	–	–	3	1	1	7	4	4
Cholera	0·02	0·04	–	3	3	–	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·57	0·73	102	44	58	–	–	–	–	–	–	1	–	–	–	–	8	8	31	39	15
Tabes Mesenterica	0·16	0·15	0·16	25	12	13	10	2	1	1	–	14	2	2	1	1	2	–	1	1	1	–
Phthisis	1·68	1·65	1·70	263	128	135	3	–	2	2	1	8	9	18	34	36	72	39	27	19	1	–
Other Tub. & Scrof. Dis.	0·31	0·27	0·35	49	21	28	9	6	9	1	1	26	6	1	5	3	6	–	1	1	–	–
Diseases of Nervous System	1·89	2·06	1·72	297	160	137	29	9	6	3	7	54	9	4	3	1	9	9	24	33	83	68
Diseases of Circulatory „	1·89	1·83	1·94	296	142	154	3	2	1	–	–	6	1	2	4	4	4	15	24	55	100	81
Diseases of Respiratory „	2·45	2·68	2·23	385	208	177	86	34	17	11	12	160	7	–	1	3	3	16	13	37	66	79
Diseases of Digestive „	1·13	1·15	1·12	178	89	89	25	20	7	–	2	54	2	5	4	2	6	6	20	27	36	16
Diseases of Urinary „	0·41	0·59	0·24	65	46	19	4	1	–	–	–	5	–	1	2	–	2	4	8	9	21	13
Diseases of Generative „	0·06	0·01	0·10	9	1	8	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1
Puerperal Fever	0·02	–	0·04	3	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Childbirth	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–
Violence	0·45	0·72	0·18	70	56	14	9	3	5	–	1	18	8	4	1	–	7	4	6	9	9	4
Other Causes	5·22	5·48	5·01	822	424	398	242	19	5	4	2	272	9	5	8	9	10	8	16	28	91	366

Marriages - - 1,027

Births - Males - 2,500; Females - 2,439 — 4,939

Annual Rate per 1000 living: Persons Married 13·08; Births - - 31·45

Deaths from Childbirth and Puerperal Fever - - - - - 2·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

205.—THINGOE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·39	†100	–	–	–	–	34·86	3·65	1·90	4·05	5·21	6·80	8·82	10·12	21·76	45·33	125·56
Males	—					13·73	†109	–	–	–	–	38·73	3·25	1·48	3·21	5·57	7·15	8·02	10·70	22·45	50·70	133·82
Females	—					13·07	† 90	–	–	–	–	30·97	4·05	2·35	5·14	4·84	6·46	9·57	9·57	21·09	40·27	118·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·00 per cent.			16,064			409	378	398	426	426	2037	2029	1842	1483	1094	1941	1667	1452	1195	878	446
Males				8,073			204	186	199	217	214	1020	1016	947	841	557	951	810	710	588	426	207
Females				7,991			205	192	199	209	212	1017	1013	895	642	537	990	857	742	607	452	239
Deaths from All Causes, 1881–90. Persons	16·06			2,580			461	149	46	25	29	710	74	35	60	57	132	147	147	260	398	560
Males	16·52			1,334			262	82	20	14	17	395	33	14	27	31	68	65	76	132	216	277
Females	15·59			1,246			199	67	26	11	12	315	41	21	33	26	64	82	71	128	182	283
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–
Measles	0·09	0·11	0·06	14	9	5	–	6	2	–	2	10	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	13	7	6	–	1	–	3	2	6	6	–	1	–	–	–	–	–	–	–
Diphtheria	0·08	0·07	0·09	13	6	7	–	–	–	1	2	3	7	1	1	–	–	1	–	–	–	–
Whooping-cough	0·28	0·22	0·34	45	18	27	15	14	6	3	3	41	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Enteric Fever	0·07	0·09	0·05	11	7	4	–	–	–	–	–	–	2	2	–	3	–	–	2	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·19	0·20	0·19	31	16	15	9	6	–	2	–	17	1	–	–	–	–	1	–	2	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·72	0·59	0·84	115	48	67	1	–	–	–	–	1	–	–	–	–	1	11	17	33	34	18
Tabes Mesenterica	0·24	0·22	0·25	38	18	20	19	8	3	2	1	33	4	–	–	–	–	1	–	–	–	–
Phthisis	1·56	1·47	1·65	251	119	132	6	3	1	–	–	10	4	9	27	32	68	45	28	16	11	1
Other Tub. & Scrof. Dis.	0·45	0·50	0·40	72	40	32	22	17	6	2	1	48	8	5	1	3	2	4	1	–	–	–
Diseases of Nervous System	2·09	1·99	2·19	336	161	175	56	24	6	5	4	95	8	3	6	1	7	12	23	35	63	83
Diseases of Circulatory „	1·81	1·82	1·79	290	147	143	–	1	–	–	–	1	1	–	5	4	7	16	19	55	90	92
Diseases of Respiratory „	3·04	3·12	2·97	489	252	237	86	46	12	4	8	156	17	6	3	2	15	23	11	44	94	118
Diseases of Digestive „	0·92	0·99	0·85	148	80	68	15	10	3	1	3	32	3	2	3	1	7	9	14	33	28	16
Diseases of Urinary „	0·35	0·52	0·19	57	42	15	–	–	–	–	–	–	1	–	1	1	2	3	9	9	18	13
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–
Puerperal Fever	0·06	–	0·13	10	–	10	–	–	–	–	–	–	–	–	1	–	5	3	1	–	–	–
Childbirth	0·04	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–
Violence	0·47	0·69	0·25	76	56	20	6	3	2	1	3	15	3	1	3	4	4	5	10	9	12	10
Other Causes	3·44	3·81	3·04	551	306	245	226	10	5	1	–	242	2	5	8	4	11	6	11	18	42	202

Marriages - - - 981

Births - { Males - 2,401 / Females - 2,220 } 4,621

Annual Rate per 1000 living { Persons Married 12·21 / Births - - 28·77 }

Deaths from Childbirth and Puerperal Fever - - - - 3·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

206.—BURY ST. EDMUNDS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1881 Standard Population* 18·14	†122	–	–	–	–	49·18	4·32	2·35	3·73	4·70	7·54	11·96	15·84	31·82	67·93	169·33
Annual Death-Rate per 1000. Males	—	In 1891 Standard Population* 19·69	†134	–	–	–	–	53·89	4·25	2·65	3·36	4·19	8·94	12·72	20·10	39·29	73·65	182·93
Annual Death-Rate per 1000. Females	—	In 1901 Standard Population* 16·68	†110	–	–	–	–	44·55	4·38	2·06	4·11	5·10	6·39	11·31	12·39	25·89	63·38	161·08
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·22 per cent.	16,370	369	380	391	373	380	1893	1877	1874	1903	1382	2189	1814	1389	1012	711	326
Mean Population, 1881–91. Males		7,668	188	189	197	184	181	939	941	905	953	597	984	841	622	448	315	123
Mean Population, 1881–91. Females		8,702	181	191	194	189	199	954	936	969	950	785	1205	973	767	564	396	203
Deaths from All Causes, 1881–90. Persons	19·25	3,151	574	196	89	50	22	931	81	44	71	65	165	217	220	322	483	552
Deaths from All Causes, 1881–90. Males	20·60	1,580	320	104	46	28	8	506	40	24	32	25	88	107	125	176	232	225
Deaths from All Causes, 1881–90. Females	18·05	1,571	254	92	43	22	14	425	41	20	39	40	77	110	95	146	251	327

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·38	0·46	0·32	63	35	28	10	23	16	5	2	56	4	1	–	1	–	–	–	1	–	–
Scarlet Fever	0·13	0·16	0·11	22	12	10	1	1	3	4	1	10	8	2	–	–	1	–	–	1	–	–
Diphtheria	0·10	0·10	0·09	16	8	8	1	1	3	1	1	7	7	1	–	1	–	–	–	–	–	–
Whooping-cough	0·40	0·37	0·43	65	28	37	25	21	13	2	2	63	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·10	0·02	10	8	2	–	–	–	–	1	1	1	3	3	1	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·21	35	17	18	22	4	–	–	–	26	1	–	–	–	–	3	–	–	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·90	0·59	1·17	147	45	102	–	–	–	–	–	–	–	–	–	1	5	14	26	37	42	22
Tabes Mesenterica	0·35	0·40	0·31	58	31	27	29	10	5	–	1	45	3	3	5	–	2	–	–	–	–	–
Phthisis	2·27	2·67	1·91	371	205	166	7	8	4	2	3	24	12	4	34	37	71	74	57	41	17	–
Other Tub. & Scrof. Dis.	0·72	0·82	0·62	117	63	54	53	32	11	1	1	98	5	1	2	2	2	4	–	2	1	–
Diseases of: Nervous System	2·47	2·63	2·32	404	202	202	55	12	5	8	4	84	7	7	7	1	12	24	28	53	94	87
Diseases of: Circulatory „	1·91	1·96	1·87	313	150	163	3	–	–	–	2	5	2	3	3	3	13	21	21	46	115	81
Diseases of: Respiratory „	3·00	3·38	2·67	491	259	232	100	59	18	20	2	199	14	3	4	5	22	12	21	53	74	84
Diseases of: Digestive „	1·11	1·27	0·98	182	97	85	31	6	2	1	1	41	1	2	1	2	6	15	23	37	34	20
Diseases of: Urinary „	0·48	0·64	0·33	78	49	29	–	–	–	–	1	1	1	–	1	1	7	14	12	6	25	10
Diseases of: Generative „	0·05	0·01	0·09	9	1	8	1	–	–	–	–	1	–	–	–	1	–	2	2	1	1	1
Puerperal Fever	0·09	–	0·16	14	–	14	–	–	–	–	–	–	–	–	1	2	6	5	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	2	3	4	–	–	–	–
Violence	0·57	0·85	0·33	94	65	29	7	2	4	3	–	16	8	5	–	2	6	13	8	14	13	9
Other Causes	4·00	3·97	4·01	653	305	348	229	17	5	3	–	254	5	9	10	3	8	12	22	30	67	233

Marriages - - - 983

Births - { Males - 2,397 / Females - 2,305 } 4,702

Annual Rate per 1000 living { Persons Married 12·01 / Births - - 28·72 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

207.—MILDENHALL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·50	†116	–	–	–	–	43·33	4·48	3·76	5·26	8·26	8·60	11·09	11·42	22·04	54·18	159·45
Annual Death-Rate per 1000. Males	—	16·51	†128	–	–	–	–	46·59	5·53	2·77	4·36	7·94	7·21	11·06	12·00	21·67	57·76	164·49
Annual Death-Rate per 1000. Females	—	16·48	†103	–	–	–	–	40·27	3·40	4·71	6·34	8·62	9·96	11·11	10·85	22·39	50·81	154·55
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·44 per cent.	8,758	238	214	228	243	231	1154	1138	1037	799	605	1035	875	762	658	478	217
Mean Population, 1881-91. Males		4,369	121	105	108	118	106	558	579	506	436	315	513	425	375	323	232	107
Mean Population, 1881-91. Females		4,389	117	109	120	125	125	596	559	531	363	290	522	450	387	335	246	110
Deaths from All Causes, 1881-90. Persons	19·47	1,705	318	108	40	16	18	500	51	39	42	50	89	97	87	145	259	346
Deaths from All Causes, 1881-90. Males	19·66	859	177	47	18	11	7	260	32	14	19	25	37	47	45	70	134	176
Deaths from All Causes, 1881-90. Females	19·28	846	141	61	22	5	11	240	19	25	23	25	52	50	42	75	125	170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·41	0·18	26	18	8	5	8	–	–	3	16	5	3	1	1	–	–	–	–	–	–
Scarlet Fever	0·31	0·34	0·27	27	15	12	2	3	4	4	3	16	9	–	1	1	–	–	–	–	–	–
Diphtheria	0·15	0·11	0·18	13	5	8	–	–	2	–	1	3	3	4	2	–	–	–	–	1	–	–
Whooping-cough	0·33	0·34	0·32	29	15	14	12	13	4	–	–	29	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·18	0·14	14	8	6	–	–	–	–	–	–	–	1	3	–	2	2	1	5	–	–
Simple Continued Fever	0·09	0·09	0·09	8	4	4	–	1	1	–	–	2	1	–	–	1	–	–	–	–	2	2
Diarrhœa and Dysentery	0·43	0·41	0·46	38	18	20	15	1	1	1	–	18	–	–	–	–	–	–	1	2	9	8
Cholera	0·01	–	0·02	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·79	0·52	1·05	69	23	46	–	–	–	–	–	–	–	–	–	–	1	6	8	19	20	15
Tabes Mesenterica	0·27	0·32	0·23	24	14	10	8	9	–	–	–	17	2	–	1	–	–	–	–	1	3	–
Phthisis	1·86	1·74	1·98	163	76	87	1	–	2	1	–	4	1	9	17	23	50	23	22	8	4	2
Other Tub. & Scrof. Dis.	0·50	0·53	0·48	44	23	21	9	3	6	–	1	19	3	10	–	2	4	2	1	2	–	1
Diseases of Nervous System	2·23	2·13	2·32	195	93	102	22	16	3	2	–	43	5	4	8	6	3	6	10	21	49	40
Diseases of Circulatory „	1·68	1·62	1·73	147	71	76	1	2	–	–	–	3	1	1	3	1	5	8	9	29	44	43
Diseases of Respiratory „	3·20	3·36	3·03	280	147	133	53	32	9	3	8	105	7	–	1	3	6	14	12	24	56	52
Diseases of Digestive „	1·34	1·30	1·37	117	57	60	15	4	2	1	–	22	4	4	–	4	5	7	10	15	28	18
Diseases of Urinary „	0·32	0·41	0·23	28	18	10	–	–	–	–	–	–	1	–	–	–	–	2	–	5	12	8
Diseases of Generative „	0·10	–	0·21	9	–	9	–	–	–	–	–	–	–	–	–	1	1	2	1	–	2	2
Puerperal Fever	0·09	–	0·18	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Violence	0·55	0·80	0·30	48	35	13	2	2	1	2	–	7	3	3	1	2	2	9	4	2	11	4
Other Causes	4·69	5·05	4·37	411	219	192	173	14	5	1	2	195	6	–	4	3	5	10	7	11	19	151

Marriages - - - 540

Births - { Males - 1,380 / Females - 1,366 } 2,746

Annual Rate per 1000 living { Persons Married 12·33 / Births - - 31·35 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

208.—STOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†112	–	–	–	–	38·84	2·88	2·80	4·11	6·05	6·47	9·07	9·82	22·18	49·95	141·50
Annual Death-Rate per 1000. Males	—	14·28	†125	–	–	–	–	43·11	2·97	1·98	2·28	5·44	5·87	8·01	10·16	21·45	54·72	153·11
Annual Death-Rate per 1000. Females	—	14·19	† 98	–	–	–	–	34·64	2·79	3·60	6·18	6·63	7·04	10·05	9·50	22·88	45·22	130·94
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·31 per cent.	20,063	496	540	499	550	505	2590	2536	2353	1899	1437	2425	2029	1793	1474	1021	506
Mean Population, 1881–91. Males		9,870	238	275	246	275	251	1285	1247	1159	1009	698	1175	974	856	718	508	241
Mean Population, 1881–91. Females		10,193	258	265	253	275	254	1305	1289	1194	890	739	1250	1055	937	756	513	265
Deaths from All Causes, 1881–90. Persons	16·85	3,380	666	189	69	48	34	1006	73	66	78	87	157	184	176	327	510	716
Deaths from All Causes, 1881–90. Males	17·33	1,710	378	98	36	24	18	554	37	23	23	38	69	78	87	154	278	369
Deaths from All Causes, 1881–90. Females	16·38	1,670	288	91	33	24	16	452	36	43	55	49	88	106	89	173	232	347

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·04	0·02	6	4	2	1	–	–	–	–	1	–	–	1	–	–	1	–	1	2	–
Measles	0·18	0·18	0·18	36	18	18	5	10	7	4	4	30	4	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·15	0·11	26	15	11	1	7	2	6	2	18	4	3	–	–	1	–	–	–	–	–
Diphtheria	0·14	0·11	0·18	29	11	18	–	3	–	3	4	10	9	4	5	1	–	–	–	–	–	–
Whooping-cough	0·46	0·41	0·51	92	40	52	47	28	4	5	4	88	1	2	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·05	0·14	19	5	14	–	–	–	–	–	–	1	3	2	3	3	3	–	3	1	–
Simple Continued Fever	0·03	0·05	0·01	6	5	1	–	–	–	–	–	–	–	1	1	–	–	–	–	2	1	1
Diarrhœa and Dysentery	0·31	0·37	0·26	63	37	26	27	8	1	1	1	38	1	–	–	–	–	1	–	5	7	11
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cancer	0·60	0·42	0·78	120	41	79	–	–	–	–	–	–	–	–	–	1	3	10	20	34	33	19
Tabes Mesenterica	0·20	0·22	0·18	40	22	18	23	6	1	2	1	33	4	1	1	–	1	–	–	–	–	–
Phthisis	1·55	1·34	1·75	310	132	178	5	4	5	3	1	18	9	12	38	44	57	60	29	25	12	6
Other Tub. & Scrof. Dis.	0·45	0·40	0·51	91	39	52	22	10	8	1	5	46	9	9	4	3	6	6	3	4	1	–
Diseases of Nervous System	1·80	2·01	1·61	362	198	164	50	23	7	4	1	85	4	5	6	9	15	15	19	48	83	73
Diseases of Circulatory „	1·75	1·99	1·52	351	196	155	2	–	–	–	–	2	1	2	1	3	17	15	22	78	122	88
Diseases of Respiratory „	2·54	2·87	2·23	510	283	227	128	55	17	14	8	222	9	5	3	3	16	15	19	39	90	89
Diseases of Digestive „	1·09	1·12	1·05	218	111	107	29	8	4	1	–	42	7	2	6	2	6	11	24	32	42	44
Diseases of Urinary „	0·40	0·51	0·29	80	50	30	3	2	1	–	–	6	1	2	–	1	1	7	9	12	25	16
Diseases of Generative „	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	1	1	2	2	2	5	3	–
Puerperal Fever	0·06	–	0·13	13	–	13	–	–	–	–	–	–	–	–	–	–	6	6	1	–	–	–
Childbirth	0·09	–	0·18	18	–	18	–	–	–	–	–	–	–	–	–	2	10	5	1	–	–	–
Violence	0·48	0·59	0·37	96	58	38	7	3	7	3	2	22	2	1	2	5	4	8	11	13	12	16
Other Causes	4·38	4·48	4·20	875	443	432	316	21	5	1	1	344	7	11	6	8	9	19	16	26	76	353

Marriages - - - 1,247

Births - Males - 3,016; Females - 2,952 — 5,968

Annual Rate per 1000 living: Persons Married 12·43; Births - - 29·75

Deaths from Childbirth and Puerperal Fever - - - - - 5·19 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

209.—HARTISMERE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·42			†97	–	–	–	–	33·77	3·42	2·65	4·51	4·62	5·25	7·40	9·43	21·66	51·90	160·23
Males	—			13·11			†99	–	–	–	–	35·14	3·81	1·63	4·15	3·91	3·94	7·79	9·32	22·65	53·24	163·80
Females	—			13·71			†95	–	–	–	–	32·29	3·04	3·81	4·96	5·31	6·48	7·04	9·54	20·67	50·49	156·54
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·97 per cent.			15,241			404	398	393	392	403	1990	1958	1851	1397	1039	1733	1473	1325	1196	844	435
Males				7,713			209	208	204	215	200	1036	972	984	772	512	838	706	644	596	432	221
Females				7,528			195	190	189	177	203	954	986	867	625	527	895	767	681	600	412	214
Deaths from All Causes, 1881–90. Persons	17·18			2,618			453	118	48	34	19	672	67	49	63	48	91	109	125	259	438	697
Males	17·43			1,344			239	67	33	17	8	364	37	16	32	20	33	55	60	135	230	362
Females	16·92			1,274			214	51	15	17	11	308	30	33	31	28	58	54	65	124	208	335
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·09	0·04	10	7	3	2	3	1	2	–	8	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·08	0·11	14	6	8	1	4	3	1	1	10	2	1	–	1	–	–	–	–	–	–
Diphtheria	0·23	0·19	0·27	35	15	20	–	3	1	4	3	11	18	5	1	–	–	–	–	–	–	–
Whooping-cough	0·31	0·31	0·31	47	24	23	22	18	–	5	1	46	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·09	15	8	7	–	–	–	–	–	–	1	2	3	2	3	2	1	–	1	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Diarrhœa and Dysentery	0·39	0·41	0·36	59	32	27	15	2	3	2	1	23	–	1	–	–	2	–	–	7	9	17
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·48	0·94	108	37	71	–	–	–	–	–	–	1	–	–	1	2	5	10	41	30	18
Tabes Mesenterica	0·06	0·06	0·05	9	5	4	6	2	–	1	–	9	–	–	–	–	–	–	–	–	–	–
Phthisis	1·40	1·22	1·59	214	94	120	3	2	–	–	–	5	3	11	26	22	37	37	34	24	14	1
Other Tub. & Scrof. Dis.	0·32	0·41	0·23	49	32	17	15	10	3	2	–	30	5	3	3	1	–	1	1	2	2	1
Diseases of Nervous System	2·47	2·48	2·47	377	191	186	45	15	6	4	4	74	10	5	8	6	10	10	17	43	97	97
Circulatory "	1·65	1·54	1·77	252	119	133	3	–	–	1	–	4	–	5	4	2	4	12	16	48	82	75
Respiratory "	2·45	2·76	2·13	373	213	160	69	31	21	9	4	134	8	3	6	–	4	9	12	36	71	90
Digestive "	0·96	1·08	0·84	146	83	63	24	9	2	1	2	38	2	3	2	–	5	9	12	19	35	21
Urinary "	0·47	0·65	0·29	72	50	22	–	1	–	–	–	1	2	1	1	–	6	3	7	15	21	15
Generative "	0·07	0·01	0·12	10	1	9	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	2
Puerperal Fever	0·05	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	0·55	0·73	0·37	84	56	28	8	3	1	2	–	14	7	3	4	6	5	5	4	11	15	10
Other Causes	4·75	4·80	4·70	724	369	355	240	15	7	–	3	265	5	6	5	5	6	6	10	9	58	349

Marriages - - 941

Births - { Males - 2,406 / Females - 2,256 } 4,662

Annual Rate per 1000 living { Persons Married 12·35 / Births - - 30·59 }

Deaths from Childbirth and Puerperal Fever - - - - } 3·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

210.—HOXNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·66	†102	–	–	–	–	33·82	2·47	2·19	3·53	6·08	6·13	8·03	9·80	18·55	40·92	131·55
Annual Death-Rate per 1000. Males	—	12·32	†115	–	–	–	–	37·47	2·22	2·35	2·11	4·22	4·88	7·56	9·38	17·46	39·94	144·26
Annual Death-Rate per 1000. Females	—	12·98	† 89	–	–	–	–	30·20	2·72	2·02	5·43	8·15	7·43	8·46	10·18	19·59	41·95	119·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·20 per cent.	12,031	332	288	317	310	323	1570	1539	1415	1077	855	1403	1121	1051	949	677	374
Mean Population, 1881–91. Males		6,093	169	138	150	162	163	782	767	722	617	450	717	542	501	464	348	183
Mean Population, 1881–91. Females		5,938	163	150	167	148	160	788	772	693	460	405	686	579	550	485	329	191
Deaths from All Causes, 1881–90. Persons	15·91	1,914	368	95	33	20	15	531	38	31	38	52	86	90	103	176	277	492
Deaths from All Causes, 1881–90. Males	15·85	966	208	51	15	11	8	293	17	17	13	19	35	41	47	81	139	264
Deaths from All Causes, 1881–90. Females	15·96	948	160	44	18	9	7	238	21	14	25	33	51	49	56	95	138	228

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·10	11	5	6	3	3	–	2	–	8	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·11	0·03	9	7	2	–	2	2	–	3	7	1	–	1	–	–	–	–	–	–	–
Diphtheria	0·06	0·04	0·07	7	3	4	1	–	1	–	–	2	4	–	–	–	1	–	–	–	–	–
Whooping-cough	0·31	0·25	0·37	37	15	22	20	13	3	1	–	37	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·09	0·08	0·10	11	5	6	–	–	–	–	–	–	1	1	1	3	2	3	–	–	–	–
Simple Continued Fever	0·04	0·07	0·01	5	4	1	–	–	1	–	–	1	–	–	–	1	–	–	1	1	–	1
Diarrhœa and Dysentery	0·25	0·25	0·25	30	15	15	20	1	–	1	1	23	1	–	–	–	–	–	–	1	2	3
Cholera	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·71	0·46	0·98	86	28	58	–	–	1	–	–	1	–	–	–	1	–	8	15	19	24	18
Tabes Mesenterica	0·12	0·11	0·13	15	7	8	3	5	–	–	–	8	2	1	1	–	–	–	2	–	1	–
Phthisis	1·61	1·31	1·92	194	80	114	6	6	–	1	1	14	4	8	17	30	41	26	24	22	7	1
Other Tub. & Scrof. Dis.	0·39	0·46	0·32	47	28	19	10	11	3	2	2	28	6	4	2	1	1	2	–	3	–	–
Diseases of Nervous System	1·99	1·82	2·16	239	111	128	36	8	4	5	1	54	4	4	5	1	7	7	9	26	44	78
Diseases of Circulatory "	1·85	1·72	1·99	223	105	118	7	–	–	–	–	7	–	6	2	2	7	12	16	30	68	73
Diseases of Respiratory "	1·95	2·10	1·79	234	128	106	51	24	9	4	4	92	4	1	2	2	4	10	10	18	38	53
Diseases of Digestive "	1·03	0·97	1·09	124	59	65	28	7	–	1	1	37	2	1	–	2	–	4	8	21	25	24
Diseases of Urinary "	0·55	0·74	0·35	66	45	21	–	–	–	–	–	–	–	–	–	–	3	2	3	10	23	25
Diseases of Generative "	0·03	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1
Puerperal Fever	0·07	–	0·15	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	6	2	–	–	–	–
Violence	0·54	0·74	0·34	65	45	20	7	1	5	3	1	17	1	2	1	3	7	3	5	11	5	10
Other Causes	4·07	4·53	3·57	486	275	211	176	13	4	–	1	194	5	3	5	3	4	8	9	12	38	205

Marriages - - 809

Births - Males - 1,809 } 3,607
Births - Females - 1,798 }

Annual Rate per 1000 living { Persons Married 13·45
Births - - 29·98 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

211.—BOSMERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·50	†104	–	–	–	–	35·95	3·48	1·81	3·71	6·26	6·42	6·50	9·86	21·69	48·88	144·53
Annual Death-Rate per 1000. Males	—	13·54	†109	–	–	–	–	38·35	4·02	1·76	2·45	5·65	7·00	6·12	8·61	20·03	56·37	148·39
Annual Death-Rate per 1000. Females	—	13·47	† 99	–	–	–	–	33·60	2·95	1·86	5·33	6·93	5·86	6·86	11·08	23·42	41·07	141·06
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·32 per cent.	15,224	397	408	390	398	371	1964	1952	1770	1374	1118	1791	1539	1389	1134	800	393
Mean Population, 1881–91. Males		7,704	191	203	188	207	181	970	969	911	774	584	886	752	685	579	408	186
Mean Population, 1881–91. Females		7,520	206	205	202	191	190	994	983	859	600	534	905	787	704	555	392	207
Deaths from All Causes, 1881–90. Persons	16·32	2,484	482	139	45	18	22	706	68	32	51	70	115	100	137	246	391	568
Deaths from All Causes, 1881–90. Males	16·46	1,268	261	71	24	6	10	372	39	16	19	33	62	46	59	116	230	276
Deaths from All Causes, 1881–90. Females	16·17	1,216	221	68	21	12	12	334	29	16	32	37	53	54	78	130	161	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·04	0·03	0·05	6	2	4	–	–	–	–	–	–	–	–	1	2	–	–	–	1	1	1
Measles	0·12	0·12	0·12	18	9	9	1	7	1	3	1	13	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·10	0·21	24	8	16	–	5	3	2	5	15	7	2	–	–	–	–	–	–	–	–
Diphtheria	0·07	0·09	0·04	10	7	3	–	1	1	–	1	3	6	–	–	–	1	–	–	–	–	–
Whooping-cough	0·49	0·44	0·55	75	34	41	42	27	4	1	–	74	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·05	0·15	15	4	11	1	–	1	1	1	4	1	3	1	2	1	2	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·26	0·27	41	21	20	15	6	–	–	–	21	2	–	–	–	–	–	3	1	7	7
Cholera	0·02	0·03	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Cancer	0·54	0·39	0·69	82	30	52	–	–	–	–	–	–	–	–	–	–	2	4	17	23	28	8
Tabes Mesenterica	0·24	0·19	0·29	37	15	22	14	3	1	–	–	18	2	1	–	–	–	3	1	7	5	–
Phthisis	1·41	1·29	1·53	214	99	115	1	4	2	–	–	7	4	7	21	32	59	27	21	22	12	2
Other Tub. & Scrof. Dis.	0·35	0·35	0·35	53	27	26	11	11	7	3	1	33	3	3	1	5	3	1	–	3	1	–
Diseases of Nervous System	1·88	1·99	1·77	286	153	133	39	12	4	1	1	57	8	2	7	8	6	13	25	35	65	60
Diseases of Circulatory „	2·06	2·06	2·06	314	159	155	2	–	–	1	–	3	2	4	2	4	5	7	17	50	114	106
Diseases of Respiratory „	2·23	2·53	1·93	340	195	145	67	37	12	2	6	124	14	2	3	4	6	9	12	36	48	82
Diseases of Digestive „	0·91	0·86	0·97	139	66	73	17	2	1	1	2	23	–	2	2	2	7	8	16	33	25	21
Diseases of Urinary „	0·33	0·49	0·16	50	38	12	1	–	1	–	1	3	–	–	1	–	4	2	4	4	16	16
Diseases of Generative „	0·05	0·01	0·08	7	1	6	–	–	–	–	–	–	–	–	–	2	–	–	2	3	–	–
Puerperal Fever	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–
Violence	0·53	0·77	0·27	80	59	21	11	3	3	–	2	19	6	–	6	3	8	9	7	8	8	6
Other Causes	4·43	4·40	4·50	676	338	338	260	21	4	2	1	288	7	6	5	4	7	12	9	19	60	259

Marriages - - - 899

Births - Males - 2,399, Females - 2,239 } 4,638

Annual Rate per 1000 living { Persons Married 11·81; Births - - 30·47 }

Deaths from Childbirth and Puerperal Fever - - - - } 2·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

212.—SAMFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·71	†105	–	–	–	–	34·75	4·64	2·83	4·55	6·67	4·98	8·10	9·36	21·82	48·17	153·90
Annual Death-Rate per 1000. Males	—	In Standard Population.* 14·10	†119	–	–	–	–	38·57	4·56	2·18	4·28	6·52	4·39	7·80	9·21	22·77	54·43	166·41
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·34	† 91	–	–	–	–	30·85	4·71	3·51	4·93	6·82	5·51	8·37	9·52	20·86	41·85	143·05
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·85 per cent.	11,808	326	293	305	315	309	1548	1445	1343	1010	810	1427	1247	1132	935	629	282
Mean Population, 1881–91. Males		5,935	159	148	155	169	152	783	723	687	584	414	683	590	554	470	316	131
Mean Population, 1881–91. Females		5,873	167	145	150	146	157	765	722	656	426	396	744	657	578	465	313	151
Deaths from All Causes, 1881–90. Persons	16·62	1,962	369	105	28	17	19	538	67	38	46	54	71	101	106	204	303	434
Deaths from All Causes, 1881–90. Males	17·29	1,026	212	67	12	4	7	302	33	15	25	27	30	46	51	107	172	218
Deaths from All Causes, 1881–90. Females	15·94	936	157	38	16	13	12	236	34	23	21	27	41	55	55	97	131	216

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·14	15	7	8	5	5	2	–	1	13	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·05	0·15	12	3	9	–	–	–	1	2	3	6	3	–	–	–	–	–	–	–	–
Diphtheria	0·22	0·24	0·20	26	14	12	–	–	–	1	4	5	14	3	–	1	1	1	–	–	–	1
Whooping-cough	0·32	0·30	0·34	38	18	20	26	6	2	1	1	36	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·13	0·12	15	8	7	–	–	–	–	1	1	4	1	2	1	–	2	1	2	1	–
Simple Continued Fever	0·04	0·03	0·05	5	2	3	–	–	–	–	1	1	–	1	–	–	–	–	–	2	1	–
Diarrhœa and Dysentery	0·53	0·66	0·39	62	39	23	23	7	2	–	1	33	–	–	–	1	–	1	1	3	9	14
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·50	0·40	0·60	59	24	35	–	–	–	–	–	–	–	–	–	–	2	3	12	17	15	10
Tabes Mesenterica	0·13	0·13	0·12	15	8	7	8	3	–	–	–	11	2	–	–	–	–	2	–	–	–	–
Phthisis	1·58	1·42	1·75	187	84	103	2	4	2	–	1	9	–	11	24	25	36	35	20	15	9	3
Other Tub. & Scrof. Dis.	0·40	0·40	0·39	47	24	23	11	11	2	2	–	26	7	5	–	2	2	–	–	4	1	–
Diseases of Nervous System	2·30	2·06	2·54	271	122	149	43	12	4	2	2	63	8	3	2	3	4	11	14	30	55	78
Diseases of Circulatory „	1·41	1·55	1·26	166	92	74	1	1	–	–	–	2	–	1	–	2	4	4	14	39	61	39
Diseases of Respiratory „	2·77	3·05	2·49	327	181	146	53	36	10	4	5	108	11	1	5	6	6	7	16	31	65	71
Diseases of Digestive „	1·13	1·28	0·99	134	76	58	27	6	2	2	–	37	5	1	1	2	1	3	12	29	26	17
Diseases of Urinary „	0·39	0·56	0·22	46	33	13	1	–	–	–	–	1	1	1	1	–	2	5	9	8	8	10
Diseases of Generative „	0·04	0·02	0·07	5	1	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1
Puerperal Fever	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–
Childbirth	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–
Violence	0·63	0·89	0·36	74	53	21	2	4	–	3	–	9	1	2	8	2	8	11	3	10	13	7
Other Causes	3·76	3·98	3·56	445	236	209	167	10	2	1	–	180	3	5	3	6	4	5	3	14	39	183

Marriages - - - 748

Births - Males - 1,783; Females - 1,724 — 3,507

Annual Rate per 1000 living: Persons Married 12·67; Births - - 29·70

Deaths from Childbirth and Puerperal Fever - - - - - 3·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

213.—IPSWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·84	†137	–	–	–	–	56·62	4·44	3·20	4·40	5·91	7·53	11·38	15·59	29·41	64·91	155·34
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·17	†154	–	–	–	–	62·24	4·45	2·86	4·40	6·62	7·65	12·11	17·70	33·49	71·28	172·01
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·58	†121	–	–	–	–	51·06	4·42	3·54	4·39	5·36	7·44	10·76	13·84	26·10	59·98	144·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·44 per cent.	53,701	1400	1309	1276	1321	1294	6600	6267	5867	5551	4756	7765	5984	4630	3414	2052	815
Mean Population, 1881–91. Males		25,061	681	648	643	662	650	3284	3077	2900	2523	2069	3557	2767	2102	1529	895	318
Mean Population, 1881–91. Females		28,640	719	661	633	659	644	3316	3190	2967	3028	2687	4168	3217	2528	1885	1157	497
Deaths from All Causes 1881–90. Persons	19·21	10,318	2350	775	306	176	130	3737	278	188	244	281	585	681	722	1004	1332	1266
Deaths from All Causes 1881–90. Males	20·71	5,191	1329	403	153	89	70	2044	137	83	111	137	275	335	372	512	638	547
Deaths from All Causes 1881–90. Females	17·90	5,127	1021	372	153	87	60	1693	141	105	133	144	310	346	350	492	694	719

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Measles	0·36	0·41	0·32	195	103	92	31	69	38	22	12	172	19	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·07	40	19	21	–	2	7	8	3	20	12	4	–	–	3	1	–	–	–	–
Diphtheria	0·20	0·20	0·20	107	49	53	4	14	14	19	17	68	27	4	2	1	–	3	–	2	–	–
Whooping-cough	0·47	0·44	0·49	250	110	140	127	71	27	14	6	245	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·13	0·14	0·13	70	34	36	–	1	–	–	2	3	7	7	15	8	7	10	5	6	2	–
Simple Continued Fever	0·01	0·02	0·01	7	4	3	–	–	1	–	–	1	2	–	1	–	1	–	1	1	–	–
Diarrhœa and Dysentery	0·79	0·85	0·74	426	214	212	248	52	14	2	2	318	2	3	1	2	1	4	7	15	30	43
Cholera	0·01	0·02	0·00	5	4	1	3	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1
Cancer	0·71	0·51	0·88	382	129	253	–	1	1	–	–	2	–	1	–	3	9	40	74	115	107	31
Tabes Mesenterica	0·24	0·29	0·20	130	72	58	66	27	7	1	–	101	5	6	5	2	4	1	1	2	3	–
Phthisis	2·15	2·26	2·05	1,153	566	587	14	8	4	5	5	36	19	37	108	146	272	249	164	80	35	7
Other Tub. & Scrof. Dis.	0·51	0·55	0·48	276	138	138	64	47	17	14	10	152	46	25	12	11	9	7	9	3	2	–
Diseases of Nervous System	2·40	2·68	2·16	1,290	672	618	243	102	33	21	9	408	29	19	19	14	50	84	93	170	261	143
Diseases of Circulatory „	1·53	1·62	1·45	821	405	416	5	1	1	1	2	10	8	16	16	22	34	62	77	200	235	141
Diseases of Respiratory „	3·25	3·72	2·85	1,747	932	815	390	260	112	51	37	850	42	10	10	9	35	61	95	172	261	202
Diseases of Digestive „	1·00	0·99	1·02	538	247	291	91	47	6	3	2	149	15	11	12	12	26	43	63	75	89	45
Diseases of Urinary „	0·50	0·69	0·34	270	173	97	4	2	3	2	1	12	5	5	4	5	23	29	43	47	63	34
Diseases of Generative „	0·06	0·01	0·11	34	3	31	–	–	–	–	–	–	–	–	–	–	5	9	8	4	8	–
Puerperal Fever	0·08	–	0·14	41	–	41	–	–	–	–	–	–	–	–	1	9	23	8	–	–	–	–
Childbirth	0·05	–	0·09	26	–	26	–	–	–	–	–	–	–	–	–	3	13	10	–	–	–	–
Violence	0·55	0·85	0·28	294	213	81	31	7	6	7	9	60	18	11	14	16	33	22	34	42	27	17
Other Causes	4·14	4·36	3·89	2,212	1,100	1,112	1,029	64	15	6	13	1,127	19	25	24	17	36	36	47	70	209	602

Marriages - - - 4,153

Births - { Males - 8,624 / Females - 8,473 } 17,097

Annual Rate per 1,000 living { Persons Married 15·47 / Births - - 31·84 }

Deaths from Childbirth and Puerperal Fever - - - - } – 3·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

214.—WOODBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·51	†107	–	–	–	–	36·97	3·59	2·83	4·29	6·63	9·16	11·09	16·18	24·39	51·08	142·83
Annual Death-Rate per 1000. Males	—					16·39	†115	–	–	–	–	40·65	3·39	2·44	3·82	7·21	10·34	11·41	18·20	29·68	52·66	145·00
Annual Death-Rate per 1000. Females	—					14·68	†100	–	–	–	–	33·24	3·80	3·25	4·83	6·12	8·13	10·81	14·40	19·44	49·55	140·68
Mean Population, 1881–91. Persons	Decennial Increase of Population, 4·28 per cent.			23,232			579	584	567	559	592	2881	2785	2653	2099	1674	2859	2408	2139	1792	1300	642
Mean Population, 1881–91. Males				11,464			299	285	281	284	300	1449	1417	1391	1125	791	1334	1131	1000	866	640	320
Mean Population, 1881–91. Females				11,768			280	299	286	275	292	1432	1368	1262	974	883	1525	1277	1139	926	660	322
Deaths from All Causes, 1881–90. Persons	18·66			4,334			698	230	66	35	36	1065	100	75	90	111	262	267	346	437	664	917
Deaths from All Causes, 1881–90. Males	19·87			2,278			382	139	35	16	17	589	48	34	43	57	138	129	182	257	337	464
Deaths from All Causes, 1881–90. Females	17·47			2,056			316	91	31	19	19	476	52	41	47	54	124	138	164	180	327	453
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·10	0·14	29	12	17	2	13	5	1	2	23	4	1	–	–	–	–	1	–	–	–
Scarlet Fever	0·08	0·04	0·11	18	5	13	1	3	1	3	4	12	2	2	1	–	–	–	1	–	–	–
Diphtheria	0·11	0·11	0·10	25	13	12	2	1	1	3	2	9	6	6	1	2	1	–	–	–	–	–
Whooping-cough	0·42	0·42	0·42	97	48	49	50	35	4	4	1	94	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·12	0·19	36	14	22	–	–	–	–	1	1	3	4	3	3	8	2	5	3	3	1
Simple Continued Fever	0·03	0·03	0·03	6	3	3	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–
Diarrhœa and Dysentery	0·48	0·47	0·48	111	54	57	35	4	1	2	2	44	2	1	–	1	–	2	7	17	12	25
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·67	0·55	0·78	155	63	92	–	–	–	–	–	–	–	–	–	–	3	16	34	42	36	24
Tabes Mesenterica	0·21	0·21	0·20	48	24	24	15	7	3	2	1	28	7	4	–	–	2	2	3	1	1	–
Phthisis	1·94	1·90	1·97	450	218	232	3	2	2	2	–	9	7	12	36	59	115	80	63	49	18	2
Other Tub. & Scrof. Dis.	0·40	0·46	0·35	94	53	41	15	20	7	5	5	52	16	9	5	2	5	2	3	–	–	–
Diseases of Nervous System	2·80	3·18	2·42	650	365	285	44	26	5	2	6	83	14	10	12	10	46	59	66	95	120	135
Diseases of Circulatory „	1·59	1·58	1·61	370	181	189	–	1	1	–	–	2	–	2	2	4	10	20	36	63	136	95
Diseases of Respiratory „	2·45	2·74	2·18	570	314	256	128	50	12	4	6	200	16	1	3	6	13	27	37	58	117	92
Diseases of Digestive „	1·20	1·31	1·10	279	150	129	36	30	6	2	2	76	4	3	4	4	14	17	27	43	47	40
Diseases of Urinary „	0·51	0·71	0·31	118	82	36	2	1	–	–	–	3	1	–	–	1	7	6	12	19	46	23
Diseases of Generative „	0·08	0·02	0·14	18	2	16	–	–	–	–	–	–	–	–	4	1	3	2	3	–	4	1
Puerperal Fever	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	2	1	6	1	2	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Violence	0·50	0·73	0·27	116	84	32	4	1	5	2	1	13	6	8	4	5	13	10	12	15	14	16
Other Causes	4·82	5·19	4·46	1118	592	526	361	36	13	3	3	416	9	10	13	9	9	17	32	31	109	463

Marriages - - - 1,337

Births - Males - 3,330; Females - 3,173 — 6,503

Annual Rate per 1000 living: Persons Married 11·51; Births - - 27·99

Deaths from Childbirth and Puerperal Fever - - - - - 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

215.—PLOMESGATE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·49	†106	–	–	–	–	35·91	3·58	2·43	3·50	6·30	7·12	7·81	10·34	18·49	46·67	137·82
Males	—	13·92	†118	–	–	–	–	39·48	3·17	1·77	3·85	6·75	6·86	7·92	11·36	19·89	47·99	144·68
Females	—	13·08	† 94	–	–	–	–	32·28	3·99	3·24	3·11	5·86	7·36	7·71	9·44	17·20	45·39	131·63
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·84 per cent.	20,565	489	484	513	542	512	2540	2573	2471	1971	1492	2458	2023	1818	1514	1110	595
Males		10,238	261	238	259	266	255	1279	1295	1359	1039	741	1167	947	854	729	546	282
Females		10,327	228	246	254	276	257	1261	1278	1112	932	751	1291	1076	964	785	564	313
Deaths from All Causes, 1881–90. Persons	16·37	3,366	625	170	58	42	17	912	92	60	69	94	175	158	188	280	518	820
Males	16·87	1,727	356	83	36	18	12	505	41	24	40	50	80	75	97	145	262	408
Females	15·87	1,639	269	87	22	24	5	407	51	36	29	44	95	83	91	135	256	412

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·12	0·07	19	12	7	8	4	2	2	1	17	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·05	0·08	13	5	8	2	–	4	1	2	9	2	2	–	–	–	–	–	–	–
Diphtheria	0·17	0·17	0·17	35	17	18	–	2	3	3	1	9	16	5	–	–	2	3	–	–	–
Whooping-cough	0·31	0·28	0·34	64	29	35	38	12	6	7	–	63	1	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·13	0·11	0·15	27	11	16	–	–	–	–	–	–	3	2	2	3	5	4	1	4	3
Simple Continued Fever	0·03	0·03	0·04	7	3	4	1	–	1	–	–	2	–	–	–	1	–	–	1	1	2
Diarrhœa and Dysentery	0·28	0·29	0·27	58	30	28	14	5	3	2	1	25	–	1	–	1	2	3	3	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·39	0·83	126	40	86	–	–	–	–	–	–	–	–	–	–	4	8	22	30	41
Tabes Mesenterica	0·24	0·23	0·25	50	24	26	21	15	4	3	–	43	3	–	2	2	–	–	–	–	–
Phthisis	1·61	1·62	1·61	332	166	166	2	4	1	–	–	7	17	18	29	54	82	42	42	21	16
Other Tub. & Scrof. Dis.	0·31	0·32	0·29	63	33	30	19	19	2	1	–	41	6	3	5	1	1	2	2	1	–
Diseases of: Nervous System	2·01	2·06	1·97	414	211	203	55	13	3	3	2	76	10	10	5	5	7	16	23	44	100
Circulatory „	1·75	1·62	1·87	359	166	193	–	–	–	1	–	1	3	3	4	1	9	7	28	56	108
Respiratory „	2·54	2·67	2·42	523	273	250	101	57	12	11	7	188	13	1	4	3	10	18	22	48	84
Digestive „	1·01	1·01	1·01	207	103	104	43	19	2	2	–	66	4	2	2	3	6	12	14	27	41
Urinary „	0·35	0·54	0·16	72	55	17	2	–	–	–	–	2	–	–	2	–	–	4	5	7	23
Generative „	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2
Puerperal Fever	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–
Childbirth	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	–	6	3	–	–	–
Violence	0·59	1·03	0·16	122	105	17	10	–	6	2	2	20	5	5	7	9	19	14	10	9	11
Other Causes	4·17	4·33	3·92	849	444	405	309	20	9	4	1	343	8	7	7	10	17	18	14	26	84

Marriages - - 1,217

Births - { Males - 3,028 / Females - 2,868 } 5,896

Annual Rate per 1000 living { Persons Married 11·84 / Births - - 28·67 }

Deaths from Childbirth and Puerperal Fever - - - - 3·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

216.—BLYTHING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 13·31	† 98	–	–	–	–	34·31	3·61	2·84	4·53	5·82	6·31	7·73	9·92	18·29	48·77	139·92
Annual Death-Rate per 1000. Males	—	Standard 13·59	†115	–	–	–	–	38·50	3·34	2·13	4·07	5·31	6·69	7·58	10·16	18·39	49·70	147·83
Annual Death-Rate per 1000. Females	—	Population* 13·05	† 80	–	–	–	–	30·11	3·88	3·58	5·02	6·30	5·97	7·86	9·69	18·21	47·91	132·18
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·64 per cent.	25,606	699	658	648	658	671	3334	3294	2957	2253	1803	3088	2626	2239	1886	1382	744
Mean Population, 1881–91. Males		12,552	337	331	329	348	325	1670	1618	1503	1178	866	1480	1240	1073	892	664	368
Mean Population, 1881–91. Females		13,054	362	327	319	310	346	1664	1676	1454	1075	937	1608	1386	1166	994	718	376
Deaths from All Causes, 1881–90. Persons	16·54	4,234	771	197	84	49	43	1144	119	84	102	105	195	203	222	345	674	1041
Deaths from All Causes, 1881–90. Males	17·23	2,163	460	98	39	27	19	643	54	32	48	46	99	94	109	164	330	544
Deaths from All Causes, 1881–90. Females	15·86	2,071	311	99	45	22	24	501	65	52	54	59	96	109	113	181	344	497

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
Measles	0·07	0·06	0·08	17	7	10	3	7	2	2	–	14	1	2	–	–	–	–	–	–	–
Scarlet Fever	0·03	0·03	0·03	8	4	4	2	–	2	–	1	5	2	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·15	0·21	47	19	28	2	3	7	5	3	20	16	6	3	–	–	1	1	–	–
Whooping-cough	0·44	0·46	0·42	113	58	55	59	33	10	4	5	111	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·10	0·10	0·10	25	12	13	–	1	1	1	1	4	1	3	8	1	2	2	1	2	1
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	1	–	–	1	2	–	–	–	–	2	–	–	–
Diarrhœa and Dysentery	0·32	0·36	0·29	83	45	38	46	6	–	2	1	55	1	–	–	1	1	–	1	1	11
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–
Cancer	0·68	0·45	0·89	173	57	116	–	–	–	–	–	–	1	1	–	–	2	17	29	38	58
Tabes Mesenterica	0·10	0·10	0·10	26	13	13	12	4	2	–	–	18	3	3	1	–	–	1	–	–	–
Phthisis	1·62	1·52	1·72	415	191	224	12	9	4	1	2	28	6	21	46	46	115	63	39	32	16
Other Tub. & Scrof. Dis.	0·30	0·29	0·32	78	36	42	16	14	4	5	3	42	9	13	1	5	3	4	–	–	1
Diseases of Nervous System	1·87	2·01	1·73	478	252	226	97	19	10	4	2	132	17	12	9	8	7	16	32	52	96
Diseases of Circulatory „	1·57	1·53	1·60	401	192	209	1	–	1	–	–	2	2	1	4	7	8	18	29	63	152
Diseases of Respiratory „	2·64	2·84	2·45	677	357	320	129	64	21	17	15	246	26	2	4	12	13	22	31	59	117
Diseases of Digestive „	1·01	0·96	1·06	259	121	138	42	22	4	2	2	72	3	6	3	7	7	14	16	36	51
Diseases of Urinary „	0·37	0·51	0·23	94	64	30	–	–	1	–	–	1	5	–	2	1	3	3	9	12	28
Diseases of Generative „	0·06	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	–	3	–	4	3	3
Puerperal Fever	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–
Childbirth	0·05	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	1	5	7	–	–	–
Violence	0·60	0·85	0·35	153	107	46	8	4	7	2	3	24	13	7	13	9	15	14	15	12	9
Other Causes	4·45	4·95	3·94	1137	622	515	342	11	7	4	4	368	9	6	6	5	8	14	14	34	130
																					543

Marriages - - - 1,569

Births - { Males - 3,993 / Females - 3,907 } 7,900

Annual Rate per 1000 living { Persons Married 12·25 / Births - - 30·85 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

217.—WANGFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·10	†108	–	–	–	–	37·77	4·44	2·59	4·42	5·53	5·87	6·73	10·97	21·33	53·33	144·35
Annual Death-Rate per 1000. Males	—	14·74	†115	–	–	–	–	41·13	4·22	2·26	4·52	4·81	7·22	6·06	13·59	21·13	58·00	154·09
Annual Death-Rate per 1000. Females	—	13·50	†101	–	–	–	–	34·43	4·67	2·96	4·32	6·20	4·63	7·32	8·64	21·51	49·25	137·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·85 per cent.	14,879	392	371	389	394	400	1946	1847	1773	1426	1121	1823	1546	1267	1008	750	372
Mean Population, 1881–91. Males		7,274	198	182	201	186	203	970	947	928	708	540	872	726	596	478	350	159
Mean Population, 1881–91. Females		7,605	194	189	188	208	197	976	900	845	718	581	951	820	671	530	400	213
Deaths from All Causes, 1881–90. Persons	16·73	2,490	497	124	45	41	28	735	82	46	63	62	107	104	139	215	400	537
Deaths from All Causes, 1881–90. Males	17·25	1,255	269	67	25	21	17	399	40	21	32	26	63	44	81	101	203	245
Deaths from All Causes, 1881–90. Females	16·24	1,235	228	57	20	20	11	336	42	25	31	36	44	60	58	114	197	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·01	3	2	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–
Measles	0·20	0·23	0·17	30	17	13	6	8	4	5	–	23	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·12	0·07	14	9	5	1	1	3	2	1	8	5	–	1	–	–	–	–	–	–	–
Diphtheria	0·19	0·18	0·21	29	13	16	1	2	2	4	7	16	9	2	–	1	1	–	–	–	–	–
Whooping-cough	0·36	0·34	0·37	53	25	28	25	16	5	2	2	50	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·11	0·12	0·11	17	9	8	–	–	–	–	–	–	–	2	4	2	4	2	1	2	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·32	0·39	0·26	48	28	20	36	3	–	–	–	39	1	–	–	1	–	–	–	–	–	–
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4
Cancer	0·78	0·56	0·99	116	41	75	–	–	–	1	–	1	1	1	–	1	1	10	18	28	34	21
Tabes Mesenterica	0·36	0·33	0·39	54	24	30	38	8	–	–	–	46	2	1	1	–	–	–	1	1	1	1
Phthisis	1·73	1·79	1·67	257	130	127	6	8	1	1	1	17	6	9	32	32	53	30	34	29	12	3
Other Tub. & Scrof. Dis.	0·49	0·62	0·37	73	45	28	21	9	4	2	1	37	15	8	2	2	3	1	2	–	3	–
Diseases of Nervous System	2·39	2·48	2·30	355	180	175	72	12	3	4	4	95	6	6	5	5	10	13	16	39	88	72
Diseases of Circulatory „	1·91	1·90	1·92	284	138	146	1	–	–	–	–	1	2	–	3	1	8	15	19	52	93	90
Diseases of Respiratory „	2·75	2·76	2·74	409	201	208	89	50	16	18	9	182	13	2	–	5	8	15	16	18	61	89
Diseases of Digestive „	0·85	0·87	0·84	127	63	64	16	1	1	1	1	20	1	4	4	2	1	4	14	17	36	24
Diseases of Urinary „	0·39	0·58	0·21	58	42	16	1	–	–	–	–	1	–	–	–	–	2	3	4	12	20	16
Diseases of Generative „	0·03	0·03	0·04	5	2	3	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	1
Puerperal Fever	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Childbirth	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Violence	0·50	0·67	0·33	74	49	25	7	2	5	1	1	16	4	3	6	5	4	5	6	7	13	5
Other Causes	3·17	3·24	3·12	473	236	237	177	3	1	–	–	181	7	8	3	2	7	5	6	9	34	211

Marriages - - - 951

Births - Males - 2,342; Females - 2,250 } 4,592

Annual Rate per 1000 living { Persons Married 12·78; Births - - 30·86

Deaths from Childbirth and Puerperal Fever - - - - - } 1·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

218.—MUTFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population.* 15·18	†130	–	–	–	–	46·63	3·11	1·96	3·92	5·09	6·56	8·02	11·97	22·52	50·97	137·43
Annual Death Rate per 1000. Males	—	16·48	†144	–	–	–	–	51·44	3·34	2·09	4·37	6·82	7·07	8·47	12·67	25·01	58·53	148·53
Annual Death Rate per 1000. Females	—	13·94	†114	–	–	–	–	41·71	2·89	1·83	3·51	3·71	6·16	7·65	11·41	20·39	44·61	129·95
Mean Population, 1881–91. Persons	Decennial Increase of Population 18·20 per cent.	43,119	1270	1204	1248	1233	1228	6183	5755	4952	4162	3538	5776	4514	3467	2491	1605	676
Mean Population, 1881–91. Males		20,228	634	611	638	607	636	3126	2845	2439	1968	1568	2545	2043	1547	1142	733	272
Mean Population, 1881–91. Females		22,891	636	593	610	626	592	3057	2910	2513	2194	1970	3231	2471	1920	1349	872	404
Deaths from All Causes, 1881–90. Persons	16·16	6,966	2051	448	198	103	83	2883	179	97	163	180	379	362	415	561	818	929
Deaths from All Causes, 1881–90. Males	17·87	3,615	1160	236	114	56	42	1608	95	51	86	107	180	173	196	286	429	404
Deaths from All Causes, 1881–90. Females	14·64	3,351	891	212	84	47	41	1275	84	46	77	73	199	189	219	275	389	525

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·31	0·22	112	62	50	27	39	23	11	9	109	3	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·05	0·07	26	11	15	3	5	7	4	2	21	2	2	–	–	–	1	–	–
Diphtheria	0·12	0·14	0·10	52	29	23	–	5	8	10	6	29	18	4	–	–	–	–	1	–
Whooping-cough	0·36	0·38	0·34	155	77	78	79	41	22	7	5	154	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Enteric Fever	0·21	0·22	0·20	91	45	46	–	1	–	2	2	5	9	9	14	13	19	7	7	6
Simple Continued Fever	0·01	0·01	0·01	5	2	3	–	–	–	–	1	1	1	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·66	0·79	0·55	285	160	125	201	36	3	1	–	241	–	–	1	–	1	–	1	5
Cholera	0·01	0·01	0·01	4	2	2	1	1	–	–	–	2	–	–	–	–	1	–	1	–
Cancer	0·70	0·43	0·94	302	86	216	–	–	2	–	–	2	–	–	2	2	8	36	52	82
Tabes Mesenterica	0·32	0·38	0·27	138	76	62	101	20	4	3	1	129	5	–	1	1	1	–	–	1
Phthisis	1·10	1·13	1·07	474	229	245	11	7	5	1	4	28	8	13	39	67	126	87	53	32
Other Tub. & Scrof. Dis.	0·51	0·62	0·41	220	125	95	78	41	16	11	11	157	30	10	10	2	7	2	1	–
Diseases of Nervous System	1·85	2·02	1·70	798	409	389	201	33	19	4	7	264	22	10	10	9	27	31	50	102
Diseases of Circulatory "	1·44	1·52	1·38	622	307	315	4	1	2	–	1	8	6	6	13	7	37	53	79	113
Diseases of Respiratory "	2·49	2·89	2·13	1,073	585	488	308	133	62	41	23	567	33	7	9	8	26	39	48	76
Diseases of Digestive "	0·83	0·89	0·77	358	181	177	88	22	5	1	3	119	6	10	15	9	17	21	41	39
Diseases of Urinary "	0·30	0·44	0·18	130	89	41	–	–	–	–	–	–	3	1	1	5	5	6	18	23
Diseases of Generative "	0·05	–	0·10	22	–	22	–	–	–	–	–	–	–	–	–	–	3	7	2	6
Puerperal Fever	0·09	–	0·17	40	–	40	–	–	–	–	–	–	–	–	–	8	25	7	–	–
Childbirth	0·06	–	0·12	27	–	27	–	–	–	–	–	–	–	–	1	7	9	9	1	–
Violence	0·69	1·13	0·31	298	228	70	38	7	8	6	6	65	20	10	26	29	39	21	26	26
Other Causes	4·63	4·50	3·79	1,731	910	821	911	56	12	1	2	982	12	13	19	13	28	34	34	50

	75 and upwds.
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	–
Whooping-cough	–
Typhus	–
Enteric Fever	–
Simple Continued Fever	1
Diarrhœa and Dysentery	–
Cholera	17
Cancer	19
Tabes Mesenterica	–
Phthisis	83
Other Tub. & Scrof. Dis.	35
Diseases of Nervous System	18
Diseases of Circulatory "	159
Diseases of Respiratory "	114
Diseases of Digestive "	175
Diseases of Urinary "	142
Diseases of Generative "	55
Puerperal Fever	26
Childbirth	31
Violence	3
Other Causes	1
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	19
Other Causes	17
Other Causes	131
Other Causes	415

Marriages - - 3,058

Births - { Males - 8,049 / Females - 7,788 } 15,837

Annual Rate per 1000 living { Persons Married 14·18 / Births - - 36·73 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

219.—YARMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·47	†177	–	–	–	–	67·62	4·55	2·71	4·19	6·04	8·46	13·13	16·62	28·20	61·67	154·56
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·22	†189	–	–	–	–	73·83	4·24	2·35	4·50	6·89	9·20	15·46	20·21	31·84	71·23	158·30
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·82	†164	–	–	–	–	61·41	4·85	3·09	3·92	5·36	7·88	11·17	13·76	25·39	54·84	152·20
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·41 per cent.	37,075	925	820	932	869	867	4413	4136	3872	3844	3292	5080	4228	3430	2518	1560	702
Mean Population, 1881–91. Males		17,173	457	415	484	419	430	2205	2052	1960	1777	1465	2251	1927	1519	1096	650	271
Mean Population, 1881–91. Females		19,902	468	405	448	450	437	2208	2084	1912	2067	1827	2829	2301	1911	1422	910	431
Deaths from All Causes, 1881–90. Persons	21·44	7,949	2135	466	189	112	82	2984	188	105	161	199	430	555	570	710	962	1085
Deaths from All Causes, 1881–90. Males	23·26	3,995	1172	248	100	69	39	1628	87	46	80	101	207	298	307	349	463	429
Deaths from All Causes, 1881–90. Females	19·87	3,954	963	218	89	43	43	1356	101	59	81	98	223	257	263	361	499	656

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·03	8	3	5	2	–	–	–	–	2	–	–	1	–	1	1	3	–	–	–
Measles	0·29	0·30	0·28	108	52	56	18	37	22	13	11	101	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·19	0·15	62	32	30	4	4	16	10	10	44	14	2	1	–	1	–	–	–	–	–
Diphtheria	0·09	0·10	0·09	35	17	18	2	2	7	5	7	23	7	1	1	–	1	–	1	1	–	–
Whooping-cough	0·28	0·25	0·31	104	43	61	50	35	8	6	1	100	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·46	0·39	0·52	170	67	103	–	3	2	5	3	13	18	22	22	23	28	21	14	5	4	–
Simple Continued Fever	0·04	0·03	0·05	14	5	9	–	–	1	1	1	3	–	–	–	–	1	1	3	–	4	2
Diarrhœa and Dysentery	1·27	1·53	1·03	469	263	206	376	45	3	2	1	427	–	1	2	–	1	3	3	3	12	17
Cholera	0·02	0·04	0·01	9	7	2	3	2	–	–	–	5	–	–	–	–	2	–	–	1	1	–
Cancer	0·86	0·56	1·11	317	97	220	–	–	1	–	–	1	1	1	–	–	8	31	68	101	78	28
Tabes Mesenterica	0·42	0·55	0·30	154	95	59	125	16	4	1	1	147	3	2	1	–	1	–	–	–	–	–
Phthisis	1·53	1·56	1·50	567	268	299	18	7	3	3	3	34	9	12	39	73	125	109	91	41	30	4
Other Tub. & Scrof. Dis.	0·41	0·52	0·32	153	89	64	64	33	10	5	4	116	8	5	5	2	6	1	4	3	3	–
Diseases of: Nervous System	2·91	3·33	2·55	1079	571	508	231	50	13	12	5	311	25	12	14	9	48	102	75	134	192	157
Diseases of: Circulatory „	1·59	1·69	1·51	591	291	300	9	3	–	1	–	13	6	9	12	11	33	60	83	118	142	104
Diseases of: Respiratory „	3·64	4·03	3·30	1349	692	657	306	143	67	33	27	576	44	5	11	17	34	59	74	134	224	171
Diseases of: Digestive „	1·15	1·19	1·12	426	204	222	111	21	6	4	–	142	7	11	7	9	20	34	45	60	66	25
Diseases of: Urinary „	0·37	0·53	0·23	136	91	45	3	1	1	1	1	7	5	3	3	4	11	22	18	19	25	19
Diseases of: Generative „	0·06	0·01	0·11	23	2	21	1	–	–	–	–	1	–	1	–	1	4	2	4	5	2	3
Puerperal Fever	0·08	–	0·14	28	–	28	–	–	–	–	–	–	–	–	–	6	12	9	1	–	–	–
Childbirth	0·06	–	0·12	23	–	23	–	–	–	–	–	–	–	–	3	3	11	5	1	–	–	–
Violence	0·81	1·33	0·36	300	228	72	21	7	6	4	1	39	15	10	22	31	42	53	35	26	16	11
Other Causes	4·91	5·11	4·72	1823	878	945	791	57	19	6	6	879	14	8	17	10	40	42	47	59	163	544

Marriages - - - 3,575

Births - { Males - 6,197 / Females - 5,879 } 12,076

Annual Rate per 1000 living { Persons Married 19·29 / Births - - 32·57 }

Deaths from Childbirth and Puerperal Fever - - - - 4·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

220.—FLEGG.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·91	†145	–	–	–	–	47·88	3·81	3·35	4·26	5·13	6·85	7·11	9·44	19·03	43·76	138·66
Males	—	15·82	†167	–	–	–	–	54·98	3·68	3·34	3·65	4·95	7·93	7·07	10·17	20·00	40·15	150·45
Females	—	14·05	†123	–	–	–	–	40·97	3·94	3·35	4·91	5·28	5·95	7·16	8·76	18·13	47·56	128·35
Mean Population, 1881–91. Persons	Decennial Increase of Population, 1·84 per cent.	9,762	279	249	267	267	281	1343	1287	1106	845	702	1211	984	837	704	505	238
Males		4,779	138	122	136	129	137	662	652	569	438	323	555	467	403	340	259	111
Females		4,983	141	127	131	138	144	681	635	537	407	379	656	517	434	364	246	127
Deaths from All Causes, 1881–90. Persons	17·60	1,718	488	73	38	20	24	643	49	37	36	36	83	70	79	134	221	330
Males	18·75	896	285	43	15	10	11	364	24	19	16	16	44	33	41	68	104	167
Females	16·50	822	203	30	23	10	13	279	25	18	20	20	39	37	38	66	117	163

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·13	0·14	13	6	7	2	3	3	3	1	12	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·06	0·04	5	3	2	1	1	1	1	1	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·10	0·10	10	5	5	–	–	2	1	1	4	5	1	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·06	0·26	16	3	13	6	5	2	–	2	15	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Enteric Fever	0·22	0·21	0·22	21	10	11	–	–	–	–	1	1	1	3	3	1	5	3	2	2	–	–
Simple Continued Fever	0·04	0·04	0·04	4	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–
Diarrhœa and Dysentery	0·61	0·73	0·50	60	35	25	44	4	1	–	–	49	–	–	–	–	–	–	2	1	3	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·54	0·50	0·58	53	24	29	–	–	–	–	–	–	–	–	–	–	–	3	9	18	17	6
Tabes Mesenterica	0·40	0·42	0·38	39	20	19	26	2	2	1	1	32	2	2	1	1	–	–	–	–	1	–
Phthisis	1·19	1·09	1·28	116	52	64	1	1	–	–	1	3	4	11	19	12	31	15	11	9	1	–
Other Tub. & Scrof. Dis.	0·13	0·21	0·06	13	10	3	4	2	–	–	1	7	–	2	–	2	1	–	–	1	–	–
Diseases of: Nervous System	2·24	2·62	1·89	219	125	94	45	13	1	3	5	67	4	3	5	2	7	6	9	18	47	51
Circulatory „	1·33	1·46	1·20	130	70	60	–	–	–	–	–	–	2	3	–	2	5	7	9	21	47	34
Respiratory „	3·40	3·41	3·39	332	163	169	78	26	16	11	9	140	21	6	3	6	2	8	11	26	44	65
Digestive „	0·75	0·84	0·66	73	40	33	9	–	1	–	–	10	1	1	1	1	4	2	7	10	18	18
Urinary „	0·32	0·50	0·14	31	24	7	1	–	1	–	–	2	–	–	–	–	4	3	3	3	7	9
Generative „	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	–
Puerperal Fever	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	–
Violence	0·62	1·03	0·24	61	49	12	3	1	1	–	–	5	3	2	2	3	7	9	10	12	5	3
OTHER CAUSES	5·16	5·34	4·96	501	255	246	268	15	7	–	1	291	4	2	1	3	10	7	6	10	23	139

Marriages - - - 582

Births - { Males - 1,709, Females - 1,656 } 3,365

Annual Rate per 1000 living { Persons Married 11·92, Births - - 34·47 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

221.—SMALLBURGH.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·41	†121	–	–	–	–	39·83	4·13	3·45	4·52	7·22	6·39	8·37	9·91	19·93	45·18	146·20
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·01	†132	–	–	–	–	43·51	4·53	2·67	4·18	7·07	5·75	8·28	10·97	23·46	50·71	153·49
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·84	†110	–	–	–	–	36·14	3·74	4·29	4·91	7·38	6·99	8·45	8·99	16·67	39·91	139·84
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 0·08 per cent.	16,497	430	414	418	430	402	2094	2057	1883	1506	1177	2036	1720	1523	1179	861	461
Mean Population, 1881–91. Males		8,168	210	204	212	228	194	1048	1015	973	813	594	991	821	711	567	420	215
Mean Population, 1881–91. Females		8,329	220	210	206	202	208	1046	1042	910	693	583	1045	899	812	612	441	246
Deaths from All Causes, 1881–90. Persons	17·34	2,860	601	140	41	24	28	834	85	65	68	85	130	144	151	235	389	674
Deaths from All Causes, 1881–90. Males	18·16	1,483	337	70	19	13	17	456	46	26	34	42	57	68	78	133	213	330
Deaths from All Causes, 1881–90. Females	16·53	1,377	264	70	22	11	11	378	39	39	34	43	73	76	73	102	176	344

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·13	0·05	15	11	4	2	6	3	2	1	14	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	0·12	0·11	19	10	9	1	2	2	2	4	11	5	2	–	1	–	–	–	–	–	–
Diphtheria	0·12	0·12	0·11	19	10	9	–	–	1	1	3	5	5	5	2	–	1	–	1	–	–	–
Whooping-cough	0·33	0·26	0·40	54	21	33	34	13	5	–	–	52	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·21	0·19	33	17	16	–	1	–	–	1	2	2	5	3	6	4	4	2	2	3	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·41	0·47	0·36	68	38	30	28	4	1	–	2	35	3	–	1	–	–	–	1	1	12	15
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·42	0·76	97	34	63	–	–	–	–	–	–	1	–	–	1	–	10	19	22	27	17
Tabes Mesenterica	0·27	0·26	0·29	45	21	24	21	9	1	2	3	36	3	–	–	–	–	–	1	1	4	–
Phthisis	1·68	1·53	1·83	277	125	152	4	2	2	–	–	8	9	20	36	43	62	45	26	19	9	–
Other Tub. & Scrof. Dis.	0·39	0·47	0·31	64	38	26	28	11	3	–	–	42	9	4	1	1	2	2	2	1	–	–
Diseases of: Nervous System	2·27	2·46	2·09	375	201	174	54	21	8	5	1	89	19	7	8	4	6	6	25	32	78	101
Diseases of: Circulatory „	1·90	2·06	1·75	314	168	146	–	–	–	–	–	–	2	2	4	6	6	10	19	52	107	106
Diseases of: Respiratory „	2·22	2·35	2·09	366	192	174	104	41	13	8	7	173	11	4	1	5	8	11	14	31	41	67
Diseases of: Digestive „	1·05	1·21	0·90	174	99	75	24	7	–	–	2	33	3	6	1	3	8	12	12	30	37	29
Diseases of: Urinary „	0·45	0·69	0·22	74	56	18	3	1	–	2	–	6	1	–	1	4	2	5	7	10	11	27
Diseases of: Generative „	0·10	0·01	0·18	16	1	15	–	–	–	–	–	–	–	–	–	1	2	3	3	2	4	1
Puerperal Fever	0·08	–	0·16	13	–	13	–	–	–	–	–	–	–	–	–	1	6	6	–	–	–	–
Childbirth	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–
Violence	0·45	0·64	0·28	75	52	23	3	3	–	1	1	8	3	4	5	3	9	9	8	4	9	13
Other Causes	4·54	4·73	4·31	748	387	361	295	19	2	1	3	320	5	6	5	5	9	15	11	27	47	298

Marriages - - - 1,023

Births - Males - 2,558; Females - 2,410 } 4,968

Annual Rate per 1000 living { Persons Married 12·40; Births - - 30·11

Deaths from Childbirth and Puerperal Fever - - - - } 5·03 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 732.

222.—ERPINGHAM.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·21			†102	–	–	–	–	34·29	4·18	1·79	4·69	5·23	6·54	7·60	8·73	20·38	47·58	139·55
Annual Death-Rate per 1000. Males	—			In Standard Population* 13·86			†113	–	–	–	–	37·82	4·70	1·78	5·14	5·19	6·18	7·11	10·38	21·67	48·41	156·45
Annual Death-Rate per 1000. Females	—			In Standard Population* 12·60			† 90	–	–	–	–	30·77	3·64	1·80	4·19	5·28	6·89	8·02	7·32	19·19	46·79	124·73
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·39 per cent.			18,967			477	444	465	491	459	2336	2226	2122	1768	1452	2430	1869	1729	1472	1032	531
Mean Population, 1881–91. Males				9,317			234	221	239	245	227	1166	1127	1069	933	713	1181	872	800	706	502	248
Mean Population, 1881–91. Females				9,650			243	223	226	246	232	1170	1099	1053	835	739	1249	997	929	766	530	283
Deaths from All Causes, 1881–90. Persons	16·21			3,075			567	110	55	41	28	801	93	38	83	76	159	142	151	300	491	741
Deaths from All Causes, 1881–90. Males	17·17			1,600			321	61	24	22	13	441	53	19	48	37	73	62	83	153	243	388
Deaths from All Causes, 1881–90. Females	15·28			1,475			246	49	31	19	15	360	40	19	35	39	86	80	68	147	248	353
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·12	0·12	0·12	23	11	12	6	2	3	4	2	17	4	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·11	0·15	0·07	21	14	7	1	3	4	4	1	13	6	–	1	–	1	–	–	–	–	–
Diphtheria	0·23	0·20	0·25	43	19	24	–	–	2	4	4	10	15	3	6	1	2	2	1	1	2	–
Whooping-cough	0·28	0·27	0·29	53	25	28	32	11	7	1	–	51	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·09	21	12	9	–	–	–	1	–	1	4	3	3	4	3	2	–	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·30	0·33	0·27	57	31	26	21	–	–	1	–	22	2	–	1	–	–	–	1	2	13	16
Cholera	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
Cancer	0·71	0·58	0·84	135	54	81	–	–	1	–	–	1	–	1	–	–	2	10	20	48	37	16
Tabes Mesenterica	0·27	0·30	0·24	51	28	23	18	10	5	4	3	40	2	1	2	1	1	–	3	–	–	1
Phthisis	1·32	1·27	1·38	251	118	133	11	5	3	1	1	21	8	5	22	31	63	40	30	21	10	–
Other Tub. & Scrof. Dis.	0·36	0·41	0·32	69	38	31	11	8	8	3	4	34	5	9	7	4	4	4	–	1	1	–
Diseases of Nervous System	1·87	2·15	1·61	355	200	155	43	16	5	5	3	72	8	3	6	5	9	11	17	43	92	89
Diseases of Circulatory „	1·79	1·77	1·81	340	165	175	3	–	–	–	–	3	2	3	5	3	13	16	18	59	110	108
Diseases of Respiratory „	2·32	2·60	2·05	440	242	198	89	36	14	11	5	155	17	–	4	4	8	8	14	46	80	104
Diseases of Digestive „	0·85	0·92	0·78	161	86	75	22	7	–	1	2	32	6	1	5	2	5	8	21	18	38	25
Diseases of Urinary „	0·44	0·57	0·31	83	53	30	2	–	–	–	–	2	1	–	1	3	3	1	5	12	31	24
Diseases of Generative „	0·05	0·02	0·08	10	2	8	2	–	–	–	–	2	–	–	–	–	2	–	2	2	1	1
Puerperal Fever	0·07	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	4	8	2	–	–	–	–
Childbirth	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–
Violence	0·54	0·78	0·30	102	73	29	8	2	1	1	1	13	7	4	12	5	13	11	4	11	9	13
Other Causes	4·37	4·56	4·18	828	425	403	298	10	2	–	2	312	4	5	7	8	15	19	15	33	66	344

Persons.

Marriages - - - 1,174

Births - Males - 2,841; Females - 2,745 — 5,586

Annual Rate per 1000 living: Persons Married 12·38; Births - - 29·45

Deaths from Childbirth and Puerperal Fever - - - - 4·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 732.

223.—AYLSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·37			†110	–	–	–	–	36·62	4·88	2·44	3·36	5·18	6·91	6·66	9·82	16·98	42·96	147·81
Annual Death-Rate per 1000. Males	—			In Standard Population* 14·01			†126	–	–	–	–	43·28	4·13	1·81	2·64	4·60	5·02	6·95	11·51	17·79	51·40	158·16
Annual Death-Rate per 1000. Females	—			In Standard Population* 12·76			† 93	–	–	–	–	30·13	5·64	3·08	4·32	5·82	8·74	6·41	8·28	16·23	35·78	139·16
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·35 per cent.			17,755			448	416	458	440	436	2198	2153	1971	1666	1314	2143	1786	1589	1402	1008	525
Mean Population, 1881–91. Males				8,833			230	206	211	229	210	1086	1090	996	948	695	1056	835	756	669	463	239
Mean Population, 1881–91. Females				8,922			218	210	247	211	226	1112	1063	975	718	619	1087	951	833	733	545	286
Deaths from All Causes, 1881–90. Persons	16·63			2,952			582	121	53	24	25	805	105	48	56	68	148	119	156	238	433	776
Deaths from All Causes, 1881–90. Males	17·24			1,523			340	77	30	7	16	470	45	18	25	32	53	58	87	119	238	378
Deaths from All Causes, 1881–90. Females	16·02			1,429			242	44	23	17	9	335	60	30	31	36	95	61	69	119	195	398
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Measles	0·12	0·12	0·11	21	11	10	5	4	5	2	–	16	4	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·22	0·24	40	19	21	1	1	5	4	5	16	17	5	1	–	–	1	–	–	–	–
Diphtheria	0·15	0·09	0·20	26	8	18	1	1	2	1	2	7	12	5	–	–	1	1	–	–	–	–
Whooping-cough	0·31	0·24	0·38	55	21	34	35	13	5	1	–	54	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·17	30	15	15	–	–	–	–	–	–	4	4	5	6	4	1	1	3	2	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·26	0·33	0·19	46	29	17	19	7	–	–	1	27	–	1	–	–	1	–	1	2	2	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·49	0·82	116	43	73	–	–	–	–	–	–	–	–	–	1	4	4	20	25	40	22
Tabes Mesenterica	0·26	0·25	0·27	46	22	24	22	7	2	2	–	33	6	4	–	–	–	1	1	1	–	–
Phthisis	1·32	1·02	1·63	235	90	145	1	3	1	1	1	7	5	12	21	32	71	36	27	19	4	1
Other Tub. & Scrof. Dis.	0·23	0·31	0·16	41	27	14	15	5	5	–	2	27	4	4	2	–	2	–	1	1	–	–
Diseases of Nervous System	2·11	2·15	2·07	375	190	185	61	14	7	2	4	88	10	3	4	2	4	13	19	35	77	120
Diseases of Circulatory „	1·98	2·02	1·94	351	178	173	1	–	1	–	–	2	1	–	3	1	8	12	20	56	118	130
Diseases of Respiratory „	2·55	3·00	2·10	453	265	188	107	41	15	7	7	177	20	1	5	6	7	17	16	32	65	107
Diseases of Digestive „	0·92	1·03	0·82	164	91	73	33	2	1	–	2	38	9	4	4	5	7	7	17	16	36	21
Diseases of Urinary „	0·41	0·52	0·29	72	46	26	1	–	–	–	–	1	2	–	–	3	7	5	4	10	19	21
Diseases of Generative „	0·06	0·01	0·10	10	1	9	–	–	–	–	–	–	–	–	–	–	3	1	2	2	–	2
Puerperal Fever	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	1	1	7	5	–	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Violence	0·43	0·55	0·30	76	49	27	5	3	1	3	–	12	4	1	3	5	5	3	15	13	8	7
Other Causes	4·32	4·68	3·98	769	414	355	275	20	3	1	1	300	6	4	7	4	13	9	12	22	61	331

Marriages - - - 1,062

Births - Males - 2,704; Females - 2,596 — 5,300

Annual Rate per 1000 living: Persons Married 11·96; Births - - 29·85

Deaths from Childbirth and Puerperal Fever - - - - 4·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

224.—ST. FAITHS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·77	†128	–	–	–	–	41·81	2·79	2·08	4·03	3·53	7·54	10·87	11·90	21·11	50·95	138·41
Males	—	14·86	†128	–	–	–	–	42·71	2·43	1·93	4·75	3·46	7·99	10·10	12·48	24·04	52·88	135·21
Females	—	14·68	†127	–	–	–	–	40·86	3·14	2·25	3·19	3·59	7·13	11·57	11·38	18·49	49·16	141·25
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·70 per cent.	11,801	311	273	294	300	293	1471	1432	1295	1092	935	1473	1251	1092	881	577	302
Males		5,817	146	141	153	166	148	754	700	672	590	462	688	594	521	416	278	142
Females		5,984	165	132	141	134	145	717	732	623	502	473	785	657	571	465	299	160
Deaths from All Causes, 1881–90. Persons	17·24	2,034	460	103	26	18	8	615	40	27	44	33	111	136	130	186	294	418
Males	17·45	1,015	236	58	14	9	5	322	17	13	28	16	55	60	65	100	147	192
Females	17·03	1,019	224	45	12	9	3	293	23	14	16	17	56	76	65	86	147	226

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·14	0·10	14	8	6	4	6	3	–	–	13	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·07	0·03	6	4	2	–	1	1	1	1	4	1	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·15	0·18	20	9	11	–	1	2	3	2	8	6	4	–	–	–	1	1	–	–
Whooping-cough	0·29	0·22	0·35	34	13	21	16	11	4	2	1	34	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·12	0·17	0·07	14	10	4	–	–	–	–	–	–	3	1	4	2	2	1	–	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·45	0·37	48	26	22	33	4	1	–	–	38	–	–	–	–	–	–	–	2	6	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·43	0·64	63	25	38	–	–	–	–	–	–	–	1	–	–	1	10	12	16	17	6
Tabes Mesenterica	0·16	0·19	0·13	19	11	8	9	4	1	2	–	16	2	–	–	–	–	1	–	–	–	–
Phthisis	1·42	1·48	1·37	168	86	82	3	2	–	–	–	5	6	7	16	20	42	29	21	9	12	1
Other Tub. & Scrof. Dis.	0·13	0·17	0·08	15	10	5	2	5	2	–	1	10	–	1	2	–	–	2	–	–	–	–
Diseases of Nervous System	3·13	3·09	3·16	369	180	189	54	16	4	3	–	77	2	2	6	1	26	40	42	55	62	56
Circulatory "	1·69	1·68	1·69	199	98	101	–	1	1	–	–	2	–	1	–	3	5	14	10	38	62	64
Respiratory "	2·59	2·65	2·54	306	154	152	71	32	4	4	3	114	8	1	1	1	12	10	12	21	46	80
Digestive "	0·97	0·91	1·02	114	53	61	20	8	1	1	–	30	3	3	–	1	1	10	15	20	18	13
Urinary "	0·30	0·50	0·10	35	29	6	–	–	–	–	–	–	2	–	1	–	2	2	3	5	13	7
Generative "	0·04	–	0·08	5	–	5	–	1	–	–	–	1	–	–	–	–	2	–	1	1	–	–
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	1	–	5	4	–	–	–	–
Childbirth	0·08	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Violence	0·40	0·53	0·27	47	31	16	3	1	1	1	–	6	2	4	6	–	4	1	4	3	10	7
Other Causes	4·55	4·62	4·51	538	268	270	245	10	1	1	–	257	5	–	7	3	4	8	9	16	47	182

Marriages - - - 696

Births - { Males - 1,844 / Females - 1,762 } 3,606

Annual Rate per 1000 living { Persons Married 11·80 / Births - - 30·56 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

225.—NORWICH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·81	†166	–	–	–	–	64·04	4·01	2·39	3·68	5·31	6·68	9·63	14·88	27·92	59·28	149·86
Males	—	20·20	†183	–	–	–	–	70·58	3·82	2·23	3·64	5·71	7·24	10·12	17·36	30·60	65·35	161·99
Females	—	17·51	†149	–	–	–	–	57·67	4·19	2·55	3·72	5·01	6·21	9·21	12·89	25·81	54·99	142·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·95 per cent.	94,406	2568	2277	2331	2289	2251	11716	10627	10067	9690	8514	13598	10262	8188	6140	3851	1753
Males		43,455	1260	1126	1163	1107	1123	5779	5261	4932	4335	3680	6202	4673	3635	2699	1596	663
Females		50,951	1308	1151	1168	1182	1128	5937	5366	5135	5355	4834	7396	5589	4553	3441	2255	1090
Deaths from All Causes, 1881–90. Persons	19·83	18,717	5170	1333	476	328	196	7503	426	241	357	452	908	988	1218	1714	2283	2627
Males	21·30	9,254	2882	690	237	172	98	4079	201	110	158	210	449	473	631	826	1043	1074
Females	18·57	9,463	2288	643	239	156	98	3424	225	131	199	242	459	515	587	888	1240	1553

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·42	0·52	0·33	397	227	170	80	153	61	56	22	372	22	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·18	0·18	169	77	92	8	17	31	30	28	114	41	6	2	1	3	2	–	–	–	–
Diphtheria	0·15	0·15	0·15	143	67	76	9	14	23	25	22	93	39	5	–	1	2	3	–	–	–	–
Whooping-cough	0·43	0·39	0·46	406	170	236	172	140	43	31	10	396	10	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·30	0·35	0·25	283	154	129	3	6	8	14	7	38	39	30	40	29	54	20	16	11	5	1
Simple Continued Fever	0·01	0·01	0·01	9	5	4	–	2	–	1	–	3	–	–	–	1	–	–	3	1	1	–
Diarrhœa and Dysentery	1·03	1·21	0·85	956	524	432	742	101	15	4	4	866	7	–	–	–	5	6	5	13	16	38
Cholera	0·01	0·01	0·02	14	6	8	2	2	–	–	–	4	1	1	–	–	2	1	–	3	1	1
Cancer	0·73	0·49	0·93	688	215	473	–	2	–	2	–	4	3	–	2	3	15	83	167	197	157	57
Tabes Mesenterica	0·13	0·15	0·11	120	64	56	45	27	8	7	1	88	12	7	5	2	1	1	1	2	–	1
Phthisis	1·71	1·82	1·61	1611	789	822	27	23	8	12	6	76	30	32	153	223	365	285	240	153	49	5
Other Tub. & Scrof. Dis.	0·34	0·41	0·28	321	179	142	81	65	35	20	14	215	42	19	9	11	9	7	5	2	2	–
Diseases of Nervous System	2·33	2·57	2·12	2196	1118	1078	563	136	31	23	9	762	40	19	21	20	53	83	126	269	445	358
Circulatory "	1·37	1·36	1·37	1290	591	699	1	1	–	–	2	4	8	18	23	28	69	101	159	270	385	225
Respiratory "	2·88	3·13	2·67	2722	1362	1360	733	368	135	71	39	1346	55	12	19	17	64	94	154	282	399	280
Digestive "	1·04	1·14	0·95	978	496	482	222	92	13	6	9	342	16	21	18	15	44	68	103	147	146	58
Urinary "	0·35	0·50	0·23	332	217	115	8	3	2	1	1	15	6	6	6	12	28	30	39	67	75	48
Generative "	0·08	0·01	0·13	74	6	68	1	1	–	–	–	2	–	1	2	3	7	12	18	16	8	5
Puerperal Fever	0·09	–	0·16	81	–	81	–	–	–	–	–	–	–	–	4	16	40	21	–	–	–	–
Childbirth	0·07	–	0·12	62	–	62	–	–	–	–	–	–	–	–	–	9	23	30	–	–	–	–
Violence	0·52	0·78	0·29	488	339	149	31	11	20	11	10	83	21	16	22	29	47	53	53	55	75	34
Other Causes	5·66	6·12	5·35	5374	2648	2726	2442	169	43	14	12	2680	34	45	30	32	76	88	129	226	519	1515

Marriages - - - 7,683

Births - Males - 15,788; Females - 15,307 — 31,095

Annual Rate per 1000 living: Persons Married 16·28; Births - - 32·94

Deaths from Childbirth and Puerperal Fever - - - - 4·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

226.—FOREHOE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·23			†108	–	–	–	–	36·41	3·67	2·64	4·19	5·32	4·81	6·86	9·55	19·55	46·48	145·18
Males	—			12·94			†115	–	–	–	–	39·64	4·37	1·91	2·85	4·62	3·84	5·56	9·14	20·36	47·99	144·32
Females	—			13·50			†100	–	–	–	–	33·24	2·93	3·41	5·79	6·03	5·71	8·02	9·91	18·83	45·02	145·99
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·14 per cent.			11,980			295	277	295	299	306	1472	1473	1325	1098	864	1456	1224	1110	941	654	363
Males				5,945			143	135	154	149	148	729	756	680	597	433	703	576	525	447	323	176
Females				6,035			152	142	141	150	158	743	717	645	501	431	753	648	585	494	331	187
Deaths from All Causes, 1881–90. Persons	16·63			1,992			367	96	29	20	24	536	54	35	46	46	70	84	106	184	304	527
Males	16·47			979			202	47	14	11	15	289	33	13	17	20	27	32	48	91	155	254
Females	16·79			1,013			165	49	15	9	9	247	21	22	29	26	43	52	58	93	149	273
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Measles	0·15	0·15	0·15	18	9	9	6	5	1	–	5	17	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·03	7	5	2	–	2	1	–	2	5	2	–	–	–	–	–	–	–	–	–
Diphtheria	0·24	0·20	0·28	29	12	17	1	1	1	–	6	9	11	5	1	1	1	–	–	1	–	–
Whooping-cough	0·18	0·12	0·25	22	7	15	6	11	3	1	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·03	0·12	9	2	7	–	–	1	–	–	1	2	1	3	–	–	1	1	–	–	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·42	0·39	0·45	50	23	27	28	4	–	1	1	34	–	–	1	–	–	–	1	3	5	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·42	0·83	75	25	50	–	–	–	–	–	–	–	–	–	2	2	8	13	25	15	10
Tabes Mesenterica	0·10	0·10	0·10	12	6	6	4	–	–	1	–	5	2	4	–	–	–	–	1	–	–	–
Phthisis	1·29	1·06	1·52	155	63	92	2	4	–	2	–	8	5	6	19	24	29	21	19	15	8	1
Other Tub. & Scrof. Dis.	0·20	0·25	0·15	24	15	9	7	8	2	–	–	17	3	2	–	2	–	–	–	–	–	–
Diseases of Nervous System	2·28	2·39	2·20	275	142	133	44	12	5	4	1	66	9	5	2	1	4	10	15	34	54	75
Circulatory "	2·00	2·14	1·87	240	127	113	–	–	–	–	–	–	1	1	4	3	5	9	20	26	80	91
Respiratory "	2·69	2·57	2·80	322	153	169	62	26	10	8	7	113	7	2	1	4	5	9	12	28	62	79
Digestive "	0·83	0·81	0·85	99	48	51	15	10	1	1	–	27	1	3	1	–	8	6	9	19	14	11
Urinary "	0·45	0·57	0·33	54	34	20	–	1	1	–	–	2	1	–	3	1	2	1	3	11	15	15
Generative "	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–
Childbirth	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Violence	0·48	0·74	0·23	58	44	14	3	–	2	2	–	7	4	3	7	1	4	5	2	9	9	7
Other Causes	4·40	4·41	4·39	527	262	265	18	12	1	–	2	204	4	3	4	4	3	13	7	12	41	232

Marriages - - - 702

Births - { Males - 1,751 / Females - 1,658 } 3,409

Annual Rate per 1000 living { Persons Married 11·72 / Births - - 28·46 }

Deaths from Childbirth and Puerperal Fever - - - - - 2·64 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

227.—HENSTEAD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·21		†114	–	–	–	–	37·26	3·63	2·14	3·36	5·33	7·85	6·75	9·57	15·37	44·65	137·22
Annual Death-Rate per 1000. Males	—				14·35		†136	–	–	–	–	45·61	2·98	2·17	2·65	5·67	7·99	6·04	10·84	13·75	45·02	149·67
Annual Death-Rate per 1000. Females	—				12·14		† 92	–	–	–	–	29·18	4·30	2·10	4·19	4·99	7·73	7·38	8·46	12·24	44·30	125·90
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·86 per cent.			10,735			266	274	260	276	266	1342	1266	1169	982	844	1337	1096	951	833	598	317
Mean Population, 1881–91. Males				5,284			140	132	121	128	139	660	638	598	529	423	638	513	443	400	291	151
Mean Population, 1881–91. Females				5,451			126	142	139	148	127	682	628	571	453	421	699	583	508	433	307	166
Deaths from All Causes, 1881–90. Persons	16·29			1,749			366	73	26	21	14	500	46	25	33	45	105	74	91	128	267	435
Deaths from All Causes, 1881–90. Males	17·66			933			222	48	10	13	8	301	19	13	14	24	51	31	48	75	131	226
Deaths from All Causes, 1881–90. Females	14·97			816			144	25	16	8	6	199	27	12	19	21	54	43	43	53	136	209
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·08	0·04	6	4	2	1	3	–	–	–	4	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·07	9	5	4	–	1	1	1	1	4	2	1	–	1	1	–	–	–	–	–
Diphtheria	0·18	0·23	0·13	19	12	7	2	–	1	2	3	8	9	1	–	–	1	–	–	–	–	–
Whooping-cough	0·15	0·15	0·15	16	8	8	10	2	2	1	1	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·21	0·13	18	11	7	–	–	–	2	–	2	1	–	1	5	2	2	1	2	1	1
Simple Continued Fever	0·07	0·13	–	7	7	–	–	–	–	–	1	1	–	1	1	1	–	1	2	–	–	–
Diarrhœa and Dysentery	0·38	0·47	0·29	41	25	16	20	3	2	1	–	26	3	1	–	–	–	–	–	2	5	4
Cholera	0·02	0·04	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·62	0·49	0·75	67	26	41	–	–	–	–	–	–	–	–	1	–	3	4	10	13	22	14
Tabes Mesenterica	0·11	0·09	0·13	12	5	7	4	5	–	2	–	11	–	–	–	1	–	–	–	–	–	–
Phthisis	1·37	1·15	1·58	147	61	86	16	5	2	1	1	25	4	4	14	17	36	20	13	9	4	1
Other Tub. & Scrof. Dis.	0·21	0·26	0·15	22	14	8	5	7	–	–	–	12	4	1	–	–	1	1	–	2	1	–
Diseases of Nervous System	2·08	2·16	2·00	223	114	109	45	9	8	–	–	62	1	2	1	1	4	5	12	22	54	59
Diseases of Circulatory „	1·53	1·55	1·50	164	82	82	1	–	–	–	–	1	1	2	3	1	9	6	15	17	59	50
Diseases of Respiratory „	2·55	2·71	2·39	273	143	130	64	23	6	7	6	106	10	1	1	6	14	11	7	15	39	63
Diseases of Digestive „	0·81	0·79	0·83	87	42	45	17	3	1	1	–	22	2	3	4	1	4	7	8	14	16	6
Diseases of Urinary „	0·40	0·51	0·29	43	27	16	1	–	–	–	–	1	1	–	–	–	3	3	5	10	10	10
Diseases of Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Puerperal Fever	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	1	7	2	–	–	–	–
Childbirth	0·11	–	0·22	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Violence	0·56	0·85	0·28	60	45	15	2	1	–	2	1	6	3	2	4	5	8	6	5	8	8	5
Other Causes	4·71	5·70	3·80	508	300	208	178	11	2	1	–	192	4	5	3	3	5	2	12	13	47	222

Marriages - - - 658

Births - Males - 1,636; Females - 1,568 — 3,204

Annual Rate per 1000 living: Persons Married 12·26; Births - - 29·85

Deaths from Childbirth and Puerperal Fever - - - - - 6·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

228.—BLOFIELD.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 18·22			†115	–	–	–	–	40·48	4·79	3·04	5·34	9·57	9·87	14·79	19·02	28·32	66·31	157·45
Annual Death-Rate per 1000. Males	—			In Standard Population* 19·19			†125	–	–	–	–	44·73	4·93	3·06	4·79	8·97	11·11	17·33	20·85	27·79	71·71	167·10
Annual Death-Rate per 1000. Females	—			In Standard Population* 17·30			†104	–	–	–	–	36·42	4·63	3·02	5·94	10·13	8·77	12·55	17·46	28·80	61·52	148·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·50 per cent.			11,822			291	280	307	283	294	1455	1379	1186	993	899	1561	1291	1125	964	647	322
Mean Population, 1881–91. Males				5,736			136	146	164	130	135	711	710	589	522	435	729	606	518	457	304	155
Mean Population, 1881–91. Females				6,086			155	134	143	153	159	744	669	597	471	464	832	685	607	507	343	167
Deaths from All Causes, 1881–90. Persons	21·98			2,598			424	85	37	23	20	589	66	36	53	86	154	191	214	273	429	507
Deaths from All Causes, 1881–90. Males	23·24			1,333			237	45	16	13	7	318	35	18	25	39	81	105	108	127	218	259
Deaths from All Causes, 1881–90. Females	20·79			1,265			187	40	21	10	13	271	31	18	28	47	73	86	106	146	211	248
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·23	0·10	19	13	6	3	8	4	–	1	16	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·28	0·20	28	16	12	3	2	3	6	4	18	9	1	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·19	0·15	20	11	9	–	2	–	4	3	9	8	3	–	–	–	–	–	–	–	–
Whooping-cough	0·32	0·30	0·35	38	17	21	23	11	2	–	–	36	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·08	15	10	5	–	–	–	–	–	–	–	3	1	3	3	1	3	1	–	–
Simple Continued Fever	0·06	0·02	0·10	7	1	6	2	–	–	1	–	3	2	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·34	0·37	0·31	40	21	19	20	1	3	1	–	25	–	–	–	–	–	–	–	2	4	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·37	0·72	65	21	44	–	–	–	–	–	–	–	–	–	–	2	7	14	14	22	6
Tabes Mesenterica	0·17	0·17	0·16	20	10	10	10	3	1	–	–	14	1	2	1	1	–	–	–	1	–	–
Phthisis	1·73	1·41	2·02	204	81	123	2	2	–	–	–	4	5	7	21	29	48	39	29	14	8	–
Other Tub. & Scrof. Dis.	0·47	0·44	0·49	55	25	30	11	7	1	3	1	23	4	3	5	3	9	5	2	1	–	–
Diseases of Nervous System	4·29	4·62	3·98	507	265	242	43	12	5	1	–	61	6	2	3	15	37	62	65	80	101	75
Diseases of Circulatory „	1·93	1·73	2·12	228	99	129	3	–	–	–	–	3	1	1	2	5	5	10	22	47	74	58
Diseases of Respiratory „	3·39	3·91	2·91	401	224	177	59	22	8	6	6	101	11	3	3	8	15	25	28	46	65	96
Diseases of Digestive „	1·48	1·41	1·55	175	81	94	31	3	1	1	3	39	3	2	3	4	5	13	14	21	40	31
Diseases of Urinary „	0·60	0·91	0·31	71	52	19	–	–	1	–	–	1	2	–	–	–	1	4	6	7	30	20
Diseases of Generative „	0·07	0·02	0·12	8	1	7	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	–
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–	–
Violence	0·73	1·20	0·28	86	69	17	6	3	2	–	2	13	6	3	6	8	8	6	8	9	11	8
OTHER CAUSES	5·02	5·49	4·58	595	316	279	208	9	6	–	–	223	4	5	7	6	12	14	21	26	73	204

Marriages - - - 640

Births - { Males - 1,890 / Females - 1,800 } 3,690

Annual Rate per 1000 living { Persons Married 10·83 / Births - - 31·21 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

229.—LODDON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·36	†108	–	–	–	–	34·80	2·86	2·46	5·47	6·22	6·36	7·72	10·13	21·25	43·70	137·56
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·27	†115	–	–	–	–	36·93	2·72	2·45	4·13	5·87	5·57	7·66	9·93	21·97	45·31	146·39
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·44	†101	–	–	–	–	32·59	3·00	2·46	6·95	6·55	7·08	7·78	10·30	20·55	42·09	129·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·63 per cent.	13,453	363	318	343	346	363	1733	1714	1506	1152	933	1587	1347	1254	1087	746	394
Mean Population, 1881–91. Males		6,636	185	164	169	174	188	880	847	775	605	460	754	627	584	537	373	194
Mean Population, 1881–91. Females		6,817	178	154	174	172	175	853	867	731	547	473	833	720	670	550	373	200
Deaths from All Causes, 1881–90. Persons	16·66	2,241	437	95	33	16	22	603	49	37	63	58	101	104	127	231	326	542
Deaths from All Causes, 1881–90. Males	17·15	1,138	240	51	19	4	11	325	23	19	25	27	42	48	58	118	169	284
Deaths from All Causes, 1881–90. Females	16·18	1,103	197	44	14	12	11	278	26	18	38	31	59	56	69	113	157	258

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·02	0·03	0·01	3	2	1	1	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·24	0·18	28	16	12	3	–	3	4	5	15	10	–	2	1	–	–	–	–	–	–
Diphtheria	0·11	0·14	0·09	15	9	6	–	1	1	–	3	5	4	1	1	–	1	–	1	1	1	–
Whooping-cough	0·20	0·17	0·23	27	11	16	15	4	3	2	1	25	1	–	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·13	17	8	9	–	–	1	–	–	1	2	1	2	3	1	1	3	1	1	1
Simple Continued Fever	0·01	0·02	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·30	0·38	0·23	41	25	16	20	3	1	–	1	25	2	–	–	–	–	1	1	2	2	8
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·80	0·51	1·09	108	34	74	–	–	–	–	–	–	–	–	1	–	1	5	23	38	27	13
Tabes Mesenterica	0·30	0·35	0·26	41	23	18	25	10	1	–	–	36	1	1	–	1	–	1	–	–	1	–
Phthisis	1·39	1·31	1·47	187	87	100	1	1	–	–	–	2	3	7	31	29	46	33	23	8	3	2
Other Tub. & Scrof. Dis.	0·30	0·24	0·35	40	16	24	12	8	2	2	–	24	5	2	2	1	1	3	–	1	1	–
Diseases of: Nervous System	1·89	1·87	1·91	254	124	130	55	13	3	2	3	76	6	3	4	7	9	8	12	36	40	53
Diseases of: Circulatory „	1·68	1·61	1·75	226	107	119	1	–	–	1	2	4	–	9	4	2	3	10	13	46	75	60
Diseases of: Respiratory „	2·45	2·74	2·17	330	182	148	60	28	13	4	7	112	7	2	1	2	9	13	17	35	61	71
Diseases of: Digestive „	0·82	0·77	0·87	110	51	59	17	5	–	–	–	22	4	3	1	3	5	6	9	19	20	18
Diseases of: Urinary „	0·48	0·69	0·26	64	46	18	–	2	–	–	–	2	–	–	1	2	3	2	5	6	26	17
Diseases of: Generative „	0·05	0·03	0·07	7	2	5	1	–	–	–	–	1	–	–	–	–	–	2	–	2	2	–
Puerperal Fever	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	1	1	6	1	1	–	–	–
Childbirth	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–
Violence	0·51	0·72	0·31	69	48	21	7	6	2	–	–	15	3	2	2	3	3	6	8	11	11	5
Other Causes	4·86	5·21	4·50	652	346	306	219	13	3	–	–	235	1	6	8	2	9	9	11	23	55	293

Marriages - - 822

Births - Males - 2,083; Females - 1,952 — 4,035

Annual Rate per 1000 living: Persons Married 12·22; Births - - 29·99

Deaths from Childbirth and Puerperal Fever - - - - - 4·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

230.—DEPWADE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·45	†111	–	–	–	–	36·32	3·94	2·25	4·24	5·23	6·14	8·06	10·60	18·22	45·64	142·20
Annual Death-Rate per 1000. Males	—	14·00	†125	–	–	–	–	41·32	4·21	1·92	3·95	5·22	5·50	7·72	11·06	19·25	49·16	150·16
Annual Death-Rate per 1000. Females	—	12·94	† 96	–	–	–	–	31·40	3·69	2·56	4·54	5·24	6·74	8·35	10·19	17·27	42·37	135·47
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·30 per cent.	23,434	579	560	589	576	598	2902	2868	2758	2195	1644	2768	2333	2114	1795	1365	692
Mean Population, 1881-91. Males		11,382	282	281	300	282	295	1440	1403	1354	1138	805	1328	1088	995	857	657	317
Mean Population, 1881-91. Females		12,052	297	279	289	294	303	1462	1465	1404	1057	839	1440	1245	1119	938	708	375
Deaths from All Causes, 1881-90. Persons	16·74	3,924	752	164	57	49	32	1054	113	62	93	86	170	188	224	327	623	984
Deaths from All Causes, 1881-90. Males	17·55	1,998	433	97	24	29	12	595	59	26	45	42	73	84	110	165	323	476
Deaths from All Causes, 1881-90. Females	15·98	1,926	319	67	33	20	20	459	54	36	48	44	97	104	114	162	300	508

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Measles	0·09	0·10	0·08	21	11	10	3	6	5	–	2	16	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	21	8	13	1	1	3	3	1	9	8	3	1	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·14	36	19	17	1	–	4	5	4	14	11	4	2	1	1	1	1	–	1	–
Whooping-cough	0·18	0·17	0·20	43	19	24	28	6	6	2	–	42	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·10	0·11	0·08	23	13	10	–	1	–	–	–	1	2	5	2	3	5	2	1	2	–	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	–	–	1	–	1	–	–	–	–	–	1	–	1	1	–
Diarrhœa and Dysentery	0·35	0·40	0·29	81	46	35	23	8	1	3	–	35	2	–	–	–	–	1	2	3	9	29
Cholera	0·03	0·03	0·03	7	3	4	–	–	–	–	–	–	2	1	–	–	1	1	–	2	–	–
Cancer	0·86	0·66	1·05	201	75	126	–	–	–	–	–	–	–	–	–	2	7	18	25	53	60	36
Tabes Mesenterica	0·14	0·11	0·16	32	13	19	18	6	2	–	1	27	1	1	1	–	–	1	1	–	–	–
Phthisis	1·43	1·40	1·46	335	159	176	7	8	2	2	2	21	10	19	42	45	64	61	38	21	13	1
Other Tub. & Scrof. Dis.	0·28	0·28	0·28	66	32	34	21	11	4	1	2	39	11	4	3	–	2	4	2	1	–	–
Diseases of Nervous System	2·21	2·38	2·04	517	271	246	82	18	4	3	4	111	7	6	8	3	8	19	30	46	119	160
Diseases of Circulatory „	1·72	1·71	1·73	403	195	208	–	1	–	–	–	1	3	4	5	5	14	13	28	61	138	131
Diseases of Respiratory „	2·59	2·94	2·27	609	335	274	138	52	15	16	11	232	23	3	10	8	6	23	32	28	97	147
Diseases of Digestive „	0·94	1·05	0·83	220	120	100	35	18	1	1	–	55	6	2	2	2	4	3	24	36	52	34
Diseases of Urinary „	0·40	0·52	0·28	93	59	34	4	1	–	–	1	6	–	–	–	1	7	5	5	17	28	24
Diseases of Generative „	0·06	0·01	0·11	14	1	13	1	–	–	–	–	1	–	–	1	–	3	1	1	2	3	2
Puerperal Fever	0·08	–	0·15	18	–	18	–	–	–	–	–	–	–	–	1	1	12	3	1	–	–	–
Childbirth	0·09	–	0·17	21	–	21	–	–	–	–	–	–	–	–	1	1	9	8	2	–	–	–
Violence	0·55	0·78	0·34	130	89	41	12	4	7	6	1	30	7	5	8	5	8	7	10	19	10	21
Other Causes	4·36	4·62	4·13	1024	526	498	378	23	3	6	3	413	14	5	5	9	17	15	20	35	92	399

Marriages - - - 1,427

Births - Males - 3,477; Females - 3,320 — 6,797

Annual Rate per 1000 living: Persons Married 12·18; Births - - 29·00

Deaths from Childbirth and Puerperal Fever - - - - - 5·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

231.—GUILTCROSS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·56	†101	–	–	–	–	31·89	3·22	2·34	3·34	4·98	5·83	7·40	8·73	18·83	45·92	150·16
Males	—	12·52	†109	–	–	–	–	32·78	3·72	2·40	2·64	5·35	6·32	6·60	8·30	18·46	48·51	156·67
Females	—	12·60	† 93	–	–	–	–	30·95	2·74	2·26	4·28	4·60	5·36	8·12	9·13	19·16	43·29	144·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·17 per cent.	10,395	262	238	269	274	252	1295	1275	1199	928	703	1235	1054	974	818	601	313
Males		5,208	129	136	138	139	123	665	618	625	531	355	601	500	470	390	303	150
Females		5,187	133	102	131	135	129	630	657	574	397	348	654	554	504	428	298	163
Deaths from All Causes, 1881–90. Persons	16·19	1,683	306	66	15	12	14	413	41	28	31	35	72	78	85	154	276	470
Males	16·38	853	163	30	7	6	12	218	23	15	14	19	38	33	39	72	147	235
Females	16·00	830	143	36	8	6	2	195	18	13	17	16	34	45	46	82	129	235

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·02	0·10	6	1	5	1	1	–	1	–	3	1	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·11	0·08	0·13	11	4	7	–	1	3	1	1	6	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·21	0·02	12	11	1	–	1	–	–	3	4	4	–	1	1	1	–	–	–	1	–
Whooping-cough	0·31	0·35	0·27	32	18	14	21	9	–	–	–	30	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·02	0·12	7	1	6	–	–	–	–	1	1	2	1	1	–	–	2	–	–	–	–
Simple Continued Fever	0·03	0·02	0·04	3	1	2	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·40	0·40	42	21	21	15	4	1	–	1	21	–	–	–	–	–	–	–	–	8	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·61	1·00	84	32	52	–	–	–	–	–	–	–	–	–	–	1	3	10	23	27	20
Tabes Mesenterica	0·12	0·17	0·06	12	9	3	7	3	–	–	1	11	–	–	–	1	–	–	–	–	–	–
Phthisis	1·33	1·13	1·52	138	59	79	4	4	–	–	1	9	3	5	12	16	34	24	14	13	8	–
Other Tub. & Scrof. Dis.	0·32	0·35	0·29	33	18	15	5	4	2	–	1	12	7	1	3	–	1	2	1	2	3	1
Diseases of Nervous System	2·03	1·96	2·10	211	102	109	47	4	1	2	–	54	5	4	2	2	7	5	14	25	42	51
Circulatory „	1·74	1·90	1·58	181	99	82	1	–	–	–	–	1	–	1	3	2	4	9	13	28	61	59
Respiratory „	2·42	2·44	2·41	252	127	125	50	19	5	3	1	78	5	2	–	2	6	11	12	21	44	71
Digestive „	0·86	0·79	0·93	89	41	48	15	3	1	–	1	20	1	3	–	–	2	5	8	10	25	15
Urinary „	0·47	0·71	0·23	49	37	12	–	–	–	–	1	1	–	1	–	2	–	3	7	6	16	13
Generative „	0·11	0·04	0·17	11	2	9	1	–	–	–	–	1	–	–	1	–	1	2	1	4	–	1
Puerperal Fever	0·09	–	0·17	9	–	9	–	–	–	–	–	–	–	–	2	–	4	3	–	–	–	–
Childbirth	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–
Violence	0·46	0·67	0·25	48	35	13	2	3	1	2	2	10	3	4	2	2	4	2	–	3	6	12
Other Causes	4·28	4·51	4·11	448	235	213	137	10	1	2	–	150	4	2	2	7	6	4	5	19	35	214

Marriages - - 593

Births - Males - 1,491; Females - 1,531 — 3,022

Annual Rate per 1000 living: Persons Married 11·41; Births - - 29·07

Deaths from Childbirth and Puerperal Fever - - - - - 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

232.—WAYLAND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·61	†105	–	–	–	–	36·15	3·24	1·96	3·76	5·74	5·75	7·76	10·67	18·63	53·30	150·89
Annual Death-Rate per 1000. Males	—	14·10	†120	–	–	–	–	40·15	3·87	2·36	3·04	5·65	5·76	7·51	11·67	19·13	54·78	155·71
Annual Death-Rate per 1000. Females	—	13·14	† 89	–	–	–	–	31·92	2·56	1·56	4·63	5·82	5·73	7·97	9·75	18·16	51·86	146·10
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·97 per cent.	10,610	272	257	265	259	261	1314	1295	1171	958	732	1288	1083	993	859	636	281
Mean Population, 1881–91. Males		5,285	140	135	143	128	129	675	671	594	526	354	625	493	480	413	314	140
Mean Population, 1881–91. Females		5,325	132	122	122	131	132	639	624	577	432	378	663	590	513	446	322	141
Deaths from All Causes, 1881–90. Persons	17·01	1,805	336	74	25	24	16	475	42	23	36	42	74	84	106	160	339	424
Deaths from All Causes, 1881–90. Males	17·88	945	200	39	17	8	7	271	26	14	16	20	36	37	56	79	172	218
Deaths from All Causes, 1881–90. Females	16·15	860	136	35	8	16	9	204	16	9	20	22	38	47	50	81	167	206

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·06	0·11	9	3	6	2	3	–	3	1	9	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·04	0·15	10	2	8	–	2	1	2	–	5	1	2	–	1	–	–	1	–	–	–
Diphtheria	0·18	0·17	0·19	19	9	10	–	–	2	2	4	8	4	2	–	1	1	1	1	–	1	–
Whooping-cough	0·25	0·26	0·23	26	14	12	13	7	3	2	–	25	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·19	0·11	16	10	6	–	–	–	1	–	1	3	1	2	2	2	1	2	2	–	–
Simple Continued Fever	0·16	0·13	0·19	17	7	10	–	–	–	–	1	1	1	1	1	1	1	–	1	1	5	4
Diarrhœa and Dysentery	0·48	0·57	0·39	51	30	21	19	4	2	–	2	27	1	–	2	1	–	1	1	4	6	8
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·72	0·51	0·92	76	27	49	–	–	1	–	–	1	–	–	–	–	2	4	14	25	22	8
Tabes Mesenterica	0·03	0·04	0·02	3	2	1	1	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
Phthisis	1·55	1·38	1·71	164	73	91	2	5	–	–	1	8	3	5	13	17	37	29	19	15	15	3
Other Tub. & Scrof. Dis.	0·23	0·28	0·17	24	15	9	5	6	–	1	2	14	2	2	1	1	2	1	–	–	1	–
Diseases of Nervous System	2·53	2·50	2·55	268	132	136	51	6	6	2	3	68	6	1	6	1	5	8	12	28	59	74
Diseases of Circulatory „	1·55	1·61	1·48	164	85	79	1	–	1	–	–	2	–	1	2	4	5	5	8	14	68	55
Diseases of Respiratory „	2·66	2·80	2·52	282	148	134	55	23	5	7	1	91	15	2	2	2	3	9	11	23	66	58
Diseases of Digestive „	0·95	1·15	0·75	101	61	40	14	2	1	1	–	18	2	–	1	4	–	6	14	20	28	8
Diseases of Urinary „	0·33	0·47	0·19	35	25	10	–	–	–	–	–	–	1	–	–	–	–	1	2	6	11	14
Diseases of Generative „	0·04	–	0·08	4	–	4	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–
Puerperal Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Childbirth	0·08	–	0·17	9	–	9	–	–	–	–	–	–	–	–	–	1	4	3	1	–	–	–
Violence	0·40	0·59	0·21	42	31	11	–	2	–	2	1	5	2	2	3	1	4	3	7	2	5	8
Other Causes	4·51	5·13	3·95	482	271	211	173	14	2	1	–	190	–	4	2	4	5	10	12	20	51	184

Marriages - - - 615

Births - { Males - 1,670 / Females - 1,536 } 3,206

Annual Rate per 1000 living { Persons Married 11·59 / Births - - 30·22 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

233.—MITFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·33	†129	–	–	–	–	42·83	3·91	2·62	3·48	5·19	6·43	7·42	9·45	21·22	46·23	144·84
Annual Death-Rate per 1000. Males	—	14·63	†142	–	–	–	–	46·96	3·44	2·50	3·47	4·48	5·37	7·15	10·09	21·25	52·22	149·15
Annual Death-Rate per 1000. Females	—	14·05	†114	–	–	–	–	38·45	4·38	2·74	3·50	5·89	7·43	7·67	8·86	21·19	40·60	141·16
Mean Population 1881–91. Persons	Decennial Decrease of Population 3·83 per cent.	26,843	677	652	654	679	665	3327	3225	3057	2469	1926	3330	2721	2435	2102	1486	765
Mean Population 1881–91. Males		13,362	350	333	351	352	326	1712	1626	1560	1327	959	1620	1300	1160	1026	720	352
Mean Population 1881–91. Females		13,481	327	319	303	327	339	1615	1599	1497	1142	967	1710	1421	1275	1076	766	413
Deaths from All Causes, 1881–90. Persons	17·52	4,704	1019	204	87	60	55	1425	126	80	86	100	214	202	230	446	687	1108
Deaths from All Causes, 1881–90. Males	17·99	2,404	583	116	42	31	32	804	56	39	46	43	87	93	117	218	376	525
Deaths from All Causes, 1881–90. Females	17·06	2,300	436	88	45	29	23	621	70	41	40	57	127	109	113	228	311	583

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	3	1	2	–	–	–	–	1	1	–	1	–	–	–	–	1	–
Measles	0·09	0·08	0·09	23	11	12	11	4	4	–	1	20	2	1	–	–	–	–	–	–
Scarlet Fever	0·19	0·13	0·26	52	17	35	1	2	7	3	6	19	16	10	1	2	2	2	–	–
Diphtheria	0·19	0·16	0·23	52	21	31	2	–	3	5	7	17	17	9	3	–	2	2	–	1
Whooping-cough	0·34	0·28	0·41	92	37	55	49	24	8	8	–	89	2	–	–	–	–	–	–	1
Typhus	0·03	0·03	0·02	7	4	3	–	–	–	1	–	1	–	3	1	1	1	–	–	–
Enteric Fever	0·11	0·13	0·09	29	17	12	1	–	1	1	2	5	5	4	3	2	3	–	2	3
Simple Continued Fever	0·03	0·01	0·04	7	2	5	–	–	1	–	–	1	3	1	–	–	–	–	1	1
Diarrhœa and Dysentery	0·34	0·34	0·34	92	46	46	50	8	3	–	2	63	2	–	1	2	–	1	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·49	0·88	185	66	119	–	–	2	2	–	4	–	–	–	–	6	12	34	50
Tabes Mesenterica	0·15	0·13	0·17	40	17	23	19	8	3	1	3	34	2	1	–	–	3	–	–	–
Phthisis	1·42	1·31	1·52	380	175	205	12	6	2	2	1	23	9	11	41	54	89	56	45	32
Other Tub. & Scrof. Dis.	0·19	0·24	0·14	51	32	19	9	8	5	6	1	29	4	3	4	2	1	3	3	2
Diseases of Nervous System	2·36	2·51	2·21	633	335	298	112	30	13	8	8	171	6	17	3	6	9	18	33	78
Diseases of Circulatory „	1·58	1·53	1·62	424	205	219	–	–	–	1	–	1	4	2	6	6	8	26	19	83
Diseases of Respiratory „	2·81	2·92	2·70	754	390	364	171	78	24	14	17	304	30	1	2	6	25	15	25	68
Diseases of Digestive „	0·94	0·94	0·93	251	126	125	35	15	3	1	1	55	8	2	6	5	9	14	31	42
Diseases of Urinary „	0·42	0·64	0·21	113	85	28	2	–	1	1	–	4	–	–	1	2	9	5	7	15
Diseases of Generative „	0·06	0·01	0·11	16	1	15	–	–	–	–	–	–	–	–	–	–	1	3	3	6
Puerperal Fever	0·08	–	0·16	21	–	21	–	–	–	–	–	–	–	–	–	4	13	4	–	–
Childbirth	0·10	–	0·19	26	–	26	–	–	–	–	–	–	–	–	1	3	11	10	1	–
Violence	0·45	0·62	0·28	121	83	38	10	5	4	4	4	27	6	8	7	1	8	9	7	18
Other Causes	4·94	5·48	4·45	1332	733	599	535	16	3	2	1	557	10	6	6	4	14	22	18	41

	75 and upwds.
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	–
Whooping-cough	–
Typhus	–
Enteric Fever	–
Simple Continued Fever	–
Diarrhœa and Dysentery	–
Cholera	–
Cancer	30
Tabes Mesenterica	–
Phthisis	2
Other Tub. & Scrof. Dis.	–
Diseases of Nervous System	148
Diseases of Circulatory „	136
Diseases of Respiratory „	169
Diseases of Digestive „	33
Diseases of Urinary „	27
Diseases of Generative „	2
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	532

Marriages - - - 1,596

Births - { Males - - 4,099 / Females - 3,826 } 7,925

Annual Rate per 1000 living { Persons Married 11·89 / Births - - 29·52 }

Deaths from Childbirth and Puerperal Fever - - - - - - 5·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

234.—WALSINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·22			†115	–	–	–	–	39·05	3·40	2·74	4·45	5·36	6·02	7·95	11·63	21·10	49·20	145·15
Males	—			15·11			†132	–	–	–	–	43·99	3·26	2·54	4·20	6·69	5·95	7·56	13·11	25·11	53·27	147·41
Females	—			13·38			† 98	–	–	–	–	34·31	3·55	2·94	4·73	4·01	6·08	8·30	10·27	17·51	45·75	143·10
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·21 per cent.			19,922			514	451	490	506	515	2476	2380	2298	1888	1510	2409	2062	1772	1493	1067	567
Males				9,737			245	211	246	248	264	1214	1197	1140	1000	762	1159	953	847	705	490	270
Females				10,185			269	240	244	258	251	1262	1183	1158	888	748	1250	1109	925	788	577	297
Deaths from All Causes, 1881–90. Persons	17·34			3,454			665	176	61	36	29	967	81	63	84	81	145	164	206	315	525	823
Males	18·31			1,783			385	89	33	14	13	534	39	29	42	51	69	72	111	177	261	398
Females	16·41			1,671			280	87	28	22	16	433	42	34	42	30	76	92	95	138	264	425
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·02	0·03	5	2	3	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Measles	0·14	0·17	0·10	27	17	10	6	13	2	1	2	24	2	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·04	0·07	11	4	7	1	1	2	4	1	9	1	–	1	–	–	–	–	–	–	–
Diphtheria	0·30	0·30	0·30	60	29	31	1	1	4	3	7	16	23	12	3	1	1	1	2	–	–	1
Whooping-cough	0·32	0·29	0·34	63	28	35	33	18	8	1	3	63	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	0·27	0·19	45	26	19	–	–	2	1	2	5	3	4	8	3	7	5	4	4	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·44	0·24	67	43	24	25	5	1	–	–	31	1	–	1	–	–	–	2	2	9	21
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cancer	0·86	0·61	1·10	171	59	112	–	–	–	–	–	–	–	2	–	–	3	16	26	38	58	28
Tabes Mesenterica	0·16	0·16	0·15	31	16	15	12	9	–	–	–	21	2	2	1	2	1	–	1	–	1	–
Phthisis	1·62	1·77	1·47	322	172	150	16	9	–	3	1	29	7	15	35	41	67	41	37	31	14	5
Other Tub. & Scrof. Dis.	0·19	0·22	0·17	38	21	17	14	4	–	2	2	22	5	2	2	4	–	–	1	–	–	2
Diseases of Nervous System	2·39	2·52	2·27	476	245	231	85	15	10	5	3	118	7	3	8	5	8	15	29	51	93	139
Circulatory „	2·19	2·24	2·15	437	218	219	3	2	–	–	–	5	1	7	4	3	6	18	35	67	145	146
Respiratory „	2·80	2·84	2·75	557	277	280	142	59	22	5	5	233	14	3	2	4	8	14	19	33	76	151
Digestive „	0·85	0·92	0·78	169	90	79	34	12	1	3	1	51	4	3	2	1	5	9	13	22	42	17
Urinary „	0·49	0·74	0·26	98	72	26	3	–	–	2	–	5	1	–	–	2	4	9	13	11	17	36
Generative „	0·09	0·02	0·15	17	2	15	1	–	–	–	–	1	–	–	–	–	2	1	3	3	4	3
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	2	1	7	4	–	–	–	–
Childbirth	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Violence	0·47	0·64	0·30	93	62	31	8	4	4	2	1	19	4	4	7	6	6	7	8	12	13	7
Other Causes	3·70	4·08	3·39	745	398	347	281	23	5	4	1	314	6	4	7	4	18	20	13	41	52	266

Marriages - - - 1,180

Births - Males - 2,915; Females - 2,860 } 5,775

Annual Rate per 1000 living { Persons Married 11·85; Births - - 28·99

Deaths from Childbirth and Puerperal Fever - - - - 3·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

235.—DOCKING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·88	†133	–	–	–	–	42·44	4·48	2·69	5·60	5·46	6·74	7·73	9·55	20·75	50·58	149·38
Annual Death-Rate per 1000. Males	—					15·52	†153	–	–	–	–	48·14	4·75	2·66	4·21	5·29	6·58	8·13	9·54	20·49	52·56	165·58
Annual Death-Rate per 1000. Females	—					14·28	†112	–	–	–	–	36·63	4·20	2·73	7·20	5·63	6·88	7·37	9·56	20·99	48·67	136·33
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·46 per cent.			17,382			403	386	397	410	428	2024	2099	2043	1642	1245	2034	1824	1665	1369	955	482
Mean Population, 1881–91. Males				8,558			204	187	202	210	219	1022	1052	1054	878	605	958	861	786	659	468	215
Mean Population, 1881–91. Females				8,824			199	199	195	200	209	1002	1047	989	764	640	1076	963	879	710	487	267
Deaths from All Causes, 1881–90. Persons	17·79			3,092			641	120	48	29	21	859	94	55	92	68	137	141	159	284	483	720
Deaths from All Causes, 1881–90. Males	18·51			1,584			377	62	32	10	11	492	50	28	37	32	63	70	75	135	246	356
Deaths from All Causes, 1881–90. Females	17·09			1,508			264	58	16	19	10	367	44	27	55	36	74	71	84	149	237	364
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·08	0·13	0·03	14	11	3	6	3	2	–	1	12	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·07	13	7	6	–	2	2	4	–	8	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·32	0·22	0·41	55	19	36	1	2	5	6	5	19	21	6	5	–	1	1	–	1	1	–
Whooping-cough	0·25	0·27	0·23	43	23	20	25	12	3	1	–	41	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·12	0·03	13	10	3	1	–	–	–	–	1	2	–	2	2	3	–	3	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·29	0·14	37	25	12	14	1	2	2	–	19	1	–	–	–	–	–	1	2	4	10
Cholera	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
Cancer	0·76	0·50	1·01	132	43	89	–	–	–	–	–	–	–	–	–	–	5	6	22	35	46	18
Tabes Mesenterica	0·16	0·21	0·11	28	18	10	15	1	2	1	–	19	4	1	–	1	–	–	1	2	–	–
Phthisis	1·44	1·32	1·55	250	113	137	1	–	–	–	2	3	8	14	38	35	56	39	20	23	13	1
Other Tub. & Scrof. Dis.	0·22	0·23	0·22	39	20	19	7	7	3	1	2	20	5	5	4	3	1	–	–	1	–	–
Diseases of Nervous System	2·21	2·37	2·05	384	203	181	71	22	7	2	2	104	8	9	7	6	6	17	27	46	75	79
Diseases of Circulatory „	1·68	1·67	1·69	292	143	149	–	–	–	–	1	1	1	2	9	3	10	13	18	51	105	79
Diseases of Respiratory „	2·14	2·38	1·90	372	204	168	76	32	16	9	5	138	20	5	2	4	9	13	16	24	65	76
Diseases of Digestive „	1·13	1·03	1·22	196	88	108	29	14	2	–	1	46	2	2	5	2	9	10	20	35	45	20
Diseases of Urinary „	0·35	0·54	0·16	60	46	14	2	–	–	–	–	2	2	–	2	–	2	7	4	11	12	18
Diseases of Generative „	0·08	0·02	0·12	13	2	11	1	–	–	–	–	1	–	1	1	–	–	3	3	3	1	–
Puerperal Fever	0·06	–	0·12	11	–	11	–	–	–	–	–	–	–	–	1	2	6	2	–	–	–	–
Childbirth	0·09	–	0·18	16	–	16	–	–	–	–	–	–	–	–	1	3	7	5	–	–	–	–
Violence	0·50	0·84	0·17	87	72	15	4	2	1	2	–	9	5	5	9	5	11	11	5	10	10	7
Other Causes	5·93	6·27	5·64	1031	535	496	388	22	3	1	1	415	6	3	6	2	11	13	19	38	106	412

Marriages - - - 988

Births - { Males - 2,461 / Females - 2,365 } 4,826

Annual Rate per 1000 living { Persons Married 11·37 / Births - - 27·76 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

236.—FREEBRIDGE LYNN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·25	†109	–	–	–	–	37·92	4·75	2·63	3·19	5·22	6·79	6·25	8·56	18·78	45·05	138·84
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·27	†125	–	–	–	–	43·95	4·16	1·57	3·11	4·49	5·76	5·02	9·59	18·76	48·90	137·18
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·23	† 91	–	–	–	–	32·05	5·30	3·75	3·28	6·00	7·78	7·41	7·64	18·80	41·19	140·35
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·13 per cent.	12,243	308	281	304	323	324	1540	1538	1369	1098	862	1517	1313	1121	921	637	327
Mean Population, 1881-91. Males		6,091	162	146	149	151	152	760	746	702	610	445	746	638	532	437	319	156
Mean Population, 1881-91. Females		6,152	146	135	155	172	172	780	792	667	488	417	771	675	589	484	318	171
Deaths from All Causes, 1881-90. Persons	16·07	1,968	411	96	39	19	19	584	73	36	35	45	103	82	96	173	287	454
Deaths from All Causes, 1881-90. Males	16·30	993	241	55	19	12	7	334	31	11	19	20	43	32	51	82	156	214
Deaths from All Causes, 1881-90. Females	15·85	975	170	41	20	7	12	250	42	25	16	25	60	50	45	91	131	240

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·10	0·03	8	6	2	1	4	1	–	1	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·38	0·42	49	23	26	2	7	4	5	5	23	17	6	1	–	2	–	–	–	–
Diphtheria	0·27	0·21	0·33	33	13	20	–	2	3	–	1	6	16	5	–	2	2	2	–	–	–
Whooping-cough	0·29	0·20	0·39	36	12	24	16	10	5	1	3	35	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·07	0·23	18	4	14	–	1	2	–	–	3	6	–	3	–	2	3	–	–	1
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·21	0·23	0·20	26	14	12	12	2	1	–	1	16	1	–	1	–	–	1	–	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·46	0·78	76	28	48	–	–	1	–	–	1	–	–	1	–	1	4	12	25	23
Tabes Mesenterica	0·13	0·15	0·11	16	9	7	7	5	1	–	–	13	2	–	–	1	–	–	–	–	–
Phthisis	1·23	1·08	1·37	150	66	84	–	3	–	–	1	4	5	12	13	20	38	26	16	10	6
Other Tub. & Scrof. Dis.	0·16	0·16	0·16	20	10	10	4	2	1	–	1	8	2	2	1	1	3	2	–	–	–
Diseases of Nervous System	1·74	2·17	1·32	213	132	81	49	16	5	–	3	73	2	2	1	3	4	7	12	26	41
Diseases of Circulatory "	1·22	1·23	1·20	149	75	74	–	–	–	–	1	1	2	–	4	3	6	9	24	32	38
Diseases of Respiratory "	2·01	2·25	1·77	246	137	109	57	25	8	7	1	98	6	2	4	2	11	6	10	20	46
Diseases of Digestive "	0·92	0·90	0·94	113	55	58	17	7	2	1	–	27	3	1	2	5	6	4	2	19	32
Diseases of Urinary "	0·39	0·41	0·37	48	25	23	2	1	–	1	–	4	1	–	–	1	4	5	3	7	16
Diseases of Generative "	0·08	–	0·16	10	–	10	–	1	–	–	–	1	–	–	–	–	1	2	2	2	2
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
Childbirth	0·08	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	6	3	–	–	–
Violence	0·38	0·51	0·24	46	31	15	3	2	1	1	–	7	2	1	2	3	2	2	4	9	9
Other Causes	5·67	5·77	5·59	695	352	343	241	8	4	3	1	257	6	5	2	2	12	5	10	21	73

Marriages	820	Annual Rate per 1000 living: Persons Married	13·40	Deaths from Childbirth and Puerperal Fever	3·97 per 1000 Births.
Births: Males 1,924; Females 1,858	3,782	Births	30·89		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

237.—KING'S LYNN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 18·56	†136	–	–	–	–	55·46	5·14	2·88	3·83	5·76	7·01	12·94	14·31	32·30	58·10	151·87
Annual Death-Rate per 1000. Males	—	20·53	†154	–	–	–	–	61·90	5·47	3·29	3·96	7·21	7·71	15·15	16·49	35·79	65·26	174·19
Annual Death-Rate per 1000. Females	—	16·71	†117	–	–	–	–	48·90	4·82	2·47	3·71	4·52	6·38	10·97	12·51	29·63	52·45	139·19
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·80 per cent.	19,129	489	437	458	459	456	2299	2178	2015	1960	1597	2667	2140	1677	1254	914	428
Mean Population, 1881–91. Males		9,050	245	204	232	238	241	1160	1078	1003	935	735	1271	1010	758	542	403	155
Mean Population, 1881–91. Females		10,079	244	233	226	221	215	1139	1100	1012	1025	862	1396	1130	919	712	511	273
Deaths from All Causes, 1881–90. Persons	20·40	3,902	827	240	82	82	44	1275	112	58	75	92	187	277	240	405	531	650
Deaths from All Causes, 1881–90. Males	22·13	2,003	487	130	44	36	21	718	59	33	37	53	98	153	125	194	263	270
Deaths from All Causes, 1881–90. Females	18·84	1,899	340	110	58	46	23	557	53	25	38	39	89	124	115	211	268	380

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·44	0·45	0·43	84	41	43	18	34	15	8	3	78	4	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·16	0·24	0·08	30	22	8	2	4	6	6	5	23	6	1	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·15	0·20	34	14	20	–	1	5	7	2	15	15	2	–	–	–	1	1	–	–	–
Whooping-cough	0·41	0·39	0·44	79	35	44	32	29	9	4	2	76	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·12	0·14	0·10	23	13	10	–	–	–	–	–	–	2	2	2	2	8	2	2	1	2	–
Simple Continued Fever	0·02	–	0·04	4	–	4	–	–	–	1	–	1	–	–	–	–	–	–	1	1	1	–
Diarrhœa and Dysentery	0·42	0·40	0·45	81	36	45	62	4	–	3	–	69	–	–	–	–	–	–	1	2	4	5
Cholera	0·02	0·03	–	3	3	–	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·55	1·08	159	50	109	–	–	–	–	–	–	–	–	1	1	2	27	25	46	45	12
Tabes Mesenterica	0·19	0·21	0·17	36	19	17	14	7	2	1	–	24	5	2	1	3	–	–	–	1	–	–
Phthisis	1·59	1·93	1·29	305	175	130	–	3	–	1	3	7	6	10	28	40	72	73	32	21	14	2
Other Tub. & Scrof. Dis.	0·42	0·54	0·31	80	49	31	17	19	2	5	3	46	10	7	6	2	2	4	1	2	–	–
Diseases of Nervous System	2·38	2·39	2·38	456	216	240	93	25	11	13	3	145	14	8	7	6	11	22	39	56	69	79
Diseases of Circulatory „	1·86	1·94	1·78	355	176	179	1	–	–	–	–	1	4	5	5	5	24	41	39	88	95	48
Diseases of Respiratory „	2·85	3·06	2·67	546	277	269	134	73	22	27	16	272	14	2	3	5	7	20	25	56	78	64
Diseases of Digestive „	1·05	1·17	0·93	200	106	94	23	11	3	1	3	41	4	2	3	3	10	25	22	53	25	12
Diseases of Urinary „	0·45	0·62	0·31	87	56	31	1	4	–	–	–	5	–	3	–	1	6	7	10	15	27	13
Diseases of Generative „	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	–	1	5	2	3	2	3	1
Puerperal Fever	0·05	–	0·09	9	–	9	–	–	–	–	–	–	–	–	1	–	5	3	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	3	–	4	4	–	–	–	–
Violence	0·84	1·39	0·34	160	126	34	7	4	–	2	3	16	15	5	8	14	15	19	12	17	24	15
Other Causes	5·96	6·52	5·47	1,142	588	554	421	21	7	3	1	453	10	8	6	9	15	27	27	44	144	399

Marriages - - 1,438

Births - Males - 3,153; Females - 2,907 } 6,060

Annual Rate per 1000 living { Persons Married 15·03; Births - - 31·68

Deaths from Childbirth and Puerperal Fever - - - - - } 3·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

238.—DOWNHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·27	†132	–	–	–	–	44·82	5·78	3·42	5·20	7·10	5·65	8·41	11·51	19·95	47·08	134·20
Annual Death-Rate per 1000. Males	—	16·15	†149	–	–	–	–	52·34	5·61	3·31	3·99	7·20	4·74	8·95	11·52	21·36	47·99	153·56
Annual Death-Rate per 1000. Females	—	14·43	†115	–	–	–	–	37·67	5·96	3·53	6·67	7·00	6·53	7·90	11·50	18·64	46·17	116·48
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·66 per cent.	18,891	464	462	472	470	457	2325	2231	2223	1788	1395	2267	1939	1755	1474	994	500
Mean Population, 1881–91. Males		9,359	225	228	234	218	228	1133	1106	1118	978	681	1118	939	842	707	498	239
Mean Population, 1881–91. Females		9,532	239	234	238	252	229	1192	1125	1105	810	714	1149	1000	913	767	496	261
Deaths from All Causes, 1881–90. Persons	17·81	3,365	724	181	56	39	42	1042	129	76	93	99	128	163	202	294	468	671
Deaths from All Causes, 1881–90. Males	18·92	1,771	418	101	25	19	30	593	62	37	39	49	53	84	97	151	239	367
Deaths from All Causes, 1881–90. Females	16·72	1,594	306	80	31	20	12	449	67	39	54	50	75	79	105	143	229	304

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·15	0·17	30	14	16	6	15	4	1	–	26	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·34	0·33	63	32	31	4	5	7	5	10	31	17	9	5	–	–	–	–	–	–
Diphtheria	0·31	0·27	0·36	59	25	34	4	2	–	7	5	18	24	9	3	2	–	1	–	1	–
Whooping-cough	0·39	0·28	0·49	73	26	47	47	14	5	3	1	70	2	–	1	–	–	–	–	–	1
Typhus	0·03	0·03	0·02	5	3	2	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–
Enteric Fever	0·11	0·11	0·12	21	10	11	–	–	2	1	1	4	2	3	2	2	–	4	2	1	1
Simple Continued Fever	0·02	0·02	0·02	4	2	2	2	–	–	–	–	2	–	–	1	–	–	–	–	1	–
Diarrhœa and Dysentery	0·44	0·50	0·38	83	47	36	32	4	2	2	2	42	1	1	1	–	1	2	–	1	13
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·38	0·82	114	36	78	–	–	–	1	1	2	–	–	–	–	1	8	26	29	29
Tabes Mesenterica	0·13	0·15	0·12	25	14	11	7	5	2	–	–	14	4	–	1	2	2	1	–	–	1
Phthisis	1·78	1·79	1·77	337	168	169	37	13	3	–	1	54	10	20	30	44	60	47	37	19	15
Other Tub. & Scrof. Dis.	0·39	0·31	0·47	74	29	45	21	10	3	3	3	40	7	4	5	5	2	2	2	2	3
Diseases of Nervous System	2·15	2·25	2·08	409	211	198	74	18	5	2	2	101	16	5	8	6	7	12	29	50	73
Diseases of Circulatory „	1·76	2·01	1·51	332	188	144	–	–	1	–	–	1	1	3	9	7	7	25	32	45	104
Diseases of Respiratory „	2·69	3·14	2·25	508	294	214	116	53	13	9	10	201	25	5	1	6	7	18	11	40	78
Diseases of Digestive „	1·27	1·28	1·25	239	120	119	31	16	1	–	3	51	2	6	3	4	9	11	16	32	64
Diseases of Urinary „	0·71	1·06	0·37	134	99	35	3	1	–	–	–	4	1	–	4	4	5	5	13	24	33
Diseases of Generative „	0·08	0·01	0·16	16	1	15	–	1	–	–	–	1	–	–	–	2	1	4	3	2	2
Puerperal Fever	0·10	–	0·19	18	–	18	–	–	–	–	–	–	–	–	3	2	10	3	–	–	–
Childbirth	0·06	–	0·13	12	–	12	–	–	–	–	–	–	–	–	2	1	2	6	1	–	–
Violence	0·59	0·89	0·30	112	83	29	7	3	4	5	3	22	8	7	7	5	5	5	10	21	10
Other Causes	3·70	3·95	3·40	696	369	327	332	21	4	–	–	357	5	4	5	6	7	9	20	25	43

Marriages	1,255	Annual Rate per 1000 living: Persons Married	13·29	Deaths from Childbirth and Puerperal Fever	5·48 per 1000 Births.
Births: Males 2,807	5,471	Births	28·96		
Females 2,664					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

239.—SWAFFHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·02	†112	–	–	–	–	36·91	4·62	2·57	3·86	5·89	6·78	7·99	10·30	21·77	44·26	151·18
Annual Death-Rate per 1000. Males	—					14·20	†121	–	–	–	–	41·18	4·82	2·97	3·28	4·79	6·30	8·06	10·58	20·73	44·09	157·93
Annual Death-Rate per 1000. Females	—					13·86	†102	–	–	–	–	32·67	4·41	2·18	4·55	6·93	7·26	7·93	10·05	22·76	44·41	144·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·62 per cent.			12,626			304	293	328	327	341	1593	1560	1440	1191	900	1474	1289	1165	960	714	340
Mean Population, 1881–91. Males				6,211			152	145	165	160	172	794	767	706	641	438	730	608	548	468	347	164
Mean Population, 1881–91. Females				6,415			152	148	163	167	169	799	793	734	550	462	744	681	617	492	367	176
Deaths from All Causes, 1881–90. Persons	17·09			2,158			406	101	35	25	21	588	72	37	46	53	100	103	120	209	316	514
Deaths from All Causes, 1881–90. Males	17·53			1,089			227	55	17	15	13	327	37	21	21	21	46	49	58	97	153	259
Deaths from All Causes, 1881–90. Females	16·66			1,069			179	46	18	10	8	261	35	16	25	32	54	54	62	112	163	255
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·04	0·03	0·05	5	2	3	1	–	1	1	–	3	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·24	0·31	35	15	20	2	7	4	5	6	24	9	2	–	–	–	–	–	–	–	–
Diphtheria	0·32	0·31	0·34	41	19	22	1	–	–	4	7	12	17	6	3	–	1	2	–	–	–	–
Whooping-cough	0·20	0·26	0·14	25	16	9	13	5	2	2	1	23	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·18	0·17	22	11	11	1	1	–	–	1	3	2	3	2	1	3	2	2	2	2	–
Simple Continued Fever	0·04	0·02	0·06	5	1	4	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·21	0·21	0·20	26	13	13	10	5	–	–	–	15	–	–	1	–	–	1	1	–	2	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·50	1·00	95	31	64	–	–	–	–	–	–	–	–	1	–	3	8	14	31	25	13
Tabes Mesenterica	0·12	0·11	0·12	15	7	8	8	1	–	–	–	9	1	–	1	3	1	–	–	–	–	–
Phthisis	1·39	1·18	1·59	175	73	102	4	1	2	–	1	8	3	7	14	18	44	33	18	21	9	–
Other Tub. & Scrof. Dis.	0·33	0·35	0·31	42	22	20	12	7	4	2	1	26	5	2	2	3	1	–	1	1	1	–
Diseases of Nervous System	2·27	2·50	2·06	287	155	132	34	13	3	3	–	53	4	3	2	3	5	6	13	34	75	89
Diseases of Circulatory „	1·57	1·55	1·59	198	96	102	2	1	–	–	–	3	–	1	5	4	9	10	16	34	58	58
Diseases of Respiratory „	2·66	3·01	2·32	336	187	149	75	28	10	4	1	118	13	3	4	7	7	12	15	29	53	75
Diseases of Digestive „	1·17	1·14	1·20	148	71	77	10	13	1	–	–	24	2	2	2	2	5	7	15	29	36	24
Diseases of Urinary „	0·34	0·53	0·16	43	33	10	–	–	1	1	–	2	1	1	–	3	–	1	3	8	8	16
Diseases of Generative „	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–
Puerperal Fever	0·09	–	0·17	11	–	11	–	–	–	–	–	–	–	–	–	–	8	3	–	–	–	–
Childbirth	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	1	1	5	–	–	–	–
Violence	0·48	0·74	0·22	60	46	14	5	2	2	1	3	13	2	4	4	2	3	12	5	3	8	4
Other Causes	4·53	4·65	4·43	574	290	284	228	17	5	2	–	252	5	3	5	5	7	1	12	17	39	228

Marriages - - - 835

Births - Males - 1,869, Females - 1,763 } 3,632

Annual Rate per 1000 living { Persons Married 13·23; Births - - 28·77 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·96 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

240.—THETFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·28	†115	–	–	–	–	39·48	3·73	2·24	4·34	5·02	6·62	7·84	10·66	21·05	52·97	142·79
Annual Death-Rate per 1000. Males	—	14·70	†132	–	–	–	–	42·44	3·98	2·06	3·67	5·79	6·69	8·20	10·49	22·90	54·58	148·65
Annual Death-Rate per 1000. Females	—	13·88	† 98	–	–	–	–	36·33	3·47	2·41	5·12	4·27	6·55	7·50	10·82	19·28	51·37	137·29
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·14 per cent.	17,441	444	415	431	480	436	2206	2201	2013	1567	1236	2101	1811	1595	1311	942	458
Mean Population, 1881–91. Males		8,700	228	209	221	249	231	1138	1106	1019	844	604	987	878	791	642	469	222
Mean Population, 1881–91. Females		8,741	216	206	210	231	205	1068	1095	994	723	632	1114	933	804	669	473	236
Deaths from All Causes, 1881–90. Persons	17·25	3,008	594	150	57	39	31	871	82	45	68	62	139	142	170	276	499	654
Deaths from All Causes, 1881–90. Males	18·02	1,568	343	81	24	21	14	483	44	21	31	35	66	72	83	147	256	330
Deaths from All Causes, 1881–90. Females	16·47	1,440	251	69	33	18	17	388	38	24	37	27	73	70	87	129	243	324

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Measles	0·20	0·18	0·22	35	16	19	10	5	9	4	4	32	1	–	–	1	1	–	–	–	–
Scarlet Fever	0·14	0·07	0·21	24	6	18	2	2	4	6	1	15	6	–	–	1	1	–	–	1	–
Diphtheria	0·12	0·14	0·10	21	12	9	–	2	–	1	1	4	6	8	1	–	–	2	–	–	–
Whooping-cough	0·48	0·52	0·45	84	45	39	44	28	8	1	2	83	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·06	10	5	5	–	–	–	–	1	1	4	–	1	–	–	1	1	2	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·22	42	23	19	14	5	–	1	–	20	2	–	–	–	2	–	1	3	5
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·79	0·61	0·97	138	53	85	–	–	–	1	–	1	–	–	1	–	2	15	29	40	36
Tabes Mesenterica	0·12	0·15	0·09	21	13	8	7	9	2	–	1	19	–	–	–	2	–	–	–	–	–
Phthisis	1·37	1·32	1·43	240	115	125	7	5	–	1	1	14	7	6	32	23	52	45	28	23	8
Other Tub. & Scrof. Dis.	0·49	0·52	0·47	86	45	41	26	12	6	4	3	51	8	7	5	1	7	1	2	1	2
Diseases of Nervous System	2·40	2·34	2·46	419	204	215	66	11	2	3	4	86	10	2	8	3	4	9	14	51	108
Diseases of Circulatory	1·48	1·59	1·37	258	138	120	1	–	–	–	–	1	–	3	3	2	8	14	22	41	89
Diseases of Respiratory	2·67	2·97	2·38	466	258	208	99	54	16	8	4	181	14	1	1	6	9	10	24	38	83
Diseases of Digestive	1·42	1·47	1·37	248	128	120	47	12	5	2	4	70	6	7	5	5	10	12	19	28	49
Diseases of Urinary	0·51	0·63	0·39	89	55	34	4	–	1	–	–	5	1	1	–	1	4	5	4	13	37
Diseases of Generative	0·03	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–
Puerperal Fever	0·09	–	0·18	16	–	16	–	–	–	–	–	–	–	–	2	2	7	5	–	–	–
Childbirth	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	1	1	5	1	–	–	–
Violence	0·61	0·91	0·31	106	79	27	7	2	2	2	4	17	9	2	6	6	9	11	13	9	11
Other Causes	3·94	4·24	3·62	686	369	317	260	3	2	4	1	270	7	8	1	8	15	9	11	25	70

Marriages	1,040	Annual Rate per 1000 living: Persons Married	11·93	Deaths from Childbrth and Puerperal Fever 4·65 per 1000 Births.
Births: Males	2,595	Births	29·57	
Births: Females	2,563			
Births	5,158			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

241.—HIGHWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·74	†119	–	–	–	–	43·71	4·15	2·68	4·22	5·19	5·72	8·04	13·06	24·97	62·62	150·68
Annual Death-Rate per 1000. Males	—	15·82	†137	–	–	–	–	48·00	4·24	2·15	3·81	4·21	5·28	6·79	13·35	28·62	64·07	147·47
Annual Death-Rate per 1000. Females	—	15·65	†101	–	–	–	–	39·42	4·05	3·22	4·80	6·51	6·25	9·38	12·76	21·40	61·23	153·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 32·32 per cent.	41,533	1297	1286	1194	1232	1182	6191	5474	4671	3932	3682	6481	4625	3033	1926	1078	440
Mean Population, 1881–91. Males		21,714	658	637	600	625	576	3096	2711	2374	2308	2115	3507	2385	1521	954	526	217
Mean Population, 1881–91. Females		19,819	639	649	594	607	606	3095	2763	2297	1624	1567	2974	2240	1512	972	552	223
Deaths from All Causes, 1881–90. Persons	15·34	6,373	1748	552	192	123	91	2706	227	125	166	191	371	372	396	481	675	663
Deaths from All Causes, 1881–90. Males	15·24	3,309	1026	268	92	60	40	1486	115	51	88	89	185	162	203	273	337	320
Deaths from All Causes, 1881–90. Females	15·46	3,064	722	284	100	63	51	1220	112	74	78	102	186	210	193	208	338	343

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·34	0·36	0·32	142	78	64	29	50	23	13	6	121	15	2	–	2	1	1	–	–	–
Scarlet Fever	0·15	0·11	0·19	62	24	38	3	13	6	6	11	39	15	4	1	1	1	1	–	–	–
Diphtheria	0·07	0·06	0·09	30	13	17	1	–	2	4	8	15	14	–	–	–	–	–	–	1	–
Whooping-cough	0·19	0·17	0·22	80	37	43	38	24	11	5	1	79	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·21	73	31	42	1	–	1	4	3	9	10	12	12	5	14	5	4	1	1
Simple Continued Fever	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Diarrhœa and Dysentery	0·27	0·26	0·28	111	56	55	65	5	3	2	–	75	1	2	–	–	1	4	1	3	2
Cholera	0·00	0·00	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·43	0·26	0·61	177	56	121	–	–	–	–	–	–	–	1	–	–	4	21	46	49	40
Tabes Mesenterica	0·26	0·28	0·24	109	61	48	75	17	4	3	1	100	4	–	–	2	–	–	1	2	–
Phthisis	1·51	1·59	1·42	626	345	281	21	24	–	5	5	55	20	18	70	92	156	108	60	30	16
Other Tub. & Scrof. Dis.	0·42	0·47	0·36	173	101	72	64	29	14	10	8	125	16	12	6	4	6	2	1	1	–
Diseases of: Nervous System	2·13	2·15	2·11	885	466	419	270	49	18	10	8	355	24	24	18	19	19	30	43	85	129
Diseases of: Circulatory "	1·32	1·18	1·46	547	257	290	6	1	–	2	1	10	4	6	11	8	36	50	53	115	159
Diseases of: Respiratory "	3·46	3·51	3·41	1,438	762	676	420	241	82	40	31	814	62	14	15	17	37	43	72	78	149
Diseases of: Digestive "	0·98	1·04	0·91	406	226	180	110	47	9	5	4	175	15	5	7	7	8	26	45	40	54
Diseases of: Urinary "	0·42	0·45	0·38	173	97	76	11	12	4	3	1	31	6	4	4	7	13	17	21	24	27
Diseases of: Generative "	0·04	0·00	0·09	18	1	17	–	–	–	–	1	1	–	–	1	–	6	5	2	1	–
Puerperal Fever	0·09	–	0·19	37	–	37	–	–	–	–	–	–	–	–	–	7	19	11	–	–	–
Childbirth	0·06	–	0·13	25	–	25	–	–	–	–	–	–	–	–	1	5	10	9	–	–	–
Violence	0·43	0·59	0·24	177	129	48	28	6	9	7	–	50	11	11	8	3	15	15	17	19	18
Other Causes	2·58	2·62	2·59	1,080	567	513	605	34	6	4	2	651	9	10	10	12	25	24	29	32	80

Marriages - - - 2,737

Births - Males - 7,473; Females - 7,172 — 14,645

Annual Rate per 1000 living: Persons Married 13·18; Births - - 35·26

Deaths from Childbirth and Puerperal Fever - - - - - 4·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

242.—CRICKLADE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·87	†116	–	–	–	–	40·72	4·58	2·74	3·33	6·49	7·13	7·22	10·96	24·07	52·38	141·91
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·58	†121	–	–	–	–	44·27	4·26	3·58	1·61	6·47	6·85	4·97	10·44	26·89	47·39	143·23
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·13	†110	–	–	–	–	37·29	4·92	1·91	5·41	6·51	7·42	9·33	11·44	21·36	57·43	140·54
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·91 per cent.	11,559	330	294	311	299	291	1525	1505	1349	1021	863	1346	1163	1040	835	609	303
Mean Population, 1881–91. Males		5,789	164	141	154	147	144	750	774	670	559	433	672	563	498	409	306	155
Mean Population, 1881–91. Females		5,770	166	153	157	152	147	775	731	679	462	430	674	600	542	426	303	148
Deaths from All Causes, 1881–90. Persons	17·83	2,061	417	113	52	19	20	621	69	37	34	56	96	84	114	201	319	430
Deaths from All Causes, 1881–90. Males	17·78	1,029	225	63	27	8	9	332	33	24	9	28	46	28	52	110	145	222
Deaths from All Causes, 1881–90. Females	17·89	1,032	192	50	25	11	11	289	36	13	25	28	50	56	62	91	174	208

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·03	0·03	0·02	3	2	1
Measles	0·44	0·41	0·47	51	24	27
Scarlet Fever	0·05	0·07	0·03	6	4	2
Diphtheria	0·19	0·14	0·24	22	8	14
Whooping-cough	0·16	0·19	0·12	18	11	7
Typhus	0·01	–	0·02	1	–	1
Enteric Fever	0·13	0·09	0·17	15	5	10
Simple Continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·29	0·31	0·28	34	18	16
Cholera	–	–	–	–	–	–
Cancer	0·41	0·33	0·49	47	19	28
Tabes Mesenterica	0·45	0·52	0·38	52	30	22
Phthisis	1·70	1·52	1·87	196	88	108
Other Tub. & Scrof. Dis.	0·17	0·19	0·16	20	11	9
Diseases of Nervous System	2·40	2·45	2·34	277	142	135
Diseases of Circulatory „	1·96	1·83	2·08	226	106	120
Diseases of Respiratory „	3·32	3·61	3·03	384	209	175
Diseases of Digestive „	1·04	0·97	1·11	120	56	64
Diseases of Urinary „	0·44	0·59	0·29	51	34	17
Diseases of Generative „	0·08	–	0·16	9	–	9
Puerperal Fever	0·04	–	0·09	5	–	5
Childbirth	0·10	–	0·19	11	–	11
Violence	0·48	0·71	0·24	55	41	14
Other Causes	3·94	3·82	4·11	458	221	237

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Measles	13	12	7	5	3	40	7	3	1	–	–	–	–	–	–	–
Scarlet Fever	–	2	1	–	1	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	1	4	1	1	1	8	14	–	–	–	–	–	–	–	–	–
Whooping-cough	6	7	1	–	2	16	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	1	2	3	3	2	1	2	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	16	1	2	–	–	19	–	–	–	–	1	1	1	2	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	1	6	9	12	11	8
Tabes Mesenterica	23	13	6	–	1	43	5	–	1	1	–	1	–	–	1	–
Phthisis	14	9	4	1	–	28	6	8	16	24	43	25	18	19	9	–
Other Tub. & Scrof. Dis.	6	–	2	–	2	10	4	2	–	1	1	2	–	–	–	–
Nervous System	54	12	2	2	1	71	3	4	4	4	10	6	16	39	61	59
Circulatory „	–	–	1	–	–	1	3	1	1	4	5	11	17	39	86	58
Respiratory „	91	46	15	8	9	169	10	6	2	7	5	10	9	36	65	65
Digestive „	23	3	2	1	–	29	3	4	–	1	7	1	15	20	26	14
Urinary „	–	–	–	–	–	–	–	–	–	1	4	5	5	7	15	14
Generative „	–	–	–	–	–	–	–	–	–	1	2	–	1	3	1	1
Puerperal Fever	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	5	5	1	–	–	–
Violence	2	–	5	1	–	8	6	1	–	5	7	5	9	7	3	4
Other Causes	168	4	3	–	–	175	4	4	5	2	2	3	11	14	38	200

Marriages - - - 716

Births { Males - 1,859 / Females - 1,742 } 3,601

Annual Rate per 1000 living { Persons Married 12·39 / Births - - 31·15 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·44 per 1000 Births.

* *See pages* xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

243.—MALMESBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·81	†106	–	–	–	–	38·89	5·31	2·56	4·91	5·71	5·92	8·50	12·06	22·54	53·80	145·66
Annual Death-Rate per 1000. Males	—	14·93	†117	–	–	–	–	42·16	6·13	2·47	3·81	5·42	5·62	7·47	11·62	24·23	53·89	154·65
Annual Death-Rate per 1000. Females	—	14·69	† 95	–	–	–	–	35·65	4·50	2·65	6·09	6·00	6·19	9·46	12·46	20·96	53·72	137·30
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·61 per cent.	13,558	327	338	344	324	359	1692	1714	1560	1264	981	1639	1423	1211	1007	710	357
Mean Population, 1881–91. Males		6,670	161	166	172	160	183	842	848	769	656	498	783	683	585	487	347	172
Mean Population, 1881–91. Females		6,888	166	172	172	164	176	850	866	791	608	483	856	740	626	520	363	185
Deaths from All Causes, 1881–90. Persons	17·70	2,400	423	129	46	32	28	658	91	40	62	56	97	121	146	227	382	520
Deaths from All Causes, 1881–90. Males	18·17	1,212	235	64	22	15	19	355	52	19	25	27	44	51	68	118	187	266
Deaths from All Causes, 1881–90. Females	17·25	1,188	188	65	24	17	9	303	39	21	37	29	53	70	78	109	195	254

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·38	0·37	0·38	51	25	26	9	18	6	4	4	41	10	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·27	0·19	31	18	13	1	7	5	2	2	17	10	2	1	1	–	–	–	–	–	–
Diphtheria	0·21	0·25	0·16	28	17	11	1	1	5	2	2	11	14	2	1	–	–	–	–	–	–	–
Whooping-cough	0·24	0·21	0·26	32	14	18	14	12	1	4	–	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·13	0·22	24	9	15	–	–	1	1	–	2	8	2	1	2	–	3	3	1	2	–
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·38	0·42	0·33	51	28	23	21	1	1	2	–	25	1	–	–	–	–	2	1	3	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·42	0·22	0·61	57	15	42	–	–	–	–	–	–	–	–	–	–	1	4	11	14	17	10
Tabes Mesenterica	0·13	0·13	0·13	18	9	9	5	7	1	–	–	13	2	–	–	2	1	–	–	–	–	–
Phthisis	1·46	1·36	1·55	198	91	107	9	2	2	–	1	14	3	11	26	25	49	35	19	8	6	2
Other Tub. & Scrof. Dis.	0·10	0·12	0·09	14	8	6	3	1	–	1	1	6	2	2	1	1	1	–	–	–	–	1
Diseases of Nervous System	2·22	2·19	2·25	301	146	155	62	14	1	3	2	82	7	3	5	4	5	12	21	31	59	72
Diseases of Circulatory „	1·77	1·69	1·84	240	113	127	2	–	–	–	–	2	–	2	7	2	5	13	25	47	65	72
Diseases of Respiratory „	4·12	4·54	3·70	558	303	255	93	47	15	8	7	170	18	8	6	4	8	17	26	60	109	132
Diseases of Digestive „	1·21	1·18	1·23	164	79	85	27	8	–	2	1	38	3	1	3	4	4	8	14	29	42	18
Diseases of Urinary „	0·43	0·73	0·13	58	49	9	2	–	–	–	–	2	–	–	–	–	–	2	5	10	15	24
Diseases of Generative „	0·13	–	0·26	18	–	18	–	–	–	–	–	–	–	–	–	2	1	3	3	–	6	3
Puerperal Fever	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–
Childbirth	0·07	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	2	3	3	2	–	–	–
Violence	0·47	0·79	0·16	64	53	11	6	3	5	3	5	22	4	2	3	1	4	3	6	5	8	6
Other Causes	3·46	3·57	3·42	470	235	235	168	8	3	–	3	182	7	5	8	5	12	9	10	19	46	167

Marriages - - - 804

Births - Males - 2,016; Females - 1,978 } 3,994

Annual Rate per 1000 living { Persons Married 11·86; Births - - 29·46

Deaths from Childbirth and Puerperal Fever - - - - - } 5·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

244.—CHIPPENHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·35	† 99	–	–	–	–	36·06	3·63	2·43	3·98	4·60	6·82	8·86	12·33	23·75	57·08	139·84
Males	—	14·40	†110	–	–	–	–	37·30	3·86	2·07	2·88	4·02	5·85	9·81	14·77	25·73	58·17	144·26
Females	—	14·30	† 87	–	–	–	–	34·81	3·40	2·80	5·26	5·16	7·71	7·99	10·10	22·02	56·09	136·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·37 per cent.	21,439	511	523	552	557	525	2668	2700	2471	1934	1566	2726	2290	1971	1541	1060	512
Males		10,549	253	252	271	281	278	1335	1347	1258	1041	771	1299	1101	941	719	502	235
Females		10,890	258	271	281	276	247	1333	1353	1213	893	795	1427	1189	1030	822	558	277
Deaths from All Causes, 1881–90. Persons	16·74	3,588	631	180	81	41	29	962	98	60	77	72	186	203	243	366	605	716
Males	16·84	1,776	351	74	38	20	15	498	52	26	30	31	76	108	139	185	292	339
Females	16·64	1,812	280	106	43	21	14	464	46	34	47	41	110	95	104	181	313	377

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·14	28	13	15	4	10	10	1	–	25	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·12	0·10	24	13	11	2	2	4	6	2	16	8	–	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·11	0·16	29	12	17	1	2	4	3	4	14	10	4	–	–	1	–	–	–	–	–
Whooping-cough	0·28	0·24	0·31	59	25	34	28	15	6	3	2	54	5	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·06	13	7	6	–	–	1	–	1	2	1	2	–	3	3	–	1	1	–	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
Diarrhœa and Dysentery	0·16	0·23	0·09	34	24	10	14	4	2	–	–	20	1	–	1	–	1	1	–	1	6	3
Cholera	0·01	0·02	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·54	0·41	0·66	115	43	72	–	–	–	–	–	–	–	1	–	–	3	9	19	35	31	17
Tabes Mesenterica	0·18	0·20	0·16	38	21	17	18	10	2	1	1	32	1	2	1	2	–	–	–	–	–	–
Phthisis	1·32	1·20	1·44	284	127	157	5	2	6	2	1	16	1	7	34	35	82	8	38	16	7	–
Other Tub. & Scrof. Dis.	0·21	0·20	0·21	44	21	23	10	8	1	1	1	21	8	3	5	1	2	3	1	–	–	–
Diseases of Nervous System	2·20	2·15	2·25	472	227	245	73	19	9	4	1	106	11	10	6	2	10	29	29	58	122	79
Circulatory „	1·98	2·12	1·84	424	224	200	2	–	–	–	–	2	1	5	6	4	13	27	54	84	146	82
Respiratory „	3·12	2·90	3·34	670	306	364	140	75	22	9	9	264	21	7	2	4	13	20	36	63	124	116
Digestive „	1·10	1·03	1·17	236	109	127	33	18	–	2	–	53	7	6	4	5	13	21	23	38	41	25
Urinary „	0·43	0·59	0·28	93	62	31	2	1	–	–		4	2	1	1	2	1	8	9	21	26	18
Generative „	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	2	–	2	2	1	1	3	1
Puerperal Fever	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	1	1	7	1	–	–	–	–
Childbirth	0·06	–	0·12	13	–	13	–	–	–	–	–	–	–	–	1	4	4	4	–	–	–	–
Violence	0·51	0·78	0·26	110	82	28	7	3	3	4	2	19	9	4	6	5	13	9	11	12	12	10
Other Causes	4·08	4·34	3·83	875	457	418	283	10	11	5	4	313	8	8	7	4	18	20	20	25	87	365

Marriages - 1,235

Births - Males 3,198, Females 3,205 — 6,403

Annual Rate per 1000 living: Persons Married 11·52; Births 29·87

Deaths from Childbirth and Puerperal Fever 3·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

245.—CALNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·84	†84	–	–	–	–	31·96	4·73	3·48	4·81	6·71	6·59	6·12	11·67	21·34	50·65	159·20
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·91	†99	–	–	–	–	34·85	5·61	2·41	2·43	5·56	7·23	6·37	12·44	21·54	50·91	173·12
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·77	†69	–	–	–	–	29·13	3·83	4·52	7·41	7·81	6·04	5·90	10·98	21·15	50·41	147·22
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·79 per cent.	8,565	209	198	186	218	209	1020	1057	1007	790	626	1016	866	831	689	462	201
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·79 per cent.	4,166	102	93	88	111	111	505	535	498	412	306	470	408	394	325	220	93
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·79 per cent.	4,399	107	105	98	107	98	515	522	509	378	320	546	458	437	364	242	108
Deaths from All Causes, 1881–90. Persons	16·45	1,409	191	64	33	20	18	326	50	35	38	42	67	53	97	147	234	320
Deaths from All Causes, 1881–90. Males	16·73	697	114	30	17	8	7	176	30	12	10	17	34	26	49	70	112	161
Deaths from All Causes, 1881–90. Females	16·19	712	77	34	16	12	11	150	20	23	28	25	33	27	48	77	122	159

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·26	0·25	22	11	11	5	6	6	2	–	19	–	3	–	–	–	–	–	–
Scarlet Fever	0·51	0·58	0·45	44	24	20	3	3	7	6	6	25	14	4	1	–	–	–	–	–
Diphtheria	0·28	0·17	0·39	24	7	17	–	–	4	1	6	11	9	1	–	–	3	–	–	–
Whooping-cough	0·23	0·22	0·25	20	9	11	9	7	3	–	–	19	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·19	0·30	21	8	13	–	–	–	–	–	–	–	4	5	4	5	1	2	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·24	0·30	23	10	13	7	1	1	3	–	12	–	1	–	–	1	1	–	–
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Cancer	0·81	0·67	0·93	69	28	41	–	–	–	–	–	–	–	–	–	–	1	6	7	20
Tabes Mesenterica	0·05	0·02	0·07	4	1	3	–	2	–	–	–	2	1	1	–	–	–	–	–	–
Phthisis	1·21	1·13	1·30	104	47	57	1	–	–	–	–	1	2	8	11	23	28	12	12	4
Other Tub. & Scrof. Dis.	0·13	0·14	0·11	11	6	5	4	4	–	–	–	8	–	–	1	–	1	1	–	–
Diseases of Nervous System	2·22	2·28	2·16	190	95	95	25	8	2	1	1	37	7	–	4	2	7	8	14	23
Diseases of Circulatory "	1·88	1·63	2·11	161	68	93	–	–	–	–	–	–	1	3	3	–	1	4	25	35
Diseases of Respiratory "	2·87	3·07	2·68	246	128	118	54	22	5	4	4	89	9	2	2	1	1	5	7	21
Diseases of Digestive "	1·02	1·27	0·77	87	53	34	6	4	2	1	–	13	–	4	3	2	5	5	13	19
Diseases of Urinary "	0·36	0·46	0·27	31	19	12	–	–	–	–	–	–	1	–	1	–	2	1	6	6
Diseases of Generative "	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Puerperal Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth	0·07	–	0·14	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–
Violence	0·44	0·65	0·25	38	27	11	4	2	2	1	1	10	2	3	2	2	2	2	6	2
Other Causes	3·51	3·73	3·33	301	155	146	73	5	1	1	–	80	2	1	5	6	5	5	4	16

	75 and upwds.
Diseases of Nervous System	49
Diseases of Circulatory "	31
Diseases of Respiratory "	55
Diseases of Digestive "	7
Diseases of Urinary "	7
Diseases of Generative "	–
Puerperal Fever	–
Childbirth	–
Violence	3
Other Causes	146

Marriages - - - 549

Births - Males - 1,146; Females - 1,120 } 2,266

Annual Rate per 1000 living { Persons Married 12·82; Births - - 26·46

Deaths from Childbirth and Puerperal Fever - - - - - } 3·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

246.—MARLBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·97	†106	–	–	–	–	35·37	3·94	2·90	2·78	5·93	7·46	8·74	12·90	23·38	67·77	152·17
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·33	†122	–	–	–	–	40·39	3·61	2·58	3·26	5·03	7·35	7·22	15·32	23·08	71·13	155·84
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·63	† 89	–	–	–	–	30·74	4·28	3·30	2·01	6·67	7·55	10·17	10·72	23·67	64·47	148·81
Mean Population, 1881-91. Persons	Decennial Decrease of Population 11·28 per cent.	9,119	213	202	222	201	225	1063	1092	1136	1153	658	1073	915	814	663	391	161
Mean Population, 1881-91. Males		4,629	112	88	111	94	105	510	554	621	705	298	517	443	385	325	194	77
Mean Population, 1881-91. Females		4,490	101	114	111	107	120	553	538	515	448	360	556	472	429	338	197	84
Deaths from All Causes, 1881-90. Persons	15·93	1,453	261	56	26	16	17	376	43	33	32	39	80	80	105	155	265	245
Deaths from All Causes, 1881-90. Males	16·03	742	153	30	9	6	8	206	20	16	23	15	38	32	59	75	138	120
Deaths from All Causes, 1881-90. Females	15·84	711	108	26	17	10	9	170	23	17	9	24	42	48	46	80	127	125

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·21	0·22	0·20	19	10	9	4	5	2	3	1	15	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·22	0·22	20	10	10	–	2	3	4	5	14	2	2	1	–	–	–	–	1	–	–
Diphtheria	0·13	0·02	0·24	12	1	11	1	1	1	–	2	5	4	1	1	–	–	1	–	–	–	–
Whooping-cough	0·19	0·19	0·18	17	9	8	10	4	2	1	–	17	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Enteric Fever	0·03	0·04	0·02	3	2	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·20	19	10	9	7	2	1	1	3	14	2	–	–	–	–	1	2	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·50	0·62	51	23	28	–	–	–	–	–	–	–	–	–	–	1	3	9	9	18	11
Tabes Mesenterica	0·08	0·06	0·09	7	3	4	2	3	–	–	–	5	–	1	–	1	–	–	–	–	–	–
Phthisis	1·39	1·12	1·67	127	52	75	5	–	1	–	–	6	3	6	6	16	36	22	16	8	8	–
Other Tub. & Scrof. Dis.	0·26	0·30	0·22	24	14	10	3	3	2	–	–	8	5	4	–	3	1	1	1	–	–	1
Diseases of Nervous System	2·35	2·35	2·34	214	109	105	37	8	2	3	2	52	8	5	3	3	10	10	23	30	49	21
Diseases of Circulatory „	1·91	1·71	2·12	174	79	95	2	–	–	–	–	2	2	3	3	1	6	12	18	36	67	24
Diseases of Respiratory „	2·66	2·74	2·58	243	127	116	55	17	8	2	4	86	7	1	2	3	9	6	13	34	49	33
Diseases of Digestive „	1·02	1·17	0·87	93	54	39	24	9	1	–	–	34	2	1	7	1	2	5	5	12	16	8
Diseases of Urinary „	0·37	0·48	0·27	34	22	12	1	–	–	–	–	1	–	1	–	2	4	3	5	6	10	2
Diseases of Generative „	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Childbirth	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–
Violence	0·46	0·67	0·24	42	31	11	6	–	1	1	–	8	3	2	6	3	3	2	6	5	4	–
Other Causes	3·74	4·00	3·48	340	185	155	104	2	2	–	–	108	1	5	3	4	6	8	6	12	43	144

Marriages - 527

Births - Males - 1,251; Females - 1,220 — 2,471

Annual Rate per 100 living: Persons Married 11·56; Births - - 27·10

Deaths from Childbirth and Puerperal Fever - - - - - 2·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

247.—DEVIZES.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·99	†85	–	–	–	–	30·24	3·17	2·31	4·68	6·10	9·29	12·27	17·79	32·06	64·81	162·21
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·48	†96	–	–	–	–	33·57	3·70	1·85	4·10	5·83	9·76	13·08	22·00	33·33	65·66	155·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·53	†73	–	–	–	–	26·72	2·65	2·79	5·34	6·38	8·87	11·50	14·07	30·90	64·04	168·34
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·83 per cent.	20,137	493	484	495	489	456	2417	2462	2211	1837	1475	2497	2200	1877	1625	1057	479
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·83 per cent.	9,929	255	241	259	255	232	1242	1215	1137	975	738	1178	1070	882	774	498	220
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·83 per cent.	10,208	238	243	236	234	224	1175	1247	1074	862	737	1319	1130	995	851	559	259
Deaths from All Causes, 1881–90. Persons	19·14	3,855	472	134	63	35	27	731	78	51	86	90	232	270	334	521	685	777
Deaths from All Causes, 1881–90. Males	19·55	1,941	271	68	43	19	16	417	45	21	40	43	115	140	194	258	327	341
Deaths from All Causes, 1881–90. Females	18·75	1,914	201	66	20	16	11	314	33	30	46	47	117	130	140	263	358	436

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·19	0·19	0·19	38	19	19	4	14	5	4	2	29	7	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·05	0·12	17	5	12	2	2	2	–	3	9	6	1	–	1	–	–	–	–	–	–
Diphtheria	0·12	0·15	0·10	25	15	10	–	2	1	3	3	9	7	2	2	3	1	–	1	–	–	–
Whooping-cough	0·25	0·21	0·28	50	21	29	22	13	10	2	–	47	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·11	0·16	27	11	16	–	2	1	1	–	4	2	2	4	1	9	1	2	2	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·21	0·30	0·13	43	30	13	15	5	–	–	–	20	1	–	–	1	2	2	1	5	3	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·91	0·71	1·13	184	71	113	–	–	–	–	–	–	2	–	–	1	2	19	28	59	48	25
Tabes Mesenterica	0·10	0·13	0·07	20	13	7	11	3	–	1	–	15	–	2	–	2	–	1	–	–	–	–
Phthisis	1·90	2·16	1·65	382	214	168	4	1	1	–	2	8	5	5	25	42	93	67	63	45	24	5
Other Tub. & Scrof. Dis.	0·33	0·35	0·30	66	35	31	15	10	6	3	1	35	7	1	5	5	6	3	2	1	–	1
Diseases of Nervous System	3·46	3·78	3·15	697	375	322	60	12	11	4	3	90	8	8	13	11	35	62	90	107	163	110
Diseases of Circulatory „	3·02	2·76	3·28	609	274	335	1	–	–	1	1	3	4	9	6	1	21	28	62	108	204	163
Diseases of Respiratory „	3·19	3·41	2·97	642	339	303	141	46	20	9	9	225	13	2	8	4	19	25	27	83	101	135
Diseases of Digestive „	1·18	1·10	1·25	237	109	128	37	13	1	1	2	54	5	5	7	5	8	12	22	42	38	39
Diseases of Urinary „	0·61	0·81	0·42	123	80	43	2	1	2	–	–	5	–	1	2	4	8	12	13	34	20	24
Diseases of Generative „	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Puerperal Fever	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–	–
Childbirth	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	–	–	8	7	1	–	–	–
Violence	0·55	0·75	0·35	110	74	36	11	2	2	4	1	20	6	4	8	4	7	15	11	10	12	13
Other Causes	2·78	2·56	2·94	557	254	303	147	8	1	2	–	158	2	7	5	2	9	14	11	24	71	254

Marriages - - 1,255

Births - { Males - 2,814 / Females - 2,759 } 5,573

Annual Rate per 1000 living { Persons Married 12·46 / Births - - 27·68 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

248.—MELKSHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·10	†103	–	–	–	–	37·52	4·29	2·12	3·71	5·09	6·71	8·94	13·86	28·60	58·20	143·78
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·42	†109	–	–	–	–	40·51	4·53	1·75	3·61	3·72	6·10	9·68	15·51	32·74	58·62	144·89
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·79	†103	–	–	–	–	34·61	4·04	2·47	3·81	6·09	7·19	8·32	12·53	25·41	57·86	142·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·70 per cent.	18,321	444	437	448	465	418	2212	2216	2080	1831	1395	2383	2048	1645	1290	835	386
Mean Population, 1881–91. Males	Decennial Increase of Population 2·70 per cent.	8,486	220	206	227	238	200	1091	1103	1029	859	591	1033	930	735	562	377	176
Mean Population, 1881–91. Females	Decennial Increase of Population 2·70 per cent.	9,835	224	231	221	227	218	1121	1113	1051	972	804	1350	1118	910	728	458	210
Deaths from All Causes, 1881–90. Persons	16·86	3,089	553	155	46	39	37	830	95	44	68	71	160	183	228	369	486	555
Deaths from All Causes, 1881–90. Males	17·56	1,490	289	85	27	21	20	442	50	18	31	22	63	90	114	184	221	255
Deaths from All Causes, 1881–90. Females	16·26	1,599	264	70	19	18	17	388	45	26	37	49	97	93	114	185	265	300

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·31	0·33	0·29	57	28	29	12	20	8	4	2	46	8	1	–	–	2	–	–	–	–
Scarlet Fever	0·03	0·05	0·01	5	4	1	–	4	–	–	1	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·21	0·12	30	18	12	2	3	–	4	3	12	15	1	2	–	–	–	–	–	–
Whooping-cough	0·25	0·27	0·23	46	23	23	25	17	2	2	–	46	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·02	0·07	9	2	7	–	–	–	–	1	1	1	2	–	1	1	1	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·24	0·21	41	20	21	25	6	1	1	1	34	–	1	–	–	–	–	1	–	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·68	0·49	0·84	125	42	83	–	–	–	–	–	–	1	–	–	–	5	13	21	42	30
Tabes Mesenterica	0·51	0·59	0·44	93	50	43	64	13	–	4	–	81	9	1	–	–	–	1	–	–	–
Phthisis	1·54	1·64	1·46	283	139	144	–	1	–	1	–	2	9	12	26	37	68	59	35	25	9
Other Tub. & Scrof. Dis.	0·26	0·29	0·22	47	25	22	9	5	2	1	3	20	9	3	4	1	5	5	–	–	–
Diseases of Nervous System	2·47	2·45	2·48	452	208	244	61	14	11	3	8	97	9	3	9	1	9	20	30	72	102
Diseases of Circulatory „	1·86	2·12	1·63	340	180	160	1	–	–	–	–	1	3	4	4	1	9	16	37	77	103
Diseases of Respiratory „	3·31	3·57	3·08	606	303	303	143	57	12	12	10	234	17	4	5	3	17	13	35	67	111
Diseases of Digestive „	1·25	1·31	1·20	229	111	118	31	4	3	4	6	48	4	1	4	5	8	18	30	33	49
Diseases of Urinary „	0·42	0·46	0·39	77	39	38	1	–	–	–	–	1	3	1	4	5	6	7	11	9	21
Diseases of Generative „	0·08	0·01	0·13	14	1	13	–	–	–	–	–	–	–	–	–	–	1	2	2	4	4
Puerperal Fever	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	2	3	6	4	–	–	–
Childbirth	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	6	6	1	–	–
Violence	0·50	0·67	0·36	92	57	35	18	2	4	3	1	28	4	–	4	4	5	6	8	13	7
Other Causes	2·79	2·83	2·80	512	239	273	161	9	3	–	1	174	3	10	4	8	12	11	16	26	47

Marriages - - - 1,202

Births - { Males - 2,652 / Females - 2,561 } 5,213

Annual Rate per 1000 living { Persons Married 13·12 / Births - - 28·45 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

249.—BRADFORD-ON-AVON.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·40	†115	–	–	–	–	38·90	4·21	1·93	3·96	5·53	7·41	10·38	12·19	24·19	58·40	160·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·89	†131	–	–	–	–	43·61	4·01	1·44	3·34	2·94	8·32	10·20	14·18	25·35	60·89	173·56
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·94	†100	–	–	–	–	34·39	4·57	2·40	4·49	7·46	6·71	10·53	10·48	23·25	56·36	150·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·03 per cent.	10,420	275	256	277	276	276	1360	1284	1138	984	796	1349	1089	919	798	500	203
Mean Population, 1881–91. Males	Decennial Increase of Population 1·03 per cent.	4,837	127	140	139	134	125	665	649	555	449	340	589	500	423	355	225	87
Mean Population, 1881–91. Females	Decennial Increase of Population 1·03 per cent.	5,583	148	116	138	142	151	695	635	583	535	456	760	589	496	443	275	116
Deaths from All Causes, 1881–90. Persons	17·50	1,823	371	87	27	21	23	529	54	22	39	44	100	113	112	193	292	325
Deaths from All Causes, 1881–90. Males	18·34	887	211	51	12	10	6	290	26	8	15	10	49	51	60	90	137	151
Deaths from All Causes, 1881–90. Females	16·77	936	160	36	15	11	17	239	28	14	24	34	51	62	52	103	155	174

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·23	0·14	19	11	8	3	7	3	3	2	18	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	–	0·02	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·10	0·14	13	5	8	1	1	1	–	2	5	6	–	–	–	–	1	1	–	–	–
Whooping-cough	0·23	0·25	0·21	24	12	12	14	6	–	–	3	23	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·18	15	5	10	–	1	–	–	–	1	1	–	3	4	4	1	–	–	1	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·25	0·34	31	12	19	16	1	–	1	–	18	–	–	–	1	3	–	2	2	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·48	0·70	62	23	39	–	–	–	–	–	–	–	–	–	1	3	5	5	17	23	8
Tabes Mesenterica	0·16	0·17	0·16	17	8	9	9	2	1	1	–	13	2	–	2	–	–	–	–	–	–	–
Phthisis	1·32	1·36	1·25	136	66	70	–	1	–	–	1	2	4	3	12	13	35	35	17	10	4	1
Other Tub. & Scrof. Dis.	0·22	0·23	0·21	23	11	12	3	1	–	1	1	6	5	3	–	2	3	2	–	1	1	–
Diseases of Nervous System	2·02	2·07	1·97	210	100	110	44	8	2	2		60	6	4	4	2	1	12	16	30	46	29
Diseases of Circulatory „	2·24	2·23	2·24	233	108	125	–	–	–	–	–	–	1	1	3	5	9	13	21	49	69	62
Diseases of Respiratory „	3·35	3·74	3·01	349	181	168	81	40	12	6	7	146	11	2	1	3	12	11	16	32	58	57
Diseases of Digestive „	1·54	1·70	1·42	161	82	79	31	7	4	3	1	46	8	4	4	1	6	9	17	22	35	9
Diseases of Urinary „	0·38	0·45	0·32	40	22	18	1	–	–	–	–	1	1	–	–	1	1	4	2	11	12	7
Diseases of Generative „	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	1
Puerperal Fever	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–
Childbirth	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–
Violence	0·79	1·18	0·45	82	57	25	5	5	2	2	1	15	6	2	3	2	12	9	7	5	14	7
Other Causes	3·70	3·80	3·62	386	184	202	163	7	2	2	–	174	1	3	5	6	6	4	6	14	24	143

Marriages - - - 666

Births - Males - 1,615 } 3,213
Births - Females - 1,598 }

Annual Rate per 1000 living { Persons Married 12·78
Births - - 30·83

Deaths from Childbirth and Puerperal Fever - - - - - } 4·05 per 1000 Births.

* *See* pages xxxvi–xxxviii. † The death-rates under one year of age are per 1000 Births.
‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 733.

250.—WESTBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·27			† 96	–	–	–	–	29·91	2·48	2·65	2·58	5·73	5·55	6·46	15·30	23·33	55·96	151·97
Males	—			13·20			†103	–	–	–	–	31·74	2·12	2·79	2·26	5·33	5·78	5·70	15·97	20·95	59·29	163·64
Females	–			13·33			† 90	–	–	–	–	28·09	2·82	2·52	2·93	6·08	5·36	7·13	14·69	25·44	53·09	141·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·57 per cent.			10,408			257	248	269	250	280	1304	1250	1206	930	716	1207	1084	1000	853	604	254
Males				5,037			118	128	137	131	135	649	612	610	487	338	554	509	476	401	280	121
Females				5,371			139	120	132	119	145	655	638	596	443	378	653	575	524	452	324	133
Deaths from All Causes, 1881–90. Persons	16·63			1,731			268	74	26	16	6	390	31	32	24	41	67	70	153	199	338	386
Males	16·88			850			141	45	10	7	3	206	13	17	11	18	32	29	76	84	166	198
Females	16·40			881			127	29	16	9	3	184	18	15	13	23	35	41	77	115	172	188
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·20	0·13	17	10	7	2	9	2	1	1	15	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·08	0·04	6	4	2	–	2	1	1	–	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·08	0·09	9	4	5	–	–	1	2	1	4	3	–	–	1	–	–	–	1	–	–
Whooping-cough	0·24	0·18	0·30	25	9	16	14	9	2	–	–	25	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·12	0·11	12	6	6	4	2	1	–	–	7	–	–	–	–	–	–	1	–	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	0·58	1·08	87	29	58	–	–	–	–	–	–	–	–	–	–	–	6	15	15	37	14
Tabes Mesenterica	0·25	0·28	0·22	26	14	12	14	3	3	1	–	21	1	3	–	–	–	–	–	1	–	–
Phthisis	1·13	1·05	1·21	118	53	65	1	–	–	–	–	1	2	3	9	20	30	14	24	8	6	1
Other Tub. & Scrof. Dis.	0·18	0·28	0·09	19	14	5	2	8	1	1	1	13	3	–	–	2	–	1	–	–	–	–
Diseases of Nervous System	2·58	2·66	2·51	269	134	135	33	9	2	3	–	47	5	7	1	2	7	6	19	30	65	80
Circulatory „	2·79	2·40	3·15	290	121	169	–	–	–	–	–	–	1	5	2	1	7	14	35	52	108	65
Respiratory „	2·96	3·06	2·87	308	154	154	49	26	9	5	2	91	8	2	2	2	3	5	21	38	55	81
Digestive „	1·16	1·11	1·21	121	56	65	18	1	1	1	1	22	1	2	1	2	2	8	18	28	24	13
Urinary „	0·64	1·13	0·19	67	57	10	–	–	–	1	–	1	–	1	2	2	1	3	7	13	17	20
Generative „	0·03	0·02	0·04	3	1	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Childbirth	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–
Violence	0·48	0·77	0·20	50	39	11	9	2	3	–	–	14	2	5	3	1	5	4	6	3	5	2
Other Causes	2·75	2·86	2·66	287	144	143	122	3	–	–	–	125	1	3	2	3	6	4	6	10	20	107

Marriages - - - 654

Births - Males - 1,371; Females - 1,418 } 2,789

Annual Rate per 1000 living: Persons Married 12·57; Births - - 26·80

Deaths from Childbirth and Puerperal Fever - - - - - - 4·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

251.—WARMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·54	† 86	–	–	–	–	30·34	2·42	2·29	3·80	5·52	6·77	6·85	11·67	25·77	56·18	156·44
Males	—	14·08	†105	–	–	–	–	36·47	2·08	1·66	3·76	3·25	6·71	8·90	11·74	28·30	56·35	159·62
Females	—	13·02	† 66	–	–	–	–	24·27	2·76	3·01	3·85	7·54	6·82	5·14	11·61	23·49	56·02	153·53
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·81 per cent.	13,436	318	300	303	332	306	1559	1568	1572	1341	978	1596	1357	1268	1102	769	326
Males		6,551	150	150	148	173	155	776	771	842	718	461	745	618	579	523	362	156
Females		6,885	168	150	155	159	151	783	797	730	623	517	851	739	689	579	407	170
Deaths from All Causes, 1881–90. Persons	16·57	2,227	296	92	39	28	18	473	38	36	51	54	108	93	148	284	432	510
Males	17·23	1,129	186	53	20	12	12	283	16	14	27	15	50	55	68	148	204	249
Females	15·95	1,098	110	39	19	16	6	190	22	22	24	39	58	38	80	136	228	261

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·09	0·15	16	6	10	3	7	1	2	–	13	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·21	0·13	23	14	9	–	1	4	6	4	15	6	1	1	–	–	–	–	–	–	–
Diphtheria	0·07	0·05	0·09	9	3	6	–	1	1	1	1	4	3	1	1	–	–	–	–	–	–	–
Whooping-cough	0·27	0·23	0·31	36	15	21	14	10	5	2	3	34	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·06	0·13	13	4	9	–	–	–	–	–	–	–	4	3	2	–	–	1	–	2	1
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·18	0·23	28	12	16	7	5	1	1	–	14	1	–	–	–	–	–	1	1	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·49	0·90	94	32	62	–	–	–	–	–	–	1	–	–	1	2	9	18	28	24	11
Tabes Mesenterica	0·19	0·26	0·13	26	17	9	6	10	2	1	1	20	2	1	1	1	–	1	–	–	–	–
Phthisis	1·08	0·93	1·22	145	61	84	3	–	–	–	–	3	1	2	19	22	38	21	18	20	–	1
Other Tub. & Scrof. Dis.	0·28	0·26	0·31	38	17	21	7	6	1	1	1	16	7	6	2	2	3	–	1	1	–	–
Diseases of: Nervous System	2·17	2·20	2·14	291	144	147	38	3	5	–	1	47	3	4	4	2	4	7	25	41	95	59
Circulatory „	2·29	2·47	2·12	308	162	146	2	1	–	–	–	3	1	4	4	3	7	11	26	67	111	71
Respiratory „	2·89	3·14	2·64	388	206	182	79	27	12	7	3	128	2	1	5	4	10	12	21	48	78	79
Digestive „	1·09	1·21	0·97	146	79	67	19	11	2	1	1	34	2	–	3	4	6	6	12	24	29	26
Urinary „	0·69	0·96	0·44	93	63	30	–	1	–	1	–	2	–	1	–	3	7	9	13	18	22	18
Generative „	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	1	1	1	–	3	1	1
Puerperal Fever	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	1	7	3	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–	–
Violence	0·54	0·84	0·25	72	55	17	8	1	2	1	–	12	2	4	3	3	7	5	6	11	10	9
Other Causes	3·50	3·65	3·37	472	239	233	110	8	3	3	3	127	2	6	4	2	13	7	6	22	56	227

Marriages - - - 841

Births - { Males - 1,773 / Females - 1,682 } 3,455

Annual Rate per 1000 living { Persons Married 12·52 / Births - - 25·71

Deaths from Childbirth and Puerperal Fever - - - - - } 5·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

252.—PEWSEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·41	†108	–	–	–	–	35·26	2·90	2·23	2·91	6·07	5·88	9·28	14·36	24·74	55·77	149·07
Annual Death-Rate per 1000. Males	—	14·10	†116	–	–	–	–	38·59	3·58	1·72	2·50	4·07	6·39	8·30	12·50	25·11	53·28	153·80
Annual Death-Rate per 1000. Females	—	14·69	†100	–	–	–	–	31·98	2·23	2·76	3·49	8·19	5·37	10·21	16·21	24·39	58·38	144·51
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·56 per cent.	12,058	313	291	302	313	301	1520	1515	1388	1099	857	1428	1185	1093	966	685	322
Mean Population, 1881–91. Males		6,114	155	142	152	149	156	754	754	699	640	442	720	578	544	474	351	158
Mean Population, 1881–91. Females		5,944	158	149	150	164	145	766	761	689	459	415	708	607	549	492	334	164
Deaths from All Causes, 1881–90. Persons	17·81	2,147	380	71	33	30	22	536	44	31	32	52	84	110	157	239	382	480
Deaths from All Causes, 1881–90. Males	17·58	1,075	208	35	17	16	15	291	27	12	16	18	46	48	68	119	187	243
Deaths from All Causes, 1881–90. Females	18·03	1,072	172	36	16	14	7	245	17	19	16	34	38	62	89	120	195	237

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·05	0·17	13	3	10	3	1	5	1	1	11	–	2	–	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	5	3	2	–	–	2	1	1	4	1	–	–	–	–	–	–	–
Diphtheria	0·11	0·11	0·10	13	7	6	–	2	2	1	2	7	2	2	–	–	1	–	1	–
Whooping-cough	0·27	0·20	0·34	32	12	20	15	9	1	4	2	31	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·07	5	1	4	–	–	–	1	–	1	–	1	1	–	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·43	0·24	40	26	14	11	2	3	2	1	19	1	–	–	1	–	1	3	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	0·33	0·79	67	20	47	–	1	–	–	–	1	–	–	–	–	–	6	15	19
Tabes Mesenterica	0·11	0·08	0·13	13	5	8	5	2	1	–	–	8	–	3	2	–	–	–	–	–
Phthisis	1·35	1·16	1·55	163	71	92	4	2	2	–	–	8	4	4	10	20	43	30	26	12
Other Tub. & Scrof. Dis.	0·32	0·36	0·29	39	22	17	12	8	–	4	1	25	5	–	3	–	1	–	1	3
Diseases of: Nervous System	2·64	2·54	2·74	318	155	163	44	5	2	2	4	57	6	4	3	1	2	10	21	47
Diseases of: Circulatory „	2·79	2·45	3·13	336	150	186	–	–	–	–	–	–	2	3	3	8	4	14	26	54
Diseases of: Respiratory „	2·90	3·24	2·56	350	198	152	80	24	7	7	7	125	10	–	–	2	9	14	11	43
Diseases of: Digestive „	1·19	1·28	1·09	143	78	65	27	3	1	–	–	31	3	2	2	1	6	3	20	24
Diseases of: Urinary „	0·62	0·70	0·54	75	43	32	3	–	1	–	–	4	1	–	–	5	2	9	6	11
Diseases of: Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1	–
Puerperal Fever	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	4	–	3	–	–
Childbirth	0·07	–	0·15	9	–	9	–	–	–	–	–	–	–	–	1	3	2	3	–	–
Violence	0·66	0·97	0·35	80	59	21	10	3	3	4	–	20	4	4	3	3	4	3	10	12
Other Causes	3·60	3·61	3·56	434	222	212	166	9	3	3	3	184	4	6	4	4	9	10	15	13

Marriages	703	Annual Rate per 1000 living: Persons Married	11·66	Deaths from Childbirth and Puerperal Fever	4·54 per 1000 Births.
Births: Males 1,793	3,521	Births	29·20		
Females 1,728					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

253.—AMESBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 14·37	† 99	–	–	–	–	32·90	3·27	1·49	2·97	4·94	6·76	6·90	13·47	22·91	57·84	200·00
Annual Death-Rate per 1000. Males	—	Standard 14·17	†109	–	–	–	–	36·39	3·70	1·07	2·19	3·53	6·03	5·63	13·06	23·18	65·41	200·00
Annual Death-Rate per 1000. Females	—	Population* 14·55	† 87	–	–	–	–	29·61	2·82	1·98	4·05	6·37	7·47	8·07	13·89	22·65	50·27	200·00
Mean Population. 1881–91. Persons	Decennial Decrease of Population, 9·01 per cent.	7,250	170	166	186	176	156	854	857	873	707	506	873	739	720	611	370	140
Mean Population. 1881–91. Males		3,685	83	78	95	84	75	415	432	469	411	255	431	355	360	302	185	70
Mean Population. 1881–91. Females		3,565	87	88	91	92	81	439	425	404	296	251	442	384	360	309	185	70
Deaths from All Causes, 1881–90. Persons	16·68	1,209	191	44	26	13	7	281	28	13	21	25	59	51	97	140	214	280
Deaths from All Causes, 1881–90. Males	16·66	614	108	21	12	5	5	151	16	5	9	9	26	20	47	70	121	140
Deaths from All Causes, 1881–90. Females	16·69	595	83	23	14	8	2	130	12	8	12	16	33	31	50	70	93	140

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·11	0·11	8	4	4	1	1	4	–	–	6	–	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·06	0·05	0·06	4	2	2	1	–	1	–	–	2	–	1	1	–	–	–	–	–	–	–
Diphtheria	0·10	0·11	0·08	7	4	3	–	1	–	–	–	1	3	–	–	1	1	1	–	–	–	–
Whooping-cough	0·30	0·19	0·42	22	7	15	15	3	3	–	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·03	0·06	3	1	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Simple Continued Fever	0·04	–	0·08	3	–	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·15	0·16	0·14	11	6	5	1	3	1	–	–	5	–	–	–	–	–	–	–	–	–	6
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·27	0·90	42	10	32	–	–	–	–	–	–	–	–	–	–	1	2	6	14	12	7
Tabes Mesenterica	0·06	0·11	–	4	4	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	1	–
Phthisis	1·24	1·22	1·26	90	45	45	1	–	–	1	–	2	1	2	9	10	20	16	15	11	4	–
Other Tub. & Scrof. Dis.	0·26	0·22	0·31	19	8	11	4	1	–	1	–	6	6	4	1	1	–	–	1	–	–	–
Diseases of Nervous System	2·58	2·69	2·47	187	99	88	22	5	1	2	2	32	2	–	–	1	6	2	19	22	52	51
Diseases of Circulatory „	2·62	2·69	2·55	190	99	91	–	–	–	–	–	–	–	–	2	1	4	6	26	34	63	54
Diseases of Respiratory „	3·34	3·53	3·14	242	130	112	51	18	11	4	2	86	6	–	2	3	2	7	12	24	43	57
Diseases of Digestive „	1·16	1·14	1·18	84	42	42	9	4	–	1	–	14	3	2	2	4	5	5	5	15	17	12
Diseases of Urinary „	0·51	0·62	0·39	37	23	14	–	–	–	–	–	–	1	2	–	2	1	1	4	5	7	14
Diseases of Generative „	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
Puerperal Fever	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·12	–	0·25	9	–	9	–	–	–	–	–	–	–	–	–	–	6	3	–	–	–	–
Violence	0·44	0·65	0·22	32	24	8	7	1	4	1	1	14	–	–	2	–	3	–	4	3	4	2
Other Causes	2·85	2·87	2·82	206	106	100	79	6	1	3	1	90	2	1	–	1	8	2	5	11	10	76

Marriages - - - 444

Births - { Males - 988, Females - 949 } 1,937

Annual Rate per 1000 living { Persons Married 12·25, Births - - 26·72 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·20 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

254.—ALDERBURY.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·90	†100	–	–	–	–	35·92	3·41	2·59	3·92	5·10	8·54	14·01	19·38	32·82	62·56	168·26
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·96	†113	–	–	–	–	41·15	3·55	2·74	3·23	5·04	8·77	15·66	22·47	33·33	65·58	187·44
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·89	† 86	–	–	–	–	30·65	3·28	2·46	4·52	5·14	8·36	12·56	16·80	32·37	60·03	154·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·29 per cent.	27,875	666	658	662	654	648	3288	3164	3083	2860	2433	3862	3026	2471	1932	1274	482
Mean Population, 1881–91. Males		13,068	331	323	338	326	332	1650	1549	1498	1333	1052	1768	1418	1126	894	581	199
Mean Population, 1881–91. Females		14,807	335	335	324	328	316	1638	1615	1585	1527	1381	2094	1608	1345	1038	693	283
Deaths from All Causes, 1881–90. Persons	18·22	5,080	779	229	85	53	35	1181	108	80	112	124	330	424	479	634	797	811
Deaths from All Causes, 1881–90. Males	19·54	2,553	452	132	39	31	25	679	55	41	43	53	155	222	253	298	381	373
Deaths from All Causes, 1881–90. Females	17·07	2,527	327	97	46	22	10	502	53	39	69	71	175	202	226	336	416	438

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
Measles	0·18	0·18	0·18	49	23	26	12	14	9	6	3	44	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·06	0·04	14	8	6	–	1	4	3	1	9	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·11	0·16	39	15	24	1	1	3	5	2	12	12	8	3	1	1	–	2	–	–	–
Whooping-cough	0·35	0·37	0·32	97	49	48	49	28	7	9	2	95	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	20	9	11	–	–	–	–	–	–	1	–	3	4	4	4	3	1	–	–
Simple Continued Fever	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Diarrhœa and Dysentery	0·28	0·28	0·28	78	37	41	44	7	3	1	2	57	–	–	–	–	3	1	2	3	5	7
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·78	0·52	1·01	217	68	149	–	–	–	–	–	–	1	–	–	3	2	19	41	55	59	37
Tabes Mesenterica	0·11	0·13	0·09	31	17	14	5	5	4	1	1	16	4	5	–	2	1	–	1	–	1	1
Phthisis	1·76	1·84	1·69	490	240	250	–	1	–	–	–	1	6	11	41	41	125	116	74	48	23	4
Other Tub. & Scrof. Dis.	0·25	0·30	0·20	69	39	30	7	13	4	1	2	27	11	9	10	4	4	1	1	1	–	1
Diseases of Nervous System	3·45	3·92	3·06	963	512	451	124	41	12	7	5	189	18	10	11	13	70	108	102	141	177	124
Diseases of Circulatory "	2·25	2·32	2·19	628	303	325	3	1	–	–	1	5	4	5	13	10	19	56	72	122	187	135
Diseases of Respiratory "	2·89	3·23	2·59	805	422	383	190	93	31	14	9	337	19	1	7	5	18	30	47	77	145	119
Diseases of Digestive "	1·01	1·12	0·92	282	146	136	32	9	1	–	–	42	5	1	9	7	8	24	49	55	52	30
Diseases of Urinary "	0·58	0·69	0·49	162	90	72	1	1	1	–	1	4	–	2	2	2	17	16	24	36	34	25
Diseases of Generative "	0·06	0·02	0·11	18	2	16	1	–	–	–	–	1	–	–	–	1	1	3	6	4	1	1
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	–	3	12	8	–	–	–	–
Childbirth	0·08	–	0·15	22	–	22	–	–	–	–	–	–	–	–	1	5	11	5	–	–	–	–
Violence	0·45	0·73	0·20	126	96	30	14	2	5	5	4	30	11	6	1	7	11	11	16	16	9	8
Other Causes	3·38	3·60	3·15	939	470	469	296	12	1	1	2	312	7	19	11	14	22	22	37	74	102	319

Marriages - - - 1,996

Births - { Males - 4,013 / Females - 3,800 } 7,813

Annual Rate per 1000 living { Persons Married 14·32 / Births - - 28·03 }

Deaths from Childbirth and Puerperal Fever - - - - 5·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 733.

255.—WILTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·01	†88	–	–	–	–	30·79	2·96	2·22	3·23	5·08	5·46	6·91	11·61	22·57	57·90	138·49
Males	—	12·27	†93	–	–	–	–	29·55	2·57	1·57	2·14	5·48	5·20	6·57	12·56	22·03	56·18	141·28
Females	—	13·71	†84	–	–	–	–	32·07	3·33	2·93	4·58	4·70	5·70	7·21	10·71	23·10	59·57	136·15
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 3·47 per cent.	10,072	260	242	232	249	251	1234	1252	1218	928	709	1191	1042	913	802	544	239
Males		5,026	137	122	114	124	129	626	622	637	513	347	577	487	446	395	267	109
Females		5,046	123	120	118	125	122	608	630	581	415	362	614	555	467	407	277	130
Deaths from All Causes, 1881–90. Persons	15·69	1,580	240	70	34	20	16	380	37	27	30	36	65	72	106	181	315	331
Males	14·92	750	128	29	12	8	8	185	16	10	11	19	30	32	56	87	150	154
Females	16·45	830	112	41	22	12	8	195	21	17	19	17	35	40	50	94	165	177

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	12	3	9	1	5	3	1	–	10	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·03	0·02	0·04	3	1	2	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·16	17	9	8	1	2	–	1	3	7	7	2	–	1	–	–	–	–	–	–
Whooping-cough	0·34	0·26	0·42	34	13	21	15	13	5	1	–	34	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·02	0·12	7	1	6	–	–	1	–	–	1	–	–	2	–	1	–	–	1	2	–
Simple Continued Fever	0·05	0·06	0·04	5	3	2	–	–	–	–	1	1	–	–	1	–	–	–	1	–	2	–
Diarrhœa and Dysentery	0·12	0·08	0·16	12	4	8	4	2	–	1	–	7	–	–	–	–	–	1	–	–	2	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·46	0·79	63	23	40	–	–	–	–	–	–	–	–	–	–	–	6	8	16	23	10
Tabes Mesenterica	0·10	0·16	0·04	10	8	2	5	–	–	1	–	6	2	–	2	–	–	–	–	–	–	–
Phthisis	1·08	0·98	1·19	109	49	60	1	1	–	–	–	2	2	7	9	13	31	18	19	8	–	–
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	26	14	12	10	3	2	2	1	18	6	–	–	–	2	–	–	–	–	–
Diseases of Nervous System	2·20	2·09	2·32	222	105	117	36	8	4	2	3	53	2	6	2	4	8	8	20	32	54	33
Circulatory „	2·13	1·83	2·42	214	92	122	1	1	–	–	1	3	1	3	4	2	3	11	20	44	76	47
Respiratory „	2·51	2·85	2·18	253	143	110	62	16	12	6	4	100	6	2	–	2	4	8	8	27	49	47
Digestive „	0·83	0·84	0·83	84	42	42	6	5	1	1	–	13	1	1	1	1	1	3	7	16	28	11
Urinary „	0·63	0·58	0·67	63	29	34	–	–	–	–	–	–	1	1	1	2	3	5	5	14	22	9
Generative „	0·09	0·04	0·14	9	2	7	–	–	–	–	–	–	–	–	–	2	–	1	1	2	2	1
Puerperal Fever	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Violence	0·50	0·72	0·28	50	36	14	4	3	5	1	2	15	2	2	1	1	3	5	7	6	4	4
Other Causes	3·71	3·41	3·99	375	173	202	94	11	–	3	–	108	4	3	7	5	3	3	10	15	50	167

Marriages - - 693

Births - Males - 1,376; Females - 1,340 — 2,716

Annual Rate per 1000 living: Persons Married 13·76; Births - - 26·97

Deaths from Childbirth and Puerperal Fever - - - - - 4·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

256.—TISBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·29			†80	–	–	–	–	29·05	2·55	2·10	3·59	6·50	5·12	7·09	11·43	25·60	57·33	160·87
Males	—			12·98			†91	–	–	–	–	33·27	2·77	1·31	1·98	4·12	3·44	7·73	11·08	25·71	56·14	177·17
Females	—			13·58			†68	–	–	–	–	24·86	2·32	2·91	5·67	9·01	6·77	6·50	11·76	25·49	58·52	144·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·62 per cent.			8,951			220	210	229	234	212	1105	1138	1048	808	662	1055	917	866	711	457	184
Males				4,517			106	106	118	109	111	550	578	533	455	340	523	440	424	354	228	92
Females				4,434			114	104	111	125	101	555	560	515	353	322	532	477	442	357	229	92
Deaths from All Causes, 1881–90. Persons	15·66			1,402			198	66	28	16	13	321	29	22	29	43	54	65	99	182	262	296
Males	15·72			710			114	38	16	9	6	183	16	7	9	14	18	34	47	91	128	163
Females	15·61			692			84	28	12	7	7	138	13	15	20	29	36	31	52	91	134	133
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·18	0·24	0·11	16	11	5	4	6	2	2	–	14	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·01	0·02	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·13	0·09	10	6	4	–	–	–	–	–	–	6	3	1	–	–	–	–	–	–	–
Whooping-cough	0·10	0·13	0·07	9	6	3	4	2	–	1	1	8	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·10	0·11	0·09	9	5	4	4	1	–	–	1	6	1	–	–	–	1	–	–	1	–	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·57	0·51	0·63	51	23	28	–	–	1	–	–	1	–	–	–	–	–	3	11	16	16	4
Tabes Mesenterica	0·39	0·38	0·41	35	17	18	11	10	5	–	1	27	1	1	1	2	1	–	2	–	–	–
Phthisis	1·24	1·00	1·49	111	45	66	1	–	–	2	–	3	–	3	11	25	19	15	19	12	3	1
Other Tub. & Scrof. Dis.	0·26	0·15	0·36	23	7	16	6	–	2	1	4	13	3	2	–	–	1	1	1	2	–	–
Diseases of: Nervous System	2·29	2·30	2·28	205	104	101	40	5	8	1	2	56	1	2	5	2	3	13	15	24	50	34
Circulatory „	2·35	2·24	2·46	210	101	109	–	–	–	–	–	–	–	4	4	2	3	8	14	43	75	57
Respiratory „	2·88	3·23	2·53	258	146	112	41	32	4	7	1	85	11	2	–	–	6	5	11	30	48	60
Digestive „	0·87	0·82	0·92	78	37	41	10	2	3	–	–	15	1	3	1	3	1	5	6	17	22	4
Urinary „	0·96	1·00	0·92	86	45	41	–	–	–	–	–	–	–	–	2	–	6	2	3	17	26	30
Generative „	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1
Puerperal Fever	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Childbirth	0·10	–	0·20	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Violence	0·53	0·69	0·36	47	31	16	5	1	1	1	1	9	1	–	1	3	3	2	8	8	6	6
Other Causes	2·60	2·71	2·49	232	122	110	72	7	2	1	1	83	1	2	3	3	4	5	7	10	15	99

Marriages - - - 537
Births. - { Males - 1,248 / Females - 1,235 } 2,483

Annual Rate per 1000 living { Persons Married 12·00 / Births - - 27·74 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

257.—MERE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·89			†90	–	–	–	–	31·79	4·07	2·75	3·62	5·63	6·66	8·33	12·61	22·22	57·51	146·15
Males	—			14·48			†99	–	–	–	–	36·60	4·15	3·38	2·34	4·29	6·79	9·06	12·86	25·37	60·42	151·25
Females	—			13·32			†81	–	–	–	–	27·01	4·00	2·08	4·98	6·82	6·55	7·75	12·39	19·41	54·73	142·16
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·07 per cent.			7,053			165	175	168	165	167	840	884	799	663	497	841	720	658	576	393	182
Males				3,399			81	80	86	90	81	418	434	414	342	233	383	320	311	272	192	80
Females				3,654			84	95	82	75	86	422	450	385	321	264	458	400	347	304	201	102
Deaths from All Causes, 1881–90. Persons	16·96			1,196			171	44	24	19	9	267	36	22	24	28	56	60	83	128	226	266
Males	17·77			604			95	29	13	12	4	153	18	14	8	10	26	29	40	69	116	121
Females	16·20			592			76	15	11	7	5	114	18	8	16	18	30	31	43	59	110	145
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·06	0·14	7	2	5	1	1	2	–	–	4	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·51	0·47	0·55	33	16	20	3	3	4	4	5	19	10	3	–	4	–	–	–	–	–	–
Diphtheria	0·11	0·15	0·08	8	5	3	–	–	1	1	–	2	3	2	1	–	–	–	–	–	–	–
Whooping-cough	0·20	0·26	0·14	14	9	5	5	3	4	1	–	13	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·13	0·12	0·14	9	4	5	3	1	–	1	–	5	–	–	–	–	–	–	–	1	1	2
Cholera	0·03	0·06	–	2	2	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·71	0·57	45	24	21	–	–	–	–	–	–	–	–	1	–	–	7	7	12	12	6
Tubes Mesenterica	0·11	0·06	0·16	8	2	6	3	1	–	1	–	5	–	–	1	–	2	–	–	–	–	–
Phthisis	1·30	1·27	1·34	92	43	49	–	–	1	–	1	2	1	3	7	13	31	16	11	6	2	–
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	22	12	10	6	4	2	–	1	13	1	2	2	1	2	1	–	–	–	–
Diseases of Nervous System	2·20	2·62	1·81	155	89	66	29	8	1	2	–	40	2	3	3	1	3	2	14	21	29	37
Circulatory „	2·65	2·44	2·85	187	83	104	–	–	–	1	–	1	3	3	3	2	4	10	18	34	65	44
Respiratory „	3·29	3·83	2·79	232	130	102	48	17	7	5	2	79	5	1	–	1	6	2	10	18	62	48
Digestive „	0·98	0·97	0·99	69	33	36	6	4	–	1	–	11	3	2	1	1	2	6	7	15	10	11
Urinary „	0·45	0·65	0·27	32	22	10	–	–	–	–	–	–	3	–	–	–	–	3	3	8	12	3
Generative „	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Puerperal Fever	0·04	–	0·08	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·06	–	0·11	4	–	4	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
Violence	0·40	0·38	0·14	28	23	5	4	1	1	1	–	7	–	–	2	–	2	2	4	3	3	5
Other Causes	3·40	3·04	3·69	239	104	135	62	1	1	–	–	64	2	3	3	1	1	8	8	9	30	110

Marriages - - - 446
Births - { Males - 955, Females - 941 } 1,896

Annual Rate per 1000 living { Persons Married 12·65, Births - - 26·88 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

258.—SHAFTESBURY.

Causes of Death.	Crude Death-rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·28	†79	–	–	–	–	30·74	4·89	3·01	4·17	4·49	5·57	9·05	11·00	21·24	51·51	141·74
Annual Death-Rate per 1000. Males	—					13·29	†88	–	–	–	–	32·86	4·36	2·79	2·71	3·74	5·43	8·22	11·95	21·65	59·45	147 55
Annual Death-Rate per 1000. Females	—					13·27	†70	–	–	–	–	28·53	5·46	3·23	5·60	5·11	5·69	9·74	10·20	20·87	44·71	137·08
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·49 per cent.			12,251			286	298	302	317	316	1519	1471	1430	1198	890	1472	1260	1127	932	631	321
Mean Population, 1881-91. Males				5,897			139	152	159	170	156	776	757	718	591	401	681	572	519	448	291	143
Mean Population, 1881-91. Females				6,354			147	146	143	147	160	743	714	712	607	489	791	688	608	484	340	178
Deaths from All Causes, 1881-90. Persons	16·08			1,970			269	98	41	36	23	467	72	43	50	40	82	114	124	198	325	455
Deaths from All Causes, 1881-90. Males	16·38			966			155	46	23	23	8	255	33	20	16	15	37	47	62	97	173	211
Deaths from All Causes, 1881-90. Females	15·89			1,004			114	52	18	13	15	212	39	23	34	25	45	67	62	101	152	244
	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·29	0·22	31	17	14	5	12	4	4	–	25	4	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·20	0·20	25	12	13	1	–	3	2	3	9	9	5	1	–	–	1	–	–	–	–
Diphtheria	0·37	0·34	0·39	45	20	25	1	2	3	4	3	13	21	6	2	–	2	–	1	–	–	–
Whooping-cough	0·23	0·27	0·19	28	16	12	17	6	2	2	1	28	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·08	0·14	0·03	10	8	2	–	–	–	1	2	3	–	3	–	–	–	–	–	–	2	2
Diarrhœa and Dysentery	0·19	0·20	0·17	23	12	11	16	2	–	–	–	18	1	–	–	–	–	–	1	–	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·41	1·02	89	24	65	–	–	–	–	–	–	–	1	3	–	–	7	10	33	21	14
Tabes Mesenterica	0·11	0·09	0·13	13	5	8	3	2	2	–	1	8	–	–	–	1	–	2	1	1	–	–
Phthisis	1·18	0·97	1·37	144	57	87	–	2	–	–	–	2	2	7	19	19	41	24	11	6	11	2
Other Tub. & Scrof. Dis.	0·30	0·31	0·30	37	18	19	2	6	4	4	3	19	3	3	2	1	4	1	2	1	1	–
Diseases of Nervous System	2·12	2·24	2·02	260	132	128	29	7	5	3	2	46	7	3	5	3	4	13	22	38	58	61
Diseases of Circulatory "	2·06	2·32	1·81	252	137	115	1	–	–	–	–	2	2	1	3	1	4	15	20	42	76	86
Diseases of Respiratory "	3·08	3·36	2·82	377	198	179	70	35	10	13	5	133	11	4	–	2	4	17	19	31	70	86
Diseases of Digestive "	0·85	0·88	0·82	104	52	52	7	5	1	1	1	15	5	1	1	1	2	9	11	15	25	19
Diseases of Urinary "	0·50	0·58	0·42	61	34	27	2	2	–	–	–	4	1	–	1	1	–	4	7	12	19	12
Diseases of Generative "	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	1
Puerperal Fever	0·10	–	0·19	12	–	12	–	–	–	–	–	–	–	–	1	3	2	6	–	–	–	–
Childbirth	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	–
Violence	0·42	0·66	0·20	52	39	13	5	2	2	1	1	11	1	1	4	2	3	3	8	7	8	4
Other Causes	3·18	3·12	3·26	392	185	207	110	14	5	1	1	131	4	6	7	4	9	9	11	12	31	168

Marriages - - - 758

Births - Males - 1,770 } 3,397
Females - 1,627 }

Annual Rate per 1000 living { Persons Married 12·37
Births - - 27·73 }

Deaths from Childbirth and Puerperal Fever - - - - } 5·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

259.—STURMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·05	†90	–	–	–	–	32·75	4·64	2·52	4·46	6·93	6·69	8·29	13·45	22·22	56·61	129·69
Annual Death-Rate per 1000. Males	—	14·40	†98	–	–	–	–	34·67	4·62	2·22	4·25	7·12	4·80	9·98	14·15	23·08	60·00	152·99
Annual Death-Rate per 1000. Females	—	13·72	†81	–	–	–	–	30·87	4·66	2·82	4·67	6·78	8·21	6·86	12·84	21·48	53·31	110·07
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·65 per cent.	9,816	243	235	255	240	236	1209	1207	1109	897	736	1256	1025	885	729	507	256
Mean Population, 1881-91. Males		4,665	126	111	129	119	115	600	606	541	447	323	562	471	410	338	250	117
Mean Population, 1881-91. Females		5,151	117	124	126	121	121	609	601	568	450	413	694	554	475	391	257	139
Deaths from All Causes, 1881-90. Persons	16·71	1,640	258	70	27	20	21	396	56	28	40	51	84	85	119	162	287	332
Deaths from All Causes, 1881-90. Males	17·77	829	141	37	13	7	10	208	28	12	19	23	27	47	58	78	150	179
Deaths from All Causes, 1881-90. Females	15·74	811	117	33	14	13	11	188	28	16	21	28	57	38	61	84	137	153

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·30	0·16	22	14	8	2	7	3	1	2	15	4	1	–	–	2	–	–	–	–
Scarlet Fever	0·23	0·21	0·25	23	10	13	–	4	1	5	4	14	8	1	–	–	–	–	–	–	–
Diphtheria	0·13	0·15	0·12	13	7	6	1	1	2	2	1	7	4	1	–	–	1	–	–	–	–
Whooping-cough	0·20	0·19	0·21	20	9	11	12	6	–	2	–	20	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·04	0·04	4	2	2	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·22	0·19	0·25	22	9	13	9	2	–	–	–	11	–	–	–	–	3	–	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·75	0·87	80	35	45	–	–	–	–	–	–	–	–	–	1	–	4	13	24	26
Tabes Mesenterica	0·08	0·06	0·10	8	3	5	–	4	–	1	–	5	1	1	–	1	–	–	–	–	–
Phthisis	1·58	1·54	1·61	155	72	83	–	1	1	–	2	4	4	3	16	24	43	23	24	9	5
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	37	18	19	6	6	3	–	1	16	7	8	4	–	1	1	–	–	–
Diseases of Nervous System	2·31	2·49	2·16	227	116	111	41	7	3	2	–	53	6	5	3	6	4	5	13	25	55
Diseases of Circulatory „	2·27	2·16	2·37	223	101	122	–	–	–	–	–	–	2	2	5	3	4	12	16	41	77
Diseases of Respiratory „	2·54	3·02	2·10	249	141	108	50	23	8	5	8	94	11	–	1	3	3	7	13	21	47
Diseases of Digestive „	0·84	1·01	0·68	82	47	35	15	1	–	–	3	19	1	–	4	2	5	4	8	13	16
Diseases of Urinary „	0·70	0·90	0·52	69	42	27	–	1	–	1	–	2	1	–	–	–	3	3	15	10	23
Diseases of Generative „	0·09	0·02	0·16	9	1	8	–	–	–	–	–	–	–	–	1	–	1	3	–	1	3
Puerperal Fever	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	–	3	3	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–
Violence	0·57	0·90	0·27	56	42	14	2	2	1	–	–	5	4	3	3	1	2	8	8	7	6
Other Causes	3·36	3·45	3·22	327	160	167	120	5	5	1	–	131	3	2	2	10	4	8	9	9	28

Marriages - - - 716

Births - { Males - 1,433 / Females - 1,438 } 2,871

Annual Rate per 1000 living { Persons Married 14·59 / Births - - - 29·25

Deaths from Childbirth and Puerperal Fever - - - - - } 4·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

260.—BLANDFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 12·93	†86	–	–	–	–	29·10	3·14	2·69	4·18	4·09	6·12	7·43	10·57	20·75	56·60	150·97
Annual Death-Rate per 1000. Males	—	13·11	†98	–	–	–	–	32·10	3·56	2·39	2·83	5·07	6·78	7·36	11·28	21·39	52·79	157·45
Annual Death-Rate per 1000. Females	—	12·77	†74	–	–	–	–	26·04	2·70	3·02	5·68	3·13	5·54	7·49	9·94	20·17	60·16	145·51
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·62 per cent.	13,555	310	288	320	321	314	1553	1591	1524	1341	1077	1716	1373	1268	1099	705	308
Mean Population, 1881–91. Males		6,678	162	148	159	168	148	785	814	796	707	533	796	652	594	519	341	141
Mean Population, 1881–91. Females		6,877	148	140	161	153	166	768	777	728	634	544	920	721	674	580	364	167
Deaths from All Causes, 1881–90. Persons	15·32	2,076	296	73	34	25	24	452	50	41	56	44	105	102	134	228	399	465
Deaths from All Causes, 1881–90. Males	15·41	1,029	175	40	17	11	9	252	29	19	20	27	54	48	67	111	180	222
Deaths from All Causes, 1881–90. Females	15·22	1,047	121	33	17	14	15	200	21	22	33	17	51	54	67	117	219	243

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·15	0·15	20	10	10	5	5	–	4	3	17	1	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·07	0·10	0·03	9	7	2	–	2	1	1	2	6	1	2	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·21	0·10	21	14	7	–	1	1	2	4	8	5	6	2	–	–	–	–	–	–	–
Whooping-cough	0·22	0·18	0·26	30	12	18	12	9	2	1	2	26	3	–	–	–	–	–	–	–	–	1
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·08	0·07	10	5	5	–	–	–	–	–	–	–	4	2	–	3	1	–	–	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·37	0·29	45	25	20	12	6	2	1	1	22	3	–	–	–	1	2	1	–	5	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	0·34	0·65	68	23	45	–	–	–	–	–	–	–	–	–	–	–	9	11	15	22	11
Tabes Mesenterica	0·13	0·10	0·15	17	7	10	5	2	2	1	–	10	3	1	2	1	–	–	–	–	–	–
Phthisis	1·17	1·15	1·19	159	77	82	1	1	–	1	1	4	2	5	20	16	40	26	25	18	1	2
Other Tub. & Scrof. Dis.	0·27	0·24	0·31	37	16	21	8	3	4	1	1	17	6	2	4	2	2	1	1	–	2	–
Diseases of Nervous System	2·53	2·38	2·68	343	159	184	42	5	5	–	3	55	3	5	7	3	8	12	16	44	94	96
Diseases of Circulatory „	1·70	1·68	1·73	231	112	119	1	–	–	1	–	2	1	3	3	4	6	9	26	46	72	59
Diseases of Respiratory „	3·03	3·26	2·81	411	218	193	70	20	14	8	3	115	10	3	1	3	12	9	16	36	98	108
Diseases of Digestive „	1·03	1·02	1·05	140	68	72	16	4	1	2	–	23	1	1	5	2	7	7	10	30	36	18
Diseases of Urinary „	0·47	0·66	0·29	64	44	20	–	–	–	–	–	–	1	–	1	3	7	7	5	11	13	16
Diseases of Generative „	0·11	–	0·22	15	–	15	–	–	–	–	–	–	–	–	1	–	3	–	2	5	4	–
Puerperal Fever	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–
Childbirth	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
Violence	0·38	0·57	0·19	51	38	13	6	3	2	–	1	12	3	4	1	4	5	5	4	4	6	3
Other Causes	2·90	2·92	2·84	390	194	196	118	12	–	2	3	135	7	4	6	4	4	8	17	19	46	140

Marriages - - - 824

Births - { Males - 1,790 / Females - 1,641 } 3,431

Annual Rate per 1000 living { Persons Married 12·16 / Births - - 25·31

Deaths from Childbirth and Puerperal Fever - - - - - } 4·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

261.—WIMBORNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·08	†84	–	–	–	–	31·68	2·80	2·46	4·09	5·71	5·87	6·71	10·17	21·21	55·44	142·71
Annual Death-Rate per 1000. Males	—	13·00	†95	–	–	–	–	33·90	3·07	2·34	3·14	4·90	6·94	6·32	10·19	22·66	53·71	138·92
Annual Death-Rate per 1000. Females	—	13·16	†74	–	–	–	–	29·41	2·52	2·59	5·17	6·46	4·91	7·05	10·16	19·94	57·14	146·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·34 per cent.	17,439	438	430	430	464	435	2197	2145	1953	1613	1330	2247	1819	1543	1301	900	391
Mean Population, 1881–91. Males		8,624	226	210	214	235	224	1109	1074	1026	859	633	1066	854	746	609	445	203
Mean Population, 1881–91. Females		8,815	212	220	216	229	211	1088	1071	927	754	697	1181	965	797	692	455	188
Deaths from All Causes, 1881–90. Persons	15·43	2,690	436	155	51	38	16	696	60	48	66	76	132	122	157	276	499	558
Deaths from All Causes, 1881–90. Males	15·70	1,354	247	72	31	16	10	376	33	24	27	31	74	54	76	138	239	282
Deaths from All Causes, 1881–90. Females	15·16	1,336	189	83	20	22	6	320	27	24	39	45	58	68	81	138	260	276

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·16	0·17	29	14	15	6	9	4	4	–	23	1	2	–	2	1	–	–	–	–
Scarlet Fever	0·10	0·10	0·09	17	9	8	2	3	3	2	1	11	4	–	–	1	1	–	–	–	–
Diphtheria	0·08	0·08	0·08	14	7	7	–	–	3	3	–	6	4	2	–	1	1	–	–	–	–
Whooping-cough	0·27	0·23	0·31	47	20	27	21	20	4	1	1	47	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·14	0·13	0·16	25	11	14	4	4	1	1	–	10	2	1	–	–	1	–	–	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·70	0·91	140	60	80	–	–	–	–	–	–	–	–	–	–	4	7	21	44	38
Tabes Mesenterica	0·09	0·07	0·11	16	6	10	5	3	2	–	1	11	2	–	1	1	–	–	1	–	–
Phthisis	1·27	1·24	1·29	221	107	114	1	4	2	–	–	7	3	8	24	32	54	40	29	14	7
Other Tub. & Scrof. Dis.	0·28	0·35	0·20	48	30	18	16	9	7	2	2	36	3	2	3	1	3	–	–	–	–
Diseases of Nervous System	2·36	2·23	2·50	412	192	220	59	24	3	7	3	96	9	10	7	8	11	6	23	39	91
Diseases of Circulatory „	2·21	2·24	2·19	386	193	193	1	–	1	–	–	2	1	5	5	5	6	12	30	63	137
Diseases of Respiratory „	2·93	3·04	2·82	511	262	249	121	56	12	12	3	204	14	3	2	5	7	13	16	44	83
Diseases of Digestive „	0·90	0·92	0·88	157	79	78	16	7	1	2	1	27	2	3	6	1	6	9	14	22	52
Diseases of Urinary „	0·48	0·64	0·32	83	55	28	–	–	–	–	–	–	2	1	2	1	3	4	4	17	29
Diseases of Generative „	0·06	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	1	–	2	2	4	–
Puerperal Fever	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–
Childbirth	0·09	–	0·17	15	–	15	–	–	–	–	–	–	–	–	–	2	6	7	–	–	–
Violence	0·46	0·71	0·22	80	61	19	2	5	3	2	3	15	5	7	3	4	9	8	6	9	6
Other Causes	2·66	2·81	2·53	465	243	222	182	11	5	2	1	201	8	4	11	8	15	12	11	16	50

Persons.

Marriages - - - 1,128

Births - Males - 2,606; Females - 2,554 — 5,160

Annual Rate per 1000 living: Persons Married 12·94; Births - - 29·59

Deaths from Childbirth and Puerperal Fever - - - - - 4·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

262.—POOLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·96	†106	–	–	–	–	39·94	4·05	2·68	3·98	5·40	6·69	8·35	12·87	25·74	50·55	147·40
Males	—	15·79	†116	–	–	–	–	44·05	3·65	2·02	3·85	6·78	5·98	9·05	14·62	27·27	57·26	161·87
Females	—	14·19	† 95	–	–	–	–	35·89	4·43	3·30	4·11	4·26	7·32	7·73	11·28	24·35	45·13	136·70
Mean Population, 1881–91. Persons	Decennial Increase of Population 38·03 per cent.	22,267	617	582	618	584	581	2982	2768	2542	2086	1889	3184	2478	1873	1321	817	327
Males		10,687	314	290	299	289	288	1480	1363	1239	1064	856	1489	1171	889	627	365	139
Females		11,580	303	292	319	295	293	1502	1400	1303	1022	1033	1695	1307	984	694	452	188
Deaths from All Causes, 1881–90. Persons	15·50	3,452	734	268	78	63	48	1191	112	68	83	102	213	207	241	340	413	482
Males	16·43	1,756	408	149	43	26	26	652	50	25	41	58	89	106	130	171	209	225
Females	14·65	1,696	326	119	35	37	22	539	62	43	42	44	124	101	111	169	204	257

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	0·01	5	4	1	1	–	–	–	–	1	–	–	–	–	2	–	1	–	1	–
Measles	0·25	0·31	0·19	55	33	22	11	25	9	2	3	50	1	1	1	2	–	–	–	–	–	–
Scarlet Fever	0·13	0·12	0·15	30	13	17	2	6	3	3	2	16	7	4	1	–	1	–	1	–	–	–
Diphtheria	0·17	0·14	0·19	37	15	22	–	5	4	4	2	15	18	2	–	–	1	1	–	–	–	–
Whooping-cough	0·28	0·23	0·33	63	25	38	23	19	6	8	4	60	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·06	0·14	22	6	16	–	–	–	–	–	–	3	4	2	2	3	4	3	–	1	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·42	0·40	0·43	93	43	50	44	14	–	–	1	59	1	1	–	1	1	2	3	6	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·35	0·79	129	37	92	–	–	–	–	1	1	–	1	1	–	4	8	32	41	35	6
Tabes Mesenterica	0·08	0·10	0·06	18	11	7	8	4	–	–	–	12	1	2	2	1	–	–	–	–	–	–
Phthisis	1·50	1·43	1·56	334	153	181	10	8	3	4	–	25	5	12	26	50	97	57	33	16	11	2
Other Tub. & Scrof. Dis.	0·37	0·47	0·29	83	50	33	17	16	7	5	6	51	12	6	6	2	4	1	–	1	–	–
Diseases of Nervous System	2·30	2·72	1·91	512	291	221	138	26	9	11	4	188	14	6	10	5	18	19	36	64	81	71
Circulatory „	1·15	1·16	1·15	257	124	133	2	–	–	1	–	3	2	8	8	8	8	23	29	59	56	53
Respiratory „	2·78	3·20	2·40	620	342	278	176	95	22	13	10	316	8	3	6	6	11	28	28	54	91	69
Digestive „	0·92	0·93	0·91	204	99	105	28	18	6	6	3	61	10	5	2	3	12	13	21	35	21	21
Urinary „	0·35	0·50	0·22	78	53	25	1	3	1	–	3	8	3	2	4	1	4	5	9	13	13	16
Generative „	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	–	4	1	1	3	1	–
Puerperal Fever	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	–	2	4	4	1	–	–	–
Childbirth	0·06	–	0·12	14	–	14	–	–	–	–	–	–	–	–	1	1	6	6	–	–	–	–
Violence	0·60	0·97	0·25	133	104	29	7	7	5	5	2	26	13	6	5	10	15	14	16	11	9	8
Other Causes	3·32	3·29	3·33	740	352	388	266	22	3	1	6	298	11	4	8	8	18	21	26	36	87	223

Marriages - - - 1,598

Births - Males - 3,506; Females - 3,424 } 6,930

Annual Rate per 1000 living: Persons Married 14·35; Births - - 31·12

Deaths from Childbirth and Puerperal Fever - - - - - 3·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

263.—WAREHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·66			†90	–	–	–	–	33·39	3·80	2·13	4·31	5·75	6·46	9·37	10·47	21·05	49·57	146·63
Males	—						†98	–	–	–	–	36·97	3·59	1·91	4·45	5·08	6·90	10·96	10·28	22·68	51·28	142·16
Females	—						†82	–	–	–	–	29·80	3·99	2·35	4·16	6·39	6·05	7·87	10·64	19·62	48·04	150·94
Mean Population, 1881-91. Persons	Decennial Decrease of Population 2·16 per cent.			16,763			431	436	439	439	429	2174	2055	1876	1531	1252	2167	1782	1490	1197	823	416
Males				8,225			214	211	227	226	212	1090	1002	940	809	610	1043	867	710	560	390	204
Females				8,538			217	225	212	213	217	1084	1053	936	722	642	1124	915	780	637	433	212
Deaths from All Causes, 1881-90. Persons	16·20			2,715			457	156	55	27	31	726	78	40	66	72	140	167	156	252	408	610
Males	16·79			1,381			252	88	34	14	15	403	36	18	36	31	72	95	73	127	200	290
Females	15·62			1,334			205	68	21	13	16	323	42	22	30	41	68	72	83	125	208	320
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·12	0·12	0·12	20	10	10	9	4	3	–	3	19	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·08	17	10	7	1	1	1	2	2	7	4	2	2	–	1	1	–	–	–	–
Diphtheria	0·23	0·17	0·28	38	14	24	–	4	1	1	4	10	18	7	2	–	–	–	–	–	–	1
Whooping-cough	0·24	0·18	0·29	40	15	25	21	15	2	–	1	39	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·18	0·18	30	15	15	–	1	–	1	2	4	6	3	5	2	5	1	1	2	–	1
Simple Continued Fever	0·02	0·01	0·04	4	1	3	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·21	0·28	0·14	35	23	12	12	4	2	–	–	18	–	1	–	1	1	–	1	–	2	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·45	0·57	86	37	49	–	–	–	–	–	–	1	–	–	–	1	6	14	21	22	21
Tubes Mesenterica	0·16	0·21	0·10	26	17	9	12	6	3	1	1	23	1	1	–	–	–	–	1	–	–	–
Phthisis	1·54	1·40	1·68	258	115	143	5	4	4	2	–	15	–	3	22	35	69	58	23	16	14	3
Other Tub. & Scrof. Dis.	0·38	0·35	0·40	63	29	34	16	16	3	1	2	38	9	6	3	1	2	2	1	1	–	–
Diseases of Nervous System	2·06	1·99	2·13	346	164	182	72	17	4	3	1	97	8	1	5	6	5	9	25	36	67	87
Circulatory "	1·97	2·01	1·93	330	165	165	2	1	1	–	–	4	3	4	2	5	9	20	17	66	113	87
Respiratory "	3·14	3·44	2·86	527	283	244	101	57	21	13	8	200	11	3	4	4	11	14	16	35	79	150
Digestive "	1·17	1·18	1·16	196	97	99	26	13	4	–	3	46	4	–	3	1	4	9	19	29	43	38
Urinary "	0·41	0·53	0·28	68	44	24	–	–	–	–	1	1	–	–	4	1	4	12	10	10	13	13
Generative "	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–
Puerperal Fever	0·02	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	1	–	2	9	–	–	–	–
Violence	0·61	0·97	0·27	103	80	23	8	4	1	2	1	16	5	6	10	8	13	11	6	13	5	10
Other Causes	3·01	3·19	2·85	505	261	244	172	9	5	1	2	189	5	2	3	7	9	15	19	21	48	187

Marriages - - - 1,119

Births { Males - 2,569, Females - 2,515 } 5,084

Annual Rate per 1000 living { Persons Married 13·35, Births - - 30·33 }

Deaths from Childbirth and Puerperal Fever - - - - 3·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

264.—WEYMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·65	†108	–	–	–	–	41·25	3·40	2·19	3·79	4·71	5·78	8·74	14·10	24·30	49·85	135·87
Males	—	15·56	†124	–	–	–	–	46·49	3·11	1·94	4·11	4·82	6·16	9·94	14·74	22·57	57·58	143·80
Females	—	13·79	† 93	–	–	–	–	35·93	3·70	2·45	3·41	4·60	5·34	7·42	13·50	25·90	43·82	130·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·90 per cent.	32,325	718	667	684	642	678	3389	3293	3283	3532	3224	4966	3753	2858	2082	1340	605
Males		16,556	368	333	345	336	326	1708	1672	1648	1947	1723	2680	1961	1391	997	587	242
Females		15,769	350	334	339	306	352	1681	1621	1635	1585	1501	2286	1792	1467	1085	753	363
Deaths from All Causes, 1881-90. Persons	15·10	4,882	881	298	103	71	45	1398	112	72	134	152	287	328	403	506	668	822
Males	15·20	2,517	514	162	56	33	29	794	52	32	80	83	165	195	205	225	388	348
Females	15·00	2,365	367	136	47	38	16	604	60	40	54	69	122	133	198	281	330	474

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·46	0·46	0·46	150	77	73	25	48	28	22	13	136	13	–	1	–	–	–	–	–	–
Scarlet Fever	0·07	0·10	0·05	24	16	8	–	4	5	3	2	14	7	3	–	–	–	–	–	–	–
Diphtheria	0·07	0·05	0·08	22	9	13	–	2	–	4	4	10	7	1	2	1	1	–	–	–	–
Whooping-cough	0·16	0·16	0·16	52	26	26	20	23	3	1	1	48	4	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·21	0·21	0·22	69	34	35	–	1	1	1	–	3	11	7	8	9	11	7	6	4	2
Simple Continued Fever	0·03	0·02	0·04	9	3	6	–	–	1	1	–	2	–	3	–	2	–	–	–	1	1
Diarrhœa and Dysentery	0·43	0·46	0·41	140	76	64	83	9	3	1	1	97	1	–	2	1	3	3	4	8	8
Cholera	0·01	–	0·02	3	–	3	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·38	0·68	171	63	108	–	–	–	1	–	1	–	–	1	3	3	19	39	50	32
Tabes Mesenterica	0·11	0·14	0·08	36	24	12	15	6	2	3	1	27	4	2	–	–	1	1	1	–	–
Phthisis	1·15	1·20	1·10	373	199	174	4	10	2	–	1	17	2	14	38	60	91	65	46	32	7
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	75	40	35	19	11	6	3	2	41	12	3	7	2	4	2	2	1	–
Diseases of Nervous System	2·23	2·17	2·29	720	359	361	146	30	7	5	2	190	18	7	12	10	24	30	59	78	146
Circulatory "	1·71	1·56	1·86	552	259	293	1	–	–	–	–	1	2	6	9	9	27	44	82	97	160
Respiratory "	2·90	2·98	2·82	938	494	444	203	101	26	19	12	361	13	7	20	10	22	36	51	97	141
Digestive "	1·05	1·14	0·95	338	188	150	62	26	8	1	2	99	4	3	2	8	19	34	35	48	46
Urinary "	0·47	0·57	0·36	152	95	57	2	–	–	–	–	2	–	3	3	1	11	22	25	28	31
Generative "	0·07	0·01	0·14	23	1	22	1	–	–	–	–	1	–	–	–	2	2	3	3	11	1
Puerperal Fever	0·02	–	0·05	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–
Childbirth	0·07	–	0·15	23	–	23	–	–	–	–	–	–	–	–	–	5	10	8	–	–	–
Violence	0·58	0·96	0·18	188	159	29	12	6	3	2	4	27	6	4	12	18	29	30	24	11	15
Other Causes	2·54	2·38	2·68	815	394	421	287	21	7	4	–	319	8	9	16	9	25	22	26	40	78

Marriages	2,163	Annual Rate per 1000 living: Persons Married	13·38	Deaths from Childbirth and Puerperal Fever 3·82 per 1000 Births.
Births: Males	4,157	Births	25·13	
Females	3,967			
Total Births	8,124			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

265.—DORCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·42	† 97	–	–	–	–	35·65	3·68	2·46	4·01	5·62	7·64	11·91	14·29	27·64	56·99	152·56
Males	—	16·13	†108	–	–	–	–	39·61	3·48	2·35	3·53	5·73	7·31	13·59	16·41	29·10	60·28	160·40
Females	—	14·74	† 87	–	–	–	–	31·66	3·89	2·58	4·59	5·50	7·94	10·39	12·37	26·29	54·10	145·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·63 per cent.	24,687	580	606	578	604	597	2965	2770	2639	2491	2048	3366	2669	2226	1751	1216	546
Males		12,205	300	310	293	302	282	1487	1381	1320	1359	1029	1641	1273	1054	842	569	250
Females		12,482	280	296	285	302	315	1478	1389	1319	1132	1019	1725	1396	1172	909	647	296
Deaths from All Causes, 1881–90. Persons	17·59	4,342	678	213	69	62	35	1057	102	65	100	115	257	318	318	484	693	833
Males	18·27	2,230	386	114	36	39	14	589	48	31	48	59	120	173	173	245	343	401
Females	16·92	2,112	292	99	33	23	21	468	54	34	52	56	137	145	145	239	350	432

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·30	0·26	70	37	33	12	23	10	8	2	55	11	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·08	0·04	0·12	20	5	15	–	4	1	1	1	7	11	1	–	–	1	–	–	–	–	–
Diphtheria	0·15	0·20	0·11	38	24	14	–	2	3	6	2	13	14	7	1	–	1	2	–	–	–	–
Whooping-cough	0·22	0·24	0·20	54	29	25	22	19	5	4	1	51	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	18	9	9	–	–	–	–	–	–	1	1	2	5	4	–	2	2	1	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·22	0·22	0·22	55	27	28	21	4	2	–	1	28	–	–	1	–	–	2	2	3	6	13
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·53	0·75	159	65	94	–	–	1	1	–	2	–	2	1	4	7	11	33	40	32	27
Tabes Mesenterica	0·11	0·08	0·14	27	10	17	7	5	4	–	–	16	3	3	1	–	2	1	–	1	–	–
Phthisis	1·96	1·88	2·03	483	230	253	7	1	3	1	1	13	9	5	46	49	122	86	59	46	38	10
Other Tub. & Scrof. Dis.	0·26	0·33	0·19	64	40	24	9	15	3	4	2	33	8	6	6	5	–	3	1	2	–	–
Diseases of Nervous System	3·09	3·43	2·76	762	418	344	131	29	6	6	8	180	10	9	9	13	29	51	60	100	166	135
Circulatory „	2·20	2·20	2·20	544	269	275	2	–	–	2	–	4	2	5	7	4	9	37	51	100	168	157
Respiratory „	2·99	3·22	2·76	738	393	345	167	83	16	18	11	295	12	5	7	6	14	31	38	78	120	132
Digestive „	0·98	0·96	0·99	241	117	124	32	7	2	–	1	42	7	2	2	5	10	20	18	44	59	32
Urinary „	0·49	0·57	0·41	121	70	51	–	–	–	1	–	1	2	–	5	2	7	19	16	32	26	11
Generative „	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	–	1	2	4	1	3	2
Puerperal Fever	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	–	1	9	9	1	–	–	–
Violence	0·47	0·66	0·28	115	80	35	10	3	5	5	4	27	4	4	3	6	13	10	8	16	12	12
Other Causes	3·17	3·34	3·01	781	407	374	258	18	8	5	1	290	4	12	7	12	20	29	25	19	62	301

Marriages - - - 1,760

Births - { Males - 3,589, Females - 3,375 } 6,964

Annual Rate per 1000 living { Persons Married 14·26, Births - - 28·21 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

266.—SHERBORNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·52	†89	–	–	–	–	31·41	3·91	2·13	3·20	5·09	4·86	8·10	12·56	25·43	57·28	141·12
Annual Death-Rate per 1000. Males	—	14·28	†99	–	–	–	–	34·16	3·29	2·09	2·48	6·88	5·35	9·25	15·07	26·02	62·54	153·68
Annual Death-Rate per 1000. Females	—	12·79	†79	–	–	–	–	28·76	4·52	2·18	4·02	3·75	4·46	7·21	10·48	24·95	52·84	130·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·46 per cent.	12,539	305	282	298	287	302	1474	1407	1452	1373	1022	1544	1333	1131	881	618	304
Mean Population, 1881–91. Males		5,947	135	143	149	142	154	723	699	704	727	436	692	584	511	392	283	136
Mean Population, 1881–91. Females		6,592	170	139	149	145	148	751	708	688	646	586	852	749	620	489	335	168
Deaths from All Causes, 1881–90. Persons	15·77	1,977	297	95	32	22	17	463	55	31	44	52	75	108	142	224	354	429
Deaths from All Causes, 1881–90. Males	16·65	990	166	46	18	10	7	247	23	16	18	30	37	54	77	102	177	209
Deaths from All Causes, 1881–90. Females	14·97	987	131	49	14	12	10	216	32	15	26	22	38	54	65	122	177	220

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·27	0·26	33	16	17	5	14	7	1	–	27	4	–	1	–	–	1	–	–	–	–
Scarlet Fever	0·17	0·15	0·18	21	9	12	2	2	2	6	3	15	4	2	–	–	–	–	–	–	–	–
Diphtheria	0·18	0·24	0·12	22	14	8	1	2	2	2	3	10	10	2	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·13	0·20	21	8	13	9	7	1	–	1	18	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·11	12	5	7	–	–	–	–	–	–	–	2	3	1	–	1	1	1	2	1
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·24	0·14	23	14	9	9	–	–	–	–	9	–	–	–	1	–	1	–	1	7	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·49	0·80	82	29	53	–	–	–	–	–	–	–	–	–	–	–	3	18	23	29	9
Tabes Mesenterica	0·06	0·07	0·06	8	4	4	2	2	–	–	–	4	–	1	1	–	2	–	–	–	–	–
Phthisis	1·04	1·18	0·93	131	70	61	1	2	–	–	–	3	–	2	11	24	37	23	17	8	5	1
Other Tub. & Scrof. Dis.	0·18	0·20	0·15	22	12	10	3	3	3	1	1	11	3	3	1	–	2	1	–	1	–	–
Diseases of Nervous System	2·16	2·25	2·08	271	134	137	44	16	3	–	1	64	7	1	5	3	4	9	16	38	63	61
Diseases of Circulatory „	1·79	1·80	1·79	225	107	118	–	–	–	–	–	–	2	1	2	1	3	14	25	40	75	62
Diseases of Respiratory „	2·74	3·30	2·23	343	196	147	57	22	9	6	3	97	7	3	4	4	7	13	16	43	64	85
Diseases of Digestive „	1·32	1·33	1·32	166	79	87	22	13	2	3	2	42	6	3	3	3	5	5	17	31	36	15
Diseases of Urinary „	0·56	0·61	0·52	70	36	34	–	1	–	–	–	1	2	1	–	–	–	11	9	14	18	14
Diseases of Generative „	0·08	0·02	0·14	10	1	9	–	–	–	–	–	–	–	1	–	–	–	2	4	–	1	2
Puerperal Fever	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	2	2	2	3	–	–	–	–
Violence	0·44	0·54	0·35	55	32	23	6	1	1	–	–	8	3	3	2	4	3	5	6	5	8	8
Other Causes	3·54	3·73	3·32	444	223	221	136	10	2	3	3	154	3	6	9	7	7	13	13	19	46	167

Marriages - - - 838

Births - Males - 1,670; Females - 1,660 — 3,330

Annual Rate per 1000 living: Persons Married 13·37; Births - - 26·56

Deaths from Childbirth and Puerperal Fever - - - - - 4·80 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

267.—BEAMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·19	†104	–	–	–	–	39·66	4·46	2·43	3·92	5·81	6·03	9·68	11·02	23·38	54·67	169·61
Males	—	15·40	†115	–	–	–	–	42·86	4·05	2·56	3·32	3·64	5·85	9·23	12·42	25 41	60·56	176·92
Females	—	14·99	† 94	–	–	–	–	36·78	4·84	2·31	4·56	7·86	6·21	10·08	9·82	21·62	50·00	163·40
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·85 per cent.	10,917	273	261	270	274	266	1344	1300	1192	1046	792	1359	1147	1025	787	642	283
Males		5,214	127	115	128	139	128	637	618	585	542	385	650	542	475	366	284	130
Females		5,703	146	146	142	135	138	707	682	607	504	407	709	605	550	421	358	153
Deaths from All Causes, 1881–90. Persons	18·58	2,028	334	117	37	29	16	533	58	29	41	46	82	111	113	184	351	480
Males	18·93	987	179	54	17	15	8	273	25	15	18	14	38	50	59	93	172	230
Females	18·25	1,041	155	63	20	14	8	260	33	14	23	32	44	61	54	91	179	250

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·13	0·12	14	7	7	1	6	–	1	1	9	4	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Diphtheria	0·33	0·33	0·33	36	17	19	1	2	4	6	3	16	17	2	–	–	–	–	–	–	1	–
Whooping-cough	0·32	0·23	0·40	35	12	23	13	8	8	1	3	33	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·07	0·10	0·05	8	5	3	1	–	–	–	–	1	–	–	2	–	3	–	–	1	1	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·18	0·15	0·21	20	8	12	10	2	–	–	–	12	1	–	–	–	–	–	1	3	–	3
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·36	0·81	65	19	46	–	–	–	–	–	–	1	–	–	–	2	5	11	18	16	12
Tabes Mesenterica	0·24	0·29	0·19	26	15	11	10	8	3	1	–	22	2	–	1	–	1	–	–	–	–	–
Phthisis	1·43	1·25	1·60	156	65	91	3	2	–	1	–	6	2	8	14	20	36	29	22	12	7	–
Other Tub. & Scrof. Dis.	0·25	0·23	0·26	27	12	15	7	5	–	1	1	14	1	2	1	3	1	2	1	1	1	–
Diseases of Nervous System	2·34	2·51	2·17	255	131	124	47	12	4	2	–	65	7	4	5	2	8	12	5	26	59	62
Circulatory "	2·70	2·61	2·79	295	136	159	–	–	–	–	–	–	–	2	4	3	6	20	20	40	97	103
Respiratory "	3·41	3·82	3·03	372	199	173	71	45	9	12	3	140	8	3	3	5	4	14	19	32	67	77
Digestive "	1·37	1·21	1·53	150	63	87	13	9	2	1	1	26	6	3	1	1	4	12	9	23	36	29
Urinary "	0·39	0·52	0·28	43	27	16	–	–	–	1	–	1	–	–	–	1	3	2	5	4	16	11
Generative "	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Childbirth	0·10	–	0·19	11	–	11	–	–	–	–	–	–	–	–	–	4	7	–	–	–	–	–
Violence	0·48	0·69	0·28	52	36	16	9	1	3	–	1	14	–	–	2	–	1	4	10	5	9	7
Other Causes	4·13	4·48	3·83	452	234	218	148	17	4	2	3	174	6	5	7	5	6	8	8	17	40	176

Marriages - - - 713

Births - Males - 1,557; Females - 1,648 — 3,205

Annual Rate per 1000 living: Persons Married 13·06; Births - - 29·36

Deaths from Childbirth and Puerperal Fever - - - - 4·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

268.—BRIDPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·60	†106	–	–	–	–	37·88	3·62	2·18	2·89	6·63	7·05	8·73	13·33	23·60	51·85	142·67
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·18	†113	–	–	–	–	39·61	4·42	1·86	3·44	7·45	6·45	8·88	15·49	25·05	58·57	148·75
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·05	† 98	–	–	–	–	36·11	2·82	2·50	2·38	6·01	7·53	8·61	11·61	22·38	46·42	138·14
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·03 per cent.	14,424	349	335	343	348	354	1729	1769	1700	1453	1025	1716	1489	1313	1072	783	375
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·03 per cent.	6,777	184	171	171	177	173	876	883	859	698	443	760	676	581	491	350	160
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·03 per cent.	7,647	165	164	172	171	181	853	886	841	755	582	956	813	732	581	433	215
Deaths from All Causes, 1881–90. Persons	17·24	2,486	438	128	48	19	22	655	64	37	42	68	121	130	175	253	406	535
Deaths from All Causes, 1881–90. Males	18·06	1,224	239	61	24	10	13	347	39	16	24	33	49	60	90	123	205	238
Deaths from All Causes, 1881–90. Females	16·50	1,262	199	67	24	9	9	308	25	21	18	35	72	70	85	130	201	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·10	0·16	19	7	12	7	2	4	3	2	18	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·09	0·12	15	6	9	4	2	2	1	2	11	3	–	–	–	1	–	–	–	–	–
Diphtheria	0·05	0·01	0·08	7	1	6	–	–	1	1	1	3	4	–	–	–	–	–	–	–	–	–
Whooping-cough	0·28	0·28	0·27	40	19	21	17	15	4	1	2	39	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·06	0·04	7	4	3	–	–	–	–	–	–	3	2	1	–	–	–	–	1	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·06	0·10	12	4	8	6	2	–	–	–	8	1	–	–	–	–	1	–	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·52	0·95	108	35	73	–	–	–	–	–	–	–	–	1	–	5	10	18	35	20	19
Tabes Mesenterica	0·13	0·15	0·12	19	10	9	5	1	3	1	–	10	5	–	–	1	1	1	–	1	–	–
Phthisis	1·31	1·36	1·27	189	92	97	3	1	–	–	1	5	1	10	20	29	42	32	25	15	9	1
Other Tub. & Scrof. Dis.	0·25	0·25	0·25	36	17	19	8	7	1	–	–	16	6	4	1	3	2	2	1	–	1	–
Diseases of Nervous System	2·55	2·72	2·41	368	184	184	85	25	7	2	3	122	5	8	2	6	10	5	22	41	72	75
Diseases of Circulatory „	1·89	1·87	1·91	273	127	146	–	–	–	1	–	1	3	1	2	3	9	15	28	46	94	71
Diseases of Respiratory „	3·56	4·09	3·09	513	277	236	77	55	18	5	6	161	17	4	2	5	13	18	30	50	106	107
Diseases of Digestive „	0·92	1·00	0·84	132	68	64	14	7	1	–	1	23	1	2	1	3	8	12	20	21	30	11
Diseases of Urinary „	0·43	0·66	0·22	62	45	17	–	1	–	–	–	1	–	–	1	4	2	5	5	11	19	14
Diseases of Generative „	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	–	4	1	1	2	1
Puerperal Fever	0·06	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	3	4	1	–	–	–	–
Childbirth	0·07	–	0·13	10	–	10	–	–	–	–	–	–	–	–	1	1	4	3	1	–	–	–
Violence	0·58	0·94	0·25	83	64	19	3	1	3	1	4	12	8	3	5	4	7	5	11	10	8	10
Other Causes	3·98	3·89	4·07	575	263	312	209	9	4	3	–	225	5	3	4	6	13	16	13	21	45	224

Marriages - - - 976

Births - Males - 2,109; Females - 2,041 — 4,150

Annual Rate per 1000 living: Persons Married 13·53; Births - - 28·77

Deaths from Childbirth and Puerperal Fever - - - - - 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

269.—AXMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·75	† 96	–	–	–	–	34·96	3·10	2·16	2·83	5·45	7·27	9·45	11·57	21·17	50·62	137·14
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·35	†102	–	–	–	–	37·74	2·40	2·41	2·41	5·89	8·27	10·01	12·27	25·72	53·47	134·82
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·18	† 88	–	–	–	–	32·03	3·82	1·89	3·25	5·08	6·46	9·00	11·01	17·19	48·13	139·21
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·24 per cent.	18,242	390	408	437	439	420	2094	2129	2082	1765	1413	2119	1841	1738	1483	1053	525
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·24 per cent.	8,706	195	213	222	220	223	1073	1082	1077	872	645	943	819	766	692	490	247
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·24 per cent.	9,536	195	195	215	219	197	1021	1047	1005	893	768	1176	1022	972	791	563	278
Deaths from All Causes, 1881–90. Persons	16·81	3,066	467	155	53	30	27	732	66	45	50	77	154	174	201	314	533	720
Deaths from All Causes, 1881–90. Males	17·72	1,543	258	85	30	14	18	405	26	26	21	38	78	82	94	178	262	333
Deaths from All Causes, 1881–90. Females	15·97	1 523	209	70	23	16	9	327	40	19	29	39	76	92	107	136	271	387

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·16	0·19	32	14	18	2	16	6	1	1	26	4	1	–	–	1	–	–	–	–
Scarlet Fever	0·07	0·09	0·05	13	8	5	2	2	1	2	–	7	4	2	–	–	–	–	–	–	–
Diphtheria	0·08	0·08	0·07	14	7	7	–	–	2	1	1	4	5	1	2	–	1	1	–	–	–
Whooping-cough	0·26	0·28	0·24	47	24	23	22	12	4	6	2	46	1	–	–	–	–	–	–	–	–
Typhus	0·03	0·06	–	5	5	–	–	–	–	–	1	1	–	–	1	–	1	–	2	–	–
Enteric Fever	0·12	0·17	0·07	22	15	7	–	1	–	–	1	2	2	4	4	4	2	–	2	1	1
Simple Continued Fever	0·03	0·05	0·02	6	4	2	–	–	–	1	–	1	1	–	–	–	–	2	1	1	–
Diarrhœa and Dysentery	0·22	0·23	0·22	41	20	21	21	2	2	–	–	25	–	1	–	–	1	1	2	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·45	0·87	122	39	83	–	–	–	–	–	–	1	–	–	–	3	6	25	36	35
Tabes Mesenterica	0·18	0·20	0·16	32	17	15	7	8	3	–	2	20	6	–	1	2	2	1	–	–	–
Phthisis	1·15	1·03	1·25	209	90	119	1	2	2	–	–	5	4	8	21	28	61	37	22	11	10
Other Tub. & Scrof. Dis.	0·22	0·29	0·17	41	25	16	10	11	1	1	2	25	4	2	1	–	3	2	1	2	1
Diseases of Nervous System	2·35	2·39	2·32	429	208	221	85	22	6	6	5	124	5	10	4	11	19	16	24	50	103
Diseases of Circulatory „	2·06	2·19	1·94	376	191	185	4	–	–	–	–	4	1	3	2	5	8	30	36	67	129
Diseases of Respiratory „	2·74	3·26	2·27	500	284	216	95	45	19	9	5	173	10	–	2	2	8	16	30	55	84
Diseases of Digestive „	1·08	1·23	0·94	197	107	90	22	15	4	2	2	45	4	6	–	2	12	14	25	25	40
Diseases of Urinary „	0·34	0·49	0·20	62	43	19	1	–	–	–	–	1	1	–	–	1	8	13	7	9	12
Diseases of Generative „	0·07	0·01	0·13	13	1	12	–	–	–	–	–	–	–	–	–	1	–	1	3	2	4
Puerperal Fever	0·07	–	0·14	13	–	13	–	–	–	–	–	–	–	–	1	2	5	5	–	–	–
Childbirth	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–
Violence	0·52	0·80	0·25	94	70	24	7	6	1	–	4	18	6	4	5	7	6	10	8	14	7
Other Causes	4·33	4·26	4·40	791	371	420	188	13	2	1	1	205	7	3	6	10	13	14	13	40	103

Marriages	1,116	Annual Rate per 1000 living: Persons Married 12·24	Deaths from Childbirth and Puerperal Fever	4·09 per 1000 Births.
Births: Males 2,518	4,885	Births 26·78		
Births: Females 2,367				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

270.—HONITON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·10	† 89	–	–	–	–	34·98	3·57	2·65	4·01	5·08	7·65	8·59	11·64	23·29	51·48	136·96
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·00	†102	–	–	–	–	38·49	3·79	3·05	2·61	4·49	8·86	10·50	14·25	24·76	56·87	139·29
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·25	† 75	–	–	–	–	31·48	3·34	2·25	5·48	5·57	6·69	7·08	9·63	22·14	47·09	134·91
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·89 per cent.	20,801	496	466	500	482	492	2436	2384	2339	1944	1655	2642	2083	1908	1627	1185	598
Mean Population, 1881–91. Males	Decennial Decrease of Population 2·89 per cent.	9,810	241	234	248	243	250	1216	1215	1181	995	758	1163	924	828	719	531	280
Mean Population, 1881–91. Females	Decennial Decrease of Population 2·89 per cent.	10,991	255	232	252	239	242	1220	1169	1158	949	897	1479	1159	1080	908	654	318
Deaths from All Causes, 1881–90. Persons	17·17	3,572	533	163	74	41	41	852	85	62	78	84	202	179	222	379	610	819
Deaths from All Causes, 1881–90. Males	18·33	1,798	312	84	29	24	19	468	46	36	26	34	102	97	118	178	302	390
Deaths from All Causes, 1881–90. Females	16·14	1,774	221	79	45	17	22	384	39	26	52	50	99	82	104	201	308	429

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·06	0·10	0·02	12	10	2
Measles	0·26	0·19	0·32	54	19	35
Scarlet Fever	0·12	0·11	0·12	24	11	13
Diphtheria	0·10	0·10	0·10	21	10	11
Whooping-cough	0·30	0·29	0·32	63	28	35
Typhus	0·01	0·02	0·01	3	2	1
Enteric Fever	0·22	0·21	0·22	45	21	24
Simple Continued Fever	0·03	0·02	0·05	7	2	5
Diarrhœa and Dysentery	0·15	0·13	0·17	32	13	19
Cholera	0·00	0·01	—	1	1	–
Cancer	0·65	0·48	0·80	135	47	88
Tabes Mesenterica	0·11	0·16	0·05	22	16	6
Phthisis	1·35	1·27	1·42	281	125	156
Other Tub. & Scrof. Dis.	0·29	0·32	0·26	60	31	29
Diseases of Nervous System	2·38	2·77	2·02	494	272	222
Diseases of Circulatory "	1·85	1·84	1·86	384	181	204
Diseases of Respiratory "	3·03	3·34	2·75	630	328	302
Diseases of Digestive "	1·06	1·14	0·98	220	112	108
Diseases of Urinary "	0·47	0·72	0·25	98	71	27
Diseases of Generative "	0·05	–	0·09	10	–	10
Puerperal Fever	0·05	–	0·10	11	–	11
Childbirth	0·07	–	0·14	15	–	15
Violence	0·57	0·83	0·34	118	81	37
Other Causes	3·99	4·28	3·75	832	418	414

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	1	–	–	–	–	1	–	–	–	1	2	3	2	–	2	1
Measles	15	14	6	5	4	44	6	3	–	–	1	–	–	–	–	–
Scarlet Fever	6	5	2	4	2	19	3	2	–	–	–	–	–	–	–	–
Diphtheria	–	1	2	3	1	7	7	3	1	2	1	–	–	–	–	–
Whooping-cough	34	18	5	1	4	62	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Enteric Fever	–	–	–	–	1	1	6	4	7	4	13	4	3	2	–	1
Simple Continued Fever	–	–	1	–	–	1	2	1	2	–	–	–	–	–	1	–
Diarrhœa and Dysentery	12	4	–	1	–	17	–	–	–	–	–	1	–	2	7	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	–	–	–	–	–	–	–	–	–	–	5	7	17	35	44	27
Tabes Mesenterica	5	3	1	1	2	12	4	2	1	2	–	1	–	–	–	–
Phthisis	2	4	3	1	–	10	1	6	31	33	77	52	38	28	5	–
Other Tub. & Scrof. Dis.	11	10	6	2	1	30	8	5	4	3	3	4	2	–	–	1
Nervous System	115	26	11	7	5	164	11	7	6	6	15	14	14	54	117	86
Circulatory "	1	–	–	–	1	2	4	7	3	6	8	22	32	84	115	101
Respiratory "	95	44	18	9	14	180	13	6	1	5	17	23	36	68	123	158
Digestive "	20	9	3	1	2	35	6	4	3	3	11	7	27	41	55	28
Urinary "	1	2	2	–	1	6	2	2	3	2	4	6	11	20	25	17
Generative "	–	–	–	–	–	–	–	–	1	1	–	1	4	–	1	2
Puerperal Fever	–	–	–	–	–	–	–	–	–	4	4	3	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	1	2	9	3	–	–	–	–
Violence	12	6	2	2	–	22	4	8	4	5	14	13	10	12	14	12
Other Causes	203	17	12	4	3	239	7	2	9	5	18	15	26	31	100	380

Marriages - - 1,222

Births { Males - 3,053 / Females - 2,954 } 6,007

Annual Rate per 1000 living { Persons Married 11·75 / Births - - 28·88 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

271.—ST. THOMAS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·56			†109	–	–	–	–	38·91	4·02	3·05	4·61	5·70	6·98	9·92	13·81	26·17	57·70	147·44
Males	—			16·51			†124	–	–	–	–	43·30	3·91	2·74	4·69	5·90	7·80	10·53	15·96	27·75	63·55	156·32
Females	—			14·66			† 95	–	–	–	–	34·59	4·12	3·36	4·52	5·55	6·33	9·42	12·18	24·94	53·12	141·22
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·73 per cent.			50,547			1245	1175	1147	1224	1184	5975	5827	5481	4647	3999	6766	5577	4643	3748	2655	1229
Males				23,456			613	581	597	605	572	2968	2916	2769	2303	1746	2960	2487	1992	1643	1166	506
Females				27,091			632	594	550	619	612	3007	2911	2712	2344	2253	3806	3090	2651	2105	1489	723
Deaths from All Causes, 1881–90. Persons	18·12			9,159			1518	437	182	112	76	2325	231	167	214	228	472	553	641	981	1532	1812
Males	19·12			4,485			867	243	87	52	36	1285	114	76	108	103	231	262	318	456	741	791
Females	17·25			4,674			651	194	95	60	40	1040	120	91	106	125	241	291	323	525	791	1021
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–
Measles	0·29	0·33	0·25	147	78	69	34	39	22	16	13	124	18	3	1	–	1	–	–	–	–	–
Scarlet Fever	0·10	0·14	0·07	52	33	19	7	8	7	12	2	36	7	3	4	–	1	1	–	–	–	–
Diphtheria	0·13	0·15	0·11	66	36	30	1	3	8	8	4	24	23	14	2	–	1	–	1	–	1	–
Whooping-cough	0·34	0·32	0·37	174	74	100	85	48	15	12	8	168	5	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–
Enteric Fever	0·21	0·22	0·21	108	51	57	–	1	2	–	2	5	17	11	22	13	18	7	8	4	1	2
Simple Continued Fever	0·03	0·03	0·03	16	7	9	–	–	1	1	–	2	6	–	–	–	2	1	–	2	–	3
Diarrhœa and Dysentery	0·39	0·41	0·38	199	96	103	105	15	2	2	–	124	1	2	–	–	3	3	6	11	24	25
Cholera	0·02	0·02	0·01	8	5	3	2	–	–	–	–	2	3	–	–	–	–	1	1	–	1	–
Cancer	0·70	0·58	0·82	356	135	221	1	–	–	–	–	1	–	2	1	1	7	25	51	101	118	49
Tabes Mesenterica	0·12	0·15	0·10	62	36	26	28	12	2	–	–	42	4	6	2	2	3	2	1	–	–	–
Phthisis	1·59	1·55	1·63	804	363	441	20	9	4	2	2	37	8	26	73	91	192	140	98	94	37	8
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	143	68	75	25	18	10	9	5	67	16	11	8	6	14	9	7	3	1	1
Diseases of Nervous System	2·89	3·19	2·64	1462	748	714	234	63	24	8	9	341	29	22	23	25	67	109	138	169	270	269
Circulatory „	2·04	1·94	2·13	1033	455	578	1	2	1	1	–	5	7	16	15	15	30	52	102	217	340	234
Respiratory „	3·41	3·77	3·09	1722	884	838	334	147	58	28	21	588	37	9	8	15	26	58	86	168	348	379
Digestive „	0·93	1·04	0·83	471	245	226	76	23	10	4	5	118	9	9	7	8	13	34	42	64	87	80
Urinary „	0·45	0·57	0·35	229	134	95	2	4	–	–	–	6	3	2	2	8	15	24	18	45	58	48
Generative „	0·04	0·01	0·07	22	2	20	–	–	–	–	–	–	–	–	–	3	3	5	4	3	2	2
Puerperal Fever	0·04	–	0·07	19	–	19	–	–	–	–	–	–	–	–	–	2	7	10	–	–	–	–
Childbirth	0·06	–	0·11	30	–	30	–	–	–	–	–	–	–	–	–	3	11	15	1	–	–	–
Violence	0·58	0·84	0·36	295	197	98	25	9	5	3	3	45	21	12	26	17	29	16	45	33	29	22
OTHER CAUSES	3·46	3·56	3·32	1733	835	898	538	33	11	6	2	590	19	16	19	19	28	40	32	66	214	690

Marriages - - - 2,728

Births - { Males - 7,016 / Females - 6,886 } 13,902

Annual Rate per 1000 living { Persons Married 10·79 / Births - - 27·50 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

272.—EXETER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·15	†159	–	–	–	–	65·35	5·04	4·01	5·09	6·55	8·68	14·13	18·19	32·36	60·69	156·92
Annual Death-Rate per 1000. Males	—	In Standard Population* 23·11	†171	–	–	–	–	68·85	5·22	4·25	6·23	8·67	9·75	16·31	21·84	40·66	69·66	168·36
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·31	†146	–	–	–	–	61·81	4·85	3·78	4·20	5·14	7·87	12·41	15·53	26·50	55·24	150·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·27 per cent.	37,618	889	792	754	772	767	3974	3793	3790	4085	3663	5530	4353	3409	2506	1735	780
Mean Population, 1881–91. Males		16,724	444	387	371	406	389	1997	1898	1860	1798	1465	2380	1919	1438	1038	656	275
Mean Population, 1881–91. Females		20,894	445	405	383	366	378	1977	1895	1930	2287	2198	3150	2434	1971	1468	1079	505
Deaths from All Causes, 1881–90. Persons	21·77	8,191	1682	529	190	120	76	2597	191	152	208	240	480	615	620	811	1053	1224
Deaths from All Causes, 1881–90. Males	23·88	3,993	918	257	96	59	45	1375	99	79	112	127	232	313	314	422	457	463
Deaths from All Causes, 1881–90. Females	20·09	4,198	764	272	94	61	31	1222	92	73	96	113	248	302	306	389	596	761

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·54	0·56	0·53	204	94	110	33	84	37	26	9	189	11	1	1	–	2	–	–	–	–
Scarlet Fever	0·09	0·11	0·07	34	19	15	2	6	5	7	3	23	4	5	1	–	1	–	–	–	–
Diphtheria	0·06	0·05	0·07	24	9	15	4	2	2	2	3	13	7	1	2	–	–	–	–	1	–
Whooping-cough	0·45	0·50	0·42	171	84	87	86	43	23	11	2	165	4	–	1	–	–	–	–	–	1
Typhus	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
Enteric Fever	0·19	0·22	0·17	73	37	36	1	1	5	3	2	12	7	8	11	10	12	7	5	1	–
Simple Continued Fever	0·05	0·04	0·05	17	6	11	–	–	2	–	2	4	3	1	–	–	2	2	1	2	2
Diarrhœa and Dysentery	0·56	0·62	0·51	210	103	107	154	19	1	2	–	176	2	–	1	–	1	1	–	5	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	1·01	0·78	1·20	381	131	250	–	–	1	–	1	2	–	–	–	2	12	44	73	113	85
Tabes Mesenterica	0·21	0·27	0·16	79	45	34	34	16	3	4	2	59	5	5	5	1	1	1	2	–	–
Phthisis	2·29	2·63	2·01	859	439	420	6	6	1	4	1	18	18	21	64	103	201	190	131	82	29
Other Tub. & Scrof. Dis.	0·48	0·56	0·41	179	93	86	19	23	12	9	12	75	26	17	16	15	12	9	5	2	2
Diseases of Nervous System	3·09	3·28	2·94	1162	548	614	329	69	13	8	7	426	22	10	13	13	33	50	73	127	203
Diseases of Circulatory „	2·18	2·25	2·13	820	376	444	6	1	1	–	1	9	11	15	10	15	40	71	98	168	235
Diseases of Respiratory „	3·78	4·21	3·43	1421	704	717	329	178	53	33	18	611	29	16	8	14	26	49	81	121	234
Diseases of Digestive „	1·24	1·35	1·15	467	226	241	102	36	7	3	4	152	11	7	8	3	23	46	47	63	62
Diseases of Urinary „	0·58	0·90	0·32	218	151	67	2	2	–	–	–	4	4	4	7	9	14	29	29	34	54
Diseases of Generative „	0·07	–	0·13	27	–	27	–	–	–	–	–	–	–	–	–	4	2	11	4	4	2
Puerperal Fever	0·05	–	0·08	17	–	17	–	–	–	–	–	–	–	–	–	3	7	7	–	–	–
Childbirth	0·05	–	0·10	20	–	20	–	–	–	–	–	–	–	–	1	2	8	7	2	–	–
Violence	0·91	1·45	0·48	343	242	101	21	5	9	3	8	46	14	22	37	24	44	45	26	36	26
Other Causes	3·88	4·08	3·73	1461	683	778	554	38	15	5	1	613	13	18	22	22	37	46	43	51	111

Marriages - - - 3,827

Births - Males - 5,372; Females - 5,218 — 10,590

Annual Rate per 1000 living: Persons Married 20·35; Births - - 28·15

Deaths from Childbirth and Puerperal Fever - - - - - 3·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

273.—NEWTON ABBOT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·10	†117	–	–	–	–	41·62	3·24	2·48	4·36	5·56	6·44	8·39	12·47	24·67	51·92	143·21
Annual Death-Rate per 1000. Males	—	16·70	†133	–	–	–	–	47·17	3·31	2·42	4·67	6·89	7·63	10·35	15·25	27·98	58·71	151·45
Annual Death-Rate per 1000. Females	—	13·59	†102	–	–	–	–	36·08	3·17	2·53	4·11	4·75	5·67	7·02	10·50	22·27	46·97	137·89
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·89 per cent.	77,246	1762	1559	1752	1667	1684	8424	8213	7957	7505	6947	11125	8690	7210	5708	3796	1671
Mean Population, 1881–91. Males		33,646	896	782	871	821	838	4208	4018	3932	3316	2611	4350	3574	2983	2398	1601	655
Mean Population, 1881–91. Females		43,600	866	777	881	846	846	4216	4195	4025	4189	4336	6775	5116	4227	3310	2195	1016
Deaths from All Causes, 1881–90. Persons	16·57	12,798	2286	675	261	161	123	3506	266	197	327	386	716	729	899	1408	1971	2393
Deaths from All Causes, 1881–90. Males	18·75	6,308	1305	380	146	87	67	1985	133	95	155	180	332	370	455	671	940	992
Deaths from All Causes, 1881–90. Females	14·89	6,490	981	295	115	74	56	1521	133	102	172	206	384	359	444	737	1031	1401

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·21	0·18	149	72	77	27	51	28	16	15	137	9	1	–	1	–	–	1	–	–	–
Scarlet Fever	0·09	0·11	0·06	66	38	28	6	15	8	9	11	49	12	1	–	1	3	–	–	–	–	–
Diphtheria	0·05	0·06	0·05	42	20	22	4	5	4	5	5	23	12	4	1	–	–	1	1	–	–	–
Whooping-cough	0·34	0·42	0·29	266	140	126	134	62	44	9	10	259	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·10	102	58	44	–	–	5	1	1	7	7	15	23	17	13	11	4	3	2	–
Simple Continued Fever	0·01	0·01	0·01	9	4	5	–	–	–	–	–	–	–	1	–	1	1	1	1	1	2	1
Diarrhœa and Dysentery	0·28	0·34	0·24	218	115	103	120	13	5	2	3	148	1	1	1	–	3	1	3	7	22	31
Cholera	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Cancer	0·78	0·57	0·94	601	192	409	–	–	–	–	–	–	1	2	1	4	13	44	104	170	167	95
Tabes Mesenterica	0·19	0·23	0·16	149	78	71	66	21	5	2	2	96	17	10	13	3	2	4	–	4	–	–
Phthisis	1·79	2·00	1·63	1384	674	710	20	17	3	3	3	46	16	42	131	206	357	258	161	100	57	10
Other Tub. & Scrof. Dis.	0·43	0·57	0·32	332	193	139	77	52	25	16	13	183	52	26	25	14	17	8	4	1	2	–
Diseases of: Nervous System	2·40	2·82	2·08	1854	949	905	358	85	28	21	17	509	35	17	32	19	48	53	116	243	379	403
Diseases of: Circulatory "	1·84	1·99	1·73	1424	671	753	5	1	1	–	2	9	8	15	22	22	47	76	155	277	449	344
Diseases of: Respiratory "	2·99	3·49	2·60	2308	1174	1134	533	233	73	59	27	925	34	8	16	22	49	77	111	237	390	439
Diseases of: Digestive "	1·05	1·17	0·96	812	395	417	150	53	7	9	3	222	13	16	20	12	33	46	74	119	148	109
Diseases of: Urinary "	0·45	0·63	0·31	345	212	133	3	2	1	–	–	6	3	3	6	5	22	32	54	65	92	57
Diseases of: Generative "	0·07	0·01	0·11	52	4	48	1	–	–	–	–	1	–	–	2	3	5	10	11	10	7	3
Puerperal Fever	0·05	–	0·09	39	–	39	–	–	–	–	–	–	–	–	–	6	16	15	2	–	–	–
Childbirth	0·05	–	0·08	36	–	36	–	–	–	–	–	–	–	–	1	9	15	11	–	–	–	–
Violence	0·42	0·70	0·20	322	236	86	35	7	7	5	5	59	15	12	11	21	33	34	33	50	28	23
Other Causes	2·97	3·24	2·75	2285	1080	1205	747	53	17	4	6	827	24	23	21	20	39	47	63	120	226	875

Marriages - - - 5,141

Births - Males - 9,808; Females - 9,657 } 19,465

Annual Rate per 1000 living: Persons Married 13·31; Births - - 25·20

Deaths from Childbirth and Puerperal Fever - - - - - 3·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

274.—TOTNES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·63			†107	–	–	–	–	41·05	3·53	2·26	3·93	5·22	6·70	8·87	12·46	22·33	49·20	136·09
Males	—						†114	–	–	–	–	44·25	3·30	1·89	4·21	5·55	6·66	9·90	15·02	24·80	52·51	141·95
Females	—						†101	–	–	–	–	37·90	3·76	2·67	3·66	4·96	6·74	7·99	10·36	20·25	46·44	131·98
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·49 per cent.			38,503			979	909	922	923	930	4663	4504	4284	3738	3273	5101	4069	3388	2683	1880	920
Males				18,246			481	461	450	452	468	2312	2244	2224	1828	1477	2298	1878	1525	1226	855	379
Females				20,257			498	448	472	471	462	2351	2260	2060	1910	1796	2803	2191	1863	1457	1025	541
Deaths from All Causes, 1881–90. Persons	16·59			6,389			1182	381	161	112	78	1914	159	97	147	171	342	361	422	599	925	1252
Males	17·30			3,157			635	205	83	56	44	1023	74	42	77	82	153	186	229	304	449	538
Females	15·95			3,232			547	176	78	56	34	891	85	55	70	89	189	175	193	295	476	714
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Measles	0·30	0·32	0·27	114	59	55	23	36	25	16	8	108	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·27	0·31	111	49	62	4	15	28	18	12	77	25	5	–	1	2	–	–	1	–	–
Diphtheria	0·09	0·09	0·09	34	16	18	4	2	3	4	6	19	11	1	2	–	1	–	–	–	–	–
Whooping-cough	0·34	0·36	0·32	130	65	65	62	35	17	5	5	124	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
Enteric Fever	0·14	0·16	0·13	55	29	26	2	–	–	–	1	3	6	8	5	11	5	5	5	4	3	–
Simple Continued Fever	0·05	0·07	0·04	20	12	8	–	–	2	–	1	3	2	3	1	2	1	3	–	2	1	2
Diarrhœa and Dysentery	0·35	0·41	0·30	136	75	61	71	19	2	1	1	94	1	–	1	–	1	1	4	7	8	19
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·32	0·87	236	59	177	–	2	–	–	–	2	–	–	1	–	10	21	43	55	62	42
Tabes Mesenterica	0·08	0·09	0·07	31	17	14	9	7	4	2	1	23	4	1	–	–	1	–	1	1	–	–
Phthisis	1·44	1·43	1·46	556	261	295	13	8	5	1	4	31	5	24	60	74	130	96	69	47	19	1
Other Tub. & Scrof. Dis.	0·26	0·33	0·20	101	60	41	26	20	9	4	2	61	14	4	4	3	7	3	–	3	1	1
Diseases of Nervous System	2·27	2·47	2·09	873	450	423	171	48	9	16	4	248	15	13	15	9	31	33	48	105	182	174
Circulatory "	1·70	1·72	1·68	653	313	340	2	–	1	–	–	3	6	7	14	11	25	46	83	119	193	146
Respiratory "	2·90	3·24	2·60	1117	591	526	270	128	35	35	21	489	22	10	8	11	26	39	41	110	154	207
Digestive "	1·04	1·14	0·96	402	208	194	74	30	5	3	3	115	15	7	7	4	12	30	45	58	70	39
Urinary "	0·36	0·52	0·22	140	95	45	2	1	1	–	–	4	3	1	1	7	11	12	19	19	44	19
Generative "	0·07	0·02	0·11	27	4	23	–	–	–	–	–	–	–	–	–	1	1	4	5	6	7	3
Puerperal Fever	0·08	–	0·15	31	–	31	–	–	–	–	–	–	–	–	1	5	18	6	1	–	–	–
Childbirth	0·06	–	0·12	24	–	24	–	–	–	–	–	–	–	–	1	3	8	12	–	–	–	–
Violence	0·54	0·87	0·25	209	158	51	16	5	6	2	6	35	12	4	13	14	27	22	26	19	24	13
Other Causes	3·60	3·45	3·69	1382	633	749	433	25	9	5	3	475	6	9	12	14	21	28	32	43	157	585

Marriages - - - 2,441

Births - { Males - 5,585 / Females - 5,436 } 11,021

Annual Rate per 1000 living { Persons Married 12·68 / Births - - 28·62 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·99 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

275.—KINGSBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·39	† 99	–	–	–	–	36·49	3·94	2·78	3·67	6·00	7·03	8·64	11·85	22·26	56·61	135·66
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·87	†112	–	–	–	–	39·64	3·35	2·48	3·14	7·61	7·18	8·23	12·73	22·59	62·30	146·76
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·93	† 85	–	–	–	–	33·45	4·53	3·07	4·21	4·64	6·91	9·00	11·09	21·97	51·55	127·67
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·43 per cent.	18,279	454	416	432	438	428	2168	2258	2017	1715	1350	2275	1979	1612	1352	1037	516
Mean Population, 1881–91. Males	Decennial Decrease of Population 5·43 per cent.	8,719	221	202	216	214	209	1062	1133	1008	860	618	1031	924	746	633	488	216
Mean Population, 1881–91. Females	Decennial Decrease of Population 5·43 per cent.	9,560	233	214	216	224	219	1106	1125	1009	855	732	1244	1055	866	719	549	300
Deaths from All Causes, 1881–90. Persons	17·45	3,190	489	164	73	42	23	791	89	56	63	81	160	171	191	301	587	700
Deaths from All Causes, 1881–90. Males	17·97	1,567	279	84	27	17	14	421	38	25	27	47	74	76	95	143	304	317
Deaths from All Causes, 1881–90. Females	16·98	1,623	210	80	46	25	9	370	51	31	36	34	86	95	96	158	283	383

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·18	0·17	0·19	33	15	18	5	14	5	2	1	27	4	–	1	–	1	–	–	–	–
Scarlet Fever	0·14	0·11	0·17	26	10	16	1	5	7	2	1	16	9	1	–	–	–	–	–	–	–
Diphtheria	0·09	0·07	0·10	16	6	10	–	1	2	5	–	8	4	2	1	–	1	–	–	–	–
Whooping-cough	0·36	0·37	0·36	66	32	34	30	20	7	4	2	63	3	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·21	0·28	45	18	27	–	–	–	–	–	–	5	10	5	6	6	7	4	1	1
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	1	–	–	1	2	2	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·19	0·21	0·18	35	18	17	18	2	2	1	–	23	2	–	–	–	–	1	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·45	0·83	118	39	79	–	–	–	–	–	–	–	–	–	1	2	6	15	27	37
Tabes Mesenterica	0·17	0·17	0·17	31	15	16	14	2	1	–	1	18	1	2	4	–	4	1	–	1	–
Phthisis	1·60	1·56	1·64	293	136	157	2	4	1	–	2	9	3	5	34	40	76	49	34	26	14
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	52	25	27	9	6	2	6	4	27	14	1	1	1	1	3	1	2	1
Diseases of Nervous System	2·67	2·65	2·69	488	231	257	90	16	8	3	2	119	7	5	2	8	12	18	29	48	124
Diseases of Circulatory „	2·22	2·08	2·34	405	181	224	2	–	–	–	–	2	4	8	4	6	8	18	27	76	147
Diseases of Respiratory „	2·96	3·31	2·64	541	289	252	116	60	24	15	7	222	18	3	2	3	10	11	22	47	107
Diseases of Digestive „	0·84	0·99	0·71	154	86	68	30	9	3	1	1	44	3	1	1	5	5	7	23	24	25
Diseases of Urinary „	0·50	0·65	0·37	92	57	35	2	2	1	–	–	5	3	3	1	1	3	11	8	12	27
Diseases of Generative „	0·10	–	0·19	18	–	18	–	–	–	–	–	–	–	1	–	–	2	2	3	5	3
Puerperal Fever	0·06	–	0·12	11	–	11	–	–	–	–	–	–	–	–	–	1	3	7	–	–	–
Childbirth	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	1	1	4	4	–	–	–
Violence	0·55	0·92	0·22	101	80	21	4	3	1	2	–	10	4	9	3	6	10	12	8	13	13
Other Causes	3·55	3·73	3·37	649	326	323	166	19	8	1	1	195	3	5	3	2	11	14	16	18	85

	Persons.	75 and upwds.
Diseases of Generative	0·10	2
Puerperal Fever	0·06	–
Childbirth	0·05	–
Violence	0·55	13
Other Causes	3·55	297

Marriages - - 951

Births - Males - 2,481; Females - 2,480 — 4,961

Annual Rate per 1000 living: Persons Married 10·41; Births - - 27·14

Deaths from Childbirth and Puerperal Fever - - - - - 4·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

276.—PLYMPTON ST. MARY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·63	†111	–	–	–	–	41·41	3·94	2·99	3·49	5·72	5·32	8·69	11·56	22·06	51·39	142·91
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·26	†124	–	–	–	–	46·01	4·31	3·15	2·97	5·95	5·26	9·21	12·31	23·13	55·00	140·23
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·04	† 98	–	–	–	–	36·77	3·57	2·83	4·03	5·51	5·37	8·28	10·91	21·13	48·38	145·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·40 per cent.	25,487	600	582	598	567	565	2912	2919	2839	2693	2308	3325	2681	2250	1786	1189	585
Mean Population, 1881–91. Males		12,195	290	285	315	291	284	1465	1463	1460	1379	1093	1464	1195	1040	830	540	266
Mean Population, 1881–91. Females		13,292	310	297	283	276	281	1447	1456	1379	1314	1215	1861	1486	1210	956	649	319
Deaths from All Causes, 1881–90. Persons	16·26	4,143	733	257	101	65	50	1206	115	85	94	132	177	233	260	394	611	836
Deaths from All Causes, 1881–90. Males	16·94	2,066	418	139	52	34	31	674	63	46	41	65	77	110	128	192	297	373
Deaths from All Causes, 1881–90. Females	15·63	2,077	315	118	49	31	19	532	52	39	53	67	100	123	132	202	314	463

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·21	0·13	43	26	17	13	15	6	3	3	40	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·21	0·17	49	26	23	1	9	7	10	8	35	14	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·09	0·15	31	11	20	–	3	1	5	6	15	10	3	2	–	–	–	–	–	1
Whooping-cough	0·35	0·32	0·38	90	39	51	42	27	11	5	4	89	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·20	0·14	43	24	19	–	1	1	–	1	3	5	6	5	4	10	5	4	1	–
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	0·37	0·39	0·35	94	48	46	65	2	1	–	–	68	1	–	–	–	–	1	2	6	4
Cholera	0·01	0·02	–	3	3	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1
Cancer	0·61	0·48	0·73	155	58	97	–	–	1	–	–	1	–	–	–	–	3	9	24	40	42
Tabes Mesenterica	0·09	0·11	0·08	24	13	11	11	4	1	1	2	19	2	1	–	2	–	–	–	–	–
Phthisis	1·40	1·32	1·46	356	162	194	12	8	5	3	–	28	9	17	28	62	69	69	29	22	17
Other Tub. & Scrof. Dis.	0·32	0·39	0·26	82	47	35	27	15	10	2	3	57	7	5	–	3	6	–	2	1	1
Diseases of Nervous System	2·33	2·45	2·22	594	299	295	127	31	7	4	3	172	16	11	8	11	8	22	34	63	117
Diseases of Circulatory „	1·82	1·71	1·91	463	209	254	–	1	–	–	1	2	6	12	11	7	11	25	48	88	139
Diseases of Respiratory „	3·15	3·39	2·94	804	413	391	146	91	31	26	12	306	18	7	9	6	10	35	40	66	138
Diseases of Digestive „	0·97	1·00	0·86	247	133	114	45	22	7	2	1	77	8	3	6	3	9	8	22	38	37
Diseases of Urinary „	0·38	0·49	0·29	98	60	38	1	1	–	–	–	2	1	3	2	6	5	5	11	12	29
Diseases of Generative „	0·04	–	0·08	11	–	11	–	–	1	–	–	1	–	–	1	1	–	3	–	4	–
Puerperal Fever	0·08	–	0·15	20	–	20	–	–	–	–	–	–	–	–	2	1	11	5	1	–	–
Childbirth	0·08	–	0·16	21	–	21	–	–	–	–	–	–	–	–	–	4	5	11	1	–	–
Violence	0·62	1·06	0·23	159	129	30	6	8	5	2	4	25	8	12	4	14	16	11	23	22	15
Other Causes	2·98	3·01	2·92	753	366	387	236	19	5	2	2	264	5	5	16	8	13	24	19	31	70

Marriages	1,171	Annual Rate per 1000 living: Persons Married 9·19; Births 25·80	Deaths from Childbirth and Puerperal Fever: 6·23 per 1000 Births.
Births: Males 3,362; Females 3,214	6,576		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births

277.—PLYMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 21·11	†159	–	–	–	–	71·49	6·11	3·91	4·43	5·59	7·53	12·00	18·36	30·04	61·17	144·39
Annual Death-Rate per 1000. Males	—	In Standard Population.* 22·48	†169	–	–	–	–	75·13	6·17	3·94	4·88	5·75	8·21	13·82	22·07	33·14	67·11	155·37
Annual Death-Rate per 1000. Females	—	In Standard Population.* 19·81	†149	–	–	–	–	67·80	6·05	3·88	4·02	5·46	6·97	10·51	15·35	27·63	57·06	138·39
Mean Population, 1881-91. Persons	Decennial Increase of Population, 14·07 per cent.	79,058	2019	1780	1813	1772	1636	9020	8345	7848	7897	7747	11928	8899	7298	5409	3322	1345
Mean Population, 1881-91. Males		36,581	1015	886	921	872	845	4559	4116	3804	3768	3461	5411	4008	3271	2369	1359	475
Mean Population, 1881-91. Females		42,477	1004	894	892	900	791	4481	4229	4044	4129	4286	6517	4891	4027	3040	1963	870
Deaths from All Causes, 1881-90. Persons	21·44	16,953	3851	1424	594	363	216	6448	510	307	350	433	898	1068	1340	1625	2032	1942
Deaths from All Causes, 1881-90. Males	22·83	8,352	2081	760	272	191	106	3410	254	150	184	199	444	554	722	785	912	738
Deaths from All Causes, 1881-90. Females	20·25	8,601	1770	664	322	172	110	3038	256	157	166	234	454	514	618	840	1120	1204

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·01	0·01	6	3	3
Measles	0·51	0·52	0·50	403	189	214
Scarlet Fever	0·46	0·46	0·45	360	167	193
Diphtheria	0·17	0·18	0·16	133	67	66
Whooping-cough	0·51	0·49	0·52	401	179	222
Typhus	0·01	0·01	0 00	4	3	1
Enteric Fever	0·25	0·29	0·22	200	105	95
Simple Continued Fever	0·03	0·02	0·03	20	9	11
Diarrhœa and Dysentery	0·66	0·72	0·60	520	263	257
Cholera	0·03	0·02	0·04	27	8	19
Cancer	0·88	0·60	1·12	693	219	474
Tubes Mesenterica	0·35	0·34	0 37	281	125	156
Phthisis	2·15	2·35	1·97	1696	859	837
Other Tub. & Scrof. Dis.	0·59	0·69	0·49	463	253	210
Diseases of Nervous System	2·96	3·12	2·82	2341	1142	1199
Diseases of Circulatory „	1·84	1·81	1·87	1458	663	795
Diseases of Respiratory „	4·14	4·59	3·76	3276	1679	1597
Diseases of Digestive „	1·11	1·20	1·03	878	439	439
Diseases of Urinary „	0·49	0·72	0·29	386	264	122
Diseases of Generative „	0·08	0·01	0·13	60	4	56
Puerperal Fever	0·07	–	0·12	52	–	52
Childbirth	0·05	–	0·09	38	–	38
Violence	0·63	0·96	0·35	498	350	148
Other Causes	3·46	3·72	3·31	2759	1362	1397

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	2	–	1	–	–	3	1	–	–	1	1	–	–	–	–	–
Measles	83	166	72	35	22	378	21	1	1	–	1	1	–	–	–	–
Scarlet Fever	22	46	59	54	37	218	113	18	3	3	4	1	–	–	–	–
Diphtheria	11	27	18	28	14	98	25	5	1	–	1	1	1	1	–	–
Whooping-cough	180	105	62	31	12	390	11	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Enteric Fever	1	2	4	2	4	13	25	29	29	23	25	24	13	12	6	1
Simple Continued Fever	2	1	3	1	1	8	3	3	–	–	–	1	1	1	2	1
Diarrhœa and Dysentery	379	44	10	8	2	443	10	1	–	2	3	6	6	10	13	26
Cholera	13	3	–	1	–	17	2	–	1	1	2	–	3	1	–	–
Cancer	3	–	–	–	–	3	–	1	1	4	23	76	159	180	170	76
Tubes Mesenterica	161	52	23	8	4	218	13	7	6	–	4	3	–	–	–	–
Phthisis	45	44	18	12	9	128	34	57	139	205	408	295	225	149	49	7
Other Tub. & Scrof. Dis.	139	101	40	38	18	336	51	25	11	10	13	5	4	4	3	1
Diseases of Nervous System	559	135	49	20	22	785	43	29	23	30	40	85	167	274	485	380
Diseases of Circulatory „	18	5	–	–	2	25	12	27	28	24	63	111	204	309	392	263
Diseases of Respiratory „	884	488	174	88	49	1683	60	19	22	31	85	132	190	314	384	356
Diseases of Digestive „	204	74	18	3	2	301	20	6	15	10	32	71	91	109	142	81
Diseases of Urinary „	4	1	2	1	1	9	9	7	7	15	33	53	62	65	85	41
Diseases of Generative „	1	2	–	–	–	3	–	1	–	5	4	15	21	5	5	1
Puerperal Fever	–	–	–	–	–	–	–	–	1	11	22	18	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	6	19	12	1	–	–	–
Violence	53	15	13	12	11	104	26	26	33	22	45	51	64	49	49	29
Other Causes	1087	113	28	21	6	1255	31	45	29	28	68	107	128	142	247	679

Marriages - - - 8,086

Births - { Males - 12,289, Females - 11,861 } 24,150

Annual Rate per 1000 living { Persons Married 20·46, Births - - 30·55 }

Deaths from Childbirth and Puerperal Fever - - - - 3·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

278.—EAST STONEHOUSE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 24·41	†164	–	–	–	–	74·05	5·92	3·50	13·10	9·10	12·29	16·71	20·39	31·59	67·50	161·69
Males	—	29·21	†182	–	–	–	–	82·26	6·48	2·89	20·39	12·35	17·86	23·28	27·33	36·84	76·32	178·95
Females	—	19·89	†146	–	–	–	–	66·01	5·35	4·10	4·36	5·62	7·67	10·68	14·09	27·41	60·55	151·20
Mean Population, 1881-91. Persons	Decennial Increase of Population 2·39 per cent.	15,221	466	415	397	385	356	2019	1739	1400	1412	1473	2432	1885	1285	858	517	201
Males		7,400	242	206	183	179	188	998	879	692	770	761	1103	902	611	380	228	76
Females		7,821	224	209	214	206	168	1021	860	708	642	712	1329	983	674	478	289	125
Deaths from All Causes, 1881-90. Persons	24·88	3,787	905	330	131	82	47	1495	103	49	185	134	299	315	262	271	349	325
Males	29·36	2,173	508	175	76	38	24	821	57	20	157	94	197	210	167	140	174	136
Females	20·64	1,614	397	155	55	44	23	674	46	29	28	40	102	105	95	131	175	189

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·74	0·76	0·72	112	56	56	26	40	22	9	8	105	5	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·39	0·18	43	29	14	1	5	3	7	6	22	13	2	5	1	–	–	–	–	–	–
Diphtheria	0·13	0·14	0·13	20	10	10	1	3	1	4	2	11	5	–	4	–	–	–	–	–	–	–
Whooping-cough	0·32	0·32	0·32	49	24	25	13	19	7	5	2	46	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·66	0·86	0·46	100	64	36	1	–	3	7	2	13	12	7	25	15	18	9	–	–	1	–
Simple Continued Fever	0·05	0·04	0·05	7	3	4	–	–	1	–	1	2	1	2	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·78	0·81	0·74	118	60	58	85	13	3	4	2	107	–	1	–	1	1	1	1	–	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·61	0·86	112	45	67	–	–	–	–	–	–	–	–	–	1	10	18	26	25	24	8
Tabes Mesenterica	0·10	0·09	0·10	15	7	8	6	3	1	–	–	10	2	1	1	1	–	–	–	–	–	–
Phthisis	2·69	3·43	2·00	410	254	156	9	9	6	4	1	29	13	10	37	54	122	70	43	24	8	–
Other Tub. & Scrof. Dis.	0·47	0·47	0·46	71	35	36	16	13	7	2	1	39	8	6	5	6	2	3	1	1	–	–
Diseases of Nervous System	3·59	4·31	2·90	546	319	227	161	37	13	10	6	227	9	5	24	6	17	45	39	46	77	51
Circulatory "	1·76	2·19	1·36	268	162	106	2	–	–	–	–	2	1	4	6	3	22	49	42	61	53	25
Respiratory "	5·10	6·26	4·02	777	463	314	194	134	40	26	12	406	11	6	43	18	33	36	49	57	66	52
Digestive "	1·06	1·24	0·88	161	92	69	35	11	2	–	1	49	2	1	7	5	9	25	15	22	17	9
Urinary "	0·49	0·80	0·20	75	59	16	2	–	–	–	1	3	3	1	3	1	8	16	17	9	8	6
Generative "	0·04	0·01	0·06	6	1	5	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	1
Puerperal Fever	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	3	7	2	–	–	–	–
Childbirth	0·07	–	0·14	11	–	11	–	–	–	–	–	–	–	–	–	1	6	4	–	–	–	–
Violence	0·60	1·00	0·23	92	74	18	5	3	2	1	1	12	7	1	5	8	20	17	6	8	3	5
Other Causes	5·12	5·62	4·68	781	415	366	348	40	20	3	1	412	8	2	16	10	22	18	21	18	89	165

Marriages - - 1,677

Births - Males - 2,799; Females - 2,711 — 5,510

Annual Rate per 1000 living: Persons Married 22·04; Births - - 36·20

Deaths from Childbirth and Puerperal Fever - - - - 4·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

279.—STOKE DAMEREL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·90	†126	–	–	–	–	59·23	5·30	3·58	3·47	5·25	7·43	10·94	17·58	27·77	64·59	132·84
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·54	†136	–	–	–	–	63·20	5·06	3·60	2·59	4·70	7·20	12·04	19·21	32·02	68·80	131·94
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·29	†115	–	–	–	–	55·16	5·53	3·57	5·25	5·97	7·67	9·95	16·16	24·21	61·65	133·40
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·98 per cent.	51,871	1304	1137	1106	1127	1071	5745	5172	4660	6830	5431	8021	5512	4414	3299	1974	813
Mean Population, 1881–91. Males		26,700	680	576	542	558	552	2908	2570	2196	4564	3104	4071	2608	2056	1502	811	310
Mean Population, 1881–91. Females		25,171	624	561	564	569	519	2837	2602	2464	2266	2327	3950	2904	2358	1797	1163	503
Deaths from All Causes, 1881–90. Persons	18·53	9,612	1985	782	292	196	148	3403	274	167	237	285	596	603	776	916	1275	1080
Deaths from All Causes, 1881–90. Males	17·83	4,761	1104	410	141	103	80	1838	130	79	118	146	293	314	395	481	558	409
Deaths from All Causes, 1881–90. Females	19·27	4,851	881	372	151	93	68	1565	144	88	119	139	303	289	381	435	717	671

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·57	0·56	0·58	295	149	146	63	124	37	37	19	280	13	2	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	134	69	65	4	16	26	32	12	90	31	8	3	–	–	1	–	1	–
Diphtheria	0·14	0·10	0·19	75	26	49	4	10	3	13	13	43	21	3	1	1	2	–	4	–	–
Whooping-cough	0·34	0·30	0·39	178	81	97	74	62	22	10	5	173	5	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	3	3	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–
Enteric Fever	0·15	0·17	0·14	80	45	35	1	1	1	3	2	8	10	6	10	7	18	8	7	3	3
Simple Continued Fever	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Diarrhœa and Dysentery	0·39	0·38	0·41	204	101	103	123	18	2	1	–	144	1	–	1	–	3	7	4	7	23
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·80	0·54	1·08	415	143	272	–	–	–	1	1	2	–	1	2	2	10	50	97	117	92
Tabes Mesenterica	0·32	0·34	0·29	164	90	74	95	36	15	2	2	150	5	3	3	–	1	1	–	–	1
Phthisis	1·72	1·71	1·73	891	456	435	6	5	6	3	6	26	16	40	85	116	272	155	100	61	19
Other Tub. & Scrof. Dis.	0·50	0·50	0·50	261	134	127	70	43	23	8	19	163	50	13	17	2	8	2	3	1	2
Diseases of Nervous System	2·47	2·38	2·56	1281	636	645	256	87	32	19	20	414	26	16	17	15	26	44	99	159	287
Diseases of Circulatory „	1·56	1·45	1·68	811	387	424	2	1	–	1	–	4	11	14	20	22	47	92	139	166	205
Diseases of Respiratory „	3·34	3·43	3·25	1735	916	819	429	236	93	39	36	833	31	13	11	20	48	69	119	157	248
Diseases of Digestive „	1·11	1·06	1·15	574	284	290	96	78	9	5	3	191	11	6	16	13	30	37	57	90	82
Diseases of Urinary „	0·48	0·56	0·39	249	150	99	6	–	–	1	2	9	1	5	12	7	15	18	42	41	74
Diseases of Generative „	0·06	0·01	0·12	31	2	29	–	–	–	–	–	–	–	–	–	2	6	11	6	4	1
Puerperal Fever	0·08	–	0·17	44	–	44	–	–	–	–	–	–	–	–	2	11	20	10	1	–	–
Childbirth	0·06	–	0·12	29	–	29	–	–	–	–	–	–	–	–	3	10	9	6	1	–	–
Violence	0·53	0·73	0·31	274	196	78	38	8	6	8	3	63	14	8	15	20	29	35	26	21	26
Other Causes	3·63	3·33	3·95	1879	890	989	718	57	17	12	5	809	28	29	19	35	51	56	69	87	212

Marriages - - - 5,747

Births - Males - 8,133; Females - 7,654 — 15,787

Annual Rate per 1000 living: Persons Married 22·16; Births - - 30·44

Deaths from Childbirth and Puerperal Fever - - - - 4·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

280.—TAVISTOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·81	†119	–	–	–	–	46·95	4·81	2·96	4·42	8·33	8·27	9·89	12·26	26·04	58·16	141·69
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·24	†126	–	–	–	–	50·96	4·74	3·05	4·42	9·44	8·57	10·78	16·16	30·08	63·29	157·03
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·46	†112	–	–	–	–	42·82	4·89	2·87	4·41	7·32	7·99	9·07	8·47	22·12	53·41	130·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·93 per cent.	28,150	674	633	639	683	655	3284	3323	3177	2898	2256	3653	2842	2561	2139	1415	602
Mean Population, 1881–91. Males		13,926	347	326	327	339	329	1668	1687	1608	1515	1081	1750	1364	1262	1054	681	256
Mean Population, 1881–91. Females		14,224	327	307	312	344	326	1616	1636	1569	1383	1175	1903	1478	1299	1085	734	346
Deaths from All Causes, 1881–90. Persons	18·62	5,242	970	310	124	74	64	1542	160	94	128	188	302	281	314	557	823	853
Deaths from All Causes, 1881–90. Males	20·10	2,799	532	183	66	36	33	850	80	49	67	102	150	147	204	317	431	402
Deaths from All Causes, 1881–90. Females	17·18	2,443	438	127	58	38	31	692	80	45	61	86	152	134	110	240	392	451

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·34	0·25	83	48	35	12	23	19	7	5	66	14	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·24	0·20	61	33	28	–	6	10	10	10	36	14	7	–	1	2	–	1	–	–	–
Diphtheria	0·16	0·19	0·13	44	26	18	1	2	5	10	7	25	13	3	3	–	–	–	–	–	–	–
Whooping-cough	0·33	0·35	0·31	93	49	44	52	23	8	4	3	90	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	31	16	15	–	–	–	–	–	–	3	6	7	6	5	2	1	–	1	–
Simple Continued Fever	0·02	0·03	0·02	7	4	3	–	–	1	–	–	1	–	1	1	–	–	1	2	–	1	–
Diarrhœa and Dysentery	0·39	0·42	0·37	110	58	52	74	5	3	2	1	85	–	–	–	–	1	–	2	2	12	8
Cholera	0·01	0·01	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·54	0·68	171	75	96	–	–	–	–	1	1	–	–	1	–	5	12	19	53	62	18
Tabes Mesenterica	0·17	0·17	0·17	47	23	24	16	8	6	–	1	31	2	4	–	3	5	1	–	–	1	–
Phthisis	1·85	1·90	1·81	522	265	257	9	6	6	1	–	22	11	13	47	85	107	83	65	53	33	3
Other Tub. & Scrof. Dis.	0·60	0·61	0·60	170	85	85	39	22	7	5	4	77	20	17	10	13	10	10	4	5	4	–
Diseases of: Nervous System	2·23	2·38	2·07	627	332	295	129	25	5	5	4	168	19	9	10	13	21	25	42	79	147	94
Diseases of: Circulatory „	1·82	1·72	1·92	513	240	273	4	1	1	–	–	6	3	7	9	8	18	34	46	126	175	81
Diseases of: Respiratory „	3·80	4·50	3·11	1069	627	442	235	124	37	18	17	431	25	3	6	11	35	32	71	118	175	162
Diseases of: Digestive „	1·09	1·31	0·88	307	182	125	50	27	5	3	5	99	17	3	9	12	15	15	20	47	48	31
Diseases of: Urinary „	0·45	0·62	0·30	128	86	42	1	–	–	–	–	1	2	2	3	5	9	12	7	21	42	24
Diseases of: Generative „	0·05	0·01	0·09	15	2	13	1	–	–	–	–	1	–	–	–	–	3	1	2	3	4	1
Puerperal Fever	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	–	9	3	–	–	–	–
Childbirth	0·09	–	0·17	24	–	24	–	–	–	–	–	–	–	–	1	1	13	9	–	–	–	–
Violence	0·60	1·02	0·18	168	142	26	8	2	6	6	1	23	5	9	11	18	25	18	18	18	16	7
Other Causes	3·69	3·63	3·73	1038	504	534	337	36	5	3	5	386	9	8	9	12	19	23	14	32	102	424

Marriages - - - 1,769

Births - { Males - 4,232 / Females - 3,926 } 8,158

Annual Rate per 1000 living { Persons Married 12·57 / Births - - 28·98 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

281.—OKEHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·17	†100	–	–	–	–	38·76	3·89	3·27	3·62	6·60	5·34	7·84	11·51	20·51	51·55	139·33
Males	—					14·32	†114	–	–	–	–	44·27	3·57	2·37	3·43	5·53	4·58	7·27	11·77	19·93	54·78	141·15
Females	—					14·03	† 86	–	–	–	–	33·33	4·21	4·20	3·85	7·65	6·02	8·37	11·26	21·04	48·42	137·76
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·25 per cent.			16,648			382	393	395	404	397	1971	1955	1924	1658	1349	2040	1683	1425	1258	935	450
Males				8,240			198	195	191	194	200	978	981	972	904	669	961	811	688	607	460	209
Females				8,408			184	198	204	210	197	993	974	952	754	680	1079	872	737	651	475	241
Deaths from All Causes, 1881–90. Persons	16·96			2,824			474	159	58	37	36	764	76	63	60	89	109	132	164	258	482	627
Males	17·12			1,411			273	93	32	17	18	433	35	23	31	37	44	59	81	121	252	295
Females	16·81			1,413			201	66	26	20	18	331	41	40	29	52	65	73	83	137	230	332
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·18	35	20	15	6	12	4	1	5	28	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·09	0·04	10	7	3	–	4	–	1	–	5	1	3	–	–	–	–	1	–	–	–
Diphtheria	0·14	0·17	0·11	23	14	9	–	–	–	4	4	8	11	2	–	–	–	–	1	–	–	1
Whooping-cough	0·39	0·44	0·34	65	36	29	29	22	7	3	3	64	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·06	0·10	13	5	8	–	–	–	–	–	–	2	5	2	–	3	1	–	–	–	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·28	0·41	0·15	47	34	13	29	2	1	1	1	34	1	–	–	–	–	–	–	3	3	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·53	0·75	107	44	63	–	–	–	–	–	–	–	–	1	–	–	6	15	30	34	21
Tabes Mesenterica	0·11	0·12	0·11	19	10	9	7	1	–	1	–	9	2	2	1	3	1	–	–	1	–	–
Phthisis	1·47	1·31	1·63	245	108	137	2	5	3	3	1	14	5	9	26	34	55	38	33	14	14	3
Other Tub. & Scrof. Dis.	0·47	0·41	0·52	78	34	44	9	12	4	4	5	34	10	6	5	5	4	4	2	5	3	–
Diseases of Nervous System	2·22	2·25	2·20	370	185	185	76	19	6	4	1	106	7	6	5	8	4	11	22	35	86	80
Diseases of Circulatory ,,	1·98	1·65	2·30	329	136	193	2	–	1	–	1	4	2	8	1	10	8	16	22	57	116	85
Diseases of Respiratory ,,	3·81	4·19	3·44	634	345	289	135	58	23	10	8	234	9	7	6	9	14	16	28	54	124	133
Diseases of Digestive ,,	0·83	0·89	0·79	139	73	66	18	8	1	–	3	30	8	4	5	2	1	10	13	20	32	14
Diseases of Urinary ,,	0·41	0·61	0·23	69	50	19	–	–	–	1	1	2	1	–	1	2	2	6	7	10	16	22
Diseases of Digestive ,,	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	5	–	1	–	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	–	–	2	8	–	–	–	–
Violence	0·45	0·66	0·25	75	54	21	7	2	3	4	2	18	3	4	2	10	2	5	9	4	12	6
Other Causes	3·26	3·09	3·38	541	256	285	154	14	5	–	1	174	7	5	4	5	7	9	10	23	41	256

Marriages - - - 957

Births - Males - 2,399; Females - 2,324 — 4,723

Annual Rate per 1000 living: Persons Married 11·50; Births - - 28·37

Deaths from Childbirth and Puerperal Fever - - - - 3·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

282.—CREDITON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·18			† 91	–	–	–	–	34·21	4·28	3·63	4·19	6·03	6·66	8·12	10·97	19·53	56·82	154·18
Males	—			14·62			†105	–	–	–	–	37·40	5·00	3·88	2·91	6·53	5·99	8·12	13·31	21·18	55·78	166·51
Females	—			13·76			† 77	–	–	–	–	31·01	3·54	3·38	5·68	5·56	7·27	8·11	8·97	17·99	57·81	143·92
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·60 per cent.			17,517			422	429	461	453	445	2210	2151	1954	1669	1294	2132	1737	1531	1367	1005	467
Males				8,614			208	220	233	217	229	1107	1079	979	894	628	1018	837	706	661	493	212
Females				8,903			214	209	228	236	216	1103	1072	975	775	666	1114	900	825	706	512	255
Deaths from All Causes, 1881–90. Persons	17·56			3,076			454	162	66	40	34	756	92	71	70	78	142	141	168	267	571	720
Males	18·16			1,564			268	75	32	23	16	414	54	38	26	41	61	68	94	140	275	353
Females	16·98			1,512			186	87	34	17	18	342	38	33	44	37	81	73	74	127	296	367
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·34	0·27	0·40	59	23	36	7	17	9	5	4	42	12	4	–	–	–	1	–	–	–	–
Scarlet Fever	0·07	0·09	0·06	13	8	5	1	2	4	–	1	8	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·17	0·12	26	15	11	–	–	–	5	4	9	13	2	1	–	–	1	–	–	–	–
Whooping-cough	0·41	0·36	0·45	71	31	40	32	22	6	6	3	69	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·21	31	12	19	–	1	–	–	–	1	3	3	7	5	3	5	1	–	–	3
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·15	0·15	0·15	26	13	13	10	4	1	1	–	16	–	–	–	–	1	–	1	–	4	4
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·68	0·63	0·74	120	54	66	–	–	–	–	–	–	–	–	–	–	1	6	21	42	33	17
Tabes Mesenterica	0·15	0·20	0·10	26	17	9	12	7	2	1	–	22	1	1	–	–	2	–	–	–	–	–
Phthisis	1·27	1·24	1·29	222	107	115	2	5	2	–	2	11	5	11	25	32	54	34	20	15	11	4
Other Tub. & Scrof. Dis.	0·23	0·34	0·13	41	29	12	8	5	4	2	–	19	4	5	5	3	1	–	1	1	2	–
Diseases of Nervous System	2·16	2·15	2·17	378	185	193	59	22	5	5	4	95	11	14	10	6	9	12	18	32	89	82
Circulatory „	2·13	2·00	2·27	374	172	202	2	2	–	1	–	5	4	3	2	5	14	21	21	59	146	94
Respiratory „	3·24	3·73	2·76	567	321	246	81	52	19	7	8	167	11	2	2	3	14	20	34	48	123	143
Digestive „	1·00	1·21	0·98	191	104	87	27	9	5	1	3	45	4	7	5	2	9	9	15	26	44	25
Urinary „	0·45	0·66	0·25	79	57	22	1	–	1	–	–	2	–	2	–	3	6	11	8	14	22	11
Generative „	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	1	–	1	3	3	–	1	–
Puerperal Fever	0·09	–	0·17	15	–	15	–	–	–	–	–	–	–	–	1	3	7	4	–	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	5	2	1	–	–	–
Violence	0·41	0·63	0·19	71	54	17	2	1	2	2	–	7	4	7	4	5	3	5	8	6	12	10
Other Causes	4·24	4·18	4·33	746	361	385	210	13	6	4	5	238	13	10	7	10	12	7	15	23	84	327

Marriages - - - 1,633

Births - { Males - 2,547 / Females - 2,426 } 4,973

Annual Rate per 1000 living { Persons Married 11·79 / Births - - 28·39 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

283.—TIVERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·41	†109	–	–	–	–	42·15	3·54	2·90	4·14	4·81	6·41	9·04	13·82	25·38	55·20	145·76
Annual Death-Rate per 1000. Males	—	16·19	†120	–	–	–	–	46·93	3·03	2·48	3·92	4·88	6·97	10·07	15·01	26·32	55·69	163·61
Annual Death-Rate per 1000. Females	—	14·67	† 97	–	–	–	–	37·41	4·09	3·33	4·37	4·76	5·96	8·12	12·83	24·56	54·75	131·79
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·01 per cent.	28,525	690	658	719	682	684	3433	3442	3274	2874	2223	3570	2909	2475	2112	1518	695
Mean Population, 1881–91. Males		13,719	351	334	352	335	337	1709	1779	1654	1479	984	1607	1370	1119	984	729	305
Mean Population, 1881–91. Females		14,806	339	324	367	347	347	1724	1663	1620	1395	1239	1963	1539	1356	1128	789	390
Deaths from All Causes, 1881–90. Persons	17·92	5,111	888	296	137	75	51	1447	122	95	119	107	229	263	342	536	838	1013
Deaths from All Causes, 1881–90. Males	18·84	2,585	506	160	64	40	32	802	54	41	58	48	112	138	168	259	406	499
Deaths from All Causes, 1881–90. Females	17·06	2,526	382	136	73	35	19	645	68	54	61	59	117	125	174	277	432	514

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·35	0·31	0·38	100	43	57	18	27	26	8	3	82	10	4	1	1	2	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	16	9	7	1	3	1	4	2	11	2	1	–	2	–	–	–	–	–
Diphtheria	0·08	0·07	0·08	22	10	12	1	1	4	5	1	12	5	3	–	1	–	1	–	–	–
Whooping-cough	0·35	0·36	0·34	101	50	51	52	26	10	6	4	98	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Enteric Fever	0·20	0·19	0·22	58	26	32	–	2	1	1	2	6	6	9	12	4	14	3	3	1	–
Simple Continued Fever	0·03	0·03	0·03	9	4	5	–	–	–	–	1	1	1	1	1	–	1	2	–	2	–
Diarrhœa and Dysentery	0·19	0·22	0·16	54	30	24	31	4	2	–	–	37	–	1	–	1	–	–	1	5	3
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·57	0·35	0·78	164	48	116	–	–	–	2	–	2	–	1	1	–	3	10	29	46	50
Tabes Mesenterica	0·10	0·12	0·08	28	16	12	11	3	1	–	–	15	3	1	1	–	3	2	2	1	–
Phthisis	1·30	1·33	1·28	372	183	189	2	2	–	3	2	9	5	8	44	47	85	64	57	34	16
Other Tub. & Scrof. Dis.	0·30	0·30	0·31	87	41	46	18	9	8	3	4	42	9	6	7	3	5	2	4	5	2
Diseases of Nervous System	2·37	2·67	2·09	675	366	309	165	50	23	10	6	254	14	10	13	7	12	21	38	80	118
Diseases of Circulatory „	1·88	1·78	1·97	536	244	292	–	–	–	–	–	–	4	6	6	8	20	38	64	91	187
Diseases of Respiratory „	3·47	3·85	3·13	991	528	463	200	100	35	23	20	378	35	15	9	7	20	34	54	109	170
Diseases of Digestive „	0·99	1·01	0·97	283	139	144	42	15	4	2	–	63	8	8	2	6	4	20	34	54	56
Diseases of Urinary „	0·54	0·71	0·39	155	97	58	1	–	–	1	–	2	2	3	1	3	8	10	18	45	37
Diseases of Generative „	0·08	0·01	0·14	22	1	21	–	–	–	–	1	1	–	–	–	–	1	3	2	9	6
Puerperal Fever	0·06	–	0·11	17	–	17	–	–	–	–	–	–	–	–	–	4	8	4	1	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	2	–	11	8	–	–	–
Violence	0·47	0·77	0·20	134	105	29	11	9	7	4	2	33	6	7	10	5	19	18	12	8	10
Other Causes	4·44	4·67	4·19	1260	643	617	335	45	15	3	3	401	9	11	8	7	13	21	22	45	183

Marriages - - - 1 822

Births - { Males - 4,232 / Females - 3,946 } 8,178

Annual Rate per 1000 living { Persons Married 12·77 / Births - - 28·67 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

284.—SOUTH MOLTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 13·42			† 90	–	–	–	–	33·81	3·13	2·08	3·03	5·42	6·46	7·09	10·10	23·36	53·13	144·34
Annual Death-Rate per 1000. Males	—			12·97			†105	–	–	–	–	36·19	2·94	2·10	2·90	5·15	6·28	6·59	9·85	21·14	49·09	142·06
Annual Death-Rate per 1000. Females	—			13·85			† 75	–	–	–	–	31·40	3·33	2·05	3·18	5·70	6·62	7·56	10·32	25·46	57·18	147·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population. 7·36 per cent.			16,129			383	375	382	417	392	1949	1982	1878	1682	1218	1935	1607	1406	1160	879	433
Mean Population, 1881–91. Males				8,112			192	187	199	202	201	981	1020	1000	897	621	923	774	660	563	440	233
Mean Population, 1881–91. Females				8,017			191	188	183	215	191	968	962	878	785	597	1012	833	746	597	439	200
Deaths from All Causes, 1881–90. Persons	16·25			2,621			412	130	59	31	27	659	62	39	51	66	125	114	142	271	467	625
Deaths from All Causes, 1881–90. Males	16·07			1,304			246	57	33	8	11	355	30	21	26	32	58	51	65	119	216	331
Deaths from All Causes, 1881–90. Females	16·43			1,317			166	73	26	23	16	304	32	18	25	34	67	63	77	152	251	294
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·17	0·21	31	14	17	6	12	5	4	3	30	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·05	9	5	4	–	1	3	1	1	6	2	–	1	–	–	–	–	–	–	–
Diphtheria	0·26	0·18	0·34	42	15	27	1	3	4	1	3	12	17	5	5	3	–	–	–	–	–	–
Whooping-cough	0·33	0·31	0·36	54	25	29	29	15	6	1	1	52	1	–	–	–	–	1	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·06	11	6	5	–	–	–	–	–	–	–	2	2	2	–	3	–	1	–	1
Simple Continued Fever	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Diarrhœa and Dysentery	0·19	0·20	0·19	31	16	15	7	1	2	–	2	12	–	–	–	–	2	–	–	2	6	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·42	0·81	99	34	65	–	–	–	–	–	–	–	–	–	–	2	6	19	27	29	16
Tabes Mesenterica	0·12	0·14	0·10	19	11	8	5	3	2	1	–	11	4	–	–	2	1	–	–	1	–	–
Phthisis	1·29	1·23	1·35	208	100	108	5	6	2	–	1	14	3	10	16	23	39	33	23	25	20	2
Other Tub. & Scrof. Dis.	0·43	0·52	0·34	69	42	27	17	11	4	6	5	43	4	4	4	6	4	1	1	1	1	–
Diseases of Nervous System	2·18	1·94	2·42	351	157	194	71	15	2	3	–	91	6	3	4	7	7	13	20	46	72	82
Diseases of Circulatory „	2·15	1·94	2·37	347	157	190	–	–	–	–	–	–	1	–	2	1	5	13	26	55	133	111
Diseases of Respiratory „	2·75	3·01	2·48	443	244	199	80	40	13	7	8	148	12	3	2	6	18	17	21	30	74	112
Diseases of Digestive „	0·99	1·02	0·95	159	83	76	16	7	4	3	–	30	2	3	2	2	11	9	7	31	38	24
Diseases of Urinary „	0·42	0·52	0·31	67	42	25	–	1	–	–	–	1	2	4	–	3	–	4	7	17	17	12
Diseases of Generative „	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	–
Puerperal Fever	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–
Childbirth	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	1	5	5	1	–	–	–
Violence	0·51	0·68	0·35	83	55	28	6	3	6	3	–	18	4	3	3	3	7	3	5	12	16	9
Other Causes	3·49	3·61	3·37	564	294	270	169	12	6	1	3	191	3	2	8	5	13	6	11	20	58	247

Marriages - - - 984

Births - { Males - 2,353 / Females - 2,221 } 4,574

Annual Rate per 1000 living { Persons Married 12·20 / Births - - 28·36 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

285.—BARNSTAPLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·89	†107	–	–	–	–	41·85	4·17	2·24	3·65	5·26	6·51	9·13	12·14	23·75	50·50	137·04
Annual Death-Rate per 1000. Males	—	15·53	†119	–	–	–	–	45·80	4·29	2·02	3·95	5·13	6·33	10·53	12·69	24·04	55·82	139·15
Annual Death-Rate per 1000. Females	—	14·28	† 94	–	–	–	–	37·88	4·05	2·46	3·37	5·36	6·66	8·00	11·70	23·52	46·40	135·46
Mean Population, 1881-91. Persons	Decennial Increase of Population 8·32 per cent.	39,787	981	902	920	924	894	4621	4439	4154	4081	3461	5346	4138	3551	2863	2091	1042
Mean Population, 1881-91. Males		18,556	494	441	465	470	449	2319	2240	2077	1973	1520	2386	1851	1560	1273	910	447
Mean Population, 1881-91. Females		21,231	487	461	455	454	445	2302	2199	2077	2108	1941	2960	2287	1991	1590	1181	595
Deaths from All Causes, 1881-90. Persons	17·25	6,864	1180	401	157	116	80	1934	185	93	149	182	348	378	431	680	1056	1428
Deaths from All Causes, 1881-90. Males	17·98	3,336	681	207	75	63	36	1062	96	42	78	78	151	195	198	306	508	622
Deaths from All Causes, 1881-90. Females	16·62	3,528	499	194	82	53	44	872	89	51	71	104	197	183	233	374	548	806

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·30	0·30	119	55	64	20	45	23	11	8	107	7	–	2	–	1	1	–	1	–
Scarlet Fever	0·27	0·32	0·23	109	60	49	4	19	16	19	10	68	30	5	2	–	3	–	1	–	–
Diphtheria	0·15	0·17	0·13	59	31	28	6	8	3	9	5	31	18	7	–	1	2	–	–	–	–
Whooping-cough	0·40	0·38	0·41	158	70	88	52	56	19	14	10	151	7	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	35	17	18	–	–	–	–	1	1	3	2	7	6	7	2	4	3	–
Simple Continued Fever	0·01	0·01	0·02	5	1	4	–	–	1	1	–	2	–	–	1	1	–	–	–	1	–
Diarrhœa and Dysentery	0·37	0·43	0·31	146	80	66	105	12	3	–	–	120	–	–	–	–	1	1	–	3	3
Cholera	0·01	0·01	0·01	3	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1
Cancer	0·86	0·64	1·06	344	119	225	–	–	–	–	–	–	–	–	–	1	11	23	44	118	86
Tabes Mesenterica	0·15	0·17	0·12	58	32	26	28	15	4	–	1	48	3	–	2	–	2	1	–	1	1
Phthisis	1·63	1·59	1·66	649	296	353	14	8	1	1	1	25	5	13	64	81	140	100	63	79	64
Other Tub. & Scrof. Dis.	0·37	0·39	0·35	146	72	74	46	29	7	8	2	92	14	4	6	5	10	4	7	3	1
Diseases of Nervous System	2·23	2·27	2·20	889	421	468	144	39	16	9	5	213	19	12	7	4	17	36	48	105	202
Diseases of Circulatory „	1·83	1·63	2·01	728	302	426	3	2	–	1	–	6	6	5	8	4	25	39	66	114	241
Diseases of Respiratory „	3·19	3·47	2·94	1269	644	625	274	124	45	28	20	491	29	6	5	15	22	44	67	105	214
Diseases of Digestive „	1·11	1·10	1·12	443	205	238	97	19	6	7	5	134	13	7	10	15	17	27	39	48	65
Diseases of Urinary „	0·57	0·83	0·33	225	154	71	1	–	–	–	1	2	5	–	5	6	12	28	22	39	47
Diseases of Generative „	0·05	–	0·09	18	–	18	–	–	–	–	–	–	–	–	–	3	1	2	7	3	2
Puerperal Fever	0·05	–	0·10	21	–	21	–	–	–	–	–	–	–	–	–	2	12	7	–	–	–
Childbirth	0·06	–	0·11	24	–	24	–	–	–	–	–	–	–	–	–	4	8	12	–	–	–
Violence	0·62	1·04	0·25	247	193	54	15	7	7	4	5	38	10	17	20	12	31	28	23	22	25
Other Causes	2·93	3·14	2·78	1169	583	586	371	18	5	4	6	404	16	15	10	22	26	23	40	34	104

Marriages - - - 2,825

Births - { Males - 5,709 / Females - 5,294 } 11,003

Annual Rate per 1000 living { Persons Married 14·20 / Births - - 27·65 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

286.—TORRINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·04	† 98	–	–	–	–	38·19	4·30	3·98	4·72	7·36	7·61	8·38	10·04	23·46	52·97	149·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·73	†109	–	–	–	–	43·02	3·71	3·23	3·89	6·31	6·03	8·20	11·51	22·40	48·53	150·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·32	† 87	–	–	–	–	33·29	4·90	4·80	5·63	8·21	8·94	8·52	8·91	24·36	56·94	149·50
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·67 per cent.	14,231	344	329	334	339	351	1697	1653	1660	1483	1128	1747	1397	1215	1087	791	373
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·67 per cent.	6,840	173	168	168	169	175	853	836	868	772	507	796	634	539	500	373	171
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·67 per cent.	7,391	171	161	166	170	176	844	817	792	711	621	951	763	685	587	418	202
Deaths from All Causes, 1881–90. Persons	17·87	2,543	396	135	61	35	21	648	71	66	70	83	133	117	122	255	419	559
Deaths from All Causes, 1881–90. Males	17·53	1,199	227	74	35	20	11	367	31	28	30	32	48	52	61	112	181	257
Deaths from All Causes, 1881–90. Females	18·18	1,344	169	61	26	15	10	281	40	38	40	51	85	65	61	143	238	302

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·48	0·48	0·47	68	33	35	13	15	12	13	4	57	8	1	1	–	1	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	9	5	4	2	1	1	1	2	7	1	–	–	–	–	–	–	–	1
Diphtheria	0·12	0·13	0·11	17	9	8	–	–	1	1	2	4	11	1	1	–	–	–	–	–	–
Whooping-cough	0·32	0·38	0·27	46	26	20	23	14	5	2	–	44	–	1	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	0·06	0·05	8	4	4	–	–	–	–	–	–	–	1	3	1	1	–	–	2	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·34	0·39	0·30	49	27	22	22	6	2	2	1	33	–	–	–	–	–	1	1	1	4	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·38	0·80	85	26	59	–	–	–	–	–	–	1	–	–	–	4	4	11	19	27	19
Tabes Mesenterica	0·22	0·23	0·20	31	16	15	10	8	1	–	–	19	3	1	1	5	1	–	–	–	1	–
Phthisis	1·61	1·35	1·85	229	92	137	2	1	2	2	–	7	2	10	23	40	65	31	14	16	16	5
Other Tub. & Scrof. Dis.	0·60	0·51	0·68	85	35	50	13	18	5	3	1	40	12	13	7	5	4	1	–	2	1	–
Diseases of Nervous System	2·50	2·31	2·67	355	158	197	59	18	5	3	1	86	5	6	5	2	5	14	20	38	78	96
Diseases of Circulatory „	2·38	1·96	2·77	339	134	205	2	–	–	–	1	3	1	5	4	3	6	11	21	64	117	104
Diseases of Respiratory „	5·33	3·68	3·00	474	252	222	92	27	17	3	5	144	9	8	6	6	8	15	20	46	84	128
Diseases of Digestive „	1·12	1·27	0·99	160	87	73	30	14	4	1	–	49	5	6	2	3	7	8	5	24	30	21
Diseases of Urinary „	0·55	0·69	0·42	78	47	31	1	1	–	–	1	3	1	–	3	5	2	8	11	12	18	15
Diseases of Generative „	0·11	–	0·22	16	–	16	–	–	–	–	–	–	–	–	–	–	6	–	3	5	1	1
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	4	5	–	–	–	–
Childbirth	0·08	–	0·16	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	1	–	–	–
Violence	0·41	0·69	0·15	58	47	11	3	–	1	2	–	6	5	6	4	2	6	8	6	4	8	3
Other Causes	2·91	2·95	2·89	414	201	213	124	12	5	2	3	146	7	6	9	10	7	7	9	24	32	157

Marriages - - - 906

Births - { Males - 2,082 / Females - 1,939 } 4,021

Annual Rate per 1000 living { Persons Married 12·73 / Births - - 28·26 }

Deaths from Childbirth and Puerperal Fever - - - - } 5·22 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

287.—BIDEFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·66	†105	–	–	–	–	40·19	4·22	2·61	4·23	5·73	6·35	8·50	11·76	23·41	49·79	136·82
Annual Death-Rate per 1000. Males	—	15·62	†124	–	–	–	–	46·17	4·13	2·67	3·43	7·20	6·27	9·42	12·61	24·45	55·06	138·94
Annual Death-Rate per 1000. Females	—	13·75	† 85	–	–	–	–	34·14	4·31	2·56	4·99	4·77	6·40	7·81	11·12	22·55	45·54	135·06
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·41 per cent.	19,477	494	490	476	465	486	2411	2299	2220	2103	1659	2490	1906	1633	1307	952	497
Mean Population, 1881–91. Males		8,914	251	247	229	238	248	1213	1161	1087	1020	653	1021	817	698	593	425	226
Mean Population, 1881–91. Females		10,563	243	243	247	227	238	1198	1138	1133	1083	1006	1469	1089	935	714	527	271
Deaths from All Causes, 1881–90. Persons	16·84	3,280	602	195	81	45	46	969	97	58	89	95	158	162	192	306	474	680
Deaths from All Causes, 1881–90. Males	18·41	1,641	365	96	47	29	23	560	48	29	35	47	64	77	88	145	234	314
Deaths from All Causes, 1881–90. Females	15·52	1,639	237	99	34	16	23	409	49	29	54	48	94	85	104	161	240	366

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·37	0·24	58	33	25	7	17	11	6	7	48	6	2	1	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·16	0·11	26	14	12	1	6	3	4	3	17	6	2	–	1	–	–	–	–	–	–
Diphtheria	0·23	0·22	0·23	44	20	24	–	5	3	8	4	20	17	4	1	–	–	–	1	1	–	–
Whooping-cough	0·39	0·39	0·39	76	35	41	34	28	6	5	2	75	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·16	29	12	17	1	–	–	–	2	3	2	3	5	–	3	5	1	4	3	–
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	2	–	–	2	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·32	0·38	0·27	63	34	29	34	1	–	2	–	37	–	1	1	–	–	–	2	8	4	10
Cholera	0·03	0·03	0·02	5	3	2	3	1	–	–	–	4	–	–	–	–	–	–	–	1	–	–
Cancer	0·65	0·52	0·77	127	46	81	–	–	–	–	–	–	–	–	–	3	1	8	29	24	33	29
Tabes Mesenterica	0·25	0·26	0·24	48	23	25	24	8	3	2	3	40	3	2	–	1	1	1	–	–	–	–
Phthisis	1·50	1·37	1·61	292	122	170	2	3	–	1	–	6	6	8	33	45	71	51	25	25	14	8
Other Tub. & Scrof. Dis.	0·29	0·30	0·27	56	27	29	8	13	5	2	5	33	7	6	3	3	1	1	–	1	1	–
Diseases of Nervous System	2·42	2·67	2·22	472	238	234	82	27	9	4	3	125	15	4	7	8	11	8	24	57	95	118
Diseases of Circulatory „	1·57	1·40	1·71	306	125	181	2	–	1	–	–	3	3	3	8	4	11	8	26	55	82	103
Diseases of Respiratory „	3·07	3·58	2·64	598	319	279	125	54	28	7	8	222	11	–1	6	7	10	16	26	54	92	153
Diseases of Digestive „	1·01	1·20	0·84	196	107	89	42	15	1	–	2	60	3	2	2	2	10	11	15	24	39	28
Diseases of Urinary „	0·55	0·79	0·35	107	70	37	1	–	2	1	–	4	–	2	2	2	7	3	8	17	38	24
Diseases of Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	4	2	1	1
Puerperal Fever	0·07	–	0·13	14	–	14	–	–	–	–	–	–	–	–	–	2	6	6	–	–	–	–
Childbirth	0·09	–	0·16	17	–	17	–	–	–	–	–	–	–	–	2	1	7	7	–	–	–	–
Violence	0·61	1·01	0·27	118	90	28	6	3	2	1	4	16	4	11	10	10	12	17	17	8	6	7
Other Causes	3·13	3·61	2·76	613	321	292	230	14	5	2	3	254	12	7	8	5	7	18	14	24	65	199

Marriages - - - 1,405

Births - { Males - 2,948 / Females - 2,777 } 5,725

Annual Rate per 1000 living { Persons Married 14·43 / Births - - 29·39 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

288.—HOLSWORTHY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·45	†109	–	–	–	–	42·01	4·10	2·59	3·37	5·28	5·72	7·59	9·24	20·44	59·86	133·78
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·19	†122	–	–	–	–	45·57	2·95	2·44	3·95	5·60	4·42	6·94	8·89	18·73	59·91	133·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	† 98	–	–	–	–	38·59	5·28	2·77	2·77	4·97	6·91	8·20	9·56	22·15	59·82	133·93
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·38 per cent.	8,975	221	209	220	222	211	1083	1073	1002	950	757	1188	883	747	631	436	225
Mean Population, 1881-91. Males	Decennial Decrease of Population 0·38 per cent.	4,465	107	109	107	107	101	531	543	532	481	375	566	432	360	315	217	113
Mean Population, 1881-91. Females	Decennial Decrease of Population 0·38 per cent.	4,510	114	100	113	115	110	552	530	470	469	382	622	451	387	316	219	112
Deaths from All Causes, 1881-90. Persons	16·62	1,492	296	105	30	13	11	455	44	26	32	40	68	67	69	129	261	301
Deaths from All Causes, 1881-90. Males	16·53	738	162	56	12	6	6	242	16	13	19	21	25	30	32	59	130	151
Deaths from All Causes, 1881-90. Females	16·72	754	134	49	18	7	5	213	28	13	13	19	43	37	37	70	131	150

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·07	–	3	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
Measles	0·22	0·25	0·20	20	11	9	5	7	2	–	1	15	2	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·02	0·02	0·02	2	1	1	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Diphtheria	0·17	0·13	0·20	15	6	9	2	1	2	2	2	9	5	1	–	–	–	–	–	–	–	–
Whooping-cough	0·41	0·26	0·55	37	12	25	20	13		1	–	36	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	0·02	0·02	2	1	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·41	0·47	0·35	37	21	16	23	3	–	–	–	26	2	–	–	–	1	–	–	–	2	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·56	0·93	67	25	42	–	–	–	–	–	–	–	–	–	–	–	3	8	15	23	18
Tabes Mesenterica	0·22	0·22	0·22	20	10	10	4	7	3	–	–	14	1	3	–	–	1	1	–	–	–	–
Phthisis	1·66	1·50	1·82	149	67	82	4	2	–	–	–	6	4	3	13	24	33	20	6	17	17	6
Other Tub. & Scrof. Dis.	0·33	0·38	0·29	30	17	13	2	6	4	2	1	15	5	2	1	1	1	2	–	–	2	1
Diseases of Nervous System	2·17	2·31	2·04	195	103	92	44	11	3	2	1	61	2	4	4	3	4	8	7	8	55	39
Diseases of Circulatory „	1·78	1·64	1·93	160	73	87	2	1	–	–	–	3	1	2	1	2	4	8	14	34	55	36
Diseases of Respiratory „	2·99	3·32	2·66	268	148	120	57	24	8	3	2	94	11	2	3	2	5	6	8	25	50	62
Diseases of Digestive „	0·89	0·74	1·04	80	33	47	11	6	–	1	–	18	4	3	3	–	1	6	2	10	16	17
Diseases of Urinary „	0·70	0·78	0·62	63	35	28	1	–	1	–	1	3	2	–	1	1	3	3	9	11	12	18
Diseases of Generative „	0·04	–	0·09	4	–	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Puerperal Fever	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Childbirth	0·10	–	0·20	9	–	9	–	–	–	–	–	–	–	–	–	–	6	3	–	–	–	–
Violence	0·42	0·60	0·24	38	27	11	6	3	2	–	1	12	1	2	3	2	3	2	3	1	3	6
Other Causes	3·24	3·24	3·21	288	144	144	114	20	3	–	2	139	2	2	2	4	1	5	10	5	26	92

Marriages - - 589

Births - { Males - 1,331 / Females - 1,374 } 2,705

Annual Rate per 1000 living { Persons Married 13·13 / Births - - 30·14

Deaths from Childbirth and Puerperal Fever - - - - - 4·44 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

289.—STRATTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·64	† 99	–	–	–	–	39·20	4·23	2·35	4·16	6·26	6·31	8·94	8·91	19·42	52·00	172·40
Males	—	13·88	† 95	–	–	–	–	37·03	4·39	2·22	4·11	6·25	3·99	8·55	11·96	19·43	53·16	167·68
Females	—	15·36	†103	–	–	–	–	41·51	4·07	2·47	4·20	6·27	8·32	9·28	6·29	19·41	50·95	177·42
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·26 per cent.	7,281	176	196	164	174	165	875	874	810	722	591	919	727	651	520	400	192
Males		3,551	88	96	90	90	87	451	456	405	365	272	426	339	301	247	190	99
Females		3,730	88	100	74	84	78	424	418	405	357	319	493	388	350	273	210	93
Deaths from All Causes, 1881–90. Persons	17·68	1,287	206	82	26	19	10	343	37	19	30	37	58	65	58	101	208	331
Males	17·60	625	101	45	10	8	3	167	20	9	15	17	17	29	36	48	101	166
Females	17·75	662	105	37	16	11	7	176	17	10	15	20	41	36	22	53	107	165

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	–	0·11	4	–	4	1	–	1	–	–	2	2	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·08	0·05	5	3	2	–	–	–	2	–	2	–	3	–	–	–	–	–	–
Diphtheria	0·55	0·48	0·62	40	17	23	–	5	3	3	6	17	17	3	1	1	–	–	1	–
Whooping-cough	0·23	0·20	0·27	17	7	10	4	10	3	–	–	17	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	8	4	4	–	–	–	–	–	–	–	1	1	1	3	1	–	–
Simple Continued Fever	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·05	0·08	0·03	4	3	1	4	–	–	–	–	4	–	–	–	–	–	–	–	–
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·65	0·62	0·67	47	22	25	–	–	–	–	–	–	–	–	–	3	1	3	6	7	13	14
Tabes Mesenterica	0·11	0·08	0·13	8	3	5	5	–	2	–	–	7	–	–	–	–	–	–	–	–	1	–
Phthisis	1·63	1·35	1·90	119	48	71	6	9	2	–	–	17	–	2	10	16	23	18	11	15	5	2
Other Tub. & Scrof. Dis.	0·14	0·08	0·19	10	3	7	2	3	–	1	–	6	1	1	1	1	–	–	–	–	–	–
Diseases of Nervous System	2·21	2·03	2·39	161	72	89	20	12	2	3	2	39	1	2	5	5	6	6	9	13	30	45
Circulatory "	1·84	1·66	2·01	134	59	75	4	–	–	–	–	4	1	1	–	–	1	8	11	24	52	32
Respiratory "	3·08	3·32	2·84	224	118	106	37	23	11	6	1	78	8	2	3	4	9	7	8	19	39	47
Digestive "	0·71	0·87	0·56	52	31	21	11	1	–	1	1	14	–	2	1	–	1	2	2	5	16	9
Urinary "	0·51	0·65	0·38	37	23	14	–	–	–	1	–	1	–	–	2	–	1	4	4	2	8	15
Generative "	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Puerperal Fever	0·11	–	0·21	8	–	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Childbirth	0·08	–	0·16	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Violence	0·63	1·01	0·27	46	36	10	3	3	1	–	–	7	4	1	4	2	5	5	2	2	8	6
Other Causes	4·87	4·95	4·77	353	175	178	109	16	1	2	–	128	3	1	2	2	1	5	4	13	34	160

Marriages - - - 461

Births - Males - 1,068; Females - 1,022 — 2,090

Annual Rate per 1000 living: Persons Married 12·66; Births - - 28·70

Deaths from Childbirth and Puerperal Fever - - - - - 6·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

290.—CAMELFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·26	†114	–	–	–	–	46·84	5·74	3·98	4·07	5·36	6·13	8·70	11·33	24·95	56·03	156·15
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·56	†137	–	–	–	–	51·87	5·63	2·92	3·76	5·40	4·34	10·59	12·50	26·36	53·13	157·78
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·97	† 90	–	–	–	–	41·30	5 84	5·21	4·41	5·32	7·73	7·13	10·26	23·71	58·74	154·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 9·19 per cent.	7,256	178	175	180	159	177	869	871	829	712	560	881	747	653	549	398	187
Mean Population, 1881–91. Males		3,583	95	94	95	84	87	455	426	445	372	278	415	340	312	258	192	90
Mean Population, 1881–91. Females		3,673	83	81	85	75	90	414	445	384	340	282	466	407	341	291	206	97
Deaths from All Causes, 1881–90. Persons	19·21	1,394	229	89	33	25	31	407	50	33	29	30	54	65	74	137	223	292
Deaths from All Causes, 1881–90. Males	19·73	707	142	42	21	14	17	236	24	13	14	15	18	36	39	68	102	142
Deaths from All Causes, 1881–90. Females	18·70	687	87	47	12	11	14	171	26	20	15	15	36	29	35	69	121	150

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·17	0·16	12	6	6	–	5	2	3	2	12	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·25	0·33	21	9	12	1	1	3	3	2	10	5	4	2	–	–	–	–	–	–	–
Diphtheria	0·34	0·28	0·41	25	10	15	–	–	1	1	7	9	10	1	3	2	–	–	–	–	–	–
Whooping-cough	0·81	0·89	0·74	59	32	27	31	16	5	3	1	56	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·03	0·08	4	1	3	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–
Simple Continued Fever	0·04	0·06	0·03	3	2	1	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·26	0·39	0·14	19	14	5	11	1	–	–	–	12	–	–	–	–	–	–	–	2	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·45	0·25	0·65	33	9	24	–	–	–	–	–	–	–	–	–	–	1	2	4	16	5	5
Tabes Mesenterica	0·25	0·17	0·33	18	6	12	1	3	1	–	–	5	2	2	3	–	1	1	1	2	–	1
Phthisis	1·09	0·98	1·20	79	35	44	1	1	–	1	–	3	2	3	8	11	19	10	7	11	5	–
Other Tub. & Scrof. Dis.	0·28	0·42	0·14	20	15	5	4	8	–	–	1	13	2	2	1	–	–	1	–	1	–	–
Diseases of Nervous System	2·04	1·70	2·37	148	61	87	27	7	–	3	1	38	–	4	1	1	3	6	10	16	44	25
Diseases of Circulatory „	1·93	1·90	1·96	140	68	72	–	–	–	–	–	–	1	1	–	4	1	5	17	27	50	34
Diseases of Respiratory „	2·78	2·15	2·42	202	113	89	23	23	10	7	11	74	11	1	2	–	2	13	8	26	35	30
Diseases of Digestive „	1·28	1·42	1·14	93	51	42	17	10	2	1	1	31	3	7	–	–	5	3	7	14	12	11
Diseases of Urinary „	0·40	0·56	0·24	29	20	9	–	–	–	1	–	1	–	–	–	2	2	–	1	3	11	9
Diseases of Generative „	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–
Puerperal Fever	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–
Childbirth	0·14	–	0·27	10	–	10	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–	–
Violence	0·74	1·31	0·19	54	47	7	3	1	3	–	3	10	2	3	2	4	5	9	8	3	5	3
Other Causes	5·72	5·80	5·62	415	208	207	110	13	6	2	2	133	8	5	4	2	6	11	8	15	50	173

Marriages - - 448

Births - { Males - 1,040 / Females - 968 } 2,008

Annual Rate per 1000 living { Persons Married 12·35 / Births - - - 27·67 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

291.—LAUNCESTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·89	†108	–	–	–	–	39·80	3·56	3·29	4·09	5·23	6·07	8·17	11·26	21·50	56·50	169·14
Annual Death-Rate per 1000. Males	—	15·26	†121	–	–	–	–	41·76	3·26	3·40	4·42	4·98	6·08	7·53	11·08	24·82	60·57	184·28
Annual Death-Rate per 1000. Females	—	14·54	† 93	–	–	–	–	37·69	3·88	3·17	3·72	5·46	6·05	8·74	11·42	18·49	52·67	156·54
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·98 per cent.	15,966	372	382	410	390	373	1927	1854	1855	1711	1339	1994	1579	1394	1163	800	350
Mean Population, 1881–91. Males		7,890	202	194	216	209	199	1020	952	940	905	643	937	744	650	552	388	159
Mean Population, 1881–91. Females		8,076	170	188	194	181	174	907	902	915	806	696	1057	835	744	611	412	191
Deaths from All Causes, 1881–90. Persons	17·13	2,735	483	173	50	37	24	767	66	61	70	70	121	129	157	250	452	592
Deaths from All Causes, 1881–90. Males	17·88	1,411	290	82	25	16	13	426	31	32	40	32	57	56	72	137	235	293
Deaths from All Causes, 1881–90. Females	16·39	1,324	193	91	25	21	11	341	35	29	30	38	64	73	85	113	217	299

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·19	0·21	32	15	17	6	15	2	1	1	25	5	–	1	–	–	–	1	–	–	–
Scarlet Fever	0·10	0·10	0·10	16	8	8	–	1	3	–	4	8	7	1	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·15	0·13	23	12	11	–	4	1	5	2	12	4	4	–	2	1	–	–	–	–	–
Whooping-cough	0·37	0·41	0·33	59	32	27	29	20	6	3	1	59	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·07	14	8	6	–	–	–	–	–	–	–	1	3	–	3	2	1	3	1	–
Simple Continued Fever	0·03	0·03	0·02	4	2	2	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·28	0·27	0·28	44	21	23	23	8	–	–	–	31	–	–	–	–	1	–	–	–	6	6
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·73	0·53	0·93	117	42	75	–	–	1	–	–	1	–	–	–	–	2	11	20	24	35	24
Tabes Mesenterica	0·09	0·10	0·09	15	8	7	5	2	–	–	1	8	–	6	–	1	–	–	–	–	–	–
Phthisis	1·40	1·25	1·54	223	99	124	5	4	4	–	–	13	2	8	23	29	54	33	20	28	10	3
Other Tub. & Scrof. Dis.	0·41	0·49	0·32	65	39	26	12	6	3	5	–	26	10	8	11	3	4	2	–	–	–	1
Diseases of Nervous System	2·20	2·22	2·18	351	175	176	68	20	–	4	4	96	7	8	7	8	7	11	14	37	69	87
Diseases of Circulatory „	1·99	1·86	2·12	318	147	171	3	–	–	–	–	3	1	2	2	6	4	18	22	39	107	114
Diseases of Respiratory „	3·65	4·19	3·12	583	331	252	129	55	19	10	4	217	12	6	8	5	15	16	32	51	106	115
Diseases of Digestive „	0·98	1·19	0·77	156	94	62	22	13	1	2	–	38	7	5	1	1	5	8	11	24	30	26
Diseases of Urinary „	0·62	0·77	0·47	99	61	38	–	–	–	–	–	–	1	2	2	5	2	7	11	19	34	16
Diseases of Generative „	0·09	0·01	0·17	15	1	14	–	1	–	–	–	1	–	1	–	2	1	4	4	–	2	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	1	2	4	4	–	–	–	–
Violence	0·41	0·60	0·22	65	47	18	3	2	5	4	–	14	4	2	5	1	7	4	11	7	9	1
Other Causes	3·23	3·41	3·12	518	268	250	178	22	5	2	7	214	6	6	4	4	8	8	10	17	42	199

Marriages - - - 1,013

Births - { Males - 2,399 / Females - 2,075 } 4,474

Annual Rate per 1000 living { Persons Married 12·69 / Births - - 28·02

Deaths from Childbirth and Puerperal Fever - - - - } 3·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

292.—ST. GERMANS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·31	†121	–	–	–	–	46·15	6·77	3·55	5·54	6·05	6·87	8·77	12·39	23·27	55·18	138·39
Annual Death-Rate per 1000. Males	—					17·45	†144	–	–	–	–	54·10	7·24	2·56	6·03	5·61	6·70	8·32	12·78	26·94	59·10	145·31
Annual Death-Rate per 1000. Females	—					15·24	† 97	–	–	–	–	38·10	6·34	4·65	5·04	6·44	7·00	9·14	12·06	20·25	51·82	133·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·60 per cent.			17,282			417	395	390	406	403	2011	1934	1941	1696	1422	2214	1802	1533	1315	966	448
Mean Population, 1881–91. Males				8,236			207	198	201	202	203	1011	925	1016	862	677	985	817	712	594	445	192
Mean Population, 1881–91. Females				9,046			210	197	189	204	200	1000	1009	925	834	745	1229	985	821	721	521	256
Deaths from All Causes, 1881–90. Persons	18·90			3,267			572	197	75	47	37	928	131	69	94	86	152	158	190	306	533	620
Deaths from All Causes, 1881–90. Males	20·12			1,657			348	104	47	25	23	547	67	26	52	38	66	68	91	160	263	279
Deaths from All Causes, 1881–90. Females	17·80			1,610			224	93	28	22	14	381	64	43	42	48	86	90	99	146	270	341
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·42	0·55	0·31	73	45	28	12	26	15	5	4	62	11	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·13	25	13	12	3	6	5	4	1	19	4	2	–	–	–	–	–	–	–	–
Diphtheria	0·31	0·27	0·35	54	22	32	3	3	5	6	2	19	22	9	1	1	1	–	–	–	–	1
Whooping-cough	0·53	0·64	0·43	92	53	39	49	18	13	8	1	89	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·27	0·33	52	22	30	–	2	1	1	2	6	10	7	10	7	7	3	1	–	1	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·51	0·64	0·40	89	53	36	65	8	–	–	–	73	–	–	–	–	–	–	3	2	4	7
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·64	0·82	127	53	74	–	1	–	–	–	1	–	1	–	1	–	10	22	34	37	21
Tabes Mesenterica	0·12	0·12	0·12	21	10	11	4	4	1	–	1	10	4	–	4	1	–	1	1	–	–	–
Phthisis	1·50	1·49	1·50	259	123	136	1	3	2	3	1	10	3	10	29	37	65	42	30	18	10	5
Other Tub. & Scrof. Dis.	0·32	0·39	0·25	55	32	23	7	9	2	2	3	23	12	2	6	1	3	2	2	3	1	–
Diseases of Nervous System	2·59	3·04	2·19	448	250	198	81	19	5	4	7	116	14	5	8	3	5	13	33	53	102	96
Diseases of Circulatory „	2·11	1·87	2·32	364	154	210	4	2	–	–	1	7	8	8	6	6	11	14	35	60	127	82
Diseases of Respiratory „	3·60	3·99	3·24	622	329	293	133	70	16	11	7	237	15	4	1	5	13	21	24	66	106	130
Diseases of Digestive „	1·08	1·09	1·06	186	90	96	37	15	2	–	3	57	7	4	4	2	4	7	7	26	45	23
Diseases of Urinary „	0·47	0·55	0·41	82	45	37	–	–	–	1	–	1	–	2	3	2	5	7	13	11	22	16
Diseases of Generative „	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–
Puerperal Fever	0·10	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	3	4	10	–	–	–	–
Childbirth	0·07	–	0·13	12	–	12	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Violence	0·67	1·07	0·30	115	88	27	8	1	3	2	2	16	10	10	14	10	18	8	4	11	6	8
Other Causes	3·28	3·32	3·25	566	273	293	164	10	5	–	2	181	8	5	7	6	10	13	13	21	71	231

Marriages - - - 685

Births - { Males - 2,410 / Females - 2,310 } 4,720

Annual Rate per 1000 living { Persons Married 7·93 / Births - - 27·31 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

293.—LISKEARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·65	†112	–	–	–	–	44·04	3·90	2·48	4·03	5·93	6·19	7·87	13·51	24·93	58·51	143·90
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·65	†119	–	–	–	–	46·13	3·63	2·48	4·15	5·71	6·36	9·30	17·87	30·91	64·90	145·26
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·70	†105	–	–	–	–	42·00	4·18	2·48	3·91	6·12	6·06	6·80	10·05	19·89	53·31	142·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·02 per cent.	27,632	687	593	668	668	654	3270	3309	3147	2999	2242	3377	2680	2443	2082	1427	656
Mean Population, 1881–91. Males	Decennial Decrease of Population 8·02 per cent.	12,997	337	289	333	326	328	1613	1682	1616	1517	1016	1446	1159	1080	951	641	285
Mean Population, 1881–91. Females	Decennial Decrease of Population 8·02 per cent.	14,635	350	304	335	342	326	1657	1627	1531	1482	1226	1931	1530	1363	1131	786	371
Deaths from All Causes, 1881–90. Persons	17·91	4,949	878	341	98	60	63	1440	129	78	121	133	209	211	330	519	835	944
Deaths from All Causes, 1881–90. Males	19·10	2,482	479	180	39	19	27	744	61	40	63	58	92	107	193	294	416	414
Deaths from All Causes, 1881–90. Females	16·86	2,467	399	161	59	41	36	696	68	38	58	75	117	104	137	225	419	530

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·21	0·25	64	27	37	9	21	5	5	7	47	12	2	–	–	1	2	–	–	–	–
Scarlet Fever	0·10	0·13	0·08	29	17	12	3	5	2	4	3	17	4	4	2	1	1	–	–	–	–	–
Diphtheria	0·08	0·06	0·10	23	8	15	–	–	–	1	5	6	12	2	3	–	–	–	–	–	–	–
Whooping-cough	0·43	0·39	0·46	118	51	67	54	35	13	9	3	114	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·18	0·15	0·20	49	19	30	–	–	1	1	1	3	4	6	10	8	9	1	4	3	1	–
Simple Continued Fever	0·04	0·02	0·05	11	3	8	–	2	–	1	2	5	–	–	–	–	1	1	1	–	2	1
Diarrhœa and Dysentery	0·18	0·19	0·16	49	25	24	28	4	–	–	–	32	–	–	–	–	2	1	–	3	2	9
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·73	0·59	0·85	201	77	124	–	–	–	–	–	–	–	–	2	–	2	13	31	67	59	27
Tabes Mesenterica	0·26	0·26	0·26	72	34	38	28	19	4	1	2	54	4	4	5	2	2	1	–	–	–	–
Phthisis	1·77	2·00	1·56	489	260	229	9	14	2	–	–	25	8	20	38	64	91	71	74	66	25	7
Other Tub. & Scrof. Dis.	0·36	0·41	0·31	99	53	46	23	20	7	5	4	59	12	6	11	5	4	–	1	1	–	–
Diseases of Nervous System	2·60	2·47	2·73	720	321	399	153	50	12	7	6	228	12	4	4	7	17	14	35	67	162	170
Diseases of Circulatory „	1·91	2·07	1·77	528	269	259	2	3	–	–	1	6	4	3	6	11	11	17	46	104	186	134
Diseases of Respiratory „	3·58	4·25	2·98	988	552	436	211	105	30	18	21	385	21	4	5	8	14	21	59	107	175	189
Diseases of Digestive „	0·87	0·92	0·83	241	119	122	43	20	3	3	3	72	9	5	4	3	10	9	18	24	56	31
Diseases of Urinary „	0·47	0·72	0·26	131	93	38	–	–	2	2	–	4	–	–	4	2	6	8	13	19	44	31
Diseases of Generative „	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	–	–	1	6	1	3	1
Puerperal Fever	0·07	–	0·14	20	–	20	–	–	–	–	–	–	–	–	1	1	10	6	2	–	–	–
Childbirth	0·06	–	0·11	16	–	16	–	–	–	–	–	–	–	–	1	2	4	7	2	–	–	–
Violence	0·59	0·79	0·24	138	103	35	3	4	5	2	2	16	6	7	12	10	15	18	19	12	14	9
Other Causes	3·44	3·44	3·44	948	448	500	312	39	12	1	3	367	17	10	12	9	9	20	18	45	106	335

Marriages - - - 1,562

Births - Males 4,026, Females 3,838 — 7,838

Annual Rate per 1000 living: Persons Married 11·31; Births - - 28·37

Deaths from Childbirth and Puerperal Fever - - - - 4·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

294.—BODMIN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·29	†119	–	–	–	–	46·42	6·08	2·72	5·16	7·01	8·79	10·60	15·58	26·05	55·01	147·17
Annual Death-Rate per 1000. Males	—					18·36	†138	–	–	–	–	52·12	7·01	2·68	4·35	5·16	9·31	12·58	16·27	30·56	57·43	152·92
Annual Death-Rate per 1000. Females	—					16·29	† 99	–	–	–	–	40·73	5·17	2·76	6·02	8·77	8·38	8·94	15·02	22·26	53·02	142·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·48 per cent.			18,721			416	400	429	405	429	2079	2039	1949	1919	1512	2366	2010	1752	1478	1087	530
Mean Population, 1881–91. Males				8,911			205	203	203	195	232	1038	1013	969	989	737	1053	914	793	674	491	240
Mean Population, 1881–91. Females				9,810			211	197	226	210	197	1041	1026	980	930	775	1313	1096	959	804	596	290
Deaths from All Causes, 1881–90. Persons	20·32			3,804			610	211	72	38	34	965	124	53	99	106	208	213	273	385	598	780
Deaths from All Causes, 1881–90. Males	21·50			1,916			360	116	33	14	18	541	71	26	43	38	98	115	129	206	282	367
Deaths from All Causes, 1881–90. Females	19·25			1,888			250	95	39	24	16	424	53	27	56	68	110	98	144	179	316	413
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·16	0·20	34	14	20	4	10	2	4	3	23	9	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·18	0·25	0·11	33	22	11	1	6	5	1	2	15	13	2	1	2	–	–	–	–	–	–
Diphtheria	0·21	0·25	0·18	40	22	18	2	4	1	3	6	16	17	3	–	1	1	–	–	–	2	–
Whooping-cough	0·43	0·36	0·50	81	32	49	48	18	6	2	5	79	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·33	0·33	0·34	62	29	33	–	–	–	1	–	1	12	5	11	8	7	7	4	2	4	1
Simple Continued Fever	0·03	0·03	0·02	5	3	2	–	–	1	–	–	1	–	1	–	–	–	–	1	1	1	–
Diarrhœa and Dysentery	0·25	0·28	0·21	46	25	21	24	2	–	–	–	26	–	–	–	–	3	–	1	5	4	7
Cholera	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·42	0·77	113	37	76	–	–	–	–	–	–	–	–	–	–	3	8	16	31	36	19
Tabes Mesenterica	0·31	0·27	0·35	58	24	34	18	15	4	3	1	41	4	2	2	2	5	1	–	1	–	–
Phthisis	1·74	1·66	1·80	325	148	177	3	2	1	1	–	7	6	9	34	43	71	56	36	34	26	3
Other Tub. & Scrof. Dis.	0·38	0·44	0·33	71	39	32	18	15	3	–	2	38	8	1	4	6	4	2	6	1	–	1
Diseases of Nervous System	3·19	3·58	2·83	597	319	278	79	30	8	5	1	123	9	5	8	6	32	49	65	76	121	103
Diseases of Circulatory „	1·91	1·86	1·96	358	166	192	–	–	–	–	–	–	1	4	7	8	10	12	28	72	102	114
Diseases of Respiratory „	2·88	3·12	2·66	539	278	261	103	42	15	9	7	176	16	4	9	9	19	25	36	52	96	97
Diseases of Digestive „	1·11	1·34	0·91	208	119	89	27	9	6	2	3	47	9	3	6	1	8	13	21	28	50	22
Diseases of Urinary „	0·50	0·64	0·38	94	57	37	–	–	–	1	–	1	1	1	1	1	8	8	14	16	23	20
Diseases of Generative „	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	2	–	1	3	3	1	–	1
Puerperal Fever	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Childbirth	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	–	4	7	6	–	–	–	–
Violence	0·56	0·89	0·27	105	79	26	5	6	4	2	1	18	10	6	7	9	11	7	11	12	9	5
Other Causes	5·35	5·61	5·11	1002	502	500	277	52	16	4	3	352	8	5	7	5	15	15	31	53	124	387

Persons.

Marriages - - 1,130

Births - Males - 2,618; Females - 2,529 — 5,147

Annual Rate per 1000 living: Persons Married 12·07; Births - - 27·49

Deaths from Childbirth and Puerperal Fever - - - - - 4·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

295—ST. COLUMB.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·27	†111	-	-	-	-	43·07	5·22	3·28	5·01	5·89	7·77	7·92	10·79	20·36	48·97	145·91
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·48	†120	-	-	-	-	46·42	5·57	2·70	5·04	6·19	6·64	8·65	11·56	22·33	45·63	147·98
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·07	†101	-	-	-	-	39·81	4·86	3·86	4·99	5·65	8·62	7·37	10·18	18·77	51·63	144·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·87 per cent.	15,864	386	348	387	356	364	1841	1879	1770	1596	1324	2007	1653	1390	1174	827	403
Mean Population, 1881–91. Males		7,375	192	168	189	178	182	909	933	889	794	598	858	717	614	524	366	173
Mean Population, 1881–91. Females		8,489	194	180	198	178	182	932	946	881	802	726	1149	936	776	650	461	230
Deaths from All Causes, 1881–90. Persons	17·50	2,776	490	170	50	49	34	793	98	58	80	78	156	131	150	239	405	588
Deaths from All Causes, 1881–90. Males	17·69	1,305	271	89	22	21	19	422	52	24	40	37	57	62	71	117	167	256
Deaths from All Causes, 1881–90. Females	17·33	1,471	219	81	28	28	15	371	46	34	40	41	99	69	79	122	238	332

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·31	0·20	40	23	17	3	12	4	6	5	30	7	1	2	–	1	–	–	–	–	–
Scarlet Fever	0·25	0·18	0·32	40	13	27	6	5	6	9	5	31	5	2	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·16	0·08	19	12	7	2	–	–	2	1	5	10	2	–	–	2	–	–	–	–	–
Whooping-cough	0·38	0·30	0·45	60	22	38	26	19	6	4	–	55	3	2	–	–	1	1	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	0·28	0·19	37	21	16	1	–	–	1	1	3	3	4	8	6	5	3	3	1	–	1
Simple Continued Fever	0·03	0·03	0·02	4	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–
Diarrhœa and Dysentery	0·23	0·26	0·29	44	19	25	27	4	1	–	–	32	–	–	–	–	1	–	1	3	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·53	0·71	99	39	60	–	–	–	–	–	–	–	–	–	–	1	10	15	20	26	27
Tabes Mesenterica	0·33	0·39	0·28	53	29	24	21	11	3	–	1	36	6	4	5	1	–	1	–	–	–	–
Phthisis	1·58	1·48	1·67	251	109	142	7	4	–	1	–	12	4	9	26	38	60	32	29	23	15	3
Other Tub. & Scrof. Dis.	0·42	0·41	0·42	66	30	36	19	10	1	–	2	32	10	7	7	1	3	3	3	–	–	–
Diseases of: Nervous System	2·21	2·16	2·25	350	159	191	51	13	4	2	8	78	9	6	8	4	8	11	18	41	80	87
Diseases of: Circulatory "	1·74	1·80	1·68	276	133	143	2	–	–	–	–	2	1	1	–	2	7	10	21	49	90	93
Diseases of: Respiratory "	2·79	2·74	2·84	443	202	241	79	57	15	14	9	174	16	1	2	4	12	13	16	38	68	99
Diseases of: Digestive "	1·01	1·04	0·98	160	77	83	30	9	1	1	–	41	8	3	4	3	3	5	15	22	30	26
Diseases of: Urinary "	0·47	0·72	0·26	75	53	22	–	–	–	–	–	–	1	3	–	3	9	5	4	9	17	24
Diseases of: Generative "	0·06	0·01	0·09	9	1	8	–	–	–	–	–	–	–	–	–	–	2	–	1	1	5	–
Puerperal Fever	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	1	8	2	–	–	–	–
Childbirth	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	–	3	7	5	–	–	–	–
Violence	0·67	1·10	0·29	106	81	25	5	2	–	5	1	13	4	9	11	6	13	12	8	6	13	11
Other Causes	3·89	3·78	4·00	617	279	338	211	24	9	4	1	249	10	4	7	6	13	18	16	23	59	212

Marriages - - - 955

Births - { Males - 2,253 / Females - 2,163 } 4,416

Annual Rate per 1000 living { Persons Married 12·04 / Births - - 27·84 }

Deaths from Childbirth and Puerperal Fever - - - - } 5·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

296.—ST. AUSTELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·55	†124	–	–	–	–	50·66	5·12	2·64	4·41	7·23	6·55	7·69	10·24	25·35	56·59	146·07
Males	—	17·17	†132	–	–	–	–	53·46	4·78	2·26	3·50	6·36	6·37	7·53	12·66	29·42	66·46	154·61
Females	—	15·97	†115	–	–	–	–	47·84	5·47	3·03	5·41	8·03	6·70	7·82	8·31	22·03	49·18	139·95
Mean Population, 1881-91. Persons	Decennial Increase of Population, 2·75 per cent.	30,601	790	708	785	794	725	3802	3689	3411	3267	2447	3862	3121	2685	2166	1502	649
Males		14,545	389	360	398	395	364	1906	1861	1726	1714	1164	1712	1382	1193	972	644	271
Females		16,056	401	348	387	399	361	1896	1828	1685	1553	1283	2150	1739	1492	1194	858	378
Deaths from All Causes, 1881–90. Persons	18·43	5,641	1148	494	144	82	58	1926	189	90	144	177	253	240	275	549	850	948
Males	19·10	2,778	631	244	72	39	33	1019	82	39	60	74	109	104	151	286	428	419
Females	17·83	2,863	517	250	72	43	25	907	100	51	84	103	144	136	124	263	422	529

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·20	0·21	0·19	62	31	31	9	22	12	3	3	49	13	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·26	0·30	86	38	48	10	8	13	9	7	47	24	6	1	4	3	1	–	–
Diphtheria	0·22	0·19	0·25	68	28	40	2	3	4	3	7	19	34	9	5	1	–	–	–	–
Whooping-cough	0·64	0·67	0·62	197	98	99	96	65	15	12	4	192	4	1	–	–	–	–	–	–
Typhus	0·01	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Enteric Fever	0·07	0·09	0·06	22	13	9	–	–	1	–	2	3	1	3	6	3	3	2	1	–
Simple Continued Fever	0·03	0·03	0·03	10	5	5	1	1	2	–	–	4	1	2	–	1	1	–	1	–
Diarrhœa and Dysentery	0·19	0·22	0·16	57	32	25	26	7	1	–	–	34	2	1	–	1	1	1	1	2
Cholera	0·01	0·02	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–
Cancer	0·51	0·38	0·62	155	55	100	–	–	–	–	–	–	–	–	2	2	3	15	26	44
Tabes Mesenterica	0·24	0·26	0·21	72	38	34	24	25	5	1	1	56	1	3	4	3	1	1	2	–
Phthisis	1·69	1·48	1·89	518	215	303	9	23	2	3	2	39	13	16	52	76	115	64	49	60
Other Tub. & Scrof. Dis.	0·50	0·54	0·47	153	78	75	38	25	10	4	3	80	17	9	15	7	13	8	4	–
Diseases of Nervous System	2·24	2·25	2·23	685	327	358	143	59	9	4	6	221	20	9	13	8	19	19	38	76
Circulatory „	1·74	1·86	1·64	533	270	263	3	–	–	–	–	3	3	4	4	14	11	19	51	120
Respiratory „	2·87	3·10	2·65	877	451	426	202	139	45	29	16	431	27	6	7	9	11	24	22	87
Digestive „	1·10	1·19	1·02	336	173	163	64	22	–	2	–	88	11	5	6	9	19	21	23	46
Urinary „	0·37	0·46	0·28	112	67	45	–	–	–	1	–	1	1	–	4	4	3	4	11	27
Generative „	0·04	–	0·08	13	–	13	–	–	–	–	–	–	–	–	–	1	2	3	4	2
Puerperal Fever	0·07	–	0·14	22	–	22	–	–	–	–	–	–	–	–	–	3	13	5	1	–
Childbirth	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	1	3	2	8	1	–
Violence	0·42	0·69	0·17	127	100	27	9	3	5	3	3	23	6	5	12	12	13	11	9	13
Other Causes	4·93	5·19	4·72	1514	754	760	511	92	20	8	4	635	10	11	11	16	19	33	30	72

Diseases of	Persons.	Males.	Females.	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Nervous System	143	59	9	4	6	221	20	9	13	8	19	19	38	76	153	109
Circulatory „	3	–	–	–	–	3	3	4	4	14	11	19	51	120	189	115
Respiratory „	202	139	45	29	16	431	27	6	7	9	11	24	22	87	139	114
Digestive „	64	22	–	2	–	88	11	5	6	9	19	21	23	46	70	38
Urinary „	–	–	–	1	–	1	1	–	4	4	3	4	11	27	32	25
Generative „	–	–	–	–	–	–	–	–	–	1	2	3	4	2	1	–

Marriages - - - 2,139

Births - { Males - 4,774 / Females - 4,507 } 9,281

Annual Rate per 1000 living { Persons Married 13·98 / Births - - 30·33 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·99 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

297.—TRURO.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·89	†127	–	–	–	–	51·56	3·59	3·03	4·62	6·41	6·96	7·94	13·33	25·23	56·12	143·89
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·55	†141	–	–	–	–	56·42	3·49	2·67	3·90	7·97	8·45	9·56	17·23	30·58	63·30	157·78
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·33	†111	–	–	–	–	46·55	3·68	3·41	5·36	5·34	5·99	6·86	10·57	21·46	51·17	135·21
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·23 per cent.	34,860	773	690	736	720	760	3679	3849	3794	3763	2884	4408	3579	3272	2818	1946	868
Mean Population, 1881-91. Males	Decennial Decrease of Population 6·23 per cent.	15,641	404	349	365	371	381	1870	1946	1944	1898	1179	1739	1422	1352	1164	793	334
Mean Population, 1881-91. Females	Decennial Decrease of Population 6·23 per cent.	19,219	369	341	371	349	379	1809	1903	1850	1865	1705	2669	2157	1920	1654	1153	534
Deaths from All Causes, 1881-90. Persons	18·90	6,588	1182	420	153	90	52	1897	138	115	174	185	307	284	436	711	1092	1249
Deaths from All Causes, 1881-90. Males	20·74	3,244	686	222	82	41	24	1055	68	52	74	94	147	136	233	356	502	527
Deaths from All Causes, 1881-90. Females	17·40	3,344	496	198	71	49	28	812	70	63	100	91	160	148	203	355	590	722

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Measles	0·19	0·27	0·12	65	42	23	16	25	10	5	3	59	5	1	–	–	–	–	–	–
Scarlet Fever	0·10	0·10	0·11	36	15	21	3	3	5	6	3	20	12	3	–	1	–	–	–	–
Diphtheria	0·17	0·18	0·16	59	28	31	1	3	7	6	6	23	21	7	5	1	1	1	–	–
Whooping-cough	0·52	0·57	0·49	183	89	94	89	57	18	9	6	179	4	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·24	0·26	0·23	85	40	45	1	–	1	1	–	3	4	6	16	15	14	11	10	4	2	–
Simple Continued Fever	0·06	0·06	0·06	20	9	11	2	–	–	1	1	4	4	1	1	3	–	1	–	5	1	–
Diarrhœa and Dysentery	0·31	0·43	0·21	108	67	41	69	7	2	1	1	80	2	1	1	–	3	1	3	2	7	8
Cholera	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	1	2	–
Cancer	0·68	0·56	0·79	238	87	151	–	–	–	–	–	–	–	–	1	–	3	16	43	71	74	30
Tabes Mesenterica	0·17	0·23	0·11	58	36	22	21	11	4	2	–	38	7	5	1	2	1	2	–	1	1	–
Phthisis	1·95	2·23	1·73	680	348	332	15	10	4	2	2	33	7	20	74	94	148	77	88	82	52	5
Other Tub. & Scrof. Dis.	0·38	0·49	0·29	133	77	56	33	33	5	–	3	74	21	18	6	4	7	–	2	1	–	–
Diseases of Nervous System	2·49	2·62	2·38	867	410	457	192	58	14	7	6	277	10	15	13	9	19	29	53	115	211	116
Diseases of Circulatory „	1·64	1·80	1·50	572	282	290	–	1	–	2	–	3	3	8	11	5	19	40	68	114	192	109
Diseases of Respiratory „	2·83	3·31	2·44	986	518	468	176	128	46	23	13	386	10	9	7	14	17	24	50	135	192	142
Diseases of Digestive „	1·05	1·07	1·04	336	167	199	56	28	6	1	1	92	5	5	9	4	14	18	45	60	73	41
Diseases of Urinary „	0·40	0·54	0·29	141	85	56	3	–	2	3	–	8	2	2	4	2	11	3	18	30	34	27
Diseases of Generative „	0·08	0·02	0·14	29	3	26	1	–	–	–	–	1	–	–	–	–	3	4	7	4	7	3
Puerperal Fever	0·03	–	0·06	11	–	11	–	–	–	–	–	–	–	–	1	4	1	4	1	–	–	–
Childbirth	0·06	–	0·10	20	–	20	–	–	–	–	–	–	–	–	–	3	8	9	–	–	–	–
Violence	0·46	0·82	0·17	162	129	33	14	5	4	6	2	31	8	4	13	9	14	19	12	20	22	10
Other Causes	5·07	5·15	4·96	1762	808	954	490	51	25	14	4	584	13	10	10	15	23	25	36	66	222	758

Marriages	2,454	Annual Rate per 1000 living: Persons Married 14·08; Births 26·71	Deaths from Childbirth and Puerperal Fever	3·33 per 1000 Births.
Births: Males 4,858; Females 4,453	9,311			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

298.—FALMOUTH.

Causes of Death.	Crude Death-rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·02	†144	–	–	–	–	55·42	4·91	2·67	4·28	5·69	5·75	9·69	12·75	21·97	53·13	147·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·15	†160	–	–	–	–	59·28	5·13	2·77	4·35	7·01	6·38	10·03	15·22	23·98	64·19	141·23
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·96	†127	–	–	–	–	51·56	4·69	2·58	4·17	4·48	5·18	9·38	10·71	20·39	45·63	152·46
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·33 per cent.	25,004	531	480	537	529	478	2555	2548	2544	3086	2319	3427	2777	2369	1730	1133	516
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·33 per cent.	12,180	284	223	258	264	248	1277	1268	1265	1838	1113	1614	1306	1071	759	458	211
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·33 per cent.	12,824	247	257	279	265	230	1278	1280	1279	1248	1206	1813	1471	1298	971	675	305
Deaths from All Causes, 1881–90. Persons	17·54	4,386	887	311	103	54	58	1416	125	68	132	132	197	269	302	380	602	763
Deaths from All Causes, 1881–90. Males	17·95	2,186	498	162	49	22	26	757	65	35	80	78	103	131	163	182	294	298
Deaths from All Causes, 1881–90. Females	17·16	2,200	389	149	57	32	32	659	60	33	52	54	94	138	139	198	308	465

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Measles	0·41	0·44	0·38	103	54	49	23	31	20	5	4	83	17	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·06	0·07	16	7	9	–	1	4	2	4	11	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·18	0·14	40	22	18	3	1	5	5	9	23	12	2	2	1	–	–	–	–	–	–
Whooping-cough	0·48	0·49	0·48	121	60	61	56	40	15	4	5	120	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–
Enteric Fever	0·18	0·18	0·18	45	22	23	–	–	–	–	2	2	8	3	7	8	6	6	3	2	–	–
Simple Continued Fever	0·04	0·06	0·02	10	7	3	1	–	–	1	–	2	1	1	1	2	1	1	–	1	–	–
Diarrhœa and Dysentery	0·34	0·39	0·28	84	48	36	48	3	1	–	–	52	1	–	2	3	4	5	4	2	4	7
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Cancer	0·60	0·44	0·76	150	53	97	–	–	–	–	–	–	–	1	–	1	3	13	29	44	45	14
Tabes Mesenterica	0·18	0·14	0·23	46	17	29	22	9	5	1	2	39	4	1	1	–	1	–	–	–	–	–
Phthisis	1·54	1·52	1·56	385	185	200	9	9	3	1	1	23	4	11	50	64	75	62	51	29	16	–
Other Tub. & Scrof. Dis.	0·30	0·41	0·20	76	50	26	19	17	1	5	3	45	8	4	11	–	3	2	2	1	–	–
Diseases of Nervous System	2·34	2·59	2·18	585	305	280	148	45	12	5	3	213	12	4	14	9	16	31	33	58	106	89
Diseases of Circulatory „	1·58	1·47	1·69	396	179	217	2	–	–	–	–	2	4	8	6	4	15	32	53	88	107	77
Diseases of Respiratory „	2·66	2·81	2·51	664	342	322	159	102	29	17	16	323	18	6	4	7	14	18	39	44	98	93
Diseases of Digestive „	1·14	1·14	1·15	286	139	147	55	24	2	3	2	86	8	8	7	5	13	21	29	31	58	20
Diseases of Urinary „	0·38	0·53	0·24	95	64	31	7	–	–	–	–	7	3	1	–	–	2	10	9	23	27	13
Diseases of Generative „	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	1	4	2	3	1	–
Puerperal Fever	0·02	–	0·05	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Childbirth	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	1	2	9	–	–	–	–
Violence	0·50	0·85	0·16	125	104	21	5	3	3	1	4	16	7	5	19	9	17	18	18	7	6	3
Other Causes	4·50	4·27	4·69	1121	520	601	330	26	6	4	3	369	12	10	7	16	21	33	28	45	133	447

Marriages - - - 1,609

Births - Males - 3,103; Females - 3,066 — 6,169

Annual Rate per 1000 living: Persons Married 12·87; Births - - 24·67

Deaths from Childbirth and Puerperal Fever - - - - - 2·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

299.—HELSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 18·58	†154	–	–	–	–	61·85	4·19	2·86	5·70	7·34	7·06	8·73	13·12	25·57	54·12	155·33
Males	—	19·83	†169	–	–	–	–	68·67	4·06	2·48	4·56	7·44	6·34	9·70	14·87	30·00	64·23	165·75
Females	—	17·40	†139	–	–	–	–	55·09	4·32	3·26	6·84	7·25	7·59	8·03	11·88	22·44	47·55	149·04
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·44 per cent.	22,919	532	479	503	522	509	2545	2575	2515	2368	1935	2917	2440	2111	1717	1214	582
Males		10,429	275	236	257	250	249	1267	1257	1289	1183	901	1230	1021	874	710	478	219
Females		12,490	257	243	246	272	260	1278	1318	1226	1185	1034	1687	1419	1237	1007	736	363
Deaths from All Causes, 1881–90. Persons	20·62	4,727	1029	364	105	42	34	1574	108	72	135	142	206	213	277	439	657	904
Males	21·71	2,264	578	193	53	29	17	870	51	32	54	67	78	99	130	213	307	363
Females	19·72	2,463	451	171	52	13	17	704	57	40	81	75	128	114	147	226	350	541

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·22	0·27	0·18	50	28	22	12	19	8	3	1	43	5	1	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·29	0·18	52	30	22	2	7	2	7	6	24	22	3	1	2	–	–	–	–	–
Diphtheria	0·07	0·08	0·07	17	8	9	–	1	–	1	1	3	9	3	1	–	1	–	–	–	–
Whooping-cough	0·43	0·41	0·45	99	43	56	46	35	9	4	3	97	1	1	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·17	0·17	0·17	39	18	21	1	–	–	–	–	1	1	4	9	7	6	3	3	3	2
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·38	0·40	0·36	87	42	45	61	5	1	–	1	68	–	–	–	2	3	–	1	3	5
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·64	0·54	0·72	146	56	90	–	–	–	–	–	–	–	–	–	–	3	9	30	36	50
Tabes Mesenterica	0·23	0·23	0·22	52	24	28	18	11	4	1	–	34	3	5	2	2	2	1	1	1	1
Phthisis	2·34	2·62	2·11	537	273	264	39	22	8	–	3	72	5	24	58	78	92	65	74	48	20
Other Tub. & Scrof. Dis.	0·34	0·34	0·35	79	35	44	29	19	3	2	3	56	8	2	3	2	3	1	2	2	–
Diseases of Nervous System	2·31	2·45	2·19	530	256	274	119	44	16	8	2	189	11	6	16	7	12	17	32	79	91
Circulatory „	1·10	1·08	1·11	252	113	139	5	1	–	–	1	7	2	5	5	4	9	30	18	58	69
Respiratory „	3·26	3·90	2·72	747	407	340	139	110	28	11	7	295	14	5	9	5	18	24	51	95	133
Digestive „	1·27	1·27	1·27	291	132	159	46	21	3	3	2	75	5	3	13	5	13	18	17	46	64
Urinary „	0·24	0·34	0·16	55	35	20	–	1	–	–	–	1	2	–	–	3	2	2	5	9	20
Generative „	0·07	0·01	0·13	17	1	16	–	–	–	–	–	–	–	–	–	1	4	2	6	3	–
Puerperal Fever	0·03	–	0·10	13	–	13	–	–	–	–	–	–	–	–	1	1	7	4	–	–	–
Childbirth	0·09	–	0·16	20	–	20	–	–	–	–	–	–	–	–	1	6	9	4	–	–	–
Violence	0·43	0·66	0·24	99	69	30	8	1	6	2	2	19	6	3	8	4	8	15	7	10	9
Other Causes	6·72	6·62	6·80	1538	691	847	504	67	17	–	2	590	11	6	7	12	14	18	30	45	193

Marriages - - - 1,558

Births - Males - 3,424; Females - 3,248 — 6,672

Annual Rate per 1000 living: Persons Married 13·60; Births - - 29·11

Deaths from Childbirth and Puerperal Fever - - - - 4·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

300.—REDRUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·11	†171	–	–	–	–	66·73	4·53	3·24	4·46	6·23	6·88	9·17	14·41	31·36	64·37	148·47
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·77	†182	–	–	–	–	71·12	4·95	3·20	5·42	7·50	8·07	11·50	21·38	44·33	79·55	169·83
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·60	†158	–	–	–	–	62·30	4·10	3·28	3·50	5·21	6·09	7·67	9·99	23·59	56·81	139·93
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·75 per cent.	47,685	1175	1030	1174	1097	1109	5585	5448	5155	5445	4348	6202	4919	4440	3294	2001	848
Mean Population, 1881–91. Males	Decennial Increase of Population 6·75 per cent.	21,145	587	501	585	554	581	2808	2768	2624	2733	1947	2477	1921	1726	1234	665	242
Mean Population, 1881–91. Females	Decennial Increase of Population 6·75 per cent.	26,540	588	529	589	543	528	2777	2680	2531	2712	2401	3725	2998	2714	2060	1336	606
Deaths from All Causes, 1881–90. Persons	20·45	9,753	2535	722	257	119	94	3727	247	167	243	271	427	451	640	1033	1288	1259
Deaths from All Causes, 1881–90. Males	22·65	4,789	1387	371	127	59	53	1997	137	84	148	146	200	221	369	547	529	411
Deaths from All Causes, 1881–90. Females	18·70	4,964	1148	351	130	60	41	1730	110	83	95	125	227	230	271	486	759	848

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·31	0·35	0·27	146	75	71	43	34	25	10	9	121	19	5	–	–	1	–	–	–	–	–
Scarlet Fever	0·31	0·38	0·26	149	80	69	7	17	23	17	17	81	50	9	4	3	2	–	–	–	–	–
Diphtheria	0·12	0·15	0·09	57	32	25	3	4	6	6	10	29	21	4	1	–	2	–	–	–	–	–
Whooping-cough	0·59	0·61	0·57	282	130	152	141	79	39	12	7	278	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Enteric Fever	0·08	0·08	0·07	36	17	19	1	–	–	–	–	1	–	5	2	6	7	5	4	3	3	–
Simple Continued Fever	0·05	0·04	0·06	23	8	15	–	–	–	1	1	2	4	–	2	1	2	2	2	4	3	1
Diarrhœa and Dysentery	0·53	0·61	0·46	252	129	123	189	13	4	2	1	209	1	1	1	2	1	3	–	10	18	6
Cholera	0·00	–	0·01	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	0·73	0·64	0·80	349	136	213	–	–	–	–	–	–	–	–	3	–	5	33	65	110	99	36
Tabes Mesenterica	0·20	0·19	0·20	93	41	52	33	29	9	2	1	74	3	4	5	2	2	–	1	1	1	–
Phthisis	1·89	2·53	1·38	901	535	366	33	20	9	3	3	68	9	33	85	100	139	120	149	155	39	4
Other Tub. & Scrof. Dis.	0·45	0·51	0·41	216	107	109	31	35	12	8	9	95	32	26	19	8	19	4	4	4	5	–
Diseases of Nervous System	2·51	2·72	2·34	1197	575	622	346	98	22	6	10	482	19	17	12	25	32	43	67	128	238	134
Diseases of Circulatory "	1·48	1·32	1·60	705	280	425	1	–	–	–	–	1	2	12	13	14	38	48	84	155	231	107
Diseases of Respiratory "	3·71	4·49	3·09	1769	950	819	419	251	77	36	16	799	43	11	14	14	44	53	119	214	275	183
Diseases of Digestive "	0·93	1·02	0·87	445	215	230	95	27	3	3	2	130	10	4	6	18	21	26	42	78	81	29
Diseases of Urinary "	0·36	0·47	0·27	171	100	71	2	2	–	1	–	5	2	2	2	7	9	15	22	38	42	27
Diseases of Generative "	0·05	0·00	0·08	23	1	22	–	–	–	–	–	–	–	–	1	–	3	7	5	3	4	–
Puerperal Fever	0·06	–	0·11	29	–	29	–	–	–	–	–	–	–	–	–	6	14	9	–	–	–	–
Childbirth	0·10	–	0·17	46	–	46	–	–	–	–	–	–	–	–	4	7	18	17	–	–	–	–
Violence	0·61	1·12	0·20	291	237	54	12	6	10	4	4	36	13	15	48	36	36	31	23	29	11	13
Other Causes	5·38	5·42	5·38	2568	1140	1428	1179	107	18	8	4	1316	13	19	21	21	32	35	55	100	237	719

Marriages - - - 3,971

Births - Males - 7,612; Females - 7,251 — 14,863

Annual Rate per 1000 living: Persons Married 16·65; Births - - 31·17

Deaths from Childbirth and Puerperal Fever - - - - - 5·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

301.—PENZANCE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·80	†155	–	–	–	–	60·44	3·86	2·39	4·32	5·55	6·50	8·55	12·80	23·74	56·21	149·53
Males	—	19·01	†168	–	–	–	–	64·36	3·52	2·09	3·74	6·23	6·41	8·78	17·09	29·18	66·60	159·80
Females	—	16·66	†142	–	–	–	–	56·52	4·21	2·69	4·95	4·98	6·58	8·38	9·89	20·12	49·16	143·14
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·04 per cent.	49,293	1161	1089	1170	1127	1105	5652	5517	5282	5272	4362	6581	5273	4389	3492	2409	1064
Males		22,704	568	542	581	568	564	2823	2810	2679	2728	1973	2857	2279	1779	1395	973	408
Females		26,589	593	547	589	559	541	2829	2707	2603	2544	2389	3724	2994	2610	2097	1436	656
Deaths from All Causes, 1881–90. Persons	19·15	9,440	2276	701	233	116	90	3416	213	126	228	242	428	451	562	829	1354	1591
Males	20·22	4,591	1255	351	114	61	36	1817	99	56	102	123	183	200	304	407	648	652
Females	18·24	4,849	1021	350	119	55	54	1599	114	70	126	119	245	251	258	422	706	939

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·33	0·34	0·32	162	77	85	44	53	25	16	16	154	8	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·08	0·10	45	19	26	3	5	9	7	5	29	12	3	1	–	–	–	–	–
Diphtheria	0·09	0·07	0·11	43	15	28	–	2	6	[illegible]	8	23	15	2	–	–	–	–	–	–
Whooping-cough	0·42	0·43	0·42	209	98	111	107	61	25	7	3	203	6	–	–	–	–	2	1	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·16	0·13	0·18	78	30	48	1	–	1	–	2	4	10	5	8	16	15	7	5	5
Simple Continued Fever	0·04	0·03	0·05	21	7	14	1	2	–	1	1	5	3	1	4	–	3	1	–	2
Diarrhœa and Dysentery	0·58	0·63	0·54	287	144	143	221	21	2	–	–	244	2	–	–	–	1	3	–	4
Cholera	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Cancer	0·73	0·56	0·88	361	127	234	–	1	–	1	–	2	2	1	–	3	6	33	66	102
Tabes Mesenterica	0·23	0·25	0·21	114	57	57	52	24	6	2	2	86	9	5	3	4	4	1	2	–
Phthisis	1·80	1·86	1·74	886	422	464	24	16	9	2	2	53	7	28	98	106	178	143	125	95
Other Tub. & Scrof. Dis.	0·39	0·48	0·31	191	108	83	44	39	16	4	8	111	18	17	9	9	10	12	2	2
Diseases of Nervous System	2·41	2·58	2·26	1187	586	601	237	91	16	11	9	364	22	8	15	18	24	34	78	134
Diseases of Circulatory „	1·42	1·46	1·39	700	331	369	1	1	–	1	1	4	4	12	11	8	23	33	56	130
Diseases of Respiratory „	3·11	3·48	2·79	1532	789	743	401	216	74	36	21	748	41	8	4	14	27	48	68	139
Diseases of Digestive „	1·25	1·37	1·14	614	311	303	147	55	6	2	5	215	15	4	16	10	25	30	48	77
Diseases of Urinary „	0·43	0·52	0·35	211	117	94	4	5	3	1	–	13	2	2	11	10	12	22	29	31
Diseases of Generative „	0·06	0·00	0·10	27	1	26	–	–	–	–	–	–	–	–	2	3	5	3	4	6
Puerperal Fever	0·06	–	0·11	28	–	28	–	–	–	–	–	–	–	–	1	3	13	11	–	–
Childbirth	0·10	–	0·19	50	–	50	–	–	–	–	–	–	–	–	5	8	19	17	1	–
Violence	0·47	0·71	0·26	230	162	68	12	6	9	10	4	41	20	9	16	15	23	25	26	19
Other Causes	4·97	5·23	4·78	2458	1187	1271	977	103	26	8	3	1117	17	21	24	14	39	28	50	81

	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–
Measles	–	–	–	–
Scarlet Fever	–	–	–	–
Diphtheria	–	–	–	–
Whooping-cough	–	–	–	–
Typhus	–	–	–	–
Enteric Fever	1	–	–	–
Simple Continued Fever	16	15	7	5
Diarrhœa and Dysentery	–	3	1	–
Cholera	–	1	3	–
Cancer	4	4	1	2
Tabes Mesenterica	3	6	33	66
Phthisis	106	178	143	125
Other Tub. & Scrof. Dis.	10	12	2	2
Nervous System	10	24	34	78
Circulatory	8	23	33	56
Respiratory	14	27	48	68
Digestive	10	25	30	48
Urinary	10	12	22	29
Generative	3	5	3	4
Puerperal Fever	3	13	11	–
Childbirth	8	19	17	1
Violence	15	23	25	26
Other Causes	14	39	28	50

Marriages - - - 3,527

Births - Males - 7,486; Females - 7,178 } 14,664

Annual Rate per 1000 living { Persons Married 14·31; Births - - 29·75

Deaths from Childbirth and Puerperal Fever - - - } 5·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

302.—SCILLY ISLANDS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·28	†117	–	–	–	–	41·67	3·54	3·86	8·08	10·47	5·10	6·30	11·89	28·48	65·69	145·57
Males	—	14·38	†105	–	–	–	–	33·06	3·77	3·70	9·00	9·68	6·16	5·17	11·36	21·43	63·49	151·28
Females	—	18·06	†128	–	–	–	–	51·40	3·33	4·04	7·14	11·39	4·05	7·38	12·37	34·57	67·57	140·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 17·63 per cent.	2,115	42	48	42	45	51	228	226	207	198	172	294	238	185	151	137	79
Males		1,050	23	27	25	23	23	121	106	108	100	93	146	116	88	70	63	39
Females		1,065	19	21	17	22	28	107	120	99	98	79	148	122	97	81	74	40
Deaths from All Causes, 1881–90. Persons	21·04	445	66	22	3	1	3	95	8	8	16	18	15	15	22	43	90	115
Males	19·52	205	28	12	–	–	–	40	4	4	9	9	9	6	10	15	40	59
Females	22·54	240	38	10	3	1	3	55	4	4	7	9	6	9	12	28	50	56

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·28	0·29	0·28	6	3	3	–	3	–	–	–	3	3	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	0·47	0·48	0·47	10	5	5	2	5	1	–	–	8	1	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·19	–	0·38	4	–	4	–	–	–	–	1	1	–	2	1	–	–	–	–
Diarrhœa and Dysentery	0·61	0·76	0·47	13	8	5	4	1	–	–	–	5	–	–	–	–	1	1	5
Cholera	0·09	0·19	–	2	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	0·76	0·29	1·22	16	3	13	–	–	–	–	–	–	–	–	–	–	1	6	7	2
Tabes Mesenterica	0·33	0·29	0·38	7	3	4	5	–	–	–	–	5	–	1	1	–	–	–	–	–
Phthisis	2·03	1·90	2·16	43	20	23	–	2	1	–	–	3	–	–	8	11	7	4	3	3	3	1
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	4	2	2	–	1	–	–	–	1	–	–	1	–	1	–	–	–	1	–
Diseases of Nervous System	3·93	3·33	4·51	83	35	48	15	2	–	–	2	19	2	1	2	1	2	2	2	9	17	26
Circulatory "	2·41	2·19	2·63	51	23	28	–	–	–	–	–	–	–	–	–	1	1	1	5	6	17	20
Respiratory "	2·65	2·76	2·54	56	29	27	7	5	–	1	–	13	1	–	1	1	1	3	4	5	15	12
Digestive "	1·56	1·43	1·69	33	15	18	5	–	–	–	–	5	–	–	–	–	–	2	2	5	11	8
Urinary "	0·28	0·48	0·09	6	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3
Generative "	0·05	–	0·09	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Puerperal Fever	0·05	–	0·09	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·80	1·33	0·28	17	14	3	1	–	–	–	–	1	–	1	2	4	2	2	1	2	2	–
Other Causes	4·36	3·61	5·07	92	38	54	26	3	1	–	–	30	1	1	–	–	–	–	3	5	14	38

Marriages 119 | Births: Males 267, Females 297 = 564 | Annual Rate per 1000 living: Persons Married 11·25, Births 26·67 | Deaths from Childbirth and Puerperal Fever 1·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

303.—WILLITON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·38	† 91	–	–	–	–	31·79	4·36	2·31	3·52	5·67	6·04	8·52	11·95	21·85	50·62	137·75
Males	—	14·16	†107	–	–	–	–	36·36	4·73	2·35	3·36	4·32	6·60	9·74	13·28	23·55	54·95	137·00
Females	—	12·63	† 74	–	–	–	–	27·16	3·98	2·27	3·69	6·91	5·54	7·51	10·77	20·25	46·82	138·38
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·54 per cent.	17,977	418	409	422	444	452	2145	2227	2165	1792	1253	2071	1796	1674	1382	974	498
Males		8,779	212	213	208	231	217	1081	1121	1108	951	602	969	811	783	671	455	227
Females		9,198	206	196	214	213	235	1064	1106	1057	841	651	1102	985	891	711	519	271
Deaths from All Causes, 1881–90. Persons	16·25	2,922	444	113	62	32	31	682	97	50	63	71	125	153	200	302	493	686
Males	17·04	1,496	271	59	38	15	10	393	53	26	32	26	64	79	104	158	250	311
Females	15·50	1,426	173	54	24	17	21	289	44	24	31	45	61	74	96	144	243	375

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·11	0·14	0·08	20	13	7	5	3	4	2	1	15	4	1	–	–	–	–	–	–	–
Scarlet Fever	0·06	0·07	0·05	11	6	5	1	1	3	1	2	8	3	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·14	0·16	27	12	15	1	1	2	3	5	12	9	5	–	1	–	–	–	–	–
Whooping-cough	0·19	0·16	0·23	35	14	21	15	9	4	3	–	31	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Enteric Fever	0·03	0·03	0·03	6	3	3	–	–	–	–	–	–	–	2	1	1	–	–	–	2	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·19	0·22	0·17	35	19	16	14	2	1	–	1	18	–	1	–	1	–	–	–	2	5
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·55	0·39	0·70	98	34	64	–	–	–	–	–	–	–	–	1	–	1	8	23	20	28
Tabes Mesenterica	0·08	0·10	0·07	15	9	6	5	1	–	–	1	7	5	1	–	–	2	–	–	–	–
Phthisis	1·06	1·17	0·95	190	103	87	6	5	1	1	–	13	1	3	21	30	45	26	24	16	7
Other Tub. & Scrof. Dis.	0·29	0·34	0·24	52	30	22	8	7	2	2	4	23	13	3	5	–	3	2	2	–	–
Diseases of Nervous System	2·22	2·26	2·17	398	198	200	65	16	8	2	1	92	11	7	2	5	12	14	29	44	84
Circulatory „	2·17	1·96	2·37	390	172	218	1	–	–	–	–	1	2	4	7	4	10	20	28	79	144
Respiratory „	2·94	3·53	2·37	528	310	218	112	37	26	9	10	194	17	–	5	2	15	28	36	43	85
Digestive „	1·23	1·25	1·22	222	110	112	17	11	3	3	1	35	17	3	5	5	6	9	20	41	45
Urinary „	0·43	0·65	0·22	77	57	20	1	–	–	–	–	1	1	–	3	1	2	9	10	11	18
Generative „	0·04	0·01	0·08	8	1	7	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2
Puerperal Fever	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	–	1	3	6	7	–	–	–
Childbirth	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–
Violence	0·56	0·82	0·30	100	72	28	4	4	1	4	2	15	7	7	5	6	10	10	8	15	8
Other Causes	3·77	3·77	3·79	679	330	349	189	16	7	2	3	217	4	13	6	9	8	15	18	26	66

Marriages - - - 899

Births - Males - 2,526; Females - 2,349 } 4,875

Annual Rate per 1000 living { Persons Married 10·00; Births - - 27·12

Deaths from Childbirth and Puerperal Fever - - - - - } 5·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

304.—DULVERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·67	†71	–	–	–	–	26·40	4·52	3·69	3·11	3·70	7·13	7·00	11·11	26·04	46·39	133·57
Annual Death-Rate per 1000. Males	—	In Standard Population* 11·38	†64	–	–	–	–	25·48	3·86	3·48	2·49	2·78	6·55	6·67	8·50	23·24	47·62	124·68
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·89	†79	–	–	–	–	27·30	5·25	3·93	3·85	4·76	7·67	7·33	13·91	28·64	45·14	144·44
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·89 per cent.	5,221	134	115	121	128	127	625	642	596	515	405	603	543	477	384	291	140
Mean Population, 1881–91. Males	Decennial Decrease of Population 8·89 per cent.	2,676	66	52	61	67	64	310	337	316	281	216	290	270	247	185	147	77
Mean Population, 1881–91. Females	Decennial Decrease of Population 8·89 per cent.	2,545	68	63	60	61	63	315	305	280	234	189	313	273	230	199	144	63
Deaths from All Causes, 1881–90. Persons	15·38	803	100	34	20	2	9	165	29	22	16	15	43	38	53	100	135	187
Deaths from All Causes, 1881–90. Males	14·31	383	46	18	10	1	4	79	13	11	7	6	19	18	21	43	70	96
Deaths from All Causes, 1881–90. Females	16·50	420	54	16	10	1	5	86	16	11	9	9	24	20	32	57	65	91

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·15	0·20	9	4	5	2	2	1	–	–	5	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·04	–	0·08	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·33	0·19	0·47	17	5	12	–	–	1	–	1	2	5	4	3	1	1	1	–	–	–	–
Whooping-cough	0·31	0·26	0·35	16	7	9	6	6	1	1	2	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	–	0·04	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Simple Continued Fever	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·08	0·08	4	2	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2
Cholera	0·04	0·04	0·04	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	0·84	0·67	1·02	44	18	26	–	–	–	–	–	–	–	–	–	–	–	1	4	13	17	9
Tabes Mesenterica	0·11	0·08	0·16	6	2	4	1	1	1	–	–	3	1	–	1	–	–	1	–	–	–	–
Phthisis	1·11	0·86	1·38	58	23	35	1	1	–	–	–	2	2	2	3	2	23	10	7	5	2	–
Other Tub. & Scrof. Dis.	0·21	0·22	0·20	11	6	5	1	1	–	–	–	2	4	–	1	1	2	–	1	–	–	–
Diseases of Nervous System	1·57	1·31	1·85	82	35	47	17	5	1	–	2	25	2	1	1	1	3	2	5	14	15	13
Diseases of Circulatory "	1·70	1·35	2·08	89	36	53	1	–	–	–	–	1	–	2	2	1	3	5	10	23	24	18
Diseases of Respiratory "	2·76	2·73	2·79	144	73	71	23	8	6	1	2	40	4	2	1	1	3	1	9	14	29	40
Diseases of Digestive "	0·94	0·97	0·90	49	26	23	4	5	–	–	1	10	4	5	–	1	2	1	3	8	9	6
Diseases of Urinary "	0·46	0·75	0·16	24	20	4	–	–	–	–	–	–	–	–	–	1	–	2	1	7	7	6
Diseases of Generative "	0·06	–	0·12	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Puerperal Fever	0·02	–	0·04	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth	0·19	–	0·39	10	–	10	–	–	–	–	–	–	–	–	–	3	2	4	1	–	–	–
Violence	0·54	0·64	0·43	28	17	11	1	4	5	–	–	10	–	1	–	1	2	4	3	4	1	2
Other Causes	3·86	3·97	3·72	202	107	95	41	1	4	–	1	47	3	3	4	1	1	2	8	11	31	91

Marriages - - 293

Births - { Males - 719, Females - 682 } 1,401

Annual Rate per 1000 living { Persons Married 11·22, Births - - 26·83 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

305.—WELLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·31	† 92	–	–	–	–	34·39	4·12	2·61	4·02	5·36	6·76	9·28	12·67	23·76	58·37	134·12
Annual Death-Rate per 1000. Males	—	15·19	†105	–	–	–	–	40·29	3·86	2·25	3·19	4·87	7·41	9·38	13·97	26·45	63·79	138·72
Annual Death-Rate per 1000. Females	—	13·49	† 78	–	–	–	–	28·43	4·38	2·97	4·89	5·79	6·20	9·20	11·53	21·49	53·76	130·18
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 3·83 per cent.	18,802	458	439	491	433	488	2309	2235	2188	1839	1455	2308	1874	1658	1393	1033	510
Mean Population, 1881-91. Males		9,064	213	229	235	233	249	1159	1115	1111	939	678	1066	874	773	639	475	235
Mean Population, 1881-91. Females		9,738	245	210	256	200	239	1150	1120	1077	900	777	1242	1000	885	754	558	275
Deaths from All Causes, 1881-90. Persons	17·30	3,253	487	152	65	52	38	794	92	57	74	78	156	174	210	331	603	684
Deaths from All Causes, 1881-90. Males	18·37	1,665	285	91	40	29	22	467	43	25	30	33	79	82	108	169	303	326
Deaths from All Causes, 1881-90. Females	16·31	1,588	202	61	25	23	16	327	49	32	44	45	77	92	102	162	300	358

Causes of Death.	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Measles	0·51	0·64	0·38	95	58	37	21	32	12	6	8	79	12	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·11	0·03	13	10	3	2	2	2	1	2	9	3	–	1	–	–	–	–	–	–	–
Diphtheria	0·39	0·44	0·34	73	40	33	2	9	10	16	6	43	26	3	1	–	–	–	–	–	–	–
Whooping-cough	0·27	0·30	0·25	51	27	24	26	15	3	1	3	48	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	23	10	13	–	–	–	–	–	–	2	4	4	3	4	3	1	2	–	–
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·25	0·32	0·18	47	29	18	21	5	1	1	–	28	1	–	–	–	–	2	2	–	7	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·61	0·78	131	55	76	–	–	1	–	–	1	–	–	–	1	2	8	19	39	43	18
Tabes Mesenterica	0·11	0·13	0·09	21	12	9	9	6	3	1	–	19	–	–	1	–	1	–	–	–	–	–
Phthisis	1·26	1·27	1·24	236	115	121	–	2	2	–	–	4	1	9	34	33	62	47	23	16	7	–
Other Tub. & Scrof. Dis.	0·35	0·33	0·37	66	30	36	14	9	2	5	3	33	9	3	8	4	3	2	1	1	1	1
Diseases of: Nervous System	2·37	2·42	2·28	441	219	222	67	11	4	3	1	86	5	7	7	4	4	13	30	58	130	97
Diseases of: Circulatory "	2·01	2·03	1·99	378	184	194	1	1	–	–	–	2	5	4	5	1	22	18	41	67	129	84
Diseases of: Respiratory "	2·99	3·50	2·53	563	317	246	115	41	14	14	11	195	10	5	1	6	12	21	33	60	114	106
Diseases of: Digestive "	1·03	1·04	1·02	193	94	99	27	6	1	–	1	35	2	3	2	4	9	11	22	34	49	22
Diseases of: Urinary "	0·33	0·43	0·29	67	39	28	–	–	–	–	–	–	2	2	1	2	4	13	4	8	21	10
Diseases of: Generative "	0·04	0·01	0·07	8	1	7	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	1
Puerperal Fever	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	1	5	2	6	–	–	–	–
Childbirth	0·09	–	0·16	16	–	16	–	–	–	–	–	–	–	–	–	4	4	8	–	–	–	–
Violence	0·55	0·93	0·21	104	84	20	6	2	5	2	1	16	6	6	2	6	14	9	18	12	15	5
Other Causes	3·75	3·73	3·80	708	339	369	176	11	5	2	2	196	4	8	4	5	13	12	16	33	85	332

Marriages - - - 1,136

Births - Males 2,717, Females 2,582 - 5,299

Annual Rate per 1000 living: Persons Married 12·08; Births - 28·18

Deaths from Childbirth and Puerperal Fever - - - 5·66 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births

306.—TAUNTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·75	†116	–	–	–	–	45·51	5·32	3·83	4·53	6·13	7·38	10·30	15·10	26·90	59·02	128·41
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·06	†128	–	–	–	–	50·29	4·67	3·27	4·16	6·54	7·96	12·00	17·85	31·87	65·34	142·46
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·51	†104	–	–	–	–	40·85	5·97	4·41	4·88	5·84	6·92	8·88	12·93	22·86	54·02	119·27
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·86 per cent.	36,380	868	824	872	842	855	4261	4115	4127	3882	2986	4811	3757	3191	2580	1762	908
Mean Population, 1881–91. Males		16,929	419	402	445	405	431	2102	2054	2109	1875	1238	2136	1708	1412	1158	779	358
Mean Population, 1881–91. Females		19,451	449	422	427	437	424	2159	2061	2018	2007	1748	2675	2049	1779	1422	983	550
Deaths from All Causes, 1881–90. Persons	18·69	6,799	1220	364	152	105	98	1939	219	158	176	183	355	387	482	694	1040	1166
Deaths from All Causes, 1881–90. Males	20·06	3,396	689	188	70	59	51	1057	96	69	78	81	170	205	252	369	509	510
Deaths from All Causes, 1881–90. Females	17·50	3,403	531	176	82	46	47	882	123	89	98	102	185	182	230	325	531	656

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·13	0·14	0·11	46	24	22	5	–	–	–	–	5	1	4	6	10	11	7	2	–	–	–
Measles	0·40	0·44	0·36	146	75	71	26	48	24	14	7	119	19	2	2	1	1	2	–	–	–	–
Scarlet Fever	0·12	0·10	0·13	43	17	26	1	6	6	3	6	22	14	5	–	1	1	–	–	–	–	–
Diphtheria	0·51	0·43	0·58	184	72	112	7	10	13	25	25	80	64	28	5	2	2	2	–	1	–	–
Whooping-cough	0·29	0·31	0·29	104	53	51	48	34	10	4	2	98	5	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·10	0·15	47	17	30	–	1	2	–	1	4	5	5	10	8	5	2	1	1	5	1
Simple Continued Fever	0·02	0·01	0·03	7	2	5	–	–	1	–	–	1	–	1	–	1	–	1	1	2	–	–
Diarrhœa and Dysentery	0·34	0·43	0·26	122	72	50	73	10	1	–	1	85	3	–	2	1	–	–	2	6	9	14
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·45	0·84	241	77	164	–	–	–	–	–	–	–	–	–	1	8	21	55	65	67	24
Tabes Mesenterica	0·16	0·18	0·14	58	31	27	22	13	5	1	2	43	6	–	–	4	1	1	1	1	1	–
Phthisis	1·43	1·50	1·37	520	254	266	6	4	2	1	1	14	4	16	64	73	137	93	70	37	9	3
Other Tub. & Scrof. Dis.	0·30	0·36	0·24	108	61	47	21	19	7	4	4	55	10	11	8	7	9	3	1	1	3	–
Diseases of Nervous System	2·34	2·79	1·94	851	473	378	226	39	11	8	4	288	15	13	8	5	19	35	59	107	170	132
Diseases of Circulatory „	1·98	1·93	2·02	719	326	393	–	1	–	–	–	1	6	9	11	13	28	54	60	149	232	156
Diseases of Respiratory „	3·20	3·64	2·81	1164	617	547	252	111	49	28	30	470	28	12	12	8	25	40	56	96	206	211
Diseases of Digestive „	1·09	1·17	1·03	398	198	200	68	24	4	4	6	106	11	12	6	7	16	28	56	60	62	34
Diseases of Urinary „	0·62	0·86	0·40	224	146	78	2	–	1	2	2	7	–	5	7	7	14	25	37	52	37	33
Diseases of Generative „	0·12	0·02	0·20	43	4	39	–	1	–	–	–	1	–	–	3	1	7	4	10	7	10	–
Puerperal Fever	0·04	–	0·08	15	–	15	–	–	–	–	–	–	–	–	–	3	10	2	–	–	–	–
Childbirth	0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	1	5	8	13	2	–	–	–
Violence	0·62	0·98	0·31	226	166	60	17	11	8	6	3	45	10	11	10	9	25	32	24	23	18	19
Other Causes	4·11	4·22	4·09	1504	711	793	446	32	8	5	4	495	18	24	21	16	28	22	45	86	210	539

Marriages - - - 2,863

Births - { Males - 5,372 / Females - 5,105 } 10,477

Annual Rate per 1000 living { Persons Married 15·74 / Births - - 28·80

Deaths from Childbirth and Puerperal Fever - - - - } 4·20 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

307. BRIDGWATER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·31			† 93	–	–	–	–	35·15	4·22	2·45	4·23	5·23	6·14	8·02	12·90	25·66	56·28	139·55
Annual Death-Rate per 1000. Males	—			15·05			†104	–	–	–	–	38·38	4·30	2·23	4·18	5·18	6·38	8·15	15·20	25·88	63·51	153·18
Annual Death-Rate per 1000. Females	—			13·60			† 81	–	–	–	–	31·81	4·14	2·69	4·29	5·28	5·93	7·90	10·91	25·46	50·17	129·14
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·17 per cent.			33,473			878	823	857	883	835	4276	4121	3916	3239	2428	4168	3493	2953	2463	1617	799
Mean Population, 1881-91. Males				16,355			458	408	438	452	417	2173	2068	2022	1748	1140	1943	1644	1368	1163	740	346
Mean Population, 1881-91. Females				17,118			420	415	419	431	418	2103	2053	1894	1491	1288	2225	1849	1585	1300	877	453
Deaths from All Causes, 1881-90. Persons	16·76			5,611			921	301	133	89	59	1503	174	96	137	127	256	280	381	632	910	1115
Deaths from All Causes, 1881-90. Males	17·53			2,867			529	166	61	45	33	834	89	45	73	59	124	134	208	301	470	530
Deaths from All Causes, 1881-90. Females	16·03			2,744			392	135	72	44	26	669	85	51	64	68	132	146	173	331	440	585
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
Measles	0·34	0·37	0·30	113	61	52	15	45	21	12	7	100	12	–	–	–	–	–	–	1	–	–
Scarlet Fever	0·45	0·42	0·48	151	68	83	7	17	18	24	16	82	44	19	1	1	2	2	–	–	–	–
Diphtheria	0·08	0·07	0·10	28	11	17	–	3	1	2	2	8	12	3	1	2	1	–	–	–	1	–
Whooping-cough	0·25	0·25	0·26	85	41	44	46	22	6	7	1	82	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Enteric Fever	0·07	0·08	0·06	24	13	11	–	1	–	–	1	2	7	4	3	1	2	–	1	1	2	1
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·22	0·23	0·22	75	37	38	36	7	1	1	–	45	1	–	–	2	–	1	1	3	7	15
Cholera	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·66	0·53	0·79	222	87	135	–	–	–	–	–	–	–	–	–	1	6	22	44	59	60	30
Tabes Mesenterica	0·15	0·15	0·15	51	25	26	18	12	1	2	–	33	5	2	–	3	5	–	2	–	1	–
Phthisis	1·26	1·21	1·31	423	198	225	3	5	1	3	1	13	5	17	47	53	111	65	49	46	14	3
Other Tub. & Scrof. Dis.	0·34	0·39	0·29	113	63	50	21	16	10	5	1	53	19	5	13	10	7	2	–	3	1	–
Diseases of Nervous System	2·41	2·63	2·20	807	430	377	180	17	9	8	5	219	10	11	9	7	17	23	61	110	180	160
Diseases of Circulatory "	1·78	1·80	1·77	597	294	303	6	–	–	–	1	7	3	6	6	8	18	38	58	138	181	134
Diseases of Respiratory "	3·01	3·28	2·75	1006	536	470	191	99	38	16	12	356	20	4	8	6	13	35	58	101	206	199
Diseases of Digestive "	1·18	1·20	1·16	396	197	199	79	28	10	3	5	125	11	1	6	3	12	22	36	74	70	36
Diseases of Urinary "	0·44	0·55	0·32	146	92	54	–	–	1	–	–	1	1	2	4	1	7	13	17	31	43	26
Diseases of Generative "	0·03	–	0·06	11	–	11	–	–	–	–	–	–	–	–	–	–	2	4	1	2	1	1
Puerperal Fever	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	–	5		7	–	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	1	8	9	1	–	–	–
Violence	0·71	1·11	0·33	238	183	56	17	12	8	3	7	47	14	14	19	13	15	18	26	27	27	18
Other Causes	3·23	3·21	3·21	1075	525	550	302	17	8	3	–	330	7	7	18	9	21	17	25	34	115	492

Marriages - - - 2,383

Births - Males - 5,078, Females - 4,853 } 9,931

Annual Rate per 1000 living { Persons Married 14·24; Births - - 29·67

Deaths from Childbirth and Puerperal Fever - - - - - } 4·03 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

308.—LANGPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·47	† 94	–	–	–	–	33·41	3·81	3·69	4·05	7·35	6·94	7·87	13·22	24·87	55·45	142·05
Males	—		†107	–	–	–	–	37·74	4·44	3·97	2·93	6·55	7·35	7·51	14·90	25·83	66·30	160·00
Females	—		† 82	–	–	–	–	29·22	3·20	3·39	5·34	8·03	6·59	8·18	11·78	24·02	46·98	128·63
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·41 per cent.	15,026	383	357	346	393	353	1832	1838	1708	1406	1021	1815	1602	1415	1154	826	409
Males		7,226	184	174	170	185	188	901	901	881	750	473	844	746	651	542	362	175
Females		7,800	199	183	176	208	165	931	937	827	656	548	971	856	764	612	464	234
Deaths from All Causes, 1881–90. Persons	17·58	2,642	397	106	49	39	21	612	70	63	57	75	126	126	187	287	458	581
Males	18·59	1,343	225	55	23	24	13	340	40	35	22	31	62	56	97	140	240	280
Females	16·65	1,299	172	51	26	15	8	272	30	28	35	44	64	70	90	147	218	301

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·19	0·29	37	14	23	11	10	5	3	2	31	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	14	8	6	–	1	2	3	3	9	3	2	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·14	0·17	23	10	13	–	–	–	3	3	6	11	4	–	–	–	–	–	2	–	–
Whooping-cough	0·29	0·30	0·28	44	22	22	17	15	4	2	4	42	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·18	21	7	14	–	–	–	1	–	1	1	5	2	5	3	1	1	1	1	–
Simple Continued Fever	0·05	0·06	0·04	7	4	3	–	–	1	–	–	1	1	2	1	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·29	0·36	0·22	43	26	17	20	3	1	–	–	24	1	–	1	–	1	–	–	3	6	7
Cholera	0·01	0·01	0·01	2	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·44	0·72	88	32	56	–	–	–	–	–	–	–	–	–	–	1	4	22	29	23	9
Tabes Mesenterica	0·20	0·25	0·15	30	18	12	14	6	1	2	–	23	2	1	–	1	1	–	–	1	–	1
Phthisis	1·35	1·33	1·37	203	96	107	–	–	–	–	1	1	4	10	26	38	54	40	13	12	5	–
Other Tub. & Scrof. Dis.	0·13	0·15	0·12	20	11	9	6	2	2	–	–	10	1	–	2	2	1	–	2	2	–	–
Diseases of Nervous System	2·68	3·09	2·28	402	223	179	55	19	8	9	3	94	9	14	5	4	7	11	28	56	97	77
Circulatory „	1·61	1·73	1·50	242	125	117	2	–	–	–	1	3	1	3	5	4	4	11	38	52	70	51
Respiratory „	2·87	3·00	2·76	432	217	215	76	32	17	6	2	133	12	3	3	6	12	22	26	54	88	73
Digestive „	1·14	1·26	1·04	172	91	81	8	6	3	3	–	20	1	7	3	2	5	9	28	27	47	23
Urinary „	0·49	0·71	0·29	74	51	23	–	1	–	–	–	1	2	–	2	2	10	–	9	8	26	14
Generative „	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1
Puerperal Fever	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	1	2	6	3	–	–	–	–
Childbirth	0·10	–	0·19	15	–	15	–	–	–	–	–	–	–	–	–	1	6	8	–	–	–	–
Violence	0·57	0·89	0·28	86	64	22	10	1	2	5	1	19	4	5	2	–	8	8	7	9	14	10
Other Causes	4·48	4·46	4·50	672	322	350	177	9	3	2	1	192	10	6	4	7	7	7	12	31	81	315

Marriages	947	Annual Rate per 1000 living: Persons Married 12·60; Births 28·00	Deaths from Childbirth and Puerperal Fever 6·42 per 1000 Births.
Births: Males 2,106; Females 2,102	4,208		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

309.—CHARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·48	†112	–	–	–	–	43·12	4·20	2·55	4·64	4·70	6·18	8·67	13·43	25·62	56·27	138·89
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·32	†125	–	–	–	–	46·23	3·95	2·25	4·36	4·85	7·17	9·81	15·72	26·22	59·46	157·21
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	† 98	–	–	–	–	40·06	4·45	2·86	4·92	4·59	5·38	7·73	11·55	25·11	53·49	125·40
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·31 per cent.	25,074	630	608	628	659	631	3156	3095	3016	2584	1977	2976	2560	2271	1694	1205	540
Mean Population, 1881–91. Males		11,864	305	310	297	338	316	1566	1545	1512	1283	866	1339	1162	1024	778	560	229
Mean Population, 1881–91. Females		13,210	325	298	331	321	315	1590	1550	1504	1301	1111	1637	1398	1247	916	645	311
Deaths from All Causes, 1881–90. Persons	17·36	4,354	862	283	95	68	53	1361	130	77	120	93	184	222	305	434	678	750
Deaths from All Causes, 1881–90. Males	18·42	2,185	484	138	43	34	25	724	61	34	56	42	96	114	161	204	333	360
Deaths from All Causes, 1881–90. Females	16·42	2,169	378	145	52	34	28	637	69	43	64	51	88	108	144	230	345	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·31	0·32	0·31	79	38	41	12	15	15	10	8	60	16	2	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·19	0·26	57	22	35	1	11	6	6	8	32	15	5	3	–	1	1	–	–	–
Diphtheria	0·15	0·17	0·13	37	20	17	–	3	2	7	8	20	14	1	2	–	–	–	–	–	–
Whooping-cough	0·30	0·31	0·29	75	37	38	39	26	4	3	2	74	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·14	0·10	0·17	35	12	23	–	–	1	–	–	1	2	3	8	6	5	3	3	2	1
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·19	0·18	0·20	48	21	27	26	5	1	2	1	35	1	–	–	–	–	2	1	2	1
Cholera	0·01	0·02	0·01	3	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–
Cancer	0·56	0·45	0·66	141	54	87	–	1	1	–	–	2	–	–	1	–	–	11	27	47	38
Tabes Mesenterica	0·15	0·13	0·17	37	15	22	12	11	3	–	–	26	4	2	2	1	1	–	–	–	1
Phthisis	1·36	1·23	1·48	311	146	195	12	2	2	–	1	17	5	17	41	36	83	58	44	26	12
Other Tub. & Scrof. Dis.	0·45	0·48	0·43	114	57	57	23	36	5	4	4	72	10	10	7	3	2	3	4	3	–
Diseases of Nervous System	2·11	2·31	1·94	530	274	256	135	25	9	5	–	174	11	6	8	5	15	25	5	76	79
Diseases of Circulatory „	1·91	2·03	1·79	478	241	237	1	–	–	–	–	1	2	4	6	6	13	24	64	97	168
Diseases of Respiratory „	3·06	3·45	2·71	767	409	358	187	94	36	22	13	352	27	5	7	8	20	23	44	76	110
Diseases of Digestive „	0·91	1·03	0·81	228	122	106	30	21	2	2	2	57	8	3	8	3	7	10	26	42	47
Diseases of Urinary „	0·31	0·47	0·17	79	56	23	1	–	1	1	–	3	1	–	4	3	7	14	8	13	20
Diseases of Generative „	0·07	0·01	0·12	17	1	16	–	–	–	–	–	–	–	–	–	1	2	1	4	5	3
Puerperal Fever	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	2	1	4	5	–	–	–
Childbirth	0·08	–	0·14	19	–	19	–	–	–	–	–	–	–	–	2	4	8	5	–	–	–
Violence	0·47	0·73	0·23	118	87	31	11	6	5	4	3	29	4	7	5	6	7	17	12	13	11
Other Causes	4·52	4·79	4·29	1135	569	566	372	27	2	2	2	405	8	11	13	9	9	20	23	30	187

Marriages	1,677	Annual Rate per 1000 living: Persons Married	13·38
Births: Males	3,883	Births	30·83
Births: Females	3,847	Deaths from Childbirth and Puerperal Fever	4·01 per 1000 Births.
Births: Persons	7,730		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

310.—YEOVIL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population*		15·23	†108	–	–	–	–	39·48	3·66	2·07	3·95	4·57	6·52	8·39	14·21	25·77	62·55	146·54
Males	—					16·38	†128	–	–	–	–	44·75	3·94	1·86	3·84	4·42	7·31	7·73	16·09	32·06	70·19	148·77
Females	—					14·16	† 87	–	–	–	–	34·21	3·38	2·28	4·06	4·68	5·92	8·91	12·71	20·82	56·97	144·91
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·71 per cent.			27,804			696	652	678	682	704	3412	3362	3282	2859	2210	3543	2945	2519	1839	1255	578
Males				12,846			354	331	348	336	336	1705	1674	1617	1381	927	1532	1306	1119	811	530	244
Females				14,958			342	321	330	346	368	1707	1688	1665	1478	1283	2011	1639	1400	1028	725	334
Deaths from All Causes, 1881–90. Persons	16·88			4,694			846	248	108	80	65	1347	123	68	113	101	231	247	358	474	785	847
Males	18·22			2,341			510	119	60	40	34	763	66	30	53	41	112	101	180	260	372	363
Females	15·73			2,353			336	129	48	40	31	584	57	38	60	60	119	146	178	214	413	484
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·37	0·44	0·31	102	56	46	15	35	20	14	7	91	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·25	71	33	38	2	8	14	10	10	44	20	5	1	–	1	–	–	–	–	–
Diphtheria	0·07	0·09	0·05	19	11	8	1	4	1	2	2	10	5	1	2	–	–	–	1	–	–	–
Whooping cough	0·28	0·26	0·30	78	33	45	38	20	10	6	1	75	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·05	0·14	28	7	21	–	–	1	1	–	2	1	2	3	2	4	4	4	4	1	1
Simple Continued Fever	0·04	0·04	0·05	12	5	7	–	–	–	1	–	1	2	1	1	–	1	1	1	3	1	–
Diarrhœa and Dysentery	0·22	0·23	0·20	60	30	30	29	8	3	3	1	44	–	1	–	–	1	–	1	1	7	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·51	0·86	194	66	128	–	–	–	–	–	–	–	–	–	–	4	14	50	41	64	21
Tabes Mesenterica	0·17	0·17	0·15	44	22	22	14	10	4	2	2	32	2	2	3	1	2	1	–	1	–	–
Phthisis	1·37	1·34	1·39	380	172	208	2	5	1	1	1	10	6	10	42	50	113	70	41	23	13	2
Other Tub. & Scrof. Dis.	0·26	0·31	0·21	72	40	32	14	13	2	2	2	33	12	9	3	3	3	3	2	1	3	–
Diseases of Nervous System	2·30	2·53	2·11	641	325	316	112	23	16	11	3	165	16	4	14	11	10	28	43	82	163	105
Circulatory „	2·09	2·09	2·10	582	268	314	1	2	–	–	1	4	4	4	9	4	15	39	67	115	202	119
Respiratory „	2·89	3·46	2·41	805	445	360	184	82	26	20	23	335	18	5	6	6	17	27	43	90	125	133
Digestive „	1·07	1·21	0·95	297	155	142	59	17	4	1	4	85	5	4	11	5	10	15	40	37	48	37
Urinary „	0·41	0·47	0·36	114	60	54	1	1	1	1	1	5	2	2	1	3	14	17	18	18	23	11
Generative „	0·06	0·02	0·09	17	3	14	1	–	1	–	–	2	–	–	1	1	–	2	6	–	4	1
Puerperal Fever	0·06	–	0·12	18	–	18	–	–	–	–	–	–	–	–	1	4	5	7	1	–	–	–
Childbirth	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	1	–	–	–
Violence	0·52	0·79	0·29	146	102	44	18	6	2	4	4	34	4	7	7	5	15	6	20	16	21	11
Other Causes	3·60	3·95	3·31	1002	508	494	355	14	2	1	3	375	13	10	8	5	10	9	19	42	110	401

Marriages - - - 1,932

Births - Males - 3,977, Females - 3,880 } 7,857

Annual Rate per 1000 living { Persons Married 13·90; Births - - 28·26

Deaths from Childbirth and Puerperal Fever - - - } 3·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

311.—WINCANTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·80	† 96	–	–	–	–	35·01	3·79	2·44	3·78	4·89	6·54	8·15	13·98	26·57	58·16	165·75
Annual Death-Rate per 1000. Males	—	In Standard Population.* 15·82	†106	–	–	–	–	40·08	3·79	2·34	3·38	4·09	7·02	8·93	15·99	29·95	66·00	171·73
Annual Death-Rate per 1000. Females	—	In Standard Population.* 13·84	† 86	–	–	–	–	29·94	3·78	2·54	4·20	5·55	6·14	7·47	12·22	23·75	51·73	161·07
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·04 per cent.	19,470	444	482	502	474	477	2379	2403	2254	1800	1471	2492	2110	1738	1389	999	435
Mean Population, 1881–91. Males		9,275	219	245	249	245	232	1190	1186	1111	918	660	1140	985	813	631	450	191
Mean Population, 1881–91. Females		10,195	225	237	253	229	245	1189	1217	1143	882	811	1352	1125	925	758	549	244
Deaths from All Causes 1881–90. Persons	17·30	3,368	548	147	68	41	29	833	91	55	68	72	163	172	243	369	581	721
Deaths from All Causes 1881–90. Males	18·52	1,718	307	98	30	23	19	477	45	26	31	27	80	88	130	189	297	328
Deaths from All Causes 1881–90. Females	16·18	1,650	241	49	38	18	10	356	46	29	37	45	83	84	113	180	284	393

	Persons	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·19	0·12	30	18	12	8	9	2	7	–	26	2	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·16	0·13	28	15	13	1	3	6	4	6	20	6	1	–	–	1	–	–	–	–	–
Diphtheria	0·21	0·27	0·15	40	25	15	1	1	5	3	3	13	16	8	1	–	1	–	–	1	–	–
Whooping-cough	0·16	0·14	0·19	32	13	19	16	5	4	2	1	28	3	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·05	0·06	11	5	6	–	–	–	–	–	–	–	–	2	6	2	–	1	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·30	0·25	54	28	26	26	5	1	2	–	34	–	–	1	–	1	3	–	1	11	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·44	0·86	129	41	88	–	–	–	–	1	1	–	–	1	1	1	13	23	28	42	19
Tabes Mesenterica	0·22	0·25	0·20	43	23	20	10	12	3	2	–	27	3	4	5	1	–	2	–	1	–	–
Phthisis	1·26	1·43	1·10	245	133	112	1	2	1	–	–	4	4	4	24	37	74	44	33	11	8	2
Other Tub. & Scrof. Dis.	0·28	0·37	0·21	55	34	21	18	7	3	2	2	32	6	4	3	–	1	4	4	–	1	–
Diseases of Nervous System	2·50	2·76	2·26	486	256	230	67	27	7	2	6	109	8	5	6	5	12	15	38	60	120	108
Diseases of Circulatory „	2·18	2·03	2 32	425	188	237	3	1	–	–	–	4	1	4	3	5	9	20	41	76	138	124
Diseases of Respiratory „	3·23	3·67	2·82	628	340	288	132	50	25	12	6	225	18	4	4	3	7	12	36	73	126	120
Diseases of Digestive „	1·01	1·30	0·74	196	121	75	25	7	1	–	–	33	4	6	3	2	8	16	25	41	31	27
Diseases of Urinary „	0·36	0·54	0·21	71	50	21	2	1	–	–	1	4	–	–	1	2	12	6	8	14	15	9
Diseases of Generative „	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	1	–	4	2	1	3	2	–
Puerperal Fever	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	1	4	5	5	–	–	–	–
Childbirth	0·11	–	0·22	22	–	22	–	–	–	–	–	–	–	–	–	–	9	11	2	–	–	–
Violence	0·46	0·65	0·29	90	60	30	6	3	6	4	–	19	7	5	2	3	5	5	9	15	10	10
Other Causes	3·86	3·95	3·76	752	366	386	232	14	4	1	3	254	12	7	10	3	10	14	22	45	77	298

Marriages - - - 1,166

Births - { Males - 2,890 / Females - 2,804 } 5,694

Annual Rate per 1000 living { Persons Married 11·98 / Births - - 29·24 }

Deaths from Childbirth and Puerperal Fever - - - - 6·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

312.—FROME.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·61	†104	–	–	–	–	36·03	3·95	2·27	3·49	4·57	6·46	8·79	12·37	27·57	59·73	142·05
Males	—	15·33	†118	–	–	–	–	40·20	3·65	2·08	3·43	3·97	6·06	10·14	12·97	32·08	63·07	151·49
Females	—	13·94	† 90	–	–	–	–	32·00	4·26	2·47	3·56	5·08	6·81	7·65	11·87	23·81	56·98	134·47
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·34 per cent.	23,001	575	543	574	577	576	2845	2807	2687	2232	1752	2816	2413	2110	1701	1110	528
Males		10,956	275	261	282	288	292	1398	1398	1349	1138	807	1288	1105	964	773	501	235
Females		12,045	300	282	292	289	284	1447	1409	1338	1094	945	1528	1308	1146	928	609	293
Deaths from All Causes, 1881–90. Persons	16·92	3,892	678	196	64	46	41	1025	111	61	78	80	182	212	261	469	663	750
Males	17·77	1,947	384	100	30	28	20	562	51	28	39	32	78	112	125	248	316	356
Females	16·15	1,945	294	96	34	18	21	463	60	33	39	48	104	100	136	221	347	394

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	2	2	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Measles	0·21	0·22	0·21	49	24	25	13	18	4	2	4	41	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·15	0·20	40	16	24	2	1	3	7	1	14	19	4	1	2	–	–	–	–	–	–
Diphtheria	0·06	0·03	0·08	13	3	10	–	–	1	4	3	8	3	2	–	–	–	–	–	–	–	–
Whooping-cough	0·31	0·29	0·33	72	32	40	42	18	6	3	1	70	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Enteric Fever	0·10	0·10	0·09	22	11	11	–	1	–	1	–	2	2	5	5	2	2	–	3	–	1	–
Simple Continued Fever	0·02	0·01	0·02	4	1	3	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·37	0·40	0·35	86	44	42	36	11	1	2	1	51	2	1	1	–	1	1	–	3	18	8
Cholera	0·01	0·03	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Cancer	0·64	0·44	0·83	148	48	100	–	–	–	–	–	–	–	–	1	–	4	10	23	49	45	16
Tabes Mesenterica	0·13	0·16	0·11	30	17	13	7	6	5	–	1	19	2	2	3	–	1	–	2	1	–	–
Phthisis	1·08	0·99	1·15	248	109	139	1	–	2	1	1	5	11	4	19	32	73	52	30	12	7	3
Other Tub. & Scrof. Dis.	0·24	0·22	0·27	56	24	32	10	6	5	1	6	28	9	5	7	1	3	1	–	–	2	–
Diseases of Nervous System	2·58	2·78	2·40	593	304	289	108	28	4	3	3	146	18	11	9	8	12	23	35	79	119	133
Circulatory „	2·17	2·15	2·19	499	235	264	–	–	–	1	2	3	6	4	4	5	14	20	56	112	174	101
Respiratory „	2·80	3·20	2·43	643	350	293	151	68	17	11	5	252	11	2	7	5	14	31	34	77	118	92
Digestive „	1·09	1·26	0·94	251	138	113	40	18	7	3	4	72	4	1	4	2	8	21	23	42	49	25
Urinary „	0·49	0·68	0·32	112	74	38	2	2	–	–	–	4	3	2	2	3	3	13	16	18	30	18
Generative „	0·07	–	0·13	16	–	16	–	–	–	–	–	–	–	–	–	–	2	5	4	2	3	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	–	5	9	5	1	–	–	–
Childbirth	0·06	–	0·12	14	–	14	–	–	–	–	–	–	–	–	–	1	7	5	1	–	–	–
Violence	0·68	1·04	0·35	156	114	42	18	5	6	3	3	35	5	10	6	7	17	12	14	24	14	12
Other Causes	3·53	3·60	3·[illegible]	813	398	415	246	14	3	2	5	270	7	7	9	7	10	12	19	49	82	341

Marriages - - - 1,480

Births - { Males - 3,256 / Females - 3,249 } 6,505

Annual Rate per 1000 living { Persons Married 12·87 / Births - 28·28 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

313.—SHEPTON MALLET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·51	† 98	–	–	–	–	34·93	4·49	2·90	3·45	5·38	5·50	9·85	13·92	26·19	55·03	138·29
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·03	†113	–	–	–	–	40·91	4·99	3·21	2·95	5·67	5·59	11·42	18·07	28·49	62·75	145·66
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·08	† 83	–	–	–	–	29·38	4·01	2·61	3·99	5·12	5·41	8·37	10·31	24·16	48·71	132·59
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·92 per cent.	15,669	387	402	374	408	396	1967	1959	1759	1449	1189	1983	1645	1430	1115	776	397
Mean Population, 1881–91. Males		7,513	191	194	176	196	189	946	961	841	747	564	948	797	664	523	349	173
Mean Population, 1881–91. Females		8,156	196	208	198	212	207	1021	998	918	702	625	1035	848	766	592	427	224
Deaths from All Causes, 1881–90. Persons	17·09	2,678	450	130	39	32	36	687	88	51	50	64	109	162	199	292	427	549
Deaths from All Causes, 1881–90. Males	18·63	1,400	256	67	24	14	26	387	48	27	22	32	53	91	120	149	219	252
Deaths from All Causes, 1881–90. Females	15·67	1,278	194	63	15	18	10	300	40	24	28	32	56	71	79	143	208	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·28	0·26	42	21	21	8	13	2	1	5	29	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·11	0·10	16	8	8	–	2	1	2	1	6	6	4	–	–	1	–	–	–	–	–
Diphtheria	0·20	0·24	0·17	32	18	14	–	3	2	4	6	15	11	6	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·12	0·22	27	9	18	13	6	2	5	–	26	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·23	0·17	31	17	14	–	1	1	–	1	3	2	2	6	6	5	1	4	–	2	–
Simple Continued Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	1	1	1	1	1	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·18	0·19	0·17	28	14	14	17	2	–	–	–	19	1	–	–	–	–	–	1	3	–	4
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·40	0·92	105	30	75	–	–	–	–	–	–	–	–	–	–	3	10	17	26	37	12
Tabes Mesenterica	0·12	0·15	0·10	19	11	8	4	5	1	–	1	11	3	2	1	–	–	1	1	–	–	–
Phthisis	0·98	1·13	0·83	153	85	68	–	1	–	–	–	1	2	3	10	24	37	32	24	11	9	–
Other Tub. & Scrof. Dis.	0·34	0·37	0·31	53	28	25	5	7	5	5	2	24	8	6	3	5	1	5	–	–	1	–
Diseases of Nervous System	2·26	2·36	2·17	354	177	177	80	17	4	8	2	111	7	3	5	6	8	13	25	52	65	59
Diseases of Circulatory "	2·14	2·50	1·80	335	188	147	3	1	–	–	–	4	1	3	2	5	15	25	36	72	95	77
Diseases of Respiratory "	2·58	2·91	2·27	404	219	185	102	32	8	5	10	157	20	4	2	4	10	19	21	46	67	54
Diseases of Digestive "	1·26	1·37	1·16	198	103	95	31	20	3	–	1	55	4	6	5	1	4	14	20	34	41	14
Diseases of Urinary "	0·37	0·55	0·21	58	41	17	1	–	–	–	–	1	1	1	1	2	2	8	13	6	17	6
Diseases of Generative "	0·08	0·01	0·13	12	1	11	–	–	–	–	–	–	–	–	1	–	1	1	1	5	1	2
Puerperal Fever	0·08	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	2	3	5	2	–	–	–
Childbirth	0·06	–	0·12	10	–	10	–	–	–	–	–	–	–	–	1	1	2	5	1	–	–	–
Violence	0·56	0·89	0·26	88	67	21	3	5	5	1	2	16	3	3	7	4	7	12	16	10	8	2
Other Causes	4·42	4·77	4·10	693	359	334	183	14	5	1	3	206	5	7	5	3	11	11	16	27	84	318

Marriages - - - 967

Births - Males - 2,263; Females - 2,332 — 4,595

Annual Rate per 1000 living: Persons Married 12·34; Births - - 29·33

Deaths from Childbirth and Puerperal Fever - - - - 4·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

314.—WELLS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·82	†104	–	–	–	–	37·39	3·12	1·86	3·66	6·16	9·14	13·44	18·85	32·11	66·19	147·56
Males	—					17·96	†114	–	–	–	–	39·76	3·05	1·51	4·03	6·29	10·24	16·55	21·53	35·65	71·68	155·87
Females	—					15·75	† 94	–	–	–	–	34·95	3·18	2·21	3·29	6·06	8·18	10·72	16·53	29·15	61·61	140·35
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·21 per cent.			22,935			563	544	554	556	578	2795	2693	2478	2241	1817	3040	2537	2111	1579	1112	532
Males				11,002			278	265	286	279	308	1416	1311	1256	1116	843	1426	1184	980	718	505	247
Females				11,933			285	279	268	277	270	1379	1382	1222	1125	974	1614	1353	1131	861	607	285
Deaths from All Causes, 1881–90. Persons	19·25			4,414			697	182	69	58	39	1045	84	46	82	112	278	341	398	507	736	785
Males	20·69			2,276			383	90	39	31	20	563	40	19	45	53	146	196	211	256	362	385
Females	17·92			2,138			314	92	30	27	19	482	44	27	37	59	132	145	187	251	374	400
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·01	0·03	5	1	4	2	–	–	–	–	2	–	–	–	1	1	1	–	–	–	–
Measles	0·19	0·21	0·18	44	23	21	9	19	3	3	4	38	3	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·08	0·09	0·08	19	10	9	2	3	1	5	2	13	2	2	1	1	–	–	–	–	–	–
Diphtheria	0·11	0·09	0·13	26	10	16	–	3	6	7	1	17	6	1	–	1	–	1	–	–	–	–
Whooping-cough	0·19	0·18	0·19	43	20	23	25	9	4	3	–	41	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Enteric Fever	0·10	0·08	0·12	23	9	14	–	–	–	–	–	–	3	1	3	4	7	1	3	1	–	–
Simple Continued Fever	0·01	0·03	–	3	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	0·25	0·31	0·19	57	34	23	33	7	1	1	2	44	1	–	–	–	–	1	–	1	5	5
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·73	0·66	0·79	167	73	94	–	–	1	–	–	1	–	1	1	1	5	13	33	37	51	24
Tabes Mesenterica	0·19	0·16	0·21	43	18	25	24	6	–	1	3	34	3	1	1	–	3	1	–	–	–	–
Phthisis	1·50	1·50	1·49	343	165	178	5	6	1	–	–	12	1	7	24	47	95	68	51	21	15	2
Other Tub. & Scrof. Dis.	0·31	0·26	0·34	70	29	41	21	9	2	1	2	35	9	6	3	4	6	3	–	1	1	2
Diseases of Nervous System	3·51	4·12	2·96	806	453	353	86	15	8	7	5	121	10	6	8	8	55	99	88	110	169	132
Circulatory „	2·50	2·40	2·60	574	264	310	1	1	–	–	1	3	2	4	8	5	17	42	72	125	183	113
Respiratory „	3·55	3·94	3·19	814	433	381	172	66	26	21	11	296	26	4	9	8	33	39	57	84	127	131
Digestive „	1·23	1·35	1·12	283	149	134	53	12	3	1	–	69	5	1	4	8	12	23	36	42	54	29
Urinary „	0·66	0·79	0·54	152	87	65	1	2	1	–	–	4	–	1	3	2	7	6	18	35	40	36
Generative „	0·05	0·02	0·08	11	2	9	1	–	–	–	–	1	–	–	–	–	2	5	–	2	1	–
Puerperal Fever	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	3	4	8	–	–	–	–
Childbirth	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	3	4	4	–	–	–	–
Violence	0·65	0·98	0·34	148	108	40	17	6	8	5	5	41	7	5	8	4	13	10	20	14	16	10
Other Causes	3·28	3·48	3·11	753	382	371	244	18	4	3	3	272	3	4	7	11	14	15	19	34	74	300

Marriages - - - 1,352

Births - Males - 3,374; Females - 3,348 } 6,722

Annual Rate per 1000 living: Persons Married 11·79; Births - - 29·31

Deaths from Childbirth and Puerperal Fever - - - - - 3·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

315.—AXBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·56	†106	–	–	–	–	36·88	3·85	1·90	4·19	5·33	6·71	9·18	13·57	23·61	51·42	141·61
Males	—					15·91	†119	–	–	–	–	40·87	3·85	1·61	4·66	7·12	8·49	10·65	15·78	26·87	55·16	152·38
Females	—					13·29	† 93	–	–	–	–	32·96	3·85	2·18	3·82	4·22	5·41	8·02	11·87	21·11	48·64	134·21
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·81 per cent.			42,015			924	911	949	971	982	4737	4828	4796	4225	3490	5529	4543	3729	2995	2112	1031
Males				18,904			449	460	478	482	480	2349	2415	2365	1867	1334	2332	2000	1622	1299	901	420
Females				23,111			475	451	471	489	502	2388	2413	2431	2358	2156	3197	2543	2107	1696	1211	611
Deaths from All Causes, 1881-90. Persons	16·50			6,934			1186	312	118	74	57	1747	186	91	177	186	371	417	506	707	1086	1460
Males	18·12			3,426			670	166	58	36	30	960	93	38	87	95	198	213	256	349	497	640
Females	15·18			3,508			516	146	60	38	27	787	93	53	90	91	173	204	250	358	589	820
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·29	0·25	113	55	58	28	32	17	8	8	93	15	4	–	1	–	–	–	–	–	–
Scarlet Fever	0·17	0·22	0·13	70	41	29	8	7	7	9	10	41	23	2	2	1	1	–	–	–	–	–
Diphtheria	0·06	0·07	0·06	27	14	13	2	2	–	1	4	9	10	3	1	2	–	–	1	1	–	–
Whooping-cough	0·20	0·23	0·19	86	43	43	49	23	9	3	2	86	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	6	2	4	–	–	–	–	–	–	–	–	1	3	–	–	–	1	1	–
Enteric Fever	0·07	0·07	0·07	31	14	17	1	–	–	2	–	3	4	2	8	2	5	4	1	–	1	1
Simple Continued Fever	0·02	0·02	0·03	9	3	6	–	–	–	–	–	–	–	3	1	–	1	1	1	–	2	–
Diarrhœa and Dysentery	0·32	0·41	0·24	134	78	56	84	13	3	1	1	102	3	–	–	–	2	1	1	1	2	22
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·48	0·78	272	91	181	–	–	1	–	–	1	1	–	–	1	3	22	39	80	69	56
Tabes Mesenterica	0·20	0·27	0·15	85	51	34	45	16	2	1	1	65	7	3	4	–	3	1	1	–	1	–
Phthisis	1·49	1·80	1·23	624	340	284	13	6	2	1	–	22	5	9	64	107	166	113	76	31	24	7
Other Tub. & Scrof. Dis.	0·30	0·35	0·26	125	66	59	30	14	2	3	4	53	22	17	10	3	5	9	2	2	1	1
Diseases of Nervous System	2·16	2·25	2·09	908	426	482	133	33	15	7	2	190	20	13	17	13	30	43	79	115	201	187
Circulatory „	2·13	2·09	2·17	897	396	501	8	–	–	1	1	10	5	5	10	10	31	57	90	144	288	247
Respiratory „	2·87	2·90	2·83	1204	549	655	283	102	38	23	10	456	33	6	10	10	34	29	57	99	190	280
Digestive „	1·14	1·25	1·06	480	235	245	65	26	5	2	4	102	13	6	7	9	19	34	42	84	97	67
Urinary „	0·59	0·83	0·39	246	156	90	7	4	–	1	1	13	4	2	4	4	10	26	29	49	47	58
Generative „	0·06	0·01	0·10	26	2	24	–	–	–	–	–	–	–	–	1	–	7	2	4	1	8	3
Puerperal Fever	0·03	–	0·06	13	–	13	–	–	–	–	–	–	–	–	1	3	6	3	–	–	–	–
Childbirth	0·03	–	0·06	14	–	14	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–
Violence	0·63	1·02	0·32	266	192	74	22	9	12	7	7	57	11	8	18	10	16	27	38	36	22	23
Other Causes	3·10	3·55	2·69	1298	672	626	408	25	5	4	2	444	10	8	18	7	25	38	45	63	132	508

Marriages - - - 2,390

Births - Males - 5,619 } 11,144
Females - 5,525 }

Annual Rate per 1000 living { Persons Married 11·38
Births - - 26·52

Deaths from Childbirth and Puerperal Fever - - - - - } 2·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

316.—CLUTTON.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·43	†100	–	–	–	–	36·78	3·88	2·46	3·95	5·69	5·14	7·54	12·58	26·53	56·15	149·62
Annual Death-Rate per 1000. Males	—	15·18	†109	–	–	–	–	38·65	4·29	2·39	3·49	5·43	4·86	8·40	14·06	31·16	64·04	161·51
Annual Death-Rate per 1000. Females	—	13·73	† 91	–	–	–	–	34·89	3·44	2·55	4·64	5·98	5·42	6·71	11·20	22·24	49·03	139·93
Mean Population, 1881–91. Persons	Decennial Increase of Population, 3·25 per cent.	24,386	675	675	656	673	673	3352	3224	2921	2252	1739	2974	2468	2090	1655	1179	532
Mean Population, 1881–91. Males		12,445	336	347	326	336	342	1687	1656	1549	1347	920	1480	1202	1010	796	559	239
Mean Population, 1881–91. Females		11,941	339	328	330	337	331	1665	1568	1372	905	819	1494	1266	1080	859	620	293
Deaths from All Causes, 1881–90. Persons	16·88	4,117	806	219	109	61	38	1233	125	72	89	99	153	186	263	439	662	796
Deaths from All Causes, 1881–90. Males	17·39	2,164	445	102	52	33	20	652	71	37	47	50	72	101	142	248	358	386
Deaths from All Causes, 1881–90. Females	16·36	1,953	361	117	57	28	18	581	54	35	42	49	81	85	121	191	304	410

	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.													
Small-pox	0·03	0·06	–	7	7	–	–	–	–	–	–	–	2	–	1	–	2	–	1	1	–	–
Measles	0·37	0·29	0·45	90	36	54	23	23	15	9	2	72	14	1	–	–	1	2	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	65	35	30	3	13	10	6	8	40	19	5	1	–	–	–	–	–	–	–
Diphtheria	0·17	0·18	0·15	41	23	18	–	–	8	5	6	19	12	4	4	–	2	–	–	–	–	–
Whooping-cough	0·22	0·22	0·23	54	27	27	21	20	11	–	1	53	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–
Enteric Fever	0·07	0·10	0·03	17	13	4	–	–	–	–	–	–	2	2	5	4	1	1	1	1	–	–
Simple Continued Fever	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·47	0·24	87	58	29	50	11	4	1	2	68	–	1	–	–	–	1	1	3	7	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·43	0·67	134	54	80	–	–	1	–	–	1	–	2	1	–	1	8	24	47	40	10
Tabes Mesenterica	0·10	0·11	0·08	24	14	10	9	7	3	–	–	19	1	1	–	–	2	1	–	–	–	–
Phthisis	1·02	1·00	1·03	248	125	123	6	4	–	–	–	10	3	6	20	41	51	46	37	24	9	1
Other Tub. & Scrof. Dis.	0·29	0·30	0·28	71	37	34	18	9	3	5	–	35	8	8	6	3	6	3	–	1	1	–
Diseases of Nervous System	2·32	2·40	2·24	565	298	267	125	26	8	6	1	166	16	11	13	5	12	18	37	59	120	108
Diseases of Circulatory „	2·01	2·02	2·00	490	251	239	1	–	–	1	–	2	2	2	6	7	14	27	58	88	157	127
Diseases of Respiratory „	3·17	3·37	2·96	774	420	354	171	64	28	18	9	290	21	3	6	5	17	20	35	80	154	143
Diseases of Digestive „	0·95	1·00	0·90	232	125	107	37	12	2	1	2	54	3	5	6	3	9	13	15	50	46	28
Diseases of Urinary „	0·54	0·68	0·39	132	85	47	–	3	4	–	–	7	4	1	1	4	8	9	13	16	37	22
Diseases of Generative „	0·03	0·01	0·05	7	1	6	–	–	–	–	–	–	–	2	–	–	–	–	2	–	3	–
Puerperal Fever	0·05	–	0·11	13	–	13	–	–	–	–	–	–	–	–	1	2	7	3	–	–	–	–
Childbirth	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	4	5	1	2	–	–	–
Violence	0·61	0·87	0·33	148	108	40	9	4	7	3	6	29	7	7	9	6	4	16	15	31	15	9
Other Causes	3·67	3·58	3·83	900	445	455	333	23	5	5	1	367	9	10	7	14	11	17	22	28	73	342

Marriages - - - 1,143

Births - { Males - 4,072 / Females - 3,958 } 8,630

Annual Rate per 1000 living { Persons Married 9·37 / Births - - 32·93 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary under the Divided Parishes Acts.

317.—BATH.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·14	†121	–	–	–	–	44·73	4·35	2·49	3·84	4·60	6·84	11·53	16·83	29·29	62·92	149·79
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·02	†135	–	–	–	–	49·50	4·11	2·41	4·43	5·73	8·85	14·77	20·70	34·14	74·72	156·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·36	†106	–	–	–	–	39·95	4·60	2·57	3·40	3·94	5·55	9·35	14·30	26·26	56·21	146·17
Mean Population, 1881–91. Persons	Decennial Increase of Population, 6·29 per cent.	72,970	1548	1475	1528	1578	1487	7616	7350	7670	7701	6733	10514	8319	6802	5173	3447	1645
Mean Population, 1881–91. Males		31,215	776	733	795	775	735	3814	3697	3937	3295	2494	4113	3345	2696	1986	1250	588
Mean Population, 1881–91. Females		41,755	772	742	733	803	752	3802	3653	3733	4406	4239	6401	4974	4106	3187	2197	1057
Deaths from All Causes, 1881–90. Persons	18·49	13,495	2214	637	255	181	120	3407	320	191	296	310	719	959	1145	1515	2169	2464
Deaths from All Causes, 1881–90. Males	20·41	6,371	1265	327	132	97	67	1888	152	95	146	143	364	494	558	678	934	919
Deaths from All Causes, 1881–90. Females	17·06	7,124	949	310	123	84	53	1519	168	96	150	167	355	465	587	837	1235	1545

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							PERSONS.															
Small-pox	0·00	–	0·00	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·31	0·38	0·26	228	120	108	47	91	31	21	12	202	21	3	1	1	–	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·09	73	37	36	5	4	12	8	15	44	20	4	2	–	3	–	–	–	–	–
Diphtheria	0·11	0·11	0·11	82	35	47	2	7	9	14	14	46	25	6	1	–	–	1	1	1	1	–
Whooping-cough	0·30	0·27	0·31	216	85	131	96	72	22	12	3	205	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·11	81	33	48	1	1	1	1	1	5	11	7	12	11	16	8	2	4	4	1
Simple Continued Fever	0·02	0·01	0·02	13	3	10	2	1	1	1	–	5	2	–	1	2	–	–	–	–	1	2
Diarrhœa and Dysentery	0·37	0·48	0·29	270	150	120	151	30	5	7	1	194	4	2	1	1	3	3	10	4	19	29
Cholera	0·01	0·01	0·00	5	3	2	2	–	–	1	–	3	–	–	–	–	–	2	–	–	–	–
Cancer	0·93	0·70	1·09	676	220	456	1	1	1	3	–	6	1	2	1	4	22	61	129	189	173	88
Tabes Mesenterica	0·12	0·14	0·11	88	43	45	34	18	7	2	3	64	7	4	3	4	3	2	1	–	–	–
Phthisis	1·48	1·87	1·20	1083	584	499	11	7	6	1	3	28	17	27	90	118	261	246	182	86	24	4
Other Tub. & Scrof. Dis.	0·35	0·40	0·32	258	124	134	41	42	16	16	8	123	38	18	20	16	17	17	5	2	1	1
Diseases of Nervous System	2·54	2·85	2·31	1853	890	963	388	65	29	15	8	505	40	23	22	23	39	91	126	203	414	367
Diseases of Circulatory	2·22	2·15	2·27	1617	670	947	6	2	4	1	1	14	11	19	27	14	58	108	190	338	479	359
Diseases of Respiratory	3·55	3·83	3·34	2589	1194	1395	440	217	77	47	29	810	46	14	17	18	58	112	151	320	475	568
Diseases of Digestive	1·06	1·15	0·99	774	359	415	107	26	3	4	2	142	12	10	17	22	47	74	98	129	125	98
Diseases of Urinary	0·58	0·84	0·33	422	262	160	2	1	2	2	–	7	3	4	10	8	29	48	69	70	103	71
Diseases of Generative	0·08	0·01	0·13	55	2	53	–	–	–	–	–	–	–	2	1	2	7	13	9	8	9	4
Puerperal Fever	0·06	–	0·11	47	–	47	–	–	–	–	–	–	–	–	1	6	25	15	–	–	–	–
Childbirth	0·05	–	0·09	39	–	39	–	–	–	–	–	–	–	–	2	3	13	17	4	–	–	–
Violence	0·69	1·10	0·38	501	342	159	50	12	12	14	15	103	31	19	26	30	42	56	57	53	42	42
Other Causes	3·45	3·88	3·15	2522	1215	1307	828	40	17	11	5	901	20	26	41	27	75	85	110	108	299	830

Marriages - - 5,672

Births { Males - 9,396 / Females - 8,933 } 18,329

Annual Rate per 1000 living { Persons Married 15·55 / Births - - 25·12 }

Deaths from Childbirth and Puerperal Fever - - - - 4·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 734.

318.—KEYNSHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·58	†121	–	–	–	–	42·97	4·26	2·83	4·20	6·49	7·33	8·39	11·56	26·38	51·67	147·48
Males	—					16·23	†135	–	–	–	–	46·60	4·70	2·84	3·61	6·11	7·08	7·59	12·91	31·26	57·88	150·92
Females	—					14·97	†106	–	–	–	–	39·29	3·82	2·82	4·85	6·84	7·56	9·14	10·35	22·35	46·74	144·80
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·92 per cent.			27,833			827	742	772	802	767	3910	3566	3178	2856	2372	3397	2872	2240	1600	1045	497
Males				13,600			422	373	393	400	380	1968	1810	1584	1494	1129	1766	1384	1061	723	463	218
Females				14,233			405	369	379	402	387	1942	1756	1594	1362	1243	1931	1488	1179	877	582	279
Deaths from All Causes, 1881–90. Persons	16·75			4,662			1098	321	127	85	49	1680	152	90	120	154	271	241	259	422	540	733
Males	17·35			2 360			633	153	61	44	26	917	85	45	54	69	125	105	137	226	268	329
Females	16·17			2,302			465	168	66	41	23	763	67	45	66	85	146	136	122	196	272	404
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·40	0·37	0·43	112	51	61	19	36	19	14	8	96	15	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·21	0·24	63	29	34	4	9	10	14	7	44	12	3	1	2	1	–	–	–	–	–
Diphtheria	0·08	0·07	0·08	21	9	12	1	–	3	4	2	10	8	3	–	–	–	–	–	–	–	–
Whooping-cough	0·28	0·24	0·32	78	33	45	43	14	9	5	3	74	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	22	12	10	–	–	–	–	–	–	1	–	4	4	8	1	2	2	–	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·43	0·49	0·38	120	66	54	77	12	3	–	–	92	–	–	–	1	3	2	1	4	8	9
Cholera	0·01	0·01	0·01	4	2	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1
Cancer	0·50	0·29	0·70	139	40	99	1	–	–	1	–	2	–	–	–	1	4	13	31	38	36	14
Tabes Mesenterica	0·15	0·15	0·15	41	20	21	11	6	–	1	2	20	9	4	2	3	1	1	1	–	–	–
Phthisis	1·65	1·51	1·78	459	206	253	–	1	1	1	–	3	10	14	56	84	126	75	43	37	8	3
Other Tub. & Scrof. Dis.	0·36	0·43	0·30	101	58	43	27	21	3	4	6	61	13	12	7	5	2	–	–	1	–	–
Diseases of Nervous System	2·17	2·21	2·13	603	300	303	189	44	16	5	2	256	14	7	3	12	18	28	35	64	82	84
Circulatory „	1·67	1·76	1·58	464	239	225	–	–	1	–	1	2	6	12	12	9	19	32	34	101	128	109
Respiratory „	3·31	3·69	2·94	921	502	419	243	128	46	21	13	451	23	11	5	5	22	24	40	76	121	143
Digestive „	0·74	0·73	0·75	206	99	107	37	13	2	4	–	56	11	3	5	6	11	13	17	37	35	12
Urinary „	0·29	0·38	0·21	82	52	30	2	3	–	3	–	8	–	2	2	4	5	10	13	11	21	6
Generative „	0·05	–	0·09	13	–	13	–	–	–	–	–	–	–	–	–	–	1	5	1	4	1	1
Puerperal Fever	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	2	8	7	–	–	–	–
Childbirth	0·05	–	0·11	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Violence	0·57	0·93	0·23	160	127	33	8	6	10	5	1	30	13	10	12	9	18	15	18	14	15	6
Other Causes	3·67	3·79	3·54	1,020	515	505	435	28	4	3	4	474	13	8	11	5	15	10	22	32	85	345

Marriages - - - 1,802

Births - { Males - 4,692 / Females - 4,380 } 9,072

Annual Rate per 1000 living { Persons Married 12·95 / Births - - 32·59

Deaths from Childbirth and Puerperal Fever - - - - - } 3·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

319.—BEDMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·45	†128	–	–	–	–	47·05	3·68	2·32	3·87	4·95	6·00	10·18	14·91	27·47	60·22	146·21
Annual Death-Rate per 1000. Males	—	17·59	†146	–	–	–	–	53·06	3·77	2·23	3·89	4·74	6·06	10·80	16·49	31·81	64·10	155·72
Annual Death-Rate per 1000. Females	—	15·37	†109	–	–	–	–	41·10	3·58	2·41	3·84	5·14	5·96	9·65	13·59	23·93	57·27	140·13
Mean Population, 1881–91. Persons	Decennial Increase of Population, 15·06 per cent.	72,489	2132	1972	1982	1949	1975	10010	9166	8274	7087	6280	10464	7975	5975	3880	2348	1030
Mean Population, 1881–91. Males		34,450	1061	988	1000	971	988	5008	4611	4088	3445	2892	4822	3694	2729	1745	1014	402
Mean Population, 1881–91. Females		38,039	1071	984	982	978	987	5002	4555	4186	3642	3388	5642	4281	3246	2135	1334	628
Deaths from All Causes, 1881–90. Persons	16·75	12,141	3155	919	306	208	122	4710	337	192	274	311	628	812	891	1066	1414	1596
Deaths from All Causes, 1881–90. Males	17·89	6,162	1858	479	147	111	59	2654	174	91	134	137	292	399	450	555	650	626
Deaths from All Causes, 1881–90. Females	15·72	5,979	1297	440	159	97	63	2056	163	101	140	174	336	413	441	511	764	880

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·01	2	–	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Measles	0·35	0·41	0·29	251	141	110	57	103	37	24	21	242	8	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·20	0·22	0·18	147	77	70	14	29	23	27	17	110	31	3	1	–	2	–	–	–	–	–
Diphtheria	0·07	0·06	0·07	49	21	28	4	4	5	7	5	25	14	2	2	1	3	–	1	1	–	–
Whooping-cough	0·45	0·44	0·47	329	152	177	143	103	33	19	15	313	15	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	105	59	46	–	1	1	2	1	5	17	10	18	16	12	14	5	5	3	–
Simple Continued Fever	0·03	0·03	0·02	20	11	9	1	5	1	–	1	8	3	3	2	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·42	0·54	0·31	305	187	118	199	37	2	4	1	243	4	2	–	3	5	4	5	11	10	18
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·58	0·37	0·76	417	129	288	–	–	1	–	–	1	2	3	–	–	13	46	107	114	87	44
Tabes Mesenterica	0·19	0·22	0·16	139	77	62	83	24	4	1	3	115	4	6	4	6	1	–	1	–	2	–
Phthisis	1·39	1·46	1·33	1009	502	507	12	12	4	5	–	33	23	36	87	148	248	213	128	70	21	2
Other Tub. & Scrof. Dis.	0·40	0·49	0·32	290	168	122	114	53	14	14	3	198	28	20	16	5	9	6	5	1	2	–
Diseases of Nervous System	2·44	2·72	2 20	1772	937	835	592	107	54	33	13	799	59	22	30	11	49	64	116	169	264	189
Diseases of Circulatory "	1·48	1·43	1·53	1075	493	582	9	3	1	–	1	14	9	19	25	20	69	137	151	206	279	146
Diseases of Respiratory "	3·10	3·39	2·84	2249	1168	1081	635	325	100	49	27	1136	51	13	15	23	62	94	131	196	290	238
Diseases of Digestive "	0·91	1·00	0·82	656	344	312	138	43	3	3	2	189	23	15	15	9	28	52	83	94	94	54
Diseases of Urinary "	0·40	0·52	0·39	293	178	115	4	3	1	–	2	10	1	4	4	17	12	46	44	64	53	38
Diseases of Generative "	0·03	0·01	0·06	23	2	21	1	–	–	–	1	2	–	–	1	1	–	6	5	2	5	1
Puerperal Fever	0·07	–	0·14	52	–	52	–	–	–	–	–	–	–	–	2	10	19	20	1	–	–	–
Childbirth	0·05	–	0·10	39	–	39	–	–	–	–	–	–	–	–	1	7	16	15	–	–	–	–
Violence	0·44	0·66	0·24	319	228	91	27	9	5	11	4	56	22	15	19	11	34	34	35	33	36	24
Other Causes	3·61	3·75	3·45	2598	1287	1311	1121	58	17	9	4	1209	23	18	32	22	45	60	72	99	266	722

Marriages - - - 4,454

Births - Males - 12,730; Females - 11,909 } 24,639

Annual Rate per 1000 living { Persons Married 12·29; Births - - 33·99

Deaths from Childbirth and Puerperal Fever - - - - - } 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

320.—BRISTOL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·97	†156	–	–	–	–	69·49	8·25	4·57	5·28	7·99	11·62	17·41	24·17	39·08	67·09	140·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 27·10	†177	–	–	–	–	78·32	9·39	4·85	6·40	9·52	13·71	19·52	29·14	45·96	81·89	154·72
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·01	†135	–	–	–	–	60·76	7·13	4·28	4·33	6·81	9·83	15·56	20·07	33·74	58·28	134·18
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·36 per cent.	56,514	1359	1285	1295	1307	1257	6503	5998	6471	5914	5320	8410	6640	5036	3373	2042	807
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·36 per cent.	26,312	665	658	640	644	626	3233	2981	3340	2704	2310	3881	3099	2275	1473	762	254
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·36 per cent.	30,202	694	627	655	663	631	3270	3017	3131	3210	3010	4529	3541	2761	1900	1280	553
Deaths from All Causes, 1881–90. Persons	23·39	13,220	2648	923	450	302	196	4519	495	296	312	425	977	1156	1217	1318	1370	1135
Deaths from All Causes, 1881–90. Males	26·08	6,861	1524	504	249	154	101	2532	280	162	173	220	532	605	663	677	624	393
Deaths from All Causes, 1881–90. Females	21·05	6,359	1124	419	201	148	95	1987	215	134	139	205	445	551	554	641	746	742

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	–	0·01	3	–	3	2	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Measles	0·45	0·52	0·39	256	137	119	50	110	50	20	8	238	16	1	1	–	–	–	–	–	–
Scarlet Fever	0·44	0·57	0·32	246	149	97	15	34	39	50	34	172	53	14	3	2	1	1	–	–	–
Diphtheria	0·18	0·19	0·18	103	49	54	5	16	17	16	15	69	30	3	1	–	–	–	–	–	–
Whooping-cough	0·47	0·46	0·48	268	122	146	104	80	40	23	8	255	12	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·20	0·25	0·15	112	66	46	1	1	–	–	3	5	8	15	22	15	28	10	4	4	1
Simple Continued Fever	0·01	0·01	0·00	4	3	1	–	1	–	–	–	1	1	–	1	–	–	–	1	–	–
Diarrhœa and Dysentery	0·54	0·63	0·46	305	165	140	207	36	9	6	1	259	–	2	–	2	3	1	5	11	9
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·83	0·65	0·98	467	171	296	–	–	1	2	1	4	2	4	3	4	23	64	124	116	91
Tabes Mesenterica	0·18	0·24	0·13	103	63	40	44	16	5	4	4	73	14	7	2	3	4	–	–	–	–
Phthisis	2·18	2·40	1·99	1234	632	602	9	7	8	6	7	37	28	27	70	160	329	284	189	84	26
Other Tub. & Scrof. Dis.	0·55	0·65	0·45	308	172	136	52	50	37	27	10	176	49	26	14	11	8	9	9	3	2
Diseases of Nervous System	2·66	2·94	2·41	1503	774	729	521	73	35	18	14	661	54	24	17	16	49	73	101	144	219
Diseases of Circulatory "	2·15	2·32	2·00	1214	611	603	2	1	1	1	2	7	25	29	28	30	96	181	205	240	242
Diseases of Respiratory "	4·62	4·84	4·43	2611	1274	1337	559	299	126	67	43	1094	58	20	24	23	97	120	176	323	397
Diseases of Digestive "	1·40	1·48	1·33	792	389	403	140	67	11	6	9	233	20	11	16	23	44	86	112	103	99
Diseases of Urinary "	0·89	1·10	0·70	501	289	212	–	3	5	2	2	12	6	5	9	17	53	80	91	103	92
Diseases of Generative "	0·10	0·02	0·17	54	4	50	–	1	1	–	–	2	–	–	–	5	13	14	12	5	3
Puerperal Fever	0·09	–	0·17	50	–	50	–	–	–	–	–	–	–	–	4	10	19	17	–	–	–
Childbirth	0·06	–	0·10	31	–	31	–	–	–	–	–	–	–	–	1	7	11	12	–	–	–
Violence	1·75	2·84	0·81	990	746	244	48	56	46	32	27	209	72	71	57	49	126	118	104	89	56
Other Causes	3·63	3·96	3·39	2062	1042	1020	889	72	19	22	8	1010	47	36	38	47	73	85	83	93	133

Marriages	10,193	Annual Rate per 1000 living: Persons Married	36·07
Births: Males	8,626	Births	29·98
Births: Females	8,316	Deaths from Childbirth and Puerperal Fever	4·78 per 1000 Births.
Births: Persons	16,942		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

321.—BARTON REGIS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000 — Persons	—			In Standard Population* 17·38			†134	–	–	–	–	52·53	4·17	2·74	3·50	4·45	5·76	9·62	15·51	28·32	63·43	148·44
Annual Death-Rate per 1000 — Males	—			In Standard Population* 18·55			†147	–	–	–	–	57·26	4·20	2·35	3·39	4·71	6·42	10·53	17·46	31·97	72·64	155·93
Annual Death-Rate per 1000 — Females	—			In Standard Population* 16·27			†120	–	–	–	–	47·87	4·15	3·11	3·59	4·27	5·26	8·87	14·00	25·65	57·34	144·35
Mean Population 1881–91. — Persons	Decennial Increase of Population 16·23 per cent.			179,615			4925	4408	4517	4554	4453	22857	21492	20461	19141	16616	26327	20049	14611	9808	5844	2409
Mean Population 1881–91. — Males				81,626			2424	2149	2257	2299	2200	11329	10733	9985	8610	6800	11436	9031	6375	4148	2328	851
Mean Population 1881–91. — Females				97,989			2501	2259	2260	2255	2253	11528	10759	10476	10531	9816	14891	11018	8236	5660	3516	1558
Deaths from All Causes, 1881–90. — Persons	17·06			30,645			7570	2413	997	593	433	12006	897	561	670	739	1517	1928	2266	2778	3707	3576
Deaths from All Causes, 1881–90. — Males	18·29			14,927			4254	1246	496	275	216	6487	451	235	292	320	734	951	1113	1326	1691	1327
Deaths from All Causes, 1881–90. — Females	16·04			15,718			3316	1167	501	318	217	5519	446	326	378	419	783	977	1153	1452	2016	2249
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·08	0·04	105	67	38	7	1	2	1	3	14	7	4	12	18	18	18	6	4	4	–
Measles	0·45	0·51	0·40	801	413	388	151	287	163	90	52	743	50	3	1	2	1	–	–	1	–	–
Scarlet Fever	0·36	0·37	0·35	644	299	345	36	102	106	105	93	442	149	30	8	4	8	3	–	–	–	–
Diphtheria	0·06	0·07	0·06	111	56	55	8	7	12	17	8	52	28	11	3	2	5	4	2	2	2	–
Whooping-cough	0·49	0·53	0·47	887	431	456	364	275	123	57	41	860	26	–	–	–	–	–	1	–	–	–
Typhus	0·01	0·01	0·01	21	11	10	–	–	–	–	–	–	–	2	1	–	2	1	6	5	3	1
Enteric Fever	0·13	0·14	0·11	230	118	112	1	–	4	7	4	16	31	44	32	29	27	27	10	8	6	–
Simple Continued Fever	0·01	0·01	0·01	18	12	6	–	1	4	–	2	7	2	2	–	2	–	–	–	2	2	1
Diarrhœa and Dysentery	0·50	0·56	0·44	891	458	433	614	103	23	7	3	750	8	1	2	3	5	6	10	18	36	52
Cholera	0·01	0·01	0·01	11	6	5	3	1	1	–	–	5	–	1	–	–	1	1	2	–	1	–
Cancer	0·56	0·36	0·72	1012	293	719	2	–	2	1	–	5	3	–	1	4	26	113	189	280	269	122
Tabes Mesenterica	0·19	0·22	0·18	338	183	155	175	66	24	7	2	274	17	18	9	3	4	6	4	–	3	–
Phthisis	1·62	1·74	1·52	2910	1424	1486	94	52	20	17	13	196	58	110	289	332	666	555	419	192	81	12
Other Tub. & Scrof. Dis.	0·41	0·51	0·32	731	416	315	197	150	51	29	34	461	106	63	39	17	17	13	8	4	3	–
Diseases of Nervous System	2·48	2·72	2·29	4460	2218	2242	1255	231	77	51	37	1651	100	58	50	46	144	254	344	505	739	569
Diseases of Circulatory „	1·54	1·52	1·56	2766	1241	1525	11	6	1	8	4	30	30	59	55	57	111	221	422	555	710	516
Diseases of Respiratory „	3·42	3·77	3·13	6141	3077	3064	1723	827	309	147	94	3100	131	37	40	44	123	193	357	611	824	681
Diseases of Digestive „	0·85	0·91	0·81	1532	739	793	390	117	29	9	15	560	34	25	22	33	69	117	157	175	216	124
Diseases of Urinary „	0·39	0·52	0·28	698	422	276	12	7	3	6	6	34	8	11	15	18	41	61	116	139	158	97
Diseases of Generative „	0·05	0·00	0·08	85	5	80	1	2	–	–	–	3	–	–	3	3	13	30	11	8	8	6
Puerperal Fever	0·07	–	0·13	128	–	128	–	–	–	–	–	–	–	–	7	31	51	39	–	–	–	–
Childbirth	0·06	–	0·10	101	–	101	–	–	–	–	–	–	–	–	4	15	32	49	1	–	–	–
Violence	0·32	0·48	0·18	569	390	179	61	16	17	16	9	119	57	23	17	24	48	61	56	56	51	57
Other Causes	3·02	3·25	2·84	5455	2648	2807	2465	162	26	18	13	2684	52	59	60	52	105	156	145	213	591	1338

Marriages - - - 11,164

Births - { Males - 28,933 / Females - 27,592 } 56,525

Annual Rate per 1000 living { Persons Married 12·43 / Births - - 31·47

Deaths from Childbirth and Puerperal Fever - - - - - - - } 4·05 er 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

322.—CHIPPING SODBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·59			†105	–	–	–	–	39·57	3·85	2·74	4·28	5·83	6·02	7·72	12·61	22·75	50·64	147·34
Males	—			15·57			†122	–	–	–	–	46·76	4·41	2·42	3·97	4·85	5·36	6·43	15·82	24·46	51·25	169·19
Females	—			13·66			†88	–	–	–	–	32·84	3·29	3·09	4·69	6·89	6·64	8·96	9·79	21·19	50·10	129·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·19 per cent.			17,159			439	383	426	447	415	2110	2130	1971	1497	1234	2127	1749	1633	1358	936	414
Males				8,539			210	184	204	215	207	1020	1066	1033	857	639	1027	856	765	650	441	185
Females				8,620			229	199	222	232	208	1090	1064	938	640	595	1100	893	868	708	495	229
Deaths from All Causes, 1881–90. Persons	17·30			2,969			514	165	63	55	38	835	82	54	64	72	128	135	206	309	474	610
Males	18·07			1,543			301	91	34	28	23	477	47	25	34	31	55	55	121	159	226	313
Females	16·54			1,426			213	74	29	27	15	358	35	29	30	41	73	80	85	150	248	297
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·29	0·21	43	25	18	6	7	9	5	3	30	10	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·29	51	26	25	5	3	4	15	4	31	13	6	–	1	–	–	–	–	–	–
Diphtheria	0·20	0·22	0·17	34	19	15	1	2	6	4	6	19	9	4	–	–	–	–	2	–	–	–
Whooping-cough	0·26	0·25	0·28	45	21	24	24	13	3	4	–	44	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·09	15	7	8	–	–	–	–	1	1	1	4	1	2	4	–	–	2	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·26	0·32	0·20	44	27	17	19	6	1	2	2	30	–	–	–	5	–	–	–	4	3	2
Cholera	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Cancer	0·72	0·55	0·88	123	47	76	–	–	–	–	–	–	–	1	1	1	3	17	24	31	32	13
Tabes Mesenterica	0·12	0·11	0·14	21	9	12	13	6	–	–	–	19	–	–	1	–	–	–	–	1	–	–
Phthisis	0·81	0·68	0·94	139	58	81	–	1	1	–	–	2	2	8	12	23	40	26	11	11	3	1
Other Tub. & Scrof. Dis.	0·25	0·34	0·16	43	29	14	16	7	5	1	1	30	3	2	2	1	3	–	1	1	–	–
Diseases of Nervous System	2·13	2·15	2·10	365	184	181	63	11	7	3	6	90	8	2	8	7	6	19	23	60	65	77
Circulatory "	2·11	2·10	2·12	362	179	183	1	–	–	–	1	2	–	5	7	2	13	15	47	81	126	64
Respiratory "	3·26	3·40	3·12	559	290	269	97	49	13	16	10	185	16	2	14	10	23	21	35	50	85	118
Digestive "	1·16	1·32	1·00	199	113	86	37	28	4	3	1	73	7	3	8	–	4	7	18	25	32	22
Urinary "	0·45	0·63	0·27	77	54	23	1	2	–	–	–	3	–	1	1	–	5	5	9	9	29	15
Generative "	0·05	–	0·09	8	–	8	–	1	–	–	–	1	–	–	1	–	1	1	1	3	–	–
Puerperal Fever	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–
Childbirth	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	–	3	6	4	1	–	–	–
Violence	0·61	0·88	0·35	105	75	30	8	4	2	–	3	17	4	7	4	9	8	5	11	16	15	9
Other Causes	4·12	4·44	3·86	711	379	332	223	25	8	2	–	258	8	7	2	7	7	12	23	14	84	289

Marriages - - - 751

Births - { Males - 2,467 / Females - 2,421 } 4,888

Annual Rate per 1000 living { Persons Married 8·75 / Births - - 28·49

Deaths from Childbirth and Puerperal Fever - - - - - } 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

323.—THORNBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*	14·30		†96	–	–	–	–	35·82	4·07	2·32	5·26	5·43	6·15	9·22	10·89	22·23	57·18	140·46
Males	—				14·88		†102	–	–	–	–	37·80	3·96	2·09	4·07	5·77	6·10	9·85	12·62	25·95	60·05	160·47
Females	—				13·75		†90	–	–	–	–	33·95	4·18	2·55	6·71	5·09	6·19	8·62	9·30	18·67	54·46	124·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·92 per cent.			16,927			443	409	459	443	440	2194	2137	1838	1521	1253	2164	1789	1533	1237	808	393
Males				8,372			204	195	232	211	224	1066	1081	956	835	624	1050	873	737	605	393	172
Females				8,555			239	214	227	232	216	1128	1076	942	686	629	1114	916	796	632	415	221
Deaths from All Causes, 1881–90. Persons	16·65			2,819			511	134	66	45	30	786	87	44	80	68	133	165	167	275	462	552
Males	17·28			1,447			273	67	32	16	15	403	42	20	34	36	64	86	93	157	236	276
Females	16·04			1,372			238	67	34	29	15	383	45	24	46	32	69	79	74	118	226	276
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1
Measles	0·14	0·10	0·19	24	8	16	4	7	5	1	4	21	–	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·34	0·38	0·29	57	32	25	1	10	6	9	5	31	16	4	2	3	–	–	1	–	–	–
Diphtheria	0·05	0·04	0·07	9	3	6	1	1	1	–	1	4	5	–	–	–	–	–	–	–	–	–
Whooping-cough	0·37	0·27	0·46	62	23	39	28	12	13	3	2	58	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·16	0·22	0·11	27	18	9	–	–	–	–	–	–	2	1	7	6	6	3	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·16	0·20	30	13	17	14	2	–	–	–	16	–	–	–	–	1	–	–	2	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·61	·77	117	51	66	–	–	–	–	–	–	–	1	–	–	1	8	16	27	37	27
Tabes Mesenterica	0·12	0·10	0·15	21	8	13	6	2	1	1	–	10	1	1	2	2	1	2	–	1	1	–
Phthisis	1·11	0·97	1·25	188	81	107	3	4	2	–	–	9	2	8	22	28	39	40	20	13	5	2
Other Tub. & Scrof. Dis.	0·34	0·29	0·39	57	24	33	6	11	3	6	2	28	10	5	7	2	2	2	–	–	1	–
Diseases of Nervous System	2·22	2·40	2·05	376	201	175	83	11	8	3	–	105	9	8	6	2	7	18	19	52	80	70
Circulatory „	2·35	2·54	2·15	397	213	184	2	–	1	–	–	3	–	3	7	6	12	25	43	75	135	88
Respiratory „	3·27	3·43	3·11	553	287	266	124	55	13	17	10	219	23	4	1	2	15	15	18	45	91	120
Digestive „	0·84	0·78	0·99	142	65	77	21	4	2	1	3	31	–	2	8	–	5	10	15	22	31	18
Urinary „	0·41	0·51	0·32	70	43	27	1	–	1	–	–	2	2	–	1	2	3	11	10	11	14	14
Generative „	0·05	0·02	0·07	8	2	6	1	–	–	–	–	1	–	–	1	–	1	–	–	2	3	–
Puerperal Fever	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	2	7	4	–	–	–	–
Childbirth	0·08	–	0·16	14	–	14	–	–	–	–	–	–	–	–	2	2	5	5	–	–	–	–
Violence	0·73	1·18	0·28	123	99	24	6	6	5	2	2	21	8	3	9	8	15	11	12	11	14	11
Other Causes	3·09	3·25	2·95	526	273	253	210	9	5	2	1	227	5	3	3	3	11	9	13	12	46	194

Marriages - - - 796

Births - { Males - 2,674 / Females - 2,643 } 5,317

Annual Rate per 1000 living { Persons Married 9·41 / Births - - 31·41

Deaths from Childbirth and Puerperal Fever - - - - - } 5·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

324.—DURSLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·10	†93	–	–	–	–	34·86	3·37	2·05	4·50	4·35	5·57	8·16	11·20	25·21	54·04	162·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·18	†95	–	–	–	–	37·06	2·95	1·55	3·58	4·43	7·03	8·39	11·76	27·15	53·47	159·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·02	†91	–	–	–	–	32·81	3·81	2·54	5·36	4·29	4·43	7·97	10·72	23·65	54·52	164·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·15 per cent.	12,358	304	284	287	311	294	1480	1482	1418	1155	920	1490	1274	1107	968	718	346
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·15 per cent.	5,783	144	139	140	150	142	715	747	708	558	384	654	584	510	431	331	161
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·15 per cent.	6,575	160	145	147	161	152	765	735	710	597	536	836	690	597	537	387	185
Deaths from All Causes, 1881–90. Persons	17·74	2,192	322	96	35	38	25	516	50	29	52	40	83	104	124	244	388	562
Deaths from All Causes, 1881–90. Males	18·00	1,041	167	47	16	22	13	265	22	11	20	17	46	49	60	117	177	257
Deaths from All Causes, 1881–90. Females	17·51	1,151	155	49	19	16	12	251	28	18	32	23	37	55	64	127	211	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles	0·25	0·31	0·20	31	18	13	8	9	6	2	2	27	3	1	–	–	–	–	–	–
Scarlet Fever	0·19	0·14	0·23	23	8	15	3	3	1	6	2	15	5	2	1	–	–	–	–	–
Diphtheria	0·11	0·14	0·09	14	8	6	–	1	–	–	2	3	9	–	1	–	1	–	–	–
Whooping-cough	0·24	0·21	0·27	30	12	18	14	12	2	1	–	29	1	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·06	0·09	0·03	7	5	2	–	–	–	–	1	1	–	–	1	2	1	–	2	–
Simple Continued Fever	0·04	0·03	0·05	5	2	3	–	–	1	1	–	2	1	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·31	0·23	33	18	15	22	4	–	–	–	26	2	1	–	–	–	–	–	1
Cholera	0·02	0·05	–	3	3	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Cancer	0·61	0·31	0·88	76	18	58	–	–	–	–	–	–	–	1	2	–	3	7	8	15
Tabes Mesenterica	0·21	0·17	0·24	26	10	16	13	3	2	1	–	19	1	–	4	–	1	–	–	1
Phthisis	1·22	1·18	1·26	151	68	83	2	2	–	–	2	6	2	6	19	19	33	30	17	14
Other Tub. & Scrof. Dis.	0·24	0·17	0·30	30	10	20	8	4	2	1	1	16	3	3	2	3	3	–	–	–
Diseases of Nervous System	2·72	3·10	2·39	336	179	157	31	9	5	3	5	53	6	2	8	3	5	11	25	53
Diseases of Circulatory „	1·80	1·87	1·73	222	108	114	–	–	–	–	–	–	2	3	5	2	11	11	18	45
Diseases of Respiratory „	3·28	3·46	3·13	406	200	206	93	36	12	13	7	161	7	3	2	2	2	13	14	38
Diseases of Digestive „	1·15	1·09	1·20	142	63	79	22	8	2	3	2	37	2	2	2	4	5	8	7	27
Diseases of Urinary „	0·73	1·05	0·44	90	61	29	–	–	1	–	–	1	1	1	2	1	2	2	10	17
Diseases of Generative „	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	–	–	3	4
Puerperal Fever	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–
Violence	0·50	0·71	0·32	62	41	21	4	1	1	4	–	10	4	1	–	1	6	5	5	8
Other Causes	3·93	3·59	4·20	483	208	275	102	4	–	2	–	108	1	1	3	2	5	11	15	21

	75 and upwds.
Diseases of Nervous System	86
Diseases of Circulatory „	74
Diseases of Respiratory „	64
Diseases of Digestive „	30
Diseases of Urinary „	31
Diseases of Generative „	1
Puerperal Fever	–
Childbirth	–
Violence	13
Other Causes	54

Marriages - - 689

Births - Males - 1,761; Females - 1,702 — 3,463

Annual Rate per 1000 living: Persons Married 11·15; Births - - 28·02

Deaths from Childbirth and Puerperal Fever - - - - - 3·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

325.—WESTBURY-ON-SEVERN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·50	†115	–	–	–	–	42·42	4·18	2·46	3·85	6·45	5·60	8·08	12·27	26·25	61·30	147·80
Males	—					16·33	†129	–	–	–	–	47·94	3·88	2·64	3·33	4·80	4·86	6·22	14·21	33·02	70·52	156·91
Females	—					14·72	†100	–	–	–	–	36·89	4·49	2·25	4·57	8·32	6·35	10·01	10·89	20·00	52·81	139·20
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·23 per cent.			23,613			734	632	669	685	675	3395	3250	2851	2183	1689	2893	2474	1996	1539	956	387
Males				12,066			385	320	322	338	333	1698	1648	1475	1263	896	1461	1255	985	739	458	188
Females				11,547			349	312	347	347	342	1697	1602	1376	920	793	1432	1219	1011	800	498	199
Deaths from All Causes, 1881-90. Persons	16·97			4,008			951	271	113	62	43	1440	136	70	84	109	162	200	245	404	586	572
Males	17·84			2,153			548	146	58	38	24	814	64	39	42	43	71	78	140	244	323	295
Females	16·06			1,855			403	125	55	24	19	626	72	31	42	66	91	122	105	160	263	277
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·36	0·37	0·34	84	45	39	16	31	11	5	3	66	15	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·31	0·25	67	38	29	2	10	9	11	6	38	18	8	1	–	1	1	–	–	–	–
Diphtheria	0·07	0·03	0·10	16	4	12	–	1	2	4	1	8	7	1	–	–	–	–	–	–	–	–
Whooping-cough	0·30	0·29	0·31	71	35	36	33	22	6	3	1	65	5	–	–	–	1	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·11	0·03	17	13	4	2	1	1	–	–	4	3	–	–	2	3	4	–	1	–	–
Simple Continued Fever	0·02	0·02	0·02	5	3	2	–	–	–	–	–	–	1	1	–	–	2	–	–	–	1	–
Diarrhœa and Dysentery	0·25	0·27	0·23	59	33	26	33	4	1	–	–	38	–	–	–	1	1	2	3	5	7	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·39	0·27	0·50	91	33	58	–	–	–	–	–	–	1	–	1	–	2	11	17	28	20	11
Tabes Mesenterica	0·45	0·54	0·35	106	65	41	71	16	4	2	4	97	4	–	1	1	1	1	1	–	–	–
Phthisis	0·90	0·80	1·00	213	97	116	2	1	–	1	–	4	2	6	19	45	62	38	24	10	3	–
Other Tub. & Scrof. Dis.	0·28	0·32	0·24	67	39	28	19	11	4	1	–	35	4	8	4	3	5	1	4	2	1	–
Diseases of Nervous System	2·35	2·42	2·27	554	292	262	166	19	10	4	2	201	9	10	9	8	12	26	42	76	103	58
Circulatory „	1·48	1·46	1·51	350	176	174	1	–	–	–	–	1	3	5	10	5	13	26	37	75	125	50
Respiratory „	3·61	4·27	2·92	852	515	337	221	111	45	18	17	412	31	6	4	9	14	20	52	94	136	74
Digestive „	0·96	0·92	1·00	226	111	115	49	15	5	5	2	76	9	4	4	4	6	18	23	40	34	8
Urinary „	0·38	0·36	0·39	89	44	45	1	1	1	–	2	5	2	1	2	4	1	9	15	21	21	8
Generative „	0·06	0·01	0·12	15	1	14	–	–	–	–	–	–	–	1	–	2	–	2	5	2	1	2
Puerperal Fever	0·13	–	0·26	30	–	30	–	–	–	–	–	–	–	–	4	4	15	7	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	–	2	7	7	–	–	–	–
Violence	0·52	0·75	0·27	122	91	31	6	6	6	6	5	29	10	8	13	7	8	14	11	9	5	8
Other Causes	4·04	4·31	3·80	956	517	439	329	22	8	2	–	361	12	8	11	11	8	13	11	41	129	351

Marriages - - - 1,531

Births - { Males - 4,256, Females - 4,011 } 8,267

Annual Rate per 1000 living { Persons Married 12·97, Births - - 35·01

Deaths from Childbirth and Puerperal Fever - - - - - 5·56 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

326.—NEWENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·24			† 92	–	–	–	–	30·03	2·98	2·12	3·37	5·71	6·07	7·58	12·20	24·86	53·41	144·33
Males	—			13·80			†104	–	–	–	–	34·07	3·78	2·70	2·51	2·56	4·73	8·57	15·37	29·55	51·79	158·96
Females	—			12·70			†79	–	–	–	–	26·17	2·23	1·51	4·37	8·88	7·30	6·62	9·33	20·18	55·02	131·85
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·29 per cent.			10,518			254	252	262	258	276	1302	1308	1224	891	700	1236	1069	1000	881	616	291
Males				5,204			123	121	130	127	136	637	635	629	479	351	592	525	475	440	307	134
Females				5,314			131	131	132	131	140	665	673	595	412	349	644	544	525	441	309	157
Deaths from All Causes, 1881–90. Persons	16·85			1,772			280	53	27	26	5	391	39	26	30	40	75	81	122	219	329	420
Males	17·81			927			157	28	14	15	3	217	24	17	12	9	28	45	73	130	159	213
Females	15·90			845			123	25	13	11	2	174	15	9	18	31	47	36	49	89	170	207
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·09	0·10	0·08	9	5	4	3	3	–	1	–	7	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·13	0·13	14	7	7	2	1	3	4	–	10	2	1	–	–	1	–	–	–	–	–
Diphtheria	0·05	0·04	0·06	5	2	3	–	1	1	–	–	2	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·19	0·26	24	10	14	12	6	2	2	–	22	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·06	0·02	4	3	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Simple Continued Fever	0·06	0·06	0·06	6	3	3	–	–	–	–	–	–	2	–	–	–	1	1	–	1	1	–
Diarrhœa and Dysentery	0·27	0·29	0·24	28	15	13	13	–	–	1	–	14	–	–	–	–	–	2	2	3	3	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·50	0·56	56	26	30	–	–	–	–	–	–	–	–	–	–	1	1	13	15	20	6
Tabes Mesenterica	0·20	0·12	0·28	21	6	15	8	6	2	1	1	18	–	1	–	1	–	–	–	1	–	–
Phthisis	1·10	0·88	1·32	116	46	70	–	1	–	1	–	2	–	2	10	18	35	24	12	8	5	–
Other Tub. & Scrof.	0·12	0·12	0·13	13	6	7	2	1	2	1	–	6	2	2	1	1	1	–	–	–	–	–
Diseases of: Nervous System	2·23	2·44	2·03	235	127	108	26	5	4	3	1	39	5	5	4	4	7	10	15	42	56	48
Circulatory	2·47	2·92	2·03	260	152	108	4	–	–	–	–	4	1	2	–	3	3	8	27	55	95	62
Respiratory	2·97	3·20	2·65	312	171	141	78	15	6	4	2	105	8	2	2	2	6	9	19	33	56	70
Digestive	1·22	1·46	0·98	128	76	52	17	7	1	–	–	25	2	3	5	–	4	6	15	31	25	12
Urinary	0·29	0·46	0·13	31	24	7	1	–	–	–	–	1	1	1	1	–	3	4	6	1	6	7
Generative	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Puerperal Fever	0·10	–	0·19	10	–	10	–	–	–	–	–	–	–	–	–	2	5	3	–	–	–	–
Childbirth	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–
Violence	0·48	0·58	0·40	51	30	21	6	–	2	4	–	12	4	1	4	–	2	4	4	8	5	7
Other Causes	4·14	4·13	4·15	436	216	220	108	7	4	4	1	124	5	6	2	4	3	6	7	19	56	204

Marriages - - - 593

Births - Males - 1,504 } 3,052
Births - Females - 1,548 }

Aunual Rate per 1000 living { Persons Married 11·28
Births - - 29·02

Deaths from Childbirth and Puerperal Fever - - - - - } 5·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

327.—GLOUCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		18·11	†118	–	–	–	–	44·92	5·19	3·01	4·45	5·26	8·73	12·68	18·65	32·57	66·78	152·42
Males	—					19·28	†129	–	–	–	–	49·72	5·08	2·83	4·09	6·08	9·02	14·51	20·78	36·35	73·13	156·01
Females	—					17·01	†107	–	–	–	–	40·31	5·30	3·19	4·81	4·53	8·46	10·96	16·77	29·23	61·63	149·89
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·53 per cent.			48,883			1255	1211	1273	1208	1175	6122	5683	5243	4873	4317	7137	5624	4258	3040	1821	765
Males				23,572			604	581	644	605	567	3001	2833	2576	2443	2022	3426	2723	1992	1425	815	316
Females				25,311			651	630	629	603	608	3121	2850	2667	2430	2295	3711	2901	2266	1615	1006	449
Deaths from All Causes, 1881–90. Persons	18·72			9,149			1763	477	215	166	129	2750	295	158	217	227	623	713	794	930	1216	1166
Males	19·76			4,657			981	271	99	80	61	1492	144	73	100	123	309	395	414	518	596	493
Females	17·75			4,492			782	206	116	86	68	1258	151	85	117	104	314	318	380	472	620	673
	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·34	0·36	0·32	165	85	80	30	66	26	17	10	149	13	2	–	–	–	–	–	1	–	–
Scarlet Fever	0·60	0·68	0·51	291	161	130	7	35	41	49	48	180	90	14	2	1	2	2	–	–	–	–
Diphtheria	0·10	0·09	0·11	51	22	29	1	2	2	6	7	18	18	8	3	–	1	2	1	–	–	–
Whooping-cough	0·29	0·26	0·32	143	61	82	66	41	15	12	3	137	5	–	–	–	–	1	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·19	0·24	0·15	95	57	38	1	1	2	1	–	5	4	11	14	4	18	17	7	11	2	2
Simple Continued Fever	0·03	0·03	0·02	13	8	5	1	2	1	3	–	7	–	1	1	–	2	–	–	–	1	1
Diarrhœa and Dysentery	0·49	0·53	0·45	240	126	114	166	24	4	4	–	198	2	–	1	–	2	1	3	10	11	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·43	0·95	343	102	241	2	–	–	–	–	2	2	3	5	2	14	37	76	99	86	17
Tabes Mesenterica	0·18	0·17	0·20	90	39	51	33	13	3	3	2	54	11	5	5	5	6	1	1	–	2	–
Phthisis	1·64	1·65	1·63	802	390	412	6	1	1	1	1	10	17	20	68	89	224	179	110	55	21	9
Other Tub. & Scrof. Dis.	0·35	0·33	0·36	169	78	91	39	25	14	5	7	90	28	8	12	9	8	2	7	3	2	–
Diseases of Nervous System	2·87	3·39	2·44	1405	788	617	265	39	13	13	6	336	23	20	22	21	73	140	142	214	243	171
Circulatory „	1·44	1·56	1·34	705	367	338	2	1	–	–	–	3	9	5	12	17	51	67	107	140	196	98
Respiratory „	3·03	3·17	2·90	1481	747	734	289	141	67	32	25	554	34	5	14	11	52	76	119	179	252	185
Digestive „	1·01	1·01	1·02	495	238	257	96	30	5	3	3	137	5	5	7	13	26	27	61	80	91	43
Urinary „	0·70	0·88	0·51	336	207	129	2	2	–	1	4	9	1	4	7	7	20	38	52	71	91	36
Generative „	0·09	0·03	0·14	42	7	35	–	–	–	1	–	1	–	–	1	2	5	5	12	5	10	1
Puerperal Fever	0·09	–	0·17	43	–	43	–	–	–	–	–	–	–	–	1	5	21	14	2	–	–	–
Childbirth	0·07	–	0·13	32	–	32	–	–	–	–	–	–	–	–	1	2	13	15	1	–	–	–
Violence	0·71	1·12	0·33	348	265	83	25	12	11	8	10	66	22	14	19	19	50	43	30	32	32	21
Other Causes	3·80	3·83	3·75	1858	907	951	732	42	10	7	3	794	11	33	22	20	34	46	63	90	176	569

Marriages - - - 4,072

Births - Males - 7,609, Females - 7,293 } 14,902

Annual Rate per 1000 living { Persons Married 16·66, Births - - 30·49

Deaths from Childbirth and Puerperal Fever - - - - - } 5·03 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

328.—WHEATENHURST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 12·99			†85	–	–	–	–	27·86	3·09	3·00	4·34	6·53	7·32	6·62	11·49	22·77	49·87	143·24
Males	—			13·75			†94	–	–	–	–	29·82	3·54	2·38	4·61	7·87	7·07	7·76	10·74	26·88	53·53	169·77
Females	—			12·27			†76	–	–	–	–	26·02	2·57	3·65	4·03	5·54	7·52	5·68	12·14	19·26	46·80	120·20
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·60 per cent.			7,103			165	187	183	169	197	901	841	832	645	505	888	740	644	549	373	185
Males				3,410			75	95	84	79	103	436	452	421	347	216	396	335	298	253	170	86
Females				3,693			90	92	99	90	94	465	389	411	298	289	492	405	346	296	203	99
Deaths from All Causes, 1881–90. Persons	15·87			1,127			163	47	15	11	15	251	26	25	28	33	65	49	74	125	186	265
Males	17·01			580			89	24	7	2	8	130	16	10	16	17	28	26	32	68	91	146
Females	14·81			547			74	23	8	9	7	121	10	15	12	16	37	23	42	57	95	119
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·07	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Measles	0·28	0·26	0·30	20	9	11	4	6	–	3	2	15	4	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	10	4	6	–	2	1	1	–	4	4	1	–	1	–	–	–	–	–	–
Diphtheria	0·17	0·23	0·11	12	8	4	–	1	1	1	1	4	4	3	–	1	–	–	–	–	–	–
Whooping-cough	0·30	0·21	0·38	21	7	14	13	6	1	1	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·09	0·14	8	3	5	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·35	0·32	24	12	12	7	2	3	–	–	12	–	–	–	–	1	1	1	2	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·35	0·97	48	12	36	–	–	–	–	–	–	–	–	–	–	–	2	10	14	9	13
Tabes Mesenterica	0·08	0·03	0·14	6	1	5	1	1	1	–	–	3	1	–	1	–	1	–	–	–	–	–
Phthisis	1·31	1·35	1·27	93	46	47	1	1	–	–	–	2	1	4	9	14	23	15	10	8	6	1
Other Tub. & Scrof. Dis.	0·27	0·18	0·35	19	6	13	3	3	–	1	1	8	–	1	1	3	4	1	1	–	–	–
Diseases of Nervous System	1·61	1·67	1·54	114	57	57	9	3	–	–	5	17	2	–	1	2	4	4	8	22	24	30
Circulatory „	2·28	2·05	2·49	162	70	92	–	1	–	1	–	2	–	3	1	1	6	8	17	28	48	48
Respiratory „	1·99	2·23	1·78	141	76	65	27	9	5	2	2	45	4	2	3	–	5	3	1	14	16	48
Digestive „	0·80	0·85	0·76	57	29	28	15	2	–	–	–	17	1	2	1	1	–	1	7	3	15	9
Urinary „	0·76	1·11	0·43	54	38	16	1	–	–	–	–	1	–	–	1	2	2	2	5	7	22	12
Generative „	0·07	–	0·14	5	–	5	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	–
Puerperal Fever	0·11	–	0·22	8	–	8	–	–	–	–	–	–	–	–	–	2	5	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	0·86	1·50	0·27	61	51	10	3	3	1	–	3	10	4	4	5	2	5	5	5	8	9	4
Other Causes	3·67	4·33	3·04	261	148	113	79	7	2	1	1	90	1	4	5	1	6	4	8	17	30	95

Marriages - - 321

Births - Males - 946, Females - 975 } 1,921

Annual Rate per 1000 living { Persons Married 9·04; Births - - 27·04

Deaths from Childbirth and Puerperal Fever - - - - 4·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

329.—STROUD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·85	†114	–	–	–	–	39·83	3·55	2·12	3·79	4·55	5·57	7·43	11·90	25·92	58·90	159·88
Annual Death-Rate per 1000. Males	—	15·64	†131	–	–	–	–	45·12	3·53	1·85	3·74	4·65	5·63	7·38	12·72	27·87	66·12	164·84
Annual Death-Rate per 1000. Females	—	14·09	†96	–	–	–	–	34·61	3·56	2·39	3·82	4·48	5·52	7·47	11·26	24·36	53·41	156·01
Mean Population, 1881-91. Persons	Decennial Increase of Population 2·17 per cent.	41,780	1037	950	985	1008	1034	5014	4932	4714	4225	3427	5620	4551	3772	2863	1832	830
Mean Population, 1881-91. Males		19,118	511	460	503	495	520	2489	2462	2326	1924	1398	2415	2020	1659	1270	791	364
Mean Population, 1881-91. Females		22,662	526	490	482	513	514	2525	2470	2388	2301	2029	3205	2531	2113	1593	1041	466
Deaths from All Causes, 1881-90. Persons	16·36	6,836	1365	365	121	75	71	1997	175	100	160	156	313	338	449	742	1079	1327
Deaths from All Causes, 1881-90. Males	17·59	3,363	799	184	63	39	38	1123	87	43	72	65	136	149	211	354	523	600
Deaths from All Causes, 1881-90. Females	15·33	3,473	566	181	58	36	33	874	88	57	88	91	177	189	238	388	556	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·28	0·29	0·28	118	55	63	27	38	14	12	8	99	14	1	–	2	–	2	–	–	–
Scarlet Fever	0·15	0·22	0·09	62	42	20	8	12	9	8	9	46	10	3	1	1	–	1	–	–	–
Diphtheria	0·06	0·05	0·07	25	10	15	–	1	1	2	3	7	11	2	–	–	3	–	1	1	–
Whooping-cough	0·22	0·20	0·24	93	38	55	53	25	9	1	5	93	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·05	0·04	0·06	20	7	13	–	–	–	–	–	–	–	3	7	1	3	4	1	–	1
Simple Continued Fever	0·01	–	0·01	3	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
Diarrhœa and Dysentery	0·35	0·37	0·34	147	71	76	73	13	1	3	–	90	2	1	–	2	1	1	–	5	19
Cholera	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Cancer	0·69	0·53	0·82	287	102	185	–	–	–	1	–	1	1	2	1	2	10	22	61	80	72
Tabes Mesenterica	0·22	0·26	0·18	90	49	41	50	11	5	2	4	72	3	4	5	2	–	1	2	1	–
Phthisis	1·19	1·16	1·22	498	221	277	3	5	1	1	–	10	10	21	62	79	126	91	56	31	11
Other Tub. & Scrof. Dis.	0·30	0·35	0·26	124	66	58	22	23	9	5	5	64	29	8	6	2	4	3	6	1	–
Diseases of Nervous System	2·33	2·51	2·18	972	479	493	193	29	15	7	4	248	17	11	18	9	14	26	46	131	249
Diseases of Circulatory „	1·93	1·73	2·09	805	331	474	4	–	1	–	–	5	2	7	13	13	24	44	89	164	257
Diseases of Respiratory „	3·14	3·46	2·88	1314	661	653	310	137	35	21	20	523	36	12	10	6	20	45	65	121	212
Diseases of Digestive „	0·90	1·00	0·81	374	191	183	62	25	–	3	2	92	6	3	8	5	24	19	40	73	65
Diseases of Urinary „	0·45	0·63	0·29	186	120	66	1	–	1	1	–	3	4	3	4	4	11	15	19	37	46
Diseases of Generative „	0·05	0·01	0·08	19	2	17	–	–	–	–	–	–	–	–	2	–	1	1	3	7	3
Puerperal Fever	0·06	–	0·11	24	–	24	–	–	–	–	–	–	–	–	–	5	14	5	–	–	–
Childbirth	0·09	–	0·17	38	–	38	–	–	–	–	–	–	–	–	–	5	14	18	1	–	–
Violence	0·52	0·81	0·27	216	155	61	11	9	10	3	9	42	21	9	11	9	15	16	20	32	20
Other Causes	3·37	3·95	2·88	1417	760	657	548	37	10	5	2	602	8	10	12	9	27	23	39	58	121

Marriages - - - 2,812

Births - { Males - 6,089 / Females - 5,897 } 11,986

Annual Rate per 1000 living { Persons Married 13·46 / Births - - 28·69

Deaths from Childbirth and Puerperal Fever - - - - - 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

330.—TETBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·95	†87	–	–	–	–	26·90	2·34	2·35	3·24	5·26	5·10	7·69	14·06	25·40	58·61	143·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·30	†89	–	–	–	–	28·85	2·23	2·66	3·25	4·35	4·97	9·57	17·17	25·48	55·15	156·60
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·62	†85	–	–	–	–	25·07	2·45	2·04	3·24	6·09	5·21	5·94	11·32	25·33	62·04	131·58
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·77 per cent.	5,779	150	144	142	147	153	736	726	681	555	437	745	585	498	433	273	110
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·77 per cent.	2,792	67	69	75	72	74	357	359	338	277	207	342	282	233	208	136	53
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·77 per cent.	2,987	83	75	67	75	79	379	367	343	278	230	403	303	265	225	137	57
Deaths from All Causes, 1881–90. Persons	14·76	853	140	29	9	10	10	198	17	16	18	23	38	45	70	110	160	158
Deaths from All Causes, 1881–90. Males	15·51	433	71	13	4	8	7	103	8	9	9	9	17	27	40	53	75	83
Deaths from All Causes, 1881–90. Females	14·06	420	69	16	5	2	3	95	9	7	9	14	21	18	30	57	85	75

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·14	0·23	11	4	7	–	5	1	2	2	10	–	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·10	5	2	3	1	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–
Diphtheria	0·02	–	0·03	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	0·22	0·11	0·33	13	3	10	9	2	–	2	–	13	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·07	4	2	2	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·21	0·23	13	6	7	5	2	–	–	–	7	–	–	–	–	–	2	1	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·54	0·32	0·74	31	9	22	–	–	–	–	–	–	–	–	–	–	1	2	2	12	8	6
Tabes Mesenterica	0·03	0·07	–	2	2	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Phthisis	1·49	1·43	1·54	86	40	46	4	1	1	–	–	6	2	3	7	12	15	12	12	9	6	2
Other Tub. & Scrof. Dis.	0·26	0·21	0·30	15	6	9	1	2	–	–	1	4	1	2	–	–	1	2	–	4	1	–
Diseases of Nervous System	2·73	3·04	2·44	158	85	73	25	6	–	–	2	33	3	3	–	1	2	2	13	22	50	29
Diseases of Circulatory "	1·64	1·40	1·87	95	39	56	–	–	–	–	–	–	–	1	1	4	3	5	12	20	31	18
Diseases of Respiratory "	2·35	2·97	1·77	136	83	53	33	9	4	2	3	51	3	1	1	2	5	1	9	13	28	22
Diseases of Digestive "	0·88	0·82	0·94	51	23	28	4	–	1	–	1	6	1	3	2	1	2	5	7	8	11	5
Diseases of Urinary "	0·45	0·64	0·27	26	18	8	1	–	1	1	–	3	–	1	–	–	1	5	4	5	5	2
Diseases of Generative "	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Puerperal Fever	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·07	–	0·13	4	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Violence	0·55	0·79	0·33	32	22	10	3	–	–	3	–	6	1	1	3	1	1	1	6	7	5	–
Other Causes	2·88	3·22	2·54	165	89	76	53	2	1	–	–	56	1	1	1	–	4	3	3	10	15	71

Marriages - - - 340

Births - { Males 794, Females 812 } 1,606

Annual Rate per 1000 living { Persons Married 11·77; Births - - 27·79 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

331.—CIRENCESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·67	†105	–	–	–	–	36·83	4·27	2·95	3·85	6·40	6·04	8·36	12·71	23·79	54·40	153·29
Annual Death-Rate per 1000. Males	—	15·41	†125	–	–	–	–	42·80	4·49	3·21	2·73	6·33	5·45	8·66	13·55	23·11	58·17	172·40
Annual Death-Rate per 1000. Females	—	13·98	†85	–	–	–	–	31·09	4·05	2·68	5·22	6·48	6·58	8·10	12·00	24·46	50·66	136·40
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·44 per cent.	20,854	512	465	506	513	480	2476	2480	2308	2129	1640	2665	2189	1888	1551	1057	471
Mean Population, 1881–91. Males		10,284	244	223	249	244	255	1215	1246	1151	1172	822	1266	1028	871	766	526	221
Mean Population, 1881–91. Females		10,570	268	242	257	269	225	1261	1234	1157	957	818	1399	1161	1017	785	531	250
Deaths from All Causes, 1881–90. Persons	16·89	3,523	600	178	66	37	31	912	106	68	82	105	161	183	240	369	575	722
Deaths from All Causes, 1881–90. Males	17·86	1,837	356	95	30	21	18	520	56	37	32	52	69	89	118	177	306	381
Deaths from All Causes, 1881–90. Females	15·95	1,686	244	83	36	16	13	392	50	31	50	53	92	94	122	192	269	341

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·23	0·12	37	24	13	10	13	7	–	4	34	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·12	0·08	0·15	24	8	16	7	4	4	1	–	16	7	–	–	–	–	1	–	–	–
Diphtheria	0·11	0·13	0·09	23	13	10	–	4	3	3	3	13	6	3	–	1	–	–	–	–	–
Whooping-cough	0·24	0·23	0·25	50	24	26	26	12	6	3	1	48	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·14	26	11	15	1	1	–	–	1	3	5	3	4	3	5	2	1	–	–
Simple Continued Fever	0·03	0·01	0·05	6	1	5	–	–	1	–	–	1	–	–	–	–	3	–	–	1	1
Diarrhœa and Dysentery	0·19	0·18	0·20	40	19	21	18	6	1	1	–	26	–	–	–	–	1	1	2	3	3
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·97	0·75	1·19	203	77	126	1	–	1	2	–	4	1	2	–	–	3	20	31	54	59
Tabes Mesenterica	0·18	0·14	0·23	38	14	24	10	8	3	1	–	22	5	1	6	–	1	2	–	1	–
Phthisis	1·16	1·16	1·16	242	119	123	3	–	1	2	2	8	3	13	24	44	56	45	22	20	6
Other Tub. & Scrof. Dis.	0·41	0·42	0·40	85	43	42	15	16	3	3	1	38	12	9	5	6	4	3	3	4	1
Diseases of Nervous System	2·45	2·71	2·20	512	279	233	83	23	8	5	2	121	12	9	9	5	12	18	30	65	120
Diseases of Circulatory „	2·02	1·83	2·21	422	188	234	1	1	1	–	–	3	6	4	2	6	13	20	40	80	140
Diseases of Respiratory „	2·74	3·08	2·41	572	317	255	114	54	12	10	12	202	19	5	2	14	6	19	37	63	86
Diseases of Digestive „	0·98	1·11	0·85	204	114	90	31	9	2	1	2	45	7	6	7	8	9	12	18	27	46
Diseases of Urinary „	0·60	0·82	0·40	126	84	42	2	1	1	–	–	4	–	–	2	5	7	6	17	17	33
Diseases of Generative „	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	1	–	3	–	1
Puerperal Fever	0·10	–	0·19	20	–	20	–	–	–	–	–	–	–	–	3	–	12	4	1	–	–
Childbirth	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–
Violence	0·57	0·87	0·28	119	89	30	8	8	5	3	3	27	6	4	8	4	10	12	10	13	11
Other Causes	3·65	3·99	3·27	757	412	345	270	18	7	2	–	297	14	8	10	7	15	12	24	21	68

Marriages		1,335	Annual Rate per 1000 living: Persons Married 12·80; Births 27·48	Deaths from Childbirth and Puerperal Fever: 5·06 per 1000 Births.
Births: Males	2,851	5,731		
Births: Females	2,880			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

332.—NORTHLEACH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·56	†93	–	–	–	–	28·67	3·83	2·12	2·68	4·32	6·42	7·84	9·65	21·67	49·38	149·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 12·81	†97	–	–	–	–	30·78	4·81	1·49	1·90	3·50	7·72	6·56	9·98	24·73	51·05	156·25
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·33	†89	–	–	–	–	26·46	2·87	2·83	3·76	5·32	5·13	9·11	9·34	18·53	47·76	142·86
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·11 per cent.	9,385	220	215	218	233	237	1123	1174	1133	897	625	1080	982	912	743	482	224
Mean Population, 1881–91. Males	Decennial Decrease of Population 10·11 per cent.	4,826	111	108	117	119	120	575	582	603	525	343	544	488	441	376	237	112
Mean Population, 1881–91. Females	Decennial Decrease of Population 10·11 per cent.	4,559	109	107	101	114	117	548	592	530	372	282	546	494	471	367	245	112
Deaths from All Causes, 1881–90. Persons	15·03	1,411	226	52	23	14	7	322	45	24	24	27	70	77	88	161	238	335
Deaths from All Causes, 1881–90. Males	15·40	743	123	29	13	8	4	177	28	9	10	12	42	32	44	93	121	175
Deaths from All Causes, 1881–90. Females	14·65	668	103	23	10	6	3	145	17	15	14	15	28	45	44	68	117	160

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·12	0·11	11	6	5	4	1	1	1	–	7	1	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·15	13	6	7	–	1	4	2	–	7	6	–	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·12	0·07	9	6	3	1	–	1	1	–	3	5	–	–	–	–	–	–	1	–	–
Whooping-cough	0·22	0·21	0·24	21	10	11	9	9	1	2	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·08	0·20	13	4	9	–	1	–	–	–	1	3	1	1	1	1	2	3	–	–	–
Simple Continued Fever	0·06	0·04	0·09	6	2	4	–	1	–	–	–	1	2	1	–	–	2	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·15	0·09	11	7	4	4	1	–	–	–	5	3	–	–	–	–	1	–	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	0·48	0·88	63	23	40	–	–	–	–	–	–	–	–	–	–	1	3	7	15	29	8
Tabes Mesenterica	0·18	0·21	0·15	17	10	7	8	2	1	1	–	12	4	–	–	1	–	–	–	–	–	–
Phthisis	0·83	0·85	0·81	78	41	37	–	–	–	–	–	–	1	1	8	9	25	19	9	2	4	–
Other Tub. & Scrof. Dis.	0·21	0·17	0·26	20	8	12	2	4	–	–	–	6	4	2	2	–	4	–	1	1	–	–
Diseases of Nervous System	1·95	2·16	1·73	183	104	79	28	8	4	1	1	42	4	8	3	3	3	4	9	24	32	51
Diseases of Circulatory "	2·15	2·11	2·19	202	102	100	–	–	–	–	–	–	3	3	2	2	7	6	19	43	64	53
Diseases of Respiratory "	2·39	2·45	2·33	224	118	106	49	16	9	3	1	78	3	2	2	3	2	10	10	22	44	48
Diseases of Digestive "	0·93	0·97	0·88	87	47	40	10	3	1	–	2	16	3	–	2	1	–	5	9	20	18	13
Diseases of Urinary "	0·46	0·64	0·26	43	31	12	1	–	–	1	–	2	–	–	–	2	4	3	4	11	10	7
Diseases of Generative "	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Puerperal Fever	0·07	–	0·15	7	–	7	–	–	–	–	–	–	–	–	1	–	2	3	1	–	–	–
Childbirth	0·15	–	0·31	14	–	14	–	–	–	–	–	–	–	–	–	1	6	6	1	–	–	–
Violence	0·49	0·73	0·24	46	35	11	2	–	–	1	2	5	2	2	–	2	7	4	3	6	7	8
Other Causes	3·62	3·79	3·44	340	183	157	108	5	1	1	1	116	1	2	3	1	5	11	11	15	29	146

Marriages - - - 538

Births - { Males - 1,265 / Females - 1,158 } 2,423

Annual Rate per 1000 living { Persons Married 11·47 / Births - - 25·82 }

Deaths from Childbirth and Puerperal Fever - - - - - } 8·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

333.—STOW-ON-THE-WOLD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·56			†102	–	–	–	–	36·39	3·11	2·39	3·33	5·05	6·48	10·36	10·24	25·32	57·00	162·26
Males	—			15·21			†107	–	–	–	–	38·37	3·23	2·65	4·12	5·66	7·50	7·78	11·25	27·30	61·73	186·41
Females	—			13·94			†97	–	–	–	–	34·36	2·98	2·11	2·36	4·46	5·51	12·84	9·35	23·53	52·40	139·45
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·37 per cent.			9,066			229	221	224	217	222	1113	1127	1003	842	654	1096	946	869	711	493	212
Males				4,516			112	115	118	108	110	563	557	529	461	318	533	463	409	337	243	103
Females				4,550			117	106	106	109	112	550	570	474	381	336	563	483	460	374	250	109
Deaths from All Causes, 1881–90. Persons	17·52			1,588			271	84	23	12	15	405	35	24	28	33	71	98	89	180	281	344
Males	18·62			841			145	43	13	7	8	216	18	14	19	18	40	36	46	92	150	192
Females	16·42			747			126	41	10	5	7	189	17	10	9	15	31	62	43	88	131	152
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·37	0·42	0·33	34	19	15	13	13	–	2	2	30	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·04	0·09	6	2	4	1	–	–	1	1	3	2	–	1	–	–	–	–	–	–	–
Diphtheria	0·03	0·02	0·04	3	1	2	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·20	0·13	15	9	6	11	3	1	–	–	15	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·29	0·26	25	13	12	–	–	1	–	1	2	1	1	4	2	5	5	1	1	3	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·20	0·24	0·15	18	11	7	9	–	–	–	1	10	–	–	–	–	–	–	–	2	1	5
Cholera	0·03	0·04	0·02	3	2	1	1	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
Cancer	0·74	0·49	0·99	67	22	45	–	–	–	–	1	1	–	–	–	–	2	11	8	22	17	6
Tabes Mesenterica	0·20	0·24	0·15	18	11	7	11	3	1	–	1	16	–	–	–	–	1	1	–	–	–	–
Phthisis	1·19	1·17	1·21	108	53	55	5	2	1	–	–	8	1	3	8	18	27	17	12	7	5	2
Other Tub. & Scrof. Dis.	0·22	0·27	0·18	20	12	8	9	4	–	–	1	14	2	3	1	–	–	–	–	–	–	–
Diseases of Nervous System	2·21	2·59	1·82	200	117	83	26	6	4	–	–	36	5	5	4	3	5	5	13	29	58	37
Circulatory „	2·38	2·10	2·66	216	95	121	3	–	–	–	–	3	1	4	–	3	5	12	19	42	71	56
Respiratory „	2·65	3·01	2·31	241	136	105	55	35	6	5	4	105	10	1	2	3	2	10	8	18	39	43
Digestive „	1·19	1·22	1·16	108	55	53	13	9	2	1	1	26	4	1	2	–	3	10	10	21	25	6
Urinary „	0·66	0·93	0·40	60	42	18	1	–	–	–	–	1	–	2	–	2	3	2	7	8	21	14
Generative „	0·03	0·02	0·04	3	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Puerperal Fever	0·08	–	0·15	7	–	7	–	–	–	–	–	–	–	–	1	–	2	4	–	–	–	–
Childbirth	0·11	–	0·22	10	–	10	–	–	–	–	–	–	–	–	–	–	3	7	–	–	–	–
Violence	0·42	0·60	0·24	38	27	11	4	–	4	–	1	9	–	3	1	1	6	2	2	6	4	4
Other Causes	4·27	4·71	3·85	386	212	174	109	9	3	3	–	124	2	–	4	1	7	11	8	22	36	171

Marriages - - - 521

Births - Males - 1,353; Females - 1,294 — 2,647

Annual Rate per 1000 living: Persons Married 11·49; Births - - 29·20

Deaths from Childbirth and Puerperal Fever - - - - - 6·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

334.—WINCHCOMB.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·80	†94	–	–	–	–	30·43	2·73	2·76	3·23	3·37	6·98	6·87	8·45	22·76	57·79	140·18
Annual Death-Rate per 1000. Males	—	13·16	†111	–	–	–	–	36·43	2·09	2·28	2·63	3·37	5·53	6·79	8·23	23·20	61·76	154·20
Annual Death-Rate per 1000. Females	—	12·45	†76	–	–	–	–	24·61	3·38	3·29	4·02	3·36	8·35	6·94	8·67	22·31	54·00	127·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·16 per cent.	9,382	248	211	216	233	229	1137	1135	1088	868	683	1075	990	947	747	488	224
Mean Population, 1881–91. Males		4,744	119	102	106	114	119	560	573	571	495	356	524	471	474	375	238	107
Mean Population, 1881–91. Females		4,638	129	109	110	119	110	577	562	517	373	327	551	519	473	372	250	117
Deaths from All Causes, 1881–90. Persons	15·42	1,447	243	57	20	13	13	346	31	30	28	23	75	68	80	170	282	314
Deaths from All Causes, 1881–90. Males	15·87	753	145	37	9	7	6	204	12	13	13	12	29	32	39	87	147	165
Deaths from All Causes, 1881–90. Females	14·96	694	98	20	11	6	7	142	19	17	15	11	46	36	41	83	135	149

	Persons.	Males.	Females.	Persons	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Measles	0·17	0·17	0·17	16	8	8	3	5	1	1	2	12	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·07	0·06	0·09	7	3	4	–	1	–	1	–	2	2	2	–	–	1	–	–	–	–	–
Diphtheria	0·07	0·08	0·06	7	4	3	1	–	1	–	3	5	2	–	–	–	–	–	–	–	–	–
Whooping-cough	0·20	0·17	0·24	19	8	11	9	6	–	2	1	18	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·17	14	6	8	–	–	–	–	1	1	–	3	3	1	4	–	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·32	0·28	28	15	13	7	3	–	1	1	12	–	1	–	1	–	–	1	–	6	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·48	0·75	58	23	35	–	–	–	–	–	–	–	1	–	–	–	8	7	14	20	8
Tabes Mesenterica	0·06	0·02	0·11	6	1	5	1	1	1	–	–	3	–	3	–	–	–	–	–	–	–	–
Phthisis	0·87	0·95	0·80	82	45	37	–	–	1	–	–	1	1	2	7	5	29	17	7	9	4	–
Other Tub. & Scrof. Dis.	0·22	0·19	0·26	21	9	12	4	3	1	–	1	9	1	2	1	–	–	1	2	3	2	–
Diseases of Nervous System	2·04	2·23	1·83	191	106	85	26	–	6	–	–	32	6	2	5	3	8	5	12	32	52	34
Diseases of Circulatory "	1·86	1·90	1·81	174	90	84	–	1	–	–	–	1	2	1	2	1	2	8	13	40	75	29
Diseases of Respiratory "	2·42	2·76	2·07	227	131	96	66	24	6	4	1	101	6	3	–	1	6	7	10	19	41	33
Diseases of Digestive "	1·08	1·10	1·06	101	52	49	18	4	1	1	1	25	3	3	1	4	2	7	9	15	22	10
Diseases of Urinary "	0·39	0·46	0·32	37	22	15	1	–	–	–	–	1	–	–	1	2	1	2	3	8	15	4
Diseases of Generative "	0·03	–	0·06	3	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·06	–	0·13	6	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
Childbirth	0·11	–	0·22	10	–	10	–	–	–	–	–	–	–	–	1	1	6	2	–	–	–	–
Violence	0·46	0·57	0·34	43	27	16	8	–	–	2	–	10	4	3	4	–	4	2	4	4	3	5
Other Causes	4·22	4·24	4·19	395	201	194	99	8	2	1	2	112	1	3	2	2	9	8	11	23	41	183

Marriages - - - 513

Births - { Males - 1,304 / Females - 1,289 } 2,593

Annual Rate per 1000 living { Persons Married 10·94 / Births - - 27·64 }

Deaths from Childbirth and Puerperal Fever - - - - - - - } 6·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

335.—CHELTENHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·67	†132	–	–	–	–	49·12	4·10	2·63	3·02	3·76	6·77	9·88	13·55	26·54	59·29	147·56
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·12	†148	–	–	–	–	53·82	3·63	2·43	2·96	4·59	8·68	12·22	15·35	31·56	66·34	157·08
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·30	†114	–	–	–	–	44·40	4·55	2·83	3·05	3·34	5·65	8·38	12·35	23·27	54·85	142·06
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·48 per cent.	55,145	1125	1043	1120	1153	1070	5511	5591	5891	6169	5101	7744	6163	5131	3919	2653	1272
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·48 per cent.	23,031	553	513	562	587	544	2759	2756	2922	2531	1721	2858	2405	2045	1543	1025	466
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·48 per cent.	32,114	572	530	558	566	526	2752	2835	2969	3638	3380	4886	3758	3086	2376	1628	806
Deaths from All Causes, 1881–90. Persons	17·75	9,787	1803	486	178	139	101	2707	229	155	186	192	524	609	695	1040	1573	1877
Deaths from All Causes, 1881–90. Males	19·82	4,565	1035	239	93	65	53	1485	100	71	75	79	248	294	314	487	680	732
Deaths from All Causes, 1881–90. Females	16·26	5,222	768	247	85	74	48	1222	129	84	111	113	276	315	381	553	893	1145

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·01	2	–	2	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Measles	0·44	0·50	0·39	240	116	124	39	89	48	27	8	211	22	1	2	–	2	–	1	1	–	–
Scarlet Fever	0·07	0·08	0·06	36	18	18	3	2	3	5	5	18	14	3	–	1	–	–	–	–	–	–
Diphtheria	0·08	0·07	0·08	43	17	26	2	3	2	6	4	17	18	3	1	–	2	2	–	–	–	–
Whooping-cough	0·22	0·24	0·21	125	56	69	55	39	13	8	7	122	2	–	–	–	1	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·17	91	38	53	2	1	–	2	1	6	5	14	17	12	17	10	5	5	–	–
Simple Continued Fever	0·02	0·03	0·02	13	6	7	–	–	–	–	1	1	2	2	1	2	2	–	1	1	–	1
Diarrhœa and Dysentery	0·44	0·56	0·35	241	129	112	176	21	1	2	–	200	1	–	1	–	3	3	2	5	9	17
Cholera	0·01	0·00	0·02	6	1	5	1	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–
Cancer	0·83	0·52	1·05	457	120	337	–	–	–	1	1	2	–	–	1	1	9	42	70	133	123	76
Tabes Mesenterica	0·21	0·27	0·16	114	63	51	70	9	3	4	3	89	4	9	1	2	4	1	2	–	1	1
Phthisis	1·43	1·76	1·19	787	406	381	7	4	3	1	3	18	10	23	57	83	225	199	98	57	13	4
Other Tub. & Scrof. Dis.	0·27	0·33	0·22	147	75	72	27	27	8	12	10	84	21	15	10	6	3	3	2	1	2	–
Diseases of Nervous System	2·46	2·74	2·26	1356	631	725	284	53	15	14	15	381	25	25	18	16	35	54	106	152	284	260
Diseases of Circulatory "	1·76	1·76	1·76	972	406	566	3	1	–	1	–	5	12	10	14	11	42	53	96	202	294	233
Diseases of Respiratory "	3·12	3·54	2·82	1719	815	904	290	150	57	33	28	563	37	2	11	14	43	53	88	184	341	383
Diseases of Digestive "	1·21	1·35	1·12	670	312	358	86	23	5	4	1	119	11	14	13	7	24	56	76	103	159	88
Diseases of Urinary "	0·46	0·69	0·29	253	159	94	3	2	1	–	2	8	7	3	3	4	11	23	41	56	47	50
Diseases of Generative "	0·09	0·01	0·14	48	3	45	1	1	–	–	–	2	–	–	1	1	4	13	10	7	7	3
Puerperal Fever	0·07	–	0·11	36	–	36	–	–	–	–	–	–	–	–	1	9	16	10	–	–	–	–
Childbirth	0·05	–	0·09	30	–	30	–	–	–	–	–	–	–	–	1	1	14	14	–	–	–	–
Violence	0·43	0·66	0·27	239	151	88	21	8	8	10	3	50	12	6	10	4	25	27	23	30	25	27
Other Causes	3·92	4·54	3·47	2161	1043	1118	733	53	10	4	9	809	25	25	23	18	40	45	73	103	266	734

Marriages - - - 4,031

Births - { Males - 6,973 / Females - 6,722 } 13,695

Annual Rate per 1000 living { Persons Married 14·62 / Births - - 24·84 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

336.—TEWKESBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·23	†112	–	–	–	–	38·53	3·95	2·76	4·97	6·66	6·37	9·26	12·79	25·72	52·01	158·65
Males	—	15·28	†117	–	–	–	–	39·80	3·30	2·30	3·65	7·19	6·18	9·54	13·88	26·46	55·86	171·54
Females	—	15·19	†106	–	–	–	–	37·22	4·63	3·23	6·35	6·19	6·54	9·02	11·83	25·05	48·41	149·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·03 per cent.	12,945	342	296	324	326	329	1617	1545	1451	1186	946	1632	1393	1220	972	671	312
Males		6,290	171	151	158	174	165	819	789	739	603	445	761	650	569	461	324	130
Females		6,655	171	145	166	152	164	798	756	712	583	501	871	743	651	511	347	182
Deaths from All Causes, 1881–90. Persons	17·99	2,329	417	100	52	30	24	623	61	40	59	63	104	129	156	250	349	495
Males	18·08	1,137	228	40	27	19	12	326	26	17	22	32	47	62	79	122	181	223
Females	17·91	1,192	189	60	25	11	12	297	35	23	37	31	57	67	77	128	168	272

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·36	0·43	0·30	47	27	20	9	18	7	10	3	47	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·02	0·03	0·02	3	2	1	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·05	0·11	10	3	7	1	1	1	1	2	6	2	2	–	–	–	–	–	–	–	–
Whooping-cough	0·19	0·21	0·17	24	13	11	11	7	2	1	–	21	2	–	–	–	–	–	–	–	1	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·16	0·23	25	10	15	–	2	–	1	1	4	2	4	5	5	1	2	–	1	–	1
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·54	0·57	0·51	70	36	34	26	11	2	2	1	42	1	–	–	–	1	–	–	2	14	10
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·32	0·95	83	20	63	–	–	–	–	–	–	1	–	–	–	1	8	20	27	14	12
Tabes Mesenterica	0·08	0·10	0·08	11	6	5	4	1	–	–	1	6	1	1	1	1	1	–	–	–	–	–
Phthisis	1·71	1·51	1·89	221	95	126	2	5	2	–	–	9	3	9	28	26	49	27	31	20	18	1
Other Tub. & Scrof. Dis.	0·25	0·24	0·27	33	15	18	5	4	3	1	4	17	9	3	1	1	–	–	1	1	–	–
Diseases of Nervous System	2·45	2·61	2·30	317	164	153	72	8	6	4	2	92	10	2	4	3	9	17	19	38	74	49
Circulatory „	2·24	2·10	2·37	290	132	158	–	–	–	–	–	–	3	7	1	5	10	21	30	58	79	76
Respiratory „	2·58	2·61	2·55	334	164	170	85	32	18	7	5	147	10	2	2	4	6	14	12	26	44	67
Digestive „	1·11	1·18	1·05	144	74	70	12	4	2	–	–	18	1	1	2	2	3	11	22	37	31	16
Urinary „	0·25	0·33	0·17	32	21	11	–	–	1	–	–	1	1	1	2	1	4	4	2	6	7	3
Generative „	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	–	–	–	3	–	4	1	1
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–
Violence	0·69	1·13	0·29	90	71	19	3	1	3	2	2	11	8	4	7	7	10	9	7	10	10	7
Other Causes	4·44	4·48	4·33	574	283	291	187	6	4	–	3	200	5	4	6	4	5	11	12	20	55	252

Marriages - - - 739

Births - Males - 1,953; Females - 1,784 } 3,737

Annual Rate per 1000 living { Persons Married 11·42; Births - - 28·87

Deaths from Childbirth and Puerperal Fever - - - - - } 2·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

337.—LEDBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·21	†109	–	–	–	–	34·04	3·79	2·25	3·61	4·19	6·70	9·52	11·64	27·74	52·36	148·58
Annual Death-Rate per 1000. Males	—					15·65	†129	–	–	–	–	39·69	3·53	2·13	3·33	4·77	6·96	11·04	13·90	34·12	55·73	164·12
Annual Death-Rate per 1000. Females	—					12·86	†88	–	–	–	–	28·80	4·04	2·37	3·92	3·63	6·47	8·14	9·59	21·85	49·27	137·63
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·61 per cent.			12,609			305	274	304	289	288	1460	1453	1424	1162	908	1611	1386	1254	977	657	317
Mean Population, 1881–91. Males				6,178			147	123	144	142	147	703	736	750	601	440	776	661	597	469	314	131
Mean Population, 1881–91. Females				6,431			158	151	160	147	141	757	717	674	561	468	835	725	657	508	343	186
Deaths from All Causes, 1881–90. Persons	16·94			2,136			356	72	32	25	12	497	55	32	42	38	108	132	146	271	344	471
Deaths from All Causes, 1881–90. Males	18·16			1,122			214	34	15	13	3	279	26	16	20	21	54	73	83	160	175	215
Deaths from All Causes, 1881–90. Females	15·77			1,014			142	38	17	12	9	218	29	16	22	17	54	59	63	111	169	256
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·08	0·16	15	5	10	1	3	4	3	2	13	–	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·13	0·09	14	8	6	2	1	2	1	1	7	4	3	–	–	–	–	–	–	–	–
Diphtheria	0·15	0·19	0·11	19	12	7	1	–	2	1	2	6	7	3	1	–	–	–	1	1	–	–
Whooping-cough	0·25	0·18	0·31	31	11	20	19	7	2	1	1	30	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·08	0·06	9	5	4	–	–	–	–	–	–	–	–	4	1	2	1	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·42	0·31	46	26	20	25	7	1	1	–	34	1	–	1	–	–	–	–	2	3	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·79	0·55	1·03	100	34	66	–	–	–	–	–	–	–	1	–	–	–	10	17	25	27	20
Tabes Mesenterica	0·06	0·03	0·08	7	2		1	–	1	–	–	2	4	1	–	–	–	–	–	–	–	–
Phthisis	1·05	1·00	1·10	133	62	71	3	–	–	1	–	4	4	6	12	18	41	20	13	11	4	–
Other Tub. & Scrof. Dis.	0·28	0·34	0·22	35	21	14	6	7	–	1	1	15	5	–	3	4	3	–	–	3	2	–
Diseases of Nervous System	2·98	3·50	2·49	376	216	160	74	10	6	3	–	93	8	2	5	3	9	16	30	54	77	79
Diseases of Circulatory „	2·35	2·51	2·19	296	155	141	–	–	–	–	–	–	5	4	1	2	7	17	28	75	85	72
Diseases of Respiratory „	2·85	3·24	2·49	360	200	160	66	22	8	10	2	108	5	–	3	1	11	22	25	44	60	81
Diseases of Digestive „	0·95	1·05	0·86	120	65	55	18	5	1	–	1	25	2	5	3	2	6	14	5	19	20	19
Diseases of Urinary „	0·41	0·55	0·28	52	34	18	2	–	1	–	–	3	1	–	1	1	3	9	7	8	11	8
Diseases of Generative „	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	–	–	4	1	3	–	–
Puerperal Fever	0·02	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Childbirth	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Violence	0·58	0·94	0·23	73	58	15	3	1	2	2	1	9	2	4	4	3	10	10	8	6	9	8
Other Causes	3·47	3·35	3·56	436	207	229	134	9	2	1	1	147	6	2	3	3	11	9	10	20	46	179

Marriages - - - 710
Births - { Males - 1,658 / Females - 1,621 } 3,279

Annual Rate per 1000 living { Persons Married 11·26 / Births - - 26·01

Deaths from Childbirth and Puerperal Fever - - - - - } 1·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

338.—ROSS.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·41	†102	–	–	–	–	36·05	4·35	2·58	3·60	4·92	6·06	8·90	11·15	25·98	56·04	148·10
Males	—	15·35	†115	–	–	–	–	40·23	4·83	2·19	3·89	4·90	6·49	9·12	12·33	28·62	59·34	164·97
Females	—	13·53	†89	–	–	–	–	31·90	3·87	2·97	3·31	4·94	5·67	8·69	10·00	23·39	52·96	135·55
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·01 per cent.	16,038	392	381	376	399	394	1942	1977	1821	1527	1200	1963	1753	1498	1170	819	368
Males		7,884	197	192	183	202	193	967	994	913	772	572	940	855	738	580	396	157
Females		8,154	195	189	193	197	201	975	983	908	755	628	1023	898	760	590	423	211
Deaths from All Causes, 1881-90. Persons	16·82	2,697	452	120	55	40	33	700	86	47	55	59	119	155	167	204	459	545
Males	17·82	1,405	260	56	34	23	16	389	48	20	30	28	61	78	91	166	235	259
Females	15·84	1,292	192	64	21	17	17	311	38	27	25	31	58	78	76	138	224	286

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·31	0·39	0·23	59	31	19
Scarlet Fever	0·28	0·29	0·27	45	23	22
Diphtheria	0·14	0·10	0·17	22	8	14
Whooping-cough	0·20	0·18	0·22	32	14	18
Typhus	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·11	15	6	9
Simple Continued Fever	0·02	0·03	0·02	4	2	2
Diarrhœa and Dysentery	0·19	0·20	0·18	31	16	15
Cholera	0·01	0·01	–	1	1	–
Cancer	0·74	0·43	1·03	118	34	84
Tabes Mesenterica	0·17	0·15	0·20	28	12	16
Phthisis	1·07	1·10	1·04	172	87	85
Other Tub. & Scrof. Dis.	0·23	0·23	0·23	37	18	19
Diseases of Nervous System	2·29	2·64	1·96	368	208	160
Diseases of Circulatory "	2·09	2·16	2·02	335	170	165
Diseases of Respiratory "	3·04	3·34	2·75	487	263	224
Diseases of Digestive "	0·99	0·96	1·01	158	76	82
Diseases of Urinary "	0·31	0·52	0·10	49	41	8
Diseases of Generative "	0·04	–	0·07	6	–	6
Puerperal Fever	0·07	–	0·15	12	–	12
Childbirth	0·07	–	0·15	12	–	12
Violence	0·64	0·99	0·31	103	78	25
OTHER CAUSES	3·83	4·02	3·62	612	317	295

PERSONS.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	9	8	7	6	41	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	1	10	5	7	4	27	11	5	–	1	1	–	–	–	–	–
Diphtheria	–	2	2	1	4	9	8	2	–	–	–	2	1	–	–	–
Whooping-cough	17	4	3	3	2	29	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	–	–	2	1	–	1	2	2	–	2	3	1	1
Simple Continued Fever	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	19	1	1	1	–	22	–	–	–	–	1	–	–	2	1	5
Cholera	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	1	1	–	1	–	1	13	17	29	41	14
Tabes Mesenterica	15	6	1	1	1	24	2	–	1	–	1	–	–	–	–	–
Phthisis	5	1	–	–	1	7	3	7	15	21	43	29	25	15	5	2
Other Tub. & Scrof. Dis.	7	6	4	2	2	21	1	5	3	1	2	–	2	2	–	–
Diseases of Nervous System	86	9	4	2	3	104	7	5	9	7	8	17	23	52	73	63
Diseases of Circulatory "	2	1	–	–	–	3	3	4	2	7	10	29	31	80	94	72
Diseases of Respiratory "	85	42	17	10	3	157	29	4	8	4	11	22	22	53	84	102
Diseases of Digestive "	31	12	1	1	–	45	5	3	2	3	4	8	16	21	33	18
Diseases of Urinary "	1	1	1	–	1	4	–	1	–	–	1	5	9	10	12	7
Diseases of Generative "	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	1	6	5	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	2	5	5	–	–	–	–
Violence	4	4	2	4	4	18	8	4	7	6	9	11	6	8	16	10
OTHER CAUSES	166	12	5	–	2	185	4	4	5	4	14	10	12	28	96	250

Marriages - - - 906

Births - { Males - 2,268 / Females - 2,152 } 4,420

Annual Rate per 1000 living { Persons Married 11·30 / Births - - 27·56 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

339.—HEREFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·55	†120	–	–	–	–	41·75	4·60	2·58	4·08	5·52	7·12	10·56	15·56	29·14	64·08	155·04
Annual Death-Rate per 1000. Males	—	17·63	†127	–	–	–	–	44·03	4·32	2·34	3·66	5·87	7·66	11·25	18·67	34·66	73·38	169·07
Annual Death-Rate per 1000. Females	—	15·53	†114	–	–	–	–	39·45	4·89	2·83	4·47	5·25	6·67	9·99	12·63	24·01	56·39	144·87
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·27 per cent.	42,484	1032	923	1022	997	989	4963	4909	4875	4119	3442	5544	4697	3998	3071	1974	892
Mean Population, 1881–91. Males		20,484	517	439	529	489	520	2494	2474	2475	1992	1517	2560	2284	1939	1480	894	375
Mean Population, 1881–91. Females		22,000	515	484	493	508	469	2469	2435	2400	2127	1925	2984	2413	2059	1591	1080	517
Deaths from All Causes, 1881–90. Persons	18·45	7,838	1403	341	139	100	89	2072	226	126	168	190	395	496	622	895	1265	1383
Deaths from All Causes, 1881–90. Males	19·74	4,043	754	184	66	46	48	1098	107	58	73	89	196	257	362	513	656	634
Deaths from All Causes, 1881–90. Females	17·25	3,795	649	157	73	54	41	974	119	68	95	101	199	239	260	382	609	749

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	5	5	–	–	–	–	–	–	–	–	2	2	1	–	–
Measles	0·33	0·38	0·30	142	77	65	33	45	19	11	14	122	17	2	1	–	–	–
Scarlet Fever	0·21	0·19	0·22	88	39	49	3	11	13	14	5	46	28	10	1	2	–	1	–	–	–	–
Diphtheria	0·13	0·17	0·10	57	35	22	2	2	7	8	5	24	18	10	2	–	1	–	–	2	–	–
Whooping-cough	0·26	0·22	0·30	111	46	65	55	27	9	7	3	101	10	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·06	0·04	20	12	8	–	–	–	–	–	–	–	–	–	6	1	5	5	3	–	–
Simple Continued Fever	0·03	0·02	0·03	11	4	7	1	–	–	–	–	1	2	2	1	1	2	1	–	–	1	–
Diarrhœa and Dysentery	0·44	0·45	0·44	189	92	97	112	17	5	1	2	137	4	–	–	1	1	1	1	13	15	16
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·56	0·82	295	114	181	–	–	–	1	–	1	–	–	–	5	8	26	67	77	79	32
Tabes Mesenterica	0·13	0·14	0·13	56	28	28	23	7	–	2	2	34	9	4	3	2	1	2	1	–	–	–
Phthisis	1·43	1·46	1·40	609	300	309	13	4	4	4	1	26	10	15	65	86	141	120	71	52	18	5
Other Tub. & Scrof. Dis.	0·20	0·21	0·20	86	43	43	16	13	5	1	5	40	16	9	5	2	4	2	2	3	1	2
Diseases of Nervous System	2·84	3·31	2·40	1,208	679	529	293	47	17	11	8	376	23	12	8	16	33	64	109	157	236	174
Diseases of Circulatory „	2·08	2·10	2·05	882	431	451	2	–	–	1	1	4	11	11	12	17	40	63	102	211	252	159
Diseases of Respiratory „	3·29	3·58	3·02	1,397	733	664	266	112	35	24	19	455	36	7	18	18	38	62	90	146	279	247
Diseases of Digestive „	1·10	1·17	1·03	466	239	227	88	29	6	5	4	132	11	10	9	5	14	34	49	79	77	46
Diseases of Urinary „	0·52	0·74	0·32	223	152	71	3	–	1	2	3	9	3	1	6	6	10	22	41	45	44	36
Diseases of Generative „	0·09	0·01	0·17	40	2	38	1	–	–	–	–	1	–	–	3	–	6	6	13	4	6	1
Puerperal Fever	0·06	–	0·12	26	–	26	–	–	–	–	–	–	–	–	1	2	14	9	–	–	–	–
Childbirth	0·05	–	0·10	22	–	22	–	–	–	–	–	–	–	–	1	3	12	6	–	–	–	–
Violence	0·69	1·03	0·38	295	212	83	19	5	14	3	9	50	21	12	8	10	37	28	31	31	42	25
Other Causes	3·82	3·92	3·68	1,609	800	809	473	22	4	5	7	511	7	21	24	8	32	42	38	71	215	640

Marriages - - - 2,887

Births - { Males - 5,955 / Females - 5,696 } 11,651

Annual Rate per 1000 living { Persons Married 13·59 / Births - - 27·42 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

340.—WEOBLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·28			† 97	–	–	–	–	31·97	5·03	2·13	3·70	6·65	6·88	8·43	12·06	23·70	58·35	151·55
Males	—			15·77			†127	–	–	–	–	40·53	4·13	1·41	3·40	8·14	6·21	9·24	13·10	28·27	67·20	170·13
Females	—			12·88			†69	–	–	–	–	24·41	5·94	2·79	4·04	5·45	7·48	7·64	11·06	18·83	50·89	139·32
Mean Population, 1881-91. Persons	Decennial Decrease of Population 9·45 per cent.			7,792			194	163	218	181	201	957	955	891	675	496	916	854	804	637	413	194
Males				3,781			92	70	110	89	88	449	484	425	353	221	435	422	397	329	189	77
Females				4,011			102	93	108	92	113	508	471	466	322	275	481	432	407	308	224	117
Deaths from All Causes, 1881-90. Persons	17·31			1,349			213	47	18	13	15	306	48	19	25	33	63	72	97	151	241	294
Males	18·70			707			135	26	10	8	3	182	20	6	12	18	27	39	52	93	127	131
Females	16·01			642			78	21	8	5	12	124	28	13	13	15	36	33	45	58	114	163
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·21	0·27	19	8	11	3	4	1	2	2	12	3	1	–	1	–	2	–	–	–	–
Scarlet Fever	0·37	0·37	0·37	29	14	15	–	2	3	4	3	12	12	3	1	1	–	–	–	–	–	–
Diphtheria	0·05	0·08	0·02	4	3	1	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Whooping-cough	0·21	0·24	0·17	16	9	7	8	7	1	–	–	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·25	17	7	10	10	–	1	–	1	12	–	1	–	–	–	–	–	–	4	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·63	0·75	54	24	30	–	–	–	–	–	–	1	–	–	1	4	2	11	13	18	4
Tabes Mesenterica	0·10	0·19	0·02	8	7	1	4	1	1	–	–	6	1	–	1	–	–	–	–	–	–	–
Phthisis	0·92	0·93	0·92	72	35	37	–	1	–	–	–	1	1	4	9	12	16	16	8	2	3	–
Other Tub. & Scrof. Dis.	0·18	0·19	0 17	14	7	7	2	2	–	2	–	6	3	–	3	–	1	–	1	–	–	–
Diseases of: Nervous System	2·54	3·09	2·02	198	117	81	28	5	2	1	–	36	2	2	1	3	3	9	15	41	46	40
Circulatory „	2·78	2·75	2·82	217	104	113	–	1	1	–	–	2	3	2	2	2	11	12	22	40	69	52
Respiratory „	2·49	2·83	2·17	194	107	87	43	16	4	3	4	70	10	1	2	1	7	8	11	21	34	29
Digestive „	0·95	1·11	0·80	74	42	32	14	4	–	–	–	18	–	–	–	2	2	8	11	8	19	6
Urinary „	0·47	0·77	0·20	37	29	8	1	–	–	–	1	2	1	–	–	2	2	5	8	6	3	8
Generative „	0·05	0·03	0·07	4	1	3	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
Puerperal Fever	0·09	–	0·17	7	–	7	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Violence	0·50	0·82	0·20	39	31	8	2	1	1	–	3	7	3	1	2	3	4	2	5	7	4	1
Other Causes	4·37	4·27	4·45	339	162	177	98	3	3	–	1	105	5	3	2	4	4	5	3	13	41	154

Marriages - - - 440

Births - { Males - 1,063 / Females - 1,123 } 2,186

Annual Rate per 1000 living { Persons Married 11·29 / Births - - 28·05

Deaths from Childbirth and Puerperal Fever - - - - - } 5·03 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

341.—BROMYARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·04	†104	–	–	–	–	33·85	3·63	2·27	3·74	5·91	6·90	9·27	11·34	21·17	51·09	153·28
Annual Death-Rate per 1000. Males	—	13·88	†108	–	–	–	–	36·50	2·63	1·60	3·45	3·40	4·48	10·00	12·83	25·00	53·36	171·67
Annual Death-Rate per 1000. Females	—	14·20	†100	–	–	–	–	31·44	4·59	2·95	4·13	8·50	9·34	8·51	9·78	17·18	54·80	137·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·45 per cent.	10,809	252	240	272	258	257	1279	1323	1235	962	812	1333	1154	1049	855	548	259
Mean Population, 1881–91. Males		5,465	119	108	130	128	126	611	647	624	550	412	669	590	538	436	268	120
Mean Population, 1881–91. Females		5,344	133	132	142	130	131	668	676	611	412	400	664	564	511	419	280	139
Deaths from All Causes, 1881–90. Persons	16·37	1,769	315	63	26	17	12	433	48	28	36	48	92	107	119	181	280	397
Deaths from All Causes, 1881–90. Males	16·45	899	162	32	15	9	5	223	17	10	19	14	30	59	69	109	143	206
Deaths from All Causes, 1881–90. Females	16·28	870	153	31	11	8	7	210	31	18	17	34	62	48	50	72	137	191

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·15	0·11	14	8	6	4	5	1	–	1	11	–	1	–	1	–	1	–	–
Scarlet Fever	0·08	0·04	0·13	9	2	7	–	–	1	–	1	2	6	–	–	–	–	1	–	–
Diphtheria	0·11	0·09	0·13	12	5	7	–	–	2	2	1	5	6	–	–	–	–	–	1	–
Whooping-cough	0·13	0·11	0·15	14	6	8	6	3	2	–	2	13	1	–	–	–	–	–	–	–
Typhus	0·03	0·04	0·02	3	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1
Enteric Fever	0·06	0·09	0·04	7	5	2	1	–	–	–	–	1	–	1	–	1	2	–	2	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·24	0·21	24	13	11	13	4	–	–	–	17	–	–	–	–	1	–	1	1
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·64	0·73	74	35	39	–	–	–	–	–	–	–	–	–	1	1	6	13	16
Tabes Mesenterica	0·15	0·09	0·21	16	5	11	4	3	2	–	1	10	3	1	2	–	–	–	–	–
Phthisis	1·16	0·84	1·48	125	46	79	–	–	1	–	1	2	3	6	13	21	34	24	13	8
Other Tub. & Scrof. Dis.	0·27	0·33	0·21	29	18	11	9	2	2	1	–	14	3	4	3	1	1	3	–	–
Diseases of Nervous System	2·06	2·16	1·96	223	118	105	36	6	4	2	1	49	2	3	5	3	7	8	18	28
Diseases of Circulatory „	2·02	2·05	1·98	218	112	106	2	2	–	–	–	4	3	1	4	2	6	13	14	44
Diseases of Respiratory „	3·09	3·59	2·58	334	196	138	76	28	6	6	–	116	8	2	–	5	9	13	16	37
Diseases of Digestive „	1·02	1·15	0·88	110	63	47	19	3	1	2	1	26	4	–	1	3	1	9	13	16
Diseases of Urinary „	0·52	0·73	0·30	56	40	16	–	–	–	–	–	–	–	–	–	1	–	7	9	8
Diseases of Generative „	0·06	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	1	1	1	1	1
Puerperal Fever	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–	–	–	3	6	2	–	–
Childbirth	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–	–	–	–	7	4	–	–
Violence	0·51	0·62	0·39	55	34	21	3	4	–	4	2	13	–	3	–	3	4	6	10	8
Other Causes	3·85	3·45	4·24	416	189	227	142	3	4	–	1	150	8	5	7	2	12	9	8	13

Marriages	520	Annual Rate per 1000 living: Persons Married	9·62	Deaths from Childbirth and Puerperal Fever	7·26 per 1000 Births.
Births: Males	1,501	Births	28·03		
Births: Females	1,529				
Births	3,030				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

342.—LEOMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·88	†95	–	–	–	–	32·98	3·10	2·31	3·23	4·46	5·68	8·27	13·29	28·69	53·75	149·11
Annual Death-Rate per 1000. Males	—	14·50	†111	–	–	–	–	36·62	2·49	2·40	2·85	4·96	4·53	8·10	15·38	31·55	60·74	158·90
Annual Death-Rate per 1000. Females	—	13·30	†80	–	–	–	–	29·27	3·70	2·21	3·62	3·96	6·74	8·43	11·27	25·81	47·17	141·58
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·86 per cent.	14,222	312	295	326	340	334	1607	1711	1688	1392	1054	1707	1511	1377	1119	720	336
Mean Population, 1881-91. Males		7,033	158	155	162	172	164	811	845	874	702	524	817	728	676	561	349	146
Mean Population, 1881-91. Females		7,189	154	140	164	168	170	796	866	814	690	530	890	783	701	558	371	190
Deaths from All Causes, 1881-90. Persons	16·37	2,328	347	87	47	31	18	530	53	39	45	47	97	125	183	321	387	501
Deaths from All Causes, 1881-90. Males	17·15	1,206	201	42	26	17	11	297	21	21	20	26	37	59	104	177	212	232
Deaths from All Causes, 1881-90. Females	15·61	1,122	146	45	21	14	7	233	32	18	25	21	60	66	79	144	175	269

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·24	0·17	29	17	12	5	8	6	4	3	26	2	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·19	0·20	0·18	27	14	13	2	4	4	3	2	15	7	4	1	–	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	10	5	5	–	–	1	2	–	3	3	2	1	–	–	1	–	–	–	–
Whooping-cough	0·20	0·13	0·26	28	9	19	18	4	3	2	–	27	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	–	2	–	1	1	1	–	–	1	–
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·23	0·24	0·22	33	17	16	12	4	–	–	–	16	1	–	–	–	2	1	–	1	1	11
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·40	0·96	97	28	69	–	–	–	–	–	–	–	–	–	–	3	6	14	41	17	16
Tabes Mesenterica	0·25	0·27	0·24	36	19	17	15	7	5	–	1	28	4	1	–	1	1	1	–	–	–	–
Phthisis	1·15	1·02	1·27	163	72	91	1	–	–	2	–	3	3	3	18	25	42	30	23	13	2	1
Other Tub. & Scrof. Dis.	0·20	0·20	0·19	28	14	14	3	6	2	3	2	16	5	2	3	–	1	–	1	–	–	–
Diseases of Nervous System	2·80	3·23	2·38	398	227	171	53	6	4	4	3	70	13	5	7	5	6	14	28	64	86	100
Diseases of Circulatory „	2·40	2·42	2·39	342	170	172	1	–	–	–	–	1	3	1	2	4	6	16	40	76	112	81
Diseases of Respiratory „	2·71	3·01	2·41	385	212	173	76	33	11	8	5	133	7	4	1	3	7	14	20	50	66	80
Diseases of Digestive „	1·05	1·17	0·95	150	82	68	34	2	1	–	–	37	–	3	1	1	5	13	21	24	28	17
Diseases of Urinary „	0·37	0·67	0·08	53	47	6	1	–	–	–	–	1	–	1	1	1	1	5	5	15	15	8
Diseases of Generative „	0·07	0·01	0·13	10	1	9	2	–	–	–	–	2	–	–	–	–	–	–	3	1	3	1
Puerperal Fever	0·07	–	0·14	10	–	10	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–
Childbirth	0·09	–	0·18	13	–	13	–	–	–	–	–	–	–	–	–	–	8	4	1	–	–	–
Violence	0·56	0·85	0·28	80	60	20	2	3	5	1	2	13	1	7	4	4	4	6	10	9	8	14
Other Causes	3·02	2·97	3·04	427	208	219	122	10	5	1	–	138	3	4	5	2	8	4	17	27	48	171

Marriages - - - 722

Births - Males - 1,816 / Females - 1,833 — 3,649

Annual Rate per 1000 living: Persons Married 10·15; Births - - 25·66

Deaths from Childbirth and Puerperal Fever - - - - - 6·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

343.—KINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·17		†103	–	–	–	–	34·08	3·53	3·09	3·81	7·18	5·94	9·00	12·18	23·75	53·15	145·21
Males	—				14·31		†112	–	–	–	–	36·83	4·27	2·18	3·20	7·96	5·03	9·22	13·69	21·77	56·66	150·40
Females	—				14·04		†95	–	–	–	–	31·24	2·79	4·02	4·45	6·43	6·85	8·78	10·75	25·87	49·84	140·44
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·64 per cent.			11,792			288	264	302	284	288	1426	1361	1359	1156	878	1481	1244	1125	897	604	261
Males				5,908			139	141	152	145	148	725	679	688	594	427	736	629	548	464	293	125
Females				5,884			149	123	150	139	140	701	682	671	562	451	745	615	577	433	311	136
Deaths from All Causes, 1881–90. Persons	16·39			1,933			332	73	37	25	19	486	48	42	44	63	88	112	137	213	321	379
Males	16·74			989			182	39	22	13	11	267	29	15	19	34	37	58	75	101	166	188
Females	16·04			944			150	34	15	12	8	219	19	27	25	29	51	54	62	112	155	191
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·14	0·07	12	8	4	2	3	1	–	1	7	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·25	0·15	24	15	9	2	1	4	1	2	10	7	7	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·08	0·19	16	5	11	–	3	1	2	3	9	3	1	2	1	–	–	–	–	–	–
Whooping-cough	0·30	0·25	0·34	35	15	20	17	7	5	2	2	33	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·12	0·07	11	7	4	–	–	–	–	1	1	3	1	–	1	2	2	–	1	–	–
Simple Continued Fever	0·02	–	0·03	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·17	0·10	0·24	20	6	14	7	1	1	–	2	11	–	–	–	–	–	–	–	2	2	5
Cholera	0·03	0·05	–	3	3	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·70	0·52	0·87	82	31	51	–	–	–	–	–	–	–	–	–	2	–	6	13	25	22	14
Tabes Mesenterica	0·14	0·15	0·12	16	9	7	6	1	–	–	1	8	2	3	1	1	–	–	1	–	–	–
Phthisis	1·46	1·39	1·53	172	82	90	2	1	2	–	–	5	3	9	19	21	39	39	22	10	3	2
Other Tub. & Scrof. Dis.	0·42	0·46	0·37	49	27	22	15	8	1	4	–	28	5	6	1	3	4	1	–	–	1	–
Diseases of Nervous System	2·24	2·34	2·14	264	138	126	70	11	7	1	1	90	2	2	5	5	2	7	14	39	56	42
Circulatory „	2·19	1·96	2·41	258	116	142	–	1	–	–	–	1	1	3	4	7	9	13	28	54	93	45
Respiratory „	2·48	2·79	2·18	293	165	128	54	25	14	10	3	106	7	1	3	4	9	14	23	24	58	44
Digestive „	0·76	0·73	0·80	90	43	47	12	3	–	–	–	15	1	–	5	2	4	6	12	13	21	11
Urinary „	0·25	0·41	0·10	30	24	6	–	–	–	–	–	–	–	–	1	2	–	1	5	8	9	4
Generative „	0·03	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
Puerperal Fever	0·08	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	2	4	3	–	–	–	–
Childbirth	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–
Violence	0·45	0·68	0·22	53	40	13	3	–	1	2	1	7	3	–	2	3	3	6	7	13	5	4
Other Causes	4·07	4·32	3·85	482	255	227	141	7	–	3	2	153	6	5	1	8	8	9	12	23	49	208

Marriages - - - 633
Births - Males - 1,625; Females - 1,584 } 3,209

Annual Rate per 1000 living: Persons Married 10·74; Births - - 27·21

Deaths from Childbirth and Puerperal Fever - - - - 5·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

344.—LUDLOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·81	†113	–	–	–	–	37·01	3·33	2·41	3·61	4·76	6·56	8·98	12·65	23·24	61·96	162·92
Annual Death-Rate per 1000. Males	—	15·17	†120	–	–	–	–	38·96	3·31	2·19	3·00	4·76	5·67	10·17	15·19	23·70	64·90	177·19
Annual Death-Rate per 1000. Females	—	14·48	†106	–	–	–	–	34·99	3·34	2·63	4·29	4·77	7·40	7·79	10·08	22·78	59·32	151·42
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·94 per cent.	18,122	468	414	430	447	446	2205	2164	2113	1747	1407	2318	1972	1699	1278	836	383
Mean Population, 1881–91. Males		9,073	239	226	210	218	226	1119	1086	1049	932	715	1129	983	856	637	396	171
Mean Population, 1881–91. Females		9,049	229	188	220	229	220	1086	1078	1064	815	692	1189	989	843	641	440	212
Deaths from All Causes, 1881–90. Persons	16·84	3,052	576	135	44	35	26	816	72	51	63	67	152	177	215	297	518	624
Deaths from All Causes, 1881–90. Males	17·22	1,562	315	62	27	21	11	436	36	23	28	34	64	100	130	151	257	303
Deaths from All Causes, 1881–90. Females	16·47	1,490	261	73	17	14	15	380	36	28	35	33	88	77	85	146	261	321

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
Measles	0·18	0·14	0·22	33	13	20	10	10	3	3	1	27	2	1	1	1	1	–	–	–	–
Scarlet Fever	0·08	0·08	0·08	14	7	7	–	1	2	1	2	6	4	1	–	1	–	2	–	–	–
Diphtheria	0·26	0·29	0·24	48	26	22	4	2	4	7	7	24	11	6	2	1	1	–	2	1	–
Whooping cough	0·25	0·26	0·23	45	24	21	20	17	3	4	–	44	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–
Enteric Fever	0·12	0·08	0·15	21	7	14	–	–	–	–	1	1	3	5	2	–	4	1	4	–	1
Simple Continued Fever	0·03	0·02	0·03	5	2	3	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·31	0·32	0·31	57	29	28	23	3	–	–	1	27	–	1	–	–	2	2	4	4	6
Cholera	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·62	0·54	0·71	113	49	64	–	–	–	–	–	–	1	–	–	–	1	12	17	29	45
Tabes Mesenterica	0·10	0·12	0·09	19	11	8	9	5	1	–	–	15	1	–	–	2	1	–	–	–	–
Phthisis	1·16	1·10	1·22	210	100	110	–	–	2	–	–	2	6	10	19	27	56	40	33	11	6
Other Tub. & Scrof. Dis.	0·16	0·15	0·16	29	14	15	6	1	5	–	1	13	4	1	5	2	1	1	1	–	1
Diseases of Nervous System	2·49	2·72	2·27	452	247	205	108	17	3	5	3	136	5	6	3	7	15	19	15	55	96
Diseases of Circulatory „	1·73	1·52	1·93	313	138	175	3	–	–	–	–	3	3	1	3	2	10	23	33	58	105
Diseases of Respiratory „	3·40	3·63	3·18	617	329	288	141	56	16	8	6	227	18	4	4	4	12	17	30	53	110
Diseases of Digestive „	1·41	1·28	1·54	255	116	139	23	12	2	1	–	38	3	4	4	2	10	19	28	40	58
Diseases of Urinary „	0·38	0·57	0·18	68	52	16	1	–	–	1	–	2	–	–	2	1	3	7	7	9	20
Diseases of Generative „	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	3	5	1	–	–	–
Childbirth	0·09	–	0·19	17	–	17	–	–	–	–	–	–	–	–	–	1	7	6	3	–	–
Violence	0·67	0·95	0·39	121	86	35	12	6	1	1	3	23	6	4	6	7	9	11	17	12	15
Other Causes	3·25	3·41	3·11	589	308	281	215	5	2	3	1	226	3	5	11	4	12	14	17	23	54

Marriages - - - 1,079

Births - { Males - 2,627 / Females - 2,466 } 5,093

Annual Rate per 1000 living { Persons Married 11·91 / Births - - 28·10 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

345.—CLUN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·43	†113	–	–	–	–	36·46	4·17	2·62	3·66	7·48	7·27	8·60	10·38	20·00	53·00	154·26
Males	—	14·20	†123	–	–	–	–	42·11	4·34	2·03	2·68	5·51	5·76	7·47	8·84	21·49	56·23	149·59
Females	—	14·66	†102	–	–	–	–	30·60	4·01	3·24	4·84	9·47	8·80	9·73	11·90	18·41	49·36	160·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·88 per cent.	9,767	246	212	248	240	247	1193	1198	1145	956	722	1210	1023	867	730	500	223
Males		4,994	127	100	132	118	131	608	599	590	522	363	608	509	430	377	265	123
Females		4,773	119	112	116	122	116	585	599	555	434	359	602	514	437	353	235	100
Deaths from All Causes, 1881–90. Persons	16·64	1,925	313	62	28	17	15	435	50	30	35	54	88	88	90	146	265	344
Males	17·08	853	177	45	17	8	9	256	26	12	14	20	35	38	38	81	149	184
Females	16·17	772	136	17	11	9	6	179	24	18	21	34	53	50	52	65	116	160

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·38	0·13	25	19	6	3	4	4	–	3	14	7	2	–	1	–	–	–	–	–
Scarlet Fever	0·08	0·10	0·06	8	5	3	1	1	–	2	–	4	2	–	–	–	1	1	–	–	–
Diphtheria	0·08	0·06	0·10	8	3	5	1	–	–	–	4	5	1	2	–	–	–	–	–	–	–
Whooping-cough	0·22	0·30	0·13	21	15	6	10	4	2	1	3	20	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·10	0·04	7	5	2	–	–	–	–	–	–	2	–	3	1	–	–	–	1	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·22	0·23	22	11	11	4	2	–	1	1	8	2	–	1	–	–	–	–	1	–
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7
Cancer	0·82	0·68	0·96	80	34	46	–	1	–	–	–	1	1	–	–	–	1	7	14	20	25	11
Tabes Mesenterica	0·06	0·08	0·04	6	4	2	3	1	–	–	–	4	1	–	1	–	–	–	–	–	–
Phthisis	1·35	1·00	1·72	132	50	82	1	1	–	–	–	2	5	8	12	27	36	19	13	7	2	1
Other Tub. & Scrof. Dis.	0·28	0·20	0·36	27	10	17	7	1	–	1	1	10	2	5	4	1	2	1	2	–	–	–
Diseases of Nervous System	2·31	2·44	2·16	225	122	103	44	5	4	1	1	55	4	4	3	5	7	7	12	24	44	60
Circulatory „	2·06	1·96	2·16	201	98	103	–	–	–	–	–	–	–	1	3	2	9	6	13	29	69	69
Respiratory „	2·74	3·26	2·22	269	163	106	61	27	12	4	–	104	6	3	2	3	5	13	10	20	34	69
Digestive „	1·03	1·08	0·98	101	54	47	14	8	2	1	1	26	4	1	3	2	5	6	7	15	24	8
Urinary „	0·62	0·88	0·36	61	44	17	5	1	–	–	–	6	1	–	–	2	1	5	6	11	17	12
Generative „	0·06	0·02	0·10	6	1	5	1	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–
Puerperal Fever	0·13	–	0·27	13	–	13	–	–	–	–	–	–	–	–	–	4	2	7	–	–	–	–
Childbirth	0·13	–	0·27	13	–	13	–	–	–	–	–	–	–	–	–	1	7	5	–	–	–	–
Violence	0·50	0·64	0·36	49	32	17	3	3	4	3	–	13	3	1	1	–	6	4	6	5	9	1
Other Causes	3·58	3·64	3·50	348	181	167	155	3	–	3	1	162	8	3	2	4	5	6	5	13	34	106

Marriages - - - 535

Births - Males - 1,442 } 2,780
Females - 1,338 }

Annual Rate per 1000 living { Persons Married 10·96
Births - - 28·46 }

Deaths from Childbirth and Puerperal Fever - - - - } 9·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

346.—CHURCH STRETTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·20	†93	–	–	–	–	27·42	2·59	1·12	3·23	6·28	7·01	6·56	10·73	19·61	44·79	152·67
Annual Death-Rate per 1000. Males	—	12·06	†91	–	–	–	–	28·97	3·54	0·91	2·94	5·39	7·17	6·34	12·41	15·16	46·67	156·96
Annual Death-Rate per 1000. Females	—	12·33	†95	–	–	–	–	25·81	1·63	1·36	3·53	7·22	6·85	6·78	9·09	24·55	42·76	147·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·56 per cent.	5,536	128	113	135	119	136	631	618	623	527	398	642	579	587	464	317	150
Mean Population, 1881–91. Males		2,819	65	60	64	59	73	321	311	328	272	204	321	284	290	244	165	79
Mean Population, 1881–91. Females		2,717	63	53	71	60	63	310	307	295	255	194	321	295	297	220	152	71
Deaths from All Causes, 1881–90. Persons	15·28	846	127	25	8	6	7	173	16	7	17	25	45	38	63	91	142	229
Deaths from All Causes, 1881–90. Males	15·64	441	66	19	4	2	2	93	11	3	8	11	23	18	36	37	77	124
Deaths from All Causes, 1881–90. Females	14·91	405	61	6	4	4	5	80	5	4	9	14	22	20	27	54	65	105

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·07	0·07	4	2	2	–	2	–	–	–	2	–	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·09	0·07	0·11	5	2	3	–	–	–	–	4	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·14	0·07	6	4	2	1	–	–	–	–	1	4	–	–	1	–	–	–	–	–	–
Whooping-cough	0·16	0·25	0·07	9	7	2	4	4	1	–	–	9	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·36	0·39	0·33	20	11	9	5	–	–	–	–	5	1	–	–	2	1	–	–	–	5	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·85	0·60	1·10	47	17	30	–	–	–	–	–	–	–	–	–	–	1	2	11	9	14	10
Tabes Mesenterica	0·05	–	0·11	3	–	3	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Phthisis	0·94	0·92	0·96	52	26	26	–	–	–	–	–	–	–	1	7	8	15	4	6	5	6	–
Other Tub. & Scrof. Dis.	0·13	0·18	0·07	7	5	2	–	1	–	–	–	1	1	–	1	1	2	1	–	–	–	–
Diseases of Nervous System	1·92	2·06	1·77	106	58	48	15	2	–	2	–	19	3	1	3	1	1	7	9	15	25	22
Diseases of Circulatory „	2·37	2·16	2·58	131	61	70	1	–	–	–	1	2	1	2	–	–	6	5	9	26	31	49
Diseases of Respiratory „	2·60	2·77	2·43	144	78	66	32	10	4	1	2	49	2	–	3	3	5	1	10	18	18	35
Diseases of Digestive „	0·81	0·96	0·66	45	27	18	8	1	–	1	–	10	1	1	–	1	1	4	3	5	12	7
Diseases of Urinary „	0·49	0·60	0·37	27	17	10	–	–	–	1	–	1	1	–	–	–	1	2	3	3	9	7
Diseases of Generative „	0·13	–	0·26	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	3
Puerperal Fever	0·11	–	0·22	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Childbirth	0·05	–	0·11	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Violence	0·61	1·03	0·18	34	29	5	–	2	2	–	–	4	1	1	2	1	4	2	6	5	5	3
Other Causes	3·39	3·44	3·37	188	97	91	60	2	1	1	–	64	–	–	1	2	3	6	4	5	16	87

Marriages - - 306

Births - Males 723, Females 639 — 1,362

Annual Rate per 1000 living: Persons Married 11·05; Births 24·60

Deaths from Childbirth and Puerperal Fever - - - - - 6·61 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

347.—CLEOBURY MORTIMER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 12·20			†94	–	–	–	–	31·65	3·25	1·84	1·64	3·39	6·00	6·45	7·15	22·40	51·34	140·00
Annual Death-Rate per 1000. Males	—			12·59			†104	–	–	–	–	36·36	3·41	1·68	0·99	3·16	4·49	6·42	9·49	23·17	53·17	145·26
Annual Death-Rate per 1000. Females	—			11·83			†83	–	–	–	–	26·65	3·10	2·00	2·47	3·65	7·69	6·48	4·66	21·61	49·51	135·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·31 per cent.			8,150			194	194	220	206	213	1027	1015	925	730	590	967	868	797	625	411	195
Mean Population, 1881–91. Males				4,198			98	95	118	108	109	528	499	475	406	316	512	436	411	315	205	95
Mean Population, 1881–91. Females				3,952			96	99	102	98	104	499	516	450	324	274	455	432	386	310	206	100
Deaths from All Causes, 1881–90. Persons	14·75			1,202			224	56	17	17	11	325	33	17	12	20	58	56	57	140	211	273
Deaths from All Causes, 1881–90. Males	15·27			641			127	37	12	8	8	192	17	8	4	10	23	28	39	73	109	138
Deaths from All Causes, 1881–90. Females	14·20			561			97	19	5	9	3	133	16	9	8	10	35	28	18	67	102	135
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·19	0·08	11	8	3	5	5	–	1	–	11	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·12	0·08	8	5	3	–	2	–	1	–	3	1	1	–	1	1	1	–	–	–	–
Diphtheria	0·26	0·21	0·30	21	9	12	–	–	1	1	2	4	10	5	–	1	–	1	–	–	–	–
Whooping-cough	0·23	0·14	0·33	19	6	13	12	3	–	2	–	17	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·05	3	1	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·44	0·52	0·35	36	22	14	14	3	1	1	–	19	1	–	–	–	–	–	–	1	7	8
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·47	0·19	0·76	38	8	30	–	–	–	–	–	–	–	–	–	–	2	3	6	14	7	6
Tabes Mesenterica	0·12	0·07	0·18	10	3	7	5	5	–	–	–	10	–	–	–	–	–	–	–	–	–	–
Phthisis	0·74	0·83	0·63	60	35	25	1	–	–	–	–	1	1	1	4	8	21	7	10	4	3	–
Other Tub. & Scrof. Dis.	0·15	0·17	0·13	12	7	5	3	–	1	2	1	7	1	1	–	–	1	1	–	–	1	–
Diseases of Nervous System	2·32	2·76	1·85	189	116	73	48	7	2	3	1	61	2	–	1	2	6	3	6	18	43	47
Diseases of Circulatory „	1·51	1·50	1·52	123	63	60	–	–	–	–	–	–	–	–	1	1	2	3	7	27	50	32
Diseases of Respiratory „	3·42	3·72	3·11	279	156	123	48	23	8	2	4	85	7	–	1	2	5	11	11	32	49	76
Diseases of Digestive „	0·72	0·62	0·84	59	26	33	4	1	–	1	–	6	3	2	1	–	2	2	5	13	16	9
Diseases of Urinary „	0·37	0·55	0·18	30	23	7	–	–	–	–	1	1	–	–	1	–	1	3	3	7	6	8
Diseases of Generative „	0·02	–	0·05	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Puerperal Fever	0·11	–	0·23	9	–	9	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
Childbirth	0·09	–	0·18	7	–	7	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–
Violence	0·49	0·69	0·28	40	29	11	1	2	1	2	–	6	2	–	1	1	2	9	4	8	2	5
Other Causes	3·01	2·95	3·07	245	123	122	83	5	3	1	2	94	3	6	2	2	5	6	3	15	27	82

Marriages - - 378

Births - Males - 1,225; Females - 1,170 } 2,395

Annual Rate per 1000 living { Persons Married 9·28; Births - - 29·39

Deaths from Childbirth and Puerperal Fever - - - - - } 6·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

348.—BRIDGNORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·97	†120	–	–	–	–	39·00	3·08	2·41	3·52	4·20	6·84	9·64	14·47	23·02	56·79	154·08
Males	—	16·02	†129	–	–	–	–	43·09	3·18	3·04	3·55	3·13	7·58	9·95	17·50	26·37	59·42	167·10
Females	—	13·98	†111	–	–	–	–	35·07	2·98	1·80	3·48	5·18	6·16	9·36	11·72	19·66	54·27	144·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·48 per cent.	15,103	360	317	370	363	362	1772	1819	1744	1450	1213	1871	1587	1348	1164	780	355
Males		7,366	171	157	187	169	184	868	912	856	732	576	897	764	640	584	382	155
Females		7,737	189	160	183	194	178	904	907	888	718	637	974	823	708	580	398	200
Deaths from All Causes, 1881–90. Persons	17·38	2,625	487	130	37	21	16	691	56	42	51	51	128	153	195	268	443	547
Males	18·59	1,369	264	70	23	11	6	374	29	26	26	18	68	76	112	154	227	259
Females	16·23	1,256	223	60	14	10	10	317	27	16	25	33	60	77	83	114	216	288

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·18	0·19	0·17	27	14	13	6	10	5	2	1	24	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·04	0·05	0·03	6	4	2	–	–	2	1	–	3	1	1	–	–	1	–	–	–	–	–
Diphtheria	0·24	0·20	0·27	36	15	21	1	4	4	1	–	10	19	3	–	1	–	1	–	1	1	–
Whooping-cough	0·34	0·30	0·39	52	22	30	34	11	2	3	1	51	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·12	0·17	22	9	13	–	–	–	1	1	2	2	3	3	2	4	3	–	2	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·37	0·42	0·32	56	31	25	26	12	4	–	–	42	–	–	–	–	1	–	–	3	3	7
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·53	0·96	113	39	74	–	–	–	–	–	–	–	–	–	–	2	8	26	25	37	15
Tabes Mesenterica	0·09	0·10	0·08	13	7	6	2	4	–	–	–	6	2	1	1	–	1	1	–	1	–	–
Phthisis	1·21	1·26	1·16	183	93	90	4	4	–	–	–	8	3	12	18	22	53	30	17	13	7	–
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	36	20	16	6	5	1	3	2	17	2	4	2	2	5	–	3	–	1	–
Diseases of Nervous System	1·79	2·02	1·58	271	149	122	45	12	2	2	3	64	5	4	7	3	5	11	29	28	56	59
Circulatory "	1·85	2·01	1·69	279	148	131	5	1	1	–	–	7	2	–	3	5	13	11	27	56	94	61
Respiratory "	2·75	3·48	2·07	416	256	160	107	37	6	2	3	155	4	4	1	1	6	9	21	48	71	96
Digestive "	1·48	1·51	1·46	224	111	113	51	8	3	–	1	63	7	1	5	6	6	18	15	26	46	31
Urinary "	0·79	0·95	0·63	119	70	49	1	2	–	–	1	4	2	2	–	2	9	13	15	20	35	17
Generative "	0·04	0·01	0·06	6	1	5	1	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–
Puerperal Fever	0·13	–	0·25	19	–	19	–	–	–	–	–	–	–	–	1	3	6	9	–	–	–	–
Childbirth	0·05	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–
Violence	0·70	0·99	0·41	105	73	32	4	3	4	5	1	17	1	2	3	3	9	15	17	18	9	11
Other Causes	4·16	4·17	4·21	632	306	326	194	17	3	1	2	217	2	5	6	1	4	16	24	26	82	249

Marriages - - - 857

Births - { Males - 2,040 / Females - 2,003 } 4,043

Annual Rate per 1000 living { Persons Married 11·35 / Births - - 26·77

Deaths from Childbirth and Puerperal Fever - - - - - } 6·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

349.—SHIFNAL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·87	†109	–	–	–	–	38·46	4·12	1·68	3·43	5·56	6·97	6·29	12·27	24·80	58·52	169·57
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·23	†120	–	–	–	–	40·91	4·92	1·99	3·23	4·61	6·24	6·84	13·82	25·62	61·45	179·81
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·52	†97	–	–	–	–	35·92	3·33	1·36	3·66	6·50	7·67	5·79	10·78	23·98	55·76	161·11
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·67 per cent.	12,522	293	306	298	307	312	1516	1554	1492	1283	954	1564	1320	1182	887	540	230
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·67 per cent.	6,244	145	154	151	160	160	770	773	754	682	477	769	629	579	445	262	104
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·67 per cent.	6,278	148	152	147	147	152	746	781	738	601	477	795	691	603	442	278	126
Deaths from All Causes, 1881–90. Persons	16·23	2,032	393	108	27	27	28	583	64	25	44	53	109	83	145	220	316	390
Deaths from All Causes, 1881–90. Males	16·74	1,045	222	49	17	12	15	315	38	15	22	22	48	43	80	114	161	187
Deaths from All Causes, 1881–90. Females	15·72	987	171	59	10	15	13	268	26	10	22	31	61	40	65	106	155	203

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·19	0·21	25	12	13	7	9	2	1	1	20	5	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·26	0·22	30	16	14	4	5	2	7	5	23	6	–	–	–	1	–	–	–	–
Diphtheria	0·11	0·08	0·14	14	5	9	–	1	1	1	2	5	5	–	2	1	–	1	–	–	–
Whooping-cough	0·18	0·16	0·19	22	10	12	9	10	–	–	3	22	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·13	0·11	15	8	7	–	–	–	–	1	1	3	1	3	5	–	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·37	0·48	0·25	46	30	16	21	3	–	–	–	24	–	–	–	–	–	–	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·58	0·40	0·76	73	25	48	–	–	–	–	–	–	–	1	1	–	5	2	10	19
Tabes Mesenterica	0·23	0·24	0·22	29	15	14	17	8	2	1	–	28	–	–	–	–	1	–	–	–
Phthisis	1·00	1·04	0·96	125	65	60	–	–	1	1	1	3	5	6	9	20	38	18	14	8
Other Tub. & Scrof. Dis.	0·36	0·46	0·25	45	29	16	14	10	6	1	2	33	2	3	1	3	3	–	–	–
Diseases of Nervous System	2·16	1·92	2·39	270	120	150	63		1	2	5	86	7	4	2	1	8	7	15	35
Diseases of Circulatory "	1·95	1·76	2·13	244	110	134	–	1	1	–	–	2	5	4	8	3	9	17	29	50
Diseases of Respiratory "	3·11	3·25	2·96	389	203	186	101	40	6	9	5	161	11	1	3	3	10	6	24	41
Diseases of Digestive "	1·09	1·20	0·97	136	75	61	26	2	2	1	2	33	3	1	2	1	5	10	21	22
Diseases of Urinary "	0·53	0·75	0·30	66	47	19	2	–	–	–	1	3	1	–	1	2	1	2	8	16
Diseases of Generative "	0·02	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Puerperal Fever	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	–	9	2	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–
Violence	0·66	0·99	0·33	83	62	21	2	2	2	2	–	8	6	2	10	7	7	6	10	12
Other Causes	3·14	3·43	2·92	395	213	182	127	2	1	1	–	131	5	2	2	5	6	7	9	14

Diseases of Nervous System																				
Diseases of Circulatory "																				
Diseases of Respiratory "																				
Diseases of Digestive "																				
Diseases of Urinary "																				
Diseases of Generative "																				
Puerperal Fever	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	–	9	2	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–
Violence	0·66	0·99	0·33	83	62	21	2	2	2	2	–	8	6	2	10	7	7	6	10	12
Other Causes	3·14	3·43	2·92	395	213	182	127	2	1	1	–	131	5	2	2	5	6	7	9	14

Marriages - - - 614

Births - { Males - 1,850 / Females - 1,763 } 3,613

Annual Rate per 1000 living { Persons Married 9·81 / Births - - 28·85 }

Deaths from Childbirth and Puerperal Fever - - - - } 6·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

350.—MADELEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·33			†130	–	–	–	–	45·93	4·97	2·76	3·92	5·64	6·62	8·27	12·25	26·93	60·14	155·60
Annual Death-Rate per 1000. Males	—			In Standard Population* 16·77			†149	–	–	–	–	50·15	4·81	2·70	3·06	4·52	6·43	7·78	13·11	28·59	67·35	166·19
Annual Death-Rate per 1000. Females	—			In Standard Population* 15·92			†109	–	–	–	–	41·65	5·11	2·82	5·08	6·99	6·82	8·75	11·45	25·34	54·06	150·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 15·25 per cent.			25,214			663	601	643	646	669	3222	3222	2968	2449	1862	2990	2599	2375	1875	1179	473
Mean Population, 1881–91. Males				12,723			345	305	318	320	335	1623	1560	1516	1406	1018	1494	1285	1152	920	539	210
Mean Population, 1881–91. Females				12,491			318	296	325	326	334	1599	1662	1452	1043	844	1496	1314	1223	955	640	263
Deaths from All Causes, 1881–90. Persons	18·15			4,577			980	239	101	88	72	1480	160	82	96	105	198	215	291	505	709	736
Deaths from All Causes, 1881–90. Males	18·33			2,332			575	118	44	44	33	814	75	41	43	46	96	100	151	263	363	340
Deaths from All Causes, 1881–90. Females	17·97			2,245			405	121	57	44	39	666	85	41	53	59	102	115	140	242	346	396
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·14	0·14	35	18	17	9	9	6	3	3	30	4	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·33	0·33	0·33	83	42	41	6	14	13	12	11	56	20	3	1	1	–	1	1	–	–	–
Diphtheria	0·19	0·17	0·21	47	21	26	1	1	7	8	6	23	19	2	2	–	–	1	–	–	–	–
Whooping-cough	0·35	0·30	0·39	87	38	49	48	20	7	5	5	85	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·07	0·16	29	9	20	–	–	–	–	1	1	6	2	3	1	4	3	1	4	3	1
Simple Continued Fever	0·01	–	0·02	3	–	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·44	0·50	0·38	112	64	48	62	10	2	2	–	76	–	–	–	–	2	1	2	3	8	20
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·56	0·43	0·68	140	55	85	–	–	–	1	–	1	–	1	–	–	4	9	30	36	42	17
Tabes Mesenterica	0·13	0·13	0·12	32	17	15	17	6	–	2	3	28	–	1	3	–	–	–	–	–	–	–
Phthisis	1·46	1·45	1·48	369	185	184	3	9	3	5	1	21	11	12	32	49	89	57	50	38	10	–
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	68	39	29	12	10	4	5	4	35	16	8	2	2	1	3	–	1	–	–
Diseases of Nervous System	2·31	2·26	2·35	582	288	294	140	32	16	6	14	208	18	13	9	11	11	19	25	66	100	102
Diseases of Circulatory „	2·11	1·94	2·27	531	247	284	–	2	–	1	–	3	10	6	9	7	19	39	54	120	162	102
Diseases of Respiratory „	3·51	3·64	3·37	884	463	421	194	85	34	28	11	352	28	6	6	10	15	24	46	116	172	109
Diseases of Digestive „	0·83	0·83	0·82	208	105	103	18	8	3	–	1	30	5	7	5	3	11	11	22	45	53	16
Diseases of Urinary „	0·28	0·40	0·15	70	51	19	1	1	–	–	–	2	–	1	3	4	2	2	7	14	17	18
Diseases of Generative „	0·04	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	–	1	2	5	2	1	–
Puerperal Fever	0·07	–	0·14	18	–	18	–	–	–	–	–	–	–	–	2	3	8	5	–	–	–	–
Childbirth	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	2	5	7	1	–	–	–
Violence	0·67	1·01	0·32	168	128	40	8	4	3	8	4	27	10	14	11	6	17	12	23	17	19	12
Other Causes	4·26	4·40	4·19	1082	560	522	461	28	3	1	8	501	10	6	7	6	9	18	23	42	122	338

Marriages - - - 1,432

Births - { Males - 3,855, Females 3,708 } 7,563

Annual Rate per 1000 living { Persons Married 11·36, Births - - 30·00 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

351.—ATCHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·83	†121	–	–	–	–	42·49	4·79	2·99	4·37	6·59	8·96	12·60	17·68	30·86	68·81	157·81
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·16	†134	–	–	–	–	46·61	4·98	2·65	4·10	7·41	9·37	13·43	20·36	36·00	79·00	169·17
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·56	†108	–	–	–	–	38·48	4·61	3·34	4·64	5·83	8·58	11·81	15·17	26·07	60·36	149·91
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·68 per cent.	48,489	1129	1088	1152	1096	1120	5585	5424	5244	5017	4037	6676	5563	4542	3296	2164	941
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·68 per cent.	23,616	544	551	565	559	536	2755	2692	2643	2538	1944	3190	2702	2196	1589	981	386
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·68 per cent.	24,873	585	537	587	537	584	2830	2732	2601	2479	2093	3486	2861	2346	1707	1183	555
Deaths from All Causes, 1881–90. Persons	19·32	9,368	1629	373	176	112	83	2373	260	157	219	266	598	701	803	1017	1489	1485
Deaths from All Causes, 1881–90. Males	20·52	4,845	917	197	81	46	43	1284	134	70	104	144	299	363	447	572	775	653
Deaths from All Causes, 1881–90. Females	18·18	4,523	712	176	95	66	40	1089	126	87	115	122	299	338	356	445	714	832

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·01	7	5	2	2	–	–	–	–	2	–	–	1	–	1	3	–	–	–	–
Measles	0·21	0·21	0·21	101	50	51	21	25	22	11	5	84	11	1	–	–	2	3	–	–	–	–
Scarlet Fever	0·10	0·11	0·08	47	26	21	3	7	9	6	3	28	13	2	1	1	–	1	–	–	–	1
Diphtheria	0·22	0·22	0·22	105	51	54	3	10	13	14	14	54	33	7	4	2	2	1	1	1	–	–
Whooping-cough	0·29	0·23	0·35	141	54	87	57	46	15	14	6	138	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–
Enteric Fever	0·27	0·26	0·29	133	62	71	1	1	7	2	5	16	15	12	10	13	17	23	14	6	7	–
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	1	–	–	1	1	–	1	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·47	0·50	0·45	229	117	112	142	16	1	1	1	161	1	–	–	–	1	2	3	6	18	37
Cholera	0·00	–	0·00	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·85	0·71	0·98	411	167	244	–	1	–	2	–	3	1	2	3	1	10	40	89	97	114	51
Tabes Mesenterica	0·21	0·25	0·16	100	60	40	62	14	4	–	2	82	1	5	1	2	1	2	1	3	2	–
Phthisis	1·82	1·91	1·74	884	450	434	4	13	6	–	3	26	14	21	65	95	234	171	122	78	44	14
Other Tub. & Scrof. Dis.	0·34	0·33	0·35	165	79	86	32	23	7	9	6	77	34	13	10	6	6	7	7	3	1	1
Diseases of Nervous System	2·71	2·85	2·57	1314	674	640	231	30	18	15	5	299	29	23	13	25	60	99	131	164	266	205
Diseases of Circulatory „	2·26	2·21	2·31	1098	523	575	1	–	–	–	–	1	4	11	20	16	40	71	120	201	340	274
Diseases of Respiratory „	3·35	3·80	2·91	1623	898	725	325	119	44	24	19	531	45	10	18	21	48	70	109	190	282	299
Diseases of Digestive „	1·16	1·25	1·07	563	296	267	113	24	6	1	4	148	10	11	19	14	25	40	63	88	93	52
Diseases of Urinary „	0·57	0·86	0·30	277	202	75	2	4	3	1	1	11	2	4	7	8	25	24	28	58	67	43
Diseases of Generative „	0·06	0·01	0·11	31	3	28	–	–	–	–	–	–	–	–	1	3	4	5	6	3	5	4
Puerperal Fever	0·11	–	0·21	51	–	51	–	–	–	–	–	–	–	–	2	15	23	10	1	–	–	–
Childbirth	0·09	–	0·17	43	–	43	–	–	–	–	–	–	–	–	–	5	17	21	–	–	–	–
Violence	0·74	1·17	0·33	358	277	81	26	12	6	8	6	58	25	17	25	19	40	50	48	24	33	19
Other Causes	3·46	3·60	3·35	1678	846	832	604	27	14	4	3	652	18	18	17	20	42	57	60	93	216	485

Marriages - - - 3,302

Births - Males - 6,842; Females - 6,617 — 13,459

Annual Rate per 1000 living: Persons Married 13·62; Births - - 27·76

Deaths from Childbirth and Puerperal Fever - - - 6·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

352.—OSWESTRY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·16	†111	–	–	–	–	37·87	4·93	3·09	3·68	5·49	8·26	10·14	14·35	27·23	65·70	163·04
Annual Death-Rate per 1000. Males	—					16·94	†126	–	–	–	–	41·26	4·36	2·56	3·28	5·98	8·51	10·64	16·17	32·34	66·55	183·41
Annual Death-Rate per 1000. Females	—					15·42	†96	–	–	–	–	34·49	5·51	3·62	4·12	5·02	8·02	9·64	12·59	22·32	64·88	147·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·27 per cent.			27,248			706	679	692	665	707	3449	3308	3108	2747	2130	3558	2920	2467	1921	1134	506
Mean Population, 1881–91. Males				13,567			355	331	350	316	369	1721	1674	1560	1435	1054	1751	1447	1212	940	556	217
Mean Population, 1881–91. Females				13,681			351	348	342	349	338	1728	1634	1548	1312	1076	1807	1473	1255	981	578	289
Deaths from All Causes, 1881–90. Persons	17·69			4,820			895	220	94	54	43	1306	163	96	101	117	294	296	354	523	745	825
Deaths from All Causes, 1881–90. Males	18·46			2,504			514	106	45	22	23	710	73	40	47	63	149	154	196	304	370	398
Deaths from All Causes, 1881–90. Females	16·93			2,316			381	114	49	32	20	596	90	56	54	54	145	142	158	219	375	427
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·18	0·19	50	24	26	6	19	8	3	4	40	10	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·27	0·25	70	36	34	5	10	9	9	5	38	28	3	–	1	–	–	–	–	–	–
Diphtheria	0·08	0·05	0·11	22	7	15	1	1	2	2	–	6	7	3	2	–	2	–	1	1	–	–
Whooping-cough	0·15	0·11	0·18	40	15	25	22	12	3	1	1	39	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	1	1	–	1	–	–	–	–	1	1	–	–
Enteric Fever	0·18	0·12	0·23	48	16	32	1	–	–	1	–	2	6	1	7	7	7	5	6	6	1	–
Simple Continued Fever	0·04	0·04	0·04	11	6	5	–	–	1	–	2	3	2	1	1	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·21	0·23	0·19	57	31	26	33	4	2	–	–	39	2	–	–	–	1	–	1	3	6	5
Cholera	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·48	0·78	172	65	107	–	–	–	–	–	–	–	1	–	–	7	15	38	53	33	25
Tabes Mesenterica	0·23	0·26	0·20	63	35	28	31	13	4	–	–	48	3	2	1	2	2	–	–	3	2	–
Phthisis	1·52	1·61	1·43	413	218	195	8	5	2	3	1	19	8	14	31	47	125	74	46	32	16	1
Other Tub. & Scrof. Dis.	0·32	0·30	0·33	86	41	45	21	10	5	1	1	38	16	13	7	2	5	3	–	1	1	–
Diseases of Nervous System	2·60	2·80	2·40	709	380	329	206	33	7	9	6	261	17	14	8	4	13	24	38	61	162	107
Diseases of Circulatory „	1·81	1·61	2·00	492	218	274	1	–	1	–	–	2	8	9	4	8	19	27	50	109	153	103
Diseases of Respiratory „	3·13	3·44	2·83	854	467	387	201	82	36	16	15	350	22	9	7	7	31	35	59	91	124	119
Diseases of Digestive „	1·31	1·50	1·12	356	203	153	73	9	1	1	3	87	7	6	9	10	11	28	38	72	50	38
Diseases of Urinary „	0·43	0·57	0·29	118	78	40	1	–	1	–	–	2	3	1	2	2	3	13	14	17	38	23
Diseases of Generative „	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	2	1	1	2	5	2	–	1
Puerperal Fever	0·09	–	0·18	25	–	25	–	–	–	–	–	–	–	–	–	2	13	9	1	–	–	–
Childbirth	0·09	–	0·18	25	–	25	–	–	–	–	–	–	–	–	–	5	8	12	–	–	–	–
Violence	0·69	1·08	0·29	187	147	40	6	6	7	4	3	26	12	9	6	10	22	25	25	18	15	19
Other Causes	3·68	3·79	3·60	1003	514	489	278	16	5	4	1	304	11	9	14	9	23	24	30	52	143	384

Marriages - - - 1,711

Births - Males - 4,087; Females - 3,954 } 8,041

Annual Rate per 1000 living { Persons Married 12·56; Births - - 29·51

Deaths from Childbirth and Puerperal Fever - - - - - } 6·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

353.—ELLESMERE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·48	†100	–	–	–	–	30·73	3·97	2·13	3·47	5·24	5·96	9·19	11·40	24·21	53·42	149·23
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·02	†124	–	–	–	–	36·18	3·75	2·05	3·34	4·15	5·96	9·71	11·13	26·36	56·30	148·37
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·98	†74	–	–	–	–	24·90	4·18	2·20	3·60	6·21	5·96	8·70	11·66	22·12	50·52	150·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·09 per cent.	13,715	315	296	320	310	321	1562	1513	1551	1412	1126	1710	1426	1272	1045	775	323
Mean Population, 1881–91. Males		6,805	160	154	173	156	164	807	747	780	718	530	855	690	620	516	389	153
Mean Population, 1881–91. Females		6,910	155	142	147	154	157	755	766	771	694	596	855	736	652	529	386	170
Deaths from All Causes, 1881–90. Persons	16·10	2,208	345	69	42	11	13	480	60	33	49	59	102	131	145	253	414	482
Deaths from All Causes, 1881–90. Males	16·91	1,151	222	35	23	7	5	292	28	16	24	22	51	67	69	136	219	227
Deaths from All Causes, 1881–90. Females	15·30	1,057	123	34	19	4	8	188	32	17	25	37	51	64	76	117	195	255

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	0·04	0·06	7	3	4	3	1	–	–	1	5	1	1	–	–	–	–	–
Scarlet Fever	0·15	0·19	0·12	21	13	8	2	2	5	2	–	11	8	1	–	–	1	–	–	–	–	–
Diphtheria	0·10	0·06	0·14	14	4	10	1	–	3	–	3	7	6	1	–	–	–	–	–	–	–	–
Whooping-cough	0·20	0·18	0·22	27	12	15	14	7	3	1	1	26	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	12	6	6	–	–	–	1	1	2	1	1	3	–	2	–	1	1	1	–
Simple Continued Fever	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·25	0·31	0·19	34	21	13	13	2	1	–	–	16	–	–	–	–	–	–	2	1	9	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·54	1·06	110	37	73	–	–	–	–	–	–	–	–	–	–	3	7	21	30	33	16
Tabes Mesenterica	0·09	0·07	0·10	12	5	7	4	2	1	–	–	7	2	–	1	2	–	–	–	–	–	–
Phthisis	1·29	1·37	1·22	177	93	84	2	2	–	–	1	5	1	6	17	31	39	31	25	19	3	–
Other Tub. & Scrof. Dis.	0·15	0·13	0·17	21	9	12	6	1	4	–	2	13	3	2	2	1	–	–	–	–	–	–
Diseases of Nervous System	2·25	2·47	2·04	309	168	141	69	13	2	2	–	86	5	4	1	1	9	17	26	30	66	64
Diseases of Circulatory „	2·10	2·01	2·20	289	137	152	3	–	–	–	–	3	3	4	4	4	8	17	25	63	95	63
Diseases of Respiratory „	2·47	2·82	2·13	339	192	147	54	19	13	3	2	91	11	1	4	2	10	21	15	36	82	66
Diseases of Digestive „	0·98	1·16	0·81	135	79	56	12	7	–	1	–	20	3	2	4	6	2	7	9	27	36	19
Diseases of Urinary „	0·31	0·32	0·29	42	22	20	1	–	1	–	–	2	2	1	1	1	5	5	–	11	7	7
Diseases of Generative „	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	1
Puerperal Fever	0·07	–	0·14	10	–	10	–	–	–	–	–	–	–	–	–	–	7	3	–	–	–	–
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–
Violence	0·63	1·04	0·22	86	71	15	5	8	3	–	1	17	6	5	4	4	6	7	7	12	10	8
Other Causes	3·99	4·10	3·84	544	278	266	156	5	6	1	1	169	7	4	6	6	8	9	14	21	68	232

Marriages - - 763

Births - Males 1,787, Females 1,667 } 3,454

Annual Rate per 1000 living { Persons Married 11·13; Births - - 25·18

Deaths from Childbirth and Puerperal Fever - - - - - } 5·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

354.—WEM.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.			ALL AGES.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·65	†86	–	–	–	–	31·08	2·58	2·71	3·11	5·70	7·91	8·39	10·55	23·84	54·02	154·44
Males	—					14·45	†91	–	–	–	–	34·00	2·71	2·62	2·68	4·69	7·89	7·89	12·97	27·29	59·72	183·78
Females	—					12·89	†81	–	–	–	–	28·19	2·46	2·81	3·59	6·75	7·93	8·86	8·27	20·51	48·68	130·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·22 per cent.			10,342			221	227	235	257	260	1200	1200	1144	997	790	1264	1085	986	843	585	248
Males				5,152			102	109	120	128	138	597	591	610	523	405	608	532	478	414	283	111
Females				5,190			119	118	115	129	122	603	609	534	474	385	656	553	508	429	302	137
Deaths from All Causes, 1881–90. Persons	16·50			1,706			240	66	34	21	12	373	31	31	31	45	100	91	104	201	316	383
Males	17·59			906			128	35	19	15	6	203	16	16	14	19	48	42	62	113	169	204
Females	15·41			800			112	31	15	6	6	170	15	15	17	26	52	49	42	88	147	179
	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·12	0·10	11	6	5	5	4	1	–	1	11	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·19	0·13	17	10	7	–	1	3	3	1	8	5	3	–	–	1	–	–	–	–	–
Diphtheria	0·07	0·08	0·06	7	4	3	–	–	–	–	1	1	3	1	2	–	–	–	–	–	–	–
Whooping-cough	0·26	0·16	0·37	27	8	19	13	7	7	–	–	27	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·04	0·08	6	2	4	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·19	0·29	25	10	15		–	1	2	–	8	1	–	–	–	–	1	–	4	4	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·58	0·91	77	50	47	–	–	–	–	–	–	–	1	–	2	1	8	10	21	25	9
Tabes Mesenterica	0·10	0·12	0·08	10	6	4	2	1	1	1	1	6	2	–	–	1	1	–	–	–	–	–
Phthisis	1·72	1·57	1·87	178	81	97	1	1	–	–	–	2	1	7	20	17	48	32	19	23	8	1
Other Tub. & Scrof. Dis.	0·20	0·17	0·23	21	9	12	7	3	1	2	1	14	1	2	–	1	1	–	–	1	1	–
Diseases of Nervous System	1·84	1·96	1·71	190	101	89	43	6	4	1	–	54	–	5	–	2	9	5	7	25	47	36
Diseases of Circulatory „	1·61	1·59	1·62	166	82	84	–	1	–	–	–	1	–	2	1	1	3	6	15	30	60	47
Diseases of Respiratory „	3·07	3·80	2·33	317	196	121	54	34	12	5	3	108	7	5	2	4	12	8	14	38	59	60
Diseases of Digestive „	1·23	1·38	1·08	127	71	56	7	3	1	3	1	15	4	2	–	4	6	5	19	28	30	14
Diseases of Urinary „	0·44	0·76	0·13	46	39	7	–	–	–	–	–	–	–	–	–	1	1	6	2	6	18	12
Diseases of Generative „	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	–	1	1	1	–	5	–
Puerperal Fever	0·05	–	0·10	5	–		–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	4	1	3	–	–	–	–
Violence	0·67	1·05	0·29	69	54	15	6	1	2	2	1	12	2	1	4	4	5	6	7	7	10	11
OTHER CAUSES	3·77	3·83	3·73	391	197	194	97	4	1	2	2	106	4	2	1	2	7	7	9	18	49	186

Marriages - - - 566

Births - { Males - 1,399 / Females - 1,383 } 2,782

Annual Rate per 100 living { Persons Married 10·95 / Births - - 26·90 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

355.—WHITCHURCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·91	†106	–	–	–	–	36·48	3·10	2·23	3·33	3·48	5·14	7·18	11·24	23·74	58·51	156·97
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·70	†122	–	–	–	–	40·26	3·06	2·22	3·10	3·70	5·56	7·56	8·63	22·22	56·57	148·31
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·10	†89	–	–	–	–	32·59	3·13	2·24	3 55	3·28	4·79	6·85	13·81	25·19	60·34	164·66
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·03 per cent.	11,473	268	258	281	273	288	1368	1357	1258	1172	978	1517	1211	1005	792	564	251
Mean Population, 1881–91. Males		5,600	133	133	146	132	149	693	686	632	581	460	702	569	498	387	274	118
Mean Population, 1881–91. Females		5,873	135	125	135	141	139	675	671	626	591	518	815	642	507	405	290	133
Deaths from All Causes, 1881–90. Persons	15·97	1,832	352	79	30	26	12	499	42	28	39	34	78	87	113	188	330	394
Deaths from All Causes, 1881–90. Males	15·89	890	206	35	19	16	3	279	21	14	18	17	39	43	43	86	155	175
Deaths from All Causes, 1881–90. Females	16·04	942	146	44	11	10	9	220	21	14	21	17	39	44	70	102	175	219

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·23	0·15	22	13	9	3	7	1	6	1	18	2	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·11	0·19	17	6	11	–	3	5	–	2	10	2	1	2	2	–	–	–	–	–	–
Diphtheria	0·13	0·12	0·14	15	7	8	–	1	2	1	–	4	7	2	–	1	1	–	–	–	–	–
Whooping-cough	0·48	0·50	0·46	55	28	27	28	16	5	3	2	54	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·09	0·07	9	5	4	–	1	–	1	1	3	–	–	2	–	1	1	1	1	–	–
Simple Continued Fever	0·02	0·04	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·35	0·39	0·31	40	22	18	23	3	–	–	–	26	1	–	–	–	1	1	1	1	3	6
Cholera	0·02	0·02	0·02	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·82	0·57	1·06	94	32	62	–	–	–	–	–	–	–	–	–	–	2	5	15	21	34	17
Tabes Mesenterica	0·07	0·05	0·09	8	3	5	3	2	–	1	–	6	–	1	–	–	–	1	–	–	–	–
Phthisis	1·19	1·29	1·11	137	72	65	1	1	–	–	–	2	4	6	14	12	36	26	21	10	5	1
Other Tub. & Scrof. Dis.	0·24	0·30	0·17	27	17	10	8	2	2	–	1	13	8	3	2	–	–	–	–	1	–	–
Diseases of Nervous System	2·34	2·41	2·26	268	135	133	68	5	1	4	2	80	6	3	4	3	8	4	13	29	63	55
Diseases of Circulatory „	2·10	1·82	2·37	241	102	139	1	–	1	–	–	2	–	3	3	3	6	9	20	46	89	60
Diseases of Respiratory „	2·01	2·11	1·91	230	118	112	49	18	6	4	–	77	1	–	–	2	3	7	11	20	51	58
Diseases of Digestive „	1·26	1·27	1·26	145	71	74	32	10	–	2	–	44	1	3	5	3	5	5	12	18	31	18
Diseases of Urinary „	0·42	0·48	0·36	48	27	21	1	–	–	–	–	1	3	–	2	–	2	8	4	8	8	12
Diseases of Generative „	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2
Puerperal Fever	0 02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Childbirth	0·04	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–
Violence	0·50	0·57	0·43	57	32	25	4	5	5	2	2	18	2	2	2	4	2	6	2	9	4	6
Other Causes	3·48	3·52	3·44	401	197	204	131	4	1	2	1	139	5	1	3	3	7	9	12	22	41	159

Marriages - - - 744

Births - { Males - 1,683 / Females - 1,637 } 3,320

Annual Rate per 1000 living { Persons Married 12·97 / Births - - 28·94 }

Deaths from Childbirth and Puerperal Fever - - - - - 2·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

356.—MARKET DRAYTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·76	†110	–	–	–	–	37·79	3·16	1·70	3·49	4·12	5·30	8·20	10·28	22·50	54·42	145·54
Annual Death-Rate per 1000. Males	—	14·45	†126	–	–	–	–	42·68	3·85	1·52	2·80	4·34	4·58	8·71	12·50	25·85	52·92	147·65
Annual Death-Rate per 1000. Females	—	13·10	†93	–	–	–	–	32·83	2·44	1·89	4·25	3·92	5·91	7·74	8·21	19·22	55·83	143·64
Mean Population, 1881-91. Persons	Decennial Decrease of Population 3·59 per cent.	14,523	329	346	347	340	358	1720	1743	1647	1432	1116	1850	1586	1342	1071	702	314
Mean Population, 1881-91. Males		7,151	160	171	184	169	183	867	884	853	750	530	852	746	648	530	342	149
Mean Population, 1881-91. Females		7,372	169	175	163	171	175	853	859	794	682	586	998	840	694	541	360	165
Deaths from All Causes, 1881-90. Persons	15·66	2,275	437	136	40	19	18	650	55	28	50	46	98	130	138	241	382	457
Deaths from All Causes, 1881-90. Males	16·56	1,184	253	73	26	9	9	370	34	13	21	23	39	65	81	137	181	220
Deaths from All Causes, 1881-90. Females	14·80	1,091	184	63	14	10	9	280	21	15	29	23	59	65	57	104	201	237

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·24	0·15	28	17	11	7	11	3	2	1	24	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	0·03	0·07	7	2	5	–	1	–	–	1	2	4	–	–	–	1	–	–	–	–	–
Diphtheria	0·14	0·17	0·12	21	12	9	1	4	2	1	1	9	6	3	1	1	–	1	–	–	–	–
Whooping-cough	0·27	0·25	0·28	39	18	21	24	8	3	2	–	37	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·07	0·08	0·05	10	6	4	–	–	–	1	–	1	–	1	2	1	–	3	2	–	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·24	0·22	33	17	16	19	4	–	–	1	24	–	–	–	–	2	–	–	2	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·55	0·75	94	39	55	–	–	–	–	–	–	–	–	–	–	7	12	19	22	28	6
Tabes Mesenterica	0·13	0·17	0·09	19	12	7	10	2	4	–	1	17	–	2	–	–	–	–	–	–	–	–
Phthisis	1·05	1·09	1·00	152	78	74	5	1	–	1	–	7	4	5	22	14	28	27	21	18	5	1
Other Tub. & Scrof. Dis.	0·37	0·43	0·30	53	31	22	16	5	6	1	1	29	7	6	4	–	5	1	1	–	–	–
Diseases of Nervous System	1·91	1·96	1·86	277	140	137	61	23	4	1	3	92	3	1	3	6	8	11	9	32	53	59
Diseases of Circulatory „	1·78	1·68	1·89	259	120	139	–	–	–	–	–	–	–	3	3	4	9	18	18	52	89	63
Diseases of Respiratory „	3·14	3·68	2·62	456	263	193	106	56	11	4	6	183	14	1	2	2	7	13	33	42	77	82
Diseases of Digestive „	1·07	1·16	0·99	156	83	73	34	12	1	1	1	49	6	3	2	4	3	9	10	29	25	16
Diseases of Urinary „	0·40	0·53	0·27	58	38	20	3	1	–	–	–	4	–	2	–	2	3	8	6	8	12	13
Diseases of Generative „	0·03	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Childbirth	0·09	–	0·18	13	–	13	–	–	–	–	–	–	–	–	1	2	3	7	–	–	–	–
Violence	0·51	0·85	0·18	74	61	13	5	5	5	4	2	21	5	–	5	2	3	5	8	8	11	6
Other Causes	3·50	3·44	3·58	510	246	264	145	3	1	1	–	150	–	1	5	7	12	10	10	27	79	209

Marriages - - - 855

Births - { Males - 2,011 / Females - 1,969 } 3,980

Annual Rate per 1000 living { Persons Married 11·77 / Births - - 27·40

Deaths from Childbirth and Puerperal Fever - - - - - 5·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

357.—WELLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·80	†140	–	–	–	–	51·22	5·65	2·45	3·57	5·18	6·77	8·00	11·82	27·95	57·82	150·34
Males	—	17·43	†157	–	–	–	–	56·28	5·03	1·54	2·51	4·36	6·37	8·09	12·85	32·57	63·13	160·96
Females	—	16·19	†123	–	–	–	–	45·95	6·29	3·38	4·96	6·12	7·16	7·92	10·82	23·30	53·19	142·52
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·08 per cent.	25,281	686	622	666	685	693	3352	3363	3066	2463	1853	3057	2712	2292	1653	1029	441
Males		12,799	342	311	336	368	354	1711	1710	1555	1395	987	1506	1311	1128	829	480	187
Females		12,482	344	311	330	317	339	1641	1653	1511	1068	866	1551	1401	1164	824	549	254
Deaths from All Causes, 1881–90. Persons	18·12	4,581	1155	285	140	78	59	1717	190	75	88	96	207	217	271	462	595	663
Males	18·53	2,372	657	152	73	47	34	963	86	24	35	43	96	106	145	270	303	301
Females	17·70	2,209	498	133	67	31	25	754	104	51	53	53	111	111	126	192	292	362

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Measles	0·27	0·22	0·33	69	28	41	20	20	11	4	2	57	11	–	–	–	–	–	1	–	–
Scarlet Fever	0·59	0·55	0·62	148	70	78	10	20	26	27	13	96	47	2	1	2	–	–	–	–	–
Diphtheria	0·22	0·27	0·18	56	34	22	–	5	9	5	8	27	22	4	1	–	–	–	–	2	–
Whooping-cough	0·40	0·41	0·40	102	52	50	56	24	13	3	3	99	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Enteric Fever	0·19	0·20	0·18	48	26	22	–	4	2	1	–	7	9	4	4	4	7	5	3	5	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·63	0·55	0·72	160	70	90	96	12	4	1	–	113	–	1	1	1	3	4	2	10	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·48	0·72	151	61	90	–	–	1	–	–	1	1	–	–	–	1	11	31	50	43
Tabes Mesenterica	0·18	0·22	0·14	45	28	17	31	7	3	–	–	41	1	1	–	–	1	–	1	–	–
Phthisis	1·25	1·10	1·40	316	141	175	7	6	1	2	2	18	13	9	31	36	89	54	32	24	8
Other Tub. & Scrof. Dis.	0·50	0·52	0·48	127	67	60	35	28	10	4	4	81	16	12	4	5	4	2	2	1	–
Diseases of Nervous System	2·27	2·45	2·10	575	313	262	201	19	11	4	7	242	17	10	7	9	11	20	33	54	102
Circulatory „	1·52	1·45	1·59	384	185	199	2	–	–	–	1	3	2	5	7	4	16	23	37	76	113
Respiratory „	3·51	3·82	3·19	887	489	398	232	97	31	12	10	382	20	10	7	5	19	34	42	108	129
Digestive „	1·12	1·15	1·09	283	147	136	68	8	3	1	2	82	8	4	7	4	7	19	28	43	58
Urinary „	0·41	0·52	0·29	103	67	36	2	2	1	3	1	9	2	–	1	4	8	7	17	18	25
Generative „	0·05	0·01	0·10	13	1	12	1	1	–	–	–	2	–	–	1	–	2	2	4	2	–
Puerperal Fever	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	–	3	8	8	1	–	–
Childbirth	0·04	–	0·09	11	–	11	–	–	–	–	–	–	–	–	1	1	3	5	1	–	–
Violence	0·58	0·89	0·26	146	114	32	8	6	11	6	4	35	13	8	5	6	10	9	14	28	12
Other Causes	3·69	3·69	3·64	932	476	456	386	26	3	5	2	422	5	5	8	12	18	13	21	40	98

Marriages - - - 1,662

Births - { Males - 4,187, Females - 4,034 } 8,221

Annual Rate per 1000 living { Persons Married 13·15, Births - - 32·52

Deaths from Childbirth and Puerperal Fever - - - - - 3·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

358.—NEWPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·12	†123	–	–	–	–	41·05	4·60	2·60	3·05	5·24	6·12	8·44	11·26	26·62	55·72	153·35
Annual Death-Rate per 1000. Males	—	15·99	†134	–	–	–	–	45·38	4·48	2·76	3·44	5·13	6·00	8·64	11·90	30·37	58·66	169·13
Annual Death-Rate per 1000. Females	—	14·29	†112	–	–	–	–	36·65	4·71	2·44	2·58	5·35	6·24	8·25	10·65	23·19	52·86	141·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·08 per cent.	14,842	388	333	392	379	374	1866	1804	1730	1443	1127	1829	1517	1376	1082	725	343
Mean Population, 1881–91. Males		7,391	202	170	188	203	178	941	892	868	784	585	884	741	672	517	358	149
Mean Population, 1881–91. Females		7,451	186	163	204	176	196	925	912	862	659	542	945	776	704	565	367	194
Deaths from All Causes, 1881–90. Persons	17·59	2,610	532	116	65	26	27	766	83	45	44	59	112	128	155	288	404	526
Deaths from All Causes, 1881–90. Males	18·45	1,364	295	66	37	14	15	427	40	24	27	30	53	64	80	157	210	252
Deaths from All Causes, 1881–90. Females	16·72	1,246	237	50	28	12	12	339	43	21	17	29	59	64	75	131	194	274

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·14	0·23	0·05	21	17	4	5	8	2	1	3	19	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·32	0·35	0·28	47	26	21	5	7	8	5	7	32	12	1	–	–	–	1	1	–	–	–
Diphtheria	0·11	0·12	0·11	17	9	8	–	–	1	1	1	3	9	4	–	1	–	–	–	–	–	–
Whooping-cough	0·32	0·27	0·36	47	20	27	21	14	6	1	2	44	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·12	0·16	21	9	12	–	–	–	–	–	–	1	3	1	4	4	1	1	4	2	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·47	0·46	0·48	70	34	36	47	6	4	–	2	59	1	1	–	–	–	–	–	4	–	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·81	0·60	1·02	120	44	76	–	–	–	–	–	–	–	–	–	–	2	8	17	33	40	20
Tabes Mesenterica	0·13	0·15	0·12	20	11	9	7	3	4	2	–	16	1	1	–	–	1	–	1	–	–	–
Phthisis	1·19	1·14	1·24	176	84	92	3	1	–	1	1	6	2	5	12	23	51	37	15	19	6	–
Other Tub. & Scrof. Dis.	0·28	0·27	0·28	41	20	21	19	6	2	2	–	29	5	2	1	1	1	2	–	–	–	–
Diseases of Nervous System	2·15	2·30	2·00	319	170	149	83	9	8	2	1	103	10	3	4	2	5	12	17	38	60	65
Diseases of Circulatory "	1·95	1·92	1·97	289	142	147	2	–	–	–	–	2	2	5	2	6	10	10	27	63	88	74
Diseases of Respiratory "	3·37	3·75	2·99	500	277	223	112	43	17	6	4	182	10	5	6	3	13	12	27	50	90	102
Diseases of Digestive "	1·16	1·35	0·97	172	100	72	49	7	1	–	1	58	4	1	3	3	3	12	15	27	28	18
Diseases of Urinary "	0·46	0·53	0·39	68	39	29	3	2	1	–	–	6	3	2	3	1	2	5	8	13	14	11
Diseases of Generative "	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Puerperal Fever	0·07	–	0·15	11	–	11	–	–	–	–	–	–	–	–	–	1	7	3	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–
Violence	0·60	0·85	0·35	89	63	26	5	3	6	4	2	20	7	7	5	6	3	9	8	8	8	8
Other Causes	3·84	4·04	3·66	571	299	272	171	7	5	1	3	187	11	5	7	6	7	11	17	29	68	223

Marriages - - - 900

Births - { Males - 2,209 / Females - 2,116 } 4,325

Annual Rate per 1000 living { Persons Married 12·13 / Births - - 29·14

Deaths from Childbirth and Puerperal Fever - - - - - } 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

359.—STAFFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·69	†121	–	–	–	–	44·10	4·41	2·66	4·55	7·61	11·64	18·26	20·42	36·14	68·98	166·01
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·87	†128	–	–	–	–	45·90	4·89	2·16	4·25	8·78	12·86	20·44	23·88	39·17	73·96	179·28
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·56	†115	–	–	–	–	42·27	3·91	3·17	4·86	6·52	10·43	16·06	17·02	33·11	64·20	153·42
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·12 per cent.	30,568	777	714	767	775	799	3832	3676	3416	3096	2602	4339	3549	2693	1826	1083	456
Mean Population, 1881–91. Males		15,264	395	357	382	392	411	1937	1860	1715	1554	1253	2162	1781	1336	914	530	222
Mean Population, 1881–91. Females		15,304	382	357	385	383	388	1895	1816	1701	1542	1349	2177	1768	1357	912	553	234
Deaths from All Causes, 1881–90. Persons	20·12	6,149	1151	317	105	69	48	1690	162	91	141	198	505	648	550	660	747	757
Deaths from All Causes, 1881–90. Males	21·63	3,302	613	163	55	36	22	889	91	37	66	110	278	364	319	358	392	398
Deaths from All Causes, 1881–90. Females	18·60	2,847	538	154	50	33	26	801	71	54	75	88	227	284	231	302	355	359

Causes of Death.	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·03	0·03	0·03	8	4	4
Measles	0·27	0·27	0·28	84	41	43
Scarlet Fever	0·11	0·12	0·10	33	18	15
Diphtheria	0·08	0·07	0·09	25	11	14
Whooping-cough	0·38	0·33	0·42	115	50	65
Typhus	0·00	–	0·01	1	–	1
Enteric Fever	0·08	0·08	0·08	25	12	13
Simple Continued Fever	0·01	–	0·01	2	–	2
Diarrhœa and Dysentery	0·36	0·37	0·35	110	56	54
Cholera	–	–	–	–	–	–
Cancer	0·61	0·47	0·76	187	71	116
Tabes Mesenterica	0·15	0·13	0·16	45	20	25
Phthisis	2·44	2·57	2·31	746	392	354
Other Tub. & Scrof. Dis.	0·32	0·35	0·29	99	54	45
Diseases of Nervous System	3·91	4·57	3·25	1195	697	498
Diseases of Circulatory "	1·93	1·70	2·15	589	260	329
Diseases of Respiratory "	2·69	3·12	2·25	822	477	345
Diseases of Digestive "	0·95	0·99	0·90	289	151	138
Diseases of Urinary "	0·31	0·40	0·22	94	61	33
Diseases of Generative "	0·04	0·01	0·08	13	1	12
Puerperal Fever	0·09	–	0·18	27	–	27
Childbirth	0·05	–	0·09	14	–	14
Violence	0·70	1·00	0·41	215	152	63
Other Causes	4·61	5·05	4·18	1411	774	637

Causes of Death.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Persons.																
Small-pox	–	–	–	–	1	1	1	–	2	1	–	3	–	–	–	–
Measles	17	26	10	13	5	71	11	1	–	–	1	–	–	–	–	–
Scarlet Fever	3	5	8	1	3	20	8	2	2	–	–	–	1	–	–	–
Diphtheria	–	1	2	2	–	5	16	4	–	–	–	–	–	–	–	–
Whooping-cough	68	34	8	2	1	113	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	1	1	2	4	3	1	8	2	4	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Diarrhœa and Dysentery	56	9	2	3	–	70	2	1	–	–	4	3	2	14	8	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	–	1	2	–	–	1	5	18	31	58	56	15
Tabes Mesenterica	19	7	3	2	1	32	6	1	–	3	2	1	–	–	–	–
Phthisis	36	20	3	1	1	61	15	18	54	79	181	171	103	52	10	2
Other Tub. & Scrof. Dis.	22	18	11	3	3	57	14	6	9	4	4	4	1	–	–	–
Diseases of Nervous System	197	59	14	12	12	294	33	10	17	27	113	216	171	144	93	77
Diseases of Circulatory "	–	–	–	3	1	4	4	10	9	11	37	46	91	120	145	112
Diseases of Respiratory "	147	82	28	17	11	285	28	4	13	15	46	59	55	114	124	79
Diseases of Digestive "	59	19	4	1	2	85	8	4	3	11	22	25	33	48	36	14
Diseases of Urinary "	3	1	3	–	2	9	–	1	3	1	7	14	7	19	27	6
Diseases of Generative "	–	–	–	–	–	–	–	1	1	2	1	4	2	–	1	1
Puerperal Fever	–	–	–	–	–	–	–	–	–	3	12	9	3	–	–	–
Childbirth	–	–	–	–	–	–	–	–	1	1	6	6	–	–	–	–
Violence	14	6	3	5	1	29	7	9	12	25	34	30	20	15	24	10
Other Causes	510	30	5	4	3	552	3	15	12	12	22	35	26	76	223	435

Marriages - - - 2,079

Births - { Males - 4,799 / Females - 4,695 } 9,494

Annual Rate per 1000 living { Persons Married 13·60 / Births - - 31·06 }

Deaths from Childbirth and Puerperal Fever - - - - 4·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

360.—STONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·88	†138	–	–	–	–	51·09	3·99	3·13	4·53	5·59	7·69	11·94	16·50	29·32	56·25	156·95
Annual Death-Rate per 1000. Males	—	19·07	†155	–	–	–	–	57·99	4·18	2·81	4·46	6·16	7·51	12·32	18·91	30·84	59·79	165·99
Annual Death-Rate per 1000. Females	—	16·76	†120	–	–	–	–	44·11	3·82	3·44	4·61	5·11	7·85	11·59	14·24	27·90	53·43	149·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·99 per cent.	30,443	804	753	789	788	773	3907	3755	3509	3154	2719	4200	3242	2594	1852	1072	439
Mean Population, 1881–91. Males		14,635	419	371	396	386	392	1964	1842	1707	1526	1250	1984	1542	1253	895	475	197
Mean Population, 1881–91. Females		15,808	385	382	393	402	381	1943	1913	1802	1628	1469	2216	1700	1341	957	597	242
Deaths from All Causes, 1881–90. Persons	18·15	5,524	1356	366	129	66	79	1996	150	110	143	152	323	387	428	543	603	689
Deaths from All Causes, 1881–90. Males	19·62	2,872	789	204	70	35	41	1139	77	48	68	77	149	190	237	276	284	327
Deaths from All Causes, 1881–90. Females	16·78	2,652	567	162	59	31	38	857	73	62	75	75	174	197	191	267	319	362

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·27	0·31	0·23	82	45	37	14	29	18	5	7	73	7	1	1	–	–	–	–	–	–
Scarlet Fever	0·31	0·33	0·28	94	49	45	7	15	19	14	12	67	21	3	–	1	1	–	1	–	–
Diphtheria	0·07	0·05	0·09	22	8	14	–	1	–	4	4	9	7	2	2	–	1	1	–	–	–
Whooping-cough	0·26	0·24	0·28	79	35	44	36	27	5	4	3	75	3	–	–	–	–	1	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·22	0·21	0·22	66	31	35	–	1	3	–	1	5	5	13	10	10	9	6	2	2	3	1
Simple Continued Fever	0·02	0·02	0·03	7	3	4	–	–	–	–	–	–	1	2	–	1	2	–	–	1	–	–
Diarrhœa and Dysentery	0·53	0·69	0·38	161	101	60	108	17	2	–	3	130	1	1	–	–	1	1	4	4	5	14
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·55	0·46	0·62	166	68	98	–	–	–	–	–	–	–	1	1	–	8	22	32	46	40	16
Tabes Mesenterica	0·17	0·24	0·11	52	35	17	24	10	6	1	4	45	2	3	1	–	–	–	1	–	–	–
Phthisis	1·65	1·78	1·53	503	261	242	11	5	–	1	1	18	8	22	55	61	112	104	69	42	12	–
Other Tub. & Scrof. Dis.	0·19	0·21	0·18	59	30	29	24	8	4	1	5	42	6	1	5	–	2	2	–	–	–	1
Diseases of Nervous System	2·87	3·08	2·68	875	451	424	334	57	24	10	17	442	29	14	8	11	18	33	38	78	107	97
Diseases of Circulatory "	1·73	1·63	1·83	528	238	290	3	1	–	–	–	4	6	11	12	11	23	46	70	124	120	101
Diseases of Respiratory "	3·58	4·18	3·02	1090	612	478	226	133	35	17	16	427	23	10	16	15	44	70	113	104	126	142
Diseases of Digestive "	1·27	1·34	1·20	386	196	190	89	29	3	2	1	124	8	7	8	15	21	30	46	60	43	24
Diseases of Urinary "	0·34	0·51	0·18	104	75	29	1	2	1	–	–	4	4	1	1	3	13	8	14	13	26	17
Diseases of Generative "	0·03	0·02	0·04	10	3	7	–	–	–	–	–	–	–	–	–	1	3	–	2	2	2	–
Puerperal Fever	0·08	–	0·15	24	–	24	–	–	–	–	–	–	–	–	1	2	11	9	1	–	–	–
Childbirth	0·10	–	0·19	30	–	30	–	–	–	–	–	–	–	–	–	6	9	15	–	–	–	–
Violence	0·45	0·67	0·24	136	98	38	6	5	3	2	1	17	8	6	5	6	23	11	14	20	14	12
Other Causes	3·45	3·64	3·28	1047	532	515	472	26	6	5	4	513	11	12	17	9	22	27	20	47	105	264

Marriages - - - 1,978

Births - Males - 5,092; Females - 4,730 — 9,822

Annual Rate per 1000 living: Persons Married 12·99; Births - - 32·26

Deaths from Childbirth and Puerperal Fever - - - - - 5·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

361.—NEWCASTLE-UNDER-LYME.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	5–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·08	†139	–	–	–	–	53·30	4·13	3·09	3·56	5·34	7·10	10·50	17·37	33·57	76·15	179·29
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·00	†157	–	–	–	–	60·09	4·38	3·06	3·07	3·99	6·38	10·85	18·59	35·61	83·06	192·11
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·20	†120	–	–	–	–	46·47	3·88	3·13	4·14	6·80	7·83	10·12	16·12	31·47	69·49	168·82
Mean Population, 881–91. Persons	Decennial Increase of Population 8·29 per cent.	36,098	1097	1001	1010	969	1027	5114	4747	4234	3599	3145	5045	3981	2901	1996	998	338
Mean Population, 881–91. Males		18,427	580	494	503	462	527	2566	2374	2155	1957	1631	2553	2064	1474	1011	490	152
Mean Population, 881–91. Females		17,671	517	507	507	517	500	2548	2373	2079	1642	1514	2492	1917	1427	985	508	186
Deaths from All Causes, 1881–90. Persons	18·46	6,665	1797	515	211	117	86	2726	196	131	128	168	358	418	504	670	760	606
Deaths from All Causes, 1881–90. Males	19·30	3,557	1036	291	108	57	50	1542	104	66	60	65	163	224	274	360	407	292
Deaths from All Causes, 1881–90. Females	17·59	3,108	761	224	103	60	36	1184	92	65	68	103	195	194	230	310	353	314

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·04	0·05	0·02	13	9	4	–	1	–	1	2	4	2	–	–	1	1	3	1	1	–	–
Measles	0·60	0·68	0·52	217	126	91	54	73	33	26	12	198	19	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·15	0·14	52	28	24	2	5	9	10	5	31	17	3	–	1	–	–	–	–	–	–
Diphtheria	0·07	0·07	0·06	24	13	11	1	–	5	–	5	11	7	2	–	1	2	–	–	1	–	–
Whooping-cough	0·35	0·27	0·44	126	49	77	71	23	16	7	2	119	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Enteric Fever	0·19	0·17	0·21	69	32	37	–	1	1	1	2	5	12	10	8	10	9	10	5	–	–	–
Simple Continued Fever	0·04	0·03	0·05	14	6	8	–	3	–	3	–	6	–	1	–	3	3	–	–	1	–	–
Diarrhœa and Dysentery	0·50	0·58	0·42	181	107	74	101	22	4	1	1	129	3	1	1	–	5	3	4	7	18	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·40	0·71	199	74	125	–	–	–	–	–	–	–	–	1	–	5	28	52	52	52	9
Tabes Mesenterica	0·21	0·20	0·22	75	37	38	32	17	4	2	4	59	4	3	2	1	4	–	–	1	1	–
Phthisis	1·33	1·29	1·37	480	238	242	3	6	5	1	1	16	8	30	36	60	130	86	65	35	12	2
Other Tub. & Scrof. Dis.	0·30	0·28	0·33	110	51	59	28	22	5	1	6	62	12	12	6	2	5	3	4	3	1	–
Diseases of Nervous System	2·75	2·92	2·56	991	539	452	395	76	29	13	10	523	29	18	11	20	21	34	53	100	117	65
Diseases of Circulatory „	0·90	0·78	1·04	326	143	183	–	1	–	1	1	3	4	8	8	12	8	42	46	82	86	27
Diseases of Respiratory „	4·14	4·63	3·63	1495	853	642	354	172	68	35	22	651	36	14	12	11	42	75	142	187	193	132
Diseases of Digestive „	1·03	1·11	0·94	371	204	167	102	22	6	1	6	137	9	5	8	7	17	27	39	58	48	16
Diseases of Urinary „	0·45	0·52	0·38	163	95	68	1	3	3	1	–	8	3	2	3	2	8	17	25	39	41	15
Diseases of Generative „	0·03	0·01	0·06	11	1	10	2	–	–	–	–	2	–	–	–	1	1	1	2	3	1	–
Puerperal Fever	0·12	–	0·24	43	–	43	–	–	–	–	–	–	–	–	1	14	21	6	1	–	–	–
Childbirth	0·07	–	0·15	27	–	27	–	–	–	–	–	–	–	–	2	4	10	11	–	–	–	–
Violence	0·60	0·90	0·29	216	165	51	15	10	8	6	6	45	7	12	18	9	35	27	21	23	16	3
Other Causes	4·04	4·25	3·81	1460	785	675	636	58	15	7	1	717	17	10	10	9	31	44	44	77	174	327

Marriages - - - 2,673

Births - Males - 6,590; Females - 6,327 — 12,917

Annual Rate per 1000 living: Persons Married 14·81; Births - - 35·78

Deaths from Childbirth and Puerperal Fever - - - - - 5·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

362.—WOLSTANTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·43	†176	–	–	–	–	71·62	4·71	2·70	4·14	5·51	6·91	12·17	21·64	40·42	82·03	160·42
Annual Death-Rate per 1000. Males	—	24·07	†196	–	–	–	–	80·00	4·52	2·81	3·97	5·04	6·00	13·03	26·67	45·06	89·26	164·88
Annual Death-Rate per 1000. Females	—	20·87	†156	–	–	–	–	63·64	4·90	2·59	4·33	5·99	7·87	11·25	16·60	35·99	75·96	157·09
Mean Population, 1881-91. Persons	Decennial Increase of Population 10·85 per cent.	79,559	2527	2183	2298	2274	2159	11441	10656	9396	8420	7276	11267	8626	6323	3899	1775	480
Mean Population, 1881-91. Males		39,788	1238	1076	1119	1106	1041	5580	5263	4654	4329	3654	5752	4476	3161	1904	810	205
Mean Population, 1881-91. Females		39,771	1289	1107	1179	1168	1118	5861	5393	4742	4091	3622	5515	4150	3162	1995	965	275
Deaths from All Causes, 1881-90. Persons	20·99	16,699	5420	1630	617	327	200	8194	502	254	349	401	779	1050	1368	1576	1456	770
Deaths from All Causes, 1881-90. Males	22·32	8,879	3042	852	298	177	95	4464	238	131	172	184	345	583	843	858	723	338
Deaths from All Causes, 1881-90. Females	19·66	7,820	2378	778	319	150	105	3730	264	123	177	217	434	467	525	718	733	432

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·02	0·02	0·02	16	9	7	2	–	–	–	–	2	1	–	2	2	3	3	1	1	1	–
Measles	0·74	0·76	0·72	591	303	288	136	226	103	55	33	553	37	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·28	0·25	213	112	101	11	31	48	33	26	149	56	5	–	2	1	–	–	–	–	–
Diphtheria	0·03	0·04	0·03	26	14	12	3	4	4	2	3	16	3	2	2	2	1	–	–	–	–	–
Whooping-cough	0·50	0·47	0·53	399	188	211	173	132	47	25	12	389	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	8	5	3	–	–	–	–	–	–	1	1	3	2	1	–	–	–	–	–
Enteric Fever	0·26	0·25	0·27	208	101	107	2	2	7	3	1	15	29	29	42	16	38	18	17	3	1	–
Simple Continued Fever	0·04	0·04	0·04	34	17	17	1	1	4	2	–	8	5	7	3	–	4	3	1	2	1	–
Diarrhœa and Dysentery	1·03	1·12	0·95	823	447	376	578	106	20	7	2	713	6	–	1	4	6	5	12	28	30	18
Cholera	0·01	0·02	0·01	11	8	3	4	2	1	–	–	7	–	–	–	–	–	1	2	1	–	–
Cancer	0·46	0·37	0·55	364	146	218	2	–	1	–	1	4	–	1	4	5	13	37	96	122	70	12
Tabes Mesenterica	0·50	0·54	0·47	399	214	185	214	98	31	14	5	362	16	11	5	–	1	1	1	1	1	–
Phthisis	1·26	1·28	1·24	1003	511	492	19	12	7	4	4	46	22	33	107	125	214	220	165	52	18	1
Other Tub. & Scrof. Dis.	0·43	0·45	0·41	343	180	163	112	77	28	18	18	253	45	15	11	3	4	4	4	4	–	–
Diseases of: Nervous System	3·39	3·54	3·23	2694	1409	1285	1396	187	77	27	18	1705	62	40	22	31	52	93	136	228	249	76
Diseases of: Circulatory „	1·16	1·12	1·20	925	447	478	2	3	3	1	–	9	24	24	31	25	68	112	165	221	201	45
Diseases of: Respiratory „	4·80	5·63	3·98	3820	2239	1581	908	489	167	84	51	1699	72	24	40	55	131	251	450	547	410	141
Diseases of: Digestive „	1·15	1·15	1·15	914	457	457	256	123	15	10	3	407	26	8	14	24	39	70	121	121	64	20
Diseases of: Urinary „	0·34	0·43	0·26	274	172	102	4	5	5	9	1	24	10	5	5	15	19	44	38	53	52	9
Diseases of: Generative „	0·04	0·01	0·07	30	2	28	1	1	–	–	–	2	–	–	–	1	3	7	7	8	1	1
Puerperal Fever	0·13	–	0·25	100	–	100	–	–	–	–	–	–	–	–	6	27	34	32	1	–	–	–
Childbirth	0·12	–	0·24	94	–	94	–	–	–	–	–	–	–	–	4	14	45	29	2	–	–	–
Violence	0·58	0·88	0·27	458	352	106	16	19	24	18	16	93	42	31	25	22	57	51	54	45	29	9
Other Causes	3·72	3·91	3·51	2952	1546	1406	1580	112	25	15	6	1738	35	17	22	26	45	69	95	139	328	438

Marriages - - - 6,735

Births - { Males - 15,540 / Females - 15,241 } 30,781

Annual Rate per 1000 living { Persons Married 15·67 / Births - - 38·69 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·30 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

363.—STOKE-UPON-TRENT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 24·78			†190	–	–	–	–	77·84	5·61	2·95	4·75	6·25	9·18	15·28	24·28	44·88	86·05	160·05
Annual Death-Rate per 1000. Males	—			In Standard Population* 26·94			†207	–	–	–	–	84·39	5·94	3·12	4·48	5·87	8·99	17·16	29·98	53·86	95·39	172·58
Annual Death-Rate per 1000. Females	—			In Standard Population* 22·74			†171	–	–	–	–	71·40	5·28	2·79	5·03	6·62	9·38	13·30	18·59	36·80	78·92	151·54
Mean Population, 1881-91. Persons	Decennial Increase of Population 16·46 per cent.			112,886			3600	3149	3264	3068	3091	16172	14463	13181	11946	10432	16616	12596	8922	5334	2458	766
Mean Population, 1881-91. Males				55,958			1779	1533	1668	1503	1536	8019	7176	6503	5920	5098	8417	6468	4457	2527	1063	310
Mean Population, 1881-91. Females				56,928			1821	1616	1596	1565	1555	8153	7287	6678	6026	5334	8199	6128	4465	2807	1395	456
Deaths from All Causes, 1881-90. Persons	23·35			26,360			8289	2453	915	555	376	12588	811	389	568	652	1526	1925	2166	2394	2115	1226
Deaths from All Causes, 1881-90. Males	25·15			14,073			4595	1219	488	276	189	6767	426	203	265	299	757	1110	1336	1361	1014	535
Deaths from All Causes, 1881-90. Females	21·58			12,287			3694	1234	427	279	187	5821	385	186	303	353	769	815	830	1033	1101	691
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	13	9	4	1	–	–	–	–	1	–	2	2	–	5	1	2	–	–	–
Measles	0·87	0·91	0·83	979	508	471	209	363	182	102	64	920	57	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·45	0·51	0·40	512	286	226	31	58	100	90	61	340	145	19	3	4	1	–	–	–	–	–
Diphtheria	0·07	0·07	0·06	78	41	37	9	9	9	12	8	47	22	4	–	2	1	–	–	2	–	–
Whooping-cough	0·42	0·34	0·49	470	193	277	226	136	55	25	17	459	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Enteric Fever	0·31	0·34	0·28	347	189	158	2	6	5	8	13	34	48	45	45	39	57	42	21	13	3	–
Simple Continued Fever	0·03	0·03	0·03	31	15	16	3	1	1	1	3	9	3	3	4	3	5	3	1	–	–	–
Diarrhœa and Dysentery	1·14	1·19	1·09	1289	667	622	941	172	32	7	10	1162	7	–	1	2	9	8	12	22	34	32
Cholera	0·02	0·02	0·01	19	12	7	7	–	–	–	–	7	–	–	–	1	1	1	3	6	–	–
Cancer	0·50	0·38	0·63	569	211	358	–	2	1	–	–	3	3	–	3	4	20	88	156	160	109	23
Tabes Mesenterica	0·38	0·43	0·34	434	242	192	229	98	30	10	3	370	20	8	11	2	13	3	6	1	–	–
Phthisis	1·81	2·04	1·58	2038	1140	898	28	25	6	3	9	71	27	51	165	219	481	495	347	147	31	4
Other Tub. & Scrof. Dis.	0·36	0·41	0·31	404	229	175	136	68	36	25	10	275	41	16	18	16	18	7	9	3	1	–
Diseases of Nervous System	3·40	3·64	3·17	3841	2036	1805	1761	331	113	55	33	2293	129	51	53	60	111	155	188	332	329	140
Diseases of Circulatory „	1·47	1·51	1·44	1663	846	817	6	1	1	2	1	11	16	37	56	44	138	193	319	425	317	107
Diseases of Respiratory „	5·02	5·73	4·32	5667	3205	2462	1421	738	232	117	77	2585	104	30	49	64	210	438	632	727	620	208
Diseases of Digestive „	1·41	1·44	1·38	1591	805	786	510	220	26	19	14	789	37	18	21	30	69	106	152	204	126	39
Diseases of Urinary „	0·40	0·51	0·30	455	284	171	11	7	9	10	9	46	21	11	11	15	49	67	72	78	61	24
Diseases of Generative „	0·06	0·01	0·10	64	8	56	1	2	1	–	–	4	–	–	2	7	16	8	12	12	2	1
Puerperal Fever	0·11	–	0·22	123	–	123	–	–	–	–	–	–	–	–	4	30	52	35	2	–	–	–
Childbirth	0·09	–	0·19	106	–	106	–	–	–	–	–	–	–	–	6	25	33	42	–	–	–	–
Violence	0·81	1·17	0·47	919	653	266	51	42	37	46	24	200	82	48	67	41	112	110	93	81	58	27
Other Causes	4·21	4·45	3·93	4746	2493	2253	2706	174	39	23	20	2962	38	45	46	43	124	123	139	181	424	621

Marriages - - - 9,901

Births - Males - 22,159; Females - 21,553 — 43,712

Annual Rate per 1000 living: Persons Married 17·54; Births - - 38·72

Deaths from Childbirth and Puerperal Fever - - - - - ·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

364.—LEEK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·08	†136	–	–	–	–	51·29	4·16	2·75	4·56	6·11	7·45	10·13	14·87	29·66	67·47	166·67
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·56	†150	–	–	–	–	56·73	4·64	2·29	4·64	5·55	6·01	10·44	15·88	29·90	70·38	175·13
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·63	†123	–	–	–	–	46·07	3·70	3·20	4·48	6·60	8·72	9·84	13·89	29·42	64·67	159·29
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·94 per cent.	32,322	913	836	887	867	833	4336	4159	3752	3291	2734	4387	3506	2703	1915	1116	423
Mean Population, 1881–91. Males	Decennial Increase of Population 6·94 per cent.	15,722	435	396	427	440	426	2124	2049	1877	1618	1280	2048	1677	1335	970	547	197
Mean Population, 1881–91. Females	Decennial Increase of Population 6·94 per cent.	16,600	478	440	460	427	407	2212	2110	1875	1673	1454	2339	1829	1368	945	569	226
Deaths from All Causes, 1881–90. Persons	18·34	5,927	1457	468	162	82	55	2224	173	103	150	167	327	355	402	568	753	705
Deaths from All Causes, 1881–90. Males	19·20	3,019	802	244	91	41	27	1205	95	43	75	71	123	175	212	290	385	345
Deaths from All Causes, 1881–90. Females	17·52	2,908	655	224	71	41	28	1019	78	60	75	96	204	180	190	278	368	360

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·45	0·43	0·48	146	67	79	42	67	16	10	4	139	6	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·29	0·30	0·29	95	47	48	7	14	16	16	9	62	27	6	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·10	0·11	34	15	19	4	4	3	3	2	16	11	3	3	–	–	–	–	–	1	–
Whooping-cough	0·29	0·25	0·32	93	40	53	51	27	12	2	–	92	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	46	26	20	–	–	–	–	1	1	7	5	9	6	4	7	3	4	–	–
Simple Continued Fever	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·60	0·67	0·54	194	105	89	128	19	5	–	–	152	1	–	–	1	–	–	5	6	16	13
Cholera	0·01	0·01	0·01	3	2	1	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	–
Cancer	0·45	0·36	0·54	146	56	90	–	–	–	–	–	–	1	–	1	–	6	13	29	49	38	9
Tabes Mesenterica	0·28	0·28	0·28	91	44	47	34	33	7	3	–	77	7	2	2	–	–	1	1	1	–	–
Phthisis	1·50	1·25	1·75	486	196	290	7	3	4	–	2	16	9	16	55	75	129	99	59	22	5	1
Other Tub. & Scrof. Dis.	0·38	0·46	0·31	124	72	52	23	28	15	7	4	77	18	12	6	2	7	–	1	1	–	–
Diseases of Nervous System	2·62	2·76	2·49	847	434	413	308	56	24	11	9	408	31	13	5	11	25	37	44	78	125	70
Diseases of Circulatory „	1·86	1·81	1·91	601	284	317	2	–	–	–	–	2	1	9	11	13	30	43	65	144	179	104
Diseases of Respiratory „	3·44	3·98	2·94	1113	625	488	298	148	42	19	14	521	19	7	12	12	27	43	75	124	160	113
Diseases of Digestive „	1·15	1·29	1·01	371	203	168	76	44	5	2	2	129	9	8	8	6	10	26	46	58	47	24
Diseases of Urinary „	0·45	0·53	0·38	147	84	63	2	–	4	2	4	12	5	1	2	5	12	11	18	16	48	17
Diseases of Generative „	0·03	0·01	0·06	11	1	10	–	–	–	–	–	–	–	–	1	1	2	–	1	4	1	1
Puerperal Fever	0·13	–	0·25	41	–	41	–	–	–	–	–	–	–	–	1	7	23	9	1	–	–	–
Childbirth	0·09	–	0·18	30	–	30	–	–	–	–	–	–	–	–	1	4	14	11	–	–	–	–
Violence	0·49	0·76	0·23	159	120	39	6	8	3	5	2	24	10	8	14	10	16	23	16	15	12	11
Other Causes	3·57	3·75	3·31	1144	594	550	469	17	5	2	2	495	9	13	19	12	20	30	38	45	121	342

Marriages - - - 1,923

Births - { Males - 5,356 / Females - 5,323 } 10,679

Annual Rate per 1000 living { Persons Married 11·90 / Births - - 33·04

Deaths from Childbirth and Puerperal Fever - - - - - 6·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

365.—CHEADLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·96	†128	–	–	–	–	44·98	4·15	2·67	4·46	6·43	8·48	9·52	14·99	29·45	58·67	156·79
Annual Death-Rate per 1000. Males	—	17·86	†144	–	–	–	–	50·38	4·23	2·52	4·20	6·49	8·95	10·41	18·52	30·62	61·73	149·73
Annual Death-Rate per 1000. Females	—	16·10	†110	–	–	–	–	39·62	4·06	2·85	4·77	6·36	8·03	8·70	11·78	28·30	55·77	164·09
Mean Population, 1881-91. Persons	Decennial Increase of Population 6·46 per cent.	23,444	657	623	640	603	645	3168	3088	2916	2355	1852	2985	2395	1928	1460	929	368
Mean Population, 1881-91. Males		11,754	337	310	321	293	317	1578	1536	1585	1286	893	1441	1153	918	725	452	187
Mean Population, 1881-91. Females		11,690	320	313	319	310	328	1590	1552	1331	1069	959	1544	1242	1010	735	477	181
Deaths from All Causes, 1881–90. Persons	17·82	4,177	979	256	94	60	36	1425	128	78	105	119	253	228	289	430	545	577
Deaths from All Causes, 1881–90. Males	18·82	2,212	571	126	47	33	18	795	65	40	54	58	129	120	170	222	279	280
Deaths from All Causes, 1881–90. Females	16·81	1,965	408	130	47	27	18	630	63	38	51	61	124	108	119	208	266	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·31	0·27	69	37	32	24	24	5	4	2	59	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·42	0·36	0·49	99	42	57	6	13	14	16	9	58	30	6	3	–	1	–	1	–	–	–
Diphtheria	0·05	0·03	0·07	12	4	8	–	–	–	2	1	3	5	3	–	–	1	–	–	–	–	–
Whooping-cough	0·27	0·26	0·28	63	30	33	33	21	4	2	1	61	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·15	29	12	17	–	–	1	1	–	2	3	3	2	5	7	2	2	3	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·52	0·54	0·51	123	63	60	90	10	1	2	–	103	1	–	–	–	1	–	1	1	3	13
Cholera	0·03	0·03	0·02	6	4	2	–	–	–	1	–	1	1	–	–	–	1	–	–	2	1	–
Cancer	0·63	0·51	0·74	147	60	87	–	–	–	–	1	1	1	1	1	2	5	12	29	46	38	11
Tabes Mesenterica	0·25	0·26	0·24	59	31	28	23	13	4	–	2	42	4	2	3	2	2	2	–	2	–	–
Phthisis	1·37	1·25	1·48	320	147	173	5	5	1	1	–	12	4	13	23	48	82	64	44	22	8	–
Other Tub. & Scrof. Dis.	0·34	0·37	0·30	79	44	35	20	13	7	5	–	45	14	5	5	4	3	2	1	–	–	–
Diseases of Nervous System	2·53	2·70	2·37	594	317	277	218	36	10	8	6	278	11	7	7	7	12	12	31	58	93	78
Diseases of Circulatory „	1·89	1·92	1·87	444	226	218	4	2	–	–	1	7	3	8	7	6	21	28	55	102	125	82
Diseases of Respiratory „	3·21	3·61	2·81	752	424	328	179	83	30	11	11	314	15	4	10	2	24	34	46	83	121	99
Diseases of Digestive „	0·96	1·05	0·87	225	123	102	57	20	2	–	–	79	9	2	7	3	12	17	13	37	30	16
Diseases of Urinary „	0·26	0·35	0·16	60	41	19	–	–	–	–	–	–	–	–	1	1	4	2	7	17	18	10
Diseases of Generative „	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	1
Puerperal Fever	0·09	–	0·19	22	–	22	–	–	–	–	–	–	–	–	1	4	14	3	–	–	–	–
Childbirth	0·07	–	0·15	17	–	17	–	–	–	–	–	–	–	–	1	3	7	6	–	–	–	–
Violence	0·83	1·34	0·32	194	157	37	7	2	5	6	2	22	5	8	14	16	44	26	22	16	9	12
Other Causes	3·65	3·82	3·45	854	449	405	313	14	10	1	–	338	11	15	18	16	10	16	36	40	99	255

Marriages - - 1,646

Births - Males - 3,952; Females - 3,722 — 7,674

Annual Rate per 1000 living: Persons Married 14·04; Births - - 32·73

Deaths from Childbirth and Puerperal Fever - - - 5·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

366.—UTTOXETER.

Causes of Death.	Crude Death Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·11	†101	–	–	–	–	37·03	3·80	2·58	4·01	5·05	6·39	9·57	12·79	25·81	61·70	159·32
Males	—					15·80	†108	–	–	–	–	39·10	5·07	2·61	3·93	4·28	5·60	10·49	16·35	28·46	67·30	170·15
Females	—					14·45	†93	–	–	–	–	34·91	2·51	2·55	4·09	5·72	7·15	8·73	10·44	23·20	56·66	150·31
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·64 per cent.			14,344			349	335	364	354	356	1758	1686	1627	1470	1208	1908	1494	1235	992	671	295
Males				6,996			177	169	190	172	182	890	848	804	712	561	929	715	593	492	318	134
Females				7,348			172	166	174	182	174	868	838	823	758	647	979	779	642	500	353	161
Deaths from All Causes, 81–90. Persons	17·01			2,440			405	126	56	32	32	651	64	42	59	61	122	143	158	256	414	470
Males	18·07			1,264			222	65	34	13	14	348	43	21	28	24	52	75	91	140	214	228
Females	16·00			1,176			183	61	22	19	18	303	21	21	31	37	70	68	67	116	200	242
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·15	0·11	0·18	21	8	13	3	8	3	1	3	18	2	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·17	0·17	0·18	25	12	13	6	1	5	5	4	21	4	–	–	–	–	–	–	–	–	–
Diphtheria	0·12	0·19	0·05	17	13	4	1	–	–	2	2	5	8	3	–	–	–	1	–	–	–	–
Whooping-cough	0·15	0·14	0·16	22	10	12	10	3	5	2	–	20	1	–	1	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	1	1	–	–	–	–	2	1	1	1	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·26	0·33	0·20	38	23	15	16	5	2	4	2	29	1	–	–	–	–	1	2	–	2	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·56	0·75	94	39	55	–	–	–	–	–	–	–	–	–	–	3	3	18	25	24	21
Tabes Mesenterica	0·26	0·29	0·23	37	20	17	18	4	3	–	4	29	3	–	1	3	–	–	1	–	–	–
Phthisis	1·37	1·26	1·48	197	88	109	4	3	2	1	–	10	4	6	25	21	52	38	27	8	6	–
Other Tub. & Scrof. Dis.	0·42	0·46	0·38	60	32	28	20	11	5	4	2	42	8	4	2	1	–	–	1	1	1	–
Diseases of: Nervous System	2·75	2·83	2·68	395	198	197	2	16	6	5	4	113	6	6	6	3	5	18	21	39	91	87
Circulatory „	1·79	1·52	2·04	256	106	150	1	–	–	–	–	1	–	5	3	4	10	18	27	48	89	51
Respiratory „	3·00	3·37	2·64	430	236	194	72	50	12	5	4	143	11	1	2	9	8	19	15	47	83	92
Digestive „	1·32	1·63	1·03	190	114	76	25	7	1	–	2	35	4	7	4	3	11	14	12	41	42	17
Urinary „	0·38	0·66	0·12	55	46	9	3	1	1	–	1	6	1	–	1	2	1	4	3	9	16	12
Generative „	0·05	0·01	0·08	7	1	6	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–
Puerperal Fever	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–
Violence	0·63	0·96	0·31	90	67	23	2	4	5	2	2	15	4	4	5	5	9	7	10	10	9	12
Other Causes	3·35	3·49	3·23	480	244	236	142	13	5	1	1	162	6	6	7	7	13	12	16	26	50	175

Marriages - - - 902

Births - Males - 2,064; Females - 1,960 } 4,024

Annual Rate per 1000 living { Persons Married 12·58; Births - - 28·05

Deaths from Childbirth and Puerperal Fever - - - - - } 3·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

367.—BURTON-UPON-TRENT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·52	†121	–	–	–	–	45·36	3·88	2·62	3·69	5·69	7·92	11·39	16·14	31·96	65·32	166·53
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·93	†138	–	–	–	–	50·73	4·12	2·49	3·51	4·76	7·66	12·43	19·04	35·89	73·60	194·60
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·19	†105	–	–	–	–	40·04	3·64	2·76	3·91	6·81	8·20	10·26	13·23	28·19	58·06	145·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·09 per cent.	78,706	2469	2308	2320	2247	2296	11640	10471	9144	7595	6786	11547	8883	6089	3783	2027	741
Mean Population, 1881–91. Males	Decennial Increase of Population 13·09 per cent.	40,398	1237	1134	1157	1110	1151	5789	5173	4620	4217	3718	6082	4633	3051	1853	947	315
Mean Population, 1881–91. Females	Decennial Increase of Population 13·09 per cent.	38,308	1232	1174	1163	1137	1145	5851	5298	4524	3378	3068	5465	4250	3038	1930	1080	426
Deaths from All Causes, 1881–90. Persons	16·86	13,268	3456	1011	388	259	166	5280	406	240	280	386	914	1012	983	1209	1324	1234
Deaths from All Causes, 1881–90. Males	17·79	7,188	1987	525	205	132	88	2937	213	115	148	177	466	576	581	665	697	613
Deaths from All Causes, 1881–90. Females	15·87	6,080	1469	486	183	127	78	2343	193	125	132	209	448	436	402	544	627	621

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·02	20	11	9	1	1	1	1	–	4	1	2	2	5	2	2	1	1	–	–
Measles	0·32	0·31	0·32	250	127	123	46	119	39	25	10	239	9	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·22	0·19	0·25	175	78	97	13	24	23	21	29	110	53	4	1	1	2	4	–	–	–	–
Diphtheria	0·10	0·11	0·10	82	43	39	7	8	11	13	12	51	24	–	2	–	1	2	–	1	1	–
Whooping-cough	0·39	0·33	0·45	306	135	171	144	94	32	18	8	296	9	–	–	–	–	–	–	1	–	–
Typhus	0·09	–	0·01	3	–	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·16	0·17	127	63	64	–	1	4	1	1	7	12	15	14	23	31	11	8	3	3	–
Simple Continued Fever	0·02	0·02	0·01	14	10	4	2	4	–	1	1	8	1	1	–	1	1	–	1	–	–	1
Diarrhœa and Dysentery	0·52	0·53	0·52	411	213	198	269	63	18	5	2	357	3	–	2	3	2	2	1	11	12	18
Cholera	0·01	0·01	0·01	7	4	3	3	1	–	–	–	4	–	–	–	–	1	2	–	–	–	–
Cancer	0·58	0·40	0·76	454	163	291	–	–	–	1	–	1	4	2	1	4	8	53	108	127	107	39
Tabes Mesenterica	0·25	0·28	0·22	199	114	85	95	47	15	7	3	167	12	6	1	4	5	2	1	–	1	–
Phthisis	1·69	1·83	1·54	1330	739	591	18	13	10	6	–	47	24	46	102	144	342	305	178	108	34	–
Other Tub. & Scrof. Dis.	0·39	0·42	0·36	309	171	138	96	60	25	14	11	206	39	21	7	10	5	10	3	7	1	–
Diseases of Nervous System	2·50	2·70	2·28	1964	1091	873	677	114	39	29	20	879	59	29	23	34	72	117	127	195	256	173
Diseases of Circulatory „	1·34	1·29	1·39	1054	521	553	7	6	3	2	–	18	15	22	19	30	71	87	139	241	272	140
Diseases of Respiratory „	3·11	3·48	2·72	2447	1406	1041	673	321	127	72	51	1244	58	17	15	31	109	120	133	201	261	258
Diseases of Digestive „	0·92	0·97	0·86	721	393	328	144	51	10	7	5	217	16	10	16	19	38	76	92	101	82	54
Diseases of Urinary „	0·36	0·44	0·27	281	179	102	4	4	2	1	–	11	9	3	4	7	23	32	35	57	56	44
Diseases of Generative „	0·03	0·00	0·05	22	1	21	1	–	–	–	–	1	–	–	–	2	5	5	4	3	1	1
Puerperal Fever	0·10	–	0·20	78	–	78	–	–	–	–	–	–	–	–	2	9	40	25	2	–	–	–
Childbirth	0·06	–	0·12	47	–	47	–	–	–	–	–	–	–	–	1	7	26	13	–	–	–	–
Violence	0·61	0·90	0·30	480	365	115	27	16	17	23	8	91	21	29	30	24	55	55	57	48	38	32
Other Causes	3·15	3·39	2·94	2487	1361	1126	1229	64	12	12	5	1322	37	30	38	27	74	89	93	104	199	474

Marriages - - - 5,166

Births - { Males - 14,450, Females - 14,008 } 28,458

Annual Rate per 1000 living { Persons Married 13·13, Births - - 36·16 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·39 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

368.—TAMWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·13	†117	–	–	–	–	42·93	3·75	2·60	3·73	4·56	5·77	8·64	11·20	22·31	60·65	150·72
Annual Death-Rate per 1000. Males	—	15·85	†134	–	–	–	–	49·41	3·55	2·20	3·13	4·12	4·79	9·05	11·00	24·83	64·64	165·35
Annual Death-Rate per 1000. Females	—	14·44	†99	–	–	–	–	36·72	3·94	3·01	4·36	5·00	6·71	8·23	11·40	19·87	56·82	138·26
Mean Population, 1881–91. Persons	Decennial Increase of Population 12·39 per cent.	20,602	609	582	594	571	579	2935	2696	2459	2119	1666	2702	2188	1678	1179	704	276
Mean Population, 1881–91. Males		10,228	302	288	303	269	275	1437	1351	1228	1088	826	1316	1094	836	580	345	127
Mean Population, 1881–91. Females		10,374	307	294	291	302	304	1498	1345	1231	1031	840	1386	1094	842	599	359	149
Deaths from All Causes, 1881–90. Persons	15·62	3,219	815	232	94	67	52	1260	101	64	79	76	156	189	188	263	427	416
Deaths from All Causes, 1881–90. Males	16·46	1,684	473	123	54	32	28	710	48	27	34	34	63	99	92	144	223	210
Deaths from All Causes, 1881–90. Females	14·80	1,535	342	109	40	35	24	550	53	37	45	42	93	90	96	119	204	206

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·46	0·49	0·43	95	50	45	14	36	19	12	7	88	7	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·14	29	14	15	2	3	3	6	4	18	7	4	–	–	–	–	–	–	–
Diphtheria	0·13	0·13	0·13	26	13	13	–	1	6	2	3	12	11	1	1	–	1	–	–	–	–
Whooping-cough	0·27	0·27	0·27	56	28	28	30	15	4	3	2	54	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·08	0·15	24	8	16	–	1	1	2	1	5	4	6	1	2	4	1	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·50	0·56	0·44	103	57	46	66	10	2	2	–	80	–	–	–	–	–	2	1	2	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·30	0·65	98	31	67	–	–	–	–	–	–	–	–	–	1	5	6	20	26	28
Tabes Mesenterica	0·12	0·10	0·13	24	10	14	10	2	4	–	2	18	2	–	2	1	–	1	–	–	–
Phthisis	1·13	0·95	1·30	232	97	135	1	1	–	2	–	4	4	10	29	29	54	51	30	14	5
Other Tub. & Scrof. Dis.	0·30	0·37	0·22	61	38	23	22	6	4	2	4	38	5	6	4	4	2	2	–	–	–
Diseases of Nervous System	2·20	2·48	1·93	454	254	200	161	30	7	9	4	211	12	9	7	2	5	15	20	43	80
Diseases of Circulatory „	1·29	1·33	1·25	266	136	130	1	–	–	–	1	2	4	10	4	2	11	25	33	48	78
Diseases of Respiratory „	3·27	3·65	2·90	674	373	301	184	94	33	14	14	339	21	2	2	7	13	18	24	61	106
Diseases of Digestive „	0·92	0·98	0·87	190	100	90	32	13	1	3	3	52	5	3	1	3	9	15	25	24	37
Diseases of Urinary „	0·33	0·40	0·27	69	41	28	1	1	–	–	–	2	5	–	1	1	7	7	5	14	18
Diseases of Generative „	0·02	–	0·04	4	–	4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
Puerperal Fever	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	2	4	13	4	1	–	–
Childbirth	0·08	–	0·15	16	–	16	–	–	–	–	–	–	–	–	1	3	6	6	–	–	–
Violence	0·64	0·97	0·32	132	99	33	7	6	5	6	4	28	3	4	12	13	10	19	12	8	14
Other Causes	3·10	3·25	2·98	641	334	307	284	13	4	4	3	308	9	9	12	4	16	17	15	23	58

Marriages - - 1,287

Births { Males - 3,538 / Females - 3,447 } 6,985

Annual Rate per 1000 living { Persons Married 12·49 / Births - - 33·90

Deaths from Childbirth and Puerperal Fever - - - - 5·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

369.—LICHFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·09	†115	–	–	–	–	40·96	4·20	2·91	4·03	6·02	7·79	12·26	17·12	30·79	66·69	156·69
Annual Death-Rate per 1000. Males	—	17·87	†127	–	–	–	–	44·50	3·88	3·01	3·55	4·99	7·96	13·17	18·78	34·13	75·44	163·45
Annual Death-Rate per 1000. Females	—	16·35	†102	–	–	–	–	37·43	4·52	2·81	4·68	7·22	7·62	11·33	15·44	27·45	58·40	151·01
Mean Population, 1881–91. Persons	Decennial Increase of Population, 2·12 per cent.	39,686	1083	1049	1084	1061	1089	5366	5066	4462	3893	3374	5353	4355	3342	2426	1414	635
Mean Population, 1881–91. Males		20,273	537	529	521	537	557	2681	2501	2223	2227	1823	2740	2210	1677	1213	688	290
Mean Population, 1881–91. Females		19,413	546	520	563	524	532	2685	2565	2239	1666	1551	2613	2145	1665	1213	726	345
Deaths from all Causes, 1881–90. Persons	17·91	7,109	1458	415	152	96	77	2198	213	130	157	203	417	534	572	747	943	995
Deaths from all Causes, 1881–90. Males	18·54	3,758	815	225	70	41	42	1193	97	67	79	91	218	291	315	414	519	474
Deaths from all Causes, 1881–90. Females	17·26	3,351	643	190	82	55	35	1005	116	63	78	112	199	243	257	333	424	521

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·01	9	7	2	2	–	1	–	–	3	1	–	–	–	2	2	1	–	–	–
Measles	0·30	0·30	0·29	118	61	57	28	40	20	9	9	106	10	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·24	0·23	92	48	44	4	20	14	10	11	59	26	3	1	1	2	–	–	–	–	–
Diphtheria	0·08	0·08	0·09	33	16	17	–	5	3	7	2	17	9	2	3	–	–	–	–	2	–	–
Whooping-cough	0·29	0·23	0·36	116	46	70	62	36	10	3	3	114	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Enteric Fever	0·15	0·13	0·16	58	26	32	2	–	–	–	1	3	11	10	8	7	4	5	5	4	1	–
Simple Continued Fever	0·02	0·01	0·02	6	3	3	1	–	–	1	–	2	1	1	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·35	0·36	0·33	138	73	65	66	17	2	1	1	87	2	–	1	1	4	1	–	5	13	24
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	0·49	0·31	0·69	196	63	133	–	–	–	1	–	1	2	1	–	1	4	16	41	50	59	21
Tabes Mesenterica	0·18	0·19	0·16	71	39	32	36	18	6	4	–	64	3	2	1	–	–	–	–	1	–	–
Phthisis	1·61	1·52	1·70	639	309	330	4	1	2	–	4	11	8	25	42	86	150	134	91	62	28	2
Other Tub. & Scrof. Dis.	0·38	0·41	0·35	151	83	68	50	28	12	3	3	96	16	8	11	6	6	4	–	2	1	1
Diseases of Nervous System	3·18	3·36	2·99	1262	681	581	197	47	13	12	8	277	31	27	26	29	63	129	120	162	234	164
Diseases of Circulatory „	1·56	1·60	1·51	618	325	293	2	1	–	–	1	4	5	8	12	15	24	52	87	120	173	118
Diseases of Respiratory „	2·90	3·29	2·50	1151	666	485	260	121	47	27	23	478	29	10	8	12	37	50	88	136	160	143
Diseases of Digestive „	0·99	1·00	0·98	394	203	191	97	36	1	2	1	137	12	2	5	9	10	24	44	59	58	34
Diseases of Urinary „	0·42	0·54	0·29	167	110	57	1	2	1	3	1	8	6	2	4	3	13	19	19	26	44	23
Diseases of Generative „	0·05	–	0·09	18	–	18	–	–	–	–	–	–	–	1	–	–	2	4	3	3	3	2
Puerperal Fever	0·11	–	0·23	44	–	44	–	–	–	–	–	–	–	–	2	10	23	9	–	–	–	–
Childbirth	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	4	7	19	–	–	–	–
Violence	0·68	0·96	0·38	269	195	74	12	7	13	6	6	44	25	11	17	8	25	25	32	36	21	25
Other Causes	3·82	3·96	3·74	1524	800	724	634	36	7	7	3	687	14	16	14	11	39	39	40	79	147	438

Marriages - - - 2,535

Births - { Males - 6,430 / Females - 6,287 } 12,717

Annual Rate per 1000 living { Persons Married 12·78 / Births - - 32·04 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

370.—CANNOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·68	†135	–	–	–	–	47·83	4·20	2·57	3·79	4·29	5·47	7·87	12·18	26·53	58·56	132·06
Annual Death-Rate per 1000. Males	—	15·84	†146	–	–	–	–	50·80	4·24	2·56	2·99	4·09	5·09	7·57	12·48	27·88	60·27	135·81
Annual Death-Rate per 1000. Females	—	15·52	†123	–	–	–	–	44·79	4·15	2·58	4·92	4·56	5·90	8·21	11·86	25·03	56·76	128·11
Mean Population, 1881–91. Persons	Decennial Increase of Population 12·25 per cent.	38,334	1202	1105	1144	1125	1126	5702	5264	4590	3535	3006	5206	4180	3161	2088	1156	446
Mean Population, 1881–91. Males		20,084	610	554	588	551	575	2878	2616	2343	2071	1689	2730	2207	1626	1101	594	229
Mean Population, 1881–91. Females		18,250	592	551	556	574	551	2824	2648	2247	1464	1317	2476	1973	1535	987	562	217
Deaths from All Causes, 1881–90. Persons	16·04	6,148	1871	497	191	87	81	2727	221	118	134	129	285	329	385	554	677	589
Deaths from All Causes, 1881–90. Males	16·18	3,249	1022	270	92	40	38	1462	111	60	62	69	139	167	203	307	358	311
Deaths from All Causes, 1881–90. Females	15·88	2,899	849	227	99	47	43	1265	110	58	72	60	146	162	182	247	319	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·01	0·02	6	2	4	1	–	1	–	–	2	1	–	–	1	2	–	–	–	–
Measles	0·26	0·23	0·28	98	46	52	22	33	21	12	2	90	6	2	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·26	0·27	103	53	50	7	14	25	9	14	69	26	5	2	–	–	1	–	–	–
Diphtheria	0·07	0·03	0·11	27	7	20	1	–	1	2	5	9	9	6	1	–	1	1	–	–	–
Whooping-cough	0·28	0·26	0·30	108	53	55	47	25	17	8	7	104	4	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	4	4	–	–	–	1	–	–	1	–	1	–	1	1	–	–	–	–
Enteric Fever	0·10	0·09	0·10	38	19	19	1	–	1	–	2	4	7	2	6	5	4	3	2	3	1
Simple Continued Fever	0·03	0·03	0·03	13	7	6	–	3	1	–	–	4	4	–	–	–	–	1	–	1	2
Diarrhœa and Dysentery	0·37	0·36	0·38	142	73	69	86	22	4	1	1	114	5	–	–	1	–	1	1	2	11
Cholera	0·02	0·01	0·02	6	2	4	2	1	–	–	–	3	–	–	–	–	1	1	1	–	–
Cancer	0·44	0·26	0·64	169	53	116	–	–	–	–	1	1	–	–	–	–	5	16	28	56	43
Tabes Mesenterica	0·33	0·32	0·35	127	64	63	79	26	7	1	6	119	5	2	–	–	–	1	–	–	–
Phthisis	0·94	0·91	0·98	361	182	179	7	5	2	–	–	14	11	11	39	52	80	78	47	19	7
Other Tub. & Scrof. Dis.	0·22	0·28	0·15	84	56	28	25	13	5	3	3	49	15	5	4	2	4	1	3	1	–
Diseases of Nervous System	2·37	2·44	2·30	909	489	420	382	60	17	12	11	482	32	10	10	12	20	34	50	67	115
Diseases of Circulatory „	1·51	1·41	1·62	580	284	296	2	2	1	–	–	5	9	8	19	9	33	44	61	138	161
Diseases of Respiratory „	3·00	3·21	2·78	1151	644	507	355	188	64	21	18	646	37	8	8	4	29	33	67	104	127
Diseases of Digestive „	1·00	0·97	1·04	383	194	189	81	27	6	4	3	121	14	7	6	6	14	26	50	54	65
Diseases of Urinary „	0·40	0·45	0·34	152	90	62	11	6	1	2	1	21	3	4	4	1	8	15	15	21	32
Diseases of Generative „	0·03	0·01	0·04	10	2	8	–	–	–	–	–	–	–	–	1	–	3	1	2	–	2
Puerperal Fever	0·09	–	0·19	34	–	34	–	–	–	–	–	–	–	–	3	7	11	11	2	–	–
Childbirth	0·08	–	0·16	30	–	30	–	–	–	–	–	–	–	–	–	4	14	12	–	–	–
Violence	0·69	1·08	0·26	265	217	48	11	10	11	8	3	43	18	32	15	17	28	23	32	33	17
Other Causes	3·51	3·54	3·52	1348	708	640	751	62	5	4	4	826	15	15	16	7	27	26	24	55	94

Marriages - - - 2,481

Births - Males - 6,987, Females - 6,879 } 13,866

Annual Rate per 1000 living { Persons Married 12·94; Births - - 36·17

Deaths from Childbirth and Puerperal Fever - - - - } 4·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

371.—WOLVERHAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·88	†161	–	–	–	–	65·55	5·41	2·92	3·98	4·95	7·30	11·45	18·36	36·88	76·01	156·54
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·29	†174	–	–	–	–	70·16	5·55	2·79	3·94	4·99	7·29	12·68	20·42	41·21	86·44	171·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·56	†148	–	–	–	–	60·93	5·27	3·06	4·03	4·91	7·30	10·23	16·35	32·63	66·52	145·43
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·46 per cent.	150,167	4532	3927	4166	4028	4090	20743	18805	17355	15478	13195	21516	16093	12229	8589	4643	1521
Mean Population, 1881–91. Males		75,154	2257	1948	2110	2008	2059	10382	9354	8822	8001	6612	10796	8029	6034	4256	2212	656
Mean Population, 1881–91. Females		75,013	2275	1979	2056	2020	2031	10361	9451	8533	7477	6583	10720	8064	6195	4333	2431	865
Deaths from All Causes, 1881–90. Persons	20·73	31,126	8529	2779	1129	699	461	13597	1017	507	616	653	1570	1843	2245	3168	3529	2381
Deaths from All Causes, 1881–90. Males	21·98	16,520	4673	1440	589	362	220	7284	519	246	315	330	787	1018	1232	1754	1912	1123
Deaths from All Causes, 1881–90. Females	19·47	14,606	3856	1339	540	337	241	6313	498	261	301	323	783	825	1013	1414	1617	1258

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·04	0·05	0·03	59	35	24	12	5	2	1	2	22	7	1	9	4	7	8	1	–	–	–
Measles	0·52	0·53	0·51	783	397	386	148	309	135	88	43	723	54	5	–	–	1	–	–	–	–	–
Scarlet Fever	0·37	0·40	0·35	560	301	259	31	88	100	88	61	368	162	17	3	3	4	2	–	1	–	–
Diphtheria	0·09	0·08	0·09	181	60	71	4	10	11	16	20	61	45	16	4	1	4	–	–	–	–	–
Whooping-cough	0·46	0·43	0·50	693	321	372	296	228	80	52	16	672	18	2	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	9	5	–	–	–	–	–	–	–	1	1	–	2	3	5	1	–	1
Enteric Fever	0·17	0·19	0·14	248	142	106	–	3	5	5	10	23	27	25	44	30	41	20	22	10	6	–
Simple Continued Fever	0·02	0·02	0·03	32	13	19	2	2	2	3	3	12	8	1	1	2	3	–	1	2	2	–
Diarrhœa and Dysentery	1·03	1·08	0·98	1550	812	738	989	293	51	29	14	1376	14	1	3	3	3	7	16	30	53	44
Cholera	0·01	0·01	0·01	9	5	4	–	–	–	–	–	–	3	–	–	–	–	–	2	2	1	1
Cancer	0·47	0·34	0·61	711	254	457	1	1	3	1	1	7	3	2	1	3	25	88	203	194	133	52
Tabes Mesenterica	0·38	0·39	0·37	573	292	281	326	129	45	21	5	526	14	7	3	4	3	3	3	5	5	–
Phthisis	1·46	1·67	1·26	2196	1254	942	108	78	44	12	8	250	42	76	165	224	533	397	288	162	56	3
Other Tub. & Scrof. Dis.	0·30	0·34	0·26	453	256	197	136	82	37	25	16	296	43	29	27	18	15	13	6	3	3	–
Diseases of Nervous System	2·40	2·51	2·28	3601	1886	1715	1125	245	116	64	41	1591	123	70	55	60	105	152	256	441	493	255
Diseases of Circulatory „	1·44	1·39	1·49	2168	1047	1121	15	3	1	–	1	20	39	43	65	43	142	244	326	529	511	206
Diseases of Respiratory „	4·56	5·12	4·00	6847	3848	2999	1633	844	339	181	143	3140	195	48	53	59	234	351	527	898	916	426
Diseases of Digestive „	1·15	1·19	1·12	1729	891	838	367	141	32	23	20	583	39	36	29	42	88	135	183	288	225	81
Diseases of Urinary „	0·49	0·59	0·38	731	446	285	23	15	14	10	7	69	27	10	14	18	72	86	98	149	128	60
Diseases of Generative „	0·04	0·01	0·08	66	4	62	4	2	–	–	3	9	2	1	1	4	9	11	12	11	4	2
Puerperal Fever	0·07	–	0·15	109	–	109	–	–	–	–	–	–	–	–	4	26	52	25	2	–	–	–
Childbirth	0·08	–	0·16	117	–	117	–	–	–	–	–	–	–	–	1	16	43	56	1	–	–	–
Violence	0·69	0·97	0·41	1035	728	307	101	42	46	47	30	266	91	56	68	46	89	90	102	99	91	37
Other Causes	4·48	4·66	4·25	6711	3519	3192	3208	259	66	33	17	3583	61	60	64	47	95	152	191	343	902	1213

Marriages - - - 11,004

Births - Males - 26,872, Females - 26,117 } 52,989

Annual Rate per 1000 living { Persons Married 14·66; Births - - 35·29 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

372.—WALSALL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·06	†159	–	–	–	–	64·29	5·05	2·61	3·90	4·92	6·45	10·19	16·59	33·85	75·52	158·86
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·02	†175	–	–	–	–	69·16	4·99	3·05	3·86	4·46	6·31	10·84	17·35	37·61	79·54	169·38
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·15	†144	–	–	–	–	59·44	5·11	2·17	3·94	5·37	6·60	9·51	15·80	29·95	71·65	150·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·03 per cent.	92,109	2938	2565	2661	2571	2655	13390	12249	10762	9718	8381	13005	9796	7193	4591	2324	700
Mean Population, 1881–91. Males	Decennial Increase of Population 19·03 per cent.	46,255	1471	1279	1337	1289	1316	6692	6090	5382	4893	4212	6581	4961	3648	2337	1139	320
Mean Population, 1881–91. Females	Decennial Increase of Population 19·03 per cent.	45,854	1467	1286	1324	1282	1339	6698	6159	5380	4825	4169	6424	4835	3545	2254	1185	380
Deaths from All Causes, 1881–90. Persons	19·27	17,751	5561	1715	644	402	287	8609	619	281	379	412	839	998	1193	1554	1755	1112
Deaths from All Causes, 1881–90. Males	20·29	9,386	3100	849	325	201	153	4628	304	164	189	188	415	538	633	879	906	542
Deaths from All Causes, 1881–90. Females	18·24	8,365	2461	866	319	201	134	3981	315	117	190	224	424	460	560	675	849	570

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·09	0·09	0·08	79	41	38	9	8	–	4	2	23	7	9	10	14	10	4	2	–	–	–
Measles	0·45	0·41	0·48	412	190	222	90	156	80	39	21	386	23	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·55	0·55	0·55	509	256	253	35	90	77	84	62	348	138	15	1	3	1	2	1	–	–	–
Diphtheria	0·10	0·11	0·09	93	52	41	9	21	14	11	11	66	15	2	7	–	1	1	–	1	–	–
Whooping-cough	0·44	0·37	0·50	401	172	229	193	135	32	22	8	390	10	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	8	2	6	–	–	1	1	2	4	2	1	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·25	0·19	205	117	88	2	5	4	9	13	33	29	19	30	25	27	20	12	7	3	–
Simple Continued Fever	0·02	0·04	0·01	23	17	6	3	1	3	2	3	12	2	1	–	1	–	3	1	2	1	–
Diarrhœa and Dysentery	1·10	1·14	1·06	1013	526	487	671	178	45	9	7	910	14	3	4	–	7	7	9	14	29	16
Cholera	0·00	0·00	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	0·37	0·25	0·49	342	116	226	1	–	–	–	–	1	1	–	–	4	14	46	88	100	70	18
Tabes Mesenterica	0·40	0·40	0·40	371	186	185	263	65	15	5	3	351	6	5	2	4	1	–	1	1	–	–
Phthisis	1·14	1·20	1·09	1051	553	498	38	23	7	1	1	70	31	35	102	140	242	208	140	61	21	1
Other Tub. & Scrof. Dis.	0·22	0·27	0·17	201	124	77	64	54	22	11	4	155	13	3	8	8	7	2	2	2	1	–
Diseases of Nervous System	2·40	2·53	2·26	2207	1172	1035	869	198	75	41	27	1210	70	35	42	34	38	82	130	214	239	113
Diseases of Circulatory „	1·11	1·09	1·13	1022	505	517	10	4	2	1	–	17	19	18	26	26	72	119	173	244	223	85
Diseases of Respiratory „	4·28	4·76	3·79	3938	2200	1738	1053	517	187	102	59	1918	122	23	46	42	143	178	293	496	485	192
Diseases of Digestive „	1·01	1·04	0·97	927	483	444	231	95	16	7	12	361	27	18	17	20	43	76	118	111	106	30
Diseases of Urinary „	0·40	0·46	0·34	366	211	155	12	15	16	7	13	63	20	12	9	9	31	37	61	57	45	22
Diseases of Generative „	0·05	0·02	0·08	46	8	38	–	–	1	–	–	1	–	3	3	5	6	9	7	6	5	1
Puerperal Fever	0·09	–	0·18	82	–	82	–	–	–	–	–	–	–	–	4	14	43	20	1	–	–	–
Childbirth	0·07	–	0·14	63	–	63	–	–	–	–	–	–	–	–	–	9	24	29	1	–	–	–
Violence	0·62	0·93	0·31	570	428	142	21	24	27	28	21	121	36	46	41	20	60	64	68	56	34	24
Other Causes	4·13	4·38	3·92	3820	2025	1795	1987	126	0	18	18	2169	34	29	27	34	68	90	84	182	493	610

Marriages - - - 6,695

Births - { Males - 17,760 / Females - 17,138 } 34,898

Annual Rate per 1000 living { Persons Married 14·54 / Births - - 37·89 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

373.—WEST BROMWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		19·92	†163	–	–	–	–	65·61	5·19	2·81	3·81	4·81	6·37	9·38	15·81	32·49	71·56	161·02
Annual Death-Rate per 1000. Males	—					21·46	†181	–	–	–	–	72·43	5·33	2·63	4·04	4·58	6·84	9·60	18·26	36·70	79·46	171·11
Annual Death-Rate per 1000. Females	—					18·47	†144	–	–	–	–	59·05	5·04	2·98	3·56	5·03	5·92	9·17	13·44	28·52	64·52	153·01
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·04 per cent.			134,373			4111	3691	3727	3734	3726	18989	17349	15705	14191	12266	19346	14367	10616	6855	3586	1103
Mean Population, 1881–91. Males				66,347			2034	1823	1810	1836	1814	9317	8607	7828	7203	6029	9580	7075	5207	3324	1689	488
Mean Population, 1881–91. Females				68,026			2077	1868	1917	1898	1912	9672	8742	7877	6988	6237	9766	7292	5409	3531	1897	615
Deaths from All Causes, 1881–90. Persons	19·17			25,758			7952	2541	983	596	387	12459	900	441	540	590	1233	1348	1678	2227	2566	1776
Deaths from All Causes, 1881–90. Males	20·59			13,662			4488	1294	481	309	176	6748	459	206	291	276	655	679	951	1220	1342	835
Deaths from All Causes, 1881–90. Females	17·78			12,096			3464	1247	502	287	211	5711	441	235	249	314	578	669	727	1007	1224	941
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·16	0·18	0·13	209	121	88	22	3	8	4	2	39	11	16	33	29	43	19	10	8	1	–
Measles	0·45	0·45	0·45	601	296	305	133	250	98	56	31	568	28	4	1	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·33	0·34	444	216	228	29	75	81	70	57	312	111	15	1	1	3	1	–	–	–	–
Diphtheria	0·11	0·10	0·12	145	65	80	11	11	18	20	17	77	48	10	2	1	4	1	–	1	–	1
Whooping-cough	0·49	0·45	0·54	661	297	364	293	199	98	36	18	644	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·22	0·24	0·20	299	160	139	1	6	5	9	10	31	42	55	39	27	48	19	17	15	6	–
Simple Continued Fever	0·03	0·03	0·04	46	21	25	2	6	3	2	2	15	9	5	2	–	2	1	5	4	2	1
Diarrhœa and Dysentery	0·90	0·96	0·85	1215	640	575	771	220	38	11	6	1046	10	1	4	1	11	6	8	28	52	48
Cholera	0·01	0·01	0·00	7	4	3	4	1	–	–	–	5	–	–	–	–	–	1	–	1	–	–
Cancer	0·47	0·35	0·59	634	233	401	–	–	2	–	2	4	–	1	1	3	24	68	160	191	146	36
Tabes Mesenterica	0·38	0·41	0·35	513	274	239	272	139	29	15	9	464	20	7	5	6	5	3	2	1	–	–
Phthisis	1·07	1·18	0·97	1444	786	658	24	16	9	2	11	62	30	48	158	188	356	291	187	98	24	2
Other Tub. & Scrof. Dis.	0·29	0·33	0·25	391	222	169	124	94	29	22	14	283	44	15	16	13	11	6	1	1	1	–
Diseases of: Nervous System	2·33	2·54	2·11	3124	1685	1439	1142	254	107	65	32	1600	106	50	55	31	81	130	202	328	385	156
Diseases of: Circulatory „	1·15	1·13	1·16	1540	750	790	12	5	2	2	2	23	31	40	40	44	120	152	227	358	390	115
Diseases of: Respiratory „	4·05	4·62	3·50	5446	3065	2381	1447	786	314	195	99	2841	152	38	36	61	141	227	362	587	683	318
Diseases of: Digestive „	1·03	1·03	1·03	1385	684	701	342	129	29	12	22	534	43	23	22	30	69	105	154	198	163	44
Diseases of: Urinary „	0·35	0·43	0·28	477	287	190	23	15	8	9	4	59	21	11	9	11	34	45	76	99	79	33
Diseases of: Generative „	0·06	0·01	0·11	83	5	78	5	1	2	–	–	8	–	2	5	3	16	23	13	9	3	1
Puerperal Fever	0·08	–	0·16	110	–	110	–	–	–	–	–	–	–	–	5	31	48	23	3	–	–	–
Childbirth	0·06	–	0·12	82	–	82	–	–	–	–	–	–	–	–	2	20	23	36	1	–	–	–
Violence	0·64	0·94	0·36	866	623	243	52	36	29	33	32	182	102	51	51	47	88	73	103	80	54	35
Other Causes	4·51	4·87	4·12	6034	3227	2807	3243	295	74	32	17	3661	75	49	52	43	106	118	147	220	577	986

Marriages - - - 10,025

Births - Males - 24,850; Females - 23,976 — 48,826

Annual Rate per 1000 living: Persons Married 14·92; Births - - 36·34

Deaths from Childbirth and Puerperal Fever - - - - - 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

374.—DUDLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·34	†166	–	–	–	–	68·95	5·08	2·61	3·60	4·70	6·00	9·25	15·25	33·34	72·83	167·19
Annual Death-Rate per 1000. Males	—	21·50	†182	–	–	–	–	74·78	5·27	2·81	3·53	4·40	5·36	9·68	17·13	38·10	79·64	171·62
Annual Death-Rate per 1000. Females	—	19·25	†149	–	–	–	–	63·21	4·89	2·41	3·68	5·00	6·66	8·82	13·42	28·81	66·94	163·61
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·77 per cent.	141,464	4595	4113	4153	4104	4121	21086	19226	16746	14720	12070	19052	14451	10948	7705	4119	1341
Mean Population, 1881–91. Males		70,696	2317	2056	2022	1998	2065	10458	9617	8430	7673	6135	9556	7140	5418	3759	1911	599
Mean Population, 1881–91. Females		70,768	2278	2057	2131	2106	2056	10628	9609	8316	7047	5935	9496	7311	5530	3946	2208	742
Deaths from All Causes, 1881–90. Persons	20·51	29,011	9229	2957	1213	660	480	14539	977	437	530	567	1144	1336	1670	2569	3000	2242
Deaths from All Causes, 1881–90. Males	21·53	15,219	5156	1502	599	327	237	7821	507	237	271	270	512	691	928	1432	1522	1028
Deaths from All Causes, 1881–90. Females	19·49	13,792	4073	1455	614	333	243	6718	470	200	259	297	632	645	742	1137	1478	1214

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·08	0·07	0·08	108	52	56	16	2	2	3	1	24	15	6	16	16	16	8	6	1	–	–
Measles	0·56	0·58	0·55	797	409	388	179	302	145	77	48	751	45	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·56	0·58	0·55	798	410	388	51	138	145	125	89	548	215	29	–	4	2	–	–	–	–	–
Diphtheria	0·04	0·04	0·05	63	30	33	3	8	11	8	6	36	17	3	2	1	1	1	1	1	–	–
Whooping-cough	0·55	0·49	0·60	772	344	428	323	246	105	56	25	755	17	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	7	6	1	–	–	1	–	–	1	1	–	2	–	–	1	–	2	–	–
Enteric Fever	0·25	0·24	0·26	350	169	181	2	11	9	6	7	35	42	51	51	53	39	30	29	13	7	–
Simple Continued Fever	0·02	0·02	0·01	23	13	10	–	5	2	1	1	9	7	3	–	1	1	–	1	–	1	–
Diarrhœa and Dysentery	0·95	1·03	0·87	1348	729	619	819	295	61	24	5	1204	15	3	4	2	6	6	12	19	36	41
Cholera	0·01	0·01	0·00	8	5	3	2	1	–	–	–	3	–	–	–	–	–	1	2	2	–	–
Cancer	0·38	0·29	0·47	539	205	334	1	1	2	–	–	4	1	2	3	3	22	66	128	175	105	30
Tabes Mesenterica	0·39	0·44	0·34	552	313	239	275	159	53	16	11	514	19	3	3	3	3	5	1	1	–	–
Phthisis	0·83	0·80	0·86	1173	563	610	13	11	3	4	5	36	37	36	116	150	293	219	151	97	32	6
Other Tub. & Scrof. Dis.	0·22	0·25	0·20	315	177	138	79	60	44	24	10	217	28	20	10	5	18	7	6	3	1	–
Diseases of Nervous System	2·45	2·57	2·33	3467	1819	1648	1295	221	86	48	42	1692	83	53	49	36	88	132	207	397	503	227
Diseases of Circulatory „	1·16	1·09	1·23	1639	769	870	–	–	3	4	3	10	27	33	41	51	89	176	279	431	383	119
Diseases of Respiratory „	4·39	4·90	3·89	6209	3461	2748	1695	889	339	179	131	3233	171	38	41	66	164	256	358	740	803	339
Diseases of Digestive „	1·18	1·20	1·16	1669	849	820	463	206	29	12	17	727	31	28	44	30	68	114	173	240	171	43
Diseases of Urinary „	0·33	0·41	0·25	471	292	179	8	34	15	9	12	78	27	3	12	9	42	50	60	81	82	27
Diseases of Generative „	0·04	0·01	0·08	63	9	54	3	5	4	–	–	12	1	–	1	2	12	13	11	8	3	–
Puerperal Fever	0·07	–	0·14	100	–	100	–	–	–	–	–	–	–	–	6	21	48	25	–	–	–	–
Childbirth	0·07	–	0·15	104	–	104	–	–	–	–	–	–	–	–	5	15	48	33	3	–	–	–
Violence	0·73	1·09	0·37	1030	768	262	50	32	49	32	47	210	107	66	69	52	106	95	100	102	84	39
Other Causes	5·25	5·41	5·05	7406	3827	3579	3952	331	105	32	20	4440	71	59	55	47	78	98	142	256	789	1371

Marriages - - - 13,250

Births - { Males - 28,345 / Females - 27,345 } 55,690

Annual Rate per 1000 living { Persons Married 18·73 / Births - - 39·37 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

375.—STOURBRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·73	†156	–	–	–	–	63·38	4·56	2·18	3·59	4·29	6·06	8·51	14·43	26·63	67·86	164·09
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·89	†171	–	–	–	–	69·14	4·69	2·47	3·42	3·76	5·73	8·64	16·19	30·64	73·59	177·75
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·62	†142	–	–	–	–	57·72	4·44	1·89	3·78	4·83	6·39	8·38	12·76	22·91	62·44	152·58
Mean Population, 1881-91. Persons	Decennial Increase of Population 4·03 per cent.	81,210	2468	2220	2270	2262	2316	11536	10782	9640	8290	6987	10935	8428	6472	4611	2635	894
Mean Population, 1881-91. Males		40,351	1227	1111	1126	1133	1126	5723	5395	4827	4300	3506	5378	4157	3157	2219	1280	409
Mean Population, 1881-91. Females		40,859	1241	1109	1144	1129	1190	5813	5387	4813	3990	3481	5557	4271	3315	2392	1355	485
Deaths from All Causes, 1881-90. Persons	18·97	15,409	4668	1422	589	368	265	7312	492	210	298	300	663	717	934	1228	1788	1467
Deaths from All Causes, 1881-90. Males	20·16	8,135	2602	732	296	191	136	3957	253	119	147	132	308	359	511	680	942	727
Deaths from All Causes, 1881-90. Females	17·80	7,274	2066	690	293	177	129	3355	239	91	151	168	355	358	423	548	846	740

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·02	0·02	19	10	9	6	–	1	1	–	8	1	1	3	4	–	1	1	–	–	–
Measles	0·61	0·60	0·62	497	244	253	114	180	85	48	30	457	39	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·54	0·49	415	216	199	23	74	84	70	47	298	107	5	3	1	–	–	–	–	1	–
Diphtheria	0·06	0·05	0·07	50	21	29	4	1	5	8	5	23	18	5	1	2	1	–	–	–	–	–
Whooping-cough	0·52	0·50	0·54	421	201	220	195	122	51	27	16	411	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	7	3	4	–	–	–	–	–	–	1	1	1	–	1	1	–	–	1	1
Enteric Fever	0·25	0·28	0·22	200	112	88	–	4	2	6	3	15	16	22	27	46	31	20	13	8	1	1
Simple Continued Fever	0·08	0·08	0·07	61	33	28	20	9	6	4	1	40	6	3	1	3	2	–	2	2	2	–
Diarrhœa and Dysentery	0·80	0·85	0·74	647	344	303	403	116	23	8	4	554	4	2	3	3	5	4	4	12	25	31
Cholera	0·00	0·00	0·00	3	2	1	1	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
Cancer	0·48	0·38	0·58	391	154	237	–	–	–	2	1	3	2	–	–	2	14	42	82	115	101	30
Tabes Mesenterica	0·58	0·65	0·51	472	264	208	299	105	33	7	4	448	6	4	3	1	1	1	3	2	3	–
Phthisis	0·88	0·97	0·79	713	390	323	9	5	4	1	3	22	21	30	65	76	196	132	106	48	15	2
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	183	95	88	38	25	19	7	7	96	25	17	6	9	13	9	4	3	1	–
Diseases of Nervous System	2·28	2·44	2·13	1853	984	869	582	108	41	22	27	780	49	22	29	22	46	67	101	207	340	190
Diseases of Circulatory „	1·46	1·42	1·50	1184	572	612	27	4	2	–	5	38	13	14	27	26	57	82	162	238	363	164
Diseases of Respiratory „	3·54	4·10	2·98	2875	1656	1219	780	371	146	98	77	1472	80	18	26	19	77	105	177	273	383	245
Diseases of Digestive „	1·10	1·11	1·08	890	447	443	242	99	16	8	7	372	23	13	21	9	24	55	101	108	119	45
Diseases of Urinary „	0·42	0·51	0·33	338	205	133	4	14	8	2	4	32	3	4	4	10	27	36	52	56	71	43
Diseases of Generative „	0·03	0·00	0·06	27	2	25	2	–	–	–	–	2	–	–	1	3	6	2	3	5	4	1
Puerperal Fever	0·10	–	0·20	82	–	82	–	–	–	–	–	–	–	–	3	17	39	20	3	–	–	–
Childbirth	0·10	–	0·19	78	–	78	–	–	–	–	–	–	–	–	7	9	26	36	–	–	–	–
Violence	0·62	0·90	0·35	506	363	143	45	31	21	34	10	141	35	25	44	18	37	47	43	42	43	31
Other Causes	4·29	4·51	4·10	3497	1817	1680	1874	154	42	15	14	2099	33	24	22	19	60	57	77	108	315	683

Marriages - - 5,665

Births - { Males - 15,249, Females - 14,594 } 29,843

Annual Rate per 1000 living { Persons Married 13·95, Births - - 36·75 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

376.—KIDDERMINSTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·10	†137	–	–	–	–	49·77	4·91	2·85	3·93	5·44	5·86	9·37	15·84	29·25	59·03	148·35
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·48	†150	–	–	–	–	54·40	5·61	2·48	4·14	5·74	6·09	10·84	19·53	33·03	64·47	154·81
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·81	†123	–	–	–	–	45·27	4·23	3·21	3·75	5·22	5·65	8·09	12·61	25·86	54·35	143·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·47 per cent.	41,038	1098	1006	1045	1011	1048	5208	4909	4632	4273	3656	5807	4407	3448	2523	1540	635
Mean Population, 1881–91. Males	Decennial Increase of Population 0·47 per cent.	19,355	543	497	497	504	527	2568	2406	2298	1980	1586	2677	2057	1608	1193	712	270
Mean Population, 1881–91. Females	Decennial Increase of Population 0·47 per cent.	21,683	555	509	548	507	521	2640	2503	2334	2293	2070	3130	2350	1840	1330	828	365
Deaths from All Causes, 1881–90. Persons	17·59	7,220	1722	439	208	135	88	2592	241	132	168	199	340	413	546	738	909	942
Deaths from All Causes, 1881–90. Males	19·29	3,733	955	221	111	65	45	1397	135	57	82	91	163	223	314	394	459	418
Deaths from All Causes, 1881–90. Females	16·08	3,487	767	218	97	70	43	1195	106	75	86	108	177	190	232	344	450	524

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·04	0·01	11	8	3	2	–	–	–	–	2	1	–	–	4	2	–	1	1	–	–
Measles	0·43	0·46	0·40	175	89	86	48	50	31	22	7	158	14	1	2	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·24	0·28	197	47	60	4	12	21	17	11	65	28	5	4	2	2	–	1	–	–	–
Diphtheria	0·13	0·10	0·15	52	20	32	2	2	4	11	7	26	17	4	1	1	1	1	–	–	1	–
Whooping-cough	0·20	0·20	0·21	84	39	45	33	18	11	12	6	80	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	6	2	4	–	–	–	–	–	–	1	–	–	1	1	–	2	1	–	–
Enteric Fever	0·39	0·39	0·39	161	76	85	1	2	3	3	4	13	11	27	29	31	12	14	13	5	4	2
Simple Continued Fever	0·03	0·04	0·03	13	7	6	–	2	1	–	–	3	5	–	–	–	–	–	–	2	1	2	–
Diarrhœa and Dysentery	0·74	0·83	0·65	302	161	141	210	28	4	1	1	244	–	1	–	–	–	2	5	18	14	18
Cholera	0·02	0·02	0·02	9	4	5	7	1	–	–	–	8	–	–	–	–	–	–	–	1	–	–
Cancer	0·56	0·45	0·66	229	87	142	–	–	1	–	–	1	1	–	–	–	8	27	36	70	65	21
Tabes Mesenterica	0·19	0·23	0·15	77	44	33	35	21	6	2	4	68	1	1	1	2	–	–	–	–	3	1
Phthisis	1·28	1·55	1·03	524	301	223	7	4	5	3	–	19	9	15	47	66	118	106	77	46	20	1
Other Tub. & Scrof. Dis.	0·26	0·30	0·23	108	59	49	26	18	5	5	6	60	21	9	4	3	3	5	2	–	1	–
Diseases of: Nervous System	2·02	2·32	1·75	829	449	380	192	45	16	9	7	269	29	16	14	9	17	37	47	110	160	121
Diseases of: Circulatory „	1·53	1·47	1·59	629	285	344	4	–	–	2	1	7	9	6	10	14	35	59	98	132	164	95
Diseases of: Respiratory „	3·10	3·43	2·81	1273	664	609	319	154	68	34	19	594	36	4	9	11	32	50	78	137	176	146
Diseases of: Digestive „	1·06	1·05	1·06	433	204	229	91	26	5	2	3	127	8	12	7	10	17	28	55	68	67	34
Diseases of: Urinary „	0·46	0·58	0·35	187	112	75	4	1	4	–	1	10	–	1	8	3	10	21	31	41	38	24
Diseases of: Generative „	0·04	–	0·08	18	–	18	–	–	–	–	–	–	–	–	1	–	6	2	3	2	2	2
Puerperal Fever	0·06	–	0·12	25	–	25	–	–	–	–	–	–	–	–	2	4	13	5	1	–	–	–
Childbirth	0·07	–	0·14	30	–	30	–	–	–	–	–	–	–	–	2	5	13	9	1	–	–	–
Violence	0·66	1·00	0·36	271	193	78	26	12	6	4	8	56	26	17	13	13	17	20	37	28	23	21
Other Causes	4·06	4·58	3·59	1667	882	785	711	43	17	8	3	782	20	13	14	20	33	27	56	77	169	456

Marriages - - - 2,976

Births - { Males - 6,369, Females - 6,252 } 12,621

Annual Rate per 1000 living { Persons Married 14·50, Births - - 30·75 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·36 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

377.—TENBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·98	†79	–	–	–	–	24·18	4·96	1·14	3·95	2·45	6·28	7·85	12·03	26·63	56·47	168·35
Annual Death-Rate per 1000. Males	—	14·72	†94	–	–	–	–	30·43	4·68	1·34	3·18	2·36	6·88	8·70	14·85	31·65	67·07	204·08
Annual Death-Rate per 1000. Females	—	11·33	†63	–	–	–	–	18·55	5·25	0·94	4·89	2·54	5·68	6·99	9·09	21·40	47·45	148·89
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·03 per cent.	7,435	191	170	185	192	205	943	846	876	684	572	955	777	698	582	363	139
Mean Population, 1881–91. Males		3,737	86	84	86	92	99	447	427	449	377	296	480	391	357	297	167	49
Mean Population, 1881–91. Females		3,698	105	86	99	100	106	496	419	427	307	276	475	386	341	285	196	90
Deaths from All Causes, 1881–90. Persons	15·06	1,120	158	38	10	11	11	228	42	10	27	14	60	61	84	155	205	234
Deaths from All Causes, 1881–90. Males	16·24	607	95	26	5	5	5	136	20	6	12	7	33	34	53	94	112	100
Deaths from All Causes, 1881–90. Females	13·87	513	63	12	5	6	6	92	22	4	15	7	27	27	31	61	93	134

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·21	0·14	13	8	5	2	4	–	1	1	8	3	–	2	–	–	–	–	–	–
Scarlet Fever	0·09	0·11	0·08	7	4	3	–	–	–	1	–	1	3	–	1	–	–	2	–	–	–
Diphtheria	0·17	0·11	0·24	13	4	9	–	–	2	–	1	3	9	1	–	–	–	–	–	–	–
Whooping-cough	0·35	0·40	0·30	26	15	11	9	10	2	–	1	22	4	–	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·13	0·19	0·08	10	7	3	–	–	–	–	–	–	–	1	–	1	3	2	3	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·37	0·41	29	14	15	12	3	–	–	2	17	2	–	–	–	–	–	2	–	4
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·83	0·56	1·11	62	21	41	–	–	–	–	1	1	–	–	1	–	2	4	9	16	17
Tabes Mesenterica	0·04	0·05	0·03	3	2	1	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–
Phthisis	0·78	1·02	0·54	58	38	20	1	–	–	–	–	1	1	–	6	4	21	6	10	9	–
Other Tub. & Scrof. Dis.	0·05	0·05	0·05	4	2	2	–	1	–	1	–	2	–	–	2	–	–	–	–	–	–
Diseases of Nervous System	2·41	3·08	1·73	179	115	64	23	3	1	1	–	28	1	2	5	–	9	5	10	34	46
Diseases of Circulatory „	2·14	1·79	2·49	159	67	92	2	–	–	–	–	2	2	–	1	1	4	7	8	33	47
Diseases of Respiratory „	1·98	2·19	1·76	147	82	65	24	10	1	2	3	40	7	1	–	–	3	9	14	18	35
Diseases of Digestive „	1·05	1·15	0·95	78	43	35	4	3	–	1	1	9	2	–	1	–	1	5	14	12	15
Diseases of Urinary „	0·47	0·67	0·27	35	25	10	–	–	–	–	–	–	–	1	3	–	1	6	4	3	5
Diseases of Generative „	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Fever	0·09	–	0·19	7	–	7	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·09	–	0·19	7	–	7	–	–	–	–	–	–	–	–	1	–	1	5	–	–	–
Violence	0·70	1·07	0·32	52	40	12	1	–	3	2	–	6	7	3	2	3	5	4	5	8	7
Other Causes	3·10	3·16	2·96	228	118	110	78	3	1	2	1	85	1	1	1	2	6	6	5	22	27
																					72

Marriages - - - 421

Births - { Males - 1,014 / Females - 996 } 2,010

Annual Rate per 1000 living { Persons Married 11·32 / Births - - 27·03 }

Deaths from Childbirth and Puerperal Fever - - - - 6·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

378.—MARTLEY‡.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·14	†92	–	–	–	–	31·24	2·76	2·11	3·05	4·06	5·09	8·77	11·51	25·32	54·49	141·85
Males	—	14·21	†105	–	–	–	–	33·37	3·06	2·29	3·27	3·47	5·58	10·75	14·49	29·72	60·94	148·65
Females	—	12·12	†78	–	–	–	–	29·64	2·47	1·92	2·80	4·58	4·67	7·02	8·78	21·32	48·93	137·27
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·52 per cent.	16,097	384	358	391	416	394	1943	1954	1844	1510	1181	2043	1721	1572	1181	780	368
Males		7,855	194	184	202	209	200	989	981	960	795	548	950	809	752	562	361	148
Females		8,242	190	174	189	207	194	954	973	884	715	633	1093	912	820	619	419	220
Deaths from All Causes, 1881–90. Persons	15·38	2,476	410	96	55	30	16	607	54	39	46	48	104	151	181	299	425	522
Males	16·33	1,283	235	41	28	20	6	330	30	22	26	19	53	87	109	167	220	220
Females	14·47	1,193	175	55	27	10	10	277	24	17	20	29	51	64	72	132	205	302

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·12	0·13	0·12	20	10	10	6	5	2	2	1	13	2	1	–	–	–	–	1	–	–	–
Scarlet Fever	0·25	0·27	0·24	41	21	20	2	4	9	5	6	26	12	1	–	–	–	1	–	–	1	–
Diphtheria	0·06	0·04	0·08	10	3	7	1	–	1	2	2	6	2	–	1	1	–	–	–	–	–	–
Whooping-cough	0·20	0·17	0·23	32	13	19	14	12	3	2	–	31	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·10	17	9	8	–	–	–	–	–	–	2	2	7	3	1	1	1	–	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·24	0·21	36	19	17	17	4	1	–	–	22	–	2	–	–	1	1	–	1	3	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·39	0·62	82	31	51	–	–	1	–	–	1	–	–	–	–	1	8	14	20	24	14
Tabes Mesenterica	0·09	0·10	0·08	15	8	7	6	3	1	–	1	11	3	1	–	–	–	–	–	–	–	–
Phthisis	1·02	1·01	1·04	165	79	86	3	–	–	–	–	3	2	1	12	17	45	35	19	23	7	1
Other Tub. & Scrof. Dis.	0·16	0·18	0·13	25	14	11	10	2	2	1	–	15	2	2	3	2	–	–	–	1	–	–
Diseases of: Nervous System	2·13	2·25	2·00	342	177	165	39	8	8	6	1	62	6	6	3	–	7	15	28	56	80	79
Circulatory „	2·31	2·28	2·34	372	179	193	–	1	–	–	1	2	3	5	2	5	4	24	36	81	107	103
Respiratory „	2·99	3·45	2·56	482	271	211	110	39	20	8	1	178	6	4	4	3	13	20	31	49	78	96
Digestive „	1·02	1·14	0·90	164	90	74	31	11	–	1	2	45	1	2	2	3	6	10	14	20	41	20
Urinary „	0·51	0·66	0·36	82	52	30	–	–	–	1	–	1	–	1	1	2	–	8	10	17	19	23
Generative „	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	–	3	3	5	–	–	–	–
Childbirth	0·07	–	0·15	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	1	–	–	–
Violence	0·57	0·87	0·25	89	68	21	3	1	6	1	1	12	5	7	8	5	7	7	9	9	13	7
Other Causes	2·95	3·04	2·91	477	239	238	168	6	1	1	–	176	6	4	3	3	10	12	17	21	52	173

Marriages - - - 894
Births - { Males - 2,236 / Females - 2,235 } 4,471

Annual Rate per 1000 living { Persons Married 11·11 / Births - - 27·78 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 735.

379.—WORCESTER.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000. Persons	—	In Standard Population* 21·03	†171	–	–	–	–	63·98	4·66	2·81	4·53	5·84	8·22	13·74	19·93	33·79	68·11	163·39
Annual Death-rate per 1000. Males	—	23·20	†186	–	–	–	–	69·93	4·68	2·47	4·47	6·92	9·31	15·92	23·22	42·37	78·37	183·64
Annual Death-rate per 1000. Females	—	18·99	†155	–	–	–	–	58·13	4·64	3·13	4·59	5·02	7·29	11·82	17·13	26·74	60·94	151·35
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·26 per cent.	37,508	907	822	910	873	841	4353	4163	4093	3926	3406	5388	4300	3472	2412	1405	590
Mean Population, 1881–91. Males		17,479	444	411	446	436	421	2158	2072	1981	1814	1474	2480	2016	1598	1088	578	220
Mean Population, 1881–91. Females		20,029	463	411	464	437	420	2195	2091	2112	2112	1932	2908	2284	1874	1324	827	370
Deaths from All Causes, 1881–90. Persons	21·15	7,933	2029	423	164	112	57	2785	194	115	178	199	443	591	692	815	957	964
Deaths from All Causes, 1881–90. Males	23·34	4,079	1113	227	84	55	30	1509	97	49	81	102	231	321	371	461	453	404
Deaths from All Causes, 1881–90. Females	19·24	3,854	916	196	80	57	27	1276	97	66	97	97	212	270	321	354	504	560

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	0·30	0·35	0·26	114	61	53	23	46	18	12	6	105	8	–	–	–	–	–	1	–
Scarlet Fever	0·15	0·17	0·14	57	29	28	6	7	9	6	5	33	20	2	–	1	–	1	–	–
Diphtheria	0·06	0·03	0·07	21	6	15	1	2	1	2	3	9	8	1	–	1	–	–	1	–
Whooping-cough	0·25	0·25	0·25	94	43	51	43	28	15	3	3	92	2	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·23	0·23	0·23	86	40	46	–	–	1	3	2	6	11	12	17	12	14	7	4	2
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	1	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·95	1·10	0·81	356	193	163	276	40	5	1	1	323	3	1	–	–	2	1	2	1
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·64	0·53	0·73	240	93	147	–	–	–	1	–	1	1	–	1	4	11	29	51	66
Tabes Mesenterica	0·44	0·46	0·42	164	80	84	108	19	9	4	1	141	8	9	2	–	1	1	1	1
Phthisis	1·77	2·04	1·54	665	356	309	1	4	4	1	–	10	9	13	46	74	156	153	125	54
Other Tub. & Scrof. Dis.	0·43	0·55	0·32	162	97	65	42	29	14	7	6	98	12	15	10	8	9	5	4	1
Diseases of Nervous System	2·63	2·82	2·46	988	495	493	186	41	19	13	6	265	30	15	12	15	28	62	90	138
Diseases of Circulatory „	2·17	2·37	2·00	815	414	401	5	1	–	–	–	6	4	9	19	14	52	95	99	190
Diseases of Respiratory „	3·60	4·00	3·25	1350	700	650	370	132	42	36	16	596	26	9	11	12	31	73	103	140
Diseases of Digestive „	1·52	1·73	1·35	572	302	270	137	34	9	4	1	185	8	7	13	12	28	42	84	78
Diseases of Urinary „	0·59	0·88	0·33	220	153	67	5	4	1	2	–	12	3	1	5	6	12	28	42	47
Diseases of Generative „	0·10	–	0·19	38	–	38	–	1	–	–	–	1	–	–	1	2	4	8	10	6
Puerperal Fever	0·09	–	0·17	35	–	35	–	–	–	–	–	–	–	–	3	7	13	10	2	–
Childbirth	0·07	–	0·13	26	–	26	–	–	–	–	–	–	–	–	–	5	12	9	–	–
Violence	0·72	1·14	0·34	269	200	69	25	5	6	12	5	53	29	7	17	16	31	23	25	25
Other Causes	4·43	4·66	4·24	1654	813	841	801	30	10	4	2	847	11	13	21	10	38	43	49	64

	45–	55–	65–	75 and upwds.
Diseases of Nervous System	19	33	27	16
Diseases of Circulatory „	99	127	431	

Marriages - - 2,926

Births - Males - 5,969, Females - 5,922 } 11,891

Annual Rate per 1000 living { Persons Married 15·60; Births - - 31·70

Deaths from Childbirth and Puerperal Fever - - - - - } 5·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

336.—UPTON-ON-SEVERN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·12	†106	–	–	–	–	34·75	3·14	2·63	3·65	4·78	8·52	13·45	16·76	29·81	61·73	152·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·28	†120	–	–	–	–	38·25	3·11	2·50	3·27	5·19	10·03	18·58	23·54	36·35	71·34	170·70
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·09	†91	–	–	–	–	31·27	3·17	2·76	4·01	4·53	7·49	9·59	11·62	24·61	54·56	140·06
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·00 per cent.	23,350	453	443	457	472	463	2288	2388	2552	2491	1945	3156	2595	2375	1845	1168	547
Mean Population, 1881–91. Males	Decennial Increase of Population 1·00 per cent.	10,550	225	224	237	231	223	1140	1191	1318	1194	752	1286	1114	1024	817	499	215
Mean Population, 1881–91. Females	Decennial Increase of Population 1·00 per cent.	12,800	228	219	220	241	240	1148	1197	1234	1297	1193	1870	1481	1351	1028	669	332
Deaths from All Causes, 1881–90. Persons	18·16	4,240	571	117	53	37	17	795	75	67	91	93	269	349	398	550	721	832
Deaths from All Causes, 1881–90. Males	20·67	2,181	329	56	19	23	9	436	37	33	39	39	129	207	241	297	356	367
Deaths from All Causes, 1881–90. Females	16·09	2,059	242	61	34	14	8	359	38	34	52	54	140	142	157	253	365	465

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·11	0·16	0·06	25	17	8	6	11	1	2	1	21	2	–	–	1	–	–	1	–	–	–
Scarlet Fever	0·06	0·08	0·05	15	8	7	1	2	3	2	1	9	4	2	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·15	26	7	19	–	–	1	5	3	9	11	4	–	–	1	1	–	–	–	–
Whooping-cough	0·19	0·12	0·25	45	13	32	26	10	5	1	2	44	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·21	0·21	49	22	27	–	–	–	–	–	–	1	7	14	4	8	5	3	4	3	–
Simple Continued Fever	0·02	0·01	0·02	4	1	3	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·27	0·16	49	29	20	36	3	1	–	–	40	1	–	–	–	1	–	–	1	2	4
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·74	0·49	0·95	173	52	121	–	–	–	–	–	–	–	–	–	1	4	8	32	50	53	25
Tabes Mesenterica	0·09	0·07	0·11	21	7	14	6	2	–	1	–	9	3	1	2	–	1	3	–	1	–	1
Phthisis	1·49	1·66	1·35	348	175	173	2	–	1	–	–	3	5	6	37	40	96	71	47	28	13	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	65	31	34	22	11	3	2	1	39	6	5	3	2	3	2	2	–	3	–
Diseases of: Nervous System	3·48	4·60	2·55	812	485	327	61	11	3	3	2	80	1	8	11	15	66	112	112	119	156	132
Diseases of: Circulatory "	2·57	2·76	2·42	601	291	310	2	–	–	2	1	5	2	7	2	4	12	37	70	134	190	138
Diseases of: Respiratory "	2·76	3·18	2·41	645	336	309	129	38	21	14	4	206	18	4	6	4	11	34	40	83	113	126
Diseases of: Digestive "	1·13	1·29	0·99	263	136	127	43	16	3	2	–	64	6	4	5	3	19	19	27	39	52	25
Diseases of: Urinary "	0·53	0·71	0·38	124	75	49	3	–	–	–	–	3	–	1	–	2	7	6	13	25	38	29
Diseases of: Generative "	0·06	0·01	0·09	13	1	12	–	–	–	–	–	–	–	–	–	–	1	3	4	1	3	1
Puerperal Fever	0·05	–	0·09	11	–	11	–	–	–	–	–	–	–	–	1	2	4	4	–	–	–	–
Childbirth	0·05	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–
Violence	0·54	0·80	0·33	126	84	42	9	7	4	2	–	22	7	9	5	8	14	17	17	14	4	9
Other Causes	3·47	3·87	3·16	811	409	402	225	6	7	1	2	241	5	9	5	4	16	21	29	50	91	340

Marriages - - - 1,302

Births - { Males - 2,734 / Females - 2,656 } 5,390

Annual Rate per 1000 living { Persons Married 11·15 / Births - - 23·08

Deaths from Childbirth and Puerperal Fever - - - - - } 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

381.—EVESHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·95	†89	–	–	–	–	30·84	3·32	2·39	3·03	3·89	4·92	8·65	11·39	22·35	52·23	148·97
Annual Death-Rate per 1000. Males	—	13·56	†97	–	–	–	–	33·05	3·23	2·16	2·68	3·59	4·67	9·35	12·68	23·87	60·17	168·87
Annual Death-Rate per 1000. Females	—	12·38	†80	–	–	–	–	28·78	3·41	2·63	3·43	4·18	5·16	8·00	10·14	20·87	45·13	132·98
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·23 per cent.	15,669	397	385	400	405	391	1978	1899	1839	1483	1259	1990	1664	1396	1083	739	339
Mean Population, 1881–91. Males		7,719	193	181	192	203	184	953	961	925	784	613	963	802	686	532	349	151
Mean Population, 1881–91. Females		7,950	204	204	208	202	207	1025	938	914	699	646	1027	862	710	551	390	188
Deaths from All Causes, 1881–90. Persons	14·97	2,345	394	98	54	43	21	610	63	44	45	49	98	144	159	242	386	505
Deaths from All Causes, 1881–90. Males	15·65	1,208	213	50	23	18	11	315	31	20	21	22	45	75	87	127	210	255
Deaths from All Causes, 1881–90. Females	14·30	1,137	181	48	31	25	10	295	32	24	24	27	53	69	72	115	176	250

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·29	0·19	37	22	15	4	14	7	6	2	33	3	–	1	–	–	–	–	–	–
Scarlet Fever	0·09	0·09	0·09	14	7	7	1	2	4	4	1	12	2	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·05	0·08	10	4	6	1	1	1	–	1	4	3	3	–	–	–	–	–	–	–
Whooping-cough	0·16	0·12	0·20	25	9	16	11	7	2	3	–	23	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·22	0·23	0·21	35	18	17	–	–	–	–	1	1	9	4	5	4	2	5	4	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·41	0·39	63	32	31	30	8	2	3	–	43	–	–	1	–	–	2	–	2	5	10
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·63	0·43	0·83	99	33	66	–	–	–	–	–	–	–	–	1	2	2	1	19	36	26	12
Tabes Mesenterica	0·06	0·06	0·05	9	5	4	2	–	1	–	2	5	1	1	–	–	–	1	–	–	1	–
Phthisis	1·03	1·05	1·02	162	81	81	1	1	1	1	2	6	2	5	15	18	38	37	20	13	7	1
Other Tub. & Scrof. Dis.	0·11	0·08	0·15	18	6	12	2	1	–	3	–	6	5	1	1	2	1	1	–	1	–	–
Diseases of: Nervous System	2·04	2·38	1·70	319	184	135	50	10	8	7	2	77	8	3	6	4	6	15	16	38	81	65
Diseases of: Circulatory „	1·74	1·63	1·84	272	126	146	–	–	–	–	–	–	–	7	–	3	6	15	21	62	91	67
Diseases of: Respiratory „	2·38	2·69	2·08	373	208	165	77	29	20	11	6	143	10	3	3	3	7	21	12	38	63	70
Diseases of: Digestive „	0·88	0·79	0·97	138	61	77	18	9	–	2	1	30	4	2	1	1	5	12	24	20	29	10
Diseases of: Urinary „	0·41	0·60	0·23	64	46	18	–	1	2	–	–	3	1	1	–	3	5	9	11	10	14	7
Diseases of: Generative „	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–
Puerperal Fever	0·09	–	0·18	14	–	14	–	–	–	–	–	–	–	–	–	3	5	6	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Violence	0·58	0·83	0·34	91	64	27	6	1	1	2	2	12	6	6	7	2	12	6	11	11	10	8
Other Causes	3·77	3·91	3·61	590	301	289	191	14	5	1	1	212	7	8	4	3	7	9	18	11	56	255

Marriages - - - 954

Births - Males - 2,185; Females - 2,260 } 4,445

Annual Rate per 1000 living { Persons Married 12·18; Births - - 28·37

Deaths from Childbirth and Puerperal Fever - - - - - } 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

382.—PERSHORE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·76			†105	–	–	–	–	34·22	3·46	1·88	5·31	5·17	6·22	7·96	11·48	22·81	53·99	138·87
Annual Death-Rate per 1000. Males	—			14·24			†115	–	–	–	–	37·16	4·39	1·37	5·10	3·82	6·14	8·21	13·59	22·50	62·46	139·10
Annual Death-Rate per 1000. Females	—			13·31			†96	–	–	–	–	31·26	2·50	2·37	5·57	6·50	6·29	7·72	9·45	23·11	46·15	138·67
Mean Population, 1881-91. Persons	Decennial Decrease of Population 4·09 per cent.			13,283			338	315	328	309	323	1613	1620	1493	1225	948	1625	1457	1307	982	676	337
Mean Population, 1881-91. Males				6,621			167	165	165	151	162	810	820	732	686	471	782	719	640	480	325	156
Mean Population, 1881-91. Females				6,662			171	150	163	158	161	803	800	761	539	477	843	738	667	502	351	181
Deaths from All Causes, 1881-90. Persons	16·37			2,174			400	81	38	14	19	552	56	28	65	49	101	116	150	224	365	468
Deaths from All Causes, 1881-90. Males	16·95			1,122			223	41	21	7	9	301	36	10	35	18	48	59	87	108	203	217
Deaths from All Causes, 1881-90. Females	15·79			1,052			177	40	17	7	10	251	20	18	30	31	53	57	63	116	162	251
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·20	0·21	27	13	14	4	11	2	4	1	22	3	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·13	0·14	0·12	17	9	8	–	2	4	–	5	11	3	–	3	–	–	–	–	–	–	–
Diphtheria	0·04	0·05	0·03	5	3	2	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–
Whooping-cough	0·29	0·23	0·35	38	15	23	19	12	1	1	2	35	2	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·17	0·09	17	11	6	–	–	–	–	–	–	1	1	6	2	–	3	3	1	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·30	0·30	40	20	20	19	3	1	–	–	23	–	–	–	–	–	–	2	1	7	7
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·67	0·41	0·93	89	27	62	–	1	–	–	–	1	–	1	–	–	1	9	6	24	25	22
Tabes Mesenterica	0·04	0·06	0·02	5	4	1	3	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–
Phthisis	1·26	1·24	1·28	167	82	85	5	1	3	1	–	10	3	7	19	19	43	35	20	5	4	2
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	37	19	18	5	5	2	1	1	14	8	1	8	3	3	–	–	–	–	–
Diseases of Nervous System	2·25	2·58	1·92	299	171	128	34	1	3	1	1	40	4	1	4	3	8	7	20	33	82	97
Diseases of Circulatory „	2·03	1·92	2·13	269	127	142	–	–	–	–	–	–	1	7	8	6	8	11	21	47	93	67
Diseases of Respiratory „	3·19	3·41	2·97	424	226	198	97	26	10	4	6	143	9	1	6	3	8	18	32	50	66	88
Diseases of Digestive „	0·97	0·91	1·04	129	60	69	34	10	4	1	–	49	2	2	–	2	7	2	12	18	18	17
Diseases of Urinary „	0·46	0·57	0·35	61	38	23	–	–	–	–	–	–	1	1	1	1	1	6	7	15	21	7
Diseases of Generative „	0·03	–	0·06	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1
Puerperal Fever	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·08	–	0·15	10	–	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–
Violence	0·56	0·91	0·21	74	60	14	7	2	2	–	3	14	9	2	2	3	4	6	9	12	11	2
Other Causes	3·39	3·54	3·24	454	236	218	173	7	5	1	–	186	5	2	8	5	11	10	16	16	37	158

Marriages - - - 1,064

Births - { Males - 1,942 / Females - 1,851 } 3,793

Annual Rate per 1000 living { Persons Married 16·02 / Births - - 28·56

Deaths from Childbirth and Puerperal Fever - - - - - } 3·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

383.—DROITWICH.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·05			†116	–	–	–	–	38·79	4·80	2·34	3·31	4·90	5·51	7·11	11·49	22·61	50·21	142·65
Annual Death-Rate per 1000. Males	—			14·86			†126	–	–	–	–	41·81	4·60	2·54	3·08	4·85	5·26	6·79	12·49	26·82	61·04	152·98
Annual Death-Rate per 1000. Females	—			13·27			†106	–	–	–	–	35·86	4·99	2·14	3·54	4·95	5·73	7·39	10·57	18·69	40·64	135·42
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·25 per cent.			22,787			623	577	638	587	612	3037	2814	2605	2177	1734	2974	2547	2037	1508	946	408
Mean Population, 1881–91. Males				11,003			301	284	330	288	292	1495	1392	1297	1104	804	1387	1208	977	727	444	168
Mean Population, 1881–91. Females				11,784			322	293	308	299	320	1542	1422	1308	1073	930	1587	1339	1060	781	502	240
Deaths from All Causes, 1881–90. Persons	15·39			3,508			802	196	92	47	41	1178	135	61	72	85	164	181	234	341	475	582
Deaths from All Causes, 1881–90. Males	16·31			1,795			442	96	50	20	17	625	64	33	34	39	73	82	122	195	271	257
Deaths from All Causes, 1881–90. Females	14·54			1,713			360	100	42	27	24	553	71	28	38	46	91	99	112	146	204	325
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·02	0·03	6	2	4	–	–	–	–	–	–	2	–	–	–	–	2	2	–	–	–
Measles	0·23	0·26	0·20	53	29	24	13	15	5	6	9	48	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·21	56	31	25	1	9	7	6	8	31	20	4	–	–	–	1	–	–	–	–
Diphtheria	0·14	0·13	0·15	32	14	18	–	2	5	2	4	13	15	4	–	–	–	–	–	–	–	–
Whooping-cough	0·16	0·14	0·18	36	15	21	15	11	7	1	2	36	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·19	0·20	44	21	23	–	1	1	–	1	3	6	5	5	6	7	6	4	2	–	–
Simple Continued Fever	0·04	0·04	0·03	8	4	4	–	–	3	–	–	3	2	1	–	–	–	1	–	–	–	1
Diarrhœa and Dysentery	0·35	0·40	0·31	80	44	36	52	12	1	–	1	66	1	–	–	–	–	–	–	1	5	7
Cholera	0·03	0·05	0·02	7	5	2	1	–	2	–	1	4	–	–	–	–	–	–	2	1	–	–
Cancer	0·54	0·37	0·69	122	41	81	–	1	–	–	–	1	–	–	–	2	3	12	33	31	26	14
Tabes Mesenterica	0·24	0·26	0·22	55	29	26	27	13	2	–	1	43	4	1	3	2	1	1	–	–	–	–
Phthisis	1·11	1·08	1·15	254	119	135	5	2	–	3	1	11	3	7	24	45	71	45	24	19	4	1
Other Tub. & Scrof. Dis.	0·44	0·55	0·35	101	60	41	46	13	8	4	–	71	11	5	2	1	4	2	1	4	–	–
Diseases of Nervous System	1·82	2·17	1·49	415	239	176	67	14	9	6	–	96	5	2	6	3	9	13	26	62	108	85
Diseases of Circulatory „	1·72	1·72	1·71	391	189	202	3	–	–	1	–	4	6	2	7	4	15	30	46	77	117	83
Diseases of Respiratory „	2·64	2·79	2·50	602	307	295	178	56	28	12	8	282	21	1	8	4	14	13	29	50	87	93
Diseases of Digestive „	1·15	1·21	1·09	261	132	129	63	18	2	1	4	88	7	6	7	4	6	12	26	38	39	28
Diseases of Urinary „	0·34	0·48	0·21	78	53	25	4	2	–	–	–	6	1	–	1	1	2	8	14	12	17	16
Diseases of Generative „	0·04	0·01	0·08	10	1	9	–	–	–	–	–	–	–	–	–	–	2	2	4	2	–	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	1	3	8	8	–	–	–	–
Childbirth	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	1	2	4	2	–	–	–	–
Violence	0·57	0·84	0·33	131	92	39	13	10	9	3	1	36	16	11	4	3	8	5	10	16	10	12
Other Causes	3·22	3·32	3·12	735	368	367	314	17	3	2	–	336	11	9	3	5	10	18	13	26	62	242

Marriages - - - 1,434

Births - Males - 3,501; Females - 3,101 } 6,902

Annual Rate per 1000 living { Persons Married 12·59; Births - - 30·29

Deaths from Childbirth and Puerperal Fever - - - - - } 4·20 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 735.

384.—BROMSGROVE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·38	†133	–	–	–	–	48·65	4·47	2·10	4·98	5·79	5·64	8·42	12·76	26·88	56·72	153·55
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·33	†150	–	–	–	–	54·87	4·61	2·25	4·04	5·07	5·97	9·17	14·33	29·75	55·87	163·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·49	†114	–	–	–	–	42·58	4·33	1·95	5·94	6·40	5·35	7·76	11·29	24·08	57·53	144·27
Mean Population, 1881-91. Persons	Decennial Increase of Population, 4·38 per cent.	32,612	904	848	856	869	848	4325	4072	3759	3216	2641	4435	3443	2775	2143	1310	493
Mean Population, 1881-91. Males		15,876	433	427	419	440	417	2136	2038	1912	1633	1204	2061	1614	1340	1059	639	240
Mean Population, 1881-91. Females		16,736	471	421	437	429	431	2189	2034	1847	1583	1437	2374	1829	1435	1084	671	253
Deaths from All Causes, 1881-90. Persons	17·32	5,648	1406	366	139	108	85	2104	182	79	160	153	250	290	354	576	743	757
Deaths from All Causes, 1881-90. Males	18·66	2,963	812	198	62	56	44	1172	94	43	66	61	123	148	192	315	357	392
Deaths from All Causes, 1881-90. Females	16·04	2,685	594	168	77	52	41	932	88	36	94	92	127	142	162	261	386	365

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·51	0·54	0·48	165	85	80	36	53	25	20	15	149	15	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·21	0·17	62	34	28	1	10	10	8	8	37	14	5	1	1	4	–	–	–	–	–
Diphtheria	0·12	0·10	0·14	40	16	24	1	5	3	4	6	19	20	–	–	–	1	–	–	–	–	–
Whooping-cough	0·32	0·31	0·33	105	49	56	60	23	7	4	7	101	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·13	48	26	22	–	–	–	2	1	3	1	3	13	6	6	5	7	3	1	–
Simple Continued Fever	0·02	0·03	0·01	7	5	2	1	1	–	–	–	2	1	–	–	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·65	0·75	0·56	213	119	94	136	13	8	4	2	163	2	–	1	–	1	2	4	5	17	18
Cholera	0·02	–	0·03	5	–	5	2	1	–	–	–	3	–	–	–	–	–	–	–	2	–	–
Cancer	0·48	0·31	0·63	156	50	106	1	–	–	–	–	1	1	–	–	–	3	18	33	40	42	18
Tabes Mesenterica	0·27	0·33	0·20	87	53	34	45	22	3	1	3	74	5	1	4	1	1	–	1	–	–	–
Phthisis	1·42	1·52	1·33	464	241	223	9	4	2	1	–	16	8	15	52	71	109	82	62	35	14	–
Other Tub. & Scrof. Dis.	0·54	0·63	0·45	176	100	76	89	26	8	9	8	140	16	8	5	3	1	1	1	1	–	–
Diseases of Nervous System	2·01	2·12	1·90	655	337	318	151	29	14	11	6	211	25	9	16	5	20	19	47	91	121	91
Diseases of Circulatory „	1·44	1·33	1·54	469	211	258	2	2	–	–	–	4	4	6	12	10	21	38	52	102	148	72
Diseases of Respiratory „	3·48	3·90	3·09	1136	619	517	275	127	43	33	22	500	41	11	16	11	18	36	42	122	184	155
Diseases of Digestive „	1·02	1·17	0·87	332	186	146	52	12	4	3	1	72	13	3	7	7	8	22	39	62	59	40
Diseases of Urinary „	0·36	0·51	0·22	118	81	37	2	–	1	–	–	3	1	1	6	1	7	9	15	25	24	26
Diseases of Generative „	0·04	–	0·07	12	–	12	–	–	–	–	–	–	–	–	–	2	–	–	2	5	2	1
Puerperal Fever	0·08	–	0·15	25	–	25	–	–	–	–	–	–	–	–	1	8	9	6	1	–	–	–
Childbirth	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	1	2	9	10	–	–	–	–
Violence	0·54	0·80	0·29	175	127	48	26	9	5	4	5	49	4	5	9	10	13	18	21	19	19	8
Other Causes	3·59	3·94	3·32	1176	624	552	517	29	6	4	1	557	8	10	16	15	18	24	26	63	111	328

Marriages - - - 2,002

Births - { Males - 5,397 / Females - 5,196 } 10,593

Annual Rate per 1000 living { Persons Married 12·28 / Births - - 32·48 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

385.—KINGS NORTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·82			†127	–	–	–	–	45·81	3·85	2·11	2·92	3·90	5·38	8·94	13·49	26·81	61·06	152·52
Males	—						†138	–	–	–	–	49·09	3·73	2·38	2·82	4·62	5·74	9·44	14·39	30·80	64·48	164·05
Females	—						†115	–	–	–	–	42·49	3·96	1·86	3·00	3·41	5·09	8·52	12·72	23·55	58·40	145·07
Mean Population, 1881–91. Persons	Decennial Increase of Population 32·54 per cent.			111,782			2886	2612	2724	2770	2703	13695	12865	12210	12194	11357	17579	12745	9094	5733	3141	1169
Males				51,563			1414	1352	1378	1385	1346	6875	6351	5975	5433	4632	7739	5935	4212	2578	1374	459
Females				60,219			1472	1260	1346	1385	1357	6820	6514	6235	6761	6725	9840	6810	4882	3155	1767	710
Deaths from All Causes, 1881–90. Persons	14·65			16,375			4119	1195	434	298	227	6273	495	258	356	443	945	1140	1227	1537	1918	1783
Males	15·83			8,164			2275	616	219	149	116	3375	237	142	153	214	444	560	606	794	886	753
Females	13·64			8,211			1844	579	215	149	111	2898	258	116	203	229	501	580	621	743	1032	1030
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·01	18	10	8	1	–	–	–	–	1	1	2	1	4	6	2	1	–	–	–
Measles	0·30	0·32	0·29	338	165	173	56	137	44	42	30	309	26	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·24	0·18	229	122	107	16	32	44	23	30	145	71	9	1	1	–	1	1	–	–	–
Diphtheria	0·14	0·13	0·15	153	65	88	4	11	6	24	18	63	63	18	–	2	4	–	–	2	1	–
Whooping-cough	0·29	0·28	0·30	322	142	180	156	93	30	24	8	311	11	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	2	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·12	152	78	74	1	–	3	4	1	9	11	23	25	22	30	17	9	3	2	1
Simple Continued Fever	0·00	0·00	0·00	15	7	8	–	1	–	1	–	2	6	1	1	1	2	2	–	–	–	–
Diarrhœa and Dysentery	0·50	0·56	0·46	564	288	276	390	71	10	3	1	475	5	–	3	–	3	4	4	15	30	25
Cholera	0·00	0·00	0·00	3	2	1	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Cancer	0·52	0·37	0·65	586	192	394	1	1	1	3	1	7	1	2	–	–	17	71	139	150	133	66
Tabes Mesenterica	0·26	0·31	0·21	289	160	129	186	60	11	6	2	265	7	7	5	1	2	1	–	–	–	1
Phthisis	1·16	1·38	0·98	1299	709	590	9	10	6	–	4	29	12	31	115	167	333	309	183	83	33	4
Other Tub. & Scrof. Dis.	0·27	0·31	0·23	300	160	140	70	75	29	18	20	212	37	20	13	6	8	2	–	1	–	1
Diseases of Nervous System	1·89	2·10	1·71	2109	1082	1027	486	127	65	30	24	732	61	28	41	40	85	139	153	250	358	222
Circulatory „	1·29	1·22	1·36	1446	627	819	17	2	1	2	5	27	10	26	31	37	83	139	191	287	401	223
Respiratory „	2·85	3·23	2·53	3189	1664	1525	806	368	133	85	60	1452	82	20	31	36	107	142	212	339	423	345
Digestive „	0·97	1·01	0·93	1082	522	560	263	82	17	9	6	377	16	15	19	20	59	80	111	154	143	88
Urinary „	0·35	0·46	0·26	390	236	154	5	1	3	2	–	11	10	7	7	10	32	49	49	75	75	65
Generative „	0·05	0·01	0·09	57	4	53	1	–	1	–	–	2	–	–	3	2	10	13	11	9	5	2
Puerperal Fever	0·07	–	0·13	79	–	79	–	–	–	–	–	–	–	–	4	14	37	24	–	–	–	–
Childbirth	0·06	–	0·11	66	–	66	–	–	–	–	–	–	–	–	2	10	29	24	1	–	–	–
Violence	0·37	0·52	0·25	419	267	152	79	19	9	6	7	120	24	19	14	28	29	44	38	42	34	27
Other Causes	2·95	3·21	2·69	3267	1660	1607	1571	104	21	16	10	1722	39	27	40	40	69	86	124	127	280	713

Marriages - - - 8,401

Births - Males - 16,504, Females - 16,056 } 32,560

Annual Rate per 1000 living { Persons Married 15·03; Births - - 29·13

Deaths from Childbirth and Puerperal Fever - - - - - } 4·45 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

386.—BIRMINGHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		24·51	†174	–	–	–	–	74·69	6·02	3·28	4·22	5·98	9·44	16·11	24·37	43·80	83·85	167·43
Annual Death-Rate per 1000. Males	—					26·62	†191	–	–	–	–	80·92	6·04	3·46	4·31	6·34	10·15	18·11	28·18	50·39	94·45	185·96
Annual Death-Rate per 1000. Females	—					22·51	†157	–	–	–	–	68·58	6·00	3·11	4·14	5·65	8·75	14·18	20·82	37·99	75·03	155·10
Mean Population, 1881-91. Persons	Decennial Decrease of Population 0·35 per cent.			245,928			7088	6294	6425	6360	6172	32339	29233	27173	25802	23399	37720	28742	20599	12734	6262	1925
Mean Population, 1881-91. Males				120,039			3447	3107	3201	3169	3094	16018	14571	13528	12672	11121	18499	14127	9927	5961	2846	769
Mean Population, 1881-91. Females				125,889			3641	3187	3224	3191	3078	16321	14662	13645	13130	12278	19221	14615	10672	6773	3416	1156
Deaths from All Causes, 1881-90. Persons	23·00			56,553			14841	4994	2114	1284	921	24154	1759	892	1089	1399	3560	4630	5019	5577	5251	3223
Deaths from All Causes, 1881-90. Males	24·92			29,915			8243	2536	1068	658	456	12961	880	468	546	705	1878	2558	2797	3004	2688	1430
Deaths from All Causes, 1881-90. Females	21·16			26,638			6598	2458	1046	626	465	11193	879	424	543	694	1682	2072	2222	2573	2563	1793
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·08	0·10	0·07	204	119	85	25	6	2	2	2	37	21	14	24	22	51	15	13	5	1	1
Measles	0·60	0·65	0·56	1476	775	701	328	561	267	143	88	1387	83	–	2	1	2	1	–	–	–	–
Scarlet Fever	0·42	0·43	0·41	1030	515	515	39	157	202	186	133	717	242	48	8	7	6	2	–	–	–	–
Diphtheria	0·15	0·14	0·17	379	170	209	14	39	59	55	57	224	99	19	9	6	7	6	6	3	–	–
Whooping-cough	0·66	0·59	0·73	1634	712	922	614	548	229	122	63	1576	57	–	–	–	–	–	–	1	–	–
Typhus	0·00	0·00	0·00	5	2	3	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–
Enteric Fever	0·18	0·22	0·13	436	270	166	2	5	9	6	11	33	47	59	75	59	80	41	20	12	9	1
Simple Continued Fever	0·02	0·02	0·02	60	29	31	5	3	5	5	6	24	9	6	4	2	3	3	2	5	2	–
Diarrhœa and Dysentery	1·27	1·38	1·15	3114	1661	1453	2270	456	90	22	18	2856	15	4	3	8	6	18	21	39	73	71
Cholera	0·01	0·01	0·01	25	13	12	4	3	3	1	1	12	2	–	–	–	1	2	3	4	1	–
Cancer	0·72	0·59	0·85	1778	709	1069	1	2	5	4	–	12	9	8	14	16	92	243	507	514	285	78
Tabes Mesenterica	0·28	0·32	0·25	700	388	312	373	159	62	23	12	629	19	12	10	5	10	8	4	1	1	1
Phthisis	2·15	2·69	1·59	5232	3235	1997	26	31	21	19	10	107	67	113	320	521	1283	1291	909	450	154	17
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	914	512	402	284	168	76	53	48	629	93	53	44	17	37	15	13	9	2	2
Diseases of Nervous System	2·47	2·74	2·21	6080	3294	2786	1633	490	193	101	86	2503	176	86	89	97	233	433	583	778	770	332
Diseases of Circulatory „	1·76	1·74	1·78	4330	2093	2237	32	12	10	9	10	73	82	132	120	103	337	574	758	950	843	358
Diseases of Respiratory „	4·99	5·40	4·59	12268	6488	5780	2615	1582	606	331	210	5344	256	67	91	139	431	771	1036	1576	1703	854
Diseases of Digestive „	1·09	1·14	1·04	2679	1369	1310	652	213	61	28	32	986	86	35	51	63	156	256	337	345	263	101
Diseases of Urinary „	0·52	0·71	0·34	1284	851	433	13	15	9	16	15	68	39	19	30	53	140	180	214	259	203	79
Diseases of Generative „	0·11	0·01	0·21	277	17	260	6	4	2	1	–	13	1	–	9	12	63	98	44	24	10	3
Puerperal Fever	0·08	–	0·17	208	–	208	–	–	–	–	–	–	–	–	8	43	109	46	2	–	–	–
Childbirth	0·06	–	0·12	156	–	156	–	–	–	–	–	–	–	–	4	21	74	57	–	–	–	–
Violence	1·20	1·53	0·88	2950	1840	1110	848	127	110	105	92	1282	214	94	69	95	182	255	249	245	166	99
Other Causes	3·81	4·08	3·56	9334	4853	4481	5057	413	93	52	27	5612	142	123	104	107	256	315	297	357	765	1226

Marriages - - - 22,578

Births - Males - 43,265, Females - 41,927 } 85,192

Annual Rate per 1000 living { Persons Married 18·36, Births - - 34·64

Deaths from Childbirth and Puerperal Fever - - - - - } 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

387.—ASTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·83	†153	–	–	–	–	59·63	4·12	2·04	3·09	3·89	6·13	10·27	16·78	32·18	68·85	159·93
Males	—	19·61	†166	–	–	–	–	63·72	4·06	1·86	2·89	3·86	6·05	10·81	17·77	35·03	75·95	166·67
Females	—	18·10	†139	–	–	–	–	55·57	4·18	2·22	3·28	3·91	6·21	9·75	15·85	29·67	63·51	155·49
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·35 per cent.	234,396	7055	6557	6738	6459	6326	33135	29848	27202	23803	21334	36253	26834	18160	10878	5287	1662
Males		114,681	3559	3263	3360	3199	3141	16522	14834	13545	11714	10171	17746	13289	8814	5107	2270	669
Females		119,715	3496	3294	3378	3260	3185	16613	15014	13657	12089	11163	18507	13545	9346	5771	3017	993
Deaths from All Causes, 1881–90. Persons	17·46	40,937	12744	3996	1500	921	599	19760	1229	555	736	830	2224	2757	3047	3501	3640	2658
Males	18·15	20,819	7034	2043	704	444	303	10528	602	252	339	393	1074	1437	1566	1789	1724	1115
Females	16·80	20,118	5710	1953	796	477	296	9232	627	363	397	437	1150	1320	1481	1712	1916	1543

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	26	19	7	6	1	–	–	–	7	3	–	2	1	9	–	2	2	–	–
Measles	0·49	0·48	0·50	1149	554	595	233	422	211	134	82	1082	61	3	–	–	2	–	–	1	–	–
Scarlet Fever	0·24	0·25	0·23	565	285	280	41	84	96	99	57	377	151	18	5	4	7	1	2	–	–	–
Diphtheria	0·13	0·14	0·13	312	155	157	15	37	37	49	38	176	92	20	9	2	3	5	1	3	1	–
Whooping-cough	0·58	0·52	0·63	1355	600	755	520	446	186	116	52	1320	34	–	–	–	–	–	–	1	–	–
Typhus	0·00	–	0·00	4	–	4	–	1	–	–	1	2	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·12	0·13	0·10	273	148	125	1	3	4	7	7	22	26	28	49	41	46	36	18	6	1	–
Simple Continued Fever	0·02	0·02	0·02	43	22	21	3	3	2	5	5	18	7	–	4	1	5	1	–	4	2	1
Diarrhœa and Dysentery	1·16	1·23	1·09	2718	1410	1308	2017	402	61	13	14	2507	21	4	5	6	7	10	26	28	51	53
Cholera	0·01	0·01	0·01	20	10	10	4	3	2	–	–	9	–	–	–	1	2	2	5	1	–	–
Cancer	0·43	0·28	0·58	1011	320	691	–	2	2	2	1	7	1	7	6	5	32	142	274	274	196	67
Tabes Mesenterica	0·17	0·19	0·15	392	213	179	212	86	21	12	11	342	17	6	8	2	8	2	3	4	–	–
Phthisis	1·41	1·66	1·18	3306	1898	1408	26	35	11	8	9	89	49	88	268	323	875	816	495	238	60	5
Other Tub. & Scrof. Dis.	0·27	0·32	0·23	644	366	278	216	141	50	38	22	467	69	28	19	21	27	7	3	3	–	–
Diseases of Nervous System	2·12	2·27	1·98	4973	2602	2371	1532	428	171	97	67	2295	155	78	71	51	139	204	383	555	686	356
Circulatory „	1·24	1·12	1·36	2911	1281	1630	15	7	2	3	2	29	48	77	74	68	190	329	504	678	654	260
Respiratory „	3·93	4·19	3·69	9222	4806	4416	2431	1304	489	263	175	4662	240	52	59	86	296	499	702	977	1080	569
Digestive „	0·85	0·87	0·84	2001	997	1004	550	159	37	17	8	771	78	29	40	30	116	192	180	252	216	97
Urinary „	0·32	0·38	0·26	758	441	317	12	14	6	14	6	52	30	7	19	22	64	97	134	163	116	54
Generative „	0·03	0·00	0·06	79	5	74	3	–	1	1	–	5	–	1	1	2	13	18	19	10	10	–
Puerperal Fever	0·09	–	0·18	220	–	220	–	–	–	–	–	–	–	–	4	42	120	51	3	–	–	–
Childbirth	0·06	–	0·12	145	–	145	–	–	–	–	–	–	–	–	3	21	56	62	3	–	–	–
Violence	0·52	0·65	0·39	1214	748	466	484	52	21	16	18	591	70	31	34	38	79	93	106	85	53	34
Other Causes	3·26	3·42	3·06	7596	3939	3657	4423	366	90	27	24	4930	77	78	56	62	127	190	184	216	514	1162

Marriages - - - 16,309
Births - Males - 42,330, Females - 41,067 } 83,397

Annual Rate per 1000 living { Persons Married 13·92; Births - - 35·58

Deaths from Childbirth and Puerperal Fever - - - - - } 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

388.—MERIDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·68	†92	–	–	–	–	31·90	4·16	2·42	3·63	4·49	7·40	9·18	12·39	21·00	55·01	135·66
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·32	†95	–	–	–	–	31·19	5·00	2·44	3·19	4·13	8·36	8·61	11·90	20·53	53·17	140·77
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·01	†89	–	–	–	–	32·66	3·31	2·40	4·11	4·81	6·56	9·66	12·84	21·44	56·98	130·99
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·19 per cent.	10,959	237	245	233	258	256	1229	1394	1446	963	758	1338	1155	993	862	549	272
Mean Population, 1881–91. Males		5,490	116	128	121	147	126	638	700	820	501	363	622	534	479	419	284	130
Mean Population, 1881–91. Females		5,469	121	117	112	111	130	591	694	626	462	395	716	621	514	443	265	142
Deaths from All Causes, 1881–90. Persons	15·82	1,734	252	67	31	24	18	392	58	35	35	34	99	106	123	181	302	369
Deaths from All Causes, 1881–90. Males	15·66	860	131	34	17	10	7	199	35	20	16	15	52	46	57	86	151	183
Deaths from All Causes, 1881–90. Females	15·98	874	121	33	14	14	11	193	23	15	19	19	47	60	66	95	151	186

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·04	–	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Measles	0·24	0·25	0·22	26	14	12	3	9	5	2	3	22	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·15	0·07	12	8	4	–	1	–	3	2	6	5	1	–	–	–	–	–	–	–	–
Diphtheria	0·19	0·20	0·18	21	11	10	–	1	1	6	–	8	7	4	2	–	–	–	–	–	–	–
Whooping-cough	0·17	0·22	0·13	19	12	7	11	4	1	2	–	18	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Enteric Fever	0·11	0·11	0·11	12	6	6	–	–	–	–	–	–	2	1	2	1	3	1	1	–	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·40	0·38	0·42	44	21	23	18	2	1	–	1	22	1	–	–	–	1	–	1	3	7	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	0·44	0·86	71	24	47	–	–	–	–	–	–	–	–	–	1	3	7	16	13	21	10
Tabes Mesenterica	0·08	0·09	0·07	9	5	4	4	–	1	–	–	5	2	1	–	1	–	–	–	–	–	–
Phthisis	1·36	1·13	1·59	149	62	87	4	1	–	–	1	6	4	7	10	17	40	34	18	19	3	–
Other Tub. & Scrof. Dis.	0·30	0·27	0·33	33	15	18	8	6	2	2	–	18	8	2	2	1	–	1	–	1	–	–
Diseases of Nervous System	1·85	1·91	1·79	203	105	98	39	5	2	3	1	50	4	1	2	3	5	5	19	24	47	43
Diseases of Circulatory „	1·92	1·69	2·14	210	93	117	–	–	–	–	–	–	1	2	3	2	10	13	21	48	73	37
Diseases of Respiratory „	2·76	2·99	2·52	302	164	138	48	21	13	4	5	91	11	6	2	–	9	14	20	27	60	62
Diseases of Digestive „	1·08	0·98	1·17	118	54	64	14	7	–	–	1	22	–	4	4	4	4	12	8	21	28	11
Diseases of Urinary „	0·34	0·53	0·15	37	29	8	–	1	–	–	–	1	2	–	–	–	2	3	8	7	8	6
Diseases of Generative „	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	1	2	1	1	2	3	–
Puerperal Fever	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·05	–	0·11	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Violence	0·58	0·86	0·31	64	47	17	–	3	3	2	2	10	–	3	4	1	8	6	3	12	9	8
Other Causes	3·45	3·40	3·52	379	187	192	103	6	2	–	2	113	5	3	4	1	6	3	7	12	42	183

Marriages - - - 579

Births { Males - 1,385 / Females - 1,359 } 2,744

Annual Rate per 1,000 living { Persons Married 19·57 / Births - - 25·04

Deaths from Childbirth and Puerperal Fever - - - - 4·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 births.

389.—ATHERSTONE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·90	†125	–	–	–	–	46·35	4·11	2·23	4·34	6·48	5·99	8·28	13·50	22·78	60·15	142·31
Annual Death-Rate per 1000. Males	—					16·46	†141	–	–	–	–	51·70	3·53	1·81	3·90	7·66	5·43	8·37	15·33	22·65	60·45	151·69
Annual Death-Rate per 1000. Females	—					15·36	†108	–	–	–	–	41·05	4·73	2·67	4·89	5·21	6·56	8·21	11·83	22·92	59·85	134·51
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·30 per cent.			14,930			467	442	429	434	418	2190	1971	1705	1474	1203	2055	1509	1148	878	537	260
Mean Population, 1881–91. Males				7,596			226	213	218	223	209	1089	1020	882	820	627	1049	729	548	446	268	118
Mean Population, 1881–91. Females				7,334			241	229	211	211	209	1101	951	823	654	576	1006	780	600	432	269	142
Deaths from All Causes, 1881–90. Persons	17·23			2,572			663	177	95	47	33	1015	81	38	64	78	123	125	155	200	323	370
Deaths from All Causes, 1881–90. Males	17·63			1,339			379	95	52	20	17	563	36	16	32	48	57	61	84	101	162	179
Deaths from All Causes, 1881–90. Females	16·81			1,233			284	82	43	27	16	452	45	22	32	30	66	64	71	99	161	191
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·05	0·01	5	4	1	1	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–
Measles	0·36	0·38	0·34	54	29	25	12	15	13	7	2	49	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·54	0·47	0·60	80	36	44	6	8	18	9	6	47	23	6	2	1	1	–	–	–	–	–
Diphtheria	0·07	0·09	0·04	10	7	3	–	1	–	1	2	4	3	3	–	–	–	–	–	–	–	–
Whooping-cough	0·30	0·24	0·35	44	18	26	23	11	5	2	1	42	1	–	–	–	–	1	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·25	0·25	0·25	37	19	18	–	–	1	2	1	4	2	1	9	7	7	2	5	–	–	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·53	0·54	0·52	79	41	38	48	8	2	–	–	58	1	–	–	–	–	–	–	2	8	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	0·38	0·82	89	29	60	–	–	–	–	–	–	–	–	–	–	1	8	20	21	29	10
Tabes Mesenterica	0·31	0·38	0·25	47	29	18	26	13	3	1	–	43	2	–	–	2	–	–	–	–	–	–
Phthisis	1·16	1·16	1·16	173	88	85	14	3	3	1	–	21	3	6	15	31	35	21	21	12	7	1
Other Tub. & Scrof. Dis.	0·42	0·49	0·34	62	37	25	23	5	10	4	2	44	7	2	5	–	4	–	–	–	–	–
Diseases of Nervous System	2·24	2·07	2·43	335	157	178	94	12	7	4	3	120	4	6	5	4	5	11	17	29	63	71
Diseases of Circulatory "	1·57	1·30	1·85	235	99	136	2	1	–	–	1	4	4	6	3	5	9	10	23	46	61	64
Diseases of Respiratory "	3·07	3·54	2·58	458	269	189	137	50	20	12	10	229	10	1	5	5	10	19	20	40	55	64
Diseases of Digestive "	1·25	1·29	1·21	187	98	89	35	30	3	1	–	69	3	4	4	4	10	17	7	22	34	13
Diseases of Urinary "	0·36	0·46	0·25	53	35	18	4	–	2	–	3	9	1	–	2	–	3	3	8	3	12	12
Diseases of Generative "	0·05	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2
Puerperal Fever	0·10	–	0·20	15	–	15	–	–	–	–	–	–	–	–	1	4	7	3	–	–	–	–
Childbirth	0·09	–	0·19	14	–	14	–	–	–	–	–	–	–	–	1	1	9	3	–	–	–	–
Violence	0·82	1·30	0·31	122	99	23	8	5	6	2	2	23	5	1	6	7	13	19	18	13	11	6
Other Causes	3·09	3·23	3·00	464	244	220	230	15	2	1	–	248	5	2	6	6	6	6	15	11	42	117

Marriages - - - 1,026

Births - { Males - 2,687, Females - 2,622 } 5,309

Annual Rate per 1000 living { Persons Married 13·74, Births - - 35·56 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

390.—NUNEATON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·43	†151	–	–	–	–	52·29	5·84	1·98	4·37	4·54	6·05	8·68	11·30	23·97	52·81	143·21
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·99	†175	–	–	–	–	60·62	5·91	2·16	3·17	2·76	4·94	8·86	11·47	23·17	57·84	143·97
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·90	†128	–	–	–	–	44·48	5·78	1·80	5·67	6·41	7·14	8·52	11·15	24·71	48·73	142·52
Mean Population, 1881–91. Persons	Decennial Increase of Population 27·07 per cent.	15,563	463	408	435	417	419	2142	1951	1667	1512	1343	2214	1624	1230	997	640	243
Mean Population, 1881–91. Males	Decennial Increase of Population 27·07 per cent.	7,650	219	208	205	195	209	1036	964	834	789	688	1094	779	584	479	287	116
Mean Population, 1881–91. Females	Decennial Increase of Population 27·07 per cent.	7,913	244	200	230	222	210	1106	987	833	723	655	1120	845	646	518	353	127
Deaths from All Causes, 1881–90. Persons	17·56	2,733	778	163	77	63	39	1120	114	33	66	61	134	141	139	239	338	348
Deaths from All Causes, 1881–90. Males	18·05	1,381	452	94	40	24	18	628	57	18	25	19	54	69	67	111	166	167
Deaths from All Causes, 1881–90. Females	17·09	1,352	326	69	37	39	21	492	57	15	41	42	80	72	72	128	172	181

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·33	0·37	0·29	51	28	23	14	17	10	5	1	47	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·66	0·65	0·66	102	50	52	5	7	19	25	8	64	36	–	–	–	2	–	–	–	–
Diphtheria	0·09	0·09	0·09	14	7	7	1	–	1	–	1	3	8	1	1	–	–	1	–	–	–
Whooping-cough	0·17	0·14	0·19	26	11	15	13	7	2	3	1	26	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·22	0·18	31	17	14	–	–	1	1	2	4	4	2	7	4	6	3	1	–	–
Simple Continued Fever	0·07	0·05	0·09	11	4	7	1	2	1	1	–	5	–	–	1	1	1	–	1	2	–
Diarrhœa and Dysentery	0·37	0·44	0·30	58	34	24	27	9	1	–	1	38	1	–	–	–	2	1	–	5	4
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·48	0·42	0·53	74	32	42	–	–	–	–	–	–	–	–	–	–	2	9	15	23	19
Tabes Mesenterica	0·68	0·71	0·66	106	54	52	81	11	2	2	1	97	5	–	1	1	–	1	1	–	–
Phthisis	1·10	0·92	1·29	172	70	102	–	–	1	–	–	1	1	1	28	29	44	28	22	15	3
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	38	21	17	6	5	5	3	2	21	6	3	2	–	1	1	1	–	3
Diseases of Nervous System	1·91	1·83	1·98	297	140	157	92	12	3	4	7	118	9	8	2	2	6	14	12	23	66
Diseases of Circulatory „	1·39	1·16	1·60	216	89	127	2	–	–	–	1	3	5	5	4	3	12	15	24	49	61
Diseases of Respiratory „	3·30	3·58	3·02	513	274	239	168	55	21	14	9	267	13	2	4	4	14	18	20	55	71
Diseases of Digestive „	1·14	1·19	1·09	177	91	86	36	14	4	–	2	56	7	3	1	1	11	18	9	28	28
Diseases of Urinary „	0·37	0·48	0·27	58	37	21	2	–	1	2	–	5	3	2	1	2	2	4	7	10	14
Diseases of Generative „	0·03	0·01	0·04	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Puerperal Fever	0·10	–	0·20	16	–	16	–	–	–	–	–	–	–	–	1	6	7	2	–	–	–
Childbirth	0·06	–	0·11	9	–	9	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–
Violence	0·58	0·78	0·38	90	60	30	3	6	2	2	–	13	9	2	9	1	9	13	14	7	8
Other Causes	4·27	4·73	3·90	668	360	308	327	18	3	1	2	351	3	4	3	6	11	10	12	20	59

Marriages	1,122	Annual Rate per 1000 living: Persons Married	14·42	Deaths from Childbirth and Puerperal Fever: 4·87 per 1000 Births.
Births: Males 2,585; Females 2,552	5,137	Births	33·01	

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

391.—FOLESHILL.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·85	†146	–	–	–	–	52·89	4·89	2·05	5·84	4·95	6·54	7·66	11·70	24·43	52·43	167·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·27	†159	–	–	–	–	57·74	4·89	1·97	5·17	4·97	6·16	6·45	13·94	25·20	56·23	164·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·46	†133	–	–	–	–	48·09	4·90	2·15	6·54	4·93	6·89	8·71	9·67	23·74	49·01	171·18
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·85 per cent.	19,233	573	488	512	488	537	2598	2472	2190	1885	1575	2430	1998	1573	1310	864	338
Mean Population, 1881–91. Males		9,390	278	256	261	239	258	1292	1247	1119	968	744	1152	930	746	615	409	168
Mean Population, 1881–91. Females		9,843	295	232	251	249	279	1306	1225	1071	917	831	1278	1068	827	695	455	170
Deaths from All Causes, 1881–90. Persons	18·53	3,564	921	225	102	80	46	1374	121	45	110	78	159	153	184	320	453	567
Deaths from All Causes, 1881–90. Males	19·30	1,812	510	118	48	40	30	746	61	22	50	37	71	60	104	155	230	276
Deaths from All Causes, 1881–90. Females	17·80	1,752	411	107	54	40	16	628	60	23	60	41	88	93	80	165	223	291

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·20	0·19	38	19	19	8	8	12	1	5	34	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·49	0·47	0·52	95	44	51	5	9	17	24	7	62	30	1	1	–	1	–	–	–	–
Diphtheria	0·02	0·01	0·03	4	1	3	–	–	1	1	–	2	1	–	–	–	–	–	–	1	–
Whooping-cough	0·24	0·18	0·30	47	17	30	26	10	3	3	2	44	2	1	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·18	0·15	0·20	34	14	20	–	–	–	1	2	3	7	8	6	1	3	1	2	3	–
Simple Continued Fever	0·08	0·05	0·11	16	5	11	–	1	1	3	1	6	3	1	1	1	2	–	–	1	–
Diarrhœa and Dysentery	0·45	0·42	0·48	86	39	47	43	23	3	1	2	72	–	–	–	–	1	1	1	2	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·43	0·34	0·51	82	32	50	–	–	–	–	–	–	–	–	–	–	4	12	11	37	9
Tabes Mesenterica	0·73	0·75	0·71	140	70	70	98	28	4	1	–	131	3	–	1	1	–	3	–	1	–
Phthisis	1·19	1·14	1·23	228	107	121	3	2	–	–	–	5	4	7	43	35	45	42	25	16	6
Other Tub. & Scrof. Dis.	0·32	0·42	0·22	61	39	22	15	6	4	4	3	32	6	1	4	4	4	4	2	3	1
Diseases of Nervous System	2·19	2·29	2·09	421	215	206	99	18	15	7	5	144	16	4	7	5	12	11	31	47	72
Diseases of Circulatory „	1·34	1·24	1·44	258	116	142	13	2	–	2	–	17	3	6	7	9	14	16	30	60	67
Diseases of Respiratory „	2·74	3·17	2·32	526	298	228	133	72	21	14	8	248	13	2	7	3	14	15	35	51	81
Diseases of Digestive „	1·12	1·08	1·16	215	101	114	46	19	2	5	3	75	8	2	10	3	11	9	13	34	32
Diseases of Urinary „	0·46	0·62	0·31	89	58	31	–	2	3	2	5	12	8	1	2	1	9	11	6	7	22
Diseases of Generative „	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	–	1	1	3	3	1
Puerperal Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	2	3	9	3	–	–	–
Childbirth	0·10	–	0·20	20	–	20	–	–	–	–	–	–	–	–	1	2	10	7	–	–	–
Violence	0·59	0·95	0·24	113	89	24	8	4	8	6	2	28	8	5	9	4	10	7	14	15	7
Other Causes	5·50	5·82	5·25	1062	548	514	424	21	8	5	1	459	5	6	7	6	9	10	11	40	150

Marriages - - - 1,334

Births { Males - 3,211, Females - 3,079 } 6,290

Annual Rate per 1000 living { Persons Married 13·87; Births - - 32·70 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

392.—COVENTRY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 18·09	†145	–	–	–	–	53·88	4·16	2·61	4·10	5·39	5·96	10·33	15·40	29·22	65·39	169·68
Annual Death-Rate per 1000. Males	—	In Standard Population.* 19·47	†162	–	–	–	–	59·73	4·71	2·54	4·07	5·73	6·37	11·64	16·18	32·71	73·00	181·38
Annual Death-Rate per 1000. Females	—	In Standard Population.* 16·78	†128	–	–	–	–	48·14	3·61	2·68	4·12	5·07	5·58	9·13	14·73	26·20	59·12	160·33
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·53 per cent.	49,060	1279	1179	1210	1216	1183	6067	5699	5164	5077	4734	7268	5392	4176	3001	1829	653
Mean Population, 1881–91. Males		23,563	631	583	606	608	577	3005	2844	2477	2456	2287	3472	2577	1935	1394	826	290
Mean Population, 1881–91. Females		25,497	648	596	604	608	606	3062	2855	2687	2621	2447	3796	2815	2241	1607	1003	363
Deaths from All Causes, 1881–90. Persons	18·18	8,918	2198	576	254	129	112	3269	237	135	208	255	433	557	643	877	1196	1108
Deaths from All Causes, 1881–90. Males	19·70	4,642	1254	298	115	67	61	1795	134	63	100	131	221	300	313	456	603	526
Deaths from All Causes, 1881–90. Females	16·77	4,276	944	278	139	62	51	1474	103	72	108	124	212	257	330	421	593	582

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·31	0·34	0·29	154	80	74	26	61	33	15	7	142	10	–	1	–	–	1	–	–	–
Scarlet Fever	0·34	0·39	0·29	167	93	74	8	22	29	31	20	110	40	11	4	–	1	1	–	–	–
Diphtheria	0·07	0·08	0·06	34	18	16	3	5	3	2	2	15	12	1	–	2	–	3	–	–	–
Whooping-cough	0·35	0·32	0·37	170	76	94	66	63	24	5	5	163	6	–	–	–	–	1	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·14	0·15	0·14	71	36	35	2	1	–	4	2	9	11	10	13	5	10	5	6	1	1
Simple Continued Fever	0·01	0·02	0·01	6	4	2	–	–	2	–	–	2	1	–	1	–	–	–	–	2	–
Diarrhœa and Dysentery	0·92	1·03	0·83	453	242	211	334	53	3	4	2	396	4	–	1	–	3	1	2	8	14
Cholera	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·67	0·59	0·75	330	140	190	1	1	1	1	–	4	1	–	4	3	12	34	67	94	80
Tabes Mesenterica	0·28	0·30	0·25	135	71	64	78	30	4	2	–	114	6	2	5	2	2	3	–	1	–
Phthisis	1·63	1·93	1·36	802	455	347	13	7	4	–	1	25	6	21	63	129	188	156	113	81	16
Other Tub. & Scrof. Dis.	0·44	0·48	0·41	218	113	105	61	48	14	12	7	142	19	10	18	7	8	7	3	–	4
Diseases of: Nervous System	2·43	2·61	2·26	1192	616	576	299	58	31	13	11	412	33	21	14	11	33	53	71	135	241
Diseases of: Circulatory „	1·61	1·50	1·71	790	354	436	7	–	1	2	2	12	7	9	26	16	33	67	113	166	217
Diseases of: Respiratory „	3·34	3·76	2·94	1637	887	750	349	159	72	29	31	640	37	10	12	13	41	72	115	192	273
Diseases of: Digestive „	1·04	1·08	1·01	511	254	257	107	37	11	3	6	164	9	11	13	10	20	39	48	70	93
Diseases of: Urinary „	0·37	0·54	0·21	182	128	54	5	–	2	–	2	9	3	1	3	4	13	19	20	33	51
Diseases of: Generative „	0·04	0·00	0·07	19	1	18	–	–	–	–	–	–	–	–	–	1	5	4	4	3	1
Puerperal Fever	0·08	–	0·15	37	–	37	–	–	–	–	–	–	–	–	2	12	14	8	1	–	–
Childbirth	0·04	–	0·07	19	–	19	–	–	–	–	–	–	–	–	–	4	7	7	1	–	–
Violence	0·60	0·84	0·38	296	199	97	37	13	14	5	9	78	15	13	10	15	15	32	37	28	26
Other Causes	3·47	3·74	3·21	1691	874	817	802	18	6	1	5	832	17	14	17	21	28	44	42	62	179
75 and upwds.																					435

Marriages - - - 4,274

Births - { Males - 7,761 / Females - 7,387 } 15,148

Annual Rate per 1000 living { Persons Married 17·42 / Births - - 30·88 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

393.—RUGBY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·06	†103	–	–	–	–	36·52	3·82	2·43	3·65	5·56	6·00	7·94	10·63	24·97	51·98	142·75
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·23	†108	–	–	–	–	39·36	3·18	1·74	3·43	4·78	6·17	9·36	10·56	26·91	51·90	147·46
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·90	†98	–	–	–	–	35·80	4·46	3·21	3·91	6·28	5·84	6·64	10·68	23·23	52·05	138·79
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·05 per cent.	27,343	690	638	691	668	678	3365	3190	3131	2657	2124	3768	3049	2447	1906	1189	517
Mean Population, 1881–91. Males	Decennial Increase of Population 1·05 per cent.	13,483	349	314	335	334	317	1649	1574	1665	1429	1025	1816	1453	1155	903	578	236
Mean Population, 1881–91. Females	Decennial Increase of Population 1·05 per cent.	13,860	341	324	356	334	361	1716	1616	1466	1228	1099	1952	1596	1292	1003	611	281
Deaths from All Causes, 1881–90. Persons	15·37	4,202	830	246	72	48	33	1229	122	76	97	118	226	242	260	476	618	738
Deaths from All Causes, 1881–90. Males	15·48	2,087	442	130	35	27	15	649	50	29	49	49	112	136	122	243	300	348
Deaths from All Causes, 1881–90. Females	15·26	2,115	388	116	37	21	18	580	72	47	48	69	114	106	138	233	318	390

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·21	0·30	0·13	58	40	18	16	25	2	6	2	51	5	1	–	–	1	–	–	–	–
Scarlet Fever	0·19	0·17	0·22	53	23	30	–	7	13	4	6	30	11	5	2	3	1	1	–	–	–
Diphtheria	0·11	0·09	0·12	29	12	17	2	–	1	4	4	11	9	5	1	1	–	–	–	1	1
Whooping-cough	0·38	0·36	0·39	103	49	54	54	32	11	3	2	102	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·08	0·22	42	11	31	–	1	1	2	–	4	5	4	6	6	7	2	4	2	2
Simple Continued Fever	0·03	0·01	0·04	7	1	6	–	–	–	–	1	1	1	–	1	1	–	–	1	–	2
Diarrhœa and Dysentery	0·38	0·34	0·41	103	46	57	58	12	2	1	–	73	–	–	–	–	2	4	2	3	5
Cholera	0·01	0·01	0·01	3	2	1	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–
Cancer	0·83	0·67	1·00	228	90	138	–	–	–	–	–	–	–	–	–	1	2	17	45	73	60
Tabes Mesenterica	0·05	0·05	0·06	15	7	8	2	3	–	1	–	6	–	4	3	–	–	1	–	–	1
Phthisis	1·28	1·26	1·30	350	170	180	12	3	2	1	–	18	7	10	38	47	80	69	30	37	10
Other Tub. & Scrof. Dis.	0·28	0·24	0·32	76	32	44	15	13	6	3	3	40	17	8	3	2	2	1	1	–	–
Diseases of Nervous System	1·98	1·97	1·99	542	266	276	109	32	8	2	2	153	13	7	8	7	8	14	22	78	111
Diseases of Circulatory „	1·55	1·46	1·64	424	197	227	2	1	–	–	–	3	4	3	6	8	13	28	40	98	119
Diseases of Respiratory „	2·55	2·87	2·24	697	387	310	158	74	20	12	9	273	16	5	8	8	19	27	28	55	130
Diseases of Digestive „	1·02	0·93	1·11	280	126	154	52	15	2	2	1	72	6	4	1	10	17	20	30	41	48
Diseases of Urinary „	0·41	0·52	0·31	113	70	43	–	–	–	–	–	–	3	2	1	2	10	5	10	23	26
Diseases of Generative „	0·05	–	0·10	14	–	14	–	–	–	–	–	–	–	–	–	–	2	2	2	4	3
Puerperal Fever	0·06	–	0·12	17	–	17	–	–	–	–	–	–	–	–	–	8	7	2	–	–	–
Childbirth	0·07	–	0·14	20	–	20	–	–	–	–	–	–	–	1	1	2	13	3	–	–	–
Violence	0·65	0·96	0·34	177	130	47	16	7	3	3	2	31	9	7	4	7	23	25	22	19	19
Other Causes	3·13	3·18	3·05	850	427	423	333	20	1	4	1	359	15	10	14	5	19	20	22	42	81

	75 and upwds.
Diseases of Nervous System	121
Diseases of Circulatory „	102
Diseases of Respiratory „	128
Diseases of Digestive „	31
Diseases of Urinary „	31
Diseases of Generative „	1
Puerperal Fever	–
Childbirth	–
Violence	11
Other Causes	263

Marriages - - - 1,765

Births - { Males - 4,097 / Females - 3,959 } 8,056

Annual Rate per 1000 living { Persons Married 12·91 / Births - - 29·46

Deaths from Childbirth and Puerperal Fever - - - - - } 4·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

394.—SOLIHULL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·93	†102	–	–	–	–	32·12	2·99	1·94	2·55	3·73	5·58	7·85	12·71	23·06	52·19	133·90
Annual Death-Rate per 1000. Males	—	12·73	†107	–	–	–	–	34·21	3·36	1·72	3·14	3·04	4·69	6·98	12·66	25·66	52·19	123·38
Annual Death-Rate per 1000. Females	—	13·11	†97	–	–	–	–	29·90	2·63	2·15	2·06	4·21	6·28	8·60	12·74	20·72	52·19	143·87
Mean Population, 1881–91. Persons	Decennial Increase of Population 39·51 per cent.	25,599	616	602	621	644	637	3120	2978	2733	2585	2228	3781	2919	2251	1587	1004	413
Mean Population, 1881–91. Males		12,019	315	305	324	343	318	1605	1457	1335	1179	921	1663	1361	1066	752	479	201
Mean Population, 1881–91. Females		13,580	301	297	297	301	319	1515	1521	1398	1406	1307	2118	1558	1185	835	525	212
Deaths from All Causes, 1881–90. Persons	13·52	3,462	667	180	67	53	35	1002	89	53	66	83	211	229	286	366	524	553
Deaths from All Causes, 1881–90. Males	14·02	1,685	353	101	42	28	25	549	49	23	37	28	78	95	135	193	250	248
Deaths from All Causes, 1881–90. Females	13·09	1,777	314	79	25	25	10	453	40	30	29	55	133	134	151	173	274	305

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·22	0·15	48	27	21	12	18	6	2	3	41	5	–	–	–	2	–	–	–	–
Scarlet Fever	0·08	0·09	0·07	21	11	10	–	1	2	9	3	15	4	2	–	–	–	–	–	–	–
Diphtheria	0·16	0·17	0·16	42	20	22	1	4	3	5	4	17	16	4	–	3	1	–	–	–	1
Whooping-cough	0·24	0·26	0·23	62	31	31	28	18	7	5	1	59	3	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·09	0·04	17	11	6	–	–	–	1	–	1	3	2	2	3	3	2	–	1	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·30	0·33	0·28	78	40	38	42	9	3	–	1	55	1	1	2	–	3	1	1	2	7	5
Cholera	0·02	0·02	0·01	4	2	2	2	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–
Cancer	0·73	0·49	0·95	188	59	129	–	2	–	1	–	3	–	1	2	3	4	21	31	51	53	19
Tabes Mesenterica	0·13	0·14	0·12	33	17	16	20	9	1	1	–	31	–	–	1	–	–	–	–	1	–	–
Phthisis	0·86	0·88	0·84	220	106	114	2	2	–	–	1	5	3	6	13	28	54	47	42	15	7	–
Other Tub. & Scrof. Dis.	0·28	0·30	0·26	71	36	35	19	8	7	4	4	42	10	3	4	4	3	2	2	1	–	–
Diseases of Nervous System	1·66	1·78	1·55	424	214	210	93	19	7	4	3	126	5	9	8	5	10	13	27	49	94	78
Diseases of Circulatory „	1·39	1·23	1·53	356	148	208	2	–	–	–	1	3	2	2	4	6	17	23	40	77	110	72
Diseases of Respiratory „	2·40	2·78	2·06	614	334	280	125	61	23	13	9	231	15	9	8	5	20	31	44	65	96	90
Diseases of Digestive „	0·85	0·93	0·78	218	112	106	51	13	1	1	–	66	5	4	1	5	10	13	32	28	41	13
Diseases of Urinary „	0·46	0·62	0·32	118	75	43	3	–	2	1	1	7	–	–	4	3	11	12	19	21	28	13
Diseases of Generative „	0·32	–	0·60	81	–	81	–	–	–	–	–	–	–	1	–	10	27	21	13	5	4	–
Puerperal Fever	0·09	–	0·17	23	–	23	–	–	–	–	–	–	–	–	–	3	14	6	–	–	–	–
Childbirth	0·04	–	0·07	10	–	10	–	–	–	–	–	–	–	–	1	–	5	4	–	–	–	–
Violence	0·46	0·71	0·24	118	85	33	16	4	–	3	3	26	8	4	3	1	8	16	18	18	5	11
Other Causes	2·79	2·97	2·66	715	356	359	251	11	5	3	1	271	8	5	13	4	19	17	17	32	78	251

Marriages - - 1,381

Births - Males - 3,303; Females - 3,251 — 6,554

Annual Rate per 1000 living: Persons Married 10·79; Births - - 25·60

Deaths from Childbirth and Puerperal Fever - - - - - 5·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

395.—WARWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·77	†124	–	–	–	–	44·19	3·64	2·50	3·28	5·14	7·05	10·71	16·19	29·14	60·90	157·71
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·65	†134	–	–	–	–	49·03	3·93	2·54	3·61	6·77	8·68	13·43	19·17	32·60	71·51	172·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·99	†113	–	–	–	–	39·30	3·36	2·47	3·01	4·13	5·91	8·63	13·96	26·61	53·24	147·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·83 per cent.	53,622	1195	1133	1159	1129	1150	5766	5628	5474	5554	4614	7616	6146	5088	3991	2629	1116
Mean Population, 1881–91. Males		23,813	606	551	589	566	584	2896	2797	2675	2465	1757	3146	2658	2180	1684	1102	453
Mean Population, 1881–91. Females		29,809	589	582	570	563	566	2870	2831	2799	3089	2857	4470	3488	2908	2307	1527	663
Deaths from All Causes, 1881–90. Persons	18·37	9,852	1754	448	160	101	85	2548	205	137	182	237	537	658	824	1163	1601	1760
Deaths from All Causes, 1881–90. Males	20·88	4,971	975	258	90	53	44	1420	110	68	89	119	273	357	418	549	788	780
Deaths from All Causes, 1881–90. Females	16·37	4,881	779	190	70	48	41	1128	95	69	93	118	264	301	406	614	813	980

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	5	2	3	–	1	–	–	–	1	–	–	–	–	1	1	1	–	1	–
Measles	0·29	0·34	0·25	155	80	75	32	58	29	21	4	144	8	–	–	1	–	1	1	–	–	–
Scarlet Fever	0·09	0·13	0·05	46	31	15	5	6	5	7	4	27	13	3	1	2	–	–	–	–	–	–
Diphtheria	0·08	0·11	0·06	43	25	18	–	4	4	5	13	26	9	2	–	2	–	–	1	–	2	1
Whooping-cough	0·24	0·30	0·19	130	72	58	66	41	11	5	4	127	2	–	–	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	48	23	25	–	–	2	1	1	4	1	3	9	6	8	5	4	6	–	2
Simple Continued Fever	0·01	0·01	0·01	7	3	4	1	–	–	–	–	1	1	1	–	1	1	1	–	–	–	1
Diarrhœa and Dysentery	0·48	0·62	0·37	257	147	110	141	21	2	4	2	170	3	–	–	2	6	6	4	9	26	31
Cholera	0·00	–	0·00	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	0·61	1·03	452	146	306	–	–	–	–	–	–	2	–	–	–	9	25	99	123	134	60
Tabes Mesenterica	0·23	0·26	0·21	124	62	62	80	16	3	2	2	103	2	4	3	4	3	3	1	1	–	–
Phthisis	1·58	1·79	1·42	849	426	423	10	4	–	2	–	16	19	19	54	103	212	175	131	85	30	5
Other Tub. & Scrof. Dis.	0·38	0·47	0·31	205	113	92	56	25	12	4	12	109	27	14	14	12	8	12	1	6	2	–
Diseases of Nervous System	2·92	3·47	2·48	1564	826	738	196	49	17	13	8	283	23	21	22	24	77	125	161	228	316	284
Diseases of Circulatory „	1·98	2·07	1·91	1064	493	571	7	1	–	–	–	8	6	15	14	15	43	67	102	226	325	243
Diseases of Respiratory „	3·11	3·51	2·76	1660	836	824	361	140	56	22	19	598	33	16	10	11	40	78	103	164	282	325
Diseases of Digestive „	1·20	1·34	1·08	641	318	323	107	30	3	8	3	151	16	7	9	12	17	48	77	112	122	70
Diseases of Urinary „	0·52	0·79	0·30	279	189	90	2	4	–	–	–	6	3	1	7	5	13	21	26	50	91	56
Diseases of Generative „	0·07	0·00	0·12	37	1	36	–	–	–	–	–	–	–	–	–	–	3	6	4	9	12	3
Puerperal Fever	0·05	–	0·09	27	–	27	–	–	–	–	–	–	–	–	1	4	18	4	–	–	–	–
Childbirth	0·04	–	0·07	22	–	22	–	–	–	–	–	–	–	–	–	2	12	7	1	–	–	–
Violence	0·55	0·84	0·32	295	200	95	24	9	6	3	4	46	18	18	20	16	29	33	33	32	26	24
Other Causes	3·61	4·11	3·25	1941	978	963	666	39	10	4	8	727	19	13	18	14	37	40	74	112	232	655

Marriages - - - 3,424

Births { Males - 7,303, Females - 6,874 } 14,177

Annual Rates per 1000 living { Persons Married 12·77, Births - - 26·44

Deaths from Childbirth and Puerperal Fever - - - - - 3·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

396.—STRATFORD-ON-AVON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 12·94			†96	–	–	–	–	30·27	2·71	1·97	3·50	3·38	5·91	8·74	12·02	21·81	53·71	145·59
Annual Death-Rate per 1000. Males	—			13·87			†107	–	–	–	–	34·43	3·09	1·15	3·29	3·29	6·33	9·23	13·81	24·94	57·41	162·01
Annual Death-Rate per 1000. Females	—			12·06			†84	–	–	–	–	26·26	2·33	2·84	3·73	3·45	5·55	8·30	10·39	18·84	50·26	131·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·68 per cent.			22,195			539	521	544	568	557	2729	2769	2543	2055	1599	2756	2368	2096	1687	1106	487
Mean Population, 1881–91. Males				10,841			266	260	262	279	272	1339	1393	1310	1064	729	1296	1127	999	822	533	229
Mean Population, 1881–91. Females				11,354			273	261	282	289	285	1390	1376	1233	991	870	1460	1241	1097	865	573	258
Deaths from All Causes, 1881–90. Persons	15·18			3,370			587	133	48	34	24	826	75	50	72	54	163	207	252	368	594	709
Deaths from All Causes, 1881–90. Males	16·46			1,784			335	73	19	20	14	461	43	15	35	24	82	104	188	205	306	371
Deaths from All Causes, 1881–90. Females	13·97			1,586			252	60	29	14	10	365	32	35	37	30	81	103	114	163	288	338
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·03	–	3	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Measles	0·15	0·16	0·14	33	17	16	9	9	4	3	3	28	3	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·04	0·04	0·04	8	4	4	–	1	1	2	2	6	1	–	–	–	–	1	–	–	–	–
Diphtheria	0·10	0·10	0·10	22	11	11	1	1	2	2	3	9	9	2	–	–	1	–	1	–	–	–
Whooping-cough	0·14	0·15	0·14	32	16	16	21	4	4	3	–	32	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·07	0·07	0·06	15	8	7	–	–	–	–	–	–	1	1	1	2	5	1	2	2	–	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·35	0·22	63	38	25	32	4	1	1	1	39	–	–	–	–	1	1	1	3	6	12
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Cancer	0·59	0·44	0·73	131	48	83	–	–	–	–	–	–	–	1	–	–	3	9	21	36	44	17
Tabes Mesenterica	0·13	0·10	0·16	29	11	18	8	5	1	1	2	17	6	2	1	2	–	–	1	–	–	–
Phthisis	1·08	1·15	1·00	239	125	114	–	5	1	–	–	6	2	6	19	18	61	47	41	26	11	2
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	42	21	21	9	4	3	2	2	20	6	5	4	2	3	2	–	–	–	–
Diseases of Nervous System	2·13	2·42	1·85	472	262	210	71	15	4	6	3	99	6	8	3	4	12	16	49	70	110	95
Diseases of Circulatory "	1·68	1·62	1·73	372	176	196	3	–	–	–	–	3	3	7	12	4	10	27	35	64	139	68
Diseases of Respiratory "	2·62	3·04	2·22	582	330	252	131	60	19	8	5	223	15	5	6	5	14	22	35	52	102	103
Diseases of Digestive "	0·94	1·06	0·82	208	115	93	30	9	1	2	–	42	6	–	2	–	6	18	17	39	49	29
Diseases of Urinary "	0·48	0·64	0·33	106	69	37	–	1	–	1	–	2	–	1	1	1	6	10	13	17	37	18
Diseases of Generative "	0·04	0·01	0·06	8	1	7	–	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–
Puerperal Fever	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	1	7	2	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	1	–	6	8	1	–	–	–
Violence	0·56	0·82	0·32	125	89	36	3	5	2	3	2	15	12	4	11	8	11	13	12	21	13	5
Other Causes	3·82	4·05	3·60	849	438	411	269	10	5	–	1	285	5	7	10	5	15	24	22	34	83	359

Marriages - - - 1,298

Births - { Males - 3,135 / Females - 2,985 } 6,120

Annual Rate per 1000 living { Persons Married 11·70 / Births - - 27·57 }

Deaths from Childbirth and Puerperal Fever - - - - - - 4·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

397.—ALCESTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·59			†114	–	–	–	–	40·75	3·80	2·02	2·99	4·88	6·06	8·36	11·80	22·92	56·02	146·25
Annual Death-Rate per 1000. Males	—			In Standard Population* 15·00			†131	–	–	–	–	45·87	3·66	2·15	1·98	5·08	4·68	7·59	11·28	25·30	62·29	151·83
Annual Death-Rate per 1000. Females	—			In Standard Population* 14·21			†97	–	–	–	–	35·54	3·94	1·88	3·93	4·71	7·28	9·07	12·29	20·63	50·11	140·82
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·82 per cent.			19,704			526	491	518	495	493	2523	2501	2281	1874	1495	2507	2164	1738	1370	864	387
Mean Population, 1881–91. Males				9,598			271	255	263	241	241	1271	1231	1163	908	689	1175	1028	851	672	419	191
Mean Population, 1881–91. Females				10,106			255	236	255	254	252	1252	1270	1118	966	806	1332	1136	887	698	445	196
Deaths from All Causes, 1881–90. Persons	16·24			3,200			695	182	70	52	29	1028	95	46	56	73	152	181	205	314	484	566
Deaths from All Causes, 1881–90. Males	17·25			1,656			400	106	38	28	11	583	45	25	18	35	55	78	96	170	261	290
Deaths from All Causes, 1881–90. Females	15·28			1,544			295	76	32	24	18	445	50	21	38	38	97	103	109	144	223	276
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	0·35	0·41	0·29	68	39	29	13	23	13	3	8	60	7	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·16	0·17	32	15	17	–	9	4	7	2	22	7	2	1	–	–	–	–	–	–	–
Diphtheria	0·16	0·08	0·23	31	8	23	–	2	4	6	2	14	15	–	2	–	–	–	–	–	–	–
Whooping-cough	0·19	0·22	0·16	37	21	16	16	13	4	2	1	36	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·11	0·07	18	11	7	–	–	–	–	–	–	2	4	4	2	2	3	1	–	–	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·27	0·33	0·21	53	32	21	34	2	–	2	1	39	2	–	–	–	1	–	1	–	3	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·54	0·81	134	52	82	–	1	–	–	–	1	–	–	–	–	–	16	22	38	39	18
Tabes Mesenterica	0·09	0·10	0·08	18	10	8	9	5	–	–	–	14	2	–	2	–	–	–	–	–	–	–
Phthisis	1·35	1·42	1·29	266	136	130	12	4	1	1	–	18	5	4	19	35	63	50	26	33	12	1
Other Tub. & Scrof. Dis.	0·35	0·33	0·36	68	32	36	32	8	3	2	–	45	5	4	1	5	2	2	2	1	1	–
Diseases of Nervous System	2·02	2·22	1·82	397	213	184	80	13	2	4	1	100	12	12	5	4	18	10	32	54	73	77
Diseases of Circulatory „	1·71	1·63	1·78	336	156	180	1	–	–	–	–	1	3	2	2	3	9	18	41	59	123	75
Diseases of Respiratory „	2·93	3·35	2·53	578	322	256	157	79	29	17	7	289	10	1	–	7	13	28	25	47	85	72
Diseases of Digestive „	0·96	0·96	0·97	190	92	98	39	10	3	3	3	58	7	4	7	3	7	17	19	28	23	17
Diseases of Urinary „	0·44	0·66	0·24	87	63	24	3	–	1	–	1	5	1	1	2	2	3	9	10	13	23	18
Diseases of Generative „	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1
Puerperal Fever	0·03	–	0·11	11	–	11	–	–	–	–	–	–	–	–	–	1	8	2	–	–	–	–
Childbirth	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	1	2	4	5	1	–	–	–
Violence	0·44	0·51	0·38	87	49	38	7	5	1	1	1	15	9	6	2	2	6	7	8	11	9	12
Other Causes	3·86	4·20	3·55	764	403	361	292	8	5	4	2	311	6	5	6	6	15	12	15	30	90	268

Marriages - - - 1,175

Births - Males - 3,054 } 6,102
Females - 3,048 }

Annual Rate per 1000 living { Persons Married 11·93
Births - - 30·97 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

398.—SHIPSTON-ON-STOUR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·29		†100	–	–	–	–	32·05	2·69	1·48	3·92	6·71	6·31	8·39	11·45	20·34	51·23	148·12
Males	—				13·59		†109	–	–	–	–	34·09	3·09	1·38	2·44	6·63	5·22	7·84	13·66	23·55	58·66	153·74
Females	—				13·01		†92	–	–	–	–	29·86	2·28	1·58	5·70	6·78	7·38	8·90	9·43	17·19	44·57	143·04
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·01 per cent.			17,336			412	424	447	420	428	2131	2121	2031	1580	1148	2027	1788	1685	1396	978	451
Males				8,661			209	234	226	214	220	1103	1069	1018	861	573	997	867	805	692	462	214
Females				8,675			203	190	221	206	208	1028	1052	1013	719	575	1030	921	880	704	516	237
Deaths from All Causes, 1881–90. Persons	16·34			2,833			486	98	49	29	21	683	57	30	62	77	128	150	193	284	501	668
Males	17·03			1,475			272	53	28	13	10	376	33	14	21	38	52	68	110	163	271	329
Females	15·65			1,358			214	45	21	16	11	307	24	16	41	39	76	82	83	121	230	339
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·24	0·16	35	21	14	9	9	5	6	1	30	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·09	0·10	17	8	9	2	2	4	1	3	12	4	1	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·07	0·06	11	6	5	1	–	1	2	1	5	4	2	–	–	–	–	–	–	–	–
Whooping-cough	0·17	0·09	0·24	29	8	21	17	8	1	2	1	29	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·08	0·06	0·10	14	5	9	–	–	1	1	1	3	–	1	4	1	2	2	–	–	–	1
Simple Continued Fever	0·05	0·05	0·05	8	4	4	–	–	–	–	1	1	–	2	–	–	–	–	1	–	2	2
Diarrhœa and Dysentery	0·46	0·50	0·42	79	43	36	25	5	2	–	–	32	2	1	–	–	1	2	2	4	11	24
Cholera	0·02	0·03	–	3	3	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·55	0·37	0·74	96	32	64	–	–	–	–	–	–	–	–	–	–	2	5	17	25	35	12
Tabes Mesenterica	0·14	0·10	0·17	24	9	15	13	2	–	–	–	15	2	2	1	1	1	1	1	–	–	–
Phthisis	1·12	1·12	1·13	195	97	98	3	–	1	–	2	6	2	2	20	36	41	36	26	14	10	2
Other Tub. & Scrof. Dis.	0·24	0·24	0·24	42	21	21	9	2	1	1	–	13	6	5	6	6	1	1	2	2	–	–
Diseases of Nervous System	2·27	2·46	2·09	394	213	181	61	13	9	3	1	87	9	3	7	3	9	9	15	55	90	107
Circulatory "	1·92	2·01	1·83	333	174	159	3	1	–	–	1	5	–	2	4	2	9	20	37	45	110	99
Respiratory "	2·69	3·11	2·28	467	269	198	107	37	13	9	6	172	7	–	3	5	14	17	30	39	70	110
Digestive "	1·38	1·63	1·14	240	141	99	35	7	3	1	1	47	8	1	2	7	8	16	17	36	58	40
Urinary "	0·49	0·59	0·39	85	51	34	2	–	–	–	1	3	–	2	1	2	7	1	12	17	21	19
Generative "	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Childbirth	0·07	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	1	5	7	–	–	–	–
Violence	0·73	1·09	0·38	127	94	33	6	4	6	3	1	20	5	3	6	6	11	10	20	21	10	15
Other Causes	3·50	3·18	3·80	605	276	329	193	7	1	–	–	201	4	2	8	6	11	19	12	25	81	236

Marriages - - - 978

Births - Males 2,506, Females 2,334 — 4,840

Annual Rate per 1000 living: Persons Married 11·28; Births - - 27·92

Deaths from Childbirth and Puerperal Fever - - - - - 4·13 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

399.—SOUTHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·90		†112	–	–	–	–	39·07	2·88	2·30	4·45	5·01	5·55	8·05	10·59	19·60	51·27	143·09
Males	—				13·78		†124	–	–	–	–	40·09	2·51	2·83	3·09	5·12	5·20	8·65	10·97	21·53	48·08	149·60
Females	—				14·00		†99	–	–	–	–	38·02	2·23	1·75	6·15	4·89	5·89	7·44	10·22	17·63	54·75	136·36
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·31 per cent.			10,266			267	253	259	276	253	1308	1319	1173	876	698	1226	1106	963	801	550	246
Males				5,217			136	129	140	134	122	661	638	601	486	371	615	555	474	404	287	125
Females				5,049			131	124	119	142	131	647	681	572	390	327	611	551	489	397	263	121
Deaths from All Causes, 1881–90. Persons	16·56			1,700			352	81	32	21	25	511	38	27	39	35	68	89	102	157	282	352
Males	16·79			876			197	33	13	9	13	265	16	17	15	19	32	48	52	87	138	187
Females	16·32			824			155	48	19	12	12	246	22	10	24	16	36	41	50	70	144	165
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·38	0·35	0·42	39	18	21	8	11	4	6	3	32	4	1	–	1	–	1	–	–	–	–
Scarlet Fever	0·07	0·11	0·02	7	6	1	1	–	3	–	2	6	1	–	–	–	–	–	–	–	–	–
Diphtheria	0·06	–	0·12	6	–	6	1	–	1	–	1	3	2	1	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·25	0·28	27	13	14	16	6	2	1	–	25	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·06	8	5	3	–	–	–	1	–	1	1	1	1	1	2	–	–	–	1	–
Simple Continued Fever	0·03	0·04	0·02	3	2	1	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·38	0·31	0·46	39	16	23	17	5	–	1	1	24	–	–	–	–	–	–	1	2	4	8
Cholera	0·01	0·02	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·61	0·44	0·79	63	23	40	–	–	–	–	–	–	–	–	–	–	3	4	13	14	20	9
Tabes Mesenterica	0·15	0·11	0·18	15	6	9	6	3	–	1	1	11	1	–	–	1	–	–	1	1	–	–
Phthisis	1·07	1·04	1·11	110	54	56	3	2	1	–	–	6	2	7	16	13	25	18	12	8	3	–
Other Tub. & Scrof. Dis.	0·27	0·23	0·32	28	12	16	2	2	–	–	1	5	1	4	2	2	6	4	1	1	2	–
Diseases of: Nervous System	2·23	2·38	2·08	229	124	105	35	7	2	–	3	47	3	3	6	–	5	5	17	26	53	64
Circulatory „	1·41	1·25	1·58	145	65	80	–	–	–	–	1	1	1	1	–	1	2	10	13	27	53	36
Respiratory „	3·04	3·16	2·91	312	165	147	81	29	12	6	7	135	9	2	2	1	5	12	7	28	45	66
Digestive „	1·13	1·30	0·95	116	68	48	21	6	2	2	1	32	3	2	1	2	1	7	12	16	23	17
Urinary „	0·63	0·82	0·44	65	43	22	1	–	–	1	–	2	–	–	2	–	3	4	7	11	25	11
Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1
Puerperal Fever	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	1	1	4	1	–	–	–	–
Childbirth	0·10	–	0·20	10	–	10	–	–	–	–	–	–	–	–	–	4	4	1	1	–	–	–
Violence	0·60	0·81	0·40	62	42	20	3	1	2	1	3	10	1	–	4	3	5	10	3	8	9	9
Other Causes	3·95	4·07	3·78	405	213	192	157	9	3	–	1	170	6	5	3	5	3	12	11	15	44	131

Marriages - - - 613

Births - Males - 1,590; Females - 1,559 } 3,149

Annual Rate per 1000 living { Persons Married 11·94; Births - - 30·67

Deaths from Childbirth and Puerperal Fever - - - - - } 5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

400.—LUTTERWORTH.

CAUSES OF DEATH.	CRUDE DEATH-RATE PER 1000.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·95	†94	–	–	–	–	32·12	3·97	1·64	3·71	4·34	5·13	6·22	9·33	21·67	54·30	157·69
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·62	†101	–	–	–	–	35·30	4·01	1·26	2·55	3·99	5·90	6·95	11·60	21·37	63·25	166·67
Annual Death-Rate per 1000. Females	—	In Standard Population* 12·32	†86	–	–	–	–	28·97	3·93	2·03	5·01	4·65	4·46	5·63	7·39	21·96	45·88	150·27
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·32 per cent.	12,874	285	268	304	278	294	1429	1462	1405	1186	899	1559	1318	1276	1177	825	338
Mean Population, 1881–91. Males		6,248	144	139	144	146	138	711	724	717	627	426	729	590	586	585	400	153
Mean Population, 1881–91. Females		6,626	141	129	160	132	156	718	738	688	559	473	830	728	690	592	425	185
Deaths from All Causes, 1881–90. Persons	16·62	2,140	298	87	31	23	20	459	58	23	44	39	80	82	119	255	448	533
Deaths from All Causes, 1881–90. Males	17·72	1,107	164	51	13	13	10	251	29	9	16	17	43	41	68	125	253	255
Deaths from All Causes, 1881–90. Females	15·59	1,033	134	36	18	10	10	208	29	14	28	22	37	41	51	130	195	278

	Persons.	Males.	Females.	Persons.	Males.	Females.	PERSONS.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·11	12	5	7	2	5	–	2	–	9	2	1	–	–	–	–
Scarlet Fever	0·30	0·30	0·30	39	19	20	2	5	7	5	5	24	12	2	1	–	–	–
Diphtheria	0·10	0·10	0·11	13	6	7	–	2	1	1	2	6	7	–	–	–	–	–
Whooping-cough	0·19	0·18	0·21	25	11	14	16	6	–	1	1	24	1	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·14	15	6	9	–	–	–	–	–	–	1	2	3	2	4	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·34	0·21	35	21	14	10	1	1	–	–	12	–	–	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·76	0·56	0·95	98	35	63	–	–	–	–	1	1	–	–	–	1	3	6
Tabes Mesenterica	0·09	0·06	0·11	11	4	7	4	–	1	–	–	5	2	1	–	–	–	1
Phthisis	0·77	0·82	0·72	99	51	48	1	2	1	–	–	4	–	4	11	10	30	13
Other Tub. & Scrof. Dis.	0·33	0·29	0·36	42	18	24	9	6	2	3	2	22	3	2	5	3	4	–
Diseases of Nervous System	2·59	3·06	2·14	333	191	142	48	10	2	3	1	64	5	2	3	6	6	10
Diseases of Circulatory "	2·11	2·08	2·14	272	130	142	–	1	–	1	–	2	5	1	4	2	5	12
Diseases of Respiratory "	3·11	3·57	2·67	400	223	177	60	27	12	5	4	108	11	2	3	1	7	12
Diseases of Digestive "	1·19	1·06	1·31	153	66	87	18	5	2	1	–	26	3	–	3	–	8	8
Diseases of Urinary "	0·50	0·75	0·26	64	47	17	–	–	–	1	1	2	1	–	–	3	1	1
Diseases of Generative "	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	1	1
Puerperal Fever	0·05	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	2	2	2
Childbirth	0·06	–	0·12	8	–	8	–	–	–	–	–	–	–	–	2	–	3	3
Violence	0·52	0·75	0·30	67	47	20	8	3	–	–	2	13	1	3	4	3	2	1
OTHER CAUSES	3·43	3·62	3·26	443	227	216	120	14	2	–	1	137	4	3	5	5	3	12

Diseases of Nervous System	48	10	2	3	1	64	5	2	3	6	6	10	18	44	91	84
Diseases of Circulatory "	–	1	–	1	–	2	5	1	4	2	5	12	24	55	105	57
Diseases of Respiratory "	60	27	12	5	4	108	11	2	3	1	7	12	17	40	68	131
Diseases of Digestive "	18	5	2	1	–	26	3	–	3	–	8	8	11	32	40	22
Diseases of Urinary "	–	–	–	1	1	2	1	–	–	3	1	1	6	11	21	18
Diseases of Generative "	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	2	–	3	3	–	–	–	–
Violence	8	3	–	–	2	13	1	3	4	3	2	1	4	14	12	10
OTHER CAUSES	120	14	2	–	1	137	4	3	5	5	3	12	11	25	53	185

Marriages - - - 716

Births - Males - 1,617 } Females - 1,553 } 3,170

Annual Rate per 1000 living { Persons Married 11·12 / Births - - 24·62

Deaths from Childbirth and Puerperal Fever - - - - - } 4·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

401.—MARKET HARBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·12	†105	–	–	–	–	37·17	4·29	2·15	3·65	5·18	5·70	7·91	12·41	21·75	48·89	158·67
Annual Death-Rate per 1000. Males	—	15·08	†127	–	–	–	–	41·91	4·62	1·83	3·18	4·92	6·65	8·54	13·22	24·78	51·14	172·39
Annual Death-Rate per 1000. Females	—	13·22	‡83	–	–	–	–	32·53	3·96	2·46	4·09	5·38	4·87	7·34	11·66	18·92	46·76	146·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·69 per cent.	16,297	404	369	413	392	394	1972	1980	1767	1587	1332	2158	1706	1451	1186	812	346
Mean Population, 1881–91. Males		7,844	193	183	204	202	194	976	996	874	755	589	1007	820	696	573	395	163
Mean Population, 1881–91. Females		8,453	211	186	209	190	200	996	984	893	832	743	1151	886	755	613	417	183
Deaths from All Causes, 1881–90. Persons	16·11	2,625	492	137	39	43	22	733	85	38	58	69	123	135	180	258	397	549
Deaths from All Causes, 1881–90. Males	17·57	1,378	297	63	19	22	8	409	46	16	24	29	67	70	92	142	202	281
Deaths from All Causes, 1881–90. Females	14·75	1,247	195	74	20	21	14	324	39	22	34	40	56	65	88	116	195	268

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·10	0·17	22	8	14	3	13	3	1	1	21	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·31	0·24	0·38	51	19	32	3	4	5	10	5	27	16	5	3	–	–	–	–	–	–
Diphtheria	0·10	0·08	0·12	16	6	10	–	–	3	2	–	5	7	4	–	–	–	–	–	–	–
Whooping-cough	0·21	0·23	0·20	35	18	17	21	8	2	2	1	34	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·25	0·11	29	20	9	–	–	1	2	–	3	2	1	7	2	6	3	3	2	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·37	0·40	0·34	60	31	29	35	6	–	1	–	42	–	1	–	–	–	1	2	1	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·82	0·79	0·85	134	62	72	–	–	–	–	–	–	–	–	–	1	1	13	28	39	34
Tabes Mesenterica	0·21	0·27	0·15	34	21	13	15	4	1	1	–	21	4	3	2	2	1	1	–	–	–
Phthisis	0·98	0·88	1·08	160	69	91	1	1	1	–	1	4	2	8	13	34	40	25	18	13	3
Other Tub. & Scrof. Dis.	0·23	0·24	0·21	37	19	18	8	6	3	2	–	19	6	1	2	1	4	1	1	2	–
Diseases of Nervous System	2·33	2·61	2·07	380	205	175	62	19	6	4	3	94	10	3	8	7	12	11	20	51	82
Diseases of Circulatory „	1·65	1·50	1·79	269	118	151	1	–	–	–	–	1	1	5	9	4	7	18	27	57	79
Diseases of Respiratory „	2·52	2·97	2·09	410	233	177	96	51	13	10	5	175	13	1	2	3	14	16	23	33	65
Diseases of Digestive „	0·92	1·06	0·79	150	83	67	17	9	–	2	4	32	7	–	1	2	8	12	19	24	29
Diseases of Urinary „	0·35	0·45	0·26	57	35	22	4	–	–	–	1	5	–	1	1	1	5	5	7	8	15
Diseases of Generative „	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	–	3	–	2	2	1
Puerperal Fever	0·05	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	2	3	–	–	–
Childbirth	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	–	7	4	1	–	–
Violence	0·56	0·84	0·31	92	66	26	10	4	–	2	1	17	8	1	3	5	8	11	9	9	7
Other Causes	4·03	4·63	3·47	657	363	294	216	12	1	3	–	232	7	4	7	4	5	11	19	17	76

Marriages - - - 982

Births - { Males - 2,344 / Females - 2,345 } 4,689

Annual Rate per 1000 living { Persons Married 12·05 / Births - - 28·77 }

Deaths from Childbirth and Puerperal Fever - - - - 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

402.—BILLESDON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		16·54	†135	–	–	–	–	44·56	3·36	2·88	2·33	5·08	7·93	12·00	16·27	27·30	57·9	149·48
Males	—					17·58	†156	–	–	–	–	48·90	3·89	2·17	2·67	5·22	8·43	13·36	18·26	34·52	60·63	136·08
Females	—					15·55	†113	–	–	–	–	40·19	2·80	3·55	1·99	4·95	7·43	10·66	14·29	20·47	55·26	163·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 36·66 per cent.			11,920			277	289	287	317	282	1452	1459	1320	1115	965	1678	1433	1106	751	449	192
Males				5,916			145	145	139	168	131	728	745	644	562	460	830	711	553	365	221	97
Females				6,004			132	144	148	149	151	724	714	676	553	505	848	722	553	386	228	95
Deaths from All Causes, 1881–90. Persons	17·16			2,046			450	111	43	24	19	647	49	38	26	49	133	172	180	205	260	287
Males	18·53			1,096			270	57	12	10	7	353	29	14	15	24	70	95	101	126	134	132
Females	15·82			950			180	54	31	14	12	291	20	24	11	25	63	77	79	79	126	155
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·14	0·20	20	8	12	4	6	3	3	3	19	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·34	0·15	29	20	9	2	5	3	4	2	16	8	4	1	–	–	–	–	–	–	–
Diphtheria	0·09	0·05	0·13	11	3	8	–	1	–	1	3	5	3	–	–	–	–	1	1	1	–	–
Whooping-cough	0·26	0·29	0·23	31	17	14	14	10	5	1	1	31	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·12	0·23	21	7	14	–	–	1	–	1	2	4	4	4	1	2	2	–	1	1	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·84	0·91	0·77	100	54	46	69	12	1	–	–	82	–	–	–	–	1	2	5	1	7	2
Cholera	0·04	0·05	0·03	5	3	2	1	–	1	–	–	2	–	–	–	–	–	1	1	–	–	1
Cancer	0·61	0·49	0·73	73	29	44	–	–	–	–	–	–	–	–	–	–	2	8	15	25	16	7
Tabes Mesenterica	0·28	0·34	0·22	33	20	13	18	6	2	1	–	27	–	–	3	–	1	–	–	2	–	–
Phthisis	1·19	1·27	1·12	142	75	67	2	–	2	1	–	5	1	6	4	18	49	26	15	13	5	–
Other Tub. & Scrof. Dis.	0·25	0·14	0·37	30	8	22	7	4	3	1	1	16	3	8	1	–	1	1	–	–	–	–
Diseases of Nervous System	3·93	4·48	3·38	468	265	203	97	18	6	3	4	128	7	6	4	8	34	68	53	51	63	46
Circulatory „	1·46	1·59	1·33	174	94	80	1	–	–	–	–	1	2	1	–	5	6	17	20	34	56	32
Respiratory „	2·79	3·03	2·57	333	179	154	62	32	10	9	2	115	8	1	4	8	11	17	29	36	57	47
Digestive „	0·84	0·83	0·85	100	49	51	14	7	2	–	–	23	2	3	2	2	4	7	17	14	16	10
Urinary „	0·31	0·46	0·17	37	27	10	3	–	–	–	–	3	–	1	–	2	1	2	5	6	6	11
Generative „	0·04	–	0·08	5	–	5	–	–	1	–	–	1	–	–	–	–	–	–	3	–	1	–
Puerperal Fever	0·07	–	0·13	8	–	8	–	–	–	–	–	–	–	–	–	–	6	2	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Violence	0·50	0·74	0·27	60	44	16	4	1	2	–	1	8	5	1	1	1	9	8	8	9	4	6
Other Causes	3·01	3·24	2·76	359	193	166	152	9	1	–	1	163	4	3	2	3	4	8	7	12	28	125

Marriages - - 600

Births - Males 1,734, Females 1,599 — 3,333

Annual Rate per 1000 living: Persons Married 10·07; Births 37·96

Deaths from Childbirth and Puerperal Fever - - - - - 3·90 per 1000 Births.

* *See* page xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

403.—BLABY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·17	†153	–	–	–	–	54·20	5·84	2·88	3·25	4·63	5·12	7·39	10·18	21·76	52·16	149·45
Annual Death-Rate per 1000. Males	—	16·74	†172	–	–	–	–	61·36	5·68	3·09	3·08	4·16	4·92	7·60	9·37	20·52	56·19	142·69
Annual Death-Rate per 1000. Females	—	15·63	†134	–	–	–	–	47·11	6·01	2·66	3·43	5·02	5·29	7·19	10·95	22·98	48·58	155·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 62·06 per cent.	28,623	878	818	820	835	780	4131	3713	3232	2865	2420	4124	3193	2180	1475	928	362
Mean Population, 1881–91. Males		14,005	428	407	409	423	388	2055	1849	1618	1493	1106	1950	1539	1057	731	436	171
Mean Population, 1881–91. Females		14,618	450	411	411	412	392	2076	1864	1614	1372	1314	2174	1654	1123	744	492	191
Deaths from All Causes, 1881–90. Persons	16·66	4,769	1515	322	181	126	95	2239	217	93	93	112	211	236	222	321	484	541
Deaths from All Causes, 1881–90. Males	17·56	2,459	866	170	94	75	56	1261	105	50	46	46	96	117	99	150	245	244
Deaths from All Causes, 1881–90. Females	15·80	2,310	649	152	87	51	39	978	112	43	47	66	115	119	123	171	239	297

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·03	0·04	0·03	10	5	5	1	–	–	1	–	2	1	2	–	2	3	–	–	–	–	–
Measles	0·34	0·39	0·28	96	55	41	22	30	16	7	9	84	7	3	–	1	–	1	–	–	–	–
Scarlet Fever	1·02	1·15	0·90	293	161	132	6	21	62	60	37	186	90	10	3	1	1	2	–	–	–	–
Diphtheria	0·14	0·11	0·17	41	16	25	2	2	3	5	7	19	17	3	–	–	2	–	–	–	–	–
Whooping-cough	0·36	0·33	0·38	102	46	56	45	36	11	5	3	100	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–
Enteric Fever	0·20	0·24	0·15	56	34	22	–	4	2	1	2	9	7	5	5	8	7	4	5	4	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·93	1·02	0·84	266	143	123	202	17	3	1	–	223	–	1	–	–	2	2	–	3	16	19
Cholera	0·02	0·02	0·01	5	3	2	2	–	1	–	–	3	–	–	–	1	–	–	–	–	–	1
Cancer	0·46	0·41	0·51	131	57	74	–	–	1	–	–	1	–	–	1	2	1	13	22	39	32	20
Tabes Mesenterica	0·22	0·14	0·29	63	20	43	37	9	1	3	–	50	3	2	–	3	3	2	–	–	–	–
Phthisis	1·10	1·01	1·18	314	142	172	15	6	1	–	–	22	7	13	41	53	74	56	30	14	4	–
Other Tub. & Scrof. Dis.	0·37	0·44	0·31	107	62	45	34	20	8	2	2	66	12	7	9	3	3	4	3	–	–	–
Diseases of Nervous System	2·07	2·21	1·94	593	310	283	193	30	13	9	7	252	19	8	4	6	16	30	28	46	100	84
Diseases of Circulatory „	1·13	1·09	1·16	323	153	170	5	1	–	–	1	7	2	8	6	5	17	34	44	61	85	54
Diseases of Respiratory „	2·87	3·11	2·64	822	436	386	287	91	40	15	16	449	20	5	4	7	16	29	25	64	109	94
Diseases of Digestive „	0·94	0·94	0·94	270	132	138	70	26	4	3	3	106	11	8	3	2	12	18	20	32	34	24
Diseases of Urinary „	0·31	0·39	0·23	88	54	34	3	1	3	2	1	10	2	3	1	3	9	6	9	13	23	9
Diseases of Generative „	0·03	0·01	0·05	10	2	8	–	–	1	–	–	1	–	–	–	1	2	1	1	1	3	–
Puerperal Fever	0·04	–	0·08	12	–	12	–	–	–	–	–	–	–	–	2	2	8	–	–	–	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	–	4	8	9	–	–	–	–
Violence	0·50	0·74	0·26	142	104	38	20	5	6	8	3	42	8	10	3	3	10	9	14	15	17	11
Other Causes	3·49	3·75	3·29	999	522	477	571	23	5	4	4	607	9	5	9	4	16	16	21	28	60	224

Marriages - - - 1,553

Births - { Males - 5,044, Females - 4,841 } 9,885

Annual Rate per 1000 living { Persons Married 10·85, Births - - 34·54 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

404.—HINCKLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·78	†151	–	–	–	–	54·37	3·81	2·54	3·76	5·74	5·61	8·10	12·66	23·18	55·90	158·93
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·07	†164	–	–	–	–	60·73	3·71	2·49	2·73	5·59	5·19	7·09	12·79	23·57	56·22	159·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·49	†138	–	–	–	–	48·54	3·90	2·59	4·70	5·86	5·99	9·04	12·53	22·82	55·56	158·23
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·04 per cent.	19,051	572	537	531	529	518	2687	2391	2204	1917	1585	2551	1913	1509	1195	780	319
Mean Population, 1881–91. Males	Decennial Increase of Population 19·04 per cent.	9,185	286	257	240	259	244	1286	1185	1083	917	715	1215	917	727	577	402	161
Mean Population, 1881–91. Females	Decennial Increase of Population 19·04 per cent.	9,866	286	280	291	270	274	1401	1206	1121	1000	870	1336	996	782	618	378	158
Deaths from All Causes, 1881–90. Persons	18·27	3,480	1023	266	83	59	30	1461	91	56	72	91	143	155	191	277	436	507
Deaths from All Causes, 1881–90. Males	19·13	1,757	560	142	39	29	11	781	44	27	25	40	63	65	93	136	226	257
Deaths from All Causes, 1881–90. Females	17·46	1,723	463	124	44	30	19	680	47	29	47	51	80	90	98	141	210	250

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·45	0·45	0·46	86	41	45	21	38	15	5	1	80	5	1	–	–	–	–	–	–
Scarlet Fever	0·15	0·12	0·17	28	11	17	3	4	3	5	3	18	10	–	–	–	–	–	–	–
Diphtheria	0·05	0·05	0·05	10	5	5	–	–	3	2	2	7	3	–	–	–	–	–	–	–
Whooping-cough	0·34	0·32	0·36	65	29	36	42	12	3	5	1	63	2	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·25	0·33	56	23	33	1	2	1	3	1	8	9	11	6	8	5	4	1	3	1	–
Simple Continued Fever	0·02	0·01	0·03	4	1	3	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·90	1·05	0·77	172	96	76	99	22	7	1	–	129	4	–	–	–	–	1	1	7	10	20
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	0·64	0·42	0·83	121	39	82	–	–	–	1	–	1	–	–	1	–	3	9	24	39	31	13
Tabes Mesenterica	0·26	0·30	0·21	49	23	21	22	9	4	3	–	38	3	2	4	–	–	–	1	–	1	–
Phthisis	1·17	1·02	1·30	222	94	128	2	–	–	–	–	2	–	8	29	37	62	38	29	10	5	2
Other Tub. & Scrof. Dis.	0·39	0·40	0·38	74	37	37	21	13	7	2	2	45	8	5	7	3	2	3	1	–	–	–
Diseases of Nervous System	2·65	2·81	2·49	504	258	246	184	35	10	12	6	247	8	6	3	5	4	20	25	40	89	57
Diseases of Circulatory „	1·40	1·35	1·45	267	124	143	–	–	–	–	–	–	6	2	5	8	8	17	37	68	76	40
Diseases of Respiratory „	3·27	3·51	3·05	623	322	301	175	94	20	16	9	314	14	5	6	5	18	17	25	53	89	77
Diseases of Digestive „	0·97	1·13	0·81	184	104	80	57	9	1	–	2	69	5	1	2	3	8	12	16	15	36	17
Diseases of Urinary „	0·32	0·38	0·26	61	35	26	2	–	–	–	2	4	2	3	1	2	5	9	5	7	17	6
Diseases of Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	2	–	1	3	2	2	–
Puerperal Fever	0·09	–	0·17	17	–	17	–	–	–	–	–	–	–	–	–	5	7	5	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	–	6	2	3	–	–	–	–
Violence	0·40	0·60	0·21	76	55	21	6	3	3	3	1	16	2	5	5	1	5	5	10	6	10	11
Other Causes	4·40	4·95	3·92	839	454	385	388	24	6	1	–	419	9	7	3	5	14	11	13	26	69	263

Marriages - - - 1,376

Births - { Males - 3,416 / Females - 3,350 } 6,766

Annual Rate per 1000 living { Persons Married 14·45 / Births - - 35·52 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

405.—MARKET BOSWORTH.

Causes of Death.	Crude Death-rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-rate per 1000. Persons	—			In Standard Population* 14·23			†122	–	–	–	–	39·03	3·86	1·88	3·55	4·38	4·99	7·82	11·68	22·90	51·98	159·93
Annual Death-rate per 1000. Males	—			14·53			†135	–	–	–	–	43·18	4·23	2·16	3·10	4·94	3·66	7·35	11·62	23·12	53·85	173·33
Annual Death-rate per 1000. Females	—			13·95			†109	–	–	–	–	34·97	3·49	1·56	4·15	3·79	6·33	8·28	11·74	22·68	50·14	148·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·00 per cent.			15,125			458	427	429	440	421	2175	1994	1805	1354	1141	1904	1561	1233	978	683	297
Mean Population, 1881–91. Males				7,712			225	220	203	211	218	1077	992	972	775	587	956	776	611	493	338	135
Mean Population, 1881–91. Females				7,413			233	207	226	229	203	1098	1002	833	579	554	948	785	622	485	345	162
Deaths from All Causes, 1881–90. Persons	16·35			2,473			620	119	44	41	25	849	77	34	48	50	95	122	144	224	355	475
Deaths from All Causes, 1881–90. Males	16·52			1,274			345	58	21	27	14	465	42	21	24	29	35	57	71	114	182	234
Deaths from All Causes, 1881–90. Females	16·17			1,199			275	61	23	14	11	384	35	13	24	21	60	65	73	110	173	241
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·18	0·16	26	14	12	5	15	4	1	–	25	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·24	0·30	0·19	37	23	14	2	6	2	9	5	24	12	1	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·08	0·04	9	6	3	–	1	–	–	4	5	4	–	–	–	–	–	–	–	–	–
Whooping-cough	0·20	0·19	0·20	30	15	15	17	8	4	1	–	30	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Enteric Fever	0·28	0·27	0·28	42	21	21	–	1	–	–	–	1	6	8	7	3	4	5	3	4	1	–
Simple Continued Fever	0·04	0·04	0·04	6	3	3	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	2
Diarrhœa and Dysentery	0·56	0·47	0·65	84	36	48	48	4	1	1	–	54	–	1	–	1	1	1	1	6	10	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·59	0·34	0·66	75	26	49	–	–	–	–	–	–	–	–	–	–	5	6	19	23	15	7
Tabes Mesenterica	0·11	0·10	0·12	17	8	9	11	3	–	–	–	14	–	–	1	–	1	1	–	–	–	–
Phthisis	0·81	0·80	0·81	122	62	60	3	2	–	–	1	6	2	1	12	19	32	25	15	6	4	–
Other Tub. & Scrof. Dis.	0·23	0·21	0·26	35	16	19	12	6	2	1	2	23	2	4	2	2	1	–	–	–	1	–
Diseases of: Nervous System	2·36	2·35	2·35	357	183	174	149	15	4	6	–	174	10	3	1	6	8	10	8	26	69	42
Diseases of: Circulatory „	1·65	1·58	1·73	250	122	128	3	1	–	–	–	4	4	5	6	3	7	13	24	57	61	66
Diseases of: Respiratory „	3·04	3·28	2·78	459	253	206	109	34	18	16	10	187	13	1	6	2	6	17	25	39	73	90
Diseases of: Digestive „	1·04	0·93	1·15	157	72	85	31	13	1	2	2	49	5	2	2	1	5	7	21	31	22	12
Diseases of: Urinary „	0·46	0·60	0·31	69	46	23	2	–	–	–	–	2	2	–	2	2	1	8	8	11	23	10
Diseases of: Generative „	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
Puerperal Fever	0·11	–	0·23	17	–	17	–	–	–	–	–	–	–	–	1	4	5	7	–	–	–	–
Childbirth	0·05	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–
Violence	0·67	0·99	0·35	102	76	26	5	3	6	2	–	16	7	6	6	2	7	12	15	6	14	11
Other Causes	3·72	3·81	3·66	564	292	272	223	7	2	2	1	235	6	2	2	4	8	4	5	14	58	226

Marriages - - 869

Births - Males - 2,556; Females - 2,529 — 5,085

Annual Rate per 1000 living: Persons Married 11·49; Births - - 33·62

Deaths from Childbirth and Puerperal Fever - - - - 4·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

406.—ASHBY-DE-LA-ZOUCH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·71	†132	–	–	–	–	46·04	3·73	2·71	3·89	4·61	5·15	8·16	10·71	24·90	61·70	161·11
Annual Death-Rate per 1000. Males	—	16·17	†149	–	–	–	–	52·28	3·58	2·60	3·09	3·67	4·40	7·24	11·13	28·46	65·64	161·51
Annual Death-Rate per 1000. Females	—	15·26	†115	–	–	–	–	39·91	3·87	2·82	4·89	5·63	5·93	9·09	10·28	21·30	58·08	160·68
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·45 per cent.	34,951	1037	1016	991	1022	982	5048	4644	4130	3444	2821	4645	3613	2830	2068	1222	486
Mean Population, 1881–91. Males		17,765	527	473	481	523	498	2502	2317	2074	1911	1472	2384	1809	1419	1040	585	252
Mean Population, 1881–91. Females		17,186	510	543	510	499	484	2546	2327	2056	1533	1349	2261	1804	1411	1028	637	234
Deaths from All Causes, 1881–90. Persons	16·49	5,762	1569	403	157	104	91	2324	173	112	134	130	239	295	303	515	754	783
Deaths from All Causes, 1881–90. Males	17·11	3,039	906	224	80	47	51	1308	83	54	59	54	105	131	158	296	384	407
Deaths from All Causes, 1881–90. Females	15·84	2,723	663	179	77	57	40	1016	90	58	75	76	134	164	145	219	370	376

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·03	0·03	0·02	9	6	3	1	–	–	–	–	1	1	1	–	2	2	–	2	–	–	–
Measles	0·30	0·38	0·22	105	67	38	26	37	20	9	6	98	5	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·40	0·40	140	71	69	9	28	23	21	18	99	29	8	–	1	2	1	–	–	–	–
Diphtheria	0·07	0·06	0·08	23	10	13	–	2	3	1	5	11	6	2	1	1	–	1	1	–	–	–
Whooping-cough	0·35	0·34	0·35	121	61	60	54	39	11	7	4	115	5	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·22	0·23	0·22	77	40	37	–	–	–	2	3	5	10	11	14	8	11	4	7	3	3	1
Simple Continued Fever	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·32	0·34	115	57	58	66	17	3	1	1	88	3	–	1	1	3	1	–	3	7	8
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	0·56	0·35	0·76	194	63	131	1	1	–	1	1	4	–	–	–	–	6	12	25	53	76	18
Tabes Mesenterica	0·29	0·26	0·32	101	46	55	52	24	5	3	1	85	3	5	3	2	1	–	1	1	–	–
Phthisis	0·96	0·88	1·05	336	156	180	9	2	3	1	2	17	10	8	40	56	75	71	39	15	4	1
Other Tub. & Scrof. Dis.	0·31	0·37	0·26	110	65	45	29	15	8	5	5	62	14	8	8	4	1	5	1	6	1	–
Diseases of Nervous System	2·27	2·45	2·11	795	432	363	318	42	11	10	6	387	18	14	6	7	14	20	43	77	118	91
Diseases of Circulatory „	1·43	1·41	1·45	500	251	249	4	–	–	–	1	5	3	11	10	7	28	39	48	100	153	96
Diseases of Respiratory „	3·18	3·57	2·77	1111	635	476	344	142	44	29	20	579	31	4	8	7	24	37	44	96	151	130
Diseases of Digestive „	1·02	0·96	1·08	357	171	186	86	19	5	2	3	115	11	8	7	7	7	23	33	59	57	30
Diseases of Urinary „	0·41	0·55	0·28	145	97	48	–	1	2	1	1	5	2	3	4	3	6	15	14	28	33	32
Diseases of Generative „	0·05	–	0·11	19	–	19	1	–	–	–	–	1	–	–	–	1	1	5	4	2	4	1
Puerperal Fever	0·07	–	0·13	23	–	23	–	–	–	–	–	–	–	–	1	4	12	6	–	–	–	–
Childbirth	0·09	–	0·19	32	–	32	–	–	–	–	–	–	–	–	4	4	9	14	1	–	–	–
Violence	0·61	0·88	0·33	213	156	57	9	7	13	5	11	45	10	17	14	7	22	19	14	31	16	18
Other Causes	3·52	3·64	3·36	1231	651	580	560	27	6	6	3	602	11	7	13	8	15	22	26	39	131	357

Marriages - - - 2,402

Births - Males - 6,097, Females - 5,771 } 11,868

Annual Rate per 1000 living { Persons Married 13·74; Births - - 33·96

Deaths from Childbirth and Puerperal Fever - - - - - } 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

407.—LOUGHBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·60	†149	–	–	–	–	55·41	3·87	2·49	4·63	5·83	7·18	8·99	13·12	27·08	57·14	158·22
Males	—					18·25	†166	–	–	–	–	61·39	3·96	2·53	4·47	5·67	6·23	8·21	13·31	30·80	57·86	167·66
Females	—					16·99	†131	–	–	–	–	49·57	3·79	2·45	4·78	5·95	8·02	9·71	12·95	23·67	56·49	149·61
Mean Population, 1881–91. Person	Decennial Increase of Population 10·63 per cent.			29,407			835	775	752	782	749	3893	3588	3375	3001	2506	3996	3080	2469	1872	1134	493
Males				14,108			398	392	367	385	380	1922	1769	1663	1431	1128	1877	1474	1172	896	541	235
Females				15,299			437	383	385	397	369	1971	1819	1712	1570	1378	2119	1606	1297	976	593	258
Deaths from All Causes, 1881–90. Persons	18·66			5,438			1464	393	142	90	68	2157	139	84	139	146	287	277	324	507	648	780
Males	19·83			2,797			829	192	66	53	40	1180	70	42	64	64	117	121	156	276	313	394
Females	17·59			2,691			635	201	76	37	28	977	69	42	75	82	170	156	168	231	335	386
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·01	0·02	5	2	3	–	1	–	–	–	1	–	–	2	1	1	–	–	–	–	–
Measles	0·47	0·52	0·41	137	74	63	33	53	29	10	4	129	7	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·16	0·17	49	23	26	3	9	9	10	1	32	11	6	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·13	0·15	42	19	23	2	5	4	6	8	25	11	4	–	2	–	–	–	–	–	–
Whooping-cough	0·44	0·43	0·46	130	60	70	76	33	11	4	4	128	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
Enteric Fever	0·16	0·14	0·18	47	20	27	–	–	1	1	–	2	5	5	7	4	11	5	2	3	3	–
Simple Continued Fever	0·02	0·02	0·02	6	3	3	–	–	–	–	–	–	2	1	–	1	–	–	–	2	–	–
Diarrhœa and Dysentery	0·90	0·98	0·82	264	138	126	190	30	3	3	1	227	3	–	1	–	1	1	1	4	10	16
Cholera	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·64	0·46	0·80	187	65	122	–	–	–	–	1	1	–	–	2	1	3	12	36	62	41	29
Tabes Mesenterica	0·40	0·43	0·37	117	61	56	74	21	3	3	–	101	3	2	–	5	2	–	2	1	1	–
Phthisis	1·48	1·47	1·48	435	208	227	2	3	3	–	2	10	4	15	60	73	120	82	44	18	8	1
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	140	78	62	34	22	14	6	9	85	15	7	6	6	7	5	6	3	–	–
Diseases of Nervous System	2·48	2·60	2·36	728	367	361	235	36	21	12	10	314	14	10	14	4	25	17	43	63	128	96
Circulatory "	1·64	1·65	1·63	482	233	249	2	–	–	–	1	3	4	6	9	7	14	40	66	110	147	76
Respiratory "	3·14	3·51	2·80	923	495	428	253	116	34	21	17	441	33	4	4	4	27	30	44	94	124	118
Digestive "	1·08	1·15	1·01	317	162	155	87	30	5	3	2	127	2	5	8	4	14	19	30	44	37	27
Urinary "	0·33	0·46	0·21	97	65	32	3	2	–	2	2	9	–	–	2	3	4	8	15	21	21	14
Generative "	0·05	0·02	0·07	14	3	11	–	1	–	–	–	1	–	–	–	1	1	2	3	3	2	1
Puerperal Fever	0·12	–	0·23	35	–	35	–	–	–	–	–	–	–	–	1	5	20	9	–	–	–	–
Childbirth	0·09	–	0·16	25	–	25	–	–	–	–	–	–	–	–	2	4	12	7	–	–	–	–
Violence	0·58	0·89	0·30	172	126	46	18	4	2	8	5	37	14	10	7	6	15	16	15	28	10	14
Other Causes	3·81	4·24	3·51	1131	593	538	452	27	3	1	1	484	9	9	13	14	10	24	16	49	115	388

Marriages - - - 2,141

Births - { Males - 4,984, Females - 4,835 } 9,819

Annual Rate per 1000 living { Persons Married 14·56, Births - - 33·39 }

Deaths from Childbirth and Puerperal Fever - - - - - 6·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

408.—BARROW-ON-SOAR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·19			†163	–	–	–	–	56·65	4·22	2·90	4·04	4·89	6·25	8·61	12·30	25·44	56·93	144·83
Annual Death-Rate per 1000. Males	—						†179	–	–	–	–	62·07	4·62	2·91	3·64	4·71	6·53	7·97	14·06	26·15	62·24	151·49
Annual Death-Rate per 1000. Females	—						†147	–	–	–	–	51·36	3·85	2·89	4·43	5·04	6·00	9·21	10·72	24·77	52·31	138·76
Mean Population, 1881-91. Persons	Decennial Increase of Population 18·17 per cent.			31,465			947	812	893	847	865	4364	4095	3690	3141	2517	4239	3345	2569	1879	1133	493
Mean Population, 1881-91. Males				15,189			453	417	436	421	427	2154	1990	1855	1538	1147	2006	1607	1216	914	527	235
Mean Population, 1881-91. Females				16,276			494	395	457	426	438	2210	2105	1835	1603	1370	2233	1738	1353	965	606	258
Deaths from All Causes, 1881-90. Persons	18·14			5,708			1720	412	173	89	78	2472	173	107	127	123	265	288	316	478	645	714
Deaths from All Causes, 1881-90. Males	19·40			2,946			962	205	84	41	45	1337	92	54	56	54	131	128	171	239	328	356
Deaths from All Causes, 1881-90. Females	16·97			2,762			758	207	89	48	33	1135	81	53	71	69	134	160	145	239	317	358
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·37	0·38	0·36	116	58	58	23	40	23	6	8	100	14	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·47	0·48	0·46	148	73	75	13	20	22	28	19	102	39	5	–	–	1	1	–	–	–	–
Diphtheria	0·09	0·11	0·06	27	17	10	1	3	1	3	3	11	8	4	–	–	–	1	–	2	1	–
Whooping-cough	0·38	0·38	0·37	118	57	61	57	36	10	7	4	114	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·14	0·16	0·12	45	25	20	–	–	1	–	1	2	2	7	13	8	6	6	–	–	–	1
Simple Continued Fever	0·01	–	0·02	4	–	4	–	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	1·13	1·24	1·02	354	188	166	260	31	6	5	–	302	1	1	1	–	–	1	2	8	21	17
Cholera	0·01	0·01	–	2	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·46	0·35	0·57	145	53	92	–	–	–	–	–	–	–	–	1	–	5	11	31	54	28	15
Tabes Mesenterica	0·13	0·18	0·09	42	28	14	17	10	4	1	2	34	1	3	1	2	–	1	–	–	–	–
Phthisis	1·35	1·29	1·40	424	196	228	8	5	4	3	4	24	12	20	42	62	111	77	41	29	3	3
Other Tub. & Scrof. Dis.	0·41	0·44	0·38	129	67	62	38	25	15	4	5	87	16	10	5	6	–	3	1	1	–	–
Diseases of Nervous System	2·69	2·95	2·44	845	448	397	330	58	19	3	7	417	16	19	17	8	14	22	45	86	125	76
Diseases of Circulatory „	1·36	1·36	1·36	429	207	222	5	–	–	–	1	6	9	7	4	6	29	37	46	92	119	74
Diseases of Respiratory „	2·79	2·98	2·62	879	452	427	244	133	46	17	13	453	22	8	6	8	22	32	44	77	117	90
Diseases of Digestive „	0·89	0·90	0·88	280	137	143	59	15	5	1	3	83	2	9	6	5	15	23	24	40	47	26
Diseases of Urinary „	0·33	0·45	0·22	105	69	36	3	2	1	–	3	9	7	2	6	2	5	6	15	16	28	9
Diseases of Generative „	0·05	0·01	0·10	17	1	16	–	1	–	–	–	1	–	–	–	–	–	2	4	1	7	2
Puerperal Fever	0·04	–	0·09	14	–	14	–	–	–	–	–	–	–	–	–	2	7	5	–	–	–	–
Childbirth	0·06	–	0·12	20	–	20	–	–	–	–	–	–	–	–	1	2	7	10	–	–	–	–
Violence	0·64	0·99	0·31	201	150	51	13	3	8	5	3	32	10	6	8	4	21	22	27	28	32	11
Other Causes	4·38	4·73	3·98	1363	717	646	649	29	7	6	2	693	9	5	15	7	21	27	35	44	117	390

Marriages - - - 1,813

Births - { Males - 5,368, Females - 5,155 } 10,523

Annual Rate per 1000 living { Persons Married 11·52, Births - - 33·44 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

409.—LEICESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·52	†203	–	–	–	–	78·23	4·32	2·46	3·56	4·68	7·00	10·39	16·41	31·84	67·43	162·32
Males	—	23·32	†223	–	–	–	–	86·28	4·28	2·46	3·64	4·94	7·17	11·31	19·09	36·37	75·67	172·53
Females	—	19·82	†182	–	–	–	–	70·43	4·35	2·46	3·50	4·46	6·84	9·57	14·05	28·07	61·18	155·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·08 per cent.	132,210	3883	3389	3384	3377	3198	17231	15352	14096	14098	13165	21202	15044	10452	6692	3620	1258
Males		62,371	1916	1677	1632	1671	1587	8483	7542	6827	6375	5926	10083	7120	4892	3044	1562	517
Females		69,839	1967	1712	1752	1706	1611	8748	7810	7269	7723	7239	11119	7924	5560	3648	2058	741
Deaths from All Causes, 1881–90. Persons	20·41	26,984	9687	2289	734	480	290	13480	663	347	502	616	1484	1563	1715	2131	2441	2042
Males	22·41	13,978	5399	1186	357	224	153	7319	323	168	232	293	723	805	934	1107	1182	892
Females	18·62	13,006	4288	1103	377	256	137	6161	340	179	270	323	761	758	781	1024	1259	1150

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·42	0·43	0·41	549	266	283	143	211	88	50	25	517	30	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·33	0·34	0·32	437	211	226	30	81	82	76	52	321	97	11	3	1	3	–	–	–	1	–
Diphtheria	0·09	0·09	0·09	116	56	60	6	21	19	9	13	68	21	3	3	2	2	3	5	7	2	–
Whooping-cough	0·43	0·41	0·45	568	255	313	256	179	64	36	23	558	9	–	–	–	1	–	–	–	–	–
Typhus	0·00	–	0·00	2	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteric Fever	0·21	0·22	0·20	275	138	137	–	1	8	7	10	26	41	34	34	38	48	25	12	12	4	1
Simple Continued Fever	0·00	0·00	0·00	5	2	3	1	2	–	–	–	3	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	1·76	1·96	1·58	2325	1225	1100	1954	207	13	4	1	2179	5	–	2	2	5	7	8	16	44	57
Cholera	0·01	0·01	0·01	13	8	5	3	1	–	–	–	4	1	1	–	–	1	3	2	–	1	–
Cancer	0·52	0·40	0·64	694	249	445	–	1	1	1	1	4	2	1	6	1	34	103	152	206	139	46
Tabes Mesenterica	0·26	0·29	0·23	343	179	164	201	70	15	10	4	300	13	7	3	9	9	1	1	–	–	–
Phthisis	1·54	1·89	1·23	2043	1181	862	42	17	9	6	9	83	29	47	199	256	581	438	267	117	25	1
Other Tub. & Scrof. Dis.	0·49	0·56	0·42	642	349	293	234	127	45	27	13	446	64	31	23	15	29	14	13	5	1	1
Diseases of Nervous System	3·04	3·48	2·65	4022	2169	1853	1870	341	76	63	32	2382	75	55	44	42	90	137	224	325	428	220
Circulatory „	1·48	1·53	1·44	1955	952	1003	17	3	–	5	2	27	26	43	49	51	144	218	311	483	416	187
Respiratory „	3·55	3·94	3·21	4699	2455	2244	1327	714	234	131	68	2474	92	18	32	65	144	213	315	446	585	315
Digestive „	0·84	0·83	0·84	1106	520	586	273	80	12	8	2	375	29	12	21	22	71	83	135	166	134	53
Urinary „	0·39	0·54	0·26	519	335	184	16	16	10	5	4	51	18	12	9	17	42	71	77	96	82	44
Generative „	0·05	0·01	0·08	61	6	55	–	2	–	–	–	2	–	–	2	5	10	13	14	8	6	1
Puerperal Fever	0·08	–	0·16	109	–	109	–	–	–	–	–	–	–	–	6	23	57	22	1	–	–	–
Childbirth	0·07	–	0·13	92	–	92	–	–	–	–	–	–	–	–	6	11	47	26	2	–	–	–
Violence	0·65	0·92	0·42	866	575	291	173	28	27	28	19	275	66	26	26	27	81	95	71	77	72	50
Other Causes	4·20	4·56	3·85	5542	2846	2696	3140	187	31	14	12	3384	45	44	34	29	83	90	105	167	500	1061

Marriages - - 11,853

Births - { Males - 24,185 / Females - 23,593 } 47,778

Annual Rate per 1000 living { Persons Married 17·93 / Births - - 36·14 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

410.—MELTON MOWBRAY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		14·97	†119	–	–	–	–	44·27	5·17	2·64	2·61	5·83	5·89	7·94	10·87	20·59	49·54	154·10
Males	—					15·12	†134	–	–	–	–	48·46	5·34	2·58	2·24	5·24	5·13	6·54	11·86	21·96	50·63	155·56
Females	—					14·82	†104	–	–	–	–	40·12	5·00	2·70	3·02	6·39	6·65	9·37	9·89	19·22	48·47	152·65
Mean Population, 1881-91. Persons	Decennial Increase of Population 5·40 per cent.			21,041			525	500	554	523	514	2616	2513	2234	1875	1716	2920	2331	1886	1530	969	451
Males				10,540			263	255	275	256	251	1300	1254	1122	981	839	1462	1178	936	765	478	225
Females				10,501			262	245	279	267	263	1316	1259	1112	894	877	1458	1153	950	765	491	226
Deaths from All Causes, 1881-90. Persons	16·86			3,548			753	204	74	82	45	1158	130	59	49	100	172	185	205	315	480	695
Males	17·22			1,815			432	99	31	39	29	630	67	29	22	44	75	77	111	168	242	350
Females	16·50			1,733			321	105	43	43	16	528	63	30	27	56	97	108	94	147	238	345
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·16	0·23	41	17	24	8	16	7	8	1	40	–	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·46	0·51	0·41	97	54	43	4	11	14	16	9	54	33	7	–	1	2	–	–	–	–	–
Diphtheria	0·22	0·17	0·28	47	18	29	1	3	6	7	6	23	15	6	1	–	–	–	1	–	1	–
Whooping-cough	0·27	0·17	0·37	57	18	39	29	17	7	3	–	56	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·11	0·11	0·10	23	12	11	–	1	–	2	1	4	1	2	2	6	3	2	–	3	–	–
Simple Continued Fever	0·03	0·01	0·05	6	1	5	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	1
Diarrhœa and Dysentery	0·48	0·55	0·42	102	58	44	51	16	3	2	–	72	4	–	–	–	3	1	1	4	8	9
Cholera	0·01	0·01	0·01	2	1	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·47	0·80	134	50	84	–	1	–	1	–	2	–	–	–	–	4	11	24	44	31	18
Tabes Mesenterica	0·15	0·12	0·18	32	13	19	9	3	1	2	4	19	7	1	1	–	–	3	–	–	1	–
Phthisis	1·25	1·04	1·46	263	110	153	–	4	–	2	–	6	7	9	25	47	69	47	31	15	7	–
Other Tub. & Scrof. Dis.	0·41	0·39	0·44	87	41	43	17	15	2	7	5	46	10	6	2	4	5	7	5	1	1	–
Diseases of Nervous System	2·11	2·18	2·04	444	230	214	97	15	9	10	3	134	12	5	5	3	10	20	22	51	94	88
Circulatory „	1·45	1·38	1·53	306	145	161	2	–	–	–	–	2	2	3	3	6	13	12	28	56	99	82
Respiratory „	2·77	3·09	2·44	582	326	256	153	64	17	12	6	252	14	4	–	7	12	16	24	46	93	114
Digestive „	1·30	1·26	1·34	274	133	141	58	16	4	3	1	82	2	8	2	3	12	16	34	48	41	26
Urinary „	0·40	0·64	0·17	85	67	18	1	1	–	–	–	2	2	–	1	6	2	6	7	11	24	24
Generative „	0·07	0·01	0·12	14	1	13	–	–	–	–	–	–	–	–	–	–	4	2	1	3	3	1
Puerperal Fever	0·06	–	0·12	13	–	13	–	–	–	–	–	–	–	–	1	2	4	6	–	–	–	–
Childbirth	0·03	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
Violence	0·55	0·84	0·27	116	88	28	6	4	–	4	4	18	7	2	2	9	12	13	13	12	14	14
Other Causes	3·90	4·10	3·65	815	431	384	316	17	4	1	5	343	12	5	2	5	14	18	14	21	63	318

Marriages - - 1,252

Births { Males 3,214, Females 3,089 } 6,303

Annual Rate per 1000 living { Persons Married 11·90, Births 29·96 }

Deaths from Childbirth and Puerperal Fever 3·17 per 1000 Births.

* See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

411.—OAKHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·64	†120	–	–	–	–	41·72	3·07	3·02	3·53	4·81	5·03	6·99	13·25	20·68	55·62	158·72
Annual Death-Rate per 1000. Males	—					15·53	†140	–	–	–	–	48·72	3·30	2·37	3·09	4·07	4·15	6·55	14·58	22·64	62·02	170·94
Annual Death-Rate per 1000. Females	—					13·81	†100	–	–	–	–	34·89	2·84	3·72	3·98	5·52	5·87	7·40	12·02	18·82	49·64	146·61
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·54 per cent.			10,948			256	249	243	261	259	1268	1305	1225	1078	853	1431	1188	1004	827	534	235
Mean Population, 1881–91. Males				5,399			135	106	123	130	132	626	636	633	550	418	699	580	480	402	258	117
Mean Population, 1881–91. Females				5,549			121	143	120	131	127	642	669	592	528	435	732	608	524	425	276	118
Deaths from All Causes, 1881–90. Persons	16·57			1,814			365	91	31	19	23	529	40	57	38	41	72	83	133	171	297	373
Deaths from All Causes, 1881–90. Males	17·84			963			214	45	20	12	14	305	21	15	17	17	29	38	70	91	160	200
Deaths from All Causes, 1881–90. Females	15·34			851			151	46	11	7	9	224	19	22	21	24	43	45	63	80	137	173
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·24	0·23	26	13	13	7	11	2	2	2	24	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·28	0·14	23	15	8	3	3	4	5	1	16	4	1	1	–	–	1	–	–	–	–
Diphtheria	0·08	0·11	0·05	9	6	3	–	1	1	–	1	3	3	3	–	–	–	–	–	–	–	–
Whooping-cough	0·36	0·37	0·34	39	20	19	15	12	6	1	2	36	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·27	0·28	0·27	30	15	15	10	3	–	–	2	15	1	–	–	1	–	1	–	1	3	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·66	0·69	0·63	72	37	35	–	–	–	–	–	–	–	–	1	–	–	1	23	15	20	12
Tabes Mesenterica	0·16	0·19	0·14	18	10	8	12	5	–	1	–	18	–	–	–	–	–	–	–	–	–	–
Phthisis	1·17	1·15	1·19	128	62	66	2	–	–	–	–	2	2	9	14	18	38	22	13	7	3	–
Other Tub. & Scrof. Dis.	0·37	0·31	0·41	40	17	23	10	5	3	2	1	21	6	5	4	–	3	–	1	–	–	–
Diseases of Nervous System	2·22	2·45	2·00	243	132	111	57	11	4	–	1	73	4	2	1	4	2	8	16	28	60	45
Diseases of Circulatory "	1·71	1·78	1·64	187	96	91	–	1	–	–	1	2	1	1	3	2	5	12	22	36	62	41
Diseases of Respiratory "	2·49	3·07	1·93	273	166	107	69	24	10	6	5	114	6	2	4	1	7	8	21	29	45	36
Diseases of Digestive "	0·90	0·80	1·01	99	43	56	15	5	1	–	2	23	3	2	–	3	5	6	14	12	19	12
Diseases of Urinary "	0·47	0·59	0·34	51	32	19	–	1	–	–	1	2	1	3	1	2	2	3	7	8	15	7
Diseases of Generative "	0·04	0·02	0·05	4	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–
Puerperal Fever	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	3	1	3	–	–	–	–
Childbirth	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–
Violence	0·50	0·78	0·23	55	42	13	4	3	–	1	1	9	2	2	3	1	6	7	3	11	5	6
Other Causes	4·55	4·67	4·43	497	253	244	161	6	–	1	3	171	2	6	3	3	3	6	12	22	64	205

Marriages - - 639

Births - Males - 1,534; Female - 1,512 — 3,046

Annual Rate per 1000 living: Persons Married 11·67; Births - - 27·82

Deaths from Childbirth and Puerperal Fever - - - - - 4·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

412.—UPPINGHAM.

Causes of Deaths.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	13·81		†103	–	–	–	–	36·01	2·87	1·96	3·12	5·86	5·90	7·67	10·79	22·07	52·64	158·40
Males	—				13·70		†113	–	–	–	–	38·37	2·03	1·55	2·77	4·87	6·10	7·14	12·23	22·09	54·20	160·48
Females	—				13·91		†91	–	–	–	–	33·54	3·69	2·47	3·58	6·76	5·71	8·15	9·44	22·05	51·25	156·52
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·86 per cent.			11,617			273	271	268	272	260	1344	1392	1381	1252	819	1441	1212	1047	861	606	262
Males				5,853			138	144	133	142	131	688	688	774	722	390	688	574	507	412	286	124
Females				5,764			135	127	135	130	129	656	704	607	530	429	753	638	540	449	320	138
Deaths from All Causes, 1881–90. Persons	15·95			1,853			327	81	33	25	18	484	40	27	39	48	85	93	113	190	319	415
Males	15·70			919			187	42	11	13	11	264	14	12	20	19	42	41	62	91	155	199
Females	16·20			954			140	39	22	12	7	220	26	15	19	29	43	52	51	99	164	216
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·07	–	4	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Measles	0·13	0·17	0·09	15	10	5	4	4	3	1	1	13	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·09	0·19	16	5	11	–	2	2	4	1	9	2	2	–	1	1	1	–	–	–	–
Diphtheria	0·06	0·05	0·07	7	3	4	–	–	1	–	–	1	4	–	1	1	–	–	–	–	–	–
Whooping-cough	0·19	0·15	0·23	22	9	13	10	5	4	1	–	20	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·12	0·12	0·12	14	7	7	–	–	–	–	–	–	2	2	6	–	2	–	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·25	0·22	0·28	29	13	16	16	2	2	–	–	20	–	–	–	–	1	–	–	1	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·58	0·85	83	34	49	–	–	–	1	–	1	–	–	–	–	3	5	9	29	25	11
Tabes Mesenterica	0·07	0·05	0·09	8	3	5	5	1	–	–	–	6	–	–	1	–	1	–	–	–	–	–
Phthisis	1·37	1·23	1·51	159	72	87	14	8	1	–	1	24	3	6	10	22	43	24	11	9	7	–
Other Tub. & Scrof. Dis.	0·22	0·22	0·23	26	13	13	10		1	1	2	18	3	1	1	1	–	1	1	–	–	–
Diseases of Nervous System	2·09	2·02	2·17	243	118	125	63	12	4	5	2	86	5	4	3	2	4	7	16	27	47	42
Circulatory „	1·63	1·47	1·79	189	86	103	1	–	–	–	–	1	1	3	–	3	8	14	16	35	67	41
Respiratory „	2·45	2·49	2·41	285	146	139	69	33	12	8	4	126	6	1	3	3	1	8	17	27	41	52
Digestive „	1·09	0·99	1·20	127	58	69	18	1	1	–	4	24	5	3	5	7	7	11	16	11	21	17
Urinary „	0·56	0·77	0·35	65	45	20	1	1	–	–	1	3	1	1	–	–	3	8	4	10	21	14
Generative „	0·08	–	0·16	9	–	9	–	–	–	–	–	–	–	–	–	–	1	3	1	2	2	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Childbirth	0·04	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Violence	0·56	0·87	0·24	65	51	14	7	2	1	3	1	14	3	1	3	5	2	4	6	9	9	9
Other Causes	4·12	4·12	4·08	478	241	237	109		1	1	1	118	1	3	6	2	3	4	14	28	71	228

Marriages - - - 623

Births - { Males - 1,654 / Females - 1,533 } 3,187

Annual Rate per 1000 living { Persons Married 10·73 / Births - - 27·43 }

Deaths from Childbirth and Puerperal Fever - - - - - } 2·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

413.—STAMFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·26	†115	–	–	–	–	38·13	3·80	2·87	3·93	3·97	6·94	9·78	12·96	26·52	58·32	160·62
Annual Death-Rate per 1000. Males	—	16·21	†123	–	–	–	–	41·68	3·95	2·61	3·82	3·72	6·82	10·94	14·66	31·44	64·99	169·75
Annual Death-Rate per 1000. Females	—	14·37	†106	–	–	–	–	34·61	3·65	3·12	4·05	4·17	7·06	8·73	11·44	22·08	52·44	154·02
Mean Population, 1881-91. Persons	Decennial Decrease of Population 6·40 per cent.	17,757	424	406	398	434	415	2077	2078	2059	1806	1412	2333	1943	1628	1188	847	386
Mean Population, 1881-91. Males		8,582	217	202	202	216	197	1034	1037	1033	917	645	1100	923	771	563	397	162
Mean Population, 1881-91. Females		9,175	207	204	196	218	218	1043	1041	1026	889	767	1233	1020	857	625	450	224
Deaths from All Causes, 1881-90. Persons	17·17	3,049	543	139	47	32	31	792	79	59	71	56	162	190	211	315	494	620
Deaths from All Causes, 1881-90. Males	18·14	1,557	294	71	30	20	16	431	41	27	35	24	75	101	113	177	258	275
Deaths from All Causes, 1881-90. Females	16·26	1,492	249	68	17	12	15	361	38	32	36	32	87	89	98	138	236	345

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·28	0·17	40	24	16	5	15	5	5	2	32	5	2	1	–	–	–	–
Scarlet Fever	0·12	0·09	0·14	21	8	13	2	5	2	1	4	14	5	1	–	–	1	–	–
Diphtheria	0·14	0·16	0·12	25	14	11	1	–	4	3	1	9	6	3	2	1	1	2	1
Whooping-cough	0·39	0·31	0·47	70	27	43	31	29	6	2	1	69	1	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·16	0·14	27	14	13	–	–	–	–	1	1	1	8	3	1	5	4	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·43	0·49	0·37	76	42	34	42	10	4	1	–	57	2	1	–	–	–	–	1
Cholera	0·01	–	0·02	2	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	0·85	0·76	0·94	151	65	86	–	–	–	–	–	–	–	–	–	2	2	10	32
Tabes Mesenterica	0·12	0·14	0·10	21	12	9	8	2	–	1	1	12	3	1	1	–	1	–	–
Phthisis	1·26	1·19	1·33	224	102	122	5	1	–	1	–	7	7	6	23	22	63	47	21
Other Tub. & Scrof. Dis.	0·24	0·27	0·21	42	23	19	7	5	3	1	2	18	8	5	2	2	2	1	3
Diseases of Nervous System	2·68	2·63	2·73	476	226	250	71	12	10	3	3	99	7	8	8	3	6	12	29
Diseases of Circulatory „	2·07	2·19	1·95	367	188	179	1	–	–	–	–	1	4	3	2	2	11	22	38
Diseases of Respiratory „	2·52	2·86	2·20	447	245	202	108	32	6	8	10	164	4	3	4	2	16	21	15
Diseases of Digestive „	1·24	1·43	1·07	221	123	98	27	18	5	2	3	55	4	5	4	3	5	19	22
Diseases of Urinary „	0·34	0·44	0·24	60	38	22	1	–	–	–	1	2	1	–	1	2	2	10	7
Diseases of Generative „	0·06	0·01	0·11	11	1	10	1	–	–	–	–	1	–	–	–	–	2	5	1
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	2	–	6	1	–
Childbirth	0·08	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	3	7	3	1
Violence	0·77	1·11	0·46	137	95	42	8	–	1	1	–	10	13	5	10	7	9	15	13
Other Causes	3·39	3·57	3·23	603	306	297	224	10	1	3	2	240	7	8	8	5	22	17	26

Diseases of Generative „	0·06	0·01	0·11	11	1	10	1	–	–	–	–	1	–	–	–	–	2	5	1
Puerperal Fever	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	2	–	6	1	–
Childbirth	0·08	–	0·15	14	–	14	–	–	–	–	–	–	–	–	–	3	7	3	1
Violence	0·77	1·11	0·46	137	95	42	8	–	1	1	–	10	13	5	10	7	9	15	13
Other Causes	3·39	3·57	3·23	603	306	297	224	10	1	3	2	240	7	8	8	5	22	17	26

Marriages - - - 1,038

Births - { Males - 2,384 / Females - 2,353 } 4,737

Annual Rate per 1000 living { Persons Married 11·69 / Births - - 26·68 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·86 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

414.—BOURN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·33			†125	–	–	–	–	40·50	3·05	2·84	4·63	6·98	5·34	7·16	10·19	20·82	55·46	138·28
Males	—			14·42			†137	–	–	–	–	43·73	3·05	2·19	4·31	5·13	3·93	7·04	10·82	21·75	60·58	150·95
Females	—			14·24			†112	–	–	–	–	37·24	3·06	3·48	4·99	8·82	6·73	7·27	9·56	19·89	50·50	128·36
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·17 per cent.			18,807			478	433	480	476	481	2348	2360	2186	1792	1289	2304	1956	1708	1407	979	478
Males				9,397			248	207	249	243	233	1180	1182	1094	951	643	1145	952	850	708	482	210
Females				9,410			230	226	231	233	248	1168	1178	1092	841	646	1159	1004	858	699	497	268
Death from All Causes, 1881–90. Persons	16·97			3,192			691	150	57	30	23	951	72	62	83	90	123	140	174	293	543	661
Males	17·21			1,617			383	83	26	15	9	516	36	24	41	33	45	67	92	154	292	317
Females	16·74			1,575			308	67	31	15	14	435	36	38	42	57	78	73	82	139	251	344
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·02	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Measles	0·14	0·13	0·16	27	12	15	6	7	4	2	2	21	4	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·11	0·11	0·11	20	10	10	1	3	6	1	1	12	5	–	–	1	2	–	–	–	–	–
Diphtheria	0·09	0·06	0·12	17	6	11	–	–	1	1	1	3	7	5	–	2	–	–	–	–	–	–
Whooping-cough	0·30	0·22	0·37	56	21	35	32	15	6	1	1	55	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·13	0·19	30	12	18	–	–	2	1	–	3	3	2	7	3	4	1	–	3	3	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·32	0·37	0·27	60	35	25	30	3	–	–	–	33	1	1	–	–	1	1	2	2	10	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·82	0·67	0·98	155	63	92	–	–	–	–	1	1	1	–	–	2	–	6	25	42	53	25
Tabes Mesenterica	0·21	0·19	0·22	39	18	21	15	4	1	1	1	22	2	3	4	–	3	4	–	1	–	–
Phthisis	1·49	1·34	1·64	280	126	154	11	7	–	2	–	20	5	16	30	49	57	41	30	17	13	2
Other Tub. & Scrof. Dis.	0·31	0·29	0·34	59	27	32	16	7	4	3	1	31	10	7	4	2	3	2	–	–	–	–
Diseases of Nervous System	2·27	2·47	2·07	427	232	195	125	21	6	3	5	160	7	4	6	4	7	15	24	40	86	74
Circulatory „	1·73	1·84	1·62	325	173	152	2	1	–	–	1	4	1	6	8	2	13	11	23	59	115	83
Respiratory „	2·77	2·91	2·64	521	273	248	153	56	12	6	6	233	10	4	8	5	9	16	19	45	83	89
Digestive „	0·97	1·09	0·85	182	102	80	35	9	3	1	–	48	4	3	2	2	3	11	21	32	36	20
Urinary „	0·41	0·53	0·29	77	50	27	2	1	–	–	–	3	1	1	2	4	–	6	9	12	20	19
Generative „	0·05	0·02	0·07	9	2	7	1	–	–	–	–	1	–	–	1	–	1	1	2	2	1	–
Puerperal Fever	0·04	–	0·09	8	–	8	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–
Childbirth	0·05	–	0·11	10	–	10	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–
Violence	0·43	0·61	0·24	80	57	23	4	5	4	4	2	19	5	5	–	1	3	6	5	11	14	11
Other Causes	4·28	4·22	4·33	806	397	409	257	11	8	4	1	281	4	5	10	8	11	11	14	26	108	328

Marriages - - - 1,185

Births - { Males - 2,786, Females - 2,740 } 5,526

Annual Rate per 1000 living { Persons Married 12·60, Births - - 29·38 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·26 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

415.—SPALDING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·64	†123	–	–	–	–	42·30	4·23	2·54	4·44	5·82	6·49	8·43	11·62	19·06	50·00	134·58
Annual Death-Rate per 1000. Males	—	15·64	†139	–	–	–	–	47·98	4·21	2·20	3·96	5·70	6·62	8·98	13·09	20·05	57·53	141·00
Annual Death-Rate per 1000. Females	—	13·70	†107	–	–	–	–	36·68	4·25	2·90	4·98	5·92	6·37	7·94	10·28	18·13	42·99	129·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·35 per cent.	22,347	542	527	520	577	567	2733	2766	2675	2252	1633	2618	2336	1971	1590	1212	561
Mean Population, 1881–91. Males		11,021	264	270	258	284	283	1359	1401	1366	1188	772	1268	1114	940	768	584	261
Mean Population, 1881–91. Females		11,326	278	257	262	293	284	1374	1365	1309	1064	861	1350	1222	1031	822	628	300
Deaths from All Causes, 1881–90. Persons	16·99	3,796	795	204	71	43	43	1156	117	68	100	95	170	197	229	303	606	755
Deaths from All Causes, 1881–90. Males	18·12	1,997	457	108	46	20	21	652	59	30	47	44	84	100	123	154	336	368
Deaths from All Causes, 1881–90. Females	15·88	1,799	338	96	25	23	22	504	58	38	53	51	86	97	106	149	270	387

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·10	0·14	0·07	23	15	8	4	6	6	1	–	17	5	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·15	0·15	0·15	34	17	17	1	1	6	5	6	19	11	3	–	–	–	–	–	1	–	–
Diphtheria	0·05	0·05	0·04	11	6	5	–	1	2	–	1	4	2	4	1	–	–	–	–	–	–	–
Whooping-cough	0·29	0·26	0·32	65	29	36	36	18	3	4	2	63	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·10	0·06	0·13	22	7	15	–	–	–	1	1	2	2	3	5	2	2	–	3	2	1	–
Simple Continued Fever	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·32	0·34	73	35	38	37	6	2	4	1	50	1	–	–	–	–	1	–	4	8	9
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·82	0·68	0·95	183	75	108	–	–	–	–	–	–	–	–	1	1	5	11	39	37	62	27
Tabes Mesenterica	0·11	0·09	0·13	25	10	15	10	3	1	1	1	16	1	3	2	–	1	–	1	–	1	–
Phthisis	1·44	1·44	1·44	322	159	163	7	4	–	1	–	12	4	11	45	55	77	58	32	19	8	1
Other Tub. & Scrof. Dis.	0·36	0·39	0·34	81	43	38	21	13	5	2	4	45	18	7	7	2	–	2	–	–	–	–
Diseases of: Nervous System	2·41	2·45	2·37	539	270	269	120	25	14	2	7	168	13	10	4	4	14	16	29	44	118	119
Diseases of: Circulatory „	1·71	1·78	1·65	383	196	187	2	–	–	–	–	2	3	4	5	5	10	28	35	58	133	100
Diseases of: Respiratory „	2·77	3·19	2·37	619	351	268	144	69	20	14	8	255	19	5	7	6	11	14	23	50	102	127
Diseases of: Digestive „	1·17	1·30	1·03	261	143	118	46	23	3	3	4	79	10	3	–	3	7	21	20	29	54	35
Diseases of: Urinary „	0·41	0·48	0·34	92	53	39	2	4	–	–	2	8	1	–	1	3	7	10	6	12	24	20
Diseases of: Generative „	0·04	0·01	0·07	9	1	8	–	–	–	–	–	–	–	–	1	–	1	2	1	1	2	1
Puerperal Fever	0·06	–	0·11	13	–	13	–	–	–	–	–	–	–	–	–	1	10	2	–	–	–	–
Childbirth	0·03	–	0·06	7	–	7	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–
Violence	0·65	1·02	0·30	146	112	34	5	9	3	4	4	25	13	9	11	9	5	15	16	13	15	15
Other Causes	3·99	4·29	3·65	884	473	411	360	22	6	1	2	391	11		10	4	13	15	23	33	78	301

Marriages - - - 1,394

Births - { Males - 3,295, Females - 3,152 } 6,447

Annual Rate per 1000 living { Persons Married 12·48, Births - - 28·85 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

416.—HOLBEACH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·53	†125	–	–	–	–	42·23	4·14	2·59	4·13	5·73	6·93	7·93	10·81	20·49	46·79	136·64
Annual Death-Rate per 1000. Males	—	14·88	†135	–	–	–	–	45·28	3·84	3·09	3·01	5·26	6·68	7·54	12·08	21·13	55·36	135·32
Annual Death-Rate per 1000. Females	—	14·19	†115	–	–	–	–	39·17	4·44	2·10	5·44	6·17	7·17	8·32	9·55	19·84	38·57	137·99
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·46 per cent.	18,531	497	456	473	464	483	2373	2417	2275	1791	1291	2121	1966	1601	1298	934	464
Mean Population, 1881–91. Males		9,275	248	230	212	244	252	1186	1223	1134	964	627	1033	968	795	653	457	235
Mean Population, 1881–91. Females		9,256	249	226	261	220	231	1187	1194	1141	827	664	1088	998	806	645	477	229
Deaths from All Causes, 1881–90. Persons	16·85	3,122	696	176	67	39	24	1002	100	59	74	74	147	156	173	266	437	634
Deaths from All Causes, 1881–90. Males	17·55	1,628	386	96	25	18	12	537	47	35	29	33	69	73	96	138	253	318
Deaths from All Causes, 1881–90. Females	16·14	1,494	310	80	42	21	12	465	53	24	45	41	78	83	77	128	184	316

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·04	0·09	12	4	8	1	4	4	2	–	11	–	1	–	–	–	–	–	–
Scarlet Fever	0·25	0·25	0·25	46	23	23	4	1	5	9	5	24	18	3	–	1	–	–	–	–
Diphtheria	0·21	0·22	0·21	39	20	19	–	1	3	4	4	12	14	7	1	1	1	–	3	–
Whooping-cough	0·28	0·24	0·31	51	22	29	29	11	7	2	2	51	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	16	8	8	–	–	–	–	–	–	1	–	2	–	4	3	1	2
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·28	0·29	0·26	51	27	24	21	3	1	1	2	28	2	–	–	1	–	–	–	3
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	0·92	0·80	1·05	171	74	97	–	–	–	–	–	–	–	–	2	–	5	8	24	51
Tabes Mesenterica	0·12	0·13	0·12	23	12	11	16	1	–	–	1	18	–	1	1	2	–	–	1	–
Phthisis	1·48	1·28	1·69	275	119	156	9	8	2	1	1	21	8	12	30	35	64	47	28	20
Other Tub. & Scrof. Dis.	0·45	0·51	0·40	84	47	37	21	17	6	4	2	50	11	10	5	2	2	1	1	1
Diseases of Nervous System	2·50	2·53	2·46	463	235	228	112	19	5	4	3	143	7	7	5	4	19	14	31	43
Diseases of Circulatory "	1·56	1·81	1·31	289	168	121	–	–	1	–	–	1	1	1	3	2	4	15	19	54
Diseases of Respiratory "	2·73	3·02	2·43	505	280	225	117	57	22	9	3	208	14	1	2	6	11	15	23	32
Diseases of Digestive "	0·96	0·87	1·05	178	81	97	38	26	–	1	–	65	4	2	8	2	3	10	14	17
Diseases of Urinary "	0·48	0·69	0·27	89	64	25	2	–	–	2	–	4	–	–	3	3	2	10	10	12
Diseases of Generative "	0·04	0·01	0·06	7	1	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1
Puerperal Fever	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–
Childbirth	0·06	–	0·12	11	–	11	–	–	–	–	–	–	–	–	1	1	2	7	–	–
Violence	0·52	0·83	0·22	97	77	20	6	4	4	–	–	14	9	8	5	5	10	8	5	12
Other Causes	3·80	3·93	3·65	705	365	340	320	23	7	–	1	351	11	6	6	8	16	14	12	18

	75 and upwds.
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	–
Whooping-cough	–
Typhus	–
Enteric Fever	1
Simple Continued Fever	–
Diarrhœa and Dysentery	13
Cholera	–
Cancer	29
Tabes Mesenterica	–
Phthisis	2
Other Tub. & Scrof. Dis.	–
Diseases of Nervous System	111
Diseases of Circulatory "	101
Diseases of Respiratory "	112
Diseases of Digestive "	23
Diseases of Urinary "	18
Diseases of Generative "	1
Puerperal Fever	–
Childbirth	–
Violence	10
Other Causes	213

Marriages - - - 1,161

Births - Males - 2,868; Females - 2,696 } 5,564

Annual Rate per 1000 living { Persons Married 12·53; Births - - 30·03

Deaths from Childbirth and Puerperal Fever - - - - - } 3·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

417.—BOSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·38	†129	–	–	–	–	44·19	4·80	2·71	4·33	5·57	7·24	8·92	11·18	21·79	51·23	143·70
Annual Death-Rate per 1000. Males	—	16·22	†143	–	–	–	–	50·50	4·92	2·60	3·34	4·77	6·69	8·37	10·89	24·00	60·08	159·00
Annual Death-Rate per 1000. Females	—	14·60	†114	–	–	–	–	38·01	4·67	2·81	5·32	6·27	7·74	9·41	11·46	19·77	43·37	131·73
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·14 per cent.	38,588	902	912	932	944	938	4628	4627	4436	3815	2926	4764	4105	3479	2772	2036	1000
Mean Population, 1881–91. Males		18,748	435	443	453	481	477	2289	2316	2228	1918	1364	2272	1959	1681	1325	957	439
Mean Population, 1881–91. Females		19,840	467	469	479	463	461	2339	2311	2208	1897	1562	2492	2146	1798	1447	1079	561
Deaths from All Causes, 1881–90. Persons	17·88	6,899	1429	338	144	66	68	2045	222	120	165	163	345	366	389	604	1043	1437
Deaths from All Causes, 1881–90. Males	18·92	3,547	812	186	85	34	39	1156	114	58	64	65	152	164	183	318	575	698
Deaths from All Causes, 1881–90. Females	16·90	3,352	617	152	59	32	29	889	108	62	101	98	193	202	206	286	468	739

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·20	0·09	56	38	18	12	22	8	6	6	54	2	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·13	0·12	49	25	24	1	5	8	7	4	25	19	–	3	1	1	–	–	–
Diphtheria	0·18	0·15	0·21	71	29	42	–	4	2	3	8	17	29	14	2	2	2	1	1	1	2	–
Whooping-cough	0·29	0·23	0·35	113	43	70	61	25	14	7	2	109	3	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Enteric Fever	0·08	0·06	0·09	29	11	18	–	–	–	1	1	2	3	3	4	2	3	5	–	3	2	2
Simple Continued Fever	0·02	0·02	0·03	9	4	5	–	1	–	–	–	1	1	1	–	2	–	1	1	–	2	–
Diarrhœa and Dysentery	0·44	0·47	0·41	170	89	81	86	19	4	2	4	115	3	–	–	–	3	1	1	2	16	29
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	0·70	0·45	0·94	271	85	186	–	–	1	–	–	1	–	–	1	2	7	31	53	74	65	37
Tabes Mesenterica	0·16	0·19	0·13	62	36	26	26	9	4	3	–	42	4	4	4	2	3	2	1	–	–	–
Phthisis	1·47	1·32	1·61	568	248	320	5	3	2	2	3	15	13	27	71	70	155	83	56	46	22	10
Other Tub. & Scrof. Dis.	0·31	0·35	0·27	119	65	54	30	17	11	2	6	66	21	13	5	5	4	1	1	1	2	–
Diseases of Nervous System	2·98	3·14	2·82	1149	589	560	316	50	20	8	7	401	23	10	23	12	19	35	50	115	226	235
Diseases of Circulatory „	1·49	1·68	1·32	575	314	261	1	–	–	2	–	3	2	4	8	11	29	40	64	94	188	132
Diseases of Respiratory „	2·82	3·17	2·50	1090	595	495	261	115	47	11	12	446	44	6	10	7	30	45	46	80	169	207
Diseases of Digestive „	1·15	1·14	1·15	442	213	229	63	22	3	4	5	97	15	9	3	15	16	22	38	70	100	57
Diseases of Urinary „	0·48	0·63	0·34	187	119	68	3	2	–	1	–	6	1	–	2	3	14	17	17	25	47	55
Diseases of Generative „	0·05	0·01	0·10	21	1	20	1	–	–	–	–	1	–	–	–	2	–	4	9	4	–	1
Puerperal Fever	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	2	10	10	7	1	–	–	–
Childbirth	0·06	–	0·11	22	–	22	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–
Violence	0·63	0·98	0·30	243	183	60	6	9	12	4	6	37	25	14	16	10	11	24	16	38	23	29
Other Causes	4·19	4·58	3·84	1619	858	761	557	35	8	3	4	607	13	14	11	7	27	36	33	50	178	643

Marriages - - - 2,666

Births - Males - 5,692; Females - 5,398 — 11,090

Annual Rate per 1000 living: Persons Married 13·82; Births - - 28·74

Deaths from Childbirth and Puerperal Fever - - - - - 4·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

418.—SLEAFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·55		†126	–	–	–	–	41·58	3·67	2·77	3·99	6·51	6·40	7·84	9·92	20·91	51·87	139·86
Males	—				14·37		†129	–	–	–	–	42·40	3·29	2·85	3·56	6·05	5·64	7·40	9·64	24·27	53·37	143·02
Females	—				14·71		†122	–	–	–	–	40·78	4·05	2·70	4·48	6·96	7·13	8·28	10·20	17·68	50·40	137·04
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·99 per cent.			24,693			620	609	588	616	609	3042	3026	2883	2482	1890	2986	2537	2247	1808	1230	562
Males				12,327			310	305	283	308	301	1507	1519	1438	1322	942	1472	1257	1110	886	609	265
Females				12,366			310	304	305	308	308	1535	1507	1445	1160	948	1514	1280	1137	922	621	297
Deaths from All Causes 1881–90. Persons	16·58			4,093			899	192	86	50	38	1265	111	80	99	123	191	199	223	378	638	786
Males	16·52			2,036			469	101	32	26	11	639	50	41	47	57	83	93	107	215	325	379
Females	16·63			2,057			430	91	54	24	27	626	61	39	52	66	108	106	116	163	313	407
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·01	4	3	1	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–
Measles	0·19	0·19	0·19	47	24	23	13	13	7	6	3	42	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·15	0·32	58	19	39	1	6	10	8	13	38	11	5	1	1	1	1	–	–	–	–
Diphtheria	0·13	0·13	0·12	31	16	15	–	1	1	2	2	6	15	5	3	–	–	–	2	–	–	–
Whooping-cough	0·27	0·21	0·32	66	26	40	44	10	9	2	–	65	–	–	–	–	–	–	–	–	–	1
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·26	0·21	0·32	65	26	39	–	1	2	2	1	6	8	5	9	9	9	6	2	5	5	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·52	0·47	0·57	128	58	70	62	12	2	1	–	77	–	1	1	1	–	1	3	7	13	24
Cholera	0·02	0·02	0·01	4	3	1	1	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Cancer	0·66	0·41	0·92	164	50	114	–	–	–	–	–	–	–	–	–	1	4	13	28	54	51	13
Tabes Mesenterica	0·21	0·24	0·18	51	29	22	17	8	6	–	2	33	8	2	–	4	1	2	–	1	–	–
Phthisis	1·31	1·06	1·56	324	131	193	6	2	1	1	1	11	7	13	36	54	73	59	39	23	8	1
Other Tub. & Scrof. Dis.	0·26	0·27	0·25	64	33	31	17	6	3	1	1	28	14	3	4	3	5	3	2	2	–	–
Diseases of Nervous System	2·53	2·45	2·61	625	302	323	163	36	15	10	4	228	12	7	10	8	15	17	31	63	131	103
Circulatory „	1·65	1·80	1·50	408	222	186	2	–	–	1	–	3	2	5	6	6	18	19	24	78	144	103
Respiratory „	2·98	3·29	2·67	736	406	330	209	62	21	7	7	306	9	5	6	13	14	16	23	55	117	167
Digestive „	0·92	1·02	0·81	226	126	100	28	12	1	–	2	43	9	4	6	5	5	14	19	32	53	36
Urinary „	0·43	0·55	0·31	106	68	38	4	2	–	1	–	7	–	2	–	2	9	8	11	19	23	25
Generative „	0·07	–	0·14	17	–	17	–	1	–	–	–	1	–	–	–	–	–	3	3	5	4	1
Puerperal Fever	0·04	–	0·09	11	–	11	–	–	–	–	–	–	–	–	–	–	8	3	–	–	–	–
Childbirth	0·06	–	0·13	16	–	16	–	–	–	–	–	–	–	–	–	1	8	7	–	–	–	–
Violence	0·52	0·72	0·32	129	89	40	3	5	7	4	1	20	4	12	7	5	7	11	9	14	15	25
Other Causes	3·29	3·29	3·27	810	403	407	329	15	–	4	–	348	7	10	9	10	12	15	21	20	72	286

Marriages - - - 1,708

Births - Males - 3,626 } 7,161
Females - 3,535 }

Annual Rate per 1000 living { Persons Married 13·83
Births - - 29·00 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

419.—GRANTHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·90	†134	–	–	–	–	47·10	4·12	2·40	3·81	4·86	6·58	8·74	13·10	23·32	56·10	149·67
Annual Death-Rate per 1000. Males	—	16·49	†148	–	–	–	–	51·25	3·94	2·27	3·33	4·48	6·36	8·46	15·51	23·95	61·31	156·72
Annual Death-Rate per 1000. Females	—	15·35	†119	–	–	–	–	42·93	4·31	2·53	4·33	5·21	6·79	9·01	10·84	22·70	51·44	144·05
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·24 per cent.	33,302	867	823	867	861	820	4238	4077	3786	3253	2714	4468	3560	2878	2273	1451	604
Mean Population, 1881–91. Males		16,531	434	402	447	432	408	2123	2058	1891	1681	1294	2231	1784	1393	1123	685	268
Mean Population, 1881–91. Females		16,771	433	421	420	429	412	2115	2019	1895	1572	1420	2237	1776	1485	1150	766	336
Deaths from All Causes, 1881–90. Persons	17·24	5,741	1390	337	132	76	61	1996	168	91	124	132	294	311	377	530	814	904
Deaths from All Causes, 1881–90. Males	17·81	2,944	789	164	68	41	26	1088	81	43	56	58	142	151	216	269	420	420
Deaths from All Causes, 1881–90. Females	16·68	2,797	601	173	64	35	35	908	87	48	68	74	152	160	161	261	394	484

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–
Measles	0·29	0·30	0·29	97	49	48	22	33	18	9	5	87	8	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·16	0·26	71	27	44	8	7	7	7	10	39	23	4	1	2	2	–	–	–	–	–
Diphtheria	0·20	0·19	0·20	65	32	33	2	6	9	7	9	33	19	5	2	1	2	1	–	2	–	–
Whooping-cough	0·44	0·36	0·52	148	60	88	70	45	18	6	4	143	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·19	0·16	58	31	27	1	1	2	–	1	5	7	4	7	7	11	7	4	6	–	–
Simple Continued Fever	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·60	0·71	0·49	200	117	83	134	20	2	1	3	160	2	–	–	1	1	3	2	4	8	19
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·71	0·54	0·87	236	90	146	–	–	–	–	–	–	–	1	–	1	2	21	41	59	74	37
Tabes Mesenterica	0·26	0·26	0·26	86	43	43	41	16	7	2	1	67	6	4	2	–	2	2	2	–	1	–
Phthisis	1·58	1·42	1·74	526	234	292	6	10	3	–	3	22	9	17	52	64	146	91	55	43	22	5
Other Tub. & Scrof. Dis.	0·37	0·36	0·39	124	59	65	38	14	12	9	3	76	20	8	6	3	7	1	1	1	1	–
Diseases of Nervous System	2·23	2·44	2·03	744	404	340	161	21	3	8	2	195	18	11	9	11	22	27	37	84	166	164
Diseases of Circulatory „	1·81	1·81	1·81	603	299	304	4	2	–	1	2	9	4	3	9	3	22	42	65	134	189	123
Diseases of Respiratory „	2·75	3·07	2·45	917	507	410	254	95	30	13	9	401	16	5	3	9	17	32	50	71	158	155
Diseases of Digestive „	1·17	1·25	1·09	389	207	182	90	37	12	2	4	145	12	6	9	4	7	18	36	55	61	36
Diseases of Urinary „	0·41	0·51	0·32	138	85	53	–	–	–	–	–	–	–	1	1	1	11	8	22	18	44	32
Diseases of Generative „	0·05	0·01	0·08	16	2	14	–	–	–	–	–	–	–	–	–	–	1	3	4	–	6	2
Puerperal Fever	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	2	8	5	–	–	–	–
Childbirth	0·07	–	0·14	24	–	24	–	–	–	–	–	–	–	–	1	6	3	12	2	–	–	–
Violence	0·48	0·70	0·26	159	115	44	17	5	2	6	2	32	6	5	7	5	10	16	19	20	16	23
Other Causes	3·37	3·49	3·21	1117	578	539	542	25	7	5	3	582	12	12	13	12	19	22	36	33	68	308

Marriages - - - 2,174

Births - Males - 5,321, Females - 5,042 } 10,363

Annual Rate per 1000 living { Persons Married 13·06; Births - - 31·12

Deaths from Childbirth and Puerperal Fever - - - - - } 3·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

420.—LINCOLN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–,	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		18·97	†148	–	–	–	–	54·35	5·53	2·94	5·22	6·83	8·44	12·19	16·13	28·73	64·79	155·00
Males	—					20·29	†163	–	–	–	–	61·10	5·70	2·88	4·67	6·27	8·23	13·04	18·57	33·48	70·32	161·36
Females	—					17·73	†152	–	–	–	–	47·73	5·36	3·00	5·80	7·38	8·63	11·32	13·67	24·31	59·99	149·74
Mean Population, 1881-91. Persons	Decennial Increase of Population 4·27 per cent.			65,890			1677	1584	1643	1594	1646	8144	7887	7348	6552	5522	9257	7722	5785	4117	2516	1040
Males				32,656			832	789	824	771	817	4033	3898	3642	3344	2757	4566	3888	2902	1986	1169	471
Females				33,234			845	795	819	823	829	4111	3989	3706	3208	2765	4691	3834	2883	2131	1347	569
Deaths from All Causes, 1881-90. Persons	19·54			12,877			3027	775	275	196	153	4426	436	216	342	377	781	941	933	1183	1630	1612
Males	20·79			6,789			1713	430	134	105	82	2464	222	105	156	173	376	507	539	665	822	760
Females	18·32			6,088			1314	345	141	91	71	1962	214	111	186	204	405	434	394	518	808	852
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·04	0·02	18	12	6	2	2	–	–	–	4	1	–	1	2	5	3	2	–	–	–
Measles	0·27	0·27	0·28	180	87	93	29	61	27	22	16	155	22	–	–	1	1	1	–	–	–	–
Scarlet Fever	0·33	0·34	0·32	219	112	107	12	29	22	33	26	122	71	14	2	2	4	3	–	–	1	–
Diphtheria	0·13	0·11	0·15	86	37	49	4	3	6	9	11	33	43	6	2	1	–	–	1	–	–	–
Whooping-cough	0·38	0·38	0·39	251	123	128	121	71	30	13	8	243	8	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Enteric Fever	0·25	0·28	0·21	162	92	70	–	–	–	3	1	4	19	9	25	17	29	23	10	15	8	3
Simple Continued Fever	0·02	0·02	0·02	16	8	8	1	1	1	1	–	4	1	–	1	1	1	2	2	1	2	1
Diarrhœa and Dysentery	0·72	0·76	0·68	476	249	227	329	39	6	5	4	383	3	–	1	4	3	1	6	13	31	31
Cholera	0·01	0·01	0·01	5	3	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	2
Cancer	0·61	0·44	0·78	402	144	258	–	1	–	–	–	1	1	–	2	4	12	54	87	112	87	42
Tabes Mesenterica	0·41	0·44	0·39	272	144	128	183	39	9	5	2	238	15	7	2	5	3	1	1	–	–	–
Phthisis	1·84	1·77	1·91	1212	578	634	10	6	4	1	2	23	25	45	146	165	333	241	134	78	18	4
Other Tub. & Scrof. Dis.	0·34	0·40	0·29	227	129	98	52	43	15	12	17	139	37	20	13	9	5	3	–	–	1	–
Diseases of Nervous System	3·36	3·75	3·01	2224	1223	1001	629	95	41	17	12	794	51	27	20	33	90	164	198	253	380	214
Circulatory "	1·64	1·72	1·56	1081	562	519	3	1	–	1	–	5	9	19	19	11	52	89	155	212	307	203
Respiratory "	2·97	3·35	2·60	1959	1094	865	466	221	75	40	32	834	51	14	26	30	59	101	93	179	290	282
Digestive "	1·06	1·12	1·00	698	366	332	148	70	14	5	4	241	21	9	14	14	41	48	65	90	111	44
Urinary "	0·46	0·66	0·26	301	216	85	4	4	–	2	–	10	7	6	4	7	15	37	43	62	69	41
Generative "	0·08	0·01	0·14	50	4	46	–	–	–	–	–	–	–	–	–	7	4	15	9	10	4	1
Puerperal Fever	0·06	–	0·12	39	–	39	–	–	–	–	–	–	–	–	3	5	21	10	–	–	–	–
Childbirth	0·08	–	0·16	53	–	53	–	–	–	–	–	–	–	–	4	10	19	20	–	–	–	–
Violence	0·54	0·79	0·29	355	258	97	19	14	11	8	8	60	27	15	23	13	29	46	37	30	36	39
Other Causes	3·95	4·12	3·73	2588	1345	1243	1014	75	14	19	10	1132	24	24	33	36	54	78	90	127	285	705

Marriages - - - 4,712

Births - Males - 10,504 / Females - 9,955 — 20,459

Annual Rate per 1,000 living: Persons Married 14·30; Births - - 31·05

Deaths from Childbirth and Puerperal Fever - - - - - 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

421.—HORNCASTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·31	†101	–	–	–	–	33·71	3·32	3·19	3·03	5·14	6·11	8·61	10·55	21·87	48·51	138·43
Annual Death-Rate per 1000. Males	—	13·48	†114	–	–	–	–	37·86	2·65	1·66	2·47	5·17	5·74	7·59	10·95	23·48	54·67	140·81
Annual Death-Rate per 1000. Females	—	13·16	†89	–	–	–	–	29·66	4·01	4·68	3·64	5·11	6·46	9·56	10·17	20·21	42·10	136·21
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·10 per cent.	20,862	475	479	497	497	511	2459	2502	2321	2111	1596	2568	2125	1943	1564	1111	562
Mean Population, 1881–91. Males		10,338	228	229	258	251	249	1215	1281	1147	1095	755	1237	1027	950	792	567	272
Mean Population, 1881–91. Females		10,524	247	250	239	246	262	1244	1221	1174	1016	841	1331	1098	993	772	544	290
Deaths from All Causes, 1881–90. Persons	15·99	3,336	581	142	51	29	26	829	83	74	64	82	157	183	205	342	539	778
Deaths from All Causes, 1881–90. Males	16·55	1,711	329	75	28	16	12	460	34	19	27	39	71	78	104	186	310	383
Deaths from All Causes, 1881–90. Females	15·44	1,625	252	67	23	13	14	369	49	55	37	43	86	105	101	156	229	395

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·03	–	3	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
Measles	0·11	0·10	0·11	22	10	12	2	8	4	1	2	17	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·07	0·22	30	7	23	1	2	2	1	1	7	9	6	1	4	1	2	–	–	–	–
Diphtheria	0·09	0·09	0·09	18	9	9	2	1	1	2	2	8	5	2	2	–	1	–	–	–	–	–
Whooping-cough	0·23	0·18	0·28	48	19	29	17	15	7	2	2	43	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·04	0·13	18	4	14	–	–	–	–	–	–	–	6	1	3	1	2	–	3	1	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·32	0·23	57	33	24	22	5	1	2	–	30	2	–	–	–	–	–	1	5	9	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cancer	0·76	0·59	0·93	159	61	98	–	–	–	1	–	1	–	1	–	1	3	13	34	35	51	20
Tabes Mesenterica	0·06	0·08	0·05	13	8	5	4	1	3	–	–	8	–	2	–	1	–	–	–	–	2	–
Phthisis	1·38	1·22	1·53	287	126	161	4	3	–	–	2	9	13	21	25	40	71	54	32	13	7	2
Other Tub. & Scrof. Dis.	0·29	0·31	0·27	60	32	28	13	11	2	1	1	28	4	9	2	5	2	2	4	2	2	–
Diseases of: Nervous System	2·55	2·92	2·18	531	302	229	103	19	3	6	7	138	12	7	6	4	20	18	28	55	110	133
Diseases of: Circulatory „	1·83	1·93	1·73	382	200	182	–	–	–	–	–	–	2	2	4	1	10	24	39	79	117	104
Diseases of: Respiratory „	2·46	2·77	2·17	514	286	228	126	51	17	5	6	205	9	1	3	6	10	15	23	51	83	108
Diseases of: Digestive „	0·93	1·04	0·83	194	107	87	37	9	–	2	–	48	5	6	8	2	3	14	14	31	37	26
Diseases of: Urinary „	0·48	0·69	0·29	101	71	30	–	–	–	1	1	2	–	2	–	3	4	4	9	15	37	25
Diseases of: Generative „	0·06	0·01	0·10	12	1	11	–	–	–	–	–	–	–	–	1	–	1	3	2	5	–	–
Puerperal Fever	0·04	–	0·09	9	–	9	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
Childbirth	0·08	–	0·15	16	–	16	–	–	–	–	–	–	–	–	–	2	4	9	1	–	–	–
Violence	0·38	0·51	0·25	79	53	26	4	6	6	3	1	20	6	4	4	4	5	4	5	12	8	7
Other Causes	3·73	3·64	3·77	778	378	400	246	11	5	2	1	265	5	3	7	3	15	15	13	35	75	342

Marriages - - - 1,296

Births - { Males - 2,897, Females - 2,846 } 5,743

Annual Rate per 1000 living { Persons Married 12·42, Births - - 27·53 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

422.—SPILSBY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·33	†110	–	–	–	–	37·97	4·27	3·32	4·14	7·52	7·17	8·12	10·18	20·64	47·19	141·70
Annual Death-Rate per 1000. Males	—	14·45	†121	–	–	–	–	42·28	4·20	3·14	3·17	6·54	5·60	7·90	10·99	21·35	49·78	148·45
Annual Death-Rate per 1000. Females	—	14·21	†98	–	–	–	–	33·57	4·35	3·50	5·18	8·41	8·64	8·32	9·40	19·94	44·76	136·03
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·11 per cent.	26,893	642	629	638	661	625	3195	3231	3134	2684	1928	3167	2796	2504	2108	1441	705
Mean Population, 1881–91. Males		13,316	324	307	331	327	324	1613	1643	1590	1399	917	1535	1341	1228	1040	697	322
Mean Population, 1881–91. Females		13,577	318	322	307	334	301	1582	1588	1544	1294	1011	1632	1455	1276	1068	744	383
Deaths from All Causes, 1881–90. Persons	16·86	4,534	819	232	81	45	36	1213	138	104	111	145	227	227	255	435	680	999
Deaths from All Causes, 1881–90. Males	17·11	2,279	468	129	42	24	19	682	69	50	44	60	86	106	135	222	347	478
Deaths from All Causes, 1881–90. Females	16·61	2,255	351	103	39	21	17	531	69	54	67	85	141	121	120	213	333	521

	Persons.	Males.	Females.	Persons.	Males	Females	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·06	0·08	0·04	15	10	5	4	4	4	1	–	13	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·14	0·13	37	19	18	–	6	2	4	3	15	13	3	2	1	1	1	–	1	–	–
Diphtheria	0·30	0·26	0·34	80	34	46	2	–	5	8	2	17	26	21	4	4	5	–	3	–	–	–
Whooping-cough	0·17	0·16	0·18	46	21	25	27	11	7	1	–	46	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·11	0·11	0·12	30	14	16	–	–	–	–	1	1	3	3	8	2	7	2	1	3	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·21	0·21	57	28	29	32	4	2	1	1	40	2	1	–	1	1	–	–	–	6	6
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·83	0·56	1·11	224	74	150	–	–	–	–	–	–	–	–	–	–	7	18	44	58	63	34
Tabes Mesenterica	0·28	0·26	0·30	76	35	41	41	8	4	2	–	55	6	4	3	4	2	1	1	–	–	–
Phthisis	1·54	1·36	1·72	415	181	234	3	5	1	1	–	10	15	19	51	72	100	70	41	27	9	1
Other Tub. & Scrof. Dis.	0·40	0·41	0·39	107	54	53	26	16	5	3	6	56	13	12	7	6	3	6	1	1	2	–
Diseases of Nervous System	2·70	2·85	2·56	727	380	347	222	46	11	3	7	289	14	8	5	10	19	18	20	69	143	132
Diseases of Circulatory "	1·61	1·65	1·56	432	220	212	–	–	–	–	–	–	1	2	3	5	16	32	39	80	124	130
Diseases of Respiratory "	2·41	2·57	2·25	647	342	305	140	77	19	13	11	260	17	6	5	6	15	15	19	57	108	139
Diseases of Digestive "	1·12	1·27	0·97	301	169	132	35	14	4	–	2	55	9	3	5	6	9	16	32	57	59	50
Diseases of Urinary "	0·46	0·58	0·35	125	77	48	1	1	–	1	–	3	2	2	2	5	7	11	11	19	38	25
Diseases of Generative "	0·04	–	0·09	12	–	12	–	–	–	–	–	–	–	–	–	–	–	3	–	2	4	3
Puerperal Fever	0·05	–	0·10	13	–	13	–	–	–	–	–	–	–	–	–	2	6	5	–	–	–	–
Childbirth	0·09	–	0·17	23	–	23	–	–	–	–	–	–	–	–	1	5	9	6	2	–	–	–
Violence	0·54	0·78	0·29	144	104	40	10	5	6	4	2	27	10	9	9	4	12	10	17	18	14	14
Other Causes	3·79	3·82	3·72	1018	513	505	276	35	11	1	1	324	5	11	5	12	8	12	23	43	110	465

Marriages - - - 1,687

Births - { Males - 3,864 / Females - 3,564 } 7,428

Annual Rate per 1000 living { Persons Married 12·55 / Births - - 27·62 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

423.—LOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†112	–	–	–	–	36·40	3·93	2·69	4·77	5·89	7·31	8·19	11·68	23·43	48·69	137·59
Males	—	14·31	†119	–	–	–	–	39·10	3·74	2·25	3·48	5·78	6·66	8·53	11·09	24·94	50·65	149·73
Females	—	14·17	†104	–	–	–	–	33·61	4·13	3·13	6·11	5·99	7·89	7·87	12·24	22·00	46·88	127·60
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·24 per cent.	32,629	753	759	821	772	804	3909	3865	3760	3227	2548	3983	3445	3056	2428	1692	806
Males		16,009	388	392	411	411	388	1990	1927	1908	1639	1212	1892	1641	1479	1187	770	364
Females		16,620	365	367	410	361	416	1919	1938	1852	1588	1336	2091	1804	1577	1241	832	442
Deaths from All Causes, 1881–90. Persons	16·45	5,368	988	207	85	79	64	1423	152	101	154	150	291	282	357	569	780	1109
Males	16·75	2,681	533	121	48	39	37	778	72	43	57	70	126	140	164	296	390	545
Females	16·17	2,687	455	86	37	40	27	645	80	58	97	80	165	142	193	273	390	564

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·01	5	4	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1
Measles	0·05	0·06	0·04	17	10	7	7	2	3	2	1	15	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·27	0·28	89	43	46	3	6	7	17	11	44	29	12	1	–	1	1	1	–	–
Diphtheria	0·12	0·12	0·12	40	20	20	–	2	3	9	7	21	12	3	1	1	–	–	2	–	–
Whooping-cough	0·25	0·22	0·27	80	35	45	44	22	8	3	1	78	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·16	0·11	44	25	19	–	–	1	1	–	2	3	5	6	6	9	3	1	6	3
Simple Continued Fever	0·03	0·02	0·04	9	3	6	–	–	–	1	–	1	1	1	1	–	–	1	–	–	2
Diarrhœa and Dysentery	0·42	0·43	0·42	138	69	69	75	4	5	2	2	88	2	1	–	–	1	1	4	6	11
Cholera	0·03	0·03	0·02	9	5	4	–	2	–	–	–	2	–	1	–	–	1	–	–	–	3
Cancer	0·58	0·39	0·76	190	63	127	–	–	1	–	–	1	–	–	–	–	3	13	47	64	40
Tabes Mesenterica	0·18	0·16	0·19	58	26	32	16	4	6	3	1	30	2	8	5	3	4	1	–	5	–
Phthisis	1·40	1·25	1·56	458	199	259	8	2	1	–	2	13	6	13	67	65	113	81	51	33	12
Other Tub. & Scrof. Dis.	0·39	0·37	0·40	126	60	66	20	16	6	8	7	57	18	10	15	11	7	4	3	–	1
Diseases of Nervous System	2·51	2·61	2·41	818	418	400	152	34	10	5	8	209	17	7	13	12	18	19	48	123	161
Circulatory "	1·76	1·81	1·71	573	289	284	1	–	–	–	–	1	–	2	7	6	20	30	46	127	177
Respiratory "	2·65	2·78	2·52	864	445	419	179	69	21	17	12	298	27	9	5	9	21	35	38	79	140
Digestive "	1·04	1·06	1·02	340	170	170	82	12	4	–	3	101	7	5	9	1	11	18	38	44	57
Urinary "	0·39	0·58	0·21	128	93	35	–	1	–	2	–	3	2	2	2	3	9	10	21	23	32
Generative "	0·08	0·03	0·13	26	5	21	1	–	–	–	–	1	–	–	2	–	4	3	5	5	5
Puerperal Fever	0·08	–	0·16	26	–	26	–	–	–	–	–	–	–	–	4	7	9	6	–	–	–
Childbirth	0·08	–	0·15	25	–	25	–	–	–	–	–	–	–	–	1	3	16	4	1	–	–
Violence	0·58	0·87	0·29	188	140	48	16	9	3	5	5	38	9	10	8	14	18	23	19	15	22
Other Causes	3·41	3·51	3·35	1117	559	558	384	22	6	4	4	420	13	12	7	9	25	29	31	37	114

Marriages - - - 2,131

Births - { Males - 4,461, Females - 4,372 } 8,833

Annual Rate per 1000 living { Persons Married 13·06, Births - - 27·07 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

424.—CAISTOR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·41	†148	–	–	–	–	54·73	4·79	2·94	4·40	5·55	7·27	9·86	13·67	25·68	55·48	140·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·16	†162	–	–	–	–	59·34	4·84	2·70	4·32	5·30	7·46	10·11	14·18	28·70	57·51	147·09
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·69	†133	–	–	–	–	50·08	4·74	3·18	4·51	5·83	7·08	9·59	13·16	22·72	53·48	135·44
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·86 per cent.	72,813	2018	1864	1940	1951	1965	9738	8835	8023	7629	6841	10970	8015	5699	3870	2273	920
Mean Population, 1881–91. Males		36,929	1032	925	955	1005	975	4892	4363	4033	4101	3530	5587	4085	2864	1920	1125	429
Mean Population, 1881–91. Females		35,884	986	939	985	946	990	4846	4472	3990	3528	3311	5383	3930	2835	1950	1148	491
Deaths from All Causes, 1881–90. Persons	17·34	12,623	3612	946	337	241	194	5330	423	236	336	380	798	790	779	994	1261	1296
Deaths from All Causes, 1881–90. Males	18·01	6,652	2018	505	163	120	97	2903	211	109	177	187	417	413	406	551	647	631
Deaths from All Causes, 1881–90. Females	16·64	5,971	1594	441	174	121	97	2427	212	127	159	193	381	377	373	443	614	665

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·09	0·09	0·09	67	35	32	8	–	2	2	–	12	2	3	3	12	16	11	4	3	–	1
Measles	0·17	0·15	0·20	126	54	72	29	47	20	9	13	118	7	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·52	0·52	0·52	380	193	187	25	54	58	42	52	231	105	23	8	4	5	3	–	1	–	–
Diphtheria	0·10	0·08	0·11	70	30	40	5	2	7	9	7	30	22	10	2	2	–	1	1	–	2	–
Whooping-cough	0·37	0·35	0·39	269	128	141	101	90	38	22	7	258	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	10	5	5	–	–	–	–	–	–	–	1	1	1	2	2	1	–	1	1
Enteric Fever	0·30	0·31	0·29	218	114	104	–	4	4	7	8	23	31	27	43	19	27	23	13	7	4	1
Simple Continued Fever	0·04	0·04	0·04	27	14	13	2	1	1	–	4	8	4	3	3	1	1	2	1	2	1	1
Diarrhœa and Dysentery	0·94	0·99	0·89	684	364	320	502	66	14	7	5	594	4	5	–	3	3	7	4	13	19	32
Cholera	0·02	0·03	0·01	17	12	5	7	2	1	–	–	10	1	–	–	–	1	1	2	1	–	1
Cancer	0·48	0·36	0·60	350	133	217	–	–	–	–	–	–	–	–	–	2	10	42	77	95	77	47
Tabes Mesenterica	0·17	0·16	0·19	127	58	69	56	31	5	7	4	103	5	5	1	1	6	4	–	1	1	–
Phthisis	1·34	1·27	1·42	976	468	508	9	13	2	5	3	32	24	47	96	144	265	165	106	61	33	3
Other Tub. & Scrof. Dis.	0·23	0·25	0·21	166	92	74	37	28	14	9	12	100	28	10	9	3	4	3	4	2	3	–
Diseases of: Nervous System	2·77	2·98	2·55	2015	1099	916	781	114	39	29	19	982	47	34	25	20	59	64	88	175	281	240
Diseases of: Circulatory „	1·50	1·52	1·47	1089	562	527	2	–	1	1	2	6	4	15	24	9	71	117	147	220	293	183
Diseases of: Respiratory „	3·12	3·22	3·02	2273	1189	1084	688	307	99	64	44	1202	54	6	16	27	69	88	131	173	253	254
Diseases of: Digestive „	1·20	1·29	1·10	871	475	396	262	128	12	8	2	412	23	9	18	17	28	64	62	92	98	48
Diseases of: Urinary „	0·33	0·44	0·23	243	162	81	3	6	5	1	–	15	7	4	1	7	18	31	21	42	51	46
Diseases of: Generative „	0·05	0·02	0·09	39	7	32	–	–	–	–	–	–	–	–	2	2	7	10	11	2	5	–
Puerperal Fever	0·08	–	0·16	59	–	59	–	–	–	–	–	–	–	–	2	13	33	11	–	–	–	–
Childbirth	0·07	–	0·14	50	–	50	–	–	–	–	–	–	–	–	4	6	16	24	–	–	–	–
Violence	0·71	1·12	0·29	518	414	104	18	8	9	8	8	51	29	20	53	60	101	62	55	41	24	22
Other Causes	2·73	2·81	2·62	1979	1044	935	1077	45	6	11	4	1143	15	14	24	27	56	55	51	63	115	416

Marriages - - 5,696

Births - { Males - 12,479, Females - 11,989 } 24,468

Annual Rate per 1000 living { Persons Married 15·65; Births - - 33·60 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·45 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

425.—GLANFORD BRIGG.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·83	†128	–	–	–	–	44·51	4·90	3·69	5·07	6·33	7·15	8·20	11·21	22·56	55·38	148·07
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·12	†143	–	–	–	–	48·69	4·66	3·59	4·89	4·85	6·11	7·86	12·49	24·26	57·90	155·61
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·56	†113	–	–	–	–	40·28	5·13	3·80	5·26	7·81	8·18	8·55	9·97	20·89	52·88	141·49
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·35 per cent.	40,493	1159	1071	1126	1095	1083	5534	5229	4684	3766	3162	5245	4305	3460	2642	1663	803
Mean Population, 1881–91. Males	Decennial Increase of Population 1·35 per cent.	20,270	582	539	586	528	546	2781	2596	2368	1942	1588	2603	2164	1714	1311	829	374
Mean Population, 1881–91. Females	Decennial Increase of Population 1·35 per cent.	20,223	577	532	540	567	537	2753	2633	2316	1824	1574	2642	2141	1746	1331	834	429
Deaths from All Causes, 1881–90. Persons	17·55	7,105	1705	385	165	128	80	2463	256	173	191	200	375	353	388	596	921	1189
Deaths from All Causes, 1881–90. Males	18·03	3,655	958	200	85	58	53	1354	121	85	95	77	159	170	214	318	480	582
Deaths from All Causes, 1881–90. Females	17·06	3 450	747	185	80	70	27	1109	135	88	96	123	216	183	174	278	441	607

	Persons.	Males.	Females.	Persons.	Males.	Females	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·11	0·12	0·10	44	24	20	15	13	8	3	2	41	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·46	0·47	0·46	187	95	92	10	16	26	30	21	103	58	15	4	–	7	–	–	–	–	–
Diphtheria	0·33	0·31	0·35	133	62	71	12	12	11	10	13	58	45	18	6	1	1	2	1	–	1	–
Whooping-cough	0·29	0·25	0·34	119	51	68	68	27	6	7	3	111	7	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	3	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
Enteric Fever	0·19	0·19	0·19	77	38	39	–	2	1	2	–	5	10	15	7	5	13	6	7	5	4	–
Simple Continued Fever	0·02	0·01	0·03	10	3	7	–	1	–	1	–	2	1	–	–	1	–	2	1	1	–	2
Diarrhœa and Dysentery	0·51	0·56	0·45	205	114	91	137	23	2	1	–	163	1	2	2	1	2	1	2	4	14	13
Cholera	0·01	0·01	0·00	3	2	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·52	0·69	245	106	139	–	–	–	–	–	–	–	–	–	–	8	29	48	74	60	26
Tabes Mesenterica	0·29	0·28	0·29	116	57	59	68	17	7	3	2	97	6	6	3	–	4	–	–	–	–	–
Phthisis	1·41	1·15	1·66	570	234	336	10	6	1	5	2	24	19	40	83	86	140	86	50	29	10	3
Other Tub. & Scrof. Dis.	0·31	0·34	0·27	125	69	56	26	19	11	7	5	68	18	15	8	6	7	3	–	–	–	–
Diseases of Nervous System	2·48	2·72	2·25	1003	551	452	359	62	12	11	8	452	17	13	12	10	24	28	44	89	170	144
Diseases of Circulatory „	1·35	1·33	1·38	548	269	279	2	–	–	1	–	3	4	8	8	8	22	37	58	117	161	122
Diseases of Respiratory „	3·15	3·59	2·72	1277	728	549	315	136	54	33	14	552	24	4	15	18	42	52	71	125	188	186
Diseases of Digestive „	0·94	0·97	0·90	380	197	183	74	17	7	3	1	102	14	5	7	8	18	28	32	58	72	36
Diseases of Urinary „	0·39	0·51	0·27	158	103	55	2	2	1	1	–	6	5	3	1	5	9	8	16	26	43	36
Diseases of Generative „	0·04	0·01	0·06	15	3	12	–	–	–	–	–	–	–	–	1	1	2	5	1	2	2	1
Puerperal Fever	0·07	–	0·14	28	–	28	–	–	–	–	–	–	–	–	2	8	13	5	–	–	–	–
Childbirth	0·07	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	5	15	10	–	–	–	–
Violence	0·52	0·75	0·28	210	153	57	7	7	12	6	5	37	12	13	18	19	21	17	20	15	24	14
Other Causes	3·99	3·93	4·08	1618	793	825	600	25	4	4	4	637	13	15	12	18	25	34	36	51	171	606

Marriages - - - 2,612

Births - { Males - 6,700, Females - 6,587 } 13,287

Annual Rate per 1000 living { Persons Married 12·90, Births - - 32·81 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

426.—GAINSBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·41	†139	–	–	–	–	50·72	5·71	3·26	3·87	4·84	6·86	7·87	11·90	21·37	53·38	156·73
Annual Death-Rate per 1000. Males	—					16·62	†146	–	–	–	–	53·48	5·66	3·46	3·39	4·46	5·33	7·69	13·33	23·24	56·95	163·85
Annual Death-Rate per 1000. Females	—					16·21	†131	–	–	–	–	48·01	5·76	3·08	4·39	5·25	8·47	8·05	10·49	19·58	50·07	150·30
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·75 per cent.			31,566			894	846	815	814	860	4229	3852	3432	3025	2684	4389	3394	2613	1947	1377	624
Mean Population, 1881–91. Males				15,844			442	427	406	405	420	2100	1909	1678	1591	1389	2253	1717	1298	951	662	296
Mean Population, 1881–91. Females				15,722			452	419	409	409	440	2129	1943	1754	1434	1295	2136	1677	1315	996	715	328
Deaths from All Causes, 1881–90. Persons	18·16			5,732			1462	350	144	105	84	2145	220	112	117	130	301	267	311	416	735	978
Deaths from All Causes, 1881–90. Males	18·39			2,913			786	172	64	50	51	1123	108	58	54	62	120	132	173	221	377	485
Deaths from All Causes, 1881–90. Females	17·93			2,819			676	178	80	55	33	1022	112	54	63	68	181	135	138	195	358	493
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·02	0·03	8	3	5	1	–	–	–	–	1	–	1	1	–	3	1	–	1	–	–
Measles	0·20	0·21	0·18	63	34	29	13	28	8	2	3	54	5	3	–	–	–	–	–	–	1	–
Scarlet Fever	0·58	0·60	0·57	184	95	89	12	18	25	30	21	106	59	7	3	3	5	1	–	–	–	–
Diphtheria	0·25	0·25	0·25	79	40	39	5	5	4	18	8	40	27	8	1	1	2	–	–	–	–	–
Whooping-cough	0·32	0·32	0·32	102	51	51	59	24	11	4	2	100	1	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·23	0·19	67	37	30	2	3	1	2	4	12	5	10	12	7	8	3	4	3	3	–
Simple Continued Fever	0·04	0·03	0·06	14	4	10	1	1	–	1	–	3	3	–	–	–	1	–	1	1	5	–
Diarrhœa and Dysentery	0·74	0·80	0·68	234	127	107	174	10	3	2	6	195	4	–	–	1	1	–	1	5	10	17
Cholera	0·02	0·02	0·02	6	3	3	2	1	1	–	–	4	–	–	–	–	1	1	–	–	–	–
Cancer	0·57	0·42	0·72	180	67	113	–	1	–	–	–	1	–	–	1	–	8	14	29	48	60	19
Tabes Mesenterica	0·24	0·22	0·26	76	35	41	33	16	6	2	1	58	5	4	1	3	1	3	–	1	–	–
Phthisis	1·23	1·02	1·43	387	162	225	5	4	1	–	–	10	9	20	37	61	110	65	42	21	9	3
Other Tub. & Scrof. Dis.	0·34	0·34	0·34	108	54	54	21	15	8	10	6	60	14	8	4	7	3	8	3	1	–	–
Diseases of Nervous System	2·80	2·90	2·70	884	459	425	286	38	11	5	6	346	20	13	7	3	17	30	41	80	142	185
Diseases of Circulatory „	1·58	1·61	1·56	500	255	245	5	–	–	–	–	5	4	3	1	4	23	26	58	81	154	141
Diseases of Respiratory „	2·99	3·26	2·72	943	516	427	230	98	36	17	19	400	33	5	14	11	32	40	35	66	136	171
Diseases of Digestive „	1·28	1·25	1·31	404	198	206	110	37	9	2	4	162	7	5	10	5	15	14	32	41	62	51
Diseases of Urinary „	0·37	0·58	0·16	117	92	25	1	3	–	1	1	6	–	–	2	2	4	7	11	13	38	34
Diseases of Generative „	0·06	0·01	0·11	19	2	17	1	–	–	–	–	1	–	–	–	–	5	1	5	3	3	1
Puerperal Fever	0·05	–	0·11	17	–	17	–	–	–	–	–	–	–	–	2	2	9	4	–	–	–	–
Childbirth	0·08	–	0·17	26	–	26	–	–	–	–	–	–	–	–	2	2	9	12	1	–	–	–
Violence	0·58	0·80	0·36	182	126	56	9	9	6	1	2	27	15	14	9	5	21	11	19	21	18	22
Other Causes	3·60	3·50	3·68	1132	553	579	492	39	14	8	1	554	9	10	10	13	23	26	29	30	94	334

Marriages - - - 2,063

Births - Males - 5,366, Females - 5,176 } 10,542

Annual Rate per 1000 living { Persons Married 13·07; Births - - 33·40

Deaths from Childbirth and Puerperal Fever - - - - - } 4·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

427.—EAST RETFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·20			†106	–	–	–	–	37·67	4·12	2·90	3·80	5·54	6·46	9·26	10·23	21·64	50·09	143·59
Annual Death-Rate per 1000. Males	—			14·78			†125	–	–	–	–	42·99	3·95	3·10	3·12	5·43	5·94	8·71	11·82	22·41	50·26	156·30
Annual Death-Rate per 1000. Females	—			13·65			†86	–	–	–	–	32·14	4·27	2·70	4·53	5·64	6·92	9·79	8·70	20·89	49·91	131·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·75 per cent.			23,475			635	558	604	585	586	2968	2842	2587	2288	1858	3020	2440	2072	1682	1156	562
Mean Population, 1881–91. Males				11,527			326	274	315	297	300	1512	1391	1291	1185	847	1430	1183	1015	830	573	270
Mean Population, 1881–91. Females				11,948			309	284	289	288	286	1456	1451	1296	1103	1011	1590	1257	1057	852	583	292
Deaths from All Causes, 1881–90. Persons	16·54			3,883			743	193	84	52	46	1118	117	75	87	103	195	226	212	364	579	807
Deaths from All Causes, 1881–90. Males	17·63			2,032			450	101	43	33	23	650	55	40	37	46	85	103	120	186	288	422
Deaths from All Causes, 1881–90. Females	15·49			1,851			293	92	41	19	23	468	62	35	50	57	110	123	92	178	291	385
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·10	0·12	0·08	24	14	10	4	9	4	2	1	20	3	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·42	0·46	0·38	99	53	46	4	11	16	13	15	59	28	6	2	1	2	–	–	1	–	–
Diphtheria	0·09	0·09	0·10	22	10	12	–	–	1	1	3	5	10	3	1	–	–	–	1	2	–	–
Whooping-cough	0·31	0·36	0·26	73	42	31	33	24	9	2	3	71	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·10	0·13	27	11	16	–	–	–	–	1	1	3	7	2	3	4	5	2	–	–	–
Simple Continued Fever	0·03	0·03	0·03	8	4	4	1	–	–	2	–	3	1	–	2	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·39	0·40	0·38	91	46	45	50	8	5	3	–	66	4	–	–	2	1	1	–	1	6	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·49	0·89	162	56	106	–	–	–	–	–	–	1	–	1	–	6	13	26	42	45	28
Tabes Mesenterica	0·13	0·12	0·13	30	14	16	8	6	1	–	–	15	5	4	2	–	2	1	1	–	–	–
Phthisis	1·26	1·25	1·26	295	144	151	2	–	2	1	1	6	5	16	32	43	82	54	29	23	4	1
Other Tub. & Scrof. Dis.	0·23	0·22	0·24	54	25	29	11	5	1	7	2	26	5	6	3	3	6	–	2	2	1	–
Diseases of Nervous System	2·32	2·47	2·18	545	285	260	127	26	7	3	4	167	11	8	7	5	17	14	28	76	108	104
Diseases of Circulatory „	1·62	1·53	1·71	380	176	204	–	1	–	–	–	1	3	3	11	8	18	38	26	68	132	72
Diseases of Respiratory „	2·44	2·94	1·95	572	339	233	134	52	21	13	6	226	13	5	3	4	15	28	34	44	93	107
Diseases of Digestive „	1·16	1·41	0·91	272	163	109	42	30	7	–	5	84	5	1	5	6	11	28	20	30	47	35
Diseases of Urinary „	0·33	0·49	0·18	78	56	22	1	1	2	–	–	4	–	–	1	1	3	6	10	13	17	23
Diseases of Generative „	0·06	0·01	0·12	15	1	14	–	–	–	–	–	–	–	–	1	1	2	4	4	2	1	–
Puerperal Fever	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	–	1	5	4	–	–	–	–
Childbirth	0·04	–	0·08	10	–	10	–	–	–	–	–	–	–	–	1	2	3	4	–	–	–	–
Violence	0·59	0·91	0·28	138	105	33	7	3	4	4	2	20	8	10	4	9	10	12	14	17	21	13
Other Causes	4·17	4·23	4·10	976	488	488	319	17	4	1	3	344	9	6	8	13	7	14	15	43	104	413

Marriages - - - 1,466

Births - { Males - 3,602 / Females - 3,419 } 7,021

Annual Rate per 1000 living { Persons Married 12·49 / Births - - 29·91 }

Deaths from Childbirth and Puerperal Fever - - - - } 2·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

428.—WORKSOP.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·98	†132	–	–	–	–	47·36	4·70	3·21	4·40	4·98	7·14	8·84	14·42	26·75	63·70	161·73
Annual Death-Rate per 1000. Males	—					17·49	†143	–	–	–	–	51·45	4·35	3·07	4·39	4·24	6·58	9·02	15·39	28·64	67·89	173·18
Annual Death-Rate per 1000. Females	—					16·50	†120	–	–	–	–	43·38	5·04	3·36	4·42	5·80	7·73	8·65	13·37	24·73	59·73	152·65
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·61 per cent.			29,750			939	858	848	857	892	4394	3938	3422	2773	2412	4075	3234	2385	1701	1011	405
Mean Population, 1881–91. Males				15,187			479	431	413	423	419	2165	1954	1726	1505	1275	2096	1674	1241	880	492	179
Mean Population, 1881–91. Females				14,563			460	427	435	434	473	2229	1984	1696	1268	1137	1979	1560	1144	821	519	226
Deaths from All Causes 1881–90. Persons	17·79			5,293			1379	365	151	106	80	2081	185	110	122	120	291	286	344	455	644	655
Deaths from All Causes 1881–90. Males	18·09			2,748			771	182	75	55	31	1114	85	53	66	54	138	151	191	252	334	310
Deaths from All Causes 1881–90. Females	17·48			2,545			608	183	76	51	49	967	100	57	56	66	153	135	153	203	310	345
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·02	7	4	3	2	–	–	–	–	2	–	–	–	1	2	1	–	1	–	–
Measles	0·31	0·30	0·31	91	46	45	16	42	10	7	7	82	5	2	–	–	1	1	–	–	–	–
Scarlet Fever	0·62	0·59	0·65	184	89	95	5	26	33	18	23	105	55	16	3	1	3	–	–	–	–	1
Diphtheria	0·11	0·12	0·10	32	18	14	3	2	3	3	5	16	7	5	1	2	1	–	–	–	–	–
Whooping-cough	0·35	0·30	0·41	104	45	59	55	33	7	6	1	102	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·30	0·33	0·26	88	50	38	1	1	1	7	4	14	11	7	17	8	12	6	5	6	2	–
Simple Continued Fever	0·01	0·01	0·02	4	1	3	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·33	0·35	0·32	99	53	46	42	19	3	3	–	67	–	–	–	–	1	1	3	3	14	10
Cholera	0·03	0·03	0·03	8	4	4	3	1	1	–	–	5	–	–	–	–	–	1	1	–	1	–
Cancer	0·57	0·40	0·74	169	61	108	–	–	–	1	–	1	–	–	–	2	4	20	38	44	38	22
Tabes Mesenterica	0·24	0·24	0·23	70	37	33	34	5	6	2	2	49	8	4	–	1	1	1	3	3	–	–
Phthisis	1·32	1·34	1·30	393	203	190	3	4	2	1	1	11	10	18	45	51	108	68	46	25	6	5
Other Tub. & Scrof. Dis.	0·39	0·32	0·47	116	48	68	31	28	7	2	3	71	10	12	5	1	4	2	2	7	2	–
Diseases of Nervous System	2·88	3·03	2·73	858	460	398	356	42	21	18	5	442	20	13	11	2	17	23	51	62	130	87
Diseases of Circulatory „	1·60	1·48	1·72	475	225	250	2	–	–	–	2	4	5	6	5	4	25	39	54	102	144	87
Diseases of Respiratory „	3·18	3·49	2·86	946	530	416	280	104	37	23	12	456	25	2	8	5	20	32	63	88	125	122
Diseases of Digestive „	1·32	1·30	1·35	394	198	196	142	34	5	4	5	190	5	6	3	6	12	22	23	41	48	38
Diseases of Urinary „	0·27	0·35	0·18	79	53	26	–	2	1	2	1	6	2	3	1	3	6	7	7	13	20	11
Diseases of Generative „	0·04	–	0·09	13	–	13	–	1	1	–	–	2	–	1	1	–	4	1	3	1	–	–
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	–	1	5	10	7	–	–	–
Childbirth	0·10	–	0·21	31	–	31	–	–	–	–	–	–	–	–	–	7	15	9	–	–	–	–
Violence	0·63	0·92	0·32	187	140	47	10	4	10	5	5	34	7	8	12	8	25	22	24	24	19	4
Other Causes	3·08	3·15	2·99	919	482	437	394	17	2	4	2	419	12	7	8	12	19	23	21	35	95	268

Marriages - - - 1,904

Births - { Males - 5,386, Females - 5,063 } 10,449

Annual Rate per 1,000 living { Persons Married 12·80, Births - - 35·12 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

429.—MANSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·04	†150	–	–	–	–	58·08	5·42	3·09	4·38	5·11	6·39	8·67	12·62	26·61	62·53	156·86
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·66	†165	–	–	–	–	62·86	5·25	3·26	4·07	4·58	5·69	8·76	12·15	29·25	68·15	166·89
Annual Death-Rate per 1000. Females	—	In Standard Population* 17·45	†135	–	–	–	–	53·37	5·58	2·92	4·73	5·68	7·17	8·57	13·11	23·92	57·09	147·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 22·99 per cent.	50,127	1593	1412	1460	1464	1443	7372	6648	5663	5071	4323	7008	5261	3900	2713	1556	612
Mean Population, 1881–91. Males		25,687	769	734	715	726	718	3662	3352	2854	2705	2227	3688	2752	2008	1371	766	302
Mean Population, 1881–91. Females		24,440	824	678	745	738	725	3710	3296	2809	2366	2096	3320	2509	1892	1342	790	310
Deaths from All Causes, 1881–90. Persons	18·57	9,311	2792	795	298	223	174	4282	360	175	222	221	448	456	492	722	973	960
Deaths from All Causes, 1881–90. Males	19·10	4,905	1557	399	150	120	76	2302	176	93	110	102	210	241	244	401	522	504
Deaths from All Causes, 1881–90. Females	18·03	4 406	1235	396	148	103	98	1980	184	82	112	119	238	215	248	321	451	456

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	4	2	2	1	–	1	–	–	2	–	–	–	–	1	–	1	–	–	–
Measles	0·36	0·37	0·35	180	94	86	36	73	29	16	12	166	13	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·52	0·48	0·56	259	123	136	17	42	40	35	35	169	73	10	4	1	2	–	–	–	–	–
Diphtheria	0·41	0·35	0·48	207	90	117	8	17	30	41	26	122	63	11	5	1	3	1	–	1	–	–
Whooping-cough	0·25	0·23	0·27	127	60	67	61	30	25	6	3	125	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·18	0·19	0·17	90	48	42	–	1	2	–	6	9	11	15	13	14	14	10	3	1	–	–
Simple Continued Fever	0·01	–	0·02	4	–	4	–	–	–	1	–	1	–	1	–	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·51	0·50	0·52	257	129	128	165	37	5	2	5	214	3	1	1	–	1	1	1	7	16	12
Cholera	0·02	0·02	0·01	8	5	3	4	1	–	–	–	5	–	–	–	–	1	–	1	1	–	–
Cancer	0·38	0·32	0·45	192	81	111	–	–	–	–	–	–	–	–	1	1	3	26	43	57	40	21
Tabes Mesenterica	0·46	0·48	0·43	229	124	105	128	47	13	4	6	198	17	4	3	2	1	–	2	2	–	–
Phthisis	1·32	1·30	1·34	661	334	327	24	13	3	2	2	44	13	26	86	86	146	123	79	46	11	1
Other Tub. & Scrof. Dis.	0·28	0·29	0·28	142	74	68	40	25	9	5	4	83	17	7	8	7	8	6	5	1	–	–
Diseases of: Nervous System	2·58	2·83	2·32	1294	726	568	562	101	26	23	13	725	43	14	16	17	27	39	60	114	152	87
Diseases of: Circulatory „	1·32	1·21	1·43	660	311	349	1	2	–	1	2	6	5	14	17	12	38	47	82	156	196	87
Diseases of: Respiratory „	3·49	3·65	3·31	1747	938	809	539	259	85	61	43	987	40	14	12	19	43	52	77	153	206	144
Diseases of: Digestive „	1·07	1·07	1·06	534	275	259	160	65	6	11	5	247	18	5	7	10	22	34	48	65	61	17
Diseases of: Urinary „	0·28	0·37	0·19	142	96	46	5	3	5	3	1	17	2	2	4	9	10	11	14	26	27	20
Diseases of: Generative „	0·05	0·01	0·09	24	2	22	–	–	1	–	–	1	–	–	–	1	2	8	6	3	2	1
Puerperal Fever	0·10	–	0·20	50	–	50	–	–	–	–	–	–	–	–	1	11	27	11	–	–	–	–
Childbirth	0·09	–	0·18	43	–	43	–	–	–	–	–	–	–	–	1	5	20	16	1	–	–	–
Violence	0·61	0·97	0·23	305	250	55	20	21	7	8	4	60	18	26	24	13	36	32	31	31	22	12
Other Causes	4·27	4·45	4·13	2151	1143	1008	1021	58	11	4	7	1101	22	25	18	11	43	39	37	57	240	558

Marriages - - 3,754

Births { Males - 9,444, Females - 9,168 } 18,612

Annual Rate per 1000 living { Persons Married 14·98, Births - - 37·13 }

Deaths from Childbirth and Puerperal Fever - - - - 5·00 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

430.—BASFORD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	18·17		†157	–	–	–	–	61·00	4·85	2·72	4·18	5·37	6·20	7·97	12·69	25·58	60·71	159·67
Males	—				18·27		†174	–	–	–	–	67·25	4·75	2·72	3·73	4·28	4·72	7·07	11·96	25·44	62·52	162·34
Females	—				18·08		†140	–	–	–	–	54·84	4·94	2·73	4·67	6·47	7·76	8·95	13·44	25·73	58·86	156·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 32·02 per cent.			135,660			4458	3967	4056	4082	3976	20539	18661	15494	13401	11948	19621	14311	9898	6676	3772	1339
Males				68,684			2224	1979	2016	2019	1960	10198	9216	7760	7015	5978	10102	7426	5023	3376	1905	685
Females				66,976			2234	1988	2040	2063	2016	10341	9445	7734	6386	5970	9519	6885	4875	3300	1867	654
Deaths from All Causes, 1881–90. Persons	18·29			24,807			8523	2266	823	533	384	12529	905	422	560	642	1216	1141	1256	1708	2290	2138
Males	18·62			12,790			4795	1163	426	275	199	6858	438	211	262	256	477	525	601	859	1191	1112
Females	17·94			12,017			3728	1103	397	258	185	5671	467	211	298	386	739	616	655	849	1099	1026
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	27	14	13	3	–	1	–	2	6	–	–	1	5	8	4	1	–	1	1
Measles	0·45	0·45	0·46	614	309	305	133	259	93	52	33	570	42	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·41	0·42	0·41	561	285	276	28	77	98	90	67	360	162	28	4	3	2	1	1	–	–	–
Diphtheria	0·18	0·17	0·19	245	119	126	14	38	31	29	27	139	80	15	5	3	2	–	–	1	–	–
Whooping-cough	0·48	0·43	0·53	653	297	356	325	187	75	32	21	640	13	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	10	7	3	–	–	–	–	–	–	1	–	2	2	2	1	2	–	–	–
Enteric Fever	0·25	0·26	0·24	345	181	164	4	5	8	10	15	42	46	31	54	52	53	27	28	11	1	–
Simple Continued Fever	0·02	0·02	0·02	29	15	14	3	–	4	2	4	13	1	4	1	2	2	2	–	4	–	–
Diarrhœa and Dysentery	0·95	0·97	0·93	1288	666	622	902	201	25	8	7	1143	12	–	–	–	7	9	8	21	39	49
Cholera	0·02	0·02	0·02	28	13	15	11	4	2	–	2	19	2	1	–	–	2	1	–	1	2	–
Cancer	0·45	0·29	0·61	611	202	409	2	–	–	3	–	5	2	1	3	4	21	76	141	181	129	43
Tabes Mesenterica	0·41	0·45	0·38	560	306	254	329	122	38	11	9	509	24	8	7	4	2	1	4	–	–	1
Phthisis	1·29	1·06	1·52	1749	731	1018	29	19	6	7	10	71	54	84	219	275	446	280	174	102	33	11
Other Tub. & Scrof. Dis.	0·37	0·40	0·34	500	273	227	152	78	45	26	20	321	68	29	19	20	16	11	8	5	2	1
Diseases of Nervous System	2·29	2·41	2·16	3104	1658	1446	1406	212	66	47	23	1754	78	57	26	20	64	89	147	256	372	241
Circulatory „	1·29	1·20	1·39	1756	822	934	9	4	3	1	2	19	21	26	43	26	97	164	218	370	512	260
Respiratory „	3·36	3·60	3·12	4558	2472	2086	1596	675	225	129	87	2712	123	31	34	44	122	119	174	336	499	364
Digestive „	1·15	1·21	1·09	1559	829	730	621	181	31	19	6	858	33	14	16	22	48	81	108	154	143	82
Urinary „	0·31	0·40	0·23	426	275	151	10	14	8	6	6	44	17	6	5	14	28	43	46	64	92	67
Generative „	0·05	0·01	0·09	63	4	59	–	–	–	–	–	–	–	1	4	4	7	12	16	8	11	–
Puerperal Fever	0·12	–	0·24	164	–	164	–	–	–	–	–	–	–	–	16	37	76	35	–	–	–	–
Childbirth	0·08	–	0·17	113	–	113	–	–	–	–	–	–	–	–	8	25	52	28	–	–	–	–
Violence	0·55	0·79	0·29	740	543	197	70	37	22	29	22	180	60	42	52	42	76	73	67	50	52	46
Other Causes	3·78	4·03	3·49	5104	2769	2335	2876	153	42	32	21	3124	66	43	41	38	82	84	113	144	402	967

Marriages - - 9,931
Births - { Males - 27,579 / Females - 26,689 } 54,268

Annual Rate per 1000 living { Persons Married 14·64 / Births - - 40·00

Deaths from Childbirth and Puerperal Fever - - - - - } 5·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

431.—NOTTINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·44	†174	–	–	–	–	79·53	6·00	3·02	4·52	6·39	8·39	12·74	19·31	36·61	71·27	170·79
Males	—	25·17	†192	–	–	–	–	87·78	6·13	2·98	4·55	6·70	8·55	13·72	21·79	40·93	77·28	182·45
Females	—	21·81	†156	–	–	–	–	71·56	5·88	3·05	4·50	6·16	8·25	11·89	17·20	33·08	66·58	162·38
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·19 per cent.	168,170	4253	3898	3832	3996	4038	20017	18855	17297	17428	16521	27440	20013	14628	9265	4953	1753
Males		77,595	2112	1932	1866	1966	1954	9830	9281	8277	7610	7028	12466	9331	6399	4168	2170	735
Females		90,575	2141	1966	1966	2030	2084	10187	9574	9020	9818	9493	14974	10682	7929	5097	2783	1018
Deaths from All Causes, 1881–90. Persons	22·01	37,009	10504	3025	1133	744	513	15919	1132	522	788	1056	2302	2550	2824	3392	3530	2994
Males	24·22	18,792	5866	1555	557	367	284	8629	569	247	346	471	1066	1280	1460	1706	1677	1341
Females	20·11	18,217	4638	1470	576	377	229	7290	563	275	442	585	1236	1270	1364	1686	1853	1653

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·04	0·03	56	29	27	8	2	1	–	3	14	2	5	3	10	17	2	2	1	–	–
Measles	0·49	0·54	0·44	818	417	401	176	324	135	79	48	762	53	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·45	0·46	0·44	757	355	402	42	97	122	133	94	488	216	25	11	7	8	2	–	–	–	–
Diphtheria	0·09	0·09	0·08	145	73	72	2	16	20	15	22	75	53	5	5	2	2	2	–	–	1	–
Whooping-cough	0·54	0·53	0·54	906	414	492	371	278	109	84	36	878	26	1	1	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	3	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Enteric Fever	0·34	0·37	0·31	571	286	285	3	7	15	19	12	56	67	52	79	87	111	56	31	17	11	4
Simple Continued Fever	0·02	0·02	0·03	41	17	24	3	1	1	4	2	11	4	2	–	3	4	5	2	2	5	3
Diarrhœa and Dysentery	1·19	1·36	1·05	2009	1057	952	1511	211	37	15	7	1781	14	1	2	6	5	8	13	33	67	79
Cholera	0·01	0·02	0·00	16	12	4	4	1	1	–	–	6	1	–	–	–	4	2	–	1	1	1
Cancer	0·65	0·45	0·83	1100	349	751	1	1	1	–	–	3	3	3	6	10	48	170	285	313	203	56
Tabes Mesenterica	0·57	0·70	0·47	966	540	426	639	180	47	13	10	889	38	13	9	6	3	2	2	2	2	–
Phthisis	2·02	2·30	1·79	3404	1783	1621	51	45	13	11	16	136	61	93	313	469	932	674	434	223	63	6
Other Tub. & Scrof. Dis.	0·53	0·63	0·45	894	490	404	279	185	78	50	42	634	108	44	27	11	33	18	10	5	2	2
Diseases of Nervous System	2·85	3·25	2·50	4788	2526	2262	1549	331	108	61	48	2097	114	73	51	66	172	292	387	555	641	340
Circulatory "	1·52	1·42	1·60	2558	1105	1453	14	1	–	2	1	18	21	32	53	60	173	300	438	587	601	275
Respiratory "	3·91	4·42	3·46	6568	3433	3135	1620	906	313	167	111	3117	137	32	53	68	201	339	482	734	854	551
Digestive "	1·10	1·13	1·08	1854	876	978	373	156	25	11	7	572	41	33	23	42	119	160	258	296	209	101
Urinary "	0·46	0·63	0·32	773	485	288	15	15	9	9	6	54	16	9	22	19	65	86	113	172	145	72
Generative "	0·09	0·01	0·17	159	6	153	–	1	2	–	–	3	–	–	4	11	37	30	34	23	12	5
Puerperal Fever	0·10	–	0·18	161	–	161	–	–	–	–	–	–	–	–	12	43	65	41	–	–	–	–
Childbirth	0·09	–	0·16	145	–	145	–	–	–	–	–	–	–	–	11	26	48	58	2	–	–	–
Violence	0·70	1·01	0·43	1174	781	393	224	39	35	39	22	359	91	31	42	42	102	109	122	109	95	72
Other Causes	4·26	4·84	3·75	7143	3756	3387	3619	228	61	32	26	3966	66	67	59	68	152	194	209	317	618	1427

Marriages - - - 17,061

Births { Males - 30,565, Females - 29,793 } 60,358

Annual Rate per 1000 living { Persons Married 20·29, Births - - 35·89 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

432.—SOUTHWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·95	†109	–	–	–	–	34·98	3·71	2·35	3·36	6·03	6·63	9·19	10·43	20·98	53·59	148·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·11	†123	–	–	–	–	39·43	3·64	2·75	2·82	5·11	6·21	8·20	10·66	20·25	55·10	158·10
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·80	†96	–	–	–	–	30·78	3·77	1·95	3·89	6·84	7·01	10·06	10·20	21·70	52·17	139·25
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·06 per cent.	19,836	468	419	481	479	483	2330	2293	2131	1846	1475	2442	2046	1832	1625	1211	605
Mean Population, 1881–91. Males		9,615	227	201	233	244	226	1131	1153	1055	921	685	1144	963	891	800	588	284
Mean Population, 1881–91. Females		10,221	241	218	248	235	257	1199	1140	1076	925	790	1298	1083	941	825	623	321
Deaths from All Causes, 1881–90. Persons	17·79	3,528	578	122	53	33	29	815	85	50	62	89	162	188	191	341	649	896
Deaths from All Causes, 1881–90. Males	18·28	1,758	322	63	28	18	15	446	42	29	26	35	71	79	95	162	324	449
Deaths from All Causes, 1881–90. Females	17·32	1,770	256	59	25	15	14	369	43	21	36	54	91	109	96	179	325	447

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·17	0·19	0·15	33	18	15	7	16	3	1	4	31	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	0·19	0·22	40	18	22	1	6	4	5	4	20	14	3	1	–	–	1	1	–	–	–
Diphtheria	0·13	0·10	0·15	25	10	15	–	1	1	5	6	13	9	2	–	1	–	–	–	–	–	–
Whooping-cough	0·19	0·19	0·20	38	18	20	27	5	3	1	1	37	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·15	0·12	0·17	29	12	17	–	1	–	–	–	1	–	3	3	3	6	4	3	3	3	–
Simple Continued Fever	0·02	0·01	0·02	3	1	2	–	–	1	–	1	2	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·28	0·29	0·26	55	28	27	24	5	–	–	–	29	1	–	–	–	–	5	2	–	8	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Cancer	0·65	0·47	0·82	129	45	84	–	–	–	–	–	–	–	–	–	–	1	11	16	40	43	18
Tabes Mesenterica	0·19	0·19	0·20	38	18	20	24	1	1	–	–	26	5	2	1	2	–	2	–	–	–	–
Phthisis	1·50	1·40	1·59	297	135	162	4	2	–	–	1	7	4	8	24	46	84	59	29	21	14	1
Other Tub. & Scrof. Dis.	0·38	0·47	0·30	76	45	31	22	8	4	5	4	43	6	8	5	3	1	4	–	2	4	–
Diseases of Nervous System	2·50	2·65	2·35	495	255	240	127	24	7	3	2	163	12	4	2	7	8	12	22	45	115	105
Diseases of Circulatory „	2·29	2·09	2·48	454	201	253	3	1	–	1	–	5	1	3	3	3	9	17	33	79	167	134
Diseases of Respiratory „	2·70	2·84	2·56	535	273	262	106	29	12	6	2	155	11	3	1	6	10	13	24	55	111	146
Diseases of Digestive „	1·17	1·20	1·14	232	115	117	26	11	11	1	2	51	6	–	7	1	12	14	19	38	47	37
Diseases of Urinary „	0·35	0·57	0·15	70	55	15	–	2	–	–	–	2	1	–	–	2	4	5	9	7	22	18
Diseases of Generative „	0·03	–	0·06	6	–	6	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–
Puerperal Fever	0·06	–	0·12	12	–	12	–	–	–	–	–	–	–	–	1	1	6	4	–	–	–	–
Childbirth	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	2	6	5	1	–	–	–
Violence	0·68	1·04	0·33	134	100	34	7	3	4	3	2	19	7	7	8	6	7	15	15	21	13	16
Other Causes	4·05	4·23	3·90	808	407	401	200	7	2	2	–	211	5	7	5	5	6	13	16	28	101	411

Marriages - - - 1,241

Births - Males - 2,624 } 5,302
Births - Females - 2,678 }

Annual Rate per 1000 living { Persons Married 12·51
Births - - 26·73 }

Deaths from Childbirth and Puerperal Fever - - - - } 4·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

433.—NEWARK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·61	†130	–	–	–	–	44·56	3·89	3·12	5·19	6·42	6·93	8·74	12·43	23·86	45·63	152·27
Annual Death-Rate per 1000. Males	—	16·50	†145	–	–	–	–	50·32	4·15	3·15	4·76	5·94	6·54	9·66	13·02	27·26	47·46	159·27
Annual Death-Rate per 1000. Females	—	14·77	†115	–	–	–	–	38·78	3·64	3·10	5·63	6·85	7·29	7·86	11·87	20·73	43·96	146·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·09 per cent.	30,602	779	729	778	761	730	3777	3724	3457	3008	2491	3968	3180	2680	2171	1486	660
Mean Population, 1881–91. Males		14,974	376	365	389	381	381	1892	1857	1714	1535	1178	1896	1552	1298	1042	708	302
Mean Population, 1881–91. Females		15,628	403	364	389	380	349	1885	1867	1743	1473	1313	2072	1628	1382	1129	778	358
Deaths from All Causes, 1881–90. Persons	17·45	5,339	1200	262	97	69	55	1683	145	108	156	160	275	278	333	518	678	1005
Deaths from All Causes, 1881–90. Males	18·50	2,770	687	143	50	38	34	952	77	54	78	70	124	150	169	284	336	481
Deaths from All Causes, 1881–90. Females	16·44	2,569	513	119	47	31	21	731	68	54	83	90	151	128	164	234	342	524

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·03	0·01	5	4	1	1	–	–	–	–	1	1	–	–	–	1	1	1	–	–
Measles	0·16	0·18	0·15	50	27	23	15	15	6	4	1	41	6	3	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·14	0·16	46	21	25	1	7	6	7	13	34	7	1	1	–	3	–	–	–	–
Diphtheria	0·16	0·13	0·19	49	19	30	5	–	–	8	5	18	18	3	3	3	3	–	1	–	–
Whooping-cough	0·27	0·23	0·30	82	35	47	54	13	8	5	–	80	1	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·28	0·33	0·23	86	50	36	1	1	1	1	1	5	8	7	15	14	12	10	6	4	3	2
Simple Continued Fever	0·03	0·03	0·02	8	5	3	–	1	–	1	1	3	1	–	1	–	–	–	1	–	1	1
Diarrhœa and Dysentery	0·60	0·70	0·51	184	105	79	106	20	3	1	1	131	1	–	1	–	5	1	1	6	11	27
Cholera	0·03	0·04	0·02	9	6	3	3	2	–	–	–	5	1	–	–	–	–	2	–	–	1	–
Cancer	0·65	0·45	0·85	200	67	133	–	–	–	1	–	1	–	–	–	3	5	17	50	63	35	26
Tabes Mesenterica	0·28	0·32	0·25	87	48	39	48	10	4	–	1	63	5	6	2	1	5	2	1	2	–	–
Phthisis	1·74	1·72	1·75	531	258	273	8	5	5	2	–	20	10	21	61	78	117	83	48	46	35	12
Other Tub. & Scrof. Dis.	0·40	0·36	0·43	121	54	67	33	20	8	2	8	71	20	8	11	3	4	2	1	1	–	–
Diseases of Nervous System	2·40	2·60	2·21	735	390	345	201	31	3	7	7	249	12	11	10	12	20	21	48	81	119	152
Diseases of Circulatory „	1·94	1·94	1·93	593	291	302	9	–	–	1	–	10	6	10	6	6	16	31	63	113	168	164
Diseases of Respiratory „	2·62	3·00	2·25	802	450	352	213	85	37	15	8	358	19	4	5	7	13	30	34	57	107	168
Diseases of Digestive „	1·18	1·40	0·97	360	209	151	78	26	4	3	3	114	6	7	8	5	16	15	31	66	50	42
Diseases of Urinary „	0·32	0·47	0·18	99	71	28	3	3	1	1	–	8	3	1	2	4	3	8	11	12	28	19
Diseases of Generative „	0·07	0·01	0·13	22	1	21	–	–	1	–	–	1	–	–	2	–	5	4	3	4	2	1
Puerperal Fever	0·06	–	0·11	17	–	17	–	–	–	–	–	–	–	–	2	3	9	3	–	–	–	–
Childbirth	0·08	–	0·15	23	–	23	–	–	–	–	–	–	–	–	–	2	13	7	1	–	–	–
Violence	0·58	0·85	0·33	178	127	51	11	6	5	6	3	31	11	13	14	8	6	15	13	26	21	20
Other Causes	3·43	3·56	3·31	1051	531	520	410	17	5	4	3	439	9	11	12	11	19	26	19	37	97	371

Marriages - - - 2,099

Births - Males - 4,752; Females - 4,451 — 9,203

Annual Rate per 1000 living: Persons Married 13·72; Births - - 30·07

Deaths from Childbirth and Puerperal Fever - - - - - 4·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

434.—BINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·66	†101	–	–	–	–	35·33	6·65	3·12	5·42	8·22	6·83	8·72	11·23	20·89	51·12	137·83
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·02	†110	–	–	–	–	38·19	6·81	2·17	4·01	6·75	5·00	7·96	12·07	19·29	51·13	136·71
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·27	†92	–	–	–	–	32·42	6·49	4·18	6·92	9·50	8·49	9·40	10·44	22·43	51·11	138·94
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·96 per cent.	14,356	351	346	353	344	378	1772	1700	1572	1309	1083	1771	1468	1318	1144	804	415
Mean Population, 1881–91. Males	Decennial Decrease of Population 4·96 per cent.	7,086	173	170	182	186	182	893	852	831	673	504	840	691	638	560	397	207
Mean Population, 1881–91. Females	Decennial Decrease of Population 4·96 per cent.	7,270	178	176	171	158	196	879	848	741	636	579	931	777	680	584	407	208
Deaths from All Causes, 1881–90. Persons	17·88	2,567	406	103	54	34	29	626	113	49	71	89	121	128	148	239	411	572
Deaths from All Causes, 1881–90. Males	17·58	1,246	225	50	32	18	16	341	58	18	27	34	42	55	77	108	203	283
Deaths from All Causes, 1881–90. Females	18·17	1,321	181	53	22	16	13	285	55	31	44	55	79	73	71	131	208	289

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·03	3	1	2	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Measles	0·08	0·08	0·07	11	6	5	3	1	3	2	–	9	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·49	0·48	0·50	76	34	36	3	6	7	13	6	35	24	9	1	1	–	–	–	–	–	–
Diphtheria	0·34	0·40	0·29	49	28	21	1	1	6	5	5	18	26	4	1	–	–	–	–	–	–	–
Whooping-cough	0·36	0·35	0·37	52	25	27	25	18	3	1	3	50	1	–	–	–	–	–	–	1	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·17	0·21	27	12	15	–	–	–	–	1	1	1	2	5	6	6	3	–	2	1	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·50	0·49	0·51	72	35	37	25	5	3	1	–	34	2	–	–	–	–	2	2	3	9	20
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·81	0·64	0·99	117	45	72	–	–	–	–	–	–	–	–	–	1	2	6	20	30	42	16
Tabes Mesenterica	0·26	0·23	0·29	37	16	21	15	6	3	–	–	24	1	–	3	3	2	3	–	1	–	–
Phthisis	1·72	1·51	1·93	247	107	140	1	4	2	–	2	9	10	9	35	51	52	24	17	20	19	1
Other Tub. & Scrof. Dis.	0·33	0·35	0·30	47	25	22	15	4	4	1	–	24	12	1	2	3	4	–	1	–	–	–
Diseases of Nervous System	2·01	2·05	1·97	288	145	143	55	5	–	3	1	64	5	4	6	3	8	7	19	33	76	63
Diseases of Circulatory „	1·99	1·59	2·37	285	113	172	1	–	–	–	–	1	1	3	4	3	6	14	34	52	84	83
Diseases of Respiratory „	2·44	2·41	2·48	351	171	180	73	22	13	3	7	118	11	3	2	4	10	7	14	33	55	94
Diseases of Digestive „	0·87	0·80	0·94	125	57	68	15	9	3	1	–	28	3	4	1	4	–	8	14	23	26	14
Diseases of Urinary „	0·48	0·69	0·28	69	49	20	2	–	–	–	–	2	2	–	–	2	5	4	3	12	20	19
Diseases of Generative „	0·11	–	0·22	16	–	16	–	1	–	–	–	1	–	–	–	–	1	5	3	1	4	1
Puerperal Fever	0·08	–	0·17	12	–	12	–	–	–	–	–	–	–	–	–	1	6	4	–	–	–	–
Childbirth	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–
Violence	0·68	0·90	0·47	98	64	34	12	3	2	2	2	21	6	3	2	1	10	16	12	7	7	13
Other Causes	4·04	4·42	3·65	580	312	268	159	18	5	2	2	186	7	6	8	6	7	17	9	19	67	248

Marriages - - - 753

Births - { Males - 2,052 / Females - 1,962 } 4,014

Annual Rate per 1000 living { Persons Married 10·49 / Births - - 27·96

Deaths from Childbirth and Puerperal Fever - - - - - } 4·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

435.—SHARDLOW.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·38		†118	–	–	–	–	43·95	4·27	2·43	4·03	4·88	5·79	8·32	11·46	25·07	54·99	154·95
Males	—				15·84		†132	–	–	–	–	49·55	4·43	2·43	4·11	4·52	5·24	7·45	12·09	25·83	53·96	165·69
Females	—				14·95		†103	–	–	–	–	38·45	4·11	2·44	3·94	5·26	6·32	9·18	10·88	24·38	55·88	145·71
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·72 per cent.			50,100			1514	1365	1459	1372	1412	7122	6420	5710	4916	4383	7326	5215	3832	2704	1735	737
Males				24,854			743	690	723	675	699	3530	3209	2878	2531	2214	3624	2589	1837	1293	808	341
Females				25,246			771	675	736	697	713	3592	3211	2832	2385	2169	3702	2626	1995	1411	927	396
Deaths from All Causes, 1881–90. Persons	16·02			8,026			2091	558	202	144	135	3130	274	139	198	214	424	434	439	678	954	1142
Males	16·52			4,105			1201	287	109	71	81	1749	142	70	104	100	190	193	222	334	436	565
Females	15·53			3,921			890	271	93	73	54	1381	132	69	94	114	234	241	217	344	518	577
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·35	0·43	0·27	175	106	69	38	66	26	16	14	160	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·26	0·23	124	65	59	11	21	22	18	18	90	30	2	–	1	1	–	–	–	–	–
Diphtheria	0·12	0·10	0·14	61	26	35	6	9	1	5	6	27	23	4	2	–	3	1	1	–	–	–
Whooping-cough	0·34	0·29	0·40	171	71	100	93	45	13	11	5	167	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·16	0·18	0·15	82	45	37	1	–	–	1	4	6	10	12	12	10	17	5	5	3	2	–
Simple Continued Fever	0·02	0·03	0·01	10	7	3	–	2	1	2	–	5	1	1	–	2	1	–	–	–	–	–
Diarrhœa and Dysentery	0·42	0·44	0·39	208	109	99	139	18	3	–	1	161	2	–	1	–	3	4	–	5	10	22
Cholera	0·02	0·03	0·01	9	7	2	4	–	–	1	–	5	–	–	1	–	–	1	1	1	–	–
Cancer	0·42	0·24	0·59	208	60	148	–	–	–	–	–	–	–	–	2	1	3	34	37	61	52	18
Tabes Mesenterica	0·27	0·30	0·23	133	74	59	72	28	5	2	–	107	7	5	–	4	5	3	2	–	–	–
Phthisis	1·32	1·20	1·44	661	298	363	16	12	4	3	1	36	10	29	85	96	175	110	72	33	12	3
Other Tub. & Scrof. Dis.	0·37	0·39	0·34	183	96	87	45	36	17	11	10	119	31	11	4	7	3	1	2	4	1	–
Diseases of Nervous System	2·29	2·45	2·13	1148	610	538	421	78	24	18	15	556	34	13	10	8	21	35	57	107	158	149
Circulatory „	1·46	1·30	1·62	732	323	409	1	2	3	–	2	8	12	12	15	12	35	51	67	135	237	148
Respiratory „	2·77	3·11	2·43	1386	772	614	399	163	53	37	39	691	47	6	18	16	29	45	53	130	184	167
Digestive „	0·96	0·98	0·93	479	244	235	89	28	7	3	3	130	13	6	12	11	25	30	54	79	79	40
Urinary „	0·30	0·40	0·20	149	99	50	4	2	1	1	1	9	–	1	4	3	10	10	22	23	36	31
Generative „	0·03	–	0·07	17	–	17	–	–	–	1	–	1	–	–	–	–	1	8	2	1	4	–
Puerperal Fever	0·10	–	0·19	49	–	49	–	–	–	–	–	–	–	–	1	13	27	8	–	–	–	–
Childbirth	0·09	–	0·18	45	–	45	–	–	–	–	–	–	–	–	–	6	14	24	1	–	–	–
Violence	0·56	0·80	0·32	280	200	80	19	9	8	7	10	53	19	18	16	12	22	30	29	30	28	23
Other Causes	3·40	3·59	3·26	1715	892	823	733	39	14	7	6	799	16	19	15	12	29	33	34	66	151	541

Marriages - - - 2,656

Births - { Males - 9,073, Females - 8,603 } 17,676

Annual Rate per 1000 living { Persons Married 10·60, Births - - 35·28 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·32 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 736.

436.—DERBY.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 1908			†144	–	–	–	–	56·47	4·45	2·41	4·64	5·34	7·12	9·78	16·22	33·80	73·04	160·69
Annual Death-Rate per 1000. Males	—			In Standard Population* 1880			†156	–	–	–	–	61·92	4·58	2·44	4·32	5·26	7·03	10·29	17·17	35·17	75·30	167·60
Annual Death-Rate per 1000. Females	—			In Standard Population* 1839			†131	–	–	–	–	51·11	4·32	2·38	4·93	5·41	7·21	9·25	15·32	32·65	71·38	155·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·72 per cent.			84,679			2337	2207	2225	2170	2161	11100	10299	9246	8457	8039	13560	10014	6925	4187	2155	697
Mean Population, 1881–91. Males				41,568			1149	1108	1120	1059	1068	5504	5071	4548	4100	3976	6832	5071	3360	1908	911	287
Mean Population, 1881–91. Females				43,111			1188	1099	1105	1111	1093	5596	5228	4698	4357	4063	6728	4943	3565	2279	1244	410
Deaths from All Causes, 1881–90. Persons	17·65			14,946			4036	1222	486	303	221	6268	458	223	392	429	965	979	1123	1415	1574	1120
Deaths from All Causes, 1881–90. Males	18·17			7,554			2224	658	252	157	117	3408	232	111	177	209	480	522	577	671	686	481
Deaths from All Causes, 1881–90. Females	17·15			7,392			1812	564	234	146	104	2860	226	112	215	220	485	457	546	744	888	639
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·42	0·46	0·39	358	192	166	76	135	62	39	19	331	24	1	1	–	–	1	–	–	–	–
Scarlet Fever	0·23	0·25	0·21	197	106	91	10	28	34	35	28	135	44	11	3	2	1	–	–	–	1	–
Diphtheria	0·07	0·08	0·07	63	32	31	–	2	7	5	10	24	31	7	1	–	–	–	–	–	–	–
Whooping-cough	0·46	0·40	0·51	388	166	222	157	117	53	32	16	375	13	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·27	0·30	0·23	225	125	100	2	3	5	3	7	20	15	14	37	31	59	24	10	10	5	–
Simple Continued Fever	0·02	0·02	0·02	18	8	10	1	–	–	3	–	4	4	2	1	3	3	1	–	–	–	–
Diarrhœa and Dysentery	0·62	0·69	0·56	529	286	243	371	70	5	5	2	453	7	–	3	2	2	4	6	11	21	20
Cholera	0·01	0·02	0·01	10	7	3	3	2	–	–	–	5	–	–	–	–	1	–	3	1	–	–
Cancer	0·52	0·33	0·70	441	139	302	–	–	–	2	1	3	2	–	1	3	25	61	111	124	81	30
Tabes Mesenterica	0·31	0·33	0·29	263	137	126	116	70	20	11	3	220	17	8	7	4	–	2	4	–	1	–
Phthisis	1·53	1·65	1·41	1298	688	610	6	6	5	5	2	24	18	29	145	175	353	271	183	75	25	–
Other Tub. & Scrof. Dis.	0·29	0·32	0·26	244	133	111	76	39	21	11	17	164	24	14	10	10	9	4	7	1	1	–
Diseases of Nervous System	2·70	2·81	2·60	2288	1166	1122	995	147	68	39	31	1280	63	23	27	18	65	86	137	208	245	136
Diseases of Circulatory „	1·45	1·31	1·59	1228	544	684	6	–	2	–	3	11	12	25	34	27	101	131	187	273	302	125
Diseases of Respiratory „	3·18	3·33	3·04	2692	1383	1309	607	411	139	68	46	1271	75	13	20	29	77	115	171	298	405	218
Diseases of Digestive „	1·22	1·32	1·12	1031	548	483	209	100	10	14	9	342	33	11	16	23	61	72	139	152	143	39
Diseases of Urinary „	0·39	0·48	0·30	329	198	131	7	6	5	4	7	29	8	9	8	14	28	39	45	66	60	23
Diseases of Generative „	0·05	0·01	0·09	42	5	37	1	–	–	–	–	1	–	–	2	2	5	11	6	10	5	–
Puerperal Fever	0·09	–	0·17	75	–	75	–	–	–	–	–	–	–	–	3	20	38	13	1	–	–	–
Childbirth	0·07	–	0·13	58	–	58	–	–	–	–	–	–	–	–	5	8	23	22	–	–	–	–
Violence	0·59	0·84	0·36	502	348	154	47	18	24	15	13	117	39	18	28	24	57	48	51	52	40	28
Other Causes	3·16	3·22	3·09	2665	1342	1323	1346	67	26	12	7	1458	29	38	40	33	57	74	62	134	239	501

Marriages - - - 7,937

Births - Males - 14,266; Females - 13,789 — 8,055

Annual Rate per 1000 living: Persons Married 18·75; Births - - 33·13

Deaths from Childbirth and Puerperal Fever - - - - - 4·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 736.

437.—BELPER.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·66			†130	–	–	–	–	45·71	4·52	2·60	4·53	6·05	6·81	9·83	15·40	31·60	69·34	183·75
Annual Death-Rate per 1000. Males	—			18·14			†144	–	–	–	–	49·69	4·96	2·36	4·23	4·61	6·17	9·58	16·49	35·62	74·84	188·78
Annual Death-Rate per 1000. Females	—			17·21			†115	–	–	–	–	41·68	4·08	2·84	4·86	7·47	7·46	10·09	14·32	27·53	63·69	178·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·12 per cent.			60,023			1765	1630	1682	1664	1642	8383	7677	6936	6003	5120	7989	6172	5007	3684	2221	831
Mean Population, 1881–91. Males				30,257			894	815	842	826	841	4218	3853	3518	3166	2536	4006	3079	2493	1853	1125	410
Mean Population, 1881–91. Females				29,766			871	815	840	838	801	4165	3824	3418	2837	2584	3983	3093	2514	1831	1096	421
Deaths from All Causes, 1881–90. Persons	18·48			11,094			2628	644	289	150	121	3832	347	180	272	310	544	607	771	1164	1540	1527
Deaths from All Causes, 1881–90. Males	19·33			5,850			1491	332	140	72	61	2096	191	83	134	117	247	295	411	660	842	774
Deaths from All Causes, 1881–90. Females	17·62			5,244			1137	312	149	78	60	1736	156	97	138	193	297	312	360	504	698	753
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	13	11	2	1	1	–	–	–	2	4	–	–	–	4	1	1	1	–	–
Measles	0·22	0·23	0·22	133	69	64	35	54	17	6	12	124	6	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·27	0·28	0·26	163	86	77	8	13	31	32	12	96	51	9	5	1	–	1	–	–	–	–
Diphtheria	0·06	0·04	0·07	34	13	21	2	7	2	3	4	18	11	1	1	–	1	–	1	1	–	–
Whooping-cough	0·38	0·33	0·43	229	101	128	125	52	31	10	6	224	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·11	0·12	0·11	69	35	34	–	–	–	3	1	4	10	9	13	4	10	6	8	5	–	–
Simple Continued Fever	0·02	0·02	0·02	12	7	5	1	–	1	1	–	3	2	1	1	–	–	3	1	–	1	–
Diarrhœa and Dysentery	0·65	0·70	0·59	388	213	175	247	38	9	–	–	294	9	–	–	1	1	4	7	18	31	23
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·51	0·35	0·69	309	105	204	–	–	–	–	–	–	–	1	–	2	15	19	66	99	72	35
Tabes Mesenterica	0·30	0·32	0·29	182	96	86	92	31	9	2	4	138	13	5	3	4	3	6	5	3	2	–
Phthisis	1·44	1·39	1·50	866	421	445	7	9	2	2	1	21	21	36	114	124	191	160	98	71	25	5
Other Tub. & Scrof. Dis.	0·36	0·39	0·33	216	119	97	54	25	13	9	11	112	30	21	14	9	7	9	8	1	4	1
Diseases of Nervous System	2·95	3·14	2·75	1768	950	818	619	96	33	24	15	787	54	15	30	33	49	70	125	175	262	168
Diseases of Circulatory „	1·65	1·61	1·69	989	486	503	1	–	–	–	4	5	6	12	11	22	47	84	127	223	306	146
Diseases of Respiratory „	3·36	3·82	2·89	2016	1155	861	522	216	104	41	29	912	55	15	16	15	43	63	98	232	316	251
Diseases of Digestive „	1·14	1·09	1·20	686	329	357	120	48	10	1	5	184	20	6	12	12	38	51	77	129	89	68
Diseases of Urinary „	0·41	0·55	0·28	248	166	82	2	3	3	3	1	12	7	4	4	10	10	21	30	54	63	33
Diseases of Generative „	0·08	0·01	0·14	46	4	42	–	–	–	–	–	–	1	–	1	1	5	10	8	8	6	6
Puerperal Fever	0·09	–	0·18	54	–	54	–	–	–	–	–	–	–	–	2	19	23	10	–	–	–	–
Childbirth	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	1	14	17	17	–	–	–	–
Violence	0·57	0·85	0·29	343	257	86	16	14	10	7	9	56	14	19	18	18	38	28	48	39	44	21
Other Causes	3·81	4·05	3·52	2280	1227	1053	776	37	14	6	7	840	28	24	26	19	42	44	63	105	319	770

Marriages - - - 4,274

Births - { Males - 10,325 / Females - 9,907 } 20,232

Annual Rate per 1000 living { Persons Married 14·24 / Births - - 33·71 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·09 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 736.

438.—ASHBOURNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·90	†99	–	–	–	–	36·00	4·09	2·91	4·34	5·34	7·07	8·88	12·33	24·14	57·24	161·30
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·11	†113	–	–	–	–	40·55	4·07	2·36	4·22	5·26	5·59	9·87	12·56	26·74	59·14	153·27
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·69	†85	–	–	–	–	31·50	4·11	3·48	4·47	5·41	8·39	7·99	12·10	21·69	55·45	168·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·91 per cent.	19,962	502	498	477	525	498	2500	2421	2167	2026	1667	2587	2028	1728	1421	1001	416
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·91 per cent.	9,712	246	237	243	268	249	1243	1203	1103	996	780	1217	952	844	688	487	199
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·91 per cent.	10,250	256	261	234	257	249	1257	1218	1064	1030	887	1370	1076	884	733	514	217
Deaths from All Causes, 1881–90. Persons	17·04	3,402	579	169	70	38	44	900	99	63	88	89	183	180	213	343	573	671
Deaths from All Causes, 1881–90. Males	17·58	1,707	337	85	40	20	22	504	49	26	42	41	68	94	106	184	288	305
Deaths from All Causes, 1881–90. Females	16·54	1,695	242	84	30	18	22	396	50	37	46	48	115	86	107	159	285	366

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Measles	0·14	0·18	0·11	28	17	11	9	10	3	1	2	25	–	1	–	2	–	–	–	–	–	–
Scarlet Fever	0·20	0·18	0·22	40	17	23	2	5	6	5	5	23	12	–	1	2	2	–	–	–	–	–
Diphtheria	0·15	0·16	0·14	30	16	14	1	4	3	4	4	16	12	2	–	–	–	–	–	–	–	–
Whooping-cough	0·41	0·35	0·47	82	34	48	37	26	9	4	2	78	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·12	0·11	23	12	11	–	1	–	–	–	1	3	2	4	1	4	3	1	3	1	–
Simple Continued Fever	0·03	0·03	0·02	5	3	2	2	–	–	–	1	3	–	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·23	0·25	0·21	46	24	22	26	2	1	–	–	29	1	–	–	–	1	–	–	1	7	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·63	0·51	0·73	125	50	75	–	–	–	–	–	–	1	1	–	1	3	3	32	30	36	18
Tabes Mesenterica	0·10	0·12	0·08	20	12	8	10	3	1	–	–	14	4	1	–	–	–	1	–	–	–	–
Phthisis	1·39	1·19	1·58	278	116	162	5	3	1	–	1	10	7	9	32	38	61	50	34	21	12	4
Other Tub. & Scrof. Dis.	0·37	0·47	0·27	74	46	28	20	10	6	4	3	43	11	3	4	3	6	2	1	1	–	–
Diseases of Nervous System	2·55	2·81	2·30	509	273	236	139	22	5	1	2	169	4	9	8	6	12	13	25	49	108	106
Diseases of Circulatory „	1·88	1·88	1·88	376	183	193	–	–	–	–	–	–	2	3	7	5	15	21	36	80	121	86
Diseases of Respiratory „	3·35	3·49	3·22	669	339	330	124	60	26	14	13	237	21	7	7	7	14	20	32	61	120	143
Diseases of Digestive „	1·21	1·18	1·23	241	115	126	21	9	3	2	5	40	6	7	6	5	8	15	26	39	56	33
Diseases of Urinary „	0·42	0·60	0·25	84	58	26	–	–	–	–	1	1	1	1	2	1	4	7	5	12	25	25
Diseases of Generative „	0·05	0·01	0·08	9	1	8	–	–	–	–	–	–	–	–	1	–	1	1	1	2	3	–
Puerperal Fever	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	1	1	8	3	–	–	–	–
Childbirth	0·12	–	0·23	24	–	24	–	–	–	–	–	–	–	–	1	2	11	9	1	–	–	–
Violence	0·53	0·75	0·32	106	73	33	5	3	1	–	2	11	5	6	9	6	15	11	6	11	13	13
Other Causes	3·08	3·28	2·96	618	316	302	178	11	5	3	3	200	5	11	5	9	17	19	13	32	71	236

Marriages - - 1,264

Births - { Males - 2,991 / Females - 2,863 } 5,854

Annual Rate per 1000 living { Persons Married 12·66 / Births - - 29·33

Deaths from Childbirth and Puerperal Fever - - - - - 6·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

439.—CHESTERFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·45	†148	–	–	–	–	54·70	5·59	2·87	4·25	5·17	6·10	8·84	14·61	30·71	69·11	173·42
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·81	†163	–	–	–	–	59·86	5·52	2·82	4·19	4·31	5·05	8·50	15·59	32·95	71·96	174·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·10	†132	–	–	–	–	49·63	5·66	2·93	4·34	6·25	7·36	9·23	13·50	28·32	66·21	172·68
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·28 per cent.	103,815	3460	3094	3194	3041	3052	15841	13942	12084	10106	8961	14968	11193	8016	5206	2674	824
Mean Population, 1881–91. Males		54,592	1683	1529	1604	1520	1512	7848	7011	6173	5656	4992	8174	6035	4260	2692	1348	403
Mean Population, 1881–91. Females		49,223	1777	1565	1590	1521	1540	7993	6931	5911	4450	3969	6794	5158	3756	2514	1326	421
Deaths from All Causes, 1881–90. Persons	17·95	18,633	5576	1639	673	437	340	8665	779	347	430	463	913	989	1171	1599	1848	1429
Deaths from All Causes, 1881–90. Males	18·06	9,860	3132	848	355	197	166	4698	387	174	237	215	413	513	664	887	970	702
Deaths from All Causes, 1881–90. Females	17·82	8,773	2444	791	318	240	174	3967	392	173	193	248	500	476	507	712	873	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·04	0·04	0·04	43	21	22	6	–	–	–	1	7	2	–	4	10	8	3	2	4	3	–
Measles	0·47	0·45	0·50	491	243	248	112	184	84	50	27	457	33	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·70	0·62	0·80	731	337	394	56	90	100	108	93	447	230	38	5	2	7	1	1	–	–	–
Diphtheria	0·09	0·07	0·10	89	38	51	2	6	13	16	11	48	27	5	–	1	3	2	2	1	–	–
Whooping-cough	0·41	0·35	0·48	429	192	237	193	129	57	25	8	412	13	2	1	–	1	–	–	–	–	–
Typhus	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Enteric Fever	0·15	0·16	0·15	159	86	73	–	2	5	7	5	19	15	20	29	21	23	17	10	4	1	–
Simple Continued Fever	0·02	0·01	0·04	25	7	18	3	1	1	3	–	8	7	3	–	1	1	–	1	4	–	–
Diarrhœa and Dysentery	0·70	0·69	0·70	722	376	346	458	110	16	6	5	595	17	–	–	2	7	7	7	16	37	34
Cholera	0·01	0·01	0·01	8	5	3	1	–	–	–	1	2	–	–	1	–	1	1	1	1	1	–
Cancer	0·39	0·24	0·56	405	130	275	–	–	–	–	–	–	2	2	–	–	17	43	103	121	90	27
Tabes Mesenterica	0·36	0·39	0·33	371	211	160	199	92	28	11	3	333	14	10	5	3	1	2	2	1	–	–
Phthisis	1·18	1·04	1·33	1222	567	655	20	11	7	7	11	56	39	69	139	159	299	220	140	70	26	5
Other Tub. & Scrof. Dis.	0·39	0·41	0·36	403	226	177	135	77	23	18	15	268	45	23	14	16	16	8	10	2	1	–
Diseases of Nervous System	2·74	2·90	2·58	2849	1581	1268	1344	147	74	42	29	1636	83	33	38	27	53	93	152	255	292	187
Diseases of Circulatory „	1·31	1·27	1·35	1360	695	665	–	1	2	2	1	6	12	24	28	31	69	143	203	363	339	142
Diseases of Respiratory „	3·95	4·10	3·78	4096	2238	1858	1203	566	192	97	86	2144	133	23	37	42	76	132	223	386	526	374
Diseases of Digestive „	1·00	1·04	0·95	1035	566	469	267	116	21	10	9	423	28	17	14	17	41	77	100	142	121	55
Diseases of Urinary „	0·23	0·29	0·16	238	158	80	3	6	4	2	4	19	10	5	6	6	20	24	34	44	43	27
Diseases of Generative „	0·05	0·01	0·10	55	4	51	2	–	–	–	–	2	–	–	3	3	10	12	11	7	5	2
Puerperal Fever	0·08	–	0·17	82	–	82	–	–	–	–	–	–	–	–	7	17	37	19	2	–	–	–
Childbirth	0·09	–	0·19	95	–	95	–	–	–	–	–	–	–	–	4	14	45	30	2	–	–	–
Violence	0·75	1·12	0·34	779	614	165	35	31	19	24	19	128	32	41	68	55	115	85	102	76	52	25
Other Causes	2·84	2·35	2·80	2944	1564	1380	1537	70	27	9	12	1655	37	31	27	36	63	69	62	102	311	551

Marriages - - - 7,003

Births - Males - 19,159 } 37,663
Births - Females - 18,504 }

Annual Rate per 1000 living { Persons Married 13·49
Annual Rate per 1000 living { Births - - 36·28

Deaths from Childbirth and Puerperal Fever - - - - - } 4·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

440.—BAKEWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·25	†105	–	–	–	–	36·88	4·60	2·86	4·26	5·46	7·63	10·59	14·93	29·09	66·45	169·67
Annual Death-Rate per 1000. Males	—	16·87	†120	–	–	–	–	41·35	4·54	3·06	3·69	5·63	7·43	10·75	17·20	31·20	68·48	174·41
Annual Death-Rate per 1000. Females	—	15·65	†89	–	–	–	–	32·36	4·66	2·65	4·80	5·31	7·82	10·44	12·81	27·16	64·55	164·98
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·30 per cent.	31,338	759	751	754	753	755	3772	3630	3356	3028	2764	4415	3427	2840	2224	1371	511
Mean Population, 1881–91. Males		15,284	385	368	384	385	374	1896	1807	1697	1464	1315	2087	1665	1372	1064	663	254
Mean Population, 1881–91. Females		16,054	374	383	370	368	381	1876	1823	1659	1564	1449	2328	1762	1468	1160	708	257
Deaths from All Causes, 1881–90. Persons	17·50	5,483	902	238	108	72	71	1391	167	96	129	151	337	363	424	647	911	867
Deaths from All Causes, 1881–90. Males	18·61	2,845	525	127	56	37	39	784	82	52	54	74	155	179	236	332	454	443
Deaths from All Causes, 1881–90. Females	16·43	2,638	377	111	52	35	32	607	85	44	75	77	182	184	188	315	457	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	4	3	1	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–
Measles	0·11	0·12	0·10	35	19	16	7	18	–	3	5	33	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·19	0·19	60	29	31	6	6	12	9	9	42	12	3	1	–	2	–	–	–	–	–
Diphtheria	0·12	0·14	0·11	39	22	17	–	3	5	6	6	20	14	3	–	–	–	–	1	–	1	–
Whooping-cough	0·23	0·24	0·23	73	36	37	36	20	6	6	2	70	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
Enteric Fever	0·12	0·11	0·12	37	17	20	–	–	–	–	2	2	1	2	5	6	6	3	9	2	1	–
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·21	0·14	55	32	23	27	3	2	–	1	33	–	–	–	–	–	2	2	2	6	10
Cholera	0·02	0·01	0·02	6	2	4	2	1	–	–	–	3	–	–	–	–	1	2	–	–	–	–
Cancer	0·58	0·42	0·74	183	64	119	–	–	–	–	–	–	–	–	–	1	3	17	41	55	45	21
Tabes Mesenterica	0·12	0·14	0·11	38	21	17	11	7	1	–	2	21	7	4	1	2	2	–	1	–	–	–
Phthisis	1·49	1·43	1·56	468	218	250	1	–	1	2	2	6	11	15	41	62	123	87	62	38	20	3
Other Tub. & Scrof. Dis.	0·41	0·43	0·39	128	65	63	23	18	5	8	6	60	20	13	9	8	10	3	3	2	–	–
Diseases of Nervous System	2·60	2·89	2·32	814	441	373	182	41	13	8	9	253	25	12	19	8	23	35	61	111	166	101
Diseases of Circulatory „	1·70	1·73	1·67	533	265	268	2	–	1	–	1	4	1	11	9	9	24	34	59	124	163	95
Diseases of Respiratory „	3·07	3·36	2·80	962	513	449	193	79	46	17	17	352	31	10	13	9	33	50	56	102	170	136
Diseases of Digestive „	1·31	1·43	1·19	410	219	191	52	19	2	6	5	84	10	3	3	6	24	35	37	78	97	33
Diseases of Urinary „	0·42	0·58	0·27	133	89	44	1	–	1	–	1	3	4	–	1	3	14	13	10	34	30	21
Diseases of Generative „	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	2	–	4	3	2	3	1	–
Puerperal Fever	0·11	–	0·21	34	–	34	–	–	–	–	–	–	–	–	1	4	17	11	1	–	–	–
Childbirth	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–	–	–
Violence	0·54	0·89	0·20	168	136	32	8	4	4	3	–	19	9	6	13	13	16	28	26	11	19	8
Other Causes	4·05	4·25	3·85	1266	651	615	351	18	9	4	2	384	17	10	11	17	25	35	52	84	192	439

Marriages - - - 1,914

Births - Males - 4,384; Females - 4,239 — 8,623

Annual Rate per 1000 living: Persons Married 12·22; Births - - 27·52

Deaths from Childbirth and Puerperal Fever - - - - 5·68 per 1000 Births.

* *See* page xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

441.—CHAPEL-EN-LE-FRITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·63	†112	–	–	–	–	41·05	4·71	3·24	4·52	5·44	7·00	9·44	18·21	33·59	72·74	192·09
Annual Death-Rate per 1000. Males	—	18·33	†118	–	–	–	–	43·01	5·31	3·23	4·25	5·41	6·72	9·61	20·00	33·71	80·36	225·00
Annual Death-Rate per 1000. Females	—	16·97	†105	–	–	–	–	39·08	4·13	3·24	4·78	5·46	7·28	9·27	16·44	33·48	65·65	161·26
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·41 per cent.	21,570	550	529	545	505	524	2653	2441	2256	2189	2078	3384	2468	1900	1289	697	215
Mean Population, 1881–91. Males		10,592	282	271	267	251	259	1330	1206	1114	1060	979	1667	1228	945	623	336	104
Mean Population, 1881–91. Females		10,978	268	258	278	254	265	1323	1235	1142	1129	1099	1717	1240	955	666	361	111
Deaths from All Causes, 1881–90. Persons	16·96	3,658	692	187	93	68	49	1089	115	73	99	113	237	233	346	433	507	413
Deaths from All Causes, 1881–90. Males	17·97	1,903	371	100	44	31	26	572	64	36	45	53	112	118	189	210	270	234
Deaths from All Causes, 1881–90. Females	15·99	1,755	321	87	49	37	23	517	51	37	54	60	125	115	157	223	237	179

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·23	0·24	0·23	50	25	25	11	17	9	3	3	43	7	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·32	0·20	56	34	22	3	7	8	9	10	37	10	4	2	1	2	–	–	–	–
Diphtheria	0·09	0·09	0·08	19	10	9	–	3	2	2	5	12	5	1	–	1	–	–	–	–	–
Whooping-cough	0·25	0·17	0·32	53	18	35	33	6	6	6	–	51	2	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·13	27	13	14	–	–	–	–	–	–	2	4	4	–	6	7	1	1	1
Simple Continued Fever	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·29	0·28	0·30	63	30	33	33	5	1	–	–	39	1	–	1	1	1	2	5	6	4
Cholera	0·01	–	0·02	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Cancer	0·67	0·53	0·80	144	56	88	–	–	–	–	–	–	–	–	–	1	4	9	28	43	43
Tabes Mesenterica	0·11	0·09	0·14	24	9	15	8	3	1	–	1	13	1	2	2	1	1	3	1	–	–
Phthisis	1·45	1·34	1·55	312	142	170	3	3	2	1	–	9	4	8	36	42	76	57	43	29	6
Other Tub. & Scrof. Dis.	0·55	0·59	0·52	119	62	57	13	21	12	5	7	58	5	8	10	10	10	9	6	3	–
Diseases of Nervous System	2·52	2·82	2·23	544	299	245	127	34	14	11	5	191	16	10	5	9	22	28	38	71	85
Diseases of Circulatory „	1·71	1·75	1·68	369	185	184	3	–	1	1	–	5	5	4	4	11	21	26	49	80	106
Diseases of Respiratory „	2·92	3·35	2·50	630	355	275	133	60	25	20	11	249	21	2	3	10	20	32	60	72	94
Diseases of Digestive „	1·39	1·31	1·46	299	139	160	47	16	2	3	4	72	13	4	5	3	14	14	54	52	53
Diseases of Urinary „	0·36	0·54	0·18	77	57	20	–	–	1	1	–	2	3	4	1	5	3	7	8	18	18
Diseases of Generative „	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	1	–	1	1	3	2	4
Puerperal Fever	0·10	–	0·20	22	–	22	–	–	–	–	–	–	–	–	2	5	9	6	–	–	–
Childbirth	0·06	–	0·11	12	–	12	–	–	–	–	–	–	–	–	–	3	7	2	–	–	–
Violence	0·58	0·92	0·25	125	97	28	7	1	3	3	2	16	8	13	12	5	15	14	18	11	10
Other Causes	3·21	3·48	2·96	694	369	325	270	11	6	3	1	291	9	9	9	5	25	16	32	45	82

Marriages - - - 1,366

Births - Males - 3,153, Females - 3,049 } 6,202

Annual Rate per 1000 living { Persons Married 12·67; Births - - 28·75

Deaths from Childbirth and Puerperal Fever - - - - - } 5·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

442.—HAYFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·38	†151	–	–	–	–	58·83	5·21	3·34	4·80	5·91	7·12	9·90	18·31	38·26	75·94	174·86
Annual Death-Rate per 1000. Males	—	21·47	†167	–	–	–	–	64·81	4·92	3·58	5·14	5·76	7·17	10·00	21·29	39·48	81·37	187·34
Annual Death-Rate per 1000. Females	—	19·35	†135	–	–	–	–	53·06	5·50	3·12	4·49	6·03	7·07	9·82	15·91	37·23	70·91	164·58
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·33 per cent.	37,977	966	878	910	893	888	4535	4239	4072	3962	3589	5664	4433	3441	2420	1272	350
Mean Population, 1881–91. Males		17,748	480	422	443	431	452	2228	2095	1955	1847	1633	2552	2020	1536	1112	612	158
Mean Population, 1881–91. Females		20,229	486	456	467	462	436	2307	2144	2117	2115	1956	3112	2413	1905	1308	660	192
Deaths from All Causes, 1881–90. Persons	19·49	7,403	1731	523	212	99	103	2668	221	136	190	212	403	439	630	926	966	612
Deaths from All Causes, 1881–90. Males	21·13	3,751	978	265	103	49	49	1444	103	70	95	94	183	202	327	439	498	296
Deaths from All Causes, 1881–90. Females	18·05	3,652	753	258	109	50	54	1224	118	66	95	118	220	237	303	487	468	316

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·61	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Measles	0·45	0·46	0·44	171	82	89	50	63	27	10	8	158	11	1	–	1	–	–	–	–
Scarlet Fever	0·28	0·26	0·29	105	47	58	5	24	11	14	16	70	28	4	–	–	2	1	–	–
Diphtheria	0·14	0·18	0·11	55	32	23	6	2	8	7	8	31	15	2	3	1	–	1	–	2
Whooping-cough	0·36	0·36	0·35	135	64	71	70	38	16	4	3	131	4	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	1	3	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Enteric Fever	0·30	0·34	0·26	113	60	53	4	1	4	4	4	17	13	13	15	16	17	5	5	8
Simple Continued Fever	0·03	0·03	0·04	13	5	8	1	2	1	2	–	6	1	1	1	–	1	1	2	–
Diarrhœa and Dysentery	0·73	0·85	0·63	279	151	128	182	27	3	–	–	212	2	–	1	–	–	5	8	10
Cholera	0·02	0·02	0·02	8	4	4	1	–	–	–	–	1	1	–	–	–	2	2	–	1
Cancer	0·41	0·28	0·53	157	50	107	–	–	–	–	–	–	1	2	1	–	2	12	45	54
Tabes Mesenterica	0·27	0·33	0·22	103	59	44	43	30	8	3	3	87	4	2	1	3	3	1	2	–
Phthisis	1·71	1·93	1·52	651	343	308	7	6	3	2	1	19	7	23	85	105	142	113	85	52
Other Tub. & Scrof. Dis.	0·43	0·52	0·35	163	92	71	51	31	14	4	7	107	21	10	3	5	6	2	7	1
Diseases of Nervous System	2·75	3·06	2·47	1044	544	500	330	62	29	7	21	449	36	19	14	13	23	41	73	140
Diseases of Circulatory „	1·85	1·58	2·09	703	280	423	8	–	–	–	–	8	6	18	13	22	43	50	108	179
Diseases of Respiratory „	4·00	4·59	3·49	1519	814	705	337	160	54	25	17	593	30	8	8	5	34	46	117	230
Diseases of Digestive „	1·49	1·56	1·43	567	277	290	158	47	10	1	6	222	10	8	12	6	20	36	72	90
Diseases of Urinary „	0·47	0·60	0·37	189	106	74	3	3	3	3	1	13	4	4	5	5	16	16	26	38
Diseases of Generative „	0·05	0·02	0·07	19	4	15	1	–	–	–	–	1	–	–	1	–	3	7	1	5
Puerperal Fever	0·08	–	0·14	29	–	29	–	–	–	–	–	–	–	–	1	6	14	8	–	–
Childbirth	0·08	–	0·15	30	–	30	–	–	–	–	–	–	–	–	–	4	8	17	1	–
Violence	0·51	0·74	0·30	192	131	61	20	7	11	6	2	46	12	7	8	7	19	16	26	19
Other Causes	3·06	3·40	2·77	1161	603	558	454	20	10	7	6	497	15	13	18	13	46	58	50	97

Marriages	2,196	Annual Rate per 1000 living: Persons Married	11·56	Deaths from Childbirth and Puerperal Fever	5·16 per 1000 Births.
Births: Males	5,863	Births	30·13		
Births: Females	5,580				
Births	11,443				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

443.—STOCKPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·84	†179	–	–	–	–	71·85	5·50	3·12	4·88	7·06	8·89	13·04	21·41	42·97	86·89	182·95
Annual Death-Rate per 1000. Males	—	25·15	†198	–	–	–	–	79·15	5·80	3·06	5·18	7·17	8·82	14·03	24·18	45·26	90·32	193·18
Annual Death-Rate per 1000. Females	—	22·60	†160	–	–	–	–	64·78	5·21	3·19	4·63	6·97	8·94	12·21	19·21	41·18	84·15	175·51
Mean Population, 1881-91. Persons	Decennial Increase of Population 15·47 per cent.	126,221	3254	2973	2985	3024	3074	15310	14077	13928	12909	11897	19831	15265	11110	7277	3608	1009
Mean Population, 1881-91. Males		58,441	1596	1467	1474	1480	1517	7534	6874	6929	5910	5144	8910	6990	4926	3197	1602	425
Mean Population, 1881-91. Females		67,780	1658	1506	1511	1544	1557	7776	7203	6999	6999	6753	10921	8275	6184	4080	2006	584
Deaths from All Causes 1881-90. Persons	22·12	27,919	7147	2211	786	508	348	11000	774	435	630	840	1762	1991	2379	3127	3135	1846
Deaths from All Causes 1881-90. Males	23·82	13,922	4013	1144	382	250	174	5963	399	212	306	369	786	981	1191	1447	1447	821
Deaths from All Causes 1881-90. Females	20·65	13,997	3134	1067	404	258	174	5037	375	223	324	471	976	1010	1188	1680	1688	1025

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·01	22	14	8	1	–	–	–	–	1	–	1	2	3	3	9	–	1	2	–
Measles	0·57	0·61	0·53	715	356	359	171	282	117	64	36	670	44	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·22	316	165	151	13	36	50	67	45	211	84	10	2	5	3	1	–	–	–	–
Diphtheria	0·11	0·11	0·11	139	63	76	6	16	16	17	23	78	39	7	5	1	7	–	1	1	–	–
Whooping-cough	0·43	0·42	0·43	537	246	291	235	181	54	41	17	528	8	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	21	15	6	–	–	–	–	–	–	4	1	3	1	5	3	2	1	1	–
Enteric Fever	0·30	0·31	0·29	378	180	198	22	11	7	10	8	58	32	33	44	47	77	36	28	18	4	1
Simple Continued Fever	0·03	0·03	0·02	33	18	15	1	5	4	4	3	17	4	3	1	1	–	1	–	5	1	–
Diarrhœa and Dysentery	0·86	0·92	0·81	1091	540	551	708	113	28	7	3	859	9	3	3	3	9	15	24	44	76	46
Cholera	0·01	0·01	0·01	11	6	5	1	–	–	–	–	1	1	–	1	–	3	2	2	–	1	–
Cancer	0·52	0·34	0·68	657	198	459	1	1	–	–	2	4	–	3	5	4	25	99	179	206	110	22
Tabes Mesenterica	0·33	0·37	0·30	416	215	201	211	97	24	14	13	359	22	4	7	9	7	4	3	–	1	–
Phthisis	1·99	2·12	1·85	2506	1239	1267	28	29	12	8	10	87	47	73	261	398	677	473	280	166	40	4
Other Tub. & Scrof. Dis.	0·51	0·62	0·41	644	363	281	226	137	63	25	21	472	72	27	24	6	19	8	6	8	2	–
Diseases of Nervous System	3·22	3·64	2·85	4058	2128	1930	1334	261	124	54	40	1813	100	63	42	58	116	203	318	508	579	258
Diseases of Circulatory „	1·77	1·69	1·84	2238	988	1250	9	2	1	3	3	18	22	46	56	43	150	240	368	605	521	169
Diseases of Respiratory „	4·73	5·24	4·29	5966	3059	2907	1390	648	201	121	73	2433	134	37	37	63	186	364	571	855	904	382
Diseases of Digestive „	1·27	1·37	1·18	1600	801	799	407	207	26	9	14	663	28	22	28	27	81	110	176	242	172	51
Diseases of Urinary „	0·44	0·53	0·37	560	310	250	22	9	7	14	7	59	20	16	11	18	56	64	97	104	76	39
Diseases of Generative „	0·06	0·02	0·10	77	11	66	1	–	–	–	–	1	–	1	3	5	9	17	17	12	9	3
Puerperal Fever	0·11	–	0·21	143	–	143	–	–	–	–	–	–	–	–	7	39	61	36	–	–	–	–
Childbirth	0·11	–	0·20	137	–	137	–	–	–	–	–	–	–	–	5	27	57	47	1	–	–	–
Violence	0·66	1·00	0·37	837	586	251	50	24	22	21	15	132	50	41	37	42	95	108	129	91	78	34
Other Causes	3·80	4·14	3·56	4817	2421	2396	2310	152	30	29	15	2536	54	42	46	40	116	151	177	260	558	837

Marriages - - - 10,510

Births - { Males - 20,222 / Females - 19,638 } 39,860

Annual Rate per 1000 living { Persons Married 16·65 / Births - - 31·58 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·02 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

444.—MACCLESFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·64	†145	–	–	–	–	56·60	5·44	3·08	4·31	6·12	8·13	12·55	19·64	37·81	79·02	168·58
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·53	†164	–	–	–	–	64·48	5·01	2·83	4·10	5·90	7·95	13·56	22·70	38·71	78·01	168·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·79	†125	–	–	–	–	48·89	5·86	3·32	4·50	6·27	8·27	11·77	17·16	37·01	80·00	168·82
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·72 per cent.	61,168	1500	1387	1402	1440	1485	7214	6889	6491	6238	5314	8660	6821	5785	4417	2521	818
Mean Population, 1881–91. Males		28,393	731	680	709	708	739	3567	3391	3210	2948	2270	3725	2980	2586	2069	1246	401
Mean Population, 1881–91. Females		32,775	769	707	693	732	746	3647	3498	3281	3290	3044	4935	3841	3199	2348	1275	417
Deaths from All Causes, 1881–90. Persons	21·23	12,989	2570	779	345	223	166	4083	375	200	269	325	704	856	1136	1670	1992	1379
Deaths from All Causes, 1881–90. Males	23·07	6,551	1490	420	191	110	89	2300	170	91	121	134	296	404	587	801	972	675
Deaths from All Causes, 1881–90. Females	19·64	6,438	1080	359	154	113	77	1783	205	109	148	191	408	452	549	869	1020	704

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·00	5	4	1	1	–	–	–	–	1	–	–	–	2	1	–	–	–	1	–
Measles	0·43	0·47	0·39	262	134	128	87	69	47	27	12	242	16	3	1	–	–	–	–	–	–	–
Scarlet Fever	0·47	0·52	0·43	288	147	141	10	37	41	46	42	176	86	15	4	2	4	1	–	–	–	–
Diphtheria	0·10	0·10	0·11	62	27	35	3	3	9	10	12	37	19	3	–	1	–	1	–	1	–	–
Whooping-cough	0·40	0·39	0·40	242	112	130	114	69	31	13	9	236	5	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	3	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Enteric Fever	0·14	0·18	0·10	83	50	33	–	1	2	2	3	8	10	7	7	12	9	7	10	9	4	–
Simple Continued Fever	0·03	0·03	0·03	19	9	10	–	–	1	–	1	2	6	1	1	–	–	2	3	3	–	1
Diarrhœa and Dysentery	0·49	0·57	0·42	301	163	138	159	33	5	5	–	202	4	–	2	–	4	4	6	15	37	27
Cholera	0·01	0·01	0·00	5	4	1	1	–	–	–	–	1	–	–	–	–	1	–	–	2	1	–
Cancer	0·66	0·52	0·79	406	147	259	–	–	–	–	–	–	–	–	1	1	9	44	94	122	103	32
Tabes Mesenterica	0·21	0·27	0·15	127	78	49	41	29	11	4	3	88	12	6	4	2	7	3	2	2	1	–
Phthisis	1·94	1·95	1·93	1184	553	631	16	6	7	5	2	36	13	28	111	152	275	209	170	121	57	12
Other Tub. & Scrof. Dis.	0·61	0·75	0·48	371	213	158	126	68	24	15	16	249	36	20	16	9	11	7	10	7	6	–
Diseases of Nervous System	3·23	3·77	2·77	1977	1070	907	518	106	51	28	21	724	50	24	22	18	70	139	182	262	322	164
Diseases of Circulatory „	2·12	2·07	2·16	1296	589	707	6	–	1	–	–	7	3	24	29	20	53	89	179	320	389	183
Diseases of Respiratory „	4·04	4·42	3·71	2470	1255	1215	505	231	74	45	29	884	64	18	13	15	76	112	181	382	483	242
Diseases of Digestive „	1·29	1·38	1·22	791	391	400	137	52	10	4	2	205	12	9	13	13	35	59	99	158	142	46
Diseases of Urinary „	0·58	0·81	0·38	356	231	125	1	3	5	4	1	14	5	7	7	10	17	30	52	86	83	45
Diseases of Generative „	0·06	0·01	0·10	36	2	34	1	1	–	–	–	2	–	–	1	4	3	5	7	5	9	–
Puerperal Fever	0·09	–	0·16	53	–	53	–	–	–	–	–	–	–	–	3	15	21	14	–	–	–	–
Childbirth	0·09	–	0·16	54	–	54	–	–	–	–	–	–	–	–	–	10	25	19	–	–	–	–
Violence	0·47	0·70	0·27	289	199	90	18	14	11	4	9	56	14	14	5	13	26	33	42	36	34	16
Other Causes	3·76	4·13	3·48	2309	1170	1139	826	57	15	11	4	913	20	20	29	26	56	76	99	139	320	611

Marriages - - - 4,460

Birth - { Males - 9,058 / Females - 8,649 } 17,707

Annual Rate per 1000 living { Persons Married 14·58 / Births - - 28·95

Deaths from Childbirth and Puerperal Fever - - - - - 6·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

445.—ALTRINCHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·14			†115	–	–	–	–	40·75	4·40	2·20	3·58	4·28	6·09	9·74	14·44	30·21	66·73	163·19
Males	—			17·32			†129	–	–	–	–	45·50	4·60	2·38	3·37	4·66	7·35	10·32	16·13	33·84	71·27	174·34
Females	—			15·02			†99	–	–	–	–	36·02	4·19	2·02	3·75	4·00	5·14	9·26	12·98	27·05	62·82	154·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·87 per cent.			62,396			1521	1416	1478	1518	1490	7423	7095	6644	6233	6007	9638	7236	5424	3817	2113	766
Males				28,927			766	712	735	753	737	3703	3562	3232	2846	2555	4136	3294	2505	1773	978	343
Females				33,469			755	704	743	765	753	3720	3533	3412	3387	3452	5502	3942	2919	2044	1135	423
Deaths from All Causes, 1881–90. Persons	15·79			9,851			1983	509	257	157	119	3025	312	146	223	257	587	705	783	1153	1410	1250
Males	17·58			5,084			1146	274	131	80	54	1685	164	77	96	119	304	340	404	600	697	598
Females	14·24			4,767			837	235	126	77	65	1340	148	69	127	138	283	365	379	553	713	652
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·24	0·26	0·22	150	75	75	38	53	24	11	12	138	11	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·30	0·20	154	86	68	4	20	23	17	21	85	52	9	2	3	3	–	–	–	–	–
Diphtheria	0·16	0·15	0·17	101	43	58	2	4	15	13	15	49	33	9	2	2	4	–	–	2	–	–
Whooping-cough	0·21	0·21	0·21	131	62	69	69	32	12	6	2	121	9	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Enteric Fever	0·11	0·12	0·09	66	35	31	–	–	–	1	1	2	7	3	12	12	7	9	7	5	2	–
Simple Continued Fever	0·01	0·02	0·01	8	6	2	–	1	1	–	1	3	–	1	–	1	–	2	1	–	–	–
Diarrhœa and Dysentery	0·47	0·57	0·39	294	164	130	191	28	4	5	3	231	5	–	–	–	4	4	9	8	15	18
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·46	0·37	0·54	288	108	180	–	–	–	2	–	2	–	1	1	1	7	30	53	101	67	25
Tabes Mesenterica	0·13	0·16	0·11	84	46	38	27	21	4	7	2	61	5	7	2	2	–	1	5	1	–	–
Phthisis	1·41	1·60	1·25	881	463	418	8	8	8	4	2	30	16	22	89	110	231	166	120	66	26	5
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	160	81	79	43	27	15	11	7	103	19	8	9	4	6	6	3	2	–	–
Diseases of Nervous System	2·32	2·57	2·09	1445	744	701	358	70	41	21	14	504	36	12	23	16	52	60	103	181	285	173
Circulatory „	1·60	1·58	1·62	999	457	542	11	–	2	–	1	14	8	15	19	18	40	74	139	247	255	170
Respiratory „	3·06	3·53	2·66	1909	1020	889	408	155	71	31	21	686	47	19	14	22	59	105	121	237	351	248
Digestive „	1·00	1·09	0·92	625	316	309	84	28	7	9	2	130	12	5	10	11	30	53	89	106	117	62
Urinary „	0·37	0·45	0·31	232	129	103	5	1	2	–	2	10	3	6	5	3	15	32	34	39	60	25
Generative „	0·05	0·00	0·09	30	1	29	–	–	–	–	–	–	–	–	2	3	2	5	6	9	1	2
Puerperal Fever	0·07	–	0·14	46	–	46	–	–	–	–	–	–	–	–	1	9	21	15	–	–	–	–
Childbirth	0·07	–	0·13	44	–	44	–	–	–	–	–	–	–	–	3	8	13	19	1	–	–	–
Violence	0·54	0·85	0·28	340	245	95	16	14	11	9	7	57	28	15	12	15	50	37	36	41	33	16
Other Causes	2·99	3·46	2·57	1859	999	860	719	47	17	10	6	799	21	12	16	16	43	84	56	108	198	506

Marriages - - - 3,504

Births - Males - 8,855, Females - 8,431 } 17,286

Annual Rate per 1000 living { Persons Married 11·23; Births - - 27·70

Deaths from Childbirth and Puerperal Fever - - - - - } 5·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

446.—RUNCORN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·19			†144	–	–	–	–	55·06	4·85	3·48	4·05	5·13	7·10	10·74	16·02	32·12	71·38	182·26
Annual Death-Rate per 1000. Males	—			In Standard Population* 20·11			†154	–	–	–	–	60·45	5·27	3·53	4·24	5·03	5·97	10·30	17·39	33·84	80·08	201·27
Annual Death-Rate per 1000. Females	—			In Standard Population* 18·32			†133	–	–	–	–	49·66	4·41	3·43	3·81	5·26	8·47	11·25	14·55	30·35	63·39	168·22
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·95 per cent.			38,270			1162	1024	1051	1025	1010	5272	4766	4223	3781	3567	5644	4265	3183	2086	1111	372
Mean Population, 1881–91. Males				20,010			583	508	515	533	501	2640	2409	2152	2050	1988	3082	2291	1650	1058	532	158
Mean Population, 1881–91. Females				18,260			579	516	536	492	509	2632	2357	2071	1731	1579	2562	1974	1533	1028	579	214
Deaths from All Causes, 1881–90. Persons	18·62			7,127			1845	584	223	133	118	2903	231	147	153	183	401	458	510	670	793	678
Deaths from All Causes, 1881–90. Males	18·97			3,795			1018	332	100	78	68	1596	127	76	87	100	184	236	287	358	426	318
Deaths from All Causes, 1881–90. Females	18·25			3,332			827	252	123	55	50	1307	104	71	66	83	217	222	223	312	367	360
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	0·62	0·63	0·61	237	126	111	51	81	42	25	16	215	19	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·44	0·49	0·38	168	99	69	17	28	23	26	29	123	38	4	2	–	1	–	–	–	–	–
Diphtheria	0·07	0·06	0·07	25	13	12	2	2	5	1	5	15	4	3	1	1	1	–	–	–	–	–
Whooping-cough	0·41	0·35	0·46	155	71	84	68	48	16	13	7	152	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·02	4	1	3	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–
Enteric Fever	0·30	0·34	0·26	115	68	47	–	1	2	6	2	11	8	9	19	16	25	11	7	7	2	–
Simple Continued Fever	0·04	0·02	0·06	16	5	11	–	1	–	–	2	3	4	1	1	2	1	2	–	–	2	–
Diarrhœa and Dysentery	0·90	0·88	0·93	345	176	169	215	57	7	2	3	284	4	2	–	1	3	1	9	5	19	17
Cholera	0·05	0·03	0·06	18	7	11	12	4	–	–	–	16	–	1	–	–	–	1	–	–	–	–
Cancer	0·60	0·47	0·73	228	94	134	–	–	–	–	1	1	–	–	2	1	5	20	45	73	53	28
Tabes Mesenterica	0·39	0·41	0·36	149	83	66	96	22	6	2	5	131	7	2	1	4	2	–	–	2	–	–
Phthisis	1·25	1·21	1·29	477	242	235	5	5	1	2	2	15	11	26	42	48	124	102	62	36	10	1
Other Tub. & Scrof. Dis.	0·29	0·30	0·27	111	61	50	32	27	8	3	4	74	17	8	4	2	3	–	2	1	–	–
Diseases of Nervous System	2·22	2·22	2·21	849	445	404	236	54	28	11	8	337	28	17	8	11	26	42	54	106	124	96
Diseases of Circulatory „	1·41	1·43	1·38	539	287	252	1	–	1	–	–	2	5	12	7	8	29	57	73	119	149	78
Diseases of Respiratory „	3·55	3·69	3·40	1358	738	620	371	157	51	23	17	619	24	8	7	13	38	71	109	146	191	132
Diseases of Digestive „	1·12	1·10	1·14	429	220	209	109	43	6	4	5	167	13	3	11	4	18	33	53	60	52	15
Diseases of Urinary „	0·39	0·41	0·37	150	83	67	9	3	1	1	–	14	7	5	4	3	8	19	23	27	25	15
Diseases of Generative „	0·04	0·01	0·07	15	2	13	–	1	–	–	–	1	–	–	1	2	2	2	4	2	1	–
Puerperal Fever	0·08	–	0·17	31	–	31	–	–	–	–	–	–	–	–	2	6	16	7	–	–	–	–
Childbirth	0·11	–	0·24	43	–	43	–	–	–	–	–	–	–	–	3	8	21	11	–	–	–	–
Violence	0·94	1·43	0·40	359	286	73	20	9	12	6	6	53	26	25	26	36	49	47	27	22	33	15
Other Causes	3·38	3·49	3·36	1304	688	616	601	41	14	8	6	670	13	19	10	15	28	32	42	63	131	281

Marriages - - - 2,377

Births - { Males - 6,599, Females - 6,195 } 12,794

Annual Rate per 1000 living { Persons Married 12·42, Births - - 33·43 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

447.—NORTHWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·60			†136	–	–	–	–	50·93	4·18	2·64	4·15	4·98	6·65	9·76	14·13	30·47	68·34	156·39
Males	—						†151	–	–	–	–	56·03	4·75	2·47	4·19	4·29	5·83	8·75	14·15	32·69	68·91	164·02
Females	—						†119	–	–	–	–	45·70	3·61	2·81	4·10	5·75	7·56	10·83	14·11	28·19	67·77	148·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 14·16 per cent.			47,162			1464	1375	1386	1358	1322	6905	6123	5488	4577	4180	6676	4907	3758	2563	1453	532
Males				24,253			746	699	703	692	660	3500	3075	2751	2504	2216	3500	2515	1901	1300	727	264
Females				22,909			718	676	683	666	662	3405	3048	2737	2073	1964	3176	2392	1857	1263	726	268
Deaths from All Causes, 1881–90. Persons	17·76			8,376			2337	641	255	159	125	3517	256	145	190	208	444	479	531	781	993	832
Males	18·25			4,427			1349	348	124	80	60	1961	146	68	105	95	204	220	269	425	501	433
Females	17·24			3,949			988	293	131	79	65	1556	110	77	85	113	240	259	262	356	492	399
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	–	0·00	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·45	0·47	0·41	210	115	95	43	84	45	20	13	205	4	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·31	0·30	0·32	147	73	74	7	20	35	19	19	100	34	7	3	1	2	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	43	19	24	1	2	6	6	6	21	15	2	3	1	1	–	–	–	–	–
Whooping-cough	0·37	0·35	0·39	176	86	90	92	49	21	5	5	172	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·13	0·12	0·14	62	30	32	–	1	–	–	1	2	8	6	13	7	8	8	8	1	1	–
Simple Continued Fever	0·01	0·01	0·02	7	3	4	–	–	–	–	–	–	1	–	3	–	–	1	–	1	1	–
Diarrhœa and Dysentery	0·50	0·54	0·47	238	130	108	162	23	7	4	2	198	1	1	1	2	4	3	4	6	13	5
Cholera	0·01	0·02	0·00	6	5	1	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–
Cancer	0·48	0·36	0·61	227	87	140	–	–	–	–	–	–	–	–	1	1	6	21	56	54	58	30
Tabes Mesenterica	0·37	0·41	0·33	176	100	76	87	50	11	6	2	156	6	2	3	1	2	2	2	1	1	–
Phthisis	1·13	0·98	1·30	535	238	297	4	6	2	5	3	20	11	28	54	69	137	108	58	38	9	3
Other Tub. & Scrof. Dis.	0·30	0·33	0·27	141	80	61	44	28	13	8	4	97	14	9	9	1	2	2	3	3	1	–
Diseases of Nervous System	2·40	2·37	2·44	1134	574	560	455	74	29	20	12	590	35	19	18	17	26	42	60	110	144	73
Diseases of Circulatory „	1·42	1·36	1·49	671	329	342	7	–	–	–	–	7	7	13	9	14	46	68	90	180	171	66
Diseases of Respiratory „	3·31	3·60	3·01	1562	873	689	467	204	57	43	34	805	48	6	13	16	48	70	83	157	213	103
Diseases of Digestive „	1·21	1·25	1·17	571	304	267	160	51	4	6	3	224	8	8	15	8	23	40	58	80	77	30
Diseases of Urinary „	0·36	0·46	0·26	172	112	60	5	6	2	1	2	16	13	5	4	6	11	19	17	33	31	17
Diseases of Generative „	0·04	–	0·08	18	–	18	–	–	–	–	–	–	–	1	–	2	2	2	3	7	–	1
Puerperal Fever	0·10	–	0·20	45	–	45	–	–	–	–	–	–	–	–	–	7	23	14	1	–	–	–
Childbirth	0·08	–	0·17	39	–	39	–	–	–	–	–	–	–	–	3	9	17	10	–	–	–	–
Violence	0·72	1·05	0·36	338	255	83	14	14	18	9	13	68	34	21	23	25	46	31	30	27	16	17
Other Causes	3·97	4·19	3·70	1856	1014	842	788	29	5	7	6	835	13	16	15	20	39	36	56	83	256	487

Marriages - - - 3,110

Births - Males - 8,912; Females - 8,309 } 17,221

Annual Rate per 1000 living { Persons Married 13·19; Births - - 36·51

Deaths from Childbirth and Puerperal Fever - - - - - } 4·88 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

448.—CONGLETON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·48	†133	–	–	–	–	47·85	4·76	2·32	4·69	6·24	6·84	9·33	14·45	29·15	69·26	166·21
Annual Death-Rate per 1000. Males	—	17·39	†149	–	–	–	–	52·43	4·13	2·15	4·09	5·35	5·49	7·56	15·17	31·85	71·28	164·17
Annual Death-Rate per 1000. Females	—	17·57	†118	–	–	–	–	43·13	5·40	2·49	5·26	7·02	8·04	10·98	13·77	26·56	67·28	168·25
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·93 per cent.	37,833	1045	913	955	974	943	4830	4643	4232	4032	3271	5131	3964	3335	2477	1412	506
Mean Population, 1881–91. Males		18,539	523	483	470	506	467	2449	2327	2144	1979	1534	2406	1906	1628	1212	700	254
Mean Population, 1881–91. Females		19,294	522	430	485	468	476	2381	2316	2088	2053	1737	2725	2058	1707	1265	712	252
Deaths from All Causes, 1881–90. Persons	17·89	6,767	1562	385	164	117	83	2311	221	98	189	204	351	370	482	722	978	841
Deaths from All Causes, 1881–90. Males	18·42	3,414	888	208	81	65	42	1284	96	46	81	82	132	144	247	386	499	417
Deaths from All Causes, 1881–90. Females	17·38	3,353	674	177	83	52	41	1027	125	52	108	122	219	226	235	336	479	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·28	0·32	112	51	61	25	47	15	8	4	99	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·31	0·34	123	58	65	3	12	17	18	20	70	40	5	3	2	1	2	–	–	–	–
Diphtheria	0·09	0·08	0·10	34	14	20	2	2	5	5	5	19	8	3	2	2	–	–	–	–	–	–
Whooping-cough	0·37	0·38	0·36	140	71	69	76	35	16	6	2	135	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Enteric Fever	0·15	0·15	0·16	57	27	30	1	–	2	4	2	9	4	9	8	8	5	5	3	5	1	–
Simple Continued Fever	0·02	0·02	0·02	6	3	3	2	–	–	–	–	2	–	1	–	–	–	1	1	–	1	–
Diarrhœa and Dysentery	0·30	0·36	0·25	115	66	49	70	10	4	–	5	89	2	1	–	–	3	–	3	4	8	5
Cholera	0·02	0·01	0·03	6	1	5	2	–	–	–	–	2	–	–	–	–	1	–	1	1	1	–
Cancer	0·59	0·47	0·71	225	88	137	–	–	1	–	–	1	1	–	–	1	5	24	48	64	58	23
Tabes Mesenterica	0·28	0·32	0·24	105	59	46	62	22	4	–	3	91	5	3	1	–	1	–	1	3	–	–
Phthisis	1·53	1·22	1·83	579	226	353	6	1	–	1	2	10	9	21	65	86	142	112	77	41	13	3
Other Tub. & Scrof. Dis.	0·58	0·63	0·53	220	117	103	63	36	15	18	10	142	19	9	12	11	9	6	9	–	2	1
Diseases of Nervous System	2·39	2·55	2·23	904	473	431	262	46	13	14	7	342	28	9	15	23	19	32	59	107	172	98
Diseases of Circulatory "	1·40	1·29	1·51	531	240	291	1	–	–	–	–	1	8	12	13	10	29	35	57	124	180	62
Diseases of Respiratory "	3·33	3·83	2·85	1260	710	550	274	117	38	25	9	463	33	2	14	16	30	51	84	160	226	181
Diseases of Digestive "	1·21	1·20	1·22	458	223	235	81	24	9	4	1	119	9	3	9	8	13	26	52	93	87	39
Diseases of Urinary	0·35	0·46	0·24	133	86	47	1	1	–	2	3	7	3	1	3	5	6	11	15	27	41	14
Diseases of Generative	0·05	0·01	0·09	19	2	17	1	–	–	–	–	1	–	–	1	–	6	1	4	–	4	2
Puerperal Fever	0·08	–	0·17	32	–	32	–	–	–	–	–	–	–	–	1	5	19	7	–	–	–	–
Childbirth	0·06	–	0·11	21	–	21	–	–	–	–	–	–	–	–	–	4	9	8	–	–	–	–
Violence	0·65	0·94	0·37	245	174	71	15	9	16	5	8	53	22	10	21	6	25	21	21	29	25	12
Other Causes	3·80	3·90	3·69	1439	724	715	615	23	9	7	2	656	13	8	19	16	28	28	47	64	159	401

Marriages - - 2,601

Births - { Males - 5,976 / Females - 5,736 } 11,712

Annual Rate per 1000 living { Persons Married 13·75 / Births - - 30·96 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

449.—NANTWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·01	†128	–	–	–	–	47·25	4·40	2·44	3·76	5·61	6·66	9·45	14·50	28·11	65·53	162·89
Annual Death-Rate per 1000. Males	—					17·21	†139	–	–	–	–	51·47	4·75	2·53	3·58	5·00	6·02	9·11	15·32	27·52	66·90	166·40
Annual Death-Rate per 1000. Females	—					16·82	†116	–	–	–	–	42·99	4·04	2·36	3·95	6·25	7·32	9·79	13·69	28·70	64·18	159·55
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·15 per cent.			64,383			1850	1686	1751	1709	1708	8704	8048	7416	6544	5773	9019	6974	5353	3725	2051	776
Mean Population, 1881–91. Males				32,431			908	860	893	877	839	4377	4043	3680	3406	2942	4565	3490	2657	1875	1018	378
Mean Population, 1881–91. Females				31,952			942	826	858	832	869	4327	4005	3736	3138	2831	4454	3484	2696	1850	1033	398
Deaths from All Causes, 1881–90. Persons	16·94			10,909			2727	761	285	202	138	4113	354	181	246	324	601	659	776	1047	1344	1264
Deaths from All Causes, 1881–90. Males	17·37			5,633			1525	401	138	108	81	2253	192	93	122	147	275	318	407	516	681	629
Deaths from All Causes, 1881–90. Females	16·51			5,276			1202	360	147	94	57	1860	162	88	124	177	326	341	369	531	663	635
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·37	0·39	0·35	239	128	111	50	97	47	19	11	224	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·31	0·22	171	102	69	11	30	19	29	22	111	51	5	2	–	2	–	–	–	–	–
Diphtheria	0·19	0·19	0·19	123	63	60	10	12	17	17	16	72	33	7	4	1	1	3	–	2	–	–
Whooping-cough	0·30	0·29	0·30	191	94	97	108	44	14	13	5	184	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	4	4	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–
Enteric Fever	0·19	0·22	0·17	124	71	53	–	–	–	2	5	7	19	17	15	10	20	12	13	7	4	–
Simple Continued Fever	0·03	0·03	0·03	19	9	10	–	1	3	1	–	5	–	–	1	1	2	2	2	1	1	4
Diarrhœa and Dysentery	0·46	0·51	0·42	297	164	133	199	37	8	1	–	245	3	–	–	3	2	1	5	8	13	17
Cholera	0·02	0·02	0·02	12	6	6	4	4	1	–	–	9	–	–	–	–	–	–	1	2	–	–
Cancer	0·53	0·35	0·71	338	112	226	–	–	–	–	–	–	–	–	2	2	13	46	67	100	67	41
Tabes Mesenterica	0·27	0·30	0·23	171	96	75	115	32	5	2	1	155	3	5	1	1	3	1	2	–	–	–
Phthisis	1·28	1·32	1·25	826	427	399	8	10	3	2	3	26	17	37	78	137	216	162	87	45	17	4
Other Tub. & Scrof. Dis.	0·25	0·27	0·23	159	86	73	42	21	9	9	5	86	23	7	8	11	10	8	3	3	–	–
Diseases of Nervous System	2·46	2·50	2·41	1579	810	769	503	89	30	22	13	657	39	18	34	20	39	52	102	188	252	178
Diseases of Circulatory „	1·50	1·48	1·51	964	480	484	1	1	–	–	1	3	13	18	20	20	54	86	124	216	277	133
Diseases of Respiratory „	3·24	3·42	3·06	2089	1110	979	545	278	79	54	29	985	67	7	11	23	59	91	125	191	304	226
Diseases of Digestive „	1·21	1·28	1·14	779	414	365	179	49	12	9	5	254	22	19	15	21	26	45	93	113	112	59
Diseases of Urinary „	0·29	0·35	0·22	186	115	71	5	1	2	2	2	12	5	3	8	5	14	19	28	30	40	22
Diseases of Generative „	0·05	0·00	0·09	31	1	30	1	1	–	–	–	2	–	–	2	3	2	5	7	6	4	–
Puerperal Fever	0·09	–	0·19	61	–	61	–	–	–	–	–	–	–	–	1	12	32	16	–	–	–	–
Childbirth	0·07	–	0·14	44	–	44	–	–	–	–	–	–	–	–	1	8	19	16	–	–	–	–
Violence	0·50	0·71	0·29	324	231	93	16	11	16	10	9	62	18	18	19	18	29	34	37	37	32	20
Other Causes	3·36	3·42	3·34	2177	1109	1068	930	43	20	10	11	1014	19	20	23	27	57	59	80	97	221	560

Marriages - - - 4,503

Births - { Males - 11,010 / Females - 10,347 } 21,357

Annual Rate per 1000 living { Persons Married 13·99 / Births - - 33·17 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rate under one year of age are per 1000 Births.

450.—CHESTER.

Causes of Death.	Crude-Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·52	†122	–	–	–	–	45·45	4·83	3·00	4·76	6·11	8·83	13·23	19·01	33·52	68·46	158·19
Annual Death-Rate per 1000. Males	—	19·67	†138	–	–	–	–	48·40	4·91	2·98	4·65	6·52	9·35	14·68	21·55	39·37	74·49	167·40
Annual Death-Rate per 1000. Females	—	17·43	†110	–	–	–	–	42·48	4·75	3·02	4·88	5·71	8·33	11·83	16·57	28·46	63·52	151·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·46 per cent.	76,954	1968	1853	1857	1916	1854	9448	9026	8745	7879	7086	10936	8578	6666	4678	2819	1093
Mean Population, 1881–91. Males		38,002	977	937	948	958	922	4742	4541	4436	4024	3513	5378	4218	3257	2169	1270	454
Mean Population, 1881–91. Females		38,952	991	916	909	958	932	4706	4485	4309	3855	3573	5558	4360	3409	2509	1549	639
Deaths from All Causes, 1881–90. Persons	18·71	14,395	2766	785	364	230	149	4294	436	262	375	433	966	1135	1267	1568	1930	1729
Deaths from All Causes, 1881–90. Males	19·60	7,450	1560	405	166	101	63	2295	223	132	187	229	503	619	702	854	946	760
Deaths from All Causes, 1881–90. Females	17·83	6,945	1206	380	198	129	86	1999	213	130	188	204	463	516	565	714	984	969

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·00	7	6	1	–	–	–	–	–	–	–	1	2	–	–	–	2	2	–	–
Measles	0·41	0·43	0·40	317	163	154	69	118	57	30	15	289	25	–	–	–	1	1	1	–	–	–
Scarlet Fever	0·17	0·16	0·18	131	61	70	3	21	21	21	14	80	35	11	1	2	1	1	–	–	–	–
Diphtheria	0·11	0·10	0·13	88	39	49	3	13	7	14	5	42	33	8	–	1	1	2	1	–	–	–
Whooping-cough	0·37	0·33	0·42	288	125	163	122	85	34	18	18	277	9	–	1	1	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	7	3	4	–	–	–	–	–	–	3	1	1	–	–	2	–	–	–	–
Enteric Fever	0·24	0·24	0·24	187	93	94	–	2	3	3	4	12	23	22	34	20	31	28	10	6	1	–
Simple Continued Fever	0·03	0·04	0·03	25	15	10	2	1	3	–	2	8	3	3	–	1	3	1	1	3	1	1
Diarrhœa and Dysentery	0·42	0·43	0·40	320	164	156	207	24	5	2	3	241	2	2	1	2	1	5	6	8	20	32
Cholera	0·01	0·02	0·01	8	6	2	3	–	–	–	–	3	–	–	–	1	–	2	1	1	–	–
Cancer	0·66	0·52	0·79	506	198	308	–	–	–	–	–	–	1	3	1	4	16	48	117	138	132	46
Tabes Mesenterica	0·12	0·14	0·11	94	52	42	32	10	7	3	4	56	9	10	6	2	6	3	1	1	–	–
Phthisis	1·85	2·07	1·64	1424	787	637	23	12	4	6	–	45	36	54	139	194	381	289	185	82	16	3
Other Tub. & Scrof. Dis.	0·38	0·43	0·33	294	164	130	56	46	42	18	14	176	49	27	14	8	9	6	–	1	4	–
Diseases of Nervous System	2·91	3·09	2·73	2236	1174	1062	575	103	45	29	24	776	41	13	36	27	103	174	226	305	300	235
Diseases of Circulatory „	1·78	1·71	1·84	1366	649	717	5	2	–	1	–	8	12	15	28	27	62	124	184	311	386	209
Diseases of Respiratory „	2·96	3·11	2·81	2277	1183	1094	469	210	73	46	26	824	50	13	16	21	71	118	183	281	412	288
Diseases of Digestive „	1·41	1·52	1·31	1087	578	509	247	61	18	13	3	342	23	18	20	19	54	97	138	156	158	62
Diseases of Urinary „	0·53	0·63	0·43	408	239	169	6	1	3	3	3	16	10	7	13	14	39	50	55	75	78	51
Diseases of Generative „	0·05	0·01	0·09	42	5	37	3	1	1	–	–	5	1	–	2	1	4	10	6	5	6	2
Puerperal Fever	0·09	–	0·18	70	–	70	–	–	–	–	–	–	–	–	3	23	33	10	1	–	–	–
Childbirth	0·07	–	0·15	57	–	57	–	–	–	–	–	–	–	–	–	5	27	24	1	–	–	–
Violence	0·65	1·03	0·28	502	393	109	46	19	10	13	7	95	36	23	24	38	54	51	58	50	48	25
Other Causes	3·47	3·56	3·32	2654	1353	1301	895	56	31	10	7	999	35	31	33	22	69	89	90	143	368	775

Marriages - - - 5,989

Births - { Males - 11,663 / Females - 10,945 } 22,608

Annual Rate per 1000 living { Persons Married 15·57 / Births - - 29·38 }

Deaths from Childbirth and Puerperal Fever - - - - 5·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

451.—WIRRAL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·63	†107	–	–	–	–	37·07	3·90	2·43	3·85	4·11	5·38	8·81	13·91	26·02	58·78	148·31
Annual Death-Rate per 1000. Males	—	15·47	†120	–	–	–	–	40·50	4·22	2·69	4·25	4·38	5·73	8·91	16·17	28·15	65·34	145·00
Annual Death-Rate per 1000. Females	—	13·84	†93	–	–	–	–	33·50	3·58	2·13	3·36	3·86	5·05	8·73	11·73	23·99	52·96	151·03
Mean Population, 1881–91. Persons	Decennial Increase of Population 41·88 per cent.	33,775	855	786	816	806	786	4049	3793	3670	4004	3433	5220	3789	2703	1741	1019	354
Mean Population, 1881–91. Males		16,991	434	410	405	414	401	2064	1920	1935	2186	1644	2549	1875	1330	849	479	160
Mean Population, 1881–91. Females		16,784	421	376	411	392	385	1985	1873	1735	1818	1789	2671	1914	1373	892	540	194
Deaths from All Causes, 1881–90. Persons	13·62	4,601	973	267	135	75	51	1501	148	89	154	141	281	334	376	453	599	525
Deaths from All Causes, 1881–90. Males	14·40	2,446	557	134	75	41	29	836	81	52	93	72	146	167	215	239	313	232
Deaths from All Causes, 1881–90. Females	12·84	2,155	416	133	60	34	22	665	67	37	61	69	135	167	161	214	286	293

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·29	0·32	0·26	97	54	43	16	37	18	7	6	84	11	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·18	0·15	0·21	61	26	35	2	9	11	10	8	40	14	3	–	1	1	2	–	–	–	–
Diphtheria	0·12	0·12	0·11	39	21	18	2	2	4	10	2	20	17	2	–	–	–	–	–	–	–	–
Whooping-cough	0·32	0·36	0·27	107	61	46	46	29	22	3	3	103	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	7	4	3	–	–	–	–	–	–	–	2	2	–	2	–	–	–	1	–
Enteric Fever	0·16	0·16	0·16	55	28	27	–	1	2	1	1	5	3	4	7	7	12	4	4	4	4	1
Simple Continued Fever	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
Diarrhœa and Dysentery	0·48	0·50	0·46	163	85	78	101	17	7	1	2	128	1	–	–	–	3	3	3	5	10	10
Cholera	0·01	0·02	0·01	4	3	1	1	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–
Cancer	0·46	0·36	0·57	156	61	95	–	–	–	–	–	–	–	–	–	1	3	15	36	41	45	15
Tabes Mesenterica	0·14	0·17	0·11	48	29	19	20	6	3	1	1	31	6	5	1	1	2	–	1	1	–	–
Phthisis	1·26	1·24	1·29	426	210	216	1	2	3	–	1	7	5	16	44	57	107	97	56	24	13	–
Other Tub. & Scrof. Dis.	0·21	0·24	0·18	70	40	30	23	9	7	3	1	43	12	3	4	1	1	3	1	1	–	1
Diseases of Nervous System	1·84	1·82	1·85	620	309	311	182	33	20	15	11	261	21	10	12	6	10	19	45	67	98	71
Diseases of Circulatory „	1·24	1·24	1·2[illegible]	420	210	210	4	3	1	–	–	8	8	8	11	7	12	36	52	82	118	78
Diseases of Respiratory „	2·28	2·50	2·05	769	425	344	156	75	29	15	7	282	15	4	14	7	24	39	52	85	135	112
Diseases of Digestive „	0·86	0·98	0·73	290	167	123	62	16	1	2	3	84	6	5	7	8	13	24	34	49	40	20
Diseases of Urinary „	0·44	0·52	0·35	147	89	58	1	1	1	1	–	4	4	3	5	4	14	14	21	29	34	15
Diseases of Generative „	0·03	–	0·05	9	–	9	–	–	–	–	–	–	–	–	–	2	3	3	–	–	1	–
Puerperal Fever	0·08	–	0·15	26	–	26	–	–	–	–	–	–	–	–	–	5	16	5	–	–	–	–
Childbirth	0·06	–	0·11	19	–	19	–	–	–	–	–	–	–	–	1	2	8	8	–	–	–	–
Violence	0·68	1·08	0·27	229	183	46	11	8	2	3	3	27	11	15	30	23	30	30	27	13	14	9
Other Causes	2·45	2·58	2·37	835	439	396	345	19	4	3	2	373	9	9	16	7	19	31	43	50	85	193

Marriages - - - 1,156

Births - { Males - 4,661 / Females - 4,455 } 9,116

Annual Rate per 1000 living { Persons Married 6·85 / Births - - 26·99 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·94 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

452.—BIRKENHEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·70	†145	–	–	–	–	60·59	5·35	2·77	3·99	4·79	8·01	12·93	20·08	37·91	76·08	151·76
Annual Death-Rate per 1000. Males	—	21·82	†157	–	–	–	–	63·75	5·41	3·03	4·34	5·23	8·82	13·87	22·07	40·39	84·15	164·20
Annual Death-Rate per 1000. Females	—	19·64	†133	–	–	–	–	57·41	5·29	2·53	3·69	4·42	7·28	12·02	18·19	35·79	69·88	144·01
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·27 per cent.	117,009	3381	3055	3128	3053	3053	15670	14078	12762	11569	11043	18745	14209	9554	5693	2805	881
Mean Population, 1881–91. Males		56,365	1696	1527	1564	1541	1525	7853	7079	6310	5465	5008	8855	6978	4644	2617	1218	338
Mean Population, 1881–91. Females		60,644	1685	1528	1564	1512	1528	7817	6999	6452	6104	6035	9890	7231	4910	3076	1587	543
Deaths from All Causes, 1881–90. Persons	19·21	22,477	5836	2017	830	487	324	9494	753	354	462	529	1501	1837	1918	2158	2134	1337
Deaths from All Causes, 1881–90. Males	20·38	11,490	3199	1026	405	223	153	5006	383	191	237	262	781	968	1025	1057	1025	555
Deaths from All Causes, 1881–90. Females	18·12	10,987	2637	991	425	264	171	4488	370	163	225	267	720	869	893	1101	1109	782

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	17	8	9	2	–	–	–	–	2	2	1	2	2	2	5	1	–	–	–
Measles	0·52	0·56	0·48	608	315	293	134	243	97	60	35	569	36	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·34	0·35	0·33	399	196	203	21	74	69	47	41	252	101	28	6	5	4	3	–	–	–	–
Diphtheria	0·11	0·11	0·11	124	60	64	9	12	15	21	13	70	39	2	1	–	6	2	2	2	–	–
Whooping-cough	0·49	0·47	0·50	568	265	303	226	169	79	44	23	541	26	1	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·06	80	43	37	–	–	1	–	–	1	2	3	6	6	18	18	16	7	3	–
Enteric Fever	0·23	0·23	0·23	268	131	137	–	4	4	12	7	27	33	34	25	29	49	34	25	10	2	–
Simple Continued Fever	0·02	0·01	0·02	19	8	11	2	3	–	–	–	5	3	1	–	–	3	1	–	4	2	–
Diarrhœa and Dysentery	0·68	0·70	0·66	792	393	399	506	146	26	8	1	687	1	3	1	2	9	11	9	27	22	20
Cholera	0·02	0·02	0·01	21	13	8	12	1	–	–	–	13	–	1	1	–	–	1	1	2	2	–
Cancer	0·52	0·39	0·64	608	220	388	–	–	1	3	2	6	1	–	3	1	24	77	165	168	121	42
Tabes Mesenterica	0·18	0·19	0·16	208	108	100	92	38	15	14	7	166	21	10	3	3	3	1	–	1	–	–
Phthisis	1·58	1·76	1·41	1847	990	857	16	18	10	8	10	62	31	50	157	224	508	426	245	118	25	1
Other Tub. & Scrof. Dis.	0·32	0·37	0·29	380	206	174	104	75	40	20	12	251	64	29	11	5	9	2	3	4	2	–
Diseases of Nervous System	2·77	3·01	2·54	3236	1699	1537	1156	276	111	54	44	1641	111	28	33	30	85	151	255	331	384	187
Diseases of Circulatory „	1·34	1·35	1·33	1568	761	807	11	4	4	4	4	27	21	31	42	32	123	226	244	332	354	136
Diseases of Respiratory „	3·68	4·04	3·35	4306	2275	2031	1010	579	215	118	73	1995	115	24	28	48	185	297	388	504	498	224
Diseases of Digestive „	1·28	1·28	1·28	1498	722	776	368	129	27	19	9	552	34	18	26	18	77	164	197	216	143	53
Diseases of Urinary „	0·40	0·46	0·34	465	261	204	8	7	12	8	3	38	9	7	15	15	55	64	78	84	81	19
Diseases of Generative „	0·05	0·01	0·09	56	3	53	2	1	–	–	–	3	–	1	1	2	12	16	10	6	3	2
Puerperal Fever	0·08	–	0·15	89	–	89	–	–	–	–	–	–	–	–	4	19	42	24	–	–	–	–
Childbirth	0·08	–	0·15	93	–	93	–	–	–	–	–	–	–	–	3	11	44	33	2	–	–	–
Violence	0·73	1·13	0·35	850	635	215	62	27	40	18	22	169	63	37	43	48	130	132	95	74	47	12
Other Causes	3·71	3·85	3·63	4377	2178	2199	2095	211	64	29	18	2417	40	44	50	29	112	149	182	268	445	641

Marriages - - - 7,013

Births { Males - 20,356, Females - 19,811 } 40,167

Annual Rate per 1000 living { Persons Married 11·99, Births - - 34·33 }

Deaths from Childbirth and Puerperal Fever - - - - 4·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

453.—LIVERPOOL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 36·00	†219	–	–	–	–	114·25	10·93	5·35	6·80	8·90	15·56	25·33	38·21	64·22	108·12	161·65
Annual Death-Rate per 1000. Males	—	38·46	†234	–	–	–	–	120·87	11·65	5·88	7·56	9·97	16·68	27·68	41·51	69·45	117·39	187·65
Annual Death-Rate per 1000. Females	—	33·67	†204	–	–	–	–	107·73	10·21	4·83	6·08	7·95	14·43	22·91	34·96	59·47	100·74	147·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 25·31 per cent.	183,572	4797	3933	4170	4053	3948	20901	19016	18119	17836	18322	31029	24973	17643	10222	4362	1155
Mean Population, 1881–91. Males		90,400	2399	1950	2085	1987	1954	10375	9516	8973	8647	8617	15645	12668	8744	4870	1932	413
Mean Population, 1881–91. Females		93,172	2398	1983	2085	2066	1994	10526	9500	9146	9183	9705	15384	12305	8899	5352	2430	742
Deaths from All Causes, 1881–90. Persons	33·13	60,815	13146	5628	2557	1516	1033	23880	2079	970	1212	1631	4829	6325	6741	6565	4716	1867
Deaths from All Causes, 1881–90. Males	35·24	31,860	7102	2860	1301	747	530	12540	1109	528	654	859	2609	3506	3630	3382	2268	775
Deaths from All Causes, 1881–90. Females	31·08	28,955	6044	2768	1256	769	503	11340	970	442	558	772	2220	2819	3111	3183	2448	1092

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·00	0·01	12	4	8	4	1	–	–	1	6	1	2	–	2	–	1	–	–	–	–
Measles	1·15	1·23	1·08	2119	1113	1006	411	791	410	252	120	1984	124	1	4	1	4	1	–	–	–	–
Scarlet Fever	0·52	0·51	0·52	950	464	486	48	141	162	137	132	620	261	39	12	10	5	1	1	1	–	–
Diphtheria	0·14	0·14	0·13	249	126	123	18	46	42	37	35	178	49	5	3	3	4	4	2	–	1	–
Whooping-cough	0·71	0·62	0·78	1295	564	731	456	401	184	126	65	1232	60	1	–	–	–	–	–	1	1	–
Typhus	0·47	0·52	0·42	856	469	387	1	2	5	5	9	22	36	23	78	90	193	216	124	65	9	–
Enteric Fever	0·26	0·28	0·24	473	250	223	2	10	9	14	13	48	46	51	61	50	99	63	28	22	3	2
Simple Continued Fever	0·04	0·05	0·04	80	44	36	10	9	6	3	3	31	12	5	3	3	7	6	4	6	3	–
Diarrhœa and Dysentery	1·34	1·41	1·27	2463	1277	1186	1298	535	135	41	24	2033	26	6	3	9	16	36	59	124	104	47
Cholera	0·02	0·03	0·01	37	27	10	10	6	1	1	1	19	1	–	1	1	–	5	1	8	1	–
Cancer	0·69	0·58	0·80	1267	526	741	2	2	6	2	3	15	3	3	11	15	77	247	368	333	158	37
Tabes Mesenterica	0·36	0·39	0·34	669	350	319	242	194	85	38	22	581	51	7	4	3	11	7	4	1	–	–
Phthisis	3·13	3·55	2·72	5742	3210	2532	47	28	33	23	31	162	114	173	369	618	1668	1474	800	285	65	14
Other Tub. & Scrof. Dis.	0·59	0·67	0·51	1080	602	478	275	211	134	75	54	749	133	52	46	21	42	26	8	2	1	–
Diseases of Nervous System	3·63	3·91	3·37	6673	3536	3137	2246	620	251	149	103	3369	219	92	82	81	229	417	641	744	608	191
Diseases of Circulatory „	2·23	2·28	2·19	4102	2064	2038	17	5	1	5	4	32	60	91	118	117	440	792	883	886	520	163
Diseases of Respiratory „	8·42	8·86	7·98	15452	8014	7438	2514	1594	732	379	232	5451	357	101	118	185	798	1418	2166	2557	1783	518
Diseases of Digestive „	1·66	1·72	1·60	3048	1557	1491	652	398	79	50	36	1215	81	52	53	70	213	341	439	354	184	46
Diseases of Urinary „	0·69	0·90	0·49	1267	810	457	8	45	25	19	26	123	61	28	27	26	141	209	261	215	140	36
Diseases of Generative „	0·11	0·03	0·19	202	23	179	2	5	7	4	2	20	–	–	5	19	41	51	39	17	8	2
Puerperal Fever	0·09	–	0·17	159	–	159	–	–	–	–	–	–	–	–	17	41	72	28	1	–	–	–
Childbirth	0·06	–	0·12	109	–	109	–	–	–	–	–	–	–	–	4	14	55	35	1	–	–	–
Violence	1·73	2·29	1·19	3176	2065	1111	843	71	74	65	56	1109	200	97	97	125	335	394	382	259	136	42
Other Causes	5·08	5·27	4·91	9335	4765	4570	4040	513	176	91	61	4881	184	141	96	127	379	553	529	685	991	769

Marriages - - - 26,887

Births - { Males - 30,339 / Females - 29,584 } 59,923

Annual Rate per 1000 living { Persons Married 29·29 / Births - - 32·64 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·47 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

454.—TOXTETH PARK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 25·15			†165	–	–	–	–	79·31	7·45	3·78	4·80	6·36	9·93	15·71	24·70	43·18	77·31	157·33
Annual Death-Rate per 1000. Males	—			In Standard Population* 26·52			†175	–	–	–	–	84·91	7·32	3·80	5·36	6·87	10·43	16·10	26·75	48·99	82·32	167·29
Annual Death-Rate per 1000. Females	—			In Standard Population* 23·87			†155	–	–	–	–	73·83	7·58	3·75	4·32	5·97	9·51	15·36	22·92	38·84	74·00	152·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·71 per cent.			122,707			3677	3227	3233	3159	3168	16464	14396	12766	11640	11456	20300	15245	10332	6155	3032	921
Mean Population, 1881–91. Males				57,361			1843	1621	1535	1595	1549	8143	7141	6255	5406	5040	9205	7200	4812	2633	1205	321
Mean Population, 1881–91. Females				65,346			1834	1606	1698	1564	1619	8321	7255	6511	6234	6416	11095	8045	5520	3522	1827	600
Deaths from All Causes, 1881–90. Persons	23·89			29,313			7403	3019	1261	809	565	13057	1073	482	559	729	2015	2395	2552	2658	2344	1449
Deaths from All Causes, 1881–90. Males	25·34			14,536			3988	1576	647	403	300	6914	523	238	290	346	960	1159	1287	1290	992	537
Deaths from All Causes, 1881–90. Females	22·61			14,777			3415	1443	614	406	265	6143	550	244	269	383	1055	1236	1265	1368	1352	912
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·07	0·08	0·05	81	48	33	6	3	1	3	4	17	11	11	2	9	13	12	5	1	–	–
Measles	0·85	0·93	0·78	1045	535	510	217	393	167	116	68	961	77	4	2	–	1	–	–	–	–	–
Scarlet Fever	0·63	0·72	0·55	777	415	362	50	107	123	122	100	502	213	38	7	4	10	2	–	1	–	–
Diphtheria	0·17	0·17	0·18	213	95	118	19	30	31	30	21	131	58	10	1	6	2	2	2	–	1	–
Whooping-cough	0·71	0·69	0·72	868	395	473	341	278	114	60	34	827	41	–	–	–	–	–	–	–	–	–
Typhus	0·24	0·28	0·21	297	162	135	–	1	–	3	5	9	12	8	14	29	65	91	39	22	6	2
Enteric Fever	0·23	0·26	0·19	277	152	125	–	4	8	5	9	26	29	39	39	25	52	29	23	8	6	1
Simple Continued Fever	0·04	0·04	0·04	52	25	27	2	2	5	5	6	20	8	3	3	1	4	4	5	4	–	–
Diarrhœa and Dysentery	1·05	1·11	1·00	1290	634	656	762	262	41	17	5	1087	15	2	4	2	18	18	18	29	64	33
Cholera	0·02	0·02	0·02	25	13	12	5	3	4	2	1	15	1	–	2	1	1	–	1	2	1	1
Cancer	0·60	0·49	0·70	740	281	459	–	3	1	2	–	6	2	2	9	7	36	118	216	191	113	40
Tabes Mesenterica	0·32	0·36	0·28	388	207	181	152	108	52	15	10	337	22	11	3	3	5	3	4	–	–	–
Phthisis	2·10	2·13	2·08	2580	1224	1356	35	28	17	8	10	98	58	75	179	262	728	618	375	138	45	4
Other Tub. & Scrof. Dis.	0·50	0·62	0·39	612	357	255	192	139	63	34	28	456	39	19	19	16	27	20	8	6	2	–
Diseases of Nervous System	3·14	3·41	2·91	3858	1958	1900	1371	387	126	91	66	2041	117	39	38	39	110	165	295	403	396	215
Diseases of Circulatory „	1·77	1·74	1·79	2168	999	1169	13	3	–	2	2	20	29	54	49	67	200	326	367	460	404	192
Diseases of Respiratory „	4·80	5·27	4·39	5892	3022	2870	1248	799	343	190	120	2700	149	44	50	85	242	375	556	740	630	321
Diseases of Digestive „	1·42	1·46	1·39	1745	837	908	464	179	43	17	18	721	51	28	23	34	97	175	201	212	143	60
Diseases of Urinary „	0·55	0·67	0·46	680	382	298	17	10	23	26	6	82	24	10	16	22	65	91	138	111	94	27
Diseases of Generative „	0·07	0·01	0·13	90	8	82	4	–	–	1	–	5	–	–	2	7	16	24	20	10	3	3
Puerperal Fever	0·08	—	0·15	99	–	99	–	–	–	–	–	–	–	–	8	18	49	23	1	–	–	–
Childbirth	0·07	—	0·13	85	–	85	–	–	–	–	–	–	–	–	–	9	48	28	–	–	–	–
Violence	0·85	1·14	0·61	1049	652	397	304	38	25	22	23	412	51	30	32	31	93	114	118	90	54	24
Other Causes	3·61	3·74	3·46	4402	2135	2267	2201	242	74	38	29	2584	66	55	57	52	133	157	160	230	382	526

Marriages - - - 9,386

Births - { Males - 22,726 / Females - 22,013 } 44,739

Annual Rate per 1000 living { Persons Married 15·30 / Births - - 36·46 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

455.—WEST DERBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		23·40	†157	–	–	–	–	71·92	7·42	3·66	4·23	5·57	8·63	14·01	21·94	40·02	81·35	161·37
Annual Death-Rate per 1000. Males	—					24·46	†168	–	–	–	–	76·23	7·46	3·55	4·51	5·75	8·69	14·51	23·67	43·77	89·50	171·17
Annual Death-Rate per 1000. Females	—					22·39	†145	–	–	–	–	67·61	7·38	3·76	3·97	5·41	8·57	13·53	20·33	36·90	75·51	155·38
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·70 per cent.			401,838			12136	10887	10982	10883	10676	55564	49351	43899	38961	37085	64613	49161	33099	18666	8822	2617
Mean Population, 1881–91. Males				194,480			6187	5442	5489	5382	5315	27815	24678	21863	18844	17417	30777	23979	15960	8469	3686	992
Mean Population, 1881–91. Females				207,358			5949	5445	5493	5501	5361	27749	24673	22036	20117	19668	33836	25182	17139	10197	5136	1625
Deaths from All Causes, 1881–90. Persons	21·78			87,584			23199	9037	3754	2308	1665	39963	3662	1605	1648	2066	5573	6885	7262	7470	7177	4223
Deaths from All Causes, 1881–90. Males	22·78			44,304			12702	4629	1900	1166	806	21203	1841	776	849	1001	2673	3479	3778	3707	3299	1698
Deaths from All Causes, 1881–90. Females	20·85			43,230			10497	4408	1854	1142	859	18760	1821	829	799	1065	2900	3406	3484	3763	3878	2525
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·05	0·06	0·04	201	121	80	24	8	8	5	7	52	15	11	19	22	40	25	11	4	2	–
Measles	0·76	0·82	0·70	3042	1597	1445	625	1199	502	315	161	2802	215	10	3	2	7	1	2	–	–	–
Scarlet Fever	0·59	0·61	0·56	2356	1187	1169	118	341	379	347	293	1478	671	127	29	12	24	13	2	–	–	–
Diphtheria	0·21	0·19	0·23	846	372	474	56	109	109	111	114	499	246	52	12	5	13	8	5	6	–	–
Whooping-cough	0·61	0·56	0·66	2461	1096	1365	884	803	346	193	104	2330	126	2	1	–	–	1	–	–	1	–
Typhus	0·08	0·08	0·08	326	162	164	–	1	1	–	4	6	17	11	25	23	71	85	53	25	7	3
Enteric Fever	0·23	0·25	0·21	917	478	439	4	19	20	33	18	94	137	118	114	94	165	92	66	29	7	1
Simple Continued Fever	0·02	0·02	0·02	90	45	45	5	5	10	7	2	29	15	6	7	3	6	8	6	8	2	–
Diarrhœa and Dysentery	0·95	1·02	0·88	3812	1983	1829	2556	686	86	41	15	3384	24	11	3	15	19	31	50	81	119	75
Cholera	0·03	0·03	0·02	104	61	43	57	13	1	2	2	75	10	–	2	1	2	6	1	5	2	–
Cancer	0·51	0·36	0·64	2030	694	1336	–	3	–	4	2	9	4	1	8	6	73	318	534	556	411	110
Tabes Mesenterica	0·37	0·41	0·33	1484	791	693	745	352	132	47	44	1320	81	33	14	12	11	8	–	4	1	–
Phthisis	2·08	2·28	1·90	8365	4432	3933	109	95	64	33	37	338	238	283	593	854	2217	1963	1191	546	121	21
Other Tub. & Scrof. Dis.	0·49	0·58	0·42	1980	1119	861	621	458	204	120	84	1487	210	79	55	45	38	34	21	8	3	–
Diseases of Nervous System	2·95	3·13	2·77	11846	6093	5753	4552	1130	433	239	167	6521	393	166	105	112	315	535	857	1138	1185	519
Diseases of Circulatory „	1·39	1·33	1·45	5594	2592	3002	57	5	8	5	13	88	99	149	136	141	449	815	1004	1219	1052	442
Diseases of Respiratory „	4·63	4·97	4·30	18588	9668	8920	4263	2665	1051	552	373	8904	511	144	141	199	733	1210	1742	2150	1960	894
Diseases of Digestive „	1·24	1·28	1·24	4975	2395	2580	1419	499	104	59	52	2133	148	83	84	89	276	457	572	594	408	131
Diseases of Urinary „	0·40	0·47	0·33	1612	922	690	22	33	34	28	30	147	67	40	32	51	155	226	274	267	260	93
Diseases of Generative „	0·06	0·01	0·11	235	13	222	7	3	2	3	1	16	–	–	7	14	52	51	37	38	17	3
Puerperal Fever	0·09	–	0·17	361	–	361	–	–	–	–	–	–	–	–	5	81	184	86	5	–	–	–
Childbirth	0·07	–	0·13	271	–	271	–	–	–	–	–	–	–	–	11	41	119	98	2	–	–	–
Violence	0·71	0·98	0·45	2851	1914	937	695	98	72	64	56	985	178	104	95	121	272	349	326	228	146	47
Other Causes	3·26	3·39	3·21	13187	6569	6618	6380	512	188	100	86	7266	257	175	147	123	332	465	501	564	1473	1884

Marriages - - - 27,883

Births - { Males - 75,388 / Females - 72,630 } 148,018

Annual Rate per 1000 living { Persons Married 13·88 / Births - - 36·84 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

456.—PRESCOT.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·92			†157	–	–	–	–	68·70	6·55	3·09	4·46	5·89	8·50	13·60	22·08	43·21	82·75	156·57
Males	—			23·92			†170	–	–	–	–	73·27	6·41	2·96	4·56	5·52	8·14	13·96	24·29	46·91	91·29	164·64
Females	—			21·98			†142	–	–	–	–	64·11	6·69	3·23	4·35	6·33	8·92	13·19	19·74	39·54	75·31	150·32
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·47 per cent.			129,443			4178	3824	3920	3819	3623	19364	16822	14643	12704	11817	20183	14698	9871	5776	2736	829
Males				67,030			2080	1929	1987	1904	1798	9698	8453	7396	6709	6400	10923	7853	5084	2878	1274	362
Females				62,413			2098	1895	1933	1915	1825	9666	8369	7247	5995	5417	9260	6845	4787	2898	1462	467
Deaths from All Causes, 1881–90. Persons	21·69			28,073			7738	2995	1270	797	503	13303	1102	453	567	696	1715	1999	2180	2496	2264	1298
Males	22·16			14,855			4291	1547	638	384	246	7103	542	219	306	353	889	1096	1235	1350	1163	596
Females	21·18			13,218			3447	1448	632	413	257	6197	560	234	261	343	826	903	945	1146	1101	702
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	14	5	9	–	–	–	–	–	–	–	–	4	5	2	2	–	–	–	1
Measles	0·93	0·96	0·91	1209	643	566	223	478	226	123	74	1124	79	2	1	–	2	1	–	–	–	–
Scarlet Fever	0·52	0·47	0·58	676	316	360	35	107	135	114	87	478	172	19	2	2	3	–	–	–	–	–
Diphtheria	0·18	0·18	0·19	239	120	119	18	49	40	44	25	176	41	7	2	–	8	2	2	–	–	1
Whooping-cough	0·50	0·44	0·58	653	294	359	264	208	87	37	27	623	28	1	–	1	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	25	18	7	–	–	–	2	–	2	1	3	1	3	5	2	7	–	1	–
Enteric Fever	0·39	0·43	0·36	508	286	222	3	12	14	14	14	57	56	57	64	70	80	59	35	23	7	–
Simple Continued Fever	0·06	0·06	0·06	77	42	35	–	6	2	1	1	10	17	5	6	4	7	5	6	9	7	1
Diarrhœa and Dysentery	1·15	1·17	1·13	1488	782	706	887	307	40	16	11	1261	16	5	7	4	10	21	20	36	68	40
Cholera	0·02	0·02	0·02	25	15	10	3	1	3	–	2	9	3	–	–	–	2	2	2	6	1	–
Cancer	0·37	0·27	0·48	481	182	299	1	–	–	–	1	2	1	2	2	–	14	53	146	138	95	28
Tabes Mesenterica	0·44	0·47	0·42	573	313	260	278	146	44	13	13	494	43	11	7	4	7	2	3	1	–	1
Phthisis	1·49	1·41	1·57	1927	948	979	21	20	14	5	10	70	43	60	164	230	510	432	258	125	31	4
Other Tub. & Scrof. Dis.	0·41	0·43	0·39	534	288	246	142	121	48	46	16	373	57	20	19	13	27	11	8	4	2	–
Diseases of Nervous System	2·94	3·13	2·73	3804	2098	1706	1414	243	105	83	42	1887	109	50	47	45	182	271	308	365	360	180
Circulatory „	1·14	1·07	1·23	1480	715	765	11	2	–	–	4	17	26	38	47	33	113	199	262	338	293	114
Respiratory „	4·99	5·33	4·62	6456	3575	2881	1438	799	346	195	113	2891	187	43	50	74	269	404	615	875	731	317
Digestive „	1·17	1·17	1·17	1515	782	733	413	191	37	16	9	666	43	25	22	30	75	137	169	184	124	40
Urinary „	0·34	0·38	0·29	436	252	184	7	9	12	10	6	44	23	10	6	11	49	52	74	86	61	20
Generative „	0·03	0·01	0·06	44	6	38	3	1	–	–	–	4	1	1	4	4	7	6	8	5	4	–
Puerperal Fever	0·12	–	0·25	156	–	156	–	–	–	–	–	–	–	–	9	40	64	39	4	–	–	–
Childbirth	0·08	–	0·17	107	–	107	–	–	–	–	–	–	–	–	2	16	49	39	1	–	–	–
Violence	0·80	1·17	0·40	1033	782	251	57	49	36	35	28	205	60	48	64	67	140	137	128	100	56	28
Other Causes	3·59	3·55	3·55	4613	2393	2220	2520	246	81	43	20	2910	96	46	37	40	90	123	124	206	418	523

Marriages - - - 8,588

Births - { Males - 25,175 / Females - 24,247 } 49,422

Annual Rate per 1000 living { Persons Married 13·27 / Births - - 38·18 }

Deaths from Childbirth and Puerperal Fever - - - - 5·32 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

457.—ORMSKIRK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 18·14	†127	–	–	–	–	48·22	5·63	2·79	4·05	5·09	7·48	11·85	16·77	31·69	66·81	155·04
Annual Death-Rate per 1000. Males	—	Standard 19·84	†140	–	–	–	–	52·25	6·00	2·74	4·66	6·16	8·38	14·42	19·70	37·89	74·24	168·13
Annual Death-Rate per 1000. Females	—	Population* 16·53	†113	–	–	–	–	44·26	5·26	2·83	3·55	4·33	6·79	9·76	14·52	27·17	61·15	145·38
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·22 per cent.	91,209	2332	2119	2237	2240	2100	11028	10252	9835	9516	8707	13842	10366	7691	5573	3269	1130
Mean Population, 1881–91. Males		41,476	1170	1037	1101	1128	1038	5474	5102	4849	4223	3622	5982	4631	3351	2349	1413	480
Mean Population, 1881–91. Females		49,733	1162	1082	1136	1112	1062	5554	5150	4986	5293	5085	7860	5735	4340	3224	1856	650
Deaths from All Causes, 1881–90. Persons	17·82	16,252	3341	1035	405	308	229	5318	577	274	385	443	1035	1228	1290	1766	2184	1752
Deaths from All Causes, 1881–90. Males	20·00	8,294	1882	510	205	146	117	2860	306	133	197	223	501	668	660	890	1049	807
Deaths from All Causes, 1881–90. Females	16·00	7,958	1459	525	200	162	112	2458	271	141	188	220	534	560	630	876	1135	945

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Measles	0·30	0·32	0·29	273	131	142	52	98	49	27	15	241	27	2	1	1	1	–	–	–	–
Scarlet Fever	0·21	0·25	0·18	194	103	91	8	18	22	36	33	117	51	14	2	1	6	3	–	–	–
Diphtheria	0·22	0·21	0·23	200	87	113	12	25	17	30	31	115	64	15	–	–	3	1	–	2	–
Whooping-cough	0·21	0·23	0·20	194	94	100	93	63	20	8	5	189	5	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	13	9	4	1	–	–	–	–	1	3	1	2	–	1	4	–	1	–
Enteric Fever	0·15	0·19	0·12	141	79	62	1	1	3	1	2	8	15	10	20	16	20	24	12	12	4
Simple Continued Fever	0·03	0·05	0·01	27	20	7	–	3	1	–	1	5	5	3	2	1	3	4	1	1	2
Diarrhœa and Dysentery	0·37	0·44	0·32	341	181	160	187	42	11	5	3	248	6	2	1	2	2	6	7	15	27
Cholera	0·00	0·00	0·01	4	1	3	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–
Cancer	0·49	0·40	0·57	450	166	284	–	–	–	–	–	–	1	2	2	4	9	42	98	140	112
Tabes Mesenterica	0·19	0·22	0·15	170	93	77	76	31	15	6	4	132	11	8	5	1	4	3	1	2	2
Phthisis	1·79	2·00	1·61	1632	831	801	25	14	14	7	6	66	31	49	140	185	416	369	216	113	40
Other Tub. & Scrof. Dis.	0·28	0·34	0·23	253	141	112	73	46	18	19	7	163	28	15	13	7	12	9	4	–	2
Diseases of Nervous System	2·60	2·87	2·36	2366	1192	1174	708	143	61	42	22	976	80	24	35	31	54	98	157	272	424
Diseases of Circulatory „	1·63	1·75	1·53	1485	725	760	5	–	–	–	1	6	14	24	31	34	74	130	182	369	415
Diseases of Respiratory „	3·54	4·12	3·04	3232	1711	1521	741	393	116	82	59	1391	109	20	23	43	110	143	206	344	503
Diseases of Digestive „	1·38	1·52	1·26	1257	631	626	254	71	12	14	8	359	37	23	17	19	71	111	147	214	194
Diseases of Urinary „	0·41	0·53	0·31	376	220	156	5	4	5	5	2	21	9	8	6	6	24	45	59	79	80
Diseases of Generative „	0·06	0·01	0·10	55	6	49	2	–	1	–	–	3	–	–	4	2	12	7	9	6	7
Puerperal Fever	0·06	–	0·11	57	–	57	–	–	–	–	–	–	–	–	2	9	28	16	2	–	–
Childbirth	0·08	–	0·14	69	–	69	–	–	–	–	–	–	–	–	5	9	27	27	1	–	–
Violence	0·66	1·14	0·26	600	472	128	23	30	18	17	17	105	37	21	45	37	85	83	80	46	38
Other Causes	3·15	3·39	2·96	2861	1400	1461	1074	53	22	9	13	1171	44	32	29	35	73	102	108	148	334

Marriages - - - 5,790

Births - { Males - 13,482 / Females - 12,911 } 26,393

Annual Rate per 1000 living { Persons Married 12·70 / Births - - 28·94

Deaths from Childbirth and Puerperal Fever - - - - - 4·77 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

458.—WIGAN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·43	†161	–	–	–	–	73·38	6·78	3·32	4·73	6·32	7·90	11·78	19·73	42·57	84·36	175·82
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·33	†173	–	–	–	–	78·13	7·22	3·44	4·77	5·79	7·29	12·13	21·68	46·62	88·57	183·04
Annual Death-Rate per 1000. Females	—	In Standard Population* 22·58	†148	–	–	–	–	68·67	6·35	3·19	4·69	6·89	8·55	11·40	17·75	38·67	80·54	169·88
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·19 per cent.	153,340	5160	4627	4591	4457	4490	23325	20161	17576	15996	14552	22777	16460	11317	7033	3254	889
Mean Population, 1881–91. Males	Decennial Increase of Population 19·19 per cent.	77,482	2593	2299	2298	2217	2223	11630	10013	8807	8068	7531	11769	8555	5711	3449	1548	401
Mean Population, 1881–91. Females	Decennial Increase of Population 19·19 per cent.	75,858	2567	2328	2293	2240	2267	11695	10148	8769	7928	7021	11008	7905	5606	3584	1706	488
Deaths from All Causes 1881–90. Persons	22·18	34,017	9964	4000	1563	953	637	17117	1367	583	757	920	1799	1939	2233	2994	2745	1563
Deaths from All Causes 1881–90. Males	22·95	17,780	5438	2033	806	471	338	9086	723	303	385	436	858	1038	1238	1608	1371	734
Deaths from All Causes 1881–90. Females	21·40	16,237	4526	1967	757	482	299	8031	644	280	372	484	941	901	995	1386	1374	829

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	10	5	5	2	–	–	–	–	2	–	2	–	1	2	2	–	–	1	–
Measles	0·92	0·91	0·93	1416	708	708	301	574	260	136	65	1336	75	1	–	2	2	–	–	–	–	–
Scarlet Fever	0·89	0·92	0·86	1362	712	650	84	229	228	207	176	924	366	49	10	6	7	–	–	–	–	–
Diphtheria	0·06	0·05	0·06	90	42	48	9	23	11	9	6	58	21	3	–	3	1	1	1	1	1	–
Whooping-cough	0·55	0·42	0·68	841	329	512	355	276	104	60	22	817	24	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	16	9	7	–	–	1	–	1	2	4	–	–	1	5	2	1	–	1	–
Enteric Fever	0·31	0·32	0·30	475	249	226	2	9	6	14	19	50	56	60	60	74	85	43	22	22	3	–
Simple Continued Fever	0·04	0·03	0·04	61	27	34	2	1	8	4	6	21	11	5	6	5	6	3	3	–	1	–
Diarrhœa and Dysentery	1·12	1·13	1·10	1712	875	837	1067	366	53	24	9	1519	13	5	–	2	14	10	17	39	60	33
Cholera	0·01	0·02	0·01	22	15	7	2	1	–	–	–	3	3	–	1	–	–	2	2	7	4	–
Cancer	0·34	0·25	0·43	520	194	326	–	–	1	–	1	2	3	1	6	3	21	71	120	156	97	40
Tabes Mesenterica	0·40	0·46	0·33	608	360	248	285	204	44	15	13	561	20	10	9	–	2	2	2	2	–	–
Phthisis	1·30	1·22	1·38	1998	949	1049	48	54	19	11	8	140	57	75	222	284	495	349	255	99	20	2
Other Tub. & Scrof. Dis.	0·42	0·44	0·40	645	344	301	186	144	70	37	24	461	58	26	25	21	21	18	8	4	2	1
Diseases of Nervous System	2·60	2·75	2·45	3990	2133	1857	1588	310	150	85	62	2195	156	71	44	42	103	145	228	412	393	201
Diseases of Circulatory "	1·39	1·27	1·52	2135	982	1153	18	1	2	1	3	25	40	54	59	64	139	236	354	535	478	151
Diseases of Respiratory "	5·38	5·78	4·97	8250	4481	3769	2214	1196	443	251	160	4264	230	52	73	105	287	393	631	980	884	351
Diseases of Digestive "	1·38	1·42	1·35	2121	1100	1021	741	312	43	25	14	1135	47	29	27	28	63	127	184	267	181	33
Diseases of Urinary "	0·41	0·46	0·36	627	356	271	11	31	23	13	12	90	42	11	17	26	50	77	83	101	97	33
Diseases of Generative "	0·04	0·01	0·07	60	4	56	1	–	1	–	–	2	–	–	1	3	13	13	15	10	3	–
Puerperal Fever	0·13	–	0·27	205	–	205	–	–	–	–	–	–	–	–	9	49	104	42	1	–	–	–
Childbirth	0·09	–	0·18	140	–	140	–	–	–	–	–	–	–	–	5	21	50	63	1	–	–	–
Violence	0·96	1·58	0·34	1479	1223	256	58	60	43	34	20	215	81	74	117	115	207	212	202	149	82	25
Other Causes	3·42	3·49	3·35	5234	2683	2551	2990	209	53	27	16	3295	60	55	66	65	122	128	103	210	437	693

Marriages - - - 11,750

Births - { Males - 31,354, Females - 30,686 } 62,040

Annual Rate per 1000 living { Persons Married 15·33, Births - - 40·46

Deaths from Childbirth and Puerperal Fever - - - - - } 5·56 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

459.—WARRINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·57			†145	–	–	–	–	63·13	6·40	3·09	4·01	4·66	7·51	12·19	19·94	37·41	83·03	183·77
Males	—			22·67			†160	–	–	–	–	68·33	6·66	3·11	4·01	4·05	7·20	12·80	22·00	40·19	92·44	193·90
Females	—			20·54			†131	–	–	–	–	58·01	6·14	3·08	4·01	5·35	7·85	11·50	17·82	34·62	74·94	175·10
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·94 per cent.			77,570			2538	2282	2245	2233	2222	11520	10017	8930	7931	7341	11752	8556	5852	3577	1632	462
Males				39,936			1261	1130	1118	1117	1098	5724	5018	4476	4242	3923	6302	4522	2973	1789	754	213
Females				37,634			1277	1152	1127	1116	1124	5796	4999	4454	3689	3418	5450	4034	2879	1788	878	249
Deaths from All Causes, 1881–90. Persons	19·96			15,484			4286	1652	657	398	280	7273	641	276	318	342	882	1043	1167	1338	1355	849
Males	20·61			8,229			2388	840	329	206	148	3911	334	139	170	159	454	579	654	719	697	413
Females	19·28			7,255			1898	812	328	192	132	3362	307	137	148	183	428	464	513	619	658	436
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·00	0·01	5	1	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–
Measles	0·94	0·92	0·96	730	369	361	140	324	134	61	33	692	32	3	–	–	1	1	1	–	–	–
Scarlet Fever	0·56	0·53	0·60	438	213	225	25	76	54	66	60	281	128	19	2	2	4	2	–	–	–	–
Diphtheria	0·13	0·14	0·12	99	54	45	7	16	19	14	13	69	19	3	2	–	2	2	2	–	–	–
Whooping-cough	0·58	0·54	0·63	450	214	236	204	126	63	31	13	437	12	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	17	9	8	–	–	–	1	–	1	2	–	3	3	1	2	2	3	–	–
Enteric Fever	0·15	0·17	0·14	120	68	52	–	1	–	3	5	9	15	17	22	11	17	13	10	4	1	1
Simple Continued Fever	0·04	0·03	0·05	29	12	17	–	2	3	3	2	10	8	2	1	1	–	3	–	2	2	–
Diarrhœa and Dysentery	0·79	0·82	0·76	614	329	285	393	103	16	9	1	522	8	–	2	–	6	9	4	18	30	15
Cholera	0·08	0·09	0·07	60	34	26	33	12	2	1	1	49	2	–	–	–	–	2	2	3	–	2
Cancer	0·37	0·31	0·43	288	125	163	1	–	1	–	1	3	–	1	2	2	18	44	75	81	48	14
Tabes Mesenterica	0·39	0·41	0·36	301	164	137	147	75	23	8	8	261	18	7	3	4	2	4	–	1	1	–
Phthisis	1·39	1·45	1·33	1076	577	499	16	11	8	6	6	47	30	41	105	122	274	227	148	64	16	2
Other Tub. & Scrof. Dis.	0·48	0·55	0·41	371	218	153	146	89	33	24	10	302	34	11	7	4	5	3	4	1	–	–
Diseases of Nervous System	2·82	2·93	2·68	2190	1170	1020	842	177	66	41	32	1158	80	35	27	25	64	98	159	223	237	84
Circulatory "	1·21	1·14	1·29	941	455	486	2	3	3	1	1	10	16	25	24	25	76	109	177	220	197	62
Respiratory "	3·96	4·24	3·66	3071	1693	1378	778	384	159	88	56	1465	98	21	24	35	116	196	288	356	323	149
Digestive "	1·23	1·25	1·21	954	500	454	278	131	18	9	7	443	35	17	16	20	34	73	91	103	89	33
Urinary "	0·31	0·36	0·25	238	144	94	2	9	6	3	7	27	11	3	2	10	20	33	36	47	36	13
Generative "	0·04	0·01	0·08	33	2	31	1	–	1	1	–	3	–	–	–	–	5	6	10	2	6	1
Puerperal Fever	0·12	–	0·25	95	–	95	–	–	–	–	–	–	–	–	4	16	53	22	–	–	–	–
Childbirth	0·10	–	0·20	77	–	77	–	–	–	–	–	–	–	–	4	12	32	27	2	–	–	–
Violence	0·79	1·17	0·38	610	468	142	33	33	20	13	10	109	56	32	39	30	79	83	67	61	41	13
Other Causes	3·45	3·53	3·39	2677	1410	1267	1238	80	28	15	14	1375	37	38	29	20	70	83	89	149	327	460

Marriages - - - 5,927

Births - Males - 14,967, Females - 14,499 } 29,466

Annual Rate per 1000 living { Persons Married 15·28; Births - - 37·99

Deaths from Childbirth and Puerperal Fever - - - } 5·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

460.—LEIGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·32			†155	–	–	–	–	66·00	6·22	3·37	5·23	5·84	7·01	10·37	16·78	37·60	76·42	171·55
Males	—			22·34			†173	–	–	–	–	73·51	6·37	3·77	5·13	5·18	6·27	10·00	18·36	41·56	84·07	165·91
Females	—			20·35			†136	–	–	–	–	58·74	6·07	2·98	5·33	6·51	7·76	10·73	15·30	34·19	69·87	176·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 25·66 per cent.			63,543			2116	1789	1851	1754	1787	9297	8071	7157	6655	5907	9536	6962	4881	3048	1565	464
Males				31,409			1045	879	917	849	878	4568	4019	3503	3332	2972	4846	3459	2358	1410	722	220
Females				32,134			1071	910	934	905	909	4729	4052	3654	3323	2935	4690	3503	2523	1638	843	244
Deaths from All Causes, 1881–90. Persons	20·33			12,919			3683	1375	531	325	222	6136	502	241	348	345	668	722	819	1146	1196	796
Males	21·37			6,712			2101	728	256	153	120	3358	256	132	171	154	304	346	433	586	607	365
Females	19·32			6,207			1582	647	275	172	102	2778	246	109	177	191	364	376	386	560	589	431
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	13	9	4	–	–	–	–	–	–	–	2	3	5	2	–	1	–	–	–
Measles	0·73	0·78	0·69	467	244	223	109	195	86	37	12	439	28	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·71	0·72	0·71	454	227	227	23	79	61	79	60	302	125	18	2	4	1	2	–	–	–	–
Diphtheria	0·08	0·09	0·08	54	29	25	2	4	4	9	8	27	19	2	1	–	1	–	1	3	–	–
Whooping-cough	0·43	0·40	0·47	276	126	150	124	80	45	18	8	275	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–
Enteric Fever	0·22	0·28	0·19	149	87	62	–	1	3	–	5	9	17	21	26	10	30	15	12	6	2	1
Simple Continued Fever	0·05	0·04	0·06	29	11	18	1	–	2	1	2	6	3	–	2	–	5	3	1	3	4	2
Diarrhœa and Dysentery	1·15	1·22	1·09	732	382	350	460	125	18	9	6	618	7	1	3	1	9	3	9	17	38	26
Cholera	0·04	0·04	0·03	23	13	10	4	3	2	3	1	13	–	–	–	1	1	–	2	3	3	–
Cancer	0·37	0·27	0·46	232	84	148	–	–	–	–	–	–	–	1	1	1	11	27	49	64	57	21
Tabes Mesenterica	0·43	0·48	0·38	271	150	121	141	60	20	7	5	233	11	7	8	2	4	2	1	3	–	–
Phthisis	1·42	1·26	1·57	901	395	506	22	15	6	7	3	53	21	38	114	134	199	163	97	57	24	1
Other Tub. & Scrof. Dis.	0·42	0·43	0·40	264	136	128	76	53	24	14	8	175	36	18	9	8	6	6	2	3	1	–
Diseases of: Nervous System	2·22	2·38	2·06	1411	749	662	451	104	43	20	13	631	55	23	18	17	27	62	82	168	204	124
Circulatory „	1·45	1·23	1·66	919	386	533	4	2	3	2	6	17	13	17	29	24	52	89	159	205	219	95
Respiratory „	4·68	5·15	4·23	2977	1617	1360	877	428	155	72	50	1582	82	23	27	24	83	104	187	314	332	219
Digestive „	1·40	1·53	1·27	890	482	408	298	128	16	9	8	459	16	17	21	14	28	52	76	105	78	24
Urinary „	0·35	0·44	0·26	221	138	83	4	10	2	7	4	27	9	3	2	2	21	25	20	48	46	18
Generative „	0·04	0·02	0·06	25	5	20	2	1	–	–	–	3	–	–	1	1	1	4	5	6	3	1
Puerperal Fever	0·13	–	0·25	80	–	80	–	–	–	–	–	–	–	–	6	20	33	21	–	–	–	–
Childbirth	0·10	–	0·20	65	–	65	–	–	–	–	–	–	–	–	1	14	30	19	1	–	–	–
Violence	0·78	1·22	0·35	497	384	113	20	24	21	12	8	85	20	21	48	38	68	60	55	51	32	19
Other Causes	3·10	3·35	2·83	1965	1056	909	1065	63	20	19	15	1182	38	28	26	25	56	65	58	89	153	245

Marriages - - - 4,711

Births - { Males - 12,124 / Females - 11,645 } 23,769

Annual Rate per 1000 living { Persons Married 14·83 / Births - - 37·41 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

461.—BOLTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·82	†163	–	–	–	–	66·27	5·66	3·15	4·41	5·91	7·77	12·68	21·13	42·90	87·77	187·01
Males	—	24·17	†178	–	–	–	–	72·14	5·94	3·16	4·32	5·92	7·79	13·78	23·59	46·41	96·22	201·15
Females	—	21·55	†147	–	–	–	–	60·54	5·38	3·14	4·50	5·90	7·74	11·68	19·00	39·96	81·13	177·28
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·88 per cent.	269,602	6076	5571	5535	5361	5465	28008	25152	23547	21866	20003	32787	24454	17169	10465	4873	1278
Males		100,512	3033	2718	2740	2643	2704	13838	12429	11546	10601	9378	15612	11693	7971	4779	2144	521
Females		109,090	3043	2853	2795	2718	2761	14170	12723	12001	11265	10625	17175	12761	9198	5686	2729	757
Deaths from All Causes, 1881–90. Persons	20·66	43,306	11413	3919	1584	963	683	18562	1423	742	965	1182	2546	3101	3628	4490	4277	2390
Males	22·02	22,135	6305	2070	767	493	348	9983	738	365	458	555	1216	1611	1880	2218	2063	1048
Females	19·41	21,171	5108	1849	817	470	335	8579	685	377	507	627	1330	1490	1748	2272	2214	1342

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	36	19	17	1	–	–	–	–	1	2	1	6	10	10	5	1	–	–	–
Measles	0·65	0·71	0·59	1364	715	649	321	534	239	124	72	1290	67	4	–	1	1	1	–	–	–	–
Scarlet Fever	0·30	0·31	0·29	626	309	317	29	97	113	92	75	406	172	28	12	3	4	1	–	–	–	–
Diphtheria	0·09	0·09	0·10	197	93	104	10	22	28	18	26	104	56	8	5	3	5	3	5	3	4	1
Whooping-cough	0·54	0·52	0·56	1131	524	607	465	335	145	97	46	1088	41	2	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	33	22	11	1	–	–	–	–	1	2	2	4	4	7	3	3	5	2	–
Enteric Fever	0·21	0·24	0·18	443	246	197	–	2	12	9	8	31	58	68	51	53	76	56	25	18	7	–
Simple Continued Fever	0·04	0·03	0·04	74	32	42	5	9	9	7	5	35	9	1	9	1	4	3	4	3	4	1
Diarrhœa and Dysentery	1·05	1·17	0·95	2206	1172	1034	1418	372	46	17	9	1862	16	5	6	6	18	27	33	68	90	75
Cholera	0·03	0·04	0·03	73	39	34	25	8	1	–	1	35	2	2	–	1	2	4	7	10	6	4
Cancer	0·40	0·24	0·55	845	242	603	–	1	–	–	1	2	2	2	2	7	32	114	215	241	179	49
Tabes Mesenterica	0·25	0·29	0·22	525	288	237	238	109	49	16	12	424	38	25	9	5	6	4	7	4	3	–
Phthisis	1·65	1·78	1·54	3465	1787	1678	30	28	17	14	11	100	58	125	339	457	852	755	473	237	60	9
Other Tub. & Scrof. Dis.	0·31	0·37	0·26	655	369	286	173	132	84	36	32	457	67	35	25	17	19	15	11	8	1	–
Diseases of: Nervous System	2·75	2·97	2·54	5756	2984	2772	2020	376	191	130	80	2797	221	89	71	78	151	228	404	702	753	262
Circulatory „	1·27	1·14	1·40	2667	1143	1524	15	4	4	2	3	28	37	57	66	82	195	320	498	660	583	141
Respiratory „	5·28	5·90	4·71	11074	5934	5140	2451	1339	481	293	208	4772	297	76	107	135	440	704	1067	1516	1394	566
Digestive „	1·25	1·29	1·22	2629	1299	1330	702	293	39	25	18	1077	68	47	58	51	125	215	310	360	238	80
Urinary „	0·35	0·43	0·27	730	431	299	11	21	10	11	9	62	25	19	16	24	68	99	116	139	109	53
Generative „	0·05	0·01	0·10	115	10	105	4	–	–	–	–	4	–	1	4	5	21	31	22	18	8	1
Puerperal Fever	0·11	–	0·21	228	–	228	–	–	–	–	–	–	–	–	6	49	109	61	3	–	–	–
Childbirth	0·09	–	0·17	189	–	189	–	–	–	–	–	–	–	–	6	26	71	84	2	–	–	–
Violence	0·64	0·99	0·32	1343	999	344	56	38	50	50	39	233	82	55	75	86	149	168	195	156	97	47
Other Causes	3·31	3·46	3·13	6902	3478	3424	3438	199	66	22	28	3753	103	90	88	78	181	200	227	342	739	1101

Marriages - - - 15,847

Births - { Males - 35,457, Females - 34,664 } 70,121

Annual Rate per 1000 living { Persons Married 15·12, Births - 33·45 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

462.—BURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·53	†159	–	–	–	–	64·63	5·73	2·80	4·65	5·94	8·15	12·40	20·50	41·59	89·25	184·38
Annual Death-Rate per 1000. Males	—	24·01	†173	–	–	–	–	70·42	6·12	3·01	4·94	5·71	8·27	14·00	23·41	46·27	95·92	197·72
Annual Death-Rate per 1000. Females	—	21·14	†144	–	–	–	–	58·89	5·34	2·59	4·39	6·14	8·05	11·00	18·10	37·77	84·16	175·26
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·02 per cent.	133,507	3494	3229	3236	3348	3203	16510	15261	14483	13924	12802	21084	16003	11481	7478	3508	973
Mean Population, 1881–91. Males		63,221	1720	1623	1642	1645	1583	8213	7576	7081	6707	5899	9820	7451	5199	3361	1519	395
Mean Population, 1881–91. Females		70,286	1774	1606	1594	1703	1620	8297	7685	7402	7217	6903	11264	8552	6282	4117	1989	578
Deaths from All Causes, 1881–90. Persons	20·56	27,450	6683	2227	844	545	371	10670	874	405	648	761	1719	1984	2354	3110	3131	1794
Deaths from All Causes, 1881–90. Males	22·14	13,994	3736	1147	464	250	187	5784	464	213	331	337	812	1043	1217	1555	1457	781
Deaths from All Causes, 1881–90. Females	19·14	13,456	2947	1080	380	295	184	4886	410	192	317	424	907	941	1137	1555	1674	1013

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·04	0·04	0·03	49	25	24	7	1	–	2	2	12	3	1	1	8	11	4	8	1	–	–
Measles	0·52	0·56	0·48	696	358	338	159	288	115	57	34	653	42	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·31	0·36	0·26	408	228	180	18	74	68	73	58	291	98	11	3	4	1	–	–	–	–	–
Diphtheria	0·10	0·12	0·09	139	78	61	13	15	11	24	9	72	50	5	3	2	1	3	1	2	–	–
Whooping-cough	0·33	0·34	0·32	440	218	222	210	122	48	27	13	420	19	1	–	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·02	34	20	14	–	–	–	–	–	–	–	1	6	5	9	4	4	3	1	1
Enteric Fever	0·20	0·21	0·19	271	134	137	1	3	6	8	7	25	31	27	31	24	48	37	25	11	10	2
Simple Continued Fever	0·08	0·07	0·07	97	45	52	7	6	10	5	7	35	16	8	7	3	4	7	8	3	4	2
Diarrhœa and Dysentery	0·91	0·97	0·85	1210	614	596	767	145	19	13	7	951	9	2	5	3	7	15	34	55	82	47
Cholera	0·01	0·02	0·01	15	10	5	2	–	–	–	–	2	1	–	–	2	3	2	4	1	–	–
Cancer	0·42	0·28	0·55	565	178	387	–	1	1	1	1	4	1	–	2	4	29	85	150	158	106	26
Tabes Mesenterica	0·24	0·27	0·21	317	170	147	147	73	28	13	5	266	15	11	8	5	3	3	3	3	–	–
Phthisis	1·85	2·09	1·66	2469	1302	1167	26	29	14	7	3	79	45	68	237	309	646	508	343	166	57	11
Other Tub. & Scrof. Dis.	0·32	0·42	0·24	432	264	168	128	84	52	19	20	303	53	19	12	10	15	10	4	4	2	–
Diseases of Nervous System	3·07	3·47	2·71	4103	2196	1907	1421	345	108	87	50	2011	153	43	48	48	111	171	283	465	552	218
Diseases of Circulatory „	1·80	1·70	1·89	2403	1072	1331	10	3	3	1	2	19	27	55	62	67	165	256	406	637	544	165
Diseases of Respiratory „	4·84	5·20	4·52	6459	3286	3173	1374	749	272	155	109	2659	154	29	52	82	204	357	539	916	981	486
Diseases of Digestive „	1·23	1·30	1·16	1640	822	818	386	142	29	12	5	574	38	27	43	24	90	137	214	269	167	57
Diseases of Urinary „	0·31	0·37	0·25	409	232	177	9	12	4	4	7	36	13	11	19	18	43	55	65	67	64	18
Diseases of Generative „	0·04	0·00	0·07	54	2	52	–	–	–	1	–	1	–	3	1	3	14	6	8	12	4	2
Puerperal Fever	0·12	–	0·23	164	–	164	–	–	–	–	–	–	–	–	3	34	84	43	–	–	–	–
Childbirth	0·08	–	0·16	110	–	110	–	–	–	–	–	–	–	–	1	17	46	46	–	–	–	–
Violence	0·66	1·01	0·34	876	639	237	45	22	22	20	16	125	68	46	42	46	104	127	110	116	61	31
Other Causes	3·05	3·31	2·83	4090	2101	1989	1953	113	34	16	16	2132	38	36	62	43	81	108	145	221	496	728

Marriages - - - 10,645

Births - { Males - 21,613 / Females - 20,527 } 42,140

Annual Rate per 1000 living { Persons Married 15·95 / Births - - 31·56

Deaths from Childbirth and Puerperal Fever - - - - - } 6·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

463.—BARTON-UPON-IRWELL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	19·19		†139	–	–	–	–	54·15	4·95	2·91	4·42	5·92	6·92	10·22	16·17	35·10	72·81	172·07
Males	—				20·25		†150	–	–	–	–	57·89	4·78	2·96	5·19	6·80	7·44	11·00	17·68	40·13	78·11	178·24
Females	—				18·19		†127	–	–	–	–	50·47	5·12	2·87	3·76	5·22	6·48	9·51	14·85	31·06	68·89	167·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 28·37 per cent.			83,142			2242	1973	2044	2076	2067	10402	9792	9378	8611	8174	13120	9752	6875	4205	2192	641
Males				39,264			1108	963	1007	1041	1046	5165	4855	4598	4005	3634	6064	4663	3212	1874	932	262
Females				43,878			1134	1010	1037	1035	1021	5237	4937	4780	4606	4540	7056	5089	3663	2331	1260	379
Deaths from All Causes, 1881–90. Persons	17·38			14,448			3502	1192	436	284	219	5633	485	273	381	484	908	997	1112	1476	1596	1103
Males	18·57			7,292			1915	609	229	140	97	2990	232	136	208	247	451	513	568	752	728	467
Females	16·31			7,156			1587	583	207	144	122	2643	253	137	173	237	457	484	544	724	868	636
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	11	6	5	–	–	–	–	–	–	–	–	–	4	4	2	–	1	–	–
Measles	0·43	0·49	0·39	361	192	169	86	157	46	30	19	338	20	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·30	0·31	251	116	135	13	35	50	39	31	168	61	12	3	2	5	–	–	–	–	–
Diphtheria	0·21	0·19	0·24	177	73	104	7	18	14	28	27	94	54	9	6	3	4	2	2	2	1	–
Whooping-cough	0·28	0·27	0·28	230	105	125	87	80	32	16	8	223	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·22	0·26	0·19	184	102	82	1	–	5	3	3	12	19	17	29	33	26	17	20	7	4	–
Simple Continued Fever	0·02	0·02	0·02	13	6	7	–	–	2	1	1	4	2	1	1	–	1	–	4	–	–	–
Diarrhœa and Dysentery	0·64	0·69	0·60	530	269	261	353	80	7	6	6	452	2	–	–	3	3	4	5	13	27	21
Cholera	0·04	0·04	0·04	30	14	16	17	4	1	–	–	22	2	–	–	–	2	1	1	1	1	–
Cancer	0·52	0·37	0·64	431	146	285	1	–	1	1	–	3	1	3	2	–	14	42	88	134	108	36
Tabes Mesenterica	0·22	0·22	0·21	180	87	93	98	30	13	1	5	147	8	12	3	1	6	1	–	1	1	–
Phthisis	1·47	1·49	1·46	1226	585	641	38	25	13	8	3	87	26	47	115	161	287	240	150	85	26	2
Other Tub. & Scrof. Dis.	0·48	0·56	0·42	401	218	183	140	81	30	27	17	295	43	14	9	8	16	6	6	1	3	–
Diseases of Nervous System	2·16	2·35	1·99	1792	921	871	547	134	53	32	25	791	56	18	27	20	42	73	114	221	264	166
Diseases of Circulatory „	1·27	1·18	1·35	1057	465	592	13	3	1	1	1	19	9	21	28	30	65	110	163	240	266	106
Diseases of Respiratory „	3·82	4·17	3·51	3174	1636	1538	715	386	118	66	50	1335	89	28	30	35	118	171	254	388	436	290
Diseases of Digestive „	1·07	1·14	1·01	892	449	443	240	71	17	4	5	337	13	15	16	25	41	70	93	130	116	36
Diseases of Urinary „	0·42	0·55	0·31	353	215	138	7	7	3	4	3	24	10	3	10	15	25	45	49	67	72	33
Diseases of Generative „	0·05	0·00	0·08	38	1	37	–	–	–	–	–	–	–	–	1	3	7	5	9	9	4	–
Puerperal Fever	0·11	–	0·21	93	–	93	–	–	–	–	–	–	–	–	4	23	46	18	2	–	–	–
Childbirth	0·06	–	0·12	51	–	51	–	–	–	–	–	–	–	–	1	11	20	19	–	–	–	–
Violence	0·81	1·36	0·32	675	535	140	52	23	9	8	8	100	32	38	61	79	103	97	67	42	42	14
Other Causes	2·77	2·90	2·60	2297	1150	1147	1087	58	21	9	7	1182	31	32	34	28	73	74	85	134	225	399

Marriages - - - 5,863

Births - { Males - 12,737 / Females - 12,543 } 25,280

Annual Rate per 1000 living { Persons Married 14·10 / Births - - 30·41

Deaths from Childbirth and Puerperal Fever - - - - - 5·70 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

464.—CHORLTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 23·33			†161	–	–	–	–	70·64	6·16	3·08	4·13	5·29	8·19	12·83	21·61	42·44	86·16	171·46
Annual Death-Rate per 1000. Males	—			24·73			†176	–	–	–	–	77·07	6·11	3·03	4·18	5·60	8·53	15·07	24·32	45·93	94·41	176·56
Annual Death-Rate per 1000. Females	—			22·01			†146	–	–	–	–	64·32	6·21	3·13	4·09	5·02	7·89	12·72	19·33	39·72	80·58	168·61
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·04 per cent.			279,046			7624	6975	6981	6827	6742	35149	31142	29339	28141	28261	47455	34513	23280	13630	6349	1787
Mean Population, 1881–91. Males				131,875			3758	3439	3469	3388	3380	17434	15412	14573	13234	12904	22145	16370	10638	5966	2559	640
Mean Population, 1881–91. Females				147,171			3866	3536	3512	3439	3362	17715	15730	14766	14907	15357	25310	18143	12642	7664	3790	1147
Deaths from All Causes, 1881–90. Persons	20·90			58,317			14802	5644	2135	1308	941	24830	1918	904	1162	1494	3886	4774	5031	5784	5470	3064
Deaths from All Causes, 1881–90. Males	22·24			29,324			8240	2982	1089	670	455	13436	941	442	553	723	1889	2467	2587	2740	2416	1130
Deaths from All Causes, 1881–90. Females	19·70			28,993			6562	2662	1046	638	486	11394	977	462	609	771	1997	2307	2444	3044	3054	1934
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	0·00	8	3	5	1	–	1	–	1	3	–	–	–	2	1	2	–	–	–	–
Measles	0·71	0·77	0·66	1977	1013	964	402	805	353	191	84	1835	129	5	1	3	3	–	–	1	–	–
Scarlet Fever	0·32	0·33	0·30	886	440	446	44	117	130	140	133	564	250	49	9	4	6	4	–	–	–	–
Diphtheria	0·19	0·20	0·18	529	259	270	19	54	73	68	71	285	177	24	11	4	13	8	4	2	1	–
Whooping-cough	0·56	0·57	0·54	1556	757	799	596	494	232	113	62	1497	56	1	1	1	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	54	27	27	1	–	–	1	2	4	6	2	5	3	12	10	7	–	5	–
Enteric Fever	0·21	0·26	0·17	592	347	245	2	5	13	8	20	48	48	50	92	90	127	83	39	12	3	–
Simple Continued Fever	0·02	0·02	0·02	60	28	32	6	9	1	6	3	25	5	1	6	3	6	2	4	7	1	–
Diarrhœa and Dysentery	0·90	0·99	0·82	2509	1302	1207	1652	431	73	26	9	2191	26	10	2	8	13	9	30	74	90	56
Cholera	0·03	0·04	0·02	82	48	34	38	9	2	–	1	50	3	–	–	1	4	3	6	7	8	–
Cancer	0·52	0·36	0·67	1449	470	979	1	–	1	2	1	5	1	2	3	9	73	210	384	433	254	75
Tabes Mesenterica	0·33	0·37	0·29	922	492	430	437	231	73	32	31	804	52	20	16	6	12	5	4	3	–	–
Phthisis	2·04	2·31	1·81	5701	3043	2658	55	55	30	20	15	175	98	155	447	663	1537	1417	775	332	92	10
Other Tub. & Scrof. Dis.	0·57	0·67	0·49	1603	882	721	476	389	139	97	81	1182	168	83	44	32	34	21	22	13	4	–
Diseases of Nervous System	2·74	2·95	2·56	7654	3889	3765	2438	641	229	135	101	3544	208	100	80	82	239	385	673	928	963	452
Diseases of Circulatory „	1·35	1·24	1·44	3754	1634	2120	27	7	3	7	3	47	47	81	87	90	304	492	624	892	780	310
Diseases of Respiratory „	4·80	5·24	4·40	13388	6910	6478	2860	1631	543	309	212	5555	316	97	105	154	586	908	1285	1758	1755	869
Diseases of Digestive „	1·10	1·13	1·07	3071	1495	1576	739	255	46	40	25	1105	90	50	64	62	184	329	365	393	322	107
Diseases of Urinary „	0·45	0·55	0·35	1243	728	515	16	17	19	22	23	97	41	20	19	42	110	199	216	222	214	63
Diseases of Generative „	0·06	0·01	0·11	176	10	166	4	1	–	1	–	6	–	–	6	15	38	41	27	23	17	3
Puerperal Fever	0·10	–	0·20	289	–	289	–	–	–	–	–	–	–	–	17	56	154	61	1	–	–	–
Childbirth	0·06	–	0·12	175	–	175	–	–	–	–	–	–	–	–	7	21	71	74	2	–	–	–
Violence	0·42	0·57	0·29	1174	754	420	265	49	46	24	24	408	61	37	39	36	91	125	126	105	97	49
Other Causes	3·40	3·64	3·17	9465	4793	4672	4723	444	128	66	39	5400	136	117	101	107	268	386	437	579	864	1070

Marriages - - - 23,278

Births - Males - 46,684; Females - 45,051 } 91,735

Annual Rate per 1000 living { Persons Married 16·68; Births - - 32·87

Deaths from Childbirth and Puerperal Fever - - - - - 5·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

465.—SALFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 26·92	†183	–	–	–	–	85·42	8·69	3·83	5·44	6·25	8·93	15·51	25·31	46·83	91·31	173·93
Annual Death-Rate per 1000. Males	—	In Standard Population* 28·40	†197	–	–	–	–	91·03	8·82	3·81	5·93	6·45	9·19	16·73	28·47	49·90	98·13	192·41
Annual Death-Rate per 1000. Females	—	In Standard Population* 25 52	†169	–	–	–	–	79·86	8·56	3·85	4·96	6·08	8·68	14·37	22·54	44·38	86·81	164·12
Mean Population, 1881–91. Persons	Decennial Increase of Population 12·67 per cent.	193,024	5928	5034	5348	5165	5100	26575	23464	21175	19223	18150	31335	23824	15596	8678	3903	1101
Mean Population, 1881–91. Males		92,940	2996	2503	2628	2567	2538	13232	11717	10534	9408	8529	14994	11434	7298	3860	1552	382
Mean Population, 1881–91. Females		100,084	2932	2531	2720	2598	2562	13343	11747	10641	9815	9621	16341	12390	8298	4818	2351	719
Deaths from All Causes, 1881–90. Persons	24·72	47,712	13298	5084	2060	1296	963	22701	2038	811	1045	1135	2797	3694	3948	4064	3564	1915
Deaths from All Causes, 1881–90. Males	25·97	24,140	7280	2570	1090	635	470	12045	1033	401	558	550	1378	1913	2078	1926	1523	735
Deaths from All Causes, 1881–90. Females	23·55	23,572	6018	2514	970	661	493	10656	1005	410	487	585	1419	1781	1870	2138	2041	1180

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·01	15	8	7	2	–	–	1	–	3	–	–	2	2	4	3	–
Measles	0·78	0·84	0·72	1502	778	724	322	617	265	149	81	1434	65	1	1	1	–	–	–
Scarlet Fever	0·71	0·72	0·70	1373	671	702	66	208	243	211	196	924	371	50	11	7	5	4	1
Diphtheria	0·31	0·31	0·32	604	284	320	36	81	73	91	91	372	180	34	6	1	6	–	1
Whooping-cough	0·70	0·63	0·76	1349	587	762	520	449	164	99	63	1295	52	2	–	–	–	–	–
Typhus	0·03	0·03	0·03	56	24	32	–	–	1	–	–	1	5	2	6	3	12	17	4
Enteric Fever	0·36	0·44	0·29	698	409	289	3	12	26	21	15	77	81	82	117	96	112	65	47
Simple Continued Fever	0·02	0·02	0·03	47	20	27	3	9	1	2	3	18	6	5	2	4	3	2	3
Diarrhœa and Dysentery	1·46	1·58	1·36	2824	1465	1359	1938	541	78	15	9	2581	22	6	3	8	11	9	23
Cholera	0·03	0·03	0·02	49	24	25	19	4	1	1	3	28	–	–	–	1	1	2	5
Cancer	0·48	0·30	0·65	934	282	652	–	2	1	6	–	9	5	1	2	7	46	161	292
Tabes Mesenterica	0·48	0·56	0·41	928	516	412	542	195	58	28	15	838	50	13	12	3	6	–	3
Phthisis	2·41	2·69	2·15	4649	2501	2148	101	54	36	29	26	246	110	149	388	505	1172	1117	646
Other Tub. & Scrof. Dis.	0·76	0·85	0·67	1465	793	672	447	345	157	77	81	1107	198	52	33	20	27	17	4
Diseases of Nervous System	2·86	3·06	2·70	5546	2844	2702	2020	425	189	105	84	2823	205	70	78	68	139	274	437
Diseases of Circulatory „	1·34	1·27	1·40	2586	1181	1405	13	5	2	3	3	26	52	79	75	63	222	426	527
Diseases of Respiratory „	5·49	5·94	5·07	10602	5525	5077	2360	1451	523	302	188	4824	298	63	100	106	378	742	1090
Diseases of Digestive „	1·17	1·18	1·15	2250	1096	1154	682	254	53	31	12	1032	64	28	42	47	111	199	241
Diseases of Urinary „	0·44	0·48	0·37	848	476	372	14	30	20	27	19	110	48	23	22	16	76	138	141
Diseases of Generative „	0·05	0·01	0·09	99	10	89	2	1	2	1	1	7	1	–	7	6	12	16	20
Puerperal Fever	0·11	–	0·21	208	–	208	–	–	–	–	–	–	–	–	7	57	92	51	1
Childbirth	0·06	–	0·12	124	–	124	–	–	–	–	–	–	–	–	7	12	61	43	1
Violence	0·68	0·91	0·47	1320	850	470	216	66	46	45	31	404	108	50	48	40	125	154	152
Other Causes	3·98	4·11	3·85	7636	3796	3840	3992	335	121	52	42	4542	117	101	76	62	176	254	309

Diseases of Nervous System																			
Diseases of Circulatory „																			
Diseases of Respiratory „																			
Diseases of Digestive „																			
Diseases of Urinary „																			
Diseases of Generative „																			
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	216	66	46	45	31	404	108	50	48	40	125	154	152	127	75	37			
Other Causes	3992	335	121	52	42	4542	117	101	76	62	176	254	309	346	800	853			

Marriages - - - 15,528

Births - { Males - 36,922 / Females - 35,562 } 72,484

Annual Rate per 1000 living { Persons Married 16·09 / Births - - 37·55 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

466.—MANCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 29·09	†193	–	–	–	–	92·84	7·94	4·19	6·04	7·18	12·01	19·68	31·50	51·28	85·55	146·03
Annual Death-Rate per 1000. Males	—	In Standard Population* 31·25	†211	–	–	–	–	100·70	8·21	4·23	6·50	7·87	13·01	22·14	34·84	56·02	90·15	159·24
Annual Death-Rate per 1000. Females	—	In Standard Population* 27·06	†175	–	–	–	–	85·24	7·69	4·16	5·61	6·56	11·03	17·28	28·44	47·34	82·02	138·01
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·48 per cent.	146,947	4254	3677	3808	3739	3613	19091	16620	15281	14695	14225	23948	18834	13257	7445	2921	630
Mean Population, 1881–91. Males		71,464	2113	1814	1896	1804	1757	9384	8176	7580	7188	6772	11856	9286	6334	3381	1269	238
Mean Population, 1881–91. Females		75,483	2141	1863	1912	1936	1855	9707	8444	7701	7507	7453	12092	9548	6923	4064	1652	392
Deaths from All Causes, 1881–90. Persons	26·94	39,591	10217	4172	1622	1036	677	17724	1320	641	888	1022	2877	3706	4176	3818	2499	920
Deaths from All Causes, 1881–90. Males	28·92	20,665	5644	2167	809	512	318	9450	671	321	467	533	1543	2056	2207	1894	1144	379
Deaths from All Causes, 1881–90. Females	25·07	18,926	4573	2005	813	524	359	8274	649	320	421	489	1334	1650	1969	1924	1355	541

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·00	8	5	3	3	1	–	–	–	4	1	–	1	1	–	1	–	–	–	–
Measles	0·93	0·96	0·90	1368	686	682	259	545	253	155	83	1295	71	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·33	0·28	444	236	208	44	67	70	84	52	317	104	12	4	1	4	1	1	–	–	–
Diphtheria	0·14	0·13	0·14	200	93	107	10	45	32	26	26	139	39	6	5	2	4	3	2	–	–	–
Whooping-cough	0·75	0·68	0·81	1095	485	610	363	351	174	105	52	1045	50	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	23	13	10	1	1	–	1	2	5	6	2	2	2	2	1	3	–	–	–
Enteric Fever	0·18	0·20	0·17	267	140	127	3	3	6	7	8	27	26	30	38	36	41	28	29	8	3	1
Simple Continued Fever	0·02	0·02	0·02	32	14	18	4	1	3	6	1	15	4	–	3	1	3	–	1	1	4	–
Diarrhœa and Dysentery	1·25	1·35	1·16	1842	965	877	1211	389	60	16	14	1690	14	1	3	5	5	20	20	43	30	11
Cholera	0·03	0·04	0·03	50	28	22	25	11	1	–	–	37	–	–	–	–	3	1	4	4	1	–
Cancer	0·67	0·55	0·79	987	391	596	–	2	1	–	1	4	2	5	17	10	68	204	287	259	111	20
Tabes Mesenterica	0·47	0·53	0·41	688	381	307	296	182	68	32	17	595	39	20	7	8	5	7	5	1	1	–
Phthisis	2·22	2·51	1·94	3261	1795	1466	16	18	16	15	13	78	65	93	259	354	925	821	445	179	41	1
Other Tub. & Scrof. Dis.	0·64	0·73	0·57	947	520	427	250	196	92	54	33	625	112	45	31	29	47	30	20	7	1	–
Diseases of Nervous System	3·15	3·51	2·80	4626	2510	2116	1927	503	181	106	76	2793	152	59	57	39	110	204	339	434	330	109
Diseases of Circulatory ,,	1·66	1·58	1·74	2441	1131	1310	6	5	4	1	8	24	33	71	85	69	271	418	516	515	340	99
Diseases of Respiratory ,,	6·38	6·71	6·06	9366	4792	4574	1846	1233	480	281	176	4016	258	72	105	127	476	771	1222	1261	815	243
Diseases of Digestive ,,	1·41	1·45	1·37	2071	1037	1034	530	222	25	28	14	819	57	26	33	44	144	226	291	265	129	37
Diseases of Urinary ,,	0·64	0·82	0·48	945	586	359	8	27	6	13	19	73	35	24	26	37	104	171	208	159	87	21
Diseases of Generative ,,	0·12	0·00	0·23	177	2	175	2	1	1	1	–	5	–	1	6	11	39	51	34	17	13	–
Puerperal Fever	0·09	–	0·18	138	–	138	–	–	–	–	–	–	–	–	9	43	58	27	1	–	–	–
Childbirth	0·08	–	0·16	119	–	119	–	–	–	–	–	–	–	–	6	22	46	44	1	–	–	–
Violence	1·50	2·07	0·96	2202	1479	723	255	64	62	64	51	496	155	101	95	104	270	312	292	223	109	45
Other Causes	4·28	4·72	3·86	6294	3376	2918	3158	305	87	41	31	3622	97	71	96	77	252	365	455	442	484	333

Marriages - - - 14,583

Births - { Males - 26,689, Females - 26,142 } 52,831

Annual Rate per 1000 living { Persons Married 19·85, Births - - 35·95 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·86 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

467.—PRESTWICH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 29·94			†156	–	–	–	–	74·71	9·67	4·30	6·19	8·29	12·54	21·99	34·18	61·12	113·27	205·53
Males	—			32·35			†171	–	–	–	–	80·77	9·93	4·39	6·67	8·75	13·88	25·24	39·44	68·07	124·47	228·61
Females	—			27·67			†141	–	–	–	–	68·70	9·41	4·20	5·74	7·90	11·29	18·94	29·52	55·32	104·45	189·36
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·29 per cent.			135,412			3929	3506	3512	3593	3389	17929	15827	14410	13627	12847	21961	16391	11166	6875	3420	959
Males				65,149			1980	1743	1746	1765	1684	8918	7892	7101	6538	5889	10586	7945	5251	3126	1508	395
Females				70,263			1949	1763	1766	1828	1705	9011	7935	7309	7089	6958	11375	8446	5915	3749	1912	564
Deaths from All Causes, 1881–90. Persons	27·82			37,674			7393	3035	1378	898	690	13394	1531	619	843	1065	2753	3605	3817	4202	3874	1971
Males	30·24			19,703			4106	1602	681	458	356	7203	784	312	436	515	1469	2005	2071	2128	1877	903
Females	25·58			17,971			3287	1433	697	440	334	6191	747	307	407	550	1284	1600	1746	2074	1997	1068
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·10	0·11	0·08	130	71	59	8	2	4	3	2	19	13	7	7	20	32	18	10	4	–	–
Measles	0·73	0·82	0·64	984	533	451	236	383	160	83	63	925	52	3	2	–	–	2	–	–	–	–
Scarlet Fever	1·06	1·10	1·03	1441	718	723	52	162	268	251	215	948	391	71	10	8	9	2	2	–	–	–
Diphtheria	0·35	0·35	0·35	472	226	246	35	57	59	70	66	287	143	20	3	3	6	4	2	4	–	–
Whooping-cough	0·54	0·47	0·61	734	308	426	282	230	103	53	34	702	32	–	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·07	101	51	50	–	–	–	–	1	1	1	1	6	13	27	32	14	3	3	–
Enteric Fever	0·40	0·45	0·36	545	295	250	4	10	6	7	8	35	38	48	124	83	107	63	30	13	4	–
Simple Continued Fever	0·02	0·03	0·02	31	17	14	3	4	2	2	2	13	7	2	2	2	1	1	2	–	1	–
Diarrhœa and Dysentery	0·96	1·03	0·89	1297	672	625	737	268	40	17	11	1073	14	2	1	3	9	12	21	54	76	32
Cholera	0·02	0·02	0·03	26	10	16	9	5	1	–	1	16	2	1	1	1	2	1	–	1	1	–
Cancer	0·55	0·36	0·72	743	237	506	–	1	1	1	–	3	2	1	1	4	26	110	195	234	132	35
Tabes Mesenterica	0·30	0·35	0·25	403	228	175	196	81	37	17	7	338	28	8	5	4	6	9	1	4	–	–
Phthisis	3·00	3·50	2·53	4058	2279	1779	33	23	18	12	10	96	69	94	288	433	1027	984	650	302	102	13
Other Tub. & Scrof. Dis.	0·51	0·54	0·48	690	352	338	176	126	52	50	28	432	99	48	27	24	24	17	11	4	4	–
Diseases of Nervous System	4·07	4·65	3·54	5516	3031	2485	1148	308	131	69	57	1713	140	57	75	82	331	579	669	813	764	293
Circulatory „	1·82	1·70	1·93	2467	1110	1357	13	5	2	4	1	25	37	51	63	48	194	342	441	594	502	170
Respiratory „	6·30	7·01	5·64	8526	4567	3959	1459	934	336	180	119	3028	232	52	81	125	406	694	1022	1272	1181	433
Digestive „	1·28	1·38	1·18	1730	899	831	413	181	33	11	20	658	45	37	30	34	89	142	216	235	182	62
Urinary „	0·64	0·82	0·47	868	535	333	15	18	11	8	11	63	41	9	21	28	80	143	154	152	127	50
Generative „	0·07	0·01	0·13	99	7	92	1	1	1	1	–	4	–	3	2	8	12	20	25	13	10	2
Puerperal Fever	0·13	–	0·25	174	–	174	–	–	–	–	–	–	–	–	9	45	77	43	–	–	–	–
Childbirth	0·08	–	0·15	103	–	103	–	–	–	–	–	–	–	–	3	11	54	34	1	–	–	–
Violence	0·57	0·82	0·35	775	531	244	93	30	29	16	9	177	70	31	24	29	68	103	107	90	52	24
Other Causes	4·25	4·64	3·88	5761	3026	2735	2480	206	84	43	25	2838	75	73	58	57	166	250	244	410	733	857

Marriages - - - 10,501

Births - Males - 24,061; Females - 23,310 — 47,371

Annual Rate per 1000 living: Persons Married 15·51; Births - - 34·98

Deaths from Childbirth and Puerperal Fever - - - - - 5·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

468.—ASHTON-UNDER-LYNE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		24·18	†172	–	–	–	–	71·91	6·21	3·43	5·38	7·29	8·31	12·77	20·92	44·06	91·04	191·16
Annual Death-Rate per 1000. Males	—					25·45	†189	–	–	–	–	78·25	6·47	3·44	5·30	7·08	8·42	13·82	23·55	47·44	95·80	204·40
Annual Death-Rate per 1000. Females	—					22·99	†154	–	–	–	–	65·63	5·96	3·43	5·45	7·47	8·22	11·87	18·76	41·44	87·36	182·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·96 per cent.			159,801			4284	3925	3948	3912	3909	19978	18683	17498	16631	14842	24462	19033	14111	8965	4421	1177
Mean Population, 1881–91. Males				75,499			2142	1989	1958	1936	1921	9946	9164	8588	8026	6881	11409	8797	6362	3921	1928	477
Mean Population, 1881–91. Females				84,302			2142	1936	1990	1976	1988	10032	9519	8910	8605	7961	13053	10236	7749	5044	2493	700
Deaths from All Causes, 1881–90. Persons	22·37			35,746			8996	2936	1187	736	512	14367	1160	601	894	1082	2034	2431	2952	3950	4025	2250
Deaths from All Causes, 1881–90. Males	23·76			17,940			5020	1520	573	385	285	7783	593	295	425	487	961	1216	1498	1860	1847	975
Deaths from All Causes, 1881–90. Females	21·12			17,806			3976	1416	614	351	227	6584	567	306	469	595	1073	1215	1454	2090	2178	1275
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·03	47	24	23	5	–	2	1	1	9	4	3	2	12	8	5	3	–	–	1
Measles	0·48	0·54	0·43	768	406	362	202	313	122	63	26	726	40	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·43	0·46	0·40	682	346	336	42	96	129	112	84	463	197	14	3	1	2	2	–	–	–	–
Diphtheria	0·09	0·09	0·09	141	67	74	6	23	12	19	22	82	37	13	3	1	3	–	–	1	1	–
Whooping-cough	0·42	0·40	0·45	678	301	377	315	206	70	44	22	657	19	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	12	7	5	–	1	1	–	–	2	2	2	3	1	–	1	1	–	–	–
Enteric Fever	0·24	0·26	0·23	388	194	194	2	5	10	11	7	35	37	40	55	39	75	37	37	23	10	–
Simple Continued Fever	0·06	0·05	0·07	98	35	63	7	7	5	5	6	30	19	11	7	6	4	8	8	4	1	–
Diarrhœa and Dysentery	0·83	0·95	0·72	1327	718	609	865	214	30	13	12	1134	18	5	3	5	9	13	12	38	49	41
Cholera	0·02	0·02	0·01	27	15	12	6	2	1	2	–	11	2	1	1	1	1	–	5	2	3	–
Cancer	0·43	0·26	0·59	695	200	495	–	2	–	–	–	2	–	2	4	3	22	94	188	230	124	26
Tabes Mesenterica	0·31	0·34	0·28	493	253	240	264	114	38	16	7	439	19	13	6	4	6	2	1	3	–	–
Phthisis	2·01	2·13	1·91	3217	1606	1611	57	42	12	20	13	144	57	115	352	492	800	620	370	202	55	10
Other Tub. & Scrof. Dis.	0·37	0·44	0·31	588	330	258	169	105	59	34	27	394	72	28	24	13	25	14	7	9	2	–
Diseases of Nervous System	3·16	3·48	2·87	5049	2629	2420	1624	417	206	97	62	2406	139	68	80	61	113	229	356	639	687	271
Diseases of Circulatory „	1·65	1·48	1·80	2631	1116	1515	17	1	4	6	4	32	34	62	64	68	160	286	473	617	665	170
Diseases of Respiratory „	5·11	5·56	4·70	8159	4199	3960	1788	945	345	209	153	3440	221	55	78	101	273	467	744	1215	1131	434
Diseases of Digestive „	1·33	1·47	1·21	2126	1110	1016	536	190	38	18	18	800	49	46	47	42	106	166	254	315	239	62
Diseases of Urinary „	0·37	0·44	0·30	589	335	254	7	15	10	17	8	57	34	8	16	29	48	56	98	106	93	44
Diseases of Generative „	0·06	0·01	0·10	89	5	84	1	–	1	–	–	2	–	1	–	7	21	15	15	19	4	5
Puerperal Fever	0·12	–	0·22	189	–	189	–	–	–	–	–	–	–	–	4	56	76	50	3	–	–	–
Childbirth	0·08	–	0·16	132	–	132	–	–	–	–	–	–	–	–	4	20	54	53	1	–	–	–
Violence	0·62	0·94	0·34	994	706	288	70	28	27	17	14	156	82	41	51	52	101	128	143	127	70	43
Other Causes	4·14	4·42	3·89	6627	3338	3289	3013	210	65	32	26	3346	78	72	85	67	127	185	233	400	891	1143

Marriages - - - 12,654

Births - { Males - 26,514 / Females - 25,789 } 52,303

Annual Rate per 1000 living { Persons Married 15·84 / Births - - 32·73 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

469.—OLDHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 25·40			†169	–	–	–	–	76·35	7·47	3·81	5·65	6·75	9·34	13·74	22·70	43·74	93·67	190·07
Males	—			27·30			†187	–	–	–	–	84·16	8·00	3·69	5·70	7·02	9·60	15·93	26·15	48·39	102·47	198·59
Females	—			23·59			†150	–	–	–	–	68·78	6·96	3·92	5·61	6·52	9·10	11·73	19·69	39·91	86·96	183·90
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·41 per cent.			184,807			4988	4559	4705	4674	4495	23421	21299	20153	19020	17845	29804	22482	15925	9625	4216	1017
Males				88,682			2489	2240	2296	2276	2222	11523	10421	9862	9157	8437	14471	10800	7410	4350	1824	427
Females				96,125			2499	2319	2409	2398	2273	11898	10878	10291	9863	9408	15333	11682	8515	5275	2392	590
Deaths from All Causes, 1881–90. Persons	22·78			42,100			10538	4090	1542	998	713	17881	1591	767	1075	1205	2784	3090	3615	4210	3949	1933
Males	24·67			21,879			5896	2128	823	487	364	9698	834	364	522	592	1389	1720	1938	2105	1869	848
Females	21·04			20,221			4642	1962	719	511	349	8183	757	403	553	613	1395	1370	1677	2105	2080	1085
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	31	23	8	3	2	–	1	3	9	2	1	–	2	11	4	–	–	2	–
Measles	0·67	0·72	0·62	1230	635	595	312	517	155	111	63	1158	70	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·46	0·47	0·45	849	421	428	43	123	142	148	109	565	236	36	6	1	5	–	–	–	–	–
Diphtheria	0·15	0·17	0·13	276	147	129	19	43	36	42	30	170	78	7	5	1	7	5	2	1	–	–
Whooping-cough	0·54	0·51	0·57	1004	453	551	418	309	144	58	38	967	36	–	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	11	8	3	–	–	–	–	–	–	1	1	1	2	2	3	–	1	–	–
Enteric Fever	0·21	0·23	0·20	391	202	189	5	13	13	13	7	51	46	42	51	45	72	45	28	9	1	1
Simple Continued Fever	0·02	0·02	0·02	31	16	15	2	3	6	1	2	14	7	4	2	2	–	–	–	2	–	–
Diarrhœa and Dysentery	0·62	0·68	0·56	1145	602	543	704	191	31	4	9	939	13	3	5	4	22	19	26	37	49	28
Cholera	0·03	0·03	0·03	58	27	31	18	6	1	–	–	25	6	3	1	–	3	4	6	5	5	–
Cancer	0·46	0·26	0·64	851	231	620	–	1	1	–	1	3	1	1	2	7	36	110	209	275	158	49
Tabes Mesenterica	0·33	0·36	0·30	608	322	286	282	154	43	22	11	512	28	15	16	4	9	8	10	3	3	–
Phthisis	2·21	2·56	1·89	4086	2266	1820	67	69	22	26	20	204	92	152	443	519	1000	833	535	241	56	11
Other Tub. & Scrof. Dis.	0·51	0·58	0·44	940	517	423	311	202	78	50	34	675	105	55	31	26	20	16	6	5	1	–
Diseases of Nervous System	3·35	3·72	3·00	6186	3300	2886	2389	579	247	130	90	3435	230	87	90	62	142	248	398	639	623	232
Circulatory „	1·66	1·56	1·75	3064	1382	1682	10	7	2	1	6	26	59	82	95	78	241	379	558	704	673	169
Respiratory „	5·56	6·33	4·84	10267	5612	4655	2349	1273	451	281	203	4557	323	71	87	134	432	664	985	1328	1276	410
Digestive „	1·33	1·43	1·25	2465	1264	1201	623	298	39	19	20	999	74	51	60	51	137	157	300	322	249	65
Urinary „	0·44	0·52	0·37	813	461	352	13	26	20	14	16	89	34	18	23	36	82	107	145	135	99	45
Generative „	0·05	0·01	0·10	100	7	93	–	1	1	–	–	2	–	–	1	5	20	21	26	18	6	1
Puerperal Fever	0·14	–	0·28	267	–	267	–	–	–	–	–	–	–	–	7	63	129	65	3	–	–	–
Childbirth	0·09	–	0·17	163	–	163	–	–	–	–	–	–	–	–	7	21	75	58	2	–	–	–
Violence	0·56	0·87	0·28	1032	767	265	59	38	33	42	23	195	56	45	50	47	127	128	146	130	75	33
Other Causes	3·36	3·60	3·14	6232	3216	3016	2911	235	77	35	28	3286	94	92	90	95	212	216	230	355	673	889

Marriages - - - 14,725

Births - { Males - 31,582 / Females - 30,913 } 62,495

Annual Rate per 1000 living { Persons Married 15·94 / Births - - 33·82 }

Deaths from Childbirth and Puerperal Fever - - - - - 6·88 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

470.—ROCHDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·77	†145	–	–	–	–	58·92	5·83	3·55	5·32	6·56	7·58	11·81	20·01	42·43	86·34	181·75
Annual Death-Rate per 1000. Males	—	23·59	†163	–	–	–	–	65·28	6·09	3·21	5·31	6·58	7·36	14·23	24·10	48·01	96·86	201·17
Annual Death-Rate per 1000. Females	—	20·06	†127	–	–	–	–	52·73	5·58	3·87	5·33	6·54	7·77	9·79	16·60	37·96	78·31	169·13
Mean Population, 1881-91. Persons	Decennial Increase of Population 1·59 per cent.	122,883	2864	2619	2808	2737	2786	13814	13496	13166	12743	11785	19567	15271	11374	7413	3383	871
Mean Population, 1881-91. Males		57,703	1403	1318	1382	1358	1351	6812	6681	6504	6159	5376	8946	6957	5165	3295	1465	343
Mean Population, 1881-91. Females		65,180	1461	1301	1426	1379	1435	7002	6815	6662	6584	6409	10621	8314	6209	4118	1918	528
Deaths from All Causes, 1881-90. Persons	19·58	24,056	4847	1822	664	467	339	8139	787	467	678	773	1483	1804	2276	3145	2921	1583
Deaths from All Causes, 1881-90. Males	21·36	12,328	2756	959	338	217	177	4447	407	209	327	354	658	990	1245	1582	1419	690
Deaths from All Causes, 1881-90. Females	17·99	11,728	2091	863	326	250	162	3692	380	258	351	419	825	814	1031	1563	1502	893

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·10	0·10	0·09	119	60	59	14	1	2	3	2	22	7	10	12	19	31	11	6	1	–
Measles	0·31	0·33	0·29	377	191	186	105	152	53	22	20	352	24	–	–	–	–	1	–	–	–
Scarlet Fever	0·25	0·27	0·24	312	153	159	14	45	44	60	36	199	93	13	2	–	5	–	–	–	–
Diphtheria	0·08	0·08	0·08	94	45	49	5	13	23	8	12	61	22	2	2	2	1	1	–	3	–
Whooping-cough	0·39	0·37	0·41	482	213	269	214	143	46	38	23	464	18	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	14	8	6	–	–	–	1	–	1	–	3	1	1	3	1	2	2	–
Enteric Fever	0·22	0·26	0·19	274	148	126	1	4	1	3	7	16	31	23	38	44	46	42	20	8	6
Simple Continued Fever	0·03	0·03	0·04	41	17	24	4	1	2	4	–	11	7	6	3	2	3	1	3	3	1
Diarrhœa and Dysentery	0·44	0·51	0·38	544	294	250	294	86	16	6	1	403	7	1	2	5	4	4	7	29	51
Cholera	0·02	0·01	0·02	20	8	12	3	1	2	1	1	8	2	–	–	–	1	–	6	1	2
Cancer	0·51	0·33	0·66	622	189	433	–	–	2	1	1	4	1	–	2	–	18	72	142	227	134
Tabes Mesenterica	0·24	0·24	0·23	294	141	153	114	72	25	8	9	228	15	17	10	7	9	4	2	1	–
Phthisis	1·95	2·15	1·77	2393	1242	1151	16	20	9	6	10	61	45	89	262	306	547	462	349	225	43
Other Tub. & Scrof. Dis.	0·51	0·61	0·41	624	354	270	193	143	56	32	25	449	58	32	29	14	12	11	7	7	5
Diseases of Nervous System	2·99	3·37	2·66	3681	1947	1734	992	235	109	77	40	1453	129	64	56	53	114	148	309	528	575
Diseases of Circulatory „	1·99	1·92	2·05	2442	1107	1335	11	6	4	4	4	29	23	60	66	67	121	273	406	611	594
Diseases of Respiratory „	4·28	4·87	3·75	5256	2810	2446	1154	633	191	141	99	2218	169	25	42	56	156	288	474	782	705
Diseases of Digestive „	1·27	1·42	1·13	1556	820	736	315	148	23	15	13	514	33	35	32	32	64	123	200	256	214
Diseases of Urinary „	0·41	0·52	0·31	503	302	201	8	9	7	10	7	41	16	10	19	17	53	73	74	96	73
Diseases of Generative	0·05	0·02	0·09	68	11	57	2	–	–	–	–	2	–	–	2	3	9	14	15	9	14
Puerperal Fever	0·11	–	0·21	138	–	138	–	–	–	–	–	–	–	–	3	27	82	25	1	–	–
Childbirth	0·07	–	0·13	82	–	82	–	–	–	–	–	–	–	–	3	14	41	22	2	–	–
Violence	0·58	0·89	0·30	709	516	193	27	26	24	12	15	104	42	25	42	35	69	107	92	100	53
Other Causes	2·77	3·05	2·54	3411	1752	1659	1361	84	25	15	14	1499	45	52	50	69	94	121	159	256	451

Marriages - - - 9,097

Births - Males - 16,893; Females - 16,469 — 33,362

Annual Rate per 1000 living: Persons Married 14·81; Births - - 27·15

Deaths from Childbirth and Puerperal Fever - - - - - 6·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

471.—HASLINGDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·58	†153	–	–	–	–	62·64	5·68	3·11	4·51	5·30	7·10	10·79	18·54	40·93	84·95	190·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·35	†171	–	–	–	–	67·87	5·48	2·91	4·21	5·18	6·75	10·98	20·44	42·70	93·42	195·73
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·86	†136	–	–	–	–	57·50	5·87	3·30	4·79	5·40	7·39	10·62	16·89	39·42	78·20	185·51
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·52 per cent.	99,350	2648	2478	2487	2474	2404	12491	11352	10741	10289	9665	15826	11892	8508	5461	2499	626
Mean Population, 1881–91. Males		47,166	1315	1237	1206	1248	1182	6188	5525	5232	4939	4496	7373	5566	3944	2513	1109	281
Mean Population, 1881–91. Females		52,184	1333	1241	1281	1226	1222	6303	5827	5509	5350	5169	8453	6326	4564	2948	1390	345
Deaths from All Causes, 1881–90. Persons	19·44	19,310	4750	1716	651	414	293	7824	645	334	464	512	1123	1283	1577	2235	2123	1190
Deaths from All Causes, 1881–90. Males	20·50	9,670	2642	905	311	188	154	4200	303	152	208	233	498	611	806	1073	1036	550
Deaths from All Causes, 1881–90. Females	18·47	9,640	2108	811	340	226	139	3624	342	182	256	279	625	672	771	1162	1087	640

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·65	0·70	0·62	650	328	322	162	271	106	49	27	615	34	1	–	–	–	–	–	–	–
Scarlet Fever	0·54	0·56	0·53	539	263	276	19	92	84	85	66	346	164	22	3	1	1	2	–	–	–
Diphtheria	0·08	0·09	0·07	79	43	36	5	22	10	8	10	55	17	4	1	1	–	–	–	1	–
Whooping-cough	0·47	0·46	0·48	467	215	252	218	158	57	13	10	456	11	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	5	3	2	–	1	–	–	–	1	–	–	–	–	–	3	–	–	1
Enteric Fever	0·26	0·27	0·25	260	129	131	2	2	5	5	7	21	20	32	28	28	50	35	23	15	4
Simple Continued Fever	0·01	0·00	0·02	13	2	11	–	2	2	1	1	6	–	–	–	–	2	–	–	3	2
Diarrhœa and Dysentery	0·75	0·78	0·73	745	366	379	483	87	12	7	6	595	8	1	1	–	7	6	10	27	53
Cholera	0·03	0·03	0·03	27	12	15	10	3	1	1	–	15	2	–	1	–	–	1	4	2	–
Cancer	0·44	0·29	0·56	433	139	294	–	–	–	–	–	–	–	–	2	3	16	53	115	138	85
Tabes Mesenterica	0·23	0·25	0·21	228	117	111	87	48	23	5	2	165	19	9	9	7	4	6	3	5	1
Phthisis	1·50	1·53	1·47	1491	722	769	14	23	9	1	3	50	23	43	181	214	362	267	203	102	42
Other Tub. & Scrof. Dis.	0·39	0·49	0·30	392	233	159	136	88	32	24	18	298	40	16	14	6	9	3	2	4	–
Diseases of: Nervous System	2·78	3·00	2·58	2761	1415	1346	804	197	72	39	35	1147	82	51	33	32	74	111	216	395	421
Diseases of: Circulatory „	1·69	1·54	1·82	1678	728	950	10	1	–	1	2	14	16	34	37	33	101	171	269	434	407
Diseases of: Respiratory „	4·43	4·96	3·95	4401	2342	2059	1057	523	167	120	69	1936	114	24	45	53	150	233	350	615	578
Diseases of: Digestive „	1·23	1·31	1·16	1223	618	605	343	96	19	13	8	479	28	15	26	15	52	98	138	171	152
Diseases of: Urinary „	0·45	0·56	0·36	450	263	187	9	5	1	8	7	30	11	9	13	22	44	54	61	85	88
Diseases of: Generative „	0·06	0·00	0·11	57	2	55	–	2	–	–	–	2	–	1	2	3	5	15	12	12	4
Puerperal Fever	0·13	–	0·25	131	–	131	–	–	–	–	–	–	–	–	10	23	57	40	1	–	–
Childbirth	0·10	–	0·19	101	–	101	–	–	–	–	–	–	–	–	1	13	50	35	2	–	–
Violence	0·51	0·71	0·32	502	334	168	39	23	29	23	11	125	20	18	17	16	50	62	62	68	48
Other Causes	2·70	2·96	2·46	2675	1395	1280	1352	72	22	11	11	1468	36	54	40	42	88	88	106	157	237

Marriages - - - 8,240

Births - { Males - 15,425 / Females - 15,553 } 30,978

Annual Rate per 1000 living { Persons Married 16·59 / Births - - - 31·18 }

Deaths from Childbirth and Puerperal Fever - - - - - 7·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

472.—BURNLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·65	†184	–	–	–	–	77·13	6·03	3·23	4·84	5·86	7·05	10·95	19·27	39·74	86·10	190·30
Annual Death-Rate per 1000. Males	—	25·18	†205	–	–	–	–	86·67	6·00	3·49	4·79	5·83	6·75	10·92	21·69	43·23	93·49	192·84
Annual Death-Rate per 1000. Females	—	22·20	†162	–	–	–	–	68·00	6·06	2·97	4·89	5·88	7·32	10·97	17·08	36·65	79·94	188·17
Mean Population, 1881–91. Persons	Decennial Increase of Population 39·67 per cent.	141,807	4124	3768	3790	3615	3587	18884	16851	15565	14604	13603	22937	16935	11452	6972	3179	825
Mean Population, 1881–91. Males		68,252	2028	1813	1816	1786	1792	9235	8251	7616	7034	6380	10976	8204	5455	3280	1444	377
Mean Population, 1881–91. Females		73,555	2096	1955	1974	1829	1795	9649	8600	7949	7570	7223	11961	8731	5997	3692	1735	448
Deaths from All Causes, 1881–90. Persons	21·40	30,342	9360	3010	1045	649	501	14565	1016	502	707	797	1616	1854	2207	2771	2737	1570
Deaths from All Causes, 1881–90. Males	23·13	15,789	5302	1583	528	336	255	8004	495	266	337	372	741	896	1183	1418	1350	727
Deaths from All Causes, 1881–90. Females	19·79	14,553	4058	1427	517	313	246	6561	521	236	370	425	875	958	1024	1353	1387	843

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·00	9	6	3	1	1	–	–	–	2	–	–	1	1	1	2	2	–	–	–
Measles	0·74	0·76	0·72	1049	521	528	284	429	160	72	51	996	48	5	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·46	0·35	567	312	255	40	73	98	118	84	413	136	12	2	1	1	2	–	–	–	–
Diphtheria	0·10	0·09	0·10	140	63	77	13	20	19	21	20	93	35	3	4	–	1	–	1	2	–	1
Whooping-cough	0·40	0·36	0·44	570	247	323	249	184	70	36	17	556	14	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	20	12	8	–	–	–	–	1	1	3	1	4	3	4	3	1	–	–	–
Enteric Fever	0·30	0·32	0·28	423	218	205	–	4	6	10	8	28	43	47	77	56	79	41	31	12	8	1
Simple Continued Fever	0·06	0·06	0·06	79	38	41	13	7	8	6	2	36	17	4	7	1	3	5	3	2	1	–
Diarrhœa and Dysentery	1·11	1·23	0·99	1568	839	729	1134	211	38	14	6	1403	10	3	2	3	9	12	15	40	47	24
Cholera	0·04	0·04	0·04	57	29	28	26	7	4	2	2	41	4	–	1	2	1	1	–	3	4	–
Cancer	0·33	0·23	0·42	467	160	307	–	2	2	–	–	4	1	4	2	6	18	69	129	134	83	17
Tabes Mesenterica	0·39	0·43	0·34	546	293	253	261	133	40	21	8	463	19	12	14	9	7	9	4	6	3	–
Phthisis	1·49	1·52	1·46	2109	1037	1072	31	28	9	11	11	90	49	74	235	282	479	404	269	170	50	7
Other Tub. & Scrof. Dis.	0·33	0·37	0·30	471	253	218	148	98	37	28	21	332	51	21	17	11	20	5	10	3	1	–
Diseases of Nervous System	2·92	3·21	2·65	4143	2190	1953	1599	316	96	70	62	2143	126	58	64	52	99	165	290	457	472	217
Diseases of Circulatory „	1·45	1·38	1·51	2051	943	1108	18	4	6	4	9	41	31	50	40	52	172	244	384	512	391	134
Diseases of Respiratory „	5·13	5·84	4·48	7280	3984	3296	2056	1017	338	174	129	3709	207	49	61	88	229	391	561	815	823	347
Diseases of Digestive „	1·56	1·68	1·45	2210	1146	1064	743	284	46	20	22	1115	65	37	52	48	92	118	187	231	204	61
Diseases of Urinary „	0·35	0·44	0·27	501	299	202	13	7	10	3	10	43	28	15	18	18	47	59	75	86	85	27
Diseases of Generative „	0·04	0·01	0·07	58	4	54	5	–	–	1	–	6	–	–	–	2	9	13	17	7	3	1
Puerperal Fever	0·12	–	0·24	177	–	177	–	–	–	–	–	–	–	–	8	46	78	44	1	–	–	–
Childbirth	0·09	–	0·16	121	–	121	–	–	–	–	–	–	–	–	4	21	55	40	1	–	–	–
Violence	0·55	0·84	0·28	777	570	207	46	33	32	20	23	154	73	53	34	38	98	91	85	78	52	21
Other Causes	3·48	3·83	3·17	4949	2625	2324	2680	152	31	18	15	2896	56	54	60	57	114	136	141	213	510	712

Marriages - - - 12,137

Births - { Males - 25,863 / Females - 25,044 } 50,907

Annual Rate per 1000 living { Persons Married 17·12 / Births - - 35·90 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

473.—CLITHEROE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·15	†119	–	–	–	–	44·15	4·23	2·15	4·07	5·27	6·33	10·77	16·13	39·73	73·29	158·59
Annual Death-Rate per 1000. Males	—	17·33	†130	–	–	–	–	48·99	4·61	2·25	4·00	4·38	5·77	9·47	16·77	29·74	76·00	163·92
Annual Death-Rate per 1000. Females	—	16·99	†108	–	–	–	–	39·47	3·82	2·02	4·14	6·09	6·86	11·96	15·55	31·73	70·68	153·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·21 per cent.	23,355	587	568	537	538	574	2804	2649	2610	2384	2144	3430	2601	2003	1539	865	326
Mean Population, 1881–91. Males		11,635	304	285	256	249	286	1380	1366	1375	1274	1028	1665	1246	948	770	425	158
Mean Population, 1881–91. Females		11,720	283	283	281	289	288	1424	1283	1235	1110	1116	1765	1355	1055	769	440	168
Deaths from All Causes, 1881–90. Persons	17·38	4,060	792	247	94	59	46	1238	112	56	97	113	217	280	323	473	634	517
Deaths from All Causes, 1881–90. Males	17·62	2,050	440	128	51	31	26	676	63	31	51	45	96	118	159	229	323	259
Deaths from All Causes, 1881–90. Females	17·15	2,010	352	119	43	28	20	562	49	25	46	68	121	162	164	244	311	258

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·41	0·40	0·43	96	46	50	25	39	13	8	4	89	7	–	–	–	–	–	–	–
Scarlet Fever	0·26	0·26	0·26	60	30	30	4	10	8	10	8	40	13	5	2	–	–	–	–	–
Diphtheria	0·04	0·03	0·06	10	3	7	1	–	–	–	3	4	5	–	1	–	–	–	–	–
Whooping-cough	0·29	0·34	0·24	67	39	28	32	21	5	3	3	64	3	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	0·20	0·07	31	23	8	–	–	–	–	–	–	2	4	4	3	7	5	3	2
Simple Continued Fever	0·03	0·02	0·04	7	2	5	1	1	–	–	1	3	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·40	0·42	0·38	93	49	44	52	11	1	–	–	64	1	–	–	1	1	1	2	4
Cholera	0·02	0·02	0·02	4	2	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	0·44	0·40	0·48	103	47	56	–	–	–	–	–	–	1	–	–	–	3	9	23	35
Tabes Mesenterica	0·17	0·17	0·16	39	20	19	18	6	4	1	–	29	2	1	2	–	3	–	–	1
Phthisis	1·36	1·16	1·55	317	135	182	3	–	–	1	1	5	1	12	32	46	76	57	47	35
Other Tub. & Scrof. Dis.	0·26	0·28	0·24	61	33	28	22	11	9	4	1	47	4	1	2	–	2	1	2	1
Diseases of Nervous System	2·26	2·26	2·25	527	263	264	126	31	15	7	6	185	23	6	11	10	19	27	30	64
Diseases of Circulatory „	1·55	1·48	1·61	361	172	189	–	–	–	–	–	–	4	4	8	4	13	23	52	94
Diseases of Respiratory „	3·61	4·02	3·20	843	468	375	156	70	24	18	13	281	18	5	10	16	36	47	63	103
Diseases of Digestive „	1·16	1·14	1·18	271	133	138	27	23	5	2	2	59	7	5	6	6	5	21	39	35
Diseases of Urinary „	0·36	0·41	0·32	85	48	37	2	1	2	2	–	7	5	–	–	1	4	9	9	19
Diseases of Generative „	0·05	0·03	0·07	11	3	8	1	–	–	–	–	1	–	–	1	–	–	1	3	4
Puerperal Fever	0·10	–	0·20	24	–	24	–	–	–	–	–	–	–	–	–	3	12	8	1	–
Childbirth	0·12	–	0·23	27	–	27	–	–	–	–	–	–	–	–	1	3	5	18	–	–
Violence	0·48	0·69	0·28	113	80	33	7	7	5	1	3	23	3	5	6	5	10	16	15	15
Other Causes	3·88	3·88	3·88	909	453	456	313	16	3	2	1	335	13	8	10	14	20	37	34	61

	75 and upwds.
Persons.	–
Males.	–
Females.	–
Persons.	1
Males.	–
Females.	1
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	2
Males.	–
Females.	2
Persons.	10
Males.	9
Females.	1
Persons.	–
Males.	–
Females.	–
Persons.	5
Males.	1
Females.	4
Persons.	102
Males.	102
Females.	168
Persons.	54
Males.	18
Females.	1
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	10
Persons.	131
Males.	246

Marriages - - - 1,568

Births - { Males - 3,382, Females - 3,253 } 6,635

Annual Rate per 1000 living { Persons Married 13·43, Births - - - 28·41

Deaths from Childbirth and Puerperal Fever - - - - - } 7·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

474.—BLACKBURN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		24·78	†178	–	–	–	–	78·16	6·60	3·43	4·83	5·98	8·05	12·92	22·09	45·14	87·65	183·62
Males	—					26·40	†195	–	–	–	–	85·55	6·91	3·75	4·96	6·25	8·32	13·83	24·22	48·34	96·28	195·06
Females	—					23·25	†161	–	–	–	–	70·95	6·29	3·12	4·72	5·76	7·83	12·13	20·31	42·48	80·73	174·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·45 per cent.			190,429			5461	4942	5054	4868	4691	25016	22603	21101	19930	18551	30248	22316	15750	9401	4347	1166
Males				89,982			2705	2433	2505	2395	2318	12356	11215	10343	9357	8432	13984	10402	7177	4276	1934	506
Females				100,447			2756	2509	2549	2473	2373	12660	11388	10758	10573	10119	16264	11914	8573	5125	2413	660
Deaths from All Causes, 1881–90. Persons	22·49			42,835			11942	4353	1527	1026	705	19553	1491	724	963	1110	2436	2884	3479	4244	3810	2141
Males	24·43			21,981			6630	2296	780	492	373	10571	775	388	464	527	1163	1439	1738	2067	1862	987
Females	20·76			20,854			5312	2057	747	534	332	8982	716	336	499	583	1273	1445	1741	2177	1948	1154
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	0·01	37	24	13	6	1	–	–	–	7	1	1	1	2	17	8	–	–	–	–
Measles	0·78	0·87	0·70	1485	781	704	355	662	213	116	68	1414	69	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·64	0·68	0·61	1227	610	617	79	228	208	203	153	871	284	51	5	4	11	–	1	–	–	–
Diphtheria	0·04	0·04	0·03	72	37	35	4	6	10	9	8	37	20	5	3	1	–	3	2	–	1	–
Whooping-cough	0·50	0·44	0·55	953	400	553	424	286	111	72	32	925	28	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	20	12	8	–	–	1	–	–	1	1	4	5	2	2	3	–	1	1	–
Enteric Fever	0·37	0·40	0·34	699	356	343	3	7	9	16	26	61	88	94	101	96	136	60	40	17	5	1
Simple Continued Fever	0·03	0·02	0·03	50	22	28	3	1	2	6	6	18	15	1	3	1	5	–	2	1	3	1
Diarrhœa and Dysentery	1·05	1·15	0·96	1997	1032	965	1249	327	47	13	9	1645	23	3	2	8	17	23	31	61	116	68
Cholera	0·01	0·02	0·01	28	19	9	6	2	–	–	–	8	3	–	2	–	5	2	5	1	1	1
Cancer	0·38	0·25	0·49	722	226	496	1	–	2	1	–	4	3	1	1	8	29	115	216	203	113	29
Tabes Mesenterica	0·51	0·55	0·47	969	498	471	538	245	59	27	13	882	31	16	11	4	9	5	3	5	3	–
Phthisis	1·57	1·72	1·43	2987	1548	1439	38	58	19	13	6	134	71	91	294	408	761	615	368	195	48	2
Other Tub. & Scrof. Dis.	0·37	0·46	0·28	700	416	284	232	171	65	36	28	532	62	33	16	22	19	8	7	1	–	–
Diseases of Nervous System	3·20	3·60	2·83	6083	3242	2841	2260	471	188	120	81	3120	182	79	78	52	153	252	457	679	733	298
Circulatory „	1·35	1·29	1·40	2567	1161	1406	9	4	3	5	2	23	47	84	82	86	198	352	468	596	477	154
Respiratory „	5·78	6·48	5·15	11003	5830	5173	2490	1343	449	290	203	4775	314	68	132	147	429	698	1073	1532	1307	528
Digestive „	1·46	1·54	1·39	2785	1390	1395	816	318	45	17	21	1217	67	44	50	59	146	198	306	386	244	68
Urinary „	0·36	0·45	0·28	692	407	285	17	20	8	11	7	63	32	18	29	22	79	81	104	114	116	34
Generative „	0·04	0·00	0·06	67	3	64	–	–	–	–	–	–	–	1	3	3	10	16	21	9	4	–
Puerperal Fever	0·09	–	0·17	172	–	172	–	–	–	–	–	–	–	–	10	40	71	50	1	–	–	–
Childbirth	0·10	–	0·19	192	–	192	–	–	–	–	–	–	–	–	7	25	78	81	1	–	–	–
Violence	0·56	0·83	0·32	1066	749	317	67	42	43	44	21	217	67	57	46	52	115	124	139	139	79	31
Other Causes	3·27	3·60	3·05	6262	3218	3044	3345	161	45	27	21	3599	83	72	81	68	146	190	234	304	559	926

Marriages - - 15,735
Births - { Males - 33,927 / Females - 33,062 } 66,989

Annual Rate per 1000 living { Persons Married 16·53 / Births " " 35·18 }

Deaths from Childbirth and Puerperal Fever - - - - } 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

475.—CHORLEY.

Causes of Deaths.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population 20·22	†152	–	–	–	–	58·35	4·76	3·14	4·03	5·90	7·89	11·00	17·56	35·73	76·53	177·16
Males	—	21·23	†171	–	–	–	–	65·60	5·04	3·40	4·32	4·88	7·10	10·84	19·94	37·01	79·32	192·55
Females	—	19·25	†132	–	–	–	–	51·34	4·49	2·88	3·77	6·80	8·59	11·14	15·44	34·62	73·99	162·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·35 per cent.	51,394	1466	1360	1406	1348	1321	6901	6381	5830	5355	4764	7502	5647	4010	2824	1602	578
Males		24,671	716	692	691	638	658	3395	3155	2849	2572	2234	3534	2684	1886	1316	764	282
Females		26,723	750	668	715	710	663	3506	3226	2981	2783	2530	3968	2963	2124	1508	838	296
Deaths from All Causes, 1881–90. Persons	19·82	10,187	2640	765	297	176	149	4027	304	183	216	281	592	621	704	1009	1226	1024
Males	21·31	5,257	1511	387	165	85	79	2227	159	97	111	109	251	291	376	487	606	543
Females	18·45	4,930	1129	378	132	91	70	1800	145	86	105	172	341	330	328	522	620	481

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Measles	0·31	0·34	0·28	158	83	75	44	63	19	12	4	142	13	2	–	–	1	–	–	–	–
Scarlet Fever	0·29	0·35	0·23	148	86	62	10	29	24	20	23	106	35	4	1	1	–	1	–	–	–
Diphtheria	0·05	0·05	0·06	28	13	15	2	6	2	4	5	19	8	–	–	–	1	–	–	–	–
Whooping-cough	0·27	0·28	0·27	141	69	72	69	43	19	3	3	137	4	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Enteric Fever	0·30	0·36	0·24	154	90	64	–	4	6	6	3	19	15	13	22	16	23	21	7	9	8	1
Simple Continued Fever	0·01	0·02	0·01	7	4	3	1	–	1	1	1	4	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·56	0·55	0·57	288	136	152	171	40	3	5	2	221	3	2	–	1	2	3	5	11	20	20
Cholera	0·01	0·01	0·01	5	3	2	–	–	–	–	–	–	1	1	–	–	–	1	–	2	–	–
Cancer	0·48	0·33	0·61	245	82	163	–	–	–	–	–	–	–	–	1	–	5	23	46	77	70	23
Tabes Mesenterica	0·41	0·52	0·31	213	129	84	126	44	13	4	4	191	6	9	2	2	1	2	–	–	–	–
Phthisis	1·55	1·43	1·65	794	352	442	13	11	5	1	–	30	14	31	78	113	215	138	89	61	22	3
Other Tub. & Scrof. Dis.	0·60	0·68	0·52	309	169	140	123	67	32	10	6	238	24	11	8	10	7	3	3	2	2	1
Diseases of Nervous System	2·39	2·65	2·15	1227	653	574	412	73	28	16	14	543	30	17	15	17	31	35	64	155	199	121
Circulatory „	1·55	1·49	1·59	794	368	426	2	1	–	1	–	4	12	22	16	15	54	77	115	173	198	108
Respiratory „	4·70	5·14	4·30	2415	1267	1148	579	257	109	61	50	1056	64	15	21	27	82	120	168	286	357	219
Digestive „	1·25	1·28	1·22	641	316	325	141	70	11	6	5	233	15	9	12	13	17	49	80	88	82	43
Urinary „	0·39	0·55	0·24	198	135	63	3	1	4	4	5	17	8	6	2	3	9	19	21	34	60	19
Generative „	0·05	0·00	0·09	24	1	23	–	–	–	–	–	–	–	–	–	1	5	3	9	3	1	2
Puerperal Fever	0·14	–	0·27	73	–	73	–	–	–	–	–	–	–	–	–	19	38	16	–	–	–	–
Childbirth	0·08	–	0·15	40	–	40	–	–	–	–	–	–	–	–	–	7	17	16	–	–	–	–
Violence	0·65	1·04	0·28	333	257	76	15	12	12	13	13	65	29	20	12	14	46	33	36	29	24	25
Other Causes	3·78	4·24	3·39	1948	1043	905	929	44	9	9	11	1002	22	21	25	22	35	61	61	78	182	439

Marriages - - - 3,621

Births - { Males - 8,850 / Females - 8,555 } 17,405

Annual Rate per 1000 living { Persons Married 14·09 / Births - - 33·87

Deaths from Childbirth and Puerperal Fever - - - - - 6·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

476.—PRESTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 26·53			†203	–	–	–	–	86·40	6·05	3·29	4·94	6·87	10·58	16·50	24·40	43·48	83·15	179·00
Annual Death-Rate per 1000. Males	—			In Standard Population* 28·16			†223	–	–	–	–	94·96	6·39	3·23	5·05	6·88	10·81	18·48	26·99	45·90	87·69	183·39
Annual Death-Rate per 1000. Females	—			In Standard Population* 25·00			†182	–	–	–	–	78·05	5·71	3·35	4·83	6·87	10·40	14·88	22·31	41·50	79·61	175·37
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·13 per cent.			136,350			3734	3370	3339	3334	3240	17017	15463	14659	14204	12967	20818	16050	12043	7909	3982	1238
Mean Population, 1881–91. Males				63,609			1867	1665	1622	1646	1607	8407	7670	7216	6789	5745	9382	7257	5364	3473	1746	560
Mean Population, 1881–91. Females				72,741			1867	1705	1717	1688	1633	8610	7793	7443	7415	7222	11436	8793	6679	4436	2236	678
Deaths from All Causes, 1881–90. Persons	25·28			34,464			9781	2743	1053	679	447	14703	935	482	701	891	2203	2649	2938	3435	3311	2216
Deaths from All Causes, 1881–90. Males	27·35			17,399			5481	1413	515	333	241	7983	490	233	343	395	1014	1341	1448	1594	1531	1027
Deaths from All Causes, 1881–90. Females	23·46			17,065			4300	1330	538	346	206	6720	445	249	358	496	1189	1308	1490	1841	1780	1189
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·06	0·03	60	37	23	8	2	–	–	1	11	1	1	2	5	13	20	4	3	–	–
Measles	0·67	0·71	0·63	909	450	459	226	353	135	85	55	854	52	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·40	0·44	0·36	540	277	263	33	94	109	89	75	400	109	13	5	3	8	2	–	–	–	–
Diphtheria	0·15	0·14	0·16	206	88	118	17	45	24	35	26	147	45	8	–	–	4	–	–	1	1	–
Whooping-cough	0·53	0·52	0·54	723	333	390	316	208	97	53	33	707	16	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	4	1	3	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
Enteric Fever	0·41	0·47	0·37	565	299	266	4	11	10	9	13	47	59	54	72	62	105	60	58	37	10	1
Simple Continued Fever	0·03	0·04	0·03	43	24	19	2	1	2	3	6	14	10	1	4	2	2	1	3	3	2	1
Diarrhœa and Dysentery	1·86	2·14	1·62	2534	1359	1175	1890	288	52	14	8	2252	10	2	5	2	19	13	30	43	91	67
Cholera	0·02	0·02	0·03	34	13	21	15	4	2	–	–	21	2	–	–	1	2	3	–	4	1	–
Cancer	0·56	0·37	0·73	766	237	529	1	2	–	1	1	5	1	1	2	2	26	84	202	218	167	58
Tabes Mesenterica	0·32	0·34	0·29	432	218	214	210	95	25	13	9	352	18	12	4	9	11	12	9	3	2	–
Phthisis	2·23	2·27	2·19	3040	1446	1594	24	27	15	7	11	84	47	71	234	380	817	678	415	232	73	9
Other Tub. & Scrof. Dis.	0·54	0·62	0·48	740	394	346	229	143	67	48	21	508	76	25	29	21	26	21	11	17	5	1
Diseases of Nervous System	3·30	3·72	2·94	4507	2367	2140	1491	230	91	61	41	1914	94	57	54	38	162	316	394	518	618	342
Diseases of Circulatory „	1·82	1·77	1·86	2483	1128	1355	11	1	4	1	4	21	35	43	44	58	158	283	423	598	568	252
Diseases of Respiratory „	5·60	6·26	5·03	7644	3983	3661	1739	820	298	175	103	3135	180	49	77	82	285	526	779	1003	987	541
Diseases of Digestive „	1·40	1·50	1·31	1907	953	954	559	166	28	16	9	778	37	31	24	43	100	136	210	259	201	88
Diseases of Urinary „	0·58	0·65	0·52	788	413	375	39	22	11	7	7	86	22	16	13	26	71	110	93	154	127	70
Diseases of Generative „	0·06	0·01	0·10	81	7	74	1	–	–	–	–	1	–	1	6	7	13	14	15	14	9	1
Puerperal Fever	0·16	–	0·30	215	–	215	–	–	–	–	–	–	–	–	9	52	104	48	2	–	–	–
Childbirth	0·09	–	0·17	123	–	123	–	–	–	–	–	–	–	–	4	12	53	52	2	–	–	–
Violence	0·58	0·86	0·33	790	548	242	51	42	31	34	18	176	62	37	53	26	87	102	84	77	51	35
Other Causes	3·93	4·44	3·44	5330	2824	2506	2915	189	52	28	6	3190	58	57	59	59	136	168	204	251	398	750

Marriages - - - 11,513
Births - { Males - 24,617, Females - 23,589 } 48,206

Annual Rate per 1000 living { Persons Married 16·89, Births - - 35·35 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

477.—FYLDE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 1893			†143	–	–	–	–	53·81	6·73	2·85	3·98	6·53	7·94	11·50	15·22	29·42	67·46	163·19
Annual Death-Rate per 1000. Males	—			1898			†157	–	–	–	–	59·03	6·77	2·85	4·16	6·59	8·39	11·20	16·71	32·95	72·70	175·00
Annual Death-Rate per 1000. Females	—			1894			†129	–	–	–	–	48·66	6·68	2·85	3·82	6·48	7·59	11·73	14·10	26·71	63·01	153·40
Mean Population, 1881-91. Persons	Decennial Increase of Population 37·66 per cent.			48,614			1216	1140	1149	1117	1098	5720	5440	5263	4970	4409	7317	5836	4388	3022	1684	565
Mean Population, 1881-91. Males				22,494			605	565	570	557	542	2839	2717	2629	2355	1926	3208	2589	1891	1311	773	256
Mean Population, 1881-91. Females				26,120			611	575	579	560	556	2881	2723	2634	2615	2483	4109	3247	2497	1711	911	309
Deaths from All Causes, 1881-90. Persons	18·40			8,947			2030	545	224	166	113	3078	366	150	198	288	581	671	668	889	1136	922
Deaths from All Causes, 1881-90. Males	19·90			4,477			1138	281	126	74	57	1676	184	75	98	127	269	290	316	432	562	448
Deaths from All Causes, 1881-90. Females	17·11			4,470			892	264	98	92	56	1402	182	75	100	161	312	381	352	457	574	474
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·29	0·32	0·27	142	71	71	40	54	11	10	9	124	16	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·27	0·31	0·24	133	70	63	8	20	20	12	14	74	42	9	4	1	2	–	1	–	–	–
Diphtheria	0·32	0·28	0·36	156	62	94	8	16	18	27	14	83	55	10	2	1	3	1	1	–	–	–
Whooping-cough	0·27	0·28	0·26	130	63	67	60	40	14	7	2	123	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	3	3	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–
Enteric Fever	0·25	0·25	0·25	123	57	66	1	1	1	2	1	6	18	10	16	19	19	17	7	4	5	2
Simple Continued Fever	0·04	0·06	0·03	20	13	7	3	4	4	2	2	15	4	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·56	0·66	0·48	274	149	125	184	28	2	1	–	215	2	1	–	4	4	6	3	11	12	16
Cholera	0·04	0·04	0·04	18	8	10	10	–	–	–	–	10	1	–	–	2	1	2	–	–	1	1
Cancer	0·50	0·38	0·61	243	85	158	–	–	–	1	–	1	1	–	1	1	7	26	42	78	60	26
Tabes Mesenterica	0·24	0·28	0·21	116	62	54	50	19	6	3	6	84	14	4	2	6	4	–	1	–	1	–
Phthisis	1·49	1·46	1·52	725	328	397	4	6	1	4	1	16	10	16	73	105	210	152	84	36	21	2
Other Tub. & Scrof. Dis.	0·31	0·37	0·26	153	84	69	41	26	21	10	6	104	17	11	4	6	4	5	1	1	–	–
Diseases of Nervous System	2·47	2·74	2·23	1199	616	583	341	61	38	23	17	480	44	11	12	15	31	66	99	131	187	123
Diseases of Circulatory „	1·60	1·49	1·68	776	336	440	1	–	–	–	2	3	12	8	14	11	51	78	89	174	231	105
Diseases of Respiratory „	3·35	3·58	3·16	1630	806	824	373	160	60	41	24	658	59	12	15	22	63	108	108	180	235	170
Diseases of Digestive „	1·55	1·73	1·39	754	390	364	187	68	12	6	8	281	27	14	11	17	32	59	74	93	107	39
Diseases of Urinary „	0·44	0·59	0·32	215	132	83	3	3	1	–	1	8	4	4	5	5	17	19	38	41	52	22
Diseases of Generative „	0·06	–	0·11	30	–	30	–	–	–	–	–	–	–	–	–	2	1	11	7	5	2	2
Puerperal Fever	0·10	–	0·19	49	–	49	–	–	–	–	–	–	–	–	–	15	21	13	–	–	–	–
Childbirth	0·10	–	0·18	48	–	48	–	–	–	–	–	–	–	–	1	10	22	15	–	–	–	–
Violence	0·64	1·14	0·20	309	256	53	18	11	8	5	5	47	15	12	18	26	47	40	35	36	24	9
Other Causes	3·50	3·93	3·11	1697	886	811	698	28	7	12	1	746	18	28	19	19	39	51	75	99	198	405

Marriages - - - 3,591

Births - Males - 7,228; Females - 6,931 — 14,159

Annual Rate per 1000 living: Persons Married 14·77; Births - - 29·13

Deaths from Childbirth and Puerperal Fever - - - - - 6·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

478.—GARSTANG.

Cause of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·35	†102	–	–	–	–	35·34	4·31	2·87	3·67	5·29	6·86	8·28	10·41	24·84	53·42	151·27
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·97	†119	–	–	–	–	39·81	3·94	2·49	2·75	4·18	5·70	8·47	8·97	26·67	49·47	148·80
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·71	†84	–	–	–	–	31·01	4·68	3·32	4·82	6·53	8·04	8·07	11·91	22·79	58·09	154·05
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·72 per cent.	12,263	306	300	303	308	280	1497	1437	1394	1308	1040	1692	1293	1047	793	526	236
Mean Population, 1881–91. Males	Decennial Decrease of Population 1·72 per cent.	6,371	161	145	152	142	136	736	711	762	727	550	859	661	535	420	285	125
Mean Population, 1881–91. Females	Decennial Decrease of Population 1·72 per cent.	5,892	145	155	151	166	144	761	726	632	581	490	833	632	512	373	241	111
Deaths from All Causes, 1881–90. Persons	15·50	1,901	341	90	39	33	26	529	62	40	48	55	116	107	109	197	281	357
Deaths from All Causes, 1881–90. Males	15·30	975	199	45	17	20	12	293	28	19	20	23	49	56	48	112	141	186
Deaths from All Causes, 1881–90. Females	15·72	926	142	45	22	13	14	236	34	21	28	32	67	51	61	85	140	171

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·19	0·15	21	12	9	4	9	4	1	2	20	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·13	0·32	27	8	19	3	3	1	7	1	15	10	2	–	–	–	–	–	–	–
Diphtheria	0·13	0·09	0·17	16	6	10	1	1	2	1	3	8	6	2	–	–	–	–	–	–	–
Whooping cough	0·17	0·14	0·20	21	9	12	14	4	2	–	1	21	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·16	0·27	26	10	16	–	–	–	–	1	1	–	5	3	4	6	1	1	3	2
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·45	0·42	0·48	55	27	28	18	5	2	1	–	26	1	–	–	–	2	2	1	8	8
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	0·32	0·30	0·34	39	19	20	–	–	–	–	–	–	–	–	1	–	–	2	9	8	14
Tabes Mesenterica	0·15	0·17	0·14	19	11	8	8	3	1	1	–	13	1	3	1	–	–	1	–	–	–
Phthisis	0·81	0·63	1·00	99	40	59	–	–	–	–	–	–	2	6	14	14	24	26	7	1	5
Other Tub. & Scrof. Dis.	0·30	0·36	0·24	37	23	14	12	4	2	3	2	23	4	1	2	4	–	1	1	–	1
Diseases of Nervous System	2·03	1·95	2·12	249	124	125	51	9	6	4	3	73	8	4	4	4	8	9	15	28	51
Diseases of Circulatory „	1·72	1·55	1·90	211	99	112	1	–	–	–	–	1	1	3	3	4	5	7	11	53	66
Diseases of Respiratory „	3·11	3·30	2·90	381	210	171	82	38	12	11	8	151	17	4	3	4	17	21	20	44	54
Diseases of Digestive „	1·20	1·19	1·21	147	76	71	25	10	3	1	1	40	3	2	5	7	15	3	14	23	22
Diseases of Urinary „	0·38	0·49	0·25	46	31	15	1	–	–	1	–	2	–	–	–	–	6	2	3	4	15
Diseases of Generative „	0·05	–	0·10	6	–	6	–	–	–	–	–	–	–	–	–	–	–	2	4	–	–
Puerperal Fever	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	2	5	1	–	–	–
Childbirth	0·09	–	0·19	11	–	11	–	–	–	–	–	–	–	–	–	2	5	4	–	–	–
Violence	0·53	0·77	0·27	65	49	16	6	3	1	2	2	14	1	1	7	2	10	10	6	8	3
Other Causes	3·36	3·44	3·29	414	220	194	115	1	2	–	2	120	7	6	5	7	13	15	17	17	40

Marriages - - - 711

Births - { Males - 1,669 / Females - 1,685 } 3,354

Annual Rate per 1000 living { Persons Married 11·60 / Births - - 27·35 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

479.—LANCASTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·39	†146	–	–	–	–	57·03	4·85	3·40	6·07	7·24	10·55	17·11	21·65	35·06	71·05	160·26
Annual Death-Rate per 1000. Males	—	22·93	†161	–	–	–	–	61·22	5·07	3·65	6·50	8·38	11·33	19·05	24·02	39·97	78·13	165·32
Annual Death-Rate per 1000. Females	—	19·94	†131	–	–	–	–	52·76	4·63	3·15	5·65	6·12	9·76	15·21	19·45	30·72	64·77	156·74
Mean Population, 1881–91. Persons	Decennial Increase of Population 27·36 per cent.	46,431	1226	1166	1149	1133	1090	5764	5132	4973	4662	4419	7321	5312	3973	2807	1527	541
Mean Population, 1881–91. Males		22,927	626	588	585	560	547	2906	2563	2495	2306	2196	3664	2630	1911	1316	718	222
Mean Population, 1881–91. Females		23,504	600	578	564	573	543	2858	2569	2478	2356	2223	3657	2682	2062	1491	809	319
Deaths from All Causes, 1881–90. Persons	21·07	9,785	2092	707	209	162	117	3287	249	169	283	320	772	909	860	984	1085	867
Deaths from All Causes, 1881–90. Males	22·52	5,163	1179	356	102	84	58	1779	130	91	150	184	415	501	459	526	561	367
Deaths from All Causes, 1881–90. Females	19·66	4,622	913	351	107	78	59	1508	119	78	133	136	357	408	401	458	524	500

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Measles	0·55	0·57	0·54	256	130	126	75	99	31	24	10	239	14	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·21	0·17	0·24	96	40	56	7	20	8	19	12	66	24	3	2	–	–	1	–	–	–	–
Diphtheria	0·02	0·02	0·02	10	5	5	–	2	–	1	–	3	3	–	1	1	–	–	1	1	–	–
Whooping-cough	0·37	0·31	0·44	173	70	103	86	53	13	10	4	166	7	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·22	0·24	0·20	101	55	46	–	1	–	–	3	4	6	9	11	16	28	13	8	5	1	–
Simple Continued Fever	0·01	0·01	0·02	6	2	4	–	–	1	1	–	2	1	–	–	–	–	2	1	–	–	–
Diarrhœa and Dysentery	0·76	0·75	0·77	352	171	181	202	42	4	1	–	249	4	1	3	1	10	13	19	23	21	8
Cholera	0·02	0·01	0·02	7	2	5	1	2	–	–	–	3	–	–	–	–	–	–	1	2	–	1
Cancer	0·50	0·34	0·65	231	79	152	–	–	–	–	1	1	3	1	1	1	2	25	52	67	61	17
Tabes Mesenterica	0·24	0·26	0·22	111	59	52	45	27	9	3	2	86	6	7	6	–	3	2	1	–	–	–
Phthisis	2·24	2·23	2·25	1041	512	529	10	3	1	6	–	20	11	33	99	137	280	233	145	61	20	2
Other Tub. & Scrof. Dis.	0·53	0·59	0·48	247	135	112	78	46	11	2	11	148	27	17	17	7	10	7	8	5	1	–
Diseases of Nervous System	3·71	4·44	2·99	1721	1018	703	373	105	25	23	18	544	35	26	26	40	123	239	191	186	185	126
Diseases of Circulatory „	1·67	1·70	1·65	777	389	388	7	1	1	–	2	11	8	10	8	15	45	71	111	184	222	92
Diseases of Respiratory „	4·01	4·39	3·63	1860	1007	853	405	217	81	47	39	789	41	19	27	35	96	115	133	200	252	153
Diseases of Digestive „	1·16	1·18	1·14	539	271	268	100	45	7	3	6	161	15	12	26	8	26	45	64	80	62	40
Diseases of Urinary „	0·48	0·60	0·36	221	137	84	3	5	2	4	–	14	4	2	5	5	23	34	33	50	38	13
Diseases of Generative „	0·07	0·02	0·11	31	4	27	–	–	–	–	–	–	–	–	1	1	5	6	10	4	3	1
Puerperal Fever	0·07	–	0·14	34	–	34	–	–	–	–	–	–	–	–	1	7	21	5	–	–	–	–
Childbirth	0·09	–	0·17	41	–	41	–	–	–	–	–	–	–	–	1	7	21	12	–	–	–	–
Violence	0·59	0·96	0·23	276	221	55	13	10	7	10	7	47	14	16	19	22	39	25	32	33	18	11
Other Causes	3·54	3·73	3·38	1650	854	796	687	29	8	8	2	734	26	11	29	17	38	59	49	83	201	403

Marriages - - - 3,410

Births - Males - 7,346 / Females - 6,972 } 14,318

Annual Rate per 1000 living { Persons Married 14·69 / Births - - 30·84

Deaths from Childbirth and Puerperal Fever - - - - - } 5·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

480.—LUNESDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 13·81	†107	–	–	–	–	35·22	4·03	2·66	2·61	4·82	5·14	7·14	11·46	22·20	55·03	160·61
Annual Death Rate per 1000. Males	—	In Standard Population* 13·75	†117	–	–	–	–	38·53	3·46	3·49	2·23	4·71	4·57	7·18	11·00	26·25	48·26	158·11
Annual Death Rate per 1000. Females	—	In Standard Population* 13·86	†96	–	–	–	–	31·93	4·62	1·84	3·04	4·94	5·68	7·11	11·92	17·84	62·05	163·79
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·01 per cent.	7,240	178	185	171	183	183	900	844	752	765	664	992	742	611	500	338	132
Mean Population, 1881–91. Males	Decennial Increase of Population 3·01 per cent.	3,654	89	92	83	91	94	449	433	372	403	340	481	362	309	259	172	74
Mean Population, 1881–91. Females	Decennial Increase of Population 3·01 per cent.	3,586	89	93	88	92	89	451	411	380	362	324	511	380	302	241	166	58
Deaths from All Causes, 1881–90. Persons	15·28	1,106	218	54	23	15	7	317	34	20	20	32	51	53	70	111	186	212
Deaths from All Causes, 1881–90. Males	15·76	576	121	29	12	5	6	173	15	13	9	16	22	26	34	68	83	117
Deaths from All Causes, 1881–90. Females	14·78	530	97	25	11	10	1	144	19	7	11	16	29	27	36	43	103	95

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·08	0·08	0·08	6	3	3
Scarlet Fever	0·06	0·08	0·03	4	3	1
Diphtheria	0·18	0·16	0·20	13	6	7
Whooping-cough	0·19	0·22	0·17	14	8	6
Typhus	0·01	0·03	–	1	1	–
Enteric Fever	0·12	0·11	0·14	9	4	5
Simple Continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·18	0·14	0·22	13	5	8
Cholera	0·01	–	0·03	1	–	1
Cancer	0·50	0·33	0·67	36	12	24
Tabes Mesenterica	0·15	0·14	0·17	11	5	6
Phthisis	1·22	1·18	1·25	88	43	45
Other Tub. & Scrof. Dis.	0·26	0·33	0·20	19	12	7
Diseases of Nervous System	1·98	2·30	1·65	143	84	59
Diseases of Circulatory "	1·53	1·48	1·59	111	54	57
Diseases of Respiratory "	2·64	2·82	2·45	191	103	88
Diseases of Digestive "	1·11	1·15	1·06	80	42	38
Diseases of Urinary "	0·22	0·25	0·20	16	9	7
Diseases of Generative "	0·04	–	0·08	3	–	3
Puerperal Fever	0·06	–	0·11	4	–	4
Childbirth	0·06	–	0·11	4	–	4
Violence	0·46	0·71	0·20	33	26	7
Other Causes	4·22	4·25	4·17	306	156	150

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	2	–	1	–	3	–	1	1	1	–	–	–	–	–	–
Scarlet Fever	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	4	1	1	6	5	1	–	–	–	–	1	–	–	–
Whooping-cough	8	4	2	–	–	14	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	–	–	–	1	–	1	1	–	1	2	–	1	3	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	7	1	–	–	–	8	–	–	–	–	–	–	1	1	1	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	1	2	6	5	16	6
Tabes Mesenterica	5	–	1	–	–	6	1	–	–	1	1	1	–	1	–	–
Phthisis	2	1	–	–	–	3	–	3	11	11	24	17	5	9	4	1
Other Tub. & Scrof. Dis.	7	5	2	2	–	16	1	–	1	–	–	–	1	–	–	–
Nervous System	42	13	2	–	2	59	6	8	1	2	2	6	5	14	16	24
Circulatory "	–	–	–	–	–	–	2	–	1	2	3	4	16	25	38	20
Respiratory "	44	22	5	8	2	81	10	1	2	1	9	5	11	15	38	18
Digestive "	9	1	2	1	1	14	1	2	1	4	2	8	7	17	19	5
Urinary "	–	–	–	–	–	–	1	–	–	–	–	–	1	3	8	3
Generative "	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Violence	2	3	2	–	1	8	3	2	–	4	1	3	3	7	1	1
Other Causes	92	2	2	–	–	96	2	1	1	1	4	3	7	14	45	132

Marriages - - - 451

Births - { Males - 1,034 / Females - 1,006 } 2,040

Annual Rate per 1000 living { Persons Married 12·46 / Births - - 28·18

Deaths from Childbirth and Puerperal Fever - - - - - 3·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

481.—ULVERSTONE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·30	†118	–	–	–	–	44·89	4·69	3·21	5·17	6·80	7·90	10·30	15·37	28·37	60·70	165·96
Males	—	17·79	†130	–	–	–	–	49·22	4·46	3·06	4·37	6·59	7·28	9·85	17·74	30·92	62·50	175·35
Females	—	16·84	†106	–	–	–	–	40·53	4·94	3·36	6·03	7·02	8·50	10·76	12·99	25·93	59·06	157·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·32 per cent.	43,751	1264	1201	1235	1215	1265	6180	5794	5079	3944	3515	6090	4863	3617	2513	1542	614
Males		21,942	637	596	635	588	640	3096	2918	2582	2037	1776	3008	2457	1815	1229	736	288
Females		21,809	627	605	600	627	625	3084	2876	2497	1907	1739	3082	2406	1802	1284	806	326
Deaths from All Causes, 1881–90. Persons	17·96	7,858	1787	523	222	139	103	2774	272	163	204	239	481	501	556	713	936	1019
Males	18·54	4,067	1008	286	117	70	43	1524	130	79	89	117	219	242	322	380	460	505
Females	17·38	3,791	779	237	105	69	60	1250	142	84	115	122	262	259	234	333	476	514

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·60	0·67	0·53	261	146	115	75	97	38	20	7	237	21	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·12	0·10	0·15	54	21	33	3	9	11	10	4	37	10	5	–	1	1	–	–	–	–	–
Diphtheria	0·16	0·15	0·17	68	32	36	2	4	8	12	10	36	23	4	1	–	1	–	2	1	–	–
Whooping-cough	0·34	0·25	0·43	148	55	93	62	44	18	8	5	137	11	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
Enteric Fever	0·33	0·33	0·33	144	72	72	–	2	3	1	1	7	13	19	20	11	30	18	15	6	3	2
Simple Continued Fever	0·02	0·02	0·02	10	5	5	–	–	1	–	1	2	3	1	1	–	–	1	–	1	–	1
Diarrhœa and Dysentery	0·54	0·54	0·55	238	118	120	160	36	3	2	1	202	1	2	–	–	2	3	3	5	9	11
Cholera	0·02	0·03	0·01	10	7	3	4	1	–	–	–	5	–	–	–	–	1	1	1	1	1	–
Cancer	0·45	0·31	0·59	195	67	128	–	–	–	–	–	–	2	–	–	1	5	24	33	60	48	22
Tabes Mesenterica	0·19	0·21	0·17	83	45	38	41	14	3	1	1	60	6	2	4	2	2	5	2	–	–	–
Phthisis	1·54	1·35	1·73	674	297	377	8	5	6	3	1	23	17	22	78	85	180	113	91	44	21	–
Other Tub. & Scrof. Dis.	0·34	0·41	0·27	149	90	59	54	20	6	5	4	89	16	11	5	10	5	2	5	4	2	–
Diseases of Nervous System	2·28	2·27	2·28	996	498	498	261	51	30	16	15	373	45	21	12	15	28	44	55	105	156	142
Circulatory „	1·56	1·55	1·58	683	339	344	2	–	1	1	–	4	6	9	17	12	25	52	72	139	187	160
Respiratory „	3·67	4·12	3·21	1605	904	701	404	170	71	51	37	733	47	14	11	17	57	72	96	144	203	211
Digestive „	1·28	1·36	1·19	558	299	259	92	33	7	2	3	137	19	13	16	15	29	38	64	78	97	52
Urinary „	0·33	0·44	0·22	146	97	49	3	–	2	2	3	10	6	1	1	7	10	21	25	23	29	13
Generative „	0·04	0·01	0·07	18	2	16	1	1	–	–	–	2	–	2	–	–	2	2	4	4	2	–
Puerperal Fever	0·10	–	0·21	45	–	45	–	–	–	–	–	–	–	–	2	12	19	11	1	–	–	–
Childbirth	0·08	–	0·17	37	–	37	–	–	–	–	–	–	–	–	2	3	18	13	1	–	–	–
Violence	0·64	1·08	0·19	279	237	42	12	8	8	1	3	32	12	17	14	28	35	43	38	30	19	11
Other Causes	3·32	3·34	3·30	1454	735	719	603	28	6	4	7	648	14	18	19	20	30	38	47	67	159	394

Marriages - - - 2,920

Births - { Males - 7,748 / Females - 7,355 } 15,103

Annual Rate per 1000 living { Persons Married 13·35 / Births - - 34·52 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·43 per 1000 Births.

* The death rates under one year of age are per 1000 Births.

482.—BARROW-IN-FURNESS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 1901			†137	–	–	–	–	55·14	5·05	3·64	5·26	4·95	6·46	11·31	15·54	33·57	69·38	157·06
Annual Death-Rate per 1000. Males	—			In Standard Population* 1913			†146	–	–	–	–	58·40	5·25	3·23	5·41	4·05	5·75	10·77	16·25	33·07	70·48	175·76
Annual Death-Rate per 1000. Females	—			In Standard Population* 1891			†127	–	–	–	–	51·86	4·84	4·03	5·10	6·19	7·40	12·00	14·66	34·12	68·31	144·33
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·42 per cent.			49,485			1621	1452	1506	1436	1493	7508	6518	5473	4674	4893	8297	6019	3566	1698	676	163
Mean Population, 1881–91. Males				26,424			794	733	779	727	736	3769	3277	2722	2477	2841	4715	3370	1963	892	332	66
Mean Population, 1881–91. Females				23,061			827	719	727	709	757	3739	3241	2751	2197	2052	3582	2649	1603	806	344	97
Deaths from All Causes, 1881–90. Persons	16·62			8,222			2512	893	374	211	150	4140	329	199	246	242	536	681	554	570	469	256
Deaths from All Causes, 1881–90. Males	16·30			4,308			1372	457	198	102	72	2201	172	88	134	115	271	363	319	295	234	116
Deaths from All Causes, 1881–90. Females	16·97			3,914			1140	436	176	109	78	1939	157	111	112	127	265	318	235	275	235	140
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Measles	0·85	0·82	0·88	420	218	202	107	165	69	32	18	391	27	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·24	0·25	0·24	120	65	55	14	20	25	11	14	84	27	6	2	–	1	–	–	–	–	–
Diphtheria	0·12	0·12	0·13	61	32	29	4	10	10	11	7	42	12	2	2	–	–	2	1	–	–	–
Whooping-cough	0·45	0·39	0·52	223	102	121	96	69	21	20	9	215	8	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	2	3	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–
Enteric Fever	0·46	0·46	0·45	226	122	104	2	1	4	6	6	19	25	24	29	21	48	30	12	13	3	2
Simple Continued Fever	0·15	0·19	0·10	73	49	24	7	7	8	6	2	30	5	4	2	7	5	5	9	4	1	1
Diarrhœa and Dysentery	0·54	0·57	0·51	268	151	117	189	45	7	–	1	242	1	1	–	–	1	2	2	2	9	8
Cholera	0·01	0·01	0·01	5	3	2	2	1	–	–	1	4	–	–	–	–	–	1	–	–	–	–
Cancer	0·30	0·18	0·44	149	48	101	–	1	1	–	–	2	2	–	1	–	6	37	40	36	20	5
Tabes Mesenterica	0·30	0·29	0·30	146	76	70	68	47	8	4	1	128	5	1	2	1	5	1	1	2	–	–
Phthisis	1·22	1·06	1·40	602	280	322	7	11	3	3	1	25	20	26	88	85	148	122	63	20	5	–
Other Tub. & Scrof. Dis.	0·40	0·36	0·46	199	94	105	48	31	23	11	7	120	21	15	9	8	11	11	3	1	–	–
Diseases of Nervous System	2·22	2·25	2·19	1101	595	506	432	110	52	38	28	660	54	20	20	13	29	49	65	87	75	29
Diseases of Circulatory „	0·96	0·98	0·94	475	258	217	6	2	2	1	1	12	8	14	12	14	45	72	79	110	83	26
Diseases of Respiratory „	3·37	3·39	3·35	1669	896	773	538	244	99	44	32	957	43	25	15	20	72	121	125	130	113	48
Diseases of Digestive „	1·17	1·06	1·30	579	280	299	187	59	16	4	5	271	18	15	10	12	27	50	49	71	46	10
Diseases of Urinary „	0·30	0·31	0·29	150	83	67	5	8	1	1	4	19	8	4	6	4	15	28	17	27	18	4
Diseases of Generative „	0·02	–	0·04	10	–	10	–	–	–	–	–	–	–	–	1	2	–	6	–	1	–	–
Puerperal Fever	0·09	–	0·19	43	–	43	–	–	–	–	–	–	–	–	4	7	18	14	–	–	–	–
Childbirth	0·09	–	0·20	45	–	45	–	–	–	–	–	–	–	–	–	5	18	21	1	–	–	–
Violence	0·71	1·04	0·33	350	274	76	34	14	14	8	6	76	22	14	19	25	53	55	45	21	16	4
Other Causes	2·64	2·55	2·69	1301	678	623	766	48	11	11	7	843	21	28	23	17	32	54	39	45	80	119

Marriages - - 3,333

Births - { Males 9,409 / Females 8,967 } 18,376

Annual Rate per 1000 living { Persons Married 13·47 / Births - - 37·13 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

483.—SEDBERGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·40	†100	–	–	–	–	31·21	4·65	1·93	2·50	5·83	8·24	10·71	13·02	25·95	55·83	146·67
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·73	†120	–	–	–	–	34·31	4·26	1·54	2·75	9·38	5·33	11·30	12·65	29·08	62·30	147·37
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·08	†78	–	–	–	–	28·02	5·07	2·40	2·16	3·31	10·90	10·05	13·37	22·97	49·15	145·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·96 per cent.	4,060	97	92	100	91	91	471	452	467	440	309	510	439	338	289	240	105
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·96 per cent.	2,076	47	46	52	45	49	239	235	259	255	128	244	230	166	141	122	57
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·96 per cent.	1,984	50	46	48	46	42	232	217	208	185	181	266	209	172	148	118	48
Deaths from All Causes, 1881–90. Persons	17·29	702	104	16	12	8	7	147	21	9	11	18	42	47	44	75	134	154
Deaths from All Causes, 1881–90. Males	18·11	376	64	5	5	4	4	82	10	4	7	12	13	26	21	41	76	84
Deaths from All Causes, 1881–90. Females	16·43	326	40	11	7	4	3	65	11	5	4	6	29	21	23	34	58	70

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·10	0·25	7	2	5	–	2	1	1	–	4	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·05	–	0·10	2	–	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·02	0·05	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	0·22	0·19	0·25	9	4	5	5	1	1	2	–	9	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·19	0·05	5	4	1	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–
Simple Continued Fever	0·02	–	0·05	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·27	0·10	0·45	11	2	9	1	–	–	–	–	1	1	–	–	–	–	–	1	1	4	3
Cholera	0·05	0·10	–	2	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·64	0·72	0·55	26	15	11	–	–	–	–	–	–	–	–	–	–	–	2	2	9	10	3
Tabes Mesenterica	0·02	0·05	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	1·33	1·35	1·31	54	28	26	1	–	–	–	–	1	1	2	3	6	17	13	5	4	1	1
Other Tub. & Scrof. Dis.	0·42	0·53	0·30	17	11	6	2	2	2	–	–	6	2	2	2	3	1	1	–	–	–	–
Diseases of Nervous System	2·64	2·75	2·52	107	57	50	19	–	4	–	2	25	3	1	2	1	1	4	7	12	29	22
Diseases of Circulatory „	1·82	1·88	1·76	74	39	35	–	–	–	–	–	–	–	–	1	1	5	5	11	14	24	13
Diseases of Respiratory „	2·91	3·04	2·77	118	63	55	15	5	3	3	3	29	2	1	1	1	2	7	5	17	27	26
Diseases of Digestive „	1·16	0·92	1·41	47	19	28	5	3	1	–	–	9	1	–	–	1	4	4	7	5	11	5
Diseases of Urinary „	0·30	0·53	0·05	12	11	1	–	–	–	–	–	–	1	–	–	–	2	1	1	2	3	2
Diseases of Generative „	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1
Puerperal Fever	0·07	–	0·15	3	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Childbirth	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Violence	0·34	0·43	0·25	14	9	5	1	–	–	1	–	2	2	–	–	1	1	1	2	1	2	2
Other Causes	4·52	5·18	3·81	183	108	75	53	2	–	1	2	58	2	2	–	3	4	4	3	9	23	75

Marriages - - - 266

Births - Males - 532, Females - 511 } 1,043

Annual Rate per 1000 living { Persons Married 13·10; Births - - 25·69

Deaths from Childbirth and Puerperal Fever - - - - - } 6·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

484.—SETTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·23	†105	–	–	–	–	37·26	5·04	2·63	3·84	5·27	6·70	7·76	13·40	27·17	63·06	152·38
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·00	†110	–	–	–	–	37·70	6·40	3·41	3·56	4·70	5·27	7·18	14·13	26·55	62·84	161·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·44	†100	–	–	–	–	36·82	3·75	1·78	4·14	5·77	7·99	8·27	12·68	27·79	63·30	143·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 1·96 per cent.	13,935	363	350	355	348	339	1755	1608	1522	1431	1234	1969	1508	1119	909	628	252
Mean Population, 1881–91. Males	Decennial Increase of Population 1·96 per cent.	6,871	178	194	177	166	171	886	781	792	731	575	930	710	559	452	331	124
Mean Population, 1881–91. Females	Decennial Increase of Population 1·96 per cent.	7,064	185	156	178	182	168	869	827	730	700	659	1039	798	560	457	297	128
Deaths from All Causes, 1881–90. Persons	16·66	2,321	427	117	47	32	31	654	81	40	55	65	132	117	150	247	396	384
Deaths from All Causes, 1881–90. Males	17·04	1,171	226	57	24	12	15	334	50	27	26	27	49	51	79	120	208	200
Deaths from All Causes, 1881–90. Females	16·28	1,150	201	60	23	20	16	320	31	13	29	38	83	66	71	127	188	184

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·19	0·23	0·16	27	16	11	9	7	3	2	–	21	2	1	1	1	–	1	–	–
Scarlet Fever	0·12	0·17	0·07	17	12	5	2	1	3	1	3	10	4	3	–	–	–	–	–	–
Diphtheria	0·14	0·12	0·17	20	8	12	2	4	–	3	2	11	8	1	–	–	–	–	–	–
Whooping-cough	0·17	0·15	0·18	23	10	13	11	7	3	1	–	22	1	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·19	0·17	0·20	26	12	14	–	–	2	–	1	3	2	1	2	5	4	5	1	2	1	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Diarrhœa and Dysentery	0·11	0·09	0·13	15	6	9	4	–	1	–	–	5	–	1	–	–	–	–	2	3	1	3
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·62	0·54	0·69	86	37	49	–	–	–	–	–	–	–	–	–	–	1	3	6	19	40	17
Tabes Mesenterica	0·18	0·13	0·23	25	9	16	14	5	–	1	1	21	2	–	1	–	–	1	–	–	–	–
Phthisis	1·48	1·40	1·56	206	96	110	6	–	1	–	3	10	3	9	16	29	44	32	35	20	7	1
Other Tub. & Scrof. Dis.	0·57	0·65	0·48	79	45	34	24	16	12	2	2	56	9	5	–	1	4	2	–	1	1	–
Diseases of Nervous System	2·51	2·53	2·49	350	174	176	79	23	8	2	6	118	14	–	6	5	9	8	18	46	72	54
Diseases of Circulatory „	2·30	2·34	2·26	321	161	160	1	–	–	–	–	1	3	2	6	3	10	18	32	61	113	72
Diseases of Respiratory „	2·64	2·82	2·46	368	194	174	77	41	7	11	6	142	18	2	1	5	19	17	18	26	58	62
Diseases of Digestive „	0·93	1·08	0·78	129	74	55	24	4	2	3	–	33	3	5	4	3	10	2	9	21	26	13
Diseases of Urinary „	0·40	0·54	0·27	56	37	19	–	1	–	1	1	3	3	–	2	–	5	2	8	13	9	11
Diseases of Generative „	0·01	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Puerperal Fever	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	1	1	3	3	–	–	–	–
Childbirth	0·10	–	0·20	14	–	14	–	–	–	–	–	–	–	–	2	3	3	6	–	–	–	–
Violence	0·48	0·76	0·21	67	52	15	2	2	2	1	3	10	5	4	5	7	7	5	5	10	6	3
Other Causes	3·41	3·28	3·57	476	225	251	170	6	3	4	3	186	4	6	8	2	12	11	15	24	61	147

Marriages - - - 880

Births - { Males - 2,052 / Females - 2,002 } 4,054

Annual Rate per 1000 living { Persons Married 12·63 / Births - - 29·09

Deaths from Childbirth and Puerperal Fever - - - - - } 5·43 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

485.—SKIPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·41	†126	–	–	–	–	48·29	4·92	3·13	5·94	5·61	6·97	11·07	15·97	31·31	69·86	181·42
Annual Death-Rate per 1000. Males	—	18·63	†138	–	–	–	–	53·34	5·11	2·34	5·42	5·27	6·29	11·01	16·53	31·60	72·21	182·97
Annual Death-Rate per 1000. Females	—	18·20	†114	–	–	–	–	43·31	4·73	3·88	6·41	5·91	7·56	11·13	15·47	31·03	67·53	179·71
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·91 per cent.	38,032	987	960	980	941	924	4792	4288	4024	3824	3564	5786	4245	3243	2440	1390	436
Mean Population, 1881–91. Males		18,345	479	478	499	471	450	2377	2131	1962	1826	1651	2704	2016	1549	1209	691	229
Mean Population, 1881–91. Females		19,687	508	482	481	470	474	2415	2157	2062	1998	1913	3082	2229	1694	1231	699	207
Deaths from All Causes, 1881–90. Persons	18·39	6,995	1463	455	164	132	100	2314	211	126	227	200	403	470	518	764	971	791
Deaths from All Causes, 1881–90. Males	19·39	3,557	818	241	87	68	54	1268	109	46	99	87	170	222	256	382	499	419
Deaths from All Causes, 1881–90. Females	17·46	3,438	645	214	77	64	46	1046	102	80	128	113	233	248	262	382	472	372

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·01	3	1	2	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
Measles	0·32	0·33	0·31	122	61	61	24	45	20	13	8	110	8	2	–	1	–	–	1	–	–	–
Scarlet Fever	0·32	0·29	0·35	122	53	69	3	20	19	21	12	75	33	5	3	1	4	1	–	–	–	–
Diphtheria	0·05	0·07	0·03	18	12	6	2	3	2	1	4	12	3	1	–	–	–	–	–	2	–	–
Whooping-cough	0·17	0·17	0·16	63	32	31	37	13	4	4	2	60	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Enteric Fever	0·19	0·21	0·18	73	38	35	–	–	1	4	3	8	8	7	16	7	10	6	7	4	–	–
Simple Continued Fever	0·05	0·07	0·04	20	12	8	–	2	2	1	–	5	4	–	–	1	1	2	3	2	1	1
Diarrhœa and Dysentery	0·34	0·40	0·27	128	74	54	76	10	6	2	2	96	2	–	–	1	–	2	4	4	10	9
Cholera	0·04	0·06	0·03	17	11	6	5	7	–	1	–	13	–	1	2	–	–	–	–	–	1	–
Cancer	0·54	0·42	0·65	205	77	128	1	–	–	–	–	1	1	–	–	3	5	18	44	60	51	22
Tabes Mesenterica	0·29	0·35	0·23	110	64	46	62	21	5	3	1	92	–	6	6	–	2	–	1	2	1	–
Phthisis	1·83	1·74	1·92	697	320	377	4	5	4	–	–	13	13	29	112	93	157	124	81	48	19	8
Other Tub. & Scrof. Dis.	0·36	0·39	0·33	136	71	65	42	28	8	7	6	91	12	8	6	5	3	3	2	1	5	–
Diseases of Nervous System	2·79	2·95	2·63	1062	544	518	344	57	23	20	17	461	35	16	16	4	29	46	62	118	153	122
Diseases of Circulatory „	1·89	1·83	1·95	719	336	382	6	1	1	–	1	9	8	11	17	15	34	62	87	179	212	85
Diseases of Respiratory „	3·97	4·33	3·66	1515	795	720	315	192	52	43	28	630	41	14	11	17	35	64	93	165	259	186
Diseases of Digestive „	1·03	1·18	0·89	392	216	176	67	21	3	3	4	98	13	7	9	8	22	26	39	65	68	37
Diseases of Urinary „	0·38	0·51	0·26	145	94	51	2	1	1	–	1	5	2	5	3	2	14	21	13	32	26	22
Diseases of Generative „	0·06	0·02	0·09	21	4	17	1	–	–	–	–	1	–	–	–	–	1	3	6	5	5	–
Puerperal Fever	0·09	–	0·18	35	–	35	–	–	–	–	–	–	–	–	2	12	14	7	–	–	–	–
Childbirth	0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	3	5	13	7	1	–	–	–
Violence	0·47	0·72	0·23	178	132	46	6	8	9	4	9	36	14	1	6	9	16	21	25	23	19	8
Other Causes	3·12	3·34	2·89	1182	610	572	466	21	4	5	2	498	11	12	14	15	41	57	48	54	141	291

Marriages - - - 2,794

Births - { Males - 5,929 / Females - 5,643 } 11,572

Annual Rate per 1000 living { Persons Married 14·69 / Births - - 30·43 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·53 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

486.—PATELEY BRIDGE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·86	†113	–	–	–	–	38·21	5·11	2·16	3·90	5·96	7·72	7·73	11·56	30·90	62·71	168·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·60	†126	–	–	–	–	42·12	4·80	1·31	2·39	4·73	8·50	8·27	11·72	29·25	60·61	169·01
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·10	†100	–	–	–	–	34·44	5·44	3·00	5·60	7·21	6·97	7·24	11·40	32·75	65·24	168·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 13·23 per cent.	8,353	206	212	229	198	215	1060	999	924	794	671	1153	867	770	602	362	151
Mean Population, 1881–91. Males	Decennial Decrease of Population 13·23 per cent.	4,202	99	98	108	102	113	520	521	457	419	338	565	411	384	318	198	71
Mean Population, 1881–91. Females	Decennial Decrease of Population 13·23 per cent.	4,151	107	114	121	96	102	540	478	467	375	333	588	456	386	284	164	80
Deaths from All Causes, 1881–90. Persons	17·48	1,460	267	69	32	21	16	405	51	20	31	40	89	67	89	186	227	255
Deaths from All Causes, 1881–90. Males	17·52	736	148	35	17	12	7	219	25	6	10	16	48	34	45	93	120	120
Deaths from All Causes, 1881–90. Females	17·44	724	119	34	15	9	9	186	26	14	21	24	41	33	44	93	107	135

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·13	0·12	0·14	11	5	6	3	4	–	1	–	8	3	–	–	–	–	–	–	–
Scarlet Fever	0·29	0·31	0·27	24	13	11	–	2	6	1	5	14	7	3	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·14	9	3	6	–	1	–	–	1	2	3	2	1	1	–	–	–	–
Whooping-cough	0·13	0·12	0·14	11	5	6	6	–	1	2	1	10	1	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Enteric Fever	0·08	0·12	0·05	7	5	2	–	–	–	–	–	–	–	–	1	–	3	–	2	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·22	0·19	0·24	18	8	10	4	1	–	–	–	5	1	–	1	1	1	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·40	0·65	44	17	27	–	–	–	–	1	1	–	–	–	–	2	6	10	8
Tabes Mesenterica	0·18	0·19	0·17	15	8	7	4	–	1	1	1	7	2	1	–	1	4	–	–	–
Phthisis	1·48	1·57	1·40	124	66	58	–	1	–	–	–	1	4	4	10	20	33	19	21	11
Other Tub. & Scrof. Dis.	0·23	0·21	0·24	19	9	10	2	6	1	2	1	12	1	–	1	1	1	1	1	1
Diseases of Nervous System	2·60	2·48	2·72	217	104	113	67	13	4	8	1	93	5	–	2	1	3	6	6	23
Diseases of Circulatory „	1·86	1·62	2·10	155	68	87	–	–	–	–	–	–	–	3	2	3	8	6	14	44
Diseases of Respiratory „	3·42	3·69	3·16	286	155	131	66	24	14	3	4	111	10	2	2	4	4	15	16	29
Diseases of Digestive „	1·35	1·45	1·25	113	61	52	15	6	1	2	–	24	4	3	2	–	6	2	9	35
Diseases of Urinary „	0·31	0·40	0·22	26	17	9	–	–	–	–	–	–	1	–	1	–	9	–	–	4
Diseases of Generative „	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	1	–	1	1	–	2
Puerperal Fever	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–	–
Childbirth	0·10	–	0·19	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–	–
Violence	0·44	0·64	0·24	37	27	10	3	5	3	–	–	11	6	–	1	2	3	1	4	5
Other Causes	3·86	3·88	3·86	322	162	160	97	6	1	1	1	106	3	1	5	4	5	3	6	22

Other Causes																				
Puerperal Fever																				
Childbirth																				
Violence																				
Other Causes	3·86	3·88	3·86	322	162	160	97	6	1	1	1	106	3	1	5	4	5	3	6	22	36	131

Marriages - - - 496

Births - Males - 1,174; Females - 1,190 } 2,364

Annual Rate per 1000 living { Persons Married 11·88; Births - - 28·30

Deaths from Childbirth and Puerperal Fever - - - - - } 5·08 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

487.—RIPON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·80	†105	–	–	–	–	38·21	3·93	2·53	3·46	4·69	6·14	8·03	13·67	25·93	59·42	145·67
Males	—					14·71	†109	–	–	–	–	41·49	3·95	1·94	2·65	3·80	4·86	8·02	15·15	26·57	61·40	141·56
Females	—					14·89	†102	–	–	–	–	34·90	3·91	3·13	4·21	5·39	7·18	8·04	12·34	25·33	57·56	149·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·37 per cent.			16,252			405	373	388	385	370	1921	1858	1742	1647	1366	2199	1768	1463	1157	796	335
Males				7,762			194	190	205	193	182	964	911	878	791	605	988	835	693	557	386	154
Females				8,490			211	183	183	192	188	957	947	864	856	761	1211	933	770	600	410	181
Deaths from All Causes, 1881–90. Persons	16·67			2,710			492	134	47	38	23	734	73	44	57	64	135	142	200	300	473	488
Males	17·01			1,320			259	84	21	22	14	400	36	17	21	23	48	67	105	148	237	218
Females	16·37			1,390			233	50	26	16	9	334	37	27	36	41	87	75	95	152	236	270
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·18	0·11	23	14	9	4	9	1	3	2	19	2	–	–	–	1	–	–	1	–	–
Scarlet Fever	0·14	0·12	0·15	23	10	13	1	7	2	3	4	17	4	1	–	–	1	–	–	–	–	–
Diphtheria	0·07	0·09	0·05	11	7	4	1	3	2	1	1	8	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·27	0·19	37	21	16	18	11	1	2	1	33	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·28	0·26	0·29	45	20	25	–	2	–	1	–	3	3	2	6	7	8	6	5	4	1	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·19	0·24	0·14	31	19	12	16	2	–	1	–	19	1	–	–	–	–	–	1	1	7	2
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·54	0·45	0·61	87	35	52	–	–	–	–	–	–	–	–	1	–	2	5	22	22	29	6
Tabes Mesenterica	0·07	0·09	0·06	12	7	5	4	2	–	1	–	7	2	1	1	1	–	–	–	–	–	–
Phthisis	1·48	1·43	1·53	241	111	130	5	3	1	2	1	12	4	10	29	30	60	38	29	19	10	–
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	38	18	20	7	9	3	2	3	24	7	4	–	–	2	–	–	–	1	–
Diseases of: Nervous System	2·97	3·12	2·84	483	242	241	176	24	10	6	5	221	11	4	2	2	6	16	25	52	89	55
Circulatory „	1·62	1·38	1·84	263	107	156	1	–	1	–	1	3	–	5	4	5	7	14	31	56	88	50
Respiratory „	2·88	3·22	2·57	468	250	218	86	36	14	7	4	147	14	4	2	4	11	15	26	62	105	78
Digestive „	0·99	1·19	0·81	161	92	69	24	15	–	2	–	41	5	1	2	3	8	11	15	21	30	24
Urinary „	0·40	0·48	0·33	65	37	28	1	–	–	–	–	1	1	1	2	1	6	7	11	14	13	8
Generative „	0·08	–	0·15	13	–	13	–	–	–	–	–	–	–	–	–	–	–	4	3	3	3	–
Puerperal Fever	0·03	–	0·06	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·12	–	0·22	19	–	19	–	–	–	–	–	–	–	–	1	2	8	7	1	–	–	–
Violence	0·56	0·82	0·32	91	64	27	1	1	6	5	1	14	7	3	4	2	9	7	12	15	9	9
Other Causes	3·63	3·43	3·85	592	265	327	147	9	6	2	–	164	6	7	3	6	4	10	19	29	88	256

Marriages - - - 1,103

Births - { Males - 2,378 / Females - 2,286 } 4,664

Annual Rate per living { Persons Married 13·57 / Births - - 28·70 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

488.—GREAT OUSEBURN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·46	†107	–	–	–	–	37·34	5·31	2·28	3·61	6·13	6·78	9·54	8·92	21·30	53·60	151·67
Males	—	14·30	†120	–	–	–	–	40·78	5·15	1·97	2·70	4·87	5·12	9·28	8·33	22·43	55·78	161·79
Females	—	14·61	†93	–	–	–	–	33·90	5·47	2·60	4·60	7·30	8·34	9·79	9·46	20·10	51·49	143·15
Mean Population, 1881-91. Persons	Decennial Increase of Population 0·91 per cent.	12,010	312	297	291	323	306	1529	1469	1313	1135	979	1564	1279	1031	835	597	269
Males		5,958	155	146	148	169	147	765	738	659	592	472	761	625	492	437	294	123
Females		6,052	157	151	143	154	159	764	731	654	543	507	803	654	539	408	303	146
Deaths from All Causes, 1881-90. Persons	16·72	2,008	385	104	34	22	26	571	78	30	41	60	106	122	92	180	320	408
Males	16·80	1,001	218	44	19	15	16	312	38	13	16	23	39	58	41	98	164	199
Females	16·64	1,007	167	60	15	7	10	259	40	17	25	37	67	64	51	82	156	209

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·21	0·27	0·15	25	16	9	8	9	1	2	1	21	4	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·18	0·12	18	11	7	–	1	2	2	1	6	8	3	1	–	–	–	–	–
Diphtheria	0·24	0·27	0·21	29	16	13	1	1	4	2	2	10	15	2	2	–	–	–	–	–
Whooping-cough	0·36	0·24	0·48	43	14	29	19	15	3	2	1	40	3	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·17	0·08	15	10	5	–	–	–	–	–	–	1	–	4	4	2	2	1	1
Simple Continued Fever	0·02	0·05	–	3	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·44	0·44	0·45	53	26	27	36	1	1	–	1	39	1	–	1	–	1	3	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·48	0·42	0·55	58	25	33	–	–	–	–	1	1	–	–	–	1	1	5	7	13
Tabes Mesenterica	0·28	0·30	0·26	34	18	16	15	6	–	1	2	24	4	4	1	–	1	–	–	–
Phthisis	1·42	1·07	1·75	170	64	106	–	1	1	–	–	2	5	6	14	31	44	38	17	10
Other Tub. & Scrof. Dis.	0·29	0·27	0·31	35	16	19	5	7	–	2	5	19	4	2	2	4	1	–	1	–
Diseases of Nervous System	2·18	2·28	2·08	262	136	126	65	9	6	4	1	85	7	6	4	3	10	10	9	27
Circulatory "	2·12	2·18	2·07	255	130	125	1	–	–	–	–	1	7	–	1	2	5	12	18	40
Respiratory "	2·60	2·94	2·26	312	175	137	61	34	10	5	5	115	5	–	4	2	10	15	10	35
Digestive "	1·04	1·01	1·07	125	60	65	29	12	3	1	–	45	2	–	1	3	6	6	12	12
Urinary "	0·34	0·40	0·28	41	24	17	–	1	1	–	1	3	2	2	–	3	1	3	3	9
Generative "	0·05	0·02	0·08	6	1	5	–	–	–	–	–	–	–	–	–	–	3	–	–	1
Puerperal Fever	0·08	–	0·17	10	–	10	–	–	–	–	–	–	–	–	–	3	5	2	–	–
Childbirth	0·10	–	0·20	12	–	12	–	–	–	–	–	–	–	–	1	2	5	4	–	–
Violence	0·52	0·67	0·36	62	40	22	6	1	–	1	3	11	3	3	1	–	3	8	4	8
Other Causes	3·67	3·60	3·71	439	215	224	139	5	2	–	2	148	6	2	3	1	8	14	9	23

Marriages	593	Annual Rate per 1000 living	Persons Married 9·88	Deaths from Childbirth and Puerperal Fever	6·11 per 1000 Births.
Births: Males 1,812	3,603		Births 30·00		
Females 1,791					

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

489.—KNARESBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·39	†130	–	–	–	–	42·42	4·33	2·25	3·58	4·84	6·48	10·78	14·16	28·94	60·72	169·25
Males	—	17·61	†147	–	–	–	–	46·62	3·94	2·43	3·35	5·33	7·16	11·98	17·15	32·69	66·40	186·14
Females	—	15·23	†114	–	–	–	–	38·32	4·70	2·06	3·76	4·55	5·99	9·86	11·81	25·80	55·88	156·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·98 per cent.	24,896	567	535	529	551	541	2723	2612	2708	2597	2271	3691	2811	2288	1721	1087	387
Males		11,250	279	260	262	283	261	1345	1294	1398	1136	863	1537	1219	1009	783	500	166
Females		13,646	288	275	267	268	280	1378	1318	1310	1461	1408	2154	1592	1279	938	587	221
Deaths from All Causes, 1881–90. Persons	16·91	4,211	794	201	66	41	53	1155	113	61	93	110	239	303	324	498	660	655
Males	18·86	2,122	445	103	33	22	24	627	51	34	38	46	110	146	173	256	332	309
Females	15·31	2,089	349	98	33	19	29	528	62	27	55	64	129	157	151	242	328	346

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	0·05	0·05	0·04	12	6	6	4	5	1	1	1	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	0·20	0·23	55	23	32	2	11	7	10	8	38	10	4	1	–	2	–	–	–	–
Diphtheria	0·08	0·11	0·06	20	12	8	1	–	1	2	3	7	8	2	1	–	1	1	–	–	–
Whooping-cough	0·20	0·19	0·21	49	21	28	24	18	2	3	1	48	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·07	0·07	0·07	18	8	10	–	–	–	–	1	1	2	2	2	2	3	5	1	–	–
Simple Continued Fever	0·01	0·02	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·31	0·37	0·26	78	42	36	49	4	–	–	1	54	2	1	–	–	–	–	2	5	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·60	0·52	0·67	150	59	91	–	–	–	–	–	–	–	1	–	–	3	9	28	48	46
Tabes Mesenterica	0·36	0·41	0·32	90	46	44	55	18	3	1	3	80	2	4	1	2	–	1	–	–	–
Phthisis	1·41	1·65	1·22	352	186	166	2	–	1	–	1	4	4	10	31	44	90	83	45	30	10
Other Tub. & Scrof. Dis.	0·33	0·39	0·27	81	44	37	19	13	6	6	3	47	12	5	1	7	3	4	–	2	–
Diseases of Nervous System	2·49	2·77	2·26	620	312	308	138	29	10	4	6	187	17	10	11	11	19	26	40	79	125
Circulatory „	1·78	1·91	1·68	444	215	229	2	–	–	1	–	3	5	7	10	6	19	31	59	99	140
Respiratory „	2·93	3·33	2·60	729	374	355	140	68	22	12	16	258	22	2	8	7	20	42	33	94	122
Digestive „	1·30	1·48	1·16	324	166	158	53	16	5	–	3	77	9	3	6	6	17	23	51	56	42
Urinary „	0·49	0·70	0·32	123	79	44	1	1	2	1	1	6	5	2	1	4	8	19	16	17	31
Generative „	0·09	0·01	0·15	22	1	21	–	–	–	–	–	–	–	–	–	–	1	5	8	5	3
Puerperal Fever	0·06	–	0·12	16	–	16	–	–	–	–	–	–	–	–	–	5	7	4	–	–	–
Childbirth	0·08	–	0·15	21	–	21	–	–	–	–	–	–	–	1	–	–	10	10	–	–	–
Violence	0·43	0·65	0·24	106	73	33	5	2	2	–	3	12	7	3	8	4	13	14	9	14	10
Other Causes	3·62	4·01	3·27	896	451	445	298	16	3	–	2	319	7	4	12	12	23	26	31	48	122

Marriages - - - 1,681

Births - { Males - 3,034, Females - 3,063 } 6,097

Annual Rate per 1000 living { Persons Married 13·50, Births - - 24·49 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

490.—WETHERBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·95		†107	–	–	–	–	35·92	3·66	2·79	4·95	6·01	7·04	7·60	12·58	25·97	60·08	155·89
Annual Death-Rate per 1000. Males	—				14·87		†121	–	–	–	–	38·34	4·05	2·46	4·56	5·07	5·89	8·43	13·34	27·00	61·83	151·27
Annual Death-Rate per 1000. Females	—				15·03		†93	–	–	–	–	33·63	3·27	3·20	5·32	6·86	8·06	6·87	11·90	24·96	58·46	160·12
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·43 per cent.			15,589			360	331	363	332	354	1740	1776	1900	1515	1297	2030	1644	1423	1159	774	331
Mean Population, 1881–91. Males				7,637			184	164	175	153	169	845	888	1055	745	612	950	771	667	574	372	158
Mean Population, 1881–91. Females				7,952			176	167	188	179	185	895	888	845	770	685	1080	873	756	585	402	173
Deaths from All Causes, 1881–90. Persons	16·84			2,625			412	110	46	30	27	625	65	53	75	78	143	125	179	301	465	516
Deaths from All Causes, 1881–90. Males	16·83			1,285			231	47	16	15	15	324	36	26	34	31	56	65	89	155	230	239
Deaths from All Causes, 1881–90. Females	16·85			1,340			181	63	30	15	12	301	29	27	41	47	87	60	90	146	235	277
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·12	0·10	0·13	18	8	10	5	7	1	–	1	14	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·18	0·15	26	14	12	–	–	2	5	3	10	13	3	–	–	–	–	–	–	–	–
Diphtheria	0·11	0·07	0·15	17	5	12	2	2	–	1	2	7	6	2	2	–	–	–	–	–	–	–
Whooping-cough	0·19	0·14	0·23	29	11	18	19	8	1	1	–	29	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·08	0·14	17	6	11	–	–	–	–	–	–	–	1	2	2	6	3	2	1	–	–
Simple Continued Fever	0·02	0·03	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·15	0·16	0·15	24	12	12	15	1	1	1	1	19	–	–	–	–	1	–	–	1	3	–
Cholera	0·03	0·04	0·03	5	3	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	–
Cancer	0·69	0·52	0·86	108	40	68	–	–	–	–	–	–	–	–	1	–	2	6	14	33	38	14
Tabes Mesenterica	0·15	0·16	0·14	23	12	11	12	3	3	1	1	20	1	–	–	–	–	1	–	1	–	–
Phthisis	1·67	1·58	1·75	260	121	139	–	1	–	2	–	3	2	13	41	47	54	32	37	21	8	2
Other Tub. & Scrof. Dis.	0·33	0·31	0·34	51	24	27	6	9	4	4	3	26	9	8	1	–	5	–	–	1	1	–
Diseases of Nervous System	2·66	2·96	2·36	414	226	188	109	25	13	2	5	154	2	6	3	2	11	11	24	48	90	63
Diseases of Circulatory „	1·71	1·61	1·81	267	123	144	–	–	1	–	1	2	1	1	2	4	11	23	30	61	86	46
Diseases of Respiratory „	2·85	2·47	3·21	444	189	255	86	37	12	9	8	152	13	7	1	2	16	9	23	45	88	88
Diseases of Digestive „	0·98	1·07	0·89	153	82	71	24	9	4	3	2	42	–	2	3	3	2	3	17	36	27	18
Diseases of Urinary „	0·53	0·77	0·29	82	59	23	3	–	–	–	–	3	1	4	2	1	1	6	5	17	25	17
Diseases of Generative „	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1
Puerperal Fever	0·04	–	0·09	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–
Violence	0·57	0·77	0·38	89	59	30	4	1	4	1	–	10	7	2	9	8	9	7	11	8	10	8
Other Causes	3·67	3·80	3·58	575	288	287	127	7	–	–	–	134	5	4	7	7	15	18	15	26	85	259

Marriages - - - 776

Births - Males - 1,914; Females - 1,946 } 3,860

Annual Rate per 1000 living { Persons Married 9·96; Births - - 24·76

Deaths from Childbirth and Puerperal Fever - - - - - } 3·37 per 1000 Births.

* *See* pages xxxvi–xxxviii,

† The death-rates under one year of age are per 1000 Births,

491.—WHARFEDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 17·81	†127	–	–	–	–	48·35	5·17	3·07	4·55	5·21	7·01	9·68	15·41	30·92	72·56	157·67
Annual Death Rate per 1000. Males	—	In Standard Population* 18·44	†145	–	–	–	–	53·81	4·71	2·94	4·07	4·54	6·69	10·62	16·96	32·14	74·00	164·49
Annual Death Rate per 1000. Females	—	In Standard Population* 17·23	†108	–	–	–	–	42·85	5·62	3·20	4·98	5·73	7·28	8·83	13·94	29·81	71·14	151·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·74 per cent.	48,981	1288	1211	1182	1203	1151	6035	5513	5380	4990	4666	7444	5744	4198	2940	1556	515
Mean Population, 1881–91. Males		23,467	651	596	592	611	579	3029	2719	2753	2358	2048	3378	2721	2046	1397	773	245
Mean Population, 1881–91. Females		25,514	637	615	590	592	572	3006	2794	2627	2632	2618	4066	3023	2152	1543	783	270
Deaths from All Causes, 1881–90. Persons	17·18	8,413	1798	629	244	145	102	2918	285	165	227	243	522	556	647	900	1129	812
Deaths from All Causes, 1881–90. Males	18·38	4,314	1052	334	121	85	38	1630	128	81	96	93	226	289	347	449	572	403
Deaths from All Causes, 1881–90. Females	16·07	4,099	746	295	123	60	64	1288	157	84	131	150	296	267	300	460	557	409

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·32	0·29	0·36	159	68	91	41	61	25	10	7	144	12	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·26	0·23	0·28	125	54	71	9	15	14	17	15	70	42	11	–	1	1	–	–	–	–	–
Diphtheria	0·13	0·10	0·16	64	24	40	1	3	10	7	10	31	25	4	–	1	–	2	–	1	–	–
Whooping-cough	0·35	0·34	0·36	172	79	93	68	58	28	11	3	168	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	9	4	5	–	–	–	–	–	–	1	1	3	2	1	–	–	1	–	–
Enteric Fever	0·22	0·26	0·18	107	60	47	2	5	3	3	1	14	9	12	9	9	19	13	10	10	2	–
Simple Continued Fever	0·03	0·03	0·04	17	8	9	–	3	1	1	1	6	2	1	–	1	1	1	–	2	3	–
Diarrhœa and Dysentery	0·31	0·40	0·23	152	93	59	90	19	2	–	2	113	4	1	–	1	–	3	1	6	9	14
Cholera	0·01	0·00	0·02	5	1	4	2	–	1	–	–	3	–	1	–	–	–	–	–	–	–	1
Cancer	0·55	0·43	0·67	271	101	170	1	–	–	–	1	2	–	–	–	1	9	32	63	74	67	23
Tabes Mesenterica	0·25	0·27	0·23	121	63	58	41	32	11	2	5	91	7	7	4	5	4	1	–	1	1	–
Phthisis	1·60	1·68	1·53	786	395	391	6	2	2	–	2	12	14	30	95	122	208	150	84	54	17	–
Other Tub. & Scrof. Dis.	0·37	0·46	0·29	182	107	75	46	37	24	9	2	118	30	11	9	7	4	2	–	1	–	–
Diseases of Nervous System	2·61	2·90	2·35	1280	681	599	386	102	41	24	15	568	35	22	17	11	32	39	79	140	215	122
Diseases of Circulatory „	1·67	1·57	1·76	819	369	450	2	1	1	2	3	9	8	16	21	14	50	66	107	197	237	94
Diseases of Respiratory „	3·18	3·61	2·77	1555	847	708	316	185	51	43	27	622	48	14	17	11	50	85	132	201	242	133
Diseases of Digestive „	1·07	1·14	1·00	522	237	255	101	45	1	2	–	149	9	8	6	11	34	42	68	80	88	27
Diseases of Urinary „	0·31	0·41	0·22	153	97	56	3	2	5	–	1	11	2	2	4	3	11	17	14	27	42	20
Diseases of Generative „	0·06	0·02	0·09	27	4	23	1	–	–	–	–	1	–	–	–	2	6	6	5	2	4	1
Puerperal Fever	0·07	–	0·14	35	–	35	–	–	–	–	–	–	–	–	2	9	17	7	–	–	–	–
Childbirth	0·07	–	0·13	32	–	32	–	–	–	–	–	–	–	–	2	3	17	10	–	–	–	–
Violence	0·39	0·58	0·22	191	135	56	16	6	9	7	1	39	13	4	14	10	11	26	22	21	14	17
Other Causes	3·33	3·64	3·02	1629	857	772	666	53	15	7	6	747	20	19	24	18	46	54	62	91	188	360

Marriages - - - 3,015

Births - { Males - 7,250 / Females - 6,924 } 14,174

Annual Rate per 1000 living { Persons Married 12·31 / Births - - 28·94

Deaths from Childbirth and Puerperal Fever - - - - - } 4·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

492.—KEIGHLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·91	†146	–	–	–	–	57·32	6·86	4·73	6·02	6·37	7·55	11·06	16·63	37·09	80·49	181·61
Annual Death-Rate per 1000. Males	—	21·83	†162	–	–	–	–	63·45	6·57	4·68	5·18	6·08	7·15	12·22	19·99	40·78	84·81	175·00
Annual Death-Rate per 1000. Females	—	20·05	†129	–	–	–	–	51·20	7·15	4·78	6·80	6·61	7·89	10·05	13·69	33·83	76·57	187·54
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·28 per cent.	65,180	1587	1571	1502	1555	1527	7742	7173	7016	6894	6374	10047	7743	5875	3928	1855	533
Mean Population, 1881–91. Males		30,979	790	790	749	783	757	3869	3593	3463	3321	2863	4575	3575	2742	1844	882	252
Mean Population, 1881–91. Females		34,201	797	781	753	772	770	3873	3580	3553	3573	3511	5472	4168	3133	2084	973	281
Deaths from All Causes, 1881–90. Persons	19·32	12,593	2665	967	365	238	203	4438	492	332	415	406	759	856	977	1457	1493	968
Deaths from All Causes, 1881–90. Males	20·83	6,452	1522	521	188	125	99	2455	236	162	172	174	327	437	548	752	748	441
Deaths from All Causes, 1881–90. Females	17·96	6,141	1143	446	177	113	104	1983	256	170	243	232	432	419	429	705	745	527

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·00	0·01	4	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Measles	0·31	0·36	0·26	199	110	89	49	79	27	17	12	184	15	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·75	0·82	0·69	491	254	237	25	67	75	63	57	287	148	30	5	7	10	4	–	–	–	–
Diphtheria	0·06	0·05	0·07	39	16	23	3	9	3	5	8	28	8	1	1	–	–	–	–	1	–	–
Whooping-cough	0·22	0·19	0·25	143	59	84	71	46	12	9	5	143	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	3	2	1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·20	0·20	0·20	129	61	68	–	1	1	1	4	7	10	22	22	15	25	16	8	2	2	–
Simple Continued Fever	0·03	0·03	0·03	21	10	11	4	4	2	1	1	12	4	2	–	–	–	1	1	–	1	–
Diarrhœa and Dysentery	0·42	0·46	0·38	271	141	130	150	34	12	5	2	203	1	5	–	1	2	5	1	15	22	16
Cholera	0·01	0·01	0·01	5	2	3	–	–	1	–	1	2	–	–	–	–	–	1	1	–	1	–
Cancer	0·44	0·32	0·56	289	99	190	–	–	1	–	–	1	1	–	2	1	9	45	64	88	62	16
Tabes Mesenterica	0·15	0·18	0·12	96	55	41	27	27	4	2	1	61	8	6	9	3	3	3	2	1	–	–
Phthisis	2·16	2·09	2·23	1410	648	762	9	8	6	4	5	32	35	74	188	204	317	233	157	128	40	2
Other Tub. & Scrof. Dis.	0·41	0·48	0·35	270	150	120	46	42	16	17	10	131	52	26	25	12	11	8	3	1	1	–
Diseases of Nervous System	2·66	2·90	2·44	1735	899	836	560	124	28	22	31	765	56	26	29	15	33	58	113	205	286	149
Diseases of Circulatory „	1·76	1·70	1·81	1148	528	620	2	–	–	–	1	3	17	40	27	32	66	112	179	302	285	85
Diseases of Respiratory „	4·39	5·05	3·79	2861	1565	1296	660	369	124	57	38	1248	64	29	26	35	98	160	220	393	375	213
Diseases of Digestive „	1·28	1·40	1·16	833	435	398	207	93	19	8	7	334	20	19	20	11	26	45	76	118	129	35
Diseases of Urinary „	0·44	0·55	0·34	286	170	116	2	6	2	7	4	21	16	10	10	12	32	30	34	50	45	26
Diseases of Generative „	0·03	0·01	0·06	22	3	19	–	–	–	–	–	–	1	–	–	1	2	6	5	4	3	–
Puerperal Fever	0·07	–	0·14	48	–	48	–	–	–	–	–	–	–	–	5	13	22	7	1	–	–	–
Childbirth	0·07	–	0·13	46	–	46	–	–	–	–	–	–	–	–	1	9	16	20	–	–	–	–
Violence	0·39	0·59	0·20	253	184	69	11	13	10	7	9	50	12	16	7	14	31	28	33	26	23	13
Other Causes	3·06	3·43	2·73	1991	1060	931	839	45	22	13	6	925	24	25	36	21	55	73	79	122	218	413

Marriages - - - 4,915

Births - { Males - 9,376 / Females - 8,829 } 18,205

Annual Rate per 1000 living { Persons Married 15·08 / Births - - 27·93 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

493.—TODMORDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		19·71	†131	–	–	–	–	51·62	5·86	3·36	4·43	5·24	6·51	9·68	16·23	37·38	87·92	190·91
Males	—					20·83	†142	–	–	–	–	55·67	6·07	3·41	4·46	5·00	6·91	10·28	18·43	41·80	97·94	202·46
Females	—					18·65	†119	–	–	–	–	47·51	5·66	3·32	4·39	5·46	6·15	9·14	14·36	33·69	79·91	182·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·79 per cent.			36,556			884	842	820	811	812	4169	3837	3687	3547	3414	5887	4723	3425	2370	1200	297
Males				17,512			430	434	411	420	403	2098	1910	1849	1726	1619	2780	2217	1579	1079	533	122
Females				19,044			454	408	409	391	409	2071	1927	1838	1821	1795	3107	2506	1846	1291	667	175
Deaths from All Causes, 1881–90. Persons	18·44			6,741			1283	470	188	115	96	2152	225	124	157	179	383	457	556	886	1055	567
Males	19·62			3,436			701	264	91	62	50	1168	116	63	77	81	192	228	291	451	522	247
Females	17·35			3,305			582	206	97	53	46	984	109	61	80	98	191	229	265	435	533	320
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	3	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Measles	0·45	0·46	0·44	163	80	83	37	64	22	13	16	152	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·49	0·55	0·43	179	97	82	8	28	34	36	22	128	42	4	1	1	2	1	–	–	–	–
Diphtheria	0·06	0·10	0·02	21	18	3	–	4	3	5	3	15	5	–	–	–	–	1	–	–	–	–
Whooping-cough	0·29	0·29	0·28	105	51	54	62	23	10	5	3	103	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·26	0·31	0·22	96	54	42	–	–	–	1	1	2	10	12	12	14	19	16	5	4	2	–
Simple Continued Fever	0·02	0·02	0·02	8	4	4	–	–	–	–	–	–	4	2	–	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·43	0·49	0·37	156	85	71	74	25	2	1	1	103	4	–	–	–	1	3	1	7	22	15
Cholera	0·05	0·07	0·02	17	13	4	2	–	–	–	1	3	–	1	3	–	1	1	2	2	3	1
Cancer	0·51	0·29	0·71	186	50	136	–	–	–	–	1	1	–	–	–	–	3	26	41	61	39	15
Tabes Mesenterica	0·16	0·17	0·16	60	29	31	21	16	6	2	–	45	2	2	3	1	1	2	1	1	2	–
Phthisis	1·61	1·75	1·48	588	306	282	4	3	4	–	2	13	6	20	58	74	128	111	80	60	33	5
Other Tub. & Scrof. Dis.	0·27	0·29	0·25	98	50	48	24	15	7	4	1	51	13	12	8	4	3	4	1	1	–	1
Diseases of Nervous System	2·61	2·67	2·56	954	467	487	220	36	17	8	9	290	22	13	7	11	26	30	68	139	258	90
Circulatory „	1·99	1·67	2·29	727	292	435	1	1	1	1	–	4	6	14	14	14	44	60	89	211	212	59
Respiratory „	3·87	4·48	3·31	1414	784	630	303	175	51	20	15	564	43	8	13	14	34	74	122	208	223	111
Digestive „	1·35	1·49	1·22	492	260	232	122	51	9	3	6	191	11	5	9	8	16	32	46	73	69	32
Urinary „	0·38	0·54	0·23	139	95	44	–	3	2	2	4	11	5	3	–	8	11	12	17	19	37	16
Generative „	0·07	0·01	0·12	24	2	22	1	–	1	–	–	2	–	1	1	1	5	7	5	1	1	–
Puerperal Fever	0·08	–	0·15	29	–	29	–	–	–	–	–	–	–	–	1		12	9	1	–	–	–
Childbirth	0·09	–	0·17	32	–	32	–	–	–	–	–	–	–	–	4	6	15	6	1	–	–	–
Violence	0·57	0·86	0·30	207	150	57	6	6	12	11	6	41	18	13	7	8	20	21	31	22	19	7
Other Causes	2·82	3·09	2·60	1043	546	497	398	20	7	3	5	433	21	13	16	9	40	41	45	75	135	215

Marriages - - - 1,716

Births - { Males - 4,947, Females - 4,878 } 9,825

Annual Rate per 1000 living { Persons Married 9·39, Births - - 26·88 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·21 per 1000 Births.

See pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

494.—SADDLEWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·58	†137	–	–	–	–	56·05	6·12	3·54	5·35	6·89	7·83	11·18	17·02	37·04	79·12	183·76
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·71	†152	–	–	–	–	62·69	6·63	3·06	4·30	7·44	6·72	11·76	18·95	42·55	84·97	195·06
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·51	†120	–	–	–	–	49·64	5·62	3·98	6·36	6·39	8·84	10·64	15·26	32·23	73·82	175·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·73 per cent.	22,380	563	537	524	530	540	2694	2515	2376	2335	2090	3385	2586	2062	1412	728	197
Mean Population, 1881–91. Males		10,780	278	258	270	245	273	1324	1251	1144	1140	995	1621	1233	987	658	346	81
Mean Population, 1881–91. Females		11,600	285	279	254	285	267	1370	1264	1232	1195	1095	1764	1353	1075	754	382	116
Deaths from All Causes, 1881–90. Persons	19·58	4,383	902	320	154	76	58	1510	154	84	125	144	265	289	351	523	576	362
Deaths from All Causes, 1881–90. Males	20·82	2,244	521	174	79	30	26	830	83	35	49	74	109	145	187	280	294	158
Deaths from All Causes, 1881–90. Females	18·44	2,139	381	146	75	46	32	680	71	49	76	70	156	144	164	243	282	204

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·01	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·34	0·34	0·33	75	37	38	21	29	16	4	2	72	3	–	–	–	–	–	–	–
Scarlet Fever	0·38	0·37	0·38	84	40	44	3	12	11	11	14	51	21	9	2	1	–	–	–	–
Diphtheria	0·20	0·19	0·21	44	20	24	–	7	6	4	4	21	13	4	2	–	2	–	1	–
Whooping-cough	0·29	0·30	0·29	66	32	34	36	16	8	3	1	64	2	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	–	–	–	3	–	–	–	1
Enteric Fever	0·32	0·33	0·30	71	36	35	1	–	2	2	1	6	7	10	12	9	10	8	1	6
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	–	–	–	1	1	–	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·41	0·39	0·43	92	42	50	48	10	3	1	–	62	2	–	–	2	1	2	3	3
Cholera	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Cancer	0·46	0·30	0·62	104	32	72	–	–	–	–	–	–	–	–	–	–	4	17	23	24
Tabes Mesenterica	0·29	0·26	0·31	64	28	36	31	18	3	4	1	57	4	2	–	–	1	–	–	–
Phthisis	2·12	1·95	2·28	474	210	264	19	13	5	1	4	42	4	12	59	59	109	78	53	45
Other Tub. & Scrof. Dis.	0·41	0·45	0·37	92	49	43	23	21	11	2	6	63	8	5	6	3	5	1	1	–
Diseases of Nervous System	2·87	3·09	2·67	643	333	310	207	47	16	12	9	291	28	10	6	12	7	32	38	58
Diseases of Circulatory „	1·95	2·00	1·91	437	216	221	–	1	1	–	1	3	5	10	11	8	22	30	66	116
Diseases of Respiratory „	3·92	4·46	3·42	878	481	397	190	89	45	23	9	356	31	2	5	11	28	41	77	122
Diseases of Digestive „	1·23	1·35	1·13	276	145	131	44	26	7	1	–	78	3	3	7	7	12	17	36	59
Diseases of Urinary „	0·33	0·49	0·18	74	53	21	1	2	2	–	1	6	4	2	2	–	4	6	12	12
Diseases of Generative „	0·04	–	0·08	9	–	9	–	–	1	–	–	1	–	–	–	1	1	3	1	1
Puerperal Fever	0·10	–	0·19	22	–	22	–	–	–	–	–	–	–	–	3	6	10	3	–	–
Childbirth	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	2	2	11	–	–
Violence	0·58	0·90	0·28	129	97	32	2	9	8	5	1	25	7	5	1	4	24	19	12	21
Other Causes	3·22	3·57	2·90	723	385	338	275	20	9	3	3	310	12	9	9	15	22	20	27	55

Marriages	1,340	Annual Rate per 1000 living: Persons Married	11·97	Deaths from Childbirth and Puerperal Fever	5·60 per 1000 Births.
Births: Males 3,438; Females 3,170	6,608	Births	29·53		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

495.—HUDDERSFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·50	†153	–	–	–	–	62·21	5·94	3·57	5·66	6·66	8·28	12·14	18·29	35·47	76·89	185·01
Males	—	23·44	†171	–	–	–	–	68·27	5·76	3·46	5·67	6·66	8·96	13·82	22·55	42·30	87·67	198·91
Females	—	19·68	†135	–	–	–	–	56·21	6·12	3·69	5·66	6·65	7·68	10·64	14·53	29·47	68·08	173·74
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·65 per cent.	162,456	3905	3596	3662	3775	3726	18664	18051	17689	17144	16017	25686	19102	14091	9608	4963	1441
Males		77,481	1989	1758	1812	1880	1848	9287	8836	8767	8162	7383	12061	9011	6604	4494	2231	645
Females		84,975	1916	1838	1850	1895	1878	9377	9215	8922	8982	8634	13625	10091	7487	5114	2732	796
Deaths from All Causes, 1881–90. Persons	19·86	32,267	7094	2508	946	603	460	11611	1073	632	971	1066	2128	2319	2577	3408	3816	2666
Males	22·02	17,062	4007	1318	477	313	225	6340	509	303	463	492	1081	1245	1489	1901	1956	1283
Females	17·89	15,205	3087	1190	469	290	235	5271	564	329	508	574	1047	1074	1088	1507	1860	1383

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	6	3	3	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Measles	0·42	0·46	0·39	690	359	331	166	275	115	54	36	646	42	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·21	0·25	377	166	211	19	45	70	57	60	251	100	16	5	1	4	–	–	–	–	–
Diphtheria	0·12	0·11	0·12	189	88	101	10	11	22	39	24	106	55	15	6	1	1	1	1	1	1	1
Whooping-cough	0·40	0·38	0·42	657	297	360	299	206	77	43	19	644	12	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	20	12	8	–	–	–	–	–	–	1	3	2	7	3	1	1	–	2	–
Enteric Fever	0·17	0·22	0·14	284	167	117	1	4	2	4	6	17	22	24	36	39	54	37	21	27	7	–
Simple Continued Fever	0·03	0·03	0·03	51	24	27	6	1	–	2	–	9	7	5	4	3	5	3	3	7	3	2
Diarrhœa and Dysentery	0·39	0·42	0·37	634	322	312	340	78	11	1	3	433	8	1	3	6	8	12	16	25	54	68
Cholera	0·03	0·04	0·01	46	34	12	8	3	1	–	1	13	1	–	1	1	3	2	9	7	7	2
Cancer	0·55	0·43	0·66	896	332	564	–	1	1	1	–	3	–	1	2	4	34	123	224	249	203	53
Tabes Mesenterica	0·21	0·25	0·17	342	195	147	150	61	21	12	6	250	23	16	16	12	8	3	4	5	4	1
Phthisis	2·41	2·69	2·15	3912	2085	1827	41	29	17	13	9	109	81	144	473	538	936	725	479	295	123	9
Other Tub. & Scrof. Dis.	0·52	0·61	0·44	850	472	378	186	161	64	48	32	491	137	71	51	39	26	14	11	7	3	–
Diseases of Nervous System	2·95	3·39	2·56	4800	2624	2176	1658	443	160	101	70	2432	169	82	68	45	110	148	259	483	669	335
Circulatory "	1·67	1·68	1·66	2716	1305	1411	3	2	–	2	5	12	28	51	65	67	145	282	380	713	694	279
Respiratory "	4·06	4·67	3·51	6603	3622	2981	1517	793	272	152	130	2864	200	49	52	68	226	316	488	777	978	585
Digestive "	1·20	1·30	1·11	1950	1005	945	399	234	30	18	21	702	55	28	37	36	81	139	231	261	271	109
Urinary "	0·43	0·58	0·30	704	449	255	7	6	2	5	4	24	12	13	9	27	64	83	101	132	155	84
Generative "	0·06	0·01	0·10	100	11	89	–	1	–	–	–	1	–	1	4	5	22	25	21	13	7	1
Puerperal Fever	0·08	–	0·16	132	–	132	–	–	–	–	–	–	–	–	4	29	66	33	–	–	–	–
Childbirth	0·08	–	0·15	130	–	130	–	–	–	–	–	–	–	–	2	21	63	43	1	–	–	–
Violence	0·59	0·94	0·27	958	728	230	27	30	34	19	20	130	46	42	54	52	118	145	143	112	73	43
Other Causes	3·25	3·58	2·91	5220	2762	2458	2257	124	47	32	14	2474	74	67	77	64	149	183	182	294	562	1094

Marriages - - - 12,607

Births - Males - 23,411; Females - 22,912 — 46,323

Annual Rate per 1000 living: Persons Married 15·52; Births - - 28·51

Deaths from Childbirth and Puerperal Fever - - - - - 5·66 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

496.—HALIFAX.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·94	†147	–	–	–	–	58·45	5·26	3·32	5·24	5·98	7·37	11·33	19·34	37·35	79·10	187·58
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·63	†159	–	–	–	–	63·19	5·17	3·24	5·03	5·76	7·79	13·75	23·85	45·27	91·71	188·69
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·34	†135	–	–	–	–	53·82	5·35	3·40	5·44	6·16	7·00	9·22	15·55	30·84	69·61	186·78
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·71 per cent.	177,861	4494	4026	4142	4117	4113	20892	19813	19219	18532	16749	27825	21613	15758	10639	5388	1433
Mean Population, 1881–91. Males	Decennial Increase of Population 8·71 per cent.	84,111	2210	2022	2098	1995	2005	10330	9773	9560	8823	7743	12920	10052	7192	4802	2315	601
Mean Population, 1881–91. Females	Decennial Increase of Population 8·71 per cent.	93,750	2284	2004	2044	2122	2108	10562	10040	9659	9709	9006	14905	11561	8566	5837	3073	832
Deaths from All Causes, 1881–90. Persons	19·30	34,334	7454	2657	1004	627	470	12212	1042	638	972	1001	2050	2448	3047	3974	4262	2688
Deaths from All Causes, 1881–90. Males	21·12	17,767	4057	1401	523	312	235	6528	505	310	444	446	1006	1382	1715	2174	2123	1134
Deaths from All Causes, 1881–90. Females	17·67	16,567	3397	1256	481	315	235	5684	537	328	528	555	1044	1066	1332	1800	2139	1554

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	0·01	0·00	0·01	9	3	6
Measles	0·35	0·37	0·33	627	313	314
Scarlet Fever	0·31	0·36	0·26	551	303	248
Diphtheria	0·14	0·13	0·14	243	108	135
Whooping-cough	0·32	0·31	0·32	565	263	302
Typhus	0·01	0·01	0·00	11	8	3
Enteric Fever	0·23	0·27	0·19	409	230	179
Simple Continued Fever	0·05	0·05	0·05	95	46	49
Diarrhœa and Dysentery	0·36	0·38	0·35	644	320	324
Cholera	0·02	0·02	0·02	42	21	21
Cancer	0·50	0·34	0·65	897	287	610
Tabes Mesenterica	0·20	0·24	0·18	363	198	165
Phthisis	2·04	2·28	1·81	3623	1922	1701
Other Tub. & Scrof. Dis.	0·51	0·56	0·46	907	472	435
Diseases of Nervous System	3·10	3·50	2·75	5520	2941	2579
Diseases of Circulatory „	1·70	1·73	1·67	3020	1455	1565
Diseases of Respiratory „	4·23	4·93	3·59	7512	4143	3369
Diseases of Digestive „	1·25	1·28	1·22	2223	1079	1144
Diseases of Urinary „	0·44	0·57	0·33	783	477	306
Diseases of Generative „	0·05	0·01	0·08	82	7	75
Puerperal Fever	0·08	–	0·16	146	–	146
Childbirth	0·07	–	0·13	118	–	118
Violence	0·50	0·80	0·23	895	676	219
Other Causes	2 83	2·98	2·74	5049	2495	2554

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	1	–	–	–	1	–	–	2	2	1	1	2	–	–	–
Measles	180	250	86	52	25	593	28	3	2	–	–	1	–	–	–	–
Scarlet Fever	43	94	107	92	66	402	119	15	6	4	3	1	1	–	–	–
Diphtheria	18	28	33	33	46	158	54	17	4	2	1	1	2	2	1	1
Whooping-cough	253	178	68	26	24	549	16	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	1	–	1	2	1	1	2	1	2	–	1	–	–
Enteric Fever	4	2	2	7	9	24	30	42	65	50	72	50	43	19	12	2
Simple Continued Fever	1	4	6	7	9	27	17	13	3	3	5	4	9	9	5	–
Diarrhœa and Dysentery	339	95	13	7	4	458	13	4	4	4	10	13	12	33	49	44
Cholera	8	4	4	–	2	18	3	2	1	1	1	1	–	7	5	3
Cancer	–	2	2	–	–	4	1	–	5	6	32	114	238	270	189	38
Tabes Mesenterica	150	67	22	8	14	261	27	18	18	10	12	7	6	3	1	–
Phthisis	45	48	14	9	9	125	65	129	426	467	777	693	518	307	105	11
Other Tub. & Scrof. Dis.	199	180	85	42	47	553	113	51	48	34	41	23	23	17	4	–
Diseases of Nervous System	1968	412	161	71	54	2666	177	72	68	49	105	192	356	626	820	389
Diseases of Circulatory „	18	3	6	4	4	35	32	61	68	73	186	308	500	771	717	269
Diseases of Respiratory „	1580	843	289	199	115	3026	173	47	55	83	251	403	627	1004	1163	680
Diseases of Digestive „	489	254	35	19	11	808	45	39	36	48	101	152	230	339	327	98
Diseases of Urinary „	7	12	6	5	6	36	17	15	20	23	73	76	133	166	160	64
Diseases of Generative „	2	–	–	–	–	2	–	1	2	4	12	17	23	12	9	–
Puerperal Fever	–	–	–	–	–	–	–	–	4	27	68	46	1	–	–	–
Childbirth	–	–	–	–	–	–	–	–	5	16	47	50	–	–	–	–
Violence	26	29	28	24	15	122	34	42	45	41	109	134	122	128	81	37
Other Causes	2124	151	37	21	10	2343	76	66	84	52	142	159	201	260	614	1052

Marriages - - 14,397

Births - { Males - 25,559, Females - 25,117 } 50,676

Annual Rate per 1000 living { Persons Married 16·19, Births - - 28 49 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

497.—BRADFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·96	†161	–	–	–	–	65·15	5·49	3·40	5·53	6·23	7·76	11·50	19·14	38·54	83·20	175·60
Males	—	21·31	†177	–	–	–	–	71·65	5·44	3·27	5·23	5·99	7·68	12·72	22·20	43·72	91·04	182·77
Females	—	20·63	†144	–	–	–	–	58·75	5·53	3·52	5·80	6·43	7·83	10·44	16·54	34·32	76·95	169·93
Mean Population, 1881–91. Persons	Decennial Increase of Population 9·72 per cent.	326,732	8511	7584	7686	7777	7640	39198	36817	35481	34416	31550	51438	39387	29103	18450	8605	2287
Males		153,389	4277	3754	3788	3848	3776	19443	18276	17389	16184	14014	23387	18266	13326	8278	3816	1010
Females		173,343	4234	3830	3898	3929	3864	19755	18541	18092	18232	17536	28051	21121	15777	10172	4789	1277
Deaths from All Causes, 1881–90. Persons	19·90	65,011	15670	5691	2120	1194	861	25536	2021	1205	1904	1967	3994	4530	5569	7110	7159	4016
Males	21·64	33,198	8804	2985	1105	612	424	13930	995	568	846	840	1797	2324	2959	3619	3474	1846
Females	18·35	31,813	6866	2706	1015	582	437	11606	1026	637	1058	1127	2197	2206	2610	3491	3685	2170

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	0·00	0·01	0·00	11	8	3	–	–	1	–	1	2	1	–	1	1	2	2	2	–	–	–
Measles	0·50	0·55	0·46	1639	844	795	394	651	272	134	88	1539	91	7	1	–	1	–	–	–	–	–
Scarlet Fever	0·30	0·32	0·29	993	497	496	47	160	185	161	131	684	255	37	4	5	5	1	2	–	–	–
Diphtheria	0·06	0·06	0·06	197	86	111	9	22	28	17	30	106	57	14	6	–	4	5	1	2	2	–
Whooping-cough	0·42	0·42	0·42	1360	640	720	605	435	156	80	44	1320	38	1	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	16	10	6	–	–	1	1	1	3	2	2	2	2	2	2	–	–	1	–
Enteric Fever	0·18	0·22	0·15	595	333	262	1	4	8	9	12	34	59	54	87	82	104	69	46	43	15	2
Simple Continued Fever	0·04	0·04	0·04	143	67	76	5	9	14	15	7	50	24	7	2	8	8	11	7	10	8	8
Diarrhœa and Dysentery	0·74	0·81	0·67	2415	1245	1170	1440	368	63	29	11	1911	29	12	13	10	16	31	61	98	148	86
Cholera	0·02	0·02	0·02	68	30	38	18	4	1	–	1	24	2	1	3	–	4	7	5	8	12	2
Cancer	0·56	0·36	0·72	1813	557	1256	–	–	2	3	4	9	3	5	6	10	65	243	466	539	373	94
Tabes Mesenterica	0·24	0·25	0·23	784	383	401	284	166	64	24	13	551	54	49	34	23	33	20	9	8	3	–
Phthisis	2·03	2·17	1·91	6633	3329	3304	53	56	36	27	9	181	130	232	815	916	1619	1246	886	432	164	12
Other Tub. & Scrof. Dis.	0·48	0·56	0·41	1568	853	715	424	331	147	96	49	1047	194	104	64	45	45	26	19	15	7	2
Diseases of Nervous System	2·91	3·31	2·55	9503	5077	4426	3053	762	289	142	120	4366	317	160	135	121	243	370	672	1159	1374	586
Circulatory „	1·57	1·51	1·62	5129	2323	2806	13	3	1	7	6	30	70	135	174	147	336	630	890	1218	1129	370
Respiratory „	4·38	5·04	3·79	14298	7729	6569	3150	1813	615	324	204	6106	362	93	162	151	480	767	1294	1983	2025	875
Digestive „	1·21	1·29	1·15	3965	1979	1986	951	450	61	25	38	1525	97	56	71	95	209	279	411	599	463	160
Urinary „	0·37	0·48	0·27	1210	734	476	14	19	13	13	16	75	33	22	45	45	97	145	175	254	231	88
Generative „	0·06	0·01	0·10	193	12	181	3	3	3	1	–	10	–	1	12	7	25	41	50	31	11	5
Puerperal Fever	0·09	–	0·17	299	–	299	–	–	–	–	–	–	–	–	9	51	149	89	1	–	–	–
Childbirth	0·07	–	0·12	213	–	213	–	–	–	–	–	–	–	–	10	34	94	73	2	–	–	–
Violence	0·50	0·76	0·28	1637	1159	478	167	48	52	40	42	349	81	81	102	99	165	175	190	207	129	59
Other Causes	3·17	3·44	2·92	10329	5303	5026	5039	387	108	46	34	5614	122	132	145	115	288	298	380	504	1064	1667

Marriages - - - 25,467

Births - { Males - 49,634 / Females - 47,745 } 97,379

Annual Rate per 1000 living { Persons Married 15·59 / Births - - 29·80 }

Deaths from Childbirth and Puerperal Fever - - - - - 5·26 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births,

498.—HUNSLET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·04	†174	–	–	–	–	74·23	7·51	3·66	4·34	5·14	7·07	11·88	17·74	38·26	79·59	192·64
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·34	†191	–	–	–	–	81·57	7·98	3·72	4·14	4·84	6·31	11·35	20·13	41·98	87·99	202·80
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·81	†157	–	–	–	–	67·13	7·06	3·60	4·54	5·44	7·85	11·41	15·44	34·98	73·08	186·16
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·82 per cent.	64,567	2165	1847	1865	1817	1762	9456	8176	7239	6363	5819	9939	7541	5180	3076	1411	367
Mean Population, 1881–91. Males		31,946	1081	902	923	880	863	4649	3998	3577	3216	2916	5009	3843	2538	1441	616	143
Mean Population, 1881–91. Females		32,621	1084	945	942	937	899	4807	4178	3662	3147	2903	4930	3698	2642	1635	795	224
Deaths from All Causes, 1881–90. Persons	21·62	13,960	4233	1562	578	395	251	7019	614	265	276	299	703	858	919	1177	1123	707
Deaths from All Causes, 1881–90. Males	22·59	7,218	2340	817	315	195	125	3792	319	133	133	141	316	436	511	605	542	290
Deaths from All Causes, 1881–90. Females	20·67	6,742	1893	745	263	200	126	3227	295	132	143	158	387	422	408	572	581	417

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	6	4	2	2	–	1	–	–	3	–	–	2	1	–	–	–	–	–
Measles	0·50	0·53	0·47	320	168	152	71	126	53	32	17	299	18	1	–	–	2	–	–	–	–
Scarlet Fever	0·98	1·06	0·89	630	340	290	27	76	97	93	74	367	203	44	7	3	5	1	–	–	–
Diphtheria	0·08	0·07	0·09	52	22	30	–	4	6	12	5	27	18	1	2	2	1	–	1	–	–
Whooping-cough	0·58	0·52	0·64	374	165	209	143	116	56	30	18	363	11	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	3	3	–	–	–	1	–	1	1	–	2	–	–	1	–	–	1
Enteric Fever	0·25	0·24	0·26	163	77	86	2	3	2	4	7	18	17	33	21	27	23	11	6	7	–
Simple Continued Fever	0·06	0·06	0·05	36	20	16	2	4	3	1	4	14	5	2	3	5	3	1	1	–	2
Diarrhœa and Dysentery	1·39	1·42	1·37	900	454	446	642	156	19	8	2	827	6	1	1	3	3	4	9	13	14
Cholera	0·02	0·02	0·02	12	7	5	4	4	–	–	–	8	1	–	–	–	2	–	1	–	–
Cancer	0·44	0·23	0·64	282	74	208	–	–	–	–	–	–	1	–	2	1	18	43	72	89	45
Tabes Mesenterica	0·48	0·50	0·47	311	159	152	163	86	17	10	3	279	15	8	1	–	5	1	2	–	–
Phthisis	1·46	1·61	1·31	940	514	426	17	10	5	3	2	37	30	47	99	114	246	200	107	46	13
Other Tub. & Scrof. Dis.	0·28	0·33	0·24	183	105	78	45	49	15	7	4	120	23	7	8	3	8	7	3	1	3
Diseases of Nervous System	3·53	3·86	3·21	2280	1233	1047	892	239	88	66	34	1319	90	27	21	15	39	75	143	221	236
Diseases of Circulatory „	1·24	1·22	1·25	798	391	407	6	2	–	–	–	8	7	15	21	17	46	124	151	203	159
Diseases of Respiratory „	4·37	4·93	3·82	2822	1575	1247	659	468	164	91	59	1441	82	20	22	28	96	168	223	317	298
Diseases of Digestive „	1·10	1·11	1·09	710	354	356	193	95	9	8	3	308	15	7	8	12	36	61	65	108	66
Diseases of Urinary „	0·35	0·38	0·32	224	121	103	7	4	3	3	4	21	14	5	6	5	16	27	38	44	37
Diseases of Generative „	0·03	0·01	0·05	21	4	17	–	–	–	–	–	–	–	–	–	1	4	6	3	4	2
Puerperal Fever	0·10	–	0·19	62	–	62	–	–	–	–	–	–	–	–	4	15	31	11	1	–	–
Childbirth	0·09	–	0·18	59	–	59	–	–	–	–	–	–	–	–	5	5	25	24	–	–	–
Violence	0·62	0·90	0·34	398	287	111	68	11	10	8	6	103	23	24	19	19	43	51	45	32	19
Other Causes	3·65	3·57	3·75	2371	1141	1230	1290	109	30	18	9	1456	34	23	22	23	51	42	48	92	228

Marriages	4,842	Annual Rate per 1000 living: Persons Married	15·00	Deaths from Childbirth and Puerperal Fever	4·98 per 1000 Births.
Births: Males	12,224	Births	37·62		
Births: Females	12,069				
Births	24,293				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

499.—HOLBECK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 23·36			†179	–	–	–	–	73·46	7·11	3·87	4·25	5·75	7·07	10·12	20·24	41·16	84·75	190·96
Males	—			24·30			†186	–	–	–	–	80·76	6·02	3·56	4·46	6·69	7·30	9·49	21·27	47·53	95·34	164·29
Females	—			22·46			†155	–	–	–	–	66·46	8·16	4·18	4·05	4·87	6·85	10·73	19·29	35·78	77·18	210·42
Mean Population, 1881–91. Persons	Decennial Increase of Population, 6·32 per cent.			24,812			753	698	674	633	674	3432	3036	2684	2468	2261	3732	2975	2060	1329	669	166
Males				12,052			374	336	325	313	331	1679	1479	1320	1210	1091	1849	1475	992	608	279	70
Females				12,760			379	362	349	320	343	1753	1557	1364	1258	1170	1883	1500	1068	721	390	96
Deaths from All Causes, 1881–90. Persons	22·12			5,489			1485	548	224	140	124	2521	216	104	105	130	264	301	417	547	567	317
Males	23·03			2,775			818	282	121	74	61	1356	89	47	54	73	135	140	211	289	266	115
Females	21·27			2,714			667	266	103	66	63	1165	127	57	51	57	129	161	206	258	301	202
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·46	0·48	0·44	114	58	56	29	34	24	14	8	109	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·99	1·02	0·96	246	123	123	8	27	33	38	46	152	80	12	2	–	–	–	–	–	–	–
Diphtheria	0·09	0·11	0·08	23	13	10	3	6	4	2	3	18	5	–	–	–	–	–	–	–	–	–
Whooping-cough	0·48	0·46	0·50	119	55	64	40	41	21	8	9	119	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·27	0·33	0·22	68	40	28	–	2	1	1	–	4	7	11	10	5	17	6	2	6	–	–
Simple Continued Fever	0·03	0·04	0·02	7	5	2	–	1	3	–	–	4	1	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	1·22	1·30	1·14	303	157	146	222	47	8	1	1	279	1	–	1	–	1	1	3	5	8	4
Cholera	0·02	0·01	0·03	5	1	4	1	1	–	–	1	3	–	–	–	–	1	–	–	1	–	–
Cancer	0·56	0·29	0·81	138	35	103	–	–	–	–	–	–	–	1	–	1	11	14	37	42	22	10
Tabes Mesenterica	0·40	0·48	0·33	100	58	42	55	23	7	–	1	86	3	4	1	1	2	2	–	1	–	–
Phthisis	1·75	1·94	1·58	435	234	201	7	11	2	2	4	26	6	20	40	64	93	81	61	34	9	1
Other Tub. & Scrof. Dis.	0·39	0·34	0·43	96	41	55	20	21	12	5	6	64	12	7	6	2	2	2	1	–	–	–
Diseases of: Nervous System	3·29	3·64	2·96	817	439	378	287	65	22	13	10	397	33	20	9	4	12	32	61	93	123	33
Circulatory „	1·33	1·29	1·37	331	156	175	1	1	–	–	–	2	3	2	9	8	27	38	70	83	63	26
Respiratory „	4·96	5·22	4·71	1230	629	601	294	180	69	44	26	613	41	11	7	10	36	66	97	165	137	47
Digestive „	0·97	1·01	0·92	240	122	118	56	43	5	3	2	109	3	2	3	7	11	14	27	31	27	6
Urinary „	0·40	0·49	0·32	100	59	41	3	2	2	3	3	13	3	2	3	1	4	7	16	28	19	4
Generative „	0·05	0·02	0·07	12	3	9	–	–	–	–	–	–	–	–	1	1	2	–	2	4	2	–
Puerperal Fever	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	–	7	9	3	1	–	–	–
Childbirth	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	2	8	4	–	–	–	–
Violence	0·43	0·56	0·30	106	68	38	14	4	1	1	2	22	4	6	4	7	6	14	11	11	8	13
Other Causes	3·89	4·00	3·81	965	479	486	415	39	10	5	2	501	9	6	9	10	21	17	27	43	149	173

Marriages - - - 1,382

Births - { Males - 4,398 / Females - 4,312 } 8,710

Annual Rate per 1000 living { Persons Married 11·14 / Births - - 35·10 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

500.—BRAMLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population.* 21·03			†160	–	–	–	–	64·25	5·72	3·19	4·92	5·74	6·98	9·03	16·22	33·96	80·92	197·91
Males	—			21·65			†172	–	–	–	–	69·55	5·42	3·17	4·71	5·10	5·95	9·38	18·72	37·08	82·77	204·07
Females	—			20·45			†148	–	–	–	–	59·12	6·00	3·20	5·14	6·36	7·99	8·68	13·88	31·20	79·32	192·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·89 per cent.			60,899			1787	1611	1619	1597	1581	8195	7312	6653	6174	5658	9614	7111	5110	3207	1483	382
Males				29,907			869	809	793	777	781	4029	3613	3278	3122	2747	4743	3540	2473	1505	685	172
Females				30,992			918	802	826	820	800	4166	3699	3375	3052	2911	4871	3571	2637	1702	798	210
Deaths from All Causes, 1881–90. Persons	19·23			11,711			3246	1159	424	234	202	5265	418	212	304	325	671	642	829	1089	1200	756
Males	19·87			5,942			1763	622	208	111	98	2802	196	104	147	140	282	332	463	558	567	351
Females	18·61			5,769			1483	537	216	123	104	2463	222	108	157	185	389	310	366	531	633	405
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	6	2	4	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–
Measles	0·49	0·50	0·48	299	149	150	53	126	47	29	17	272	26	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·50	0·50	0·51	306	149	157	18	58	48	39	35	198	88	14	3	2	–	1	–	–	–	–
Diphtheria	0·10	0·09	0·11	63	30	33	11	12	6	7	8	44	12	2	1	1	1	–	–	1	1	–
Whooping-cough	0·38	0·33	0·42	229	99	130	84	90	30	8	9	221	8	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·23	0·27	0·19	140	80	60	–	2	3	–	7	12	10	16	35	26	19	6	7	8	1	–
Simple Continued Fever	0·09	0·07	0·10	52	22	30	4	6	7	1	4	22	9	4	4	2	3	2	5	–	1	–
Diarrhœa and Dysentery	0·82	0·90	0·74	498	269	229	371	51	7	3	3	435	4	2	–	1	2	4	7	11	16	16
Cholera	0·02	0·02	0·01	10	7	3	3	2	–	–	–	5	–	–	1	–	–	–	2	–	1	1
Cancer	0·56	0·39	0·72	338	116	222	2	–	–	1	1	4	1	3	1	1	17	46	81	97	77	10
Tabes Mesenterica	0·28	0·33	0·22	168	100	68	88	45	6	10	4	153	6	1	5	1	–	1	1	–	–	–
Phthisis	1·71	1·63	1·79	1040	486	554	15	21	8	4	8	56	30	45	135	158	269	146	105	67	29	–
Other Tub. & Scrof. Dis.	0·37	0·43	0·30	223	130	93	56	40	24	8	9	137	28	22	10	8	11	3	1	3	–	–
Diseases of Nervous System	2·90	3·15	2·67	1768	942	826	635	173	66	33	28	935	63	23	22	21	32	53	104	195	221	99
Circulatory "	1·44	1·36	1·51	875	407	468	5	4	–	1	–	10	11	8	16	14	50	101	141	222	228	74
Respiratory "	3·97	4·41	3·55	2419	1320	1099	637	316	127	61	54	1225	56	9	21	28	84	120	175	269	284	148
Digestive "	1·08	1·11	1·04	655	332	323	192	108	17	5	6	328	19	16	15	8	21	35	55	75	58	25
Urinary "	0·35	0·43	0·27	212	128	84	8	6	3	4	1	22	9	8	4	8	20	20	20	37	48	6
Generative "	0·05	–	0·09	28	–	28	–	–	1	–	–	1	–	–	1	2	5	4	6	6	1	2
Puerperal Fever	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	2	6	36	5	–	–	–	–
Childbirth	0·08	–	0·16	49	–	49	–	–	–	–	–	–	–	–	2	6	28	13	–	–	–	–
Violence	0·46	0·67	0·26	282	201	81	46	13	8	6	2	75	20	14	8	12	23	31	45	26	19	9
Other Causes	3·26	3·27	3·30	2001	972	1029	1018	56	16	14	6	1110	18	24	18	20	46	49	64	71	215	366

Marriages - - - 2,794

Births - Males - 10,257 } 20,271
Females - 10,014 }

Annual Rate per 1000 living { Persons Married 9·18
Births - - 33·29

Deaths from Childbirth and Puerperal Fever - - - - 4·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

501.—LEEDS.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		24·35	†174	–	–	–	–	72·58	7·22	3·60	5·19	6·37	8·54	13·83	23·13	43·76	86·68	180·14
Annual Death-Rate per 1000. Males	—					26·25	†192	–	–	–	–	79·01	7·10	3·50	6·01	7·09	8·75	15·38	25·88	48·87	98·92	200·19
Annual Death-Rate per 1000. Females	—					22·56	†155	–	–	–	–	66·28	7·34	3·70	4·49	5·77	8·35	12·35	20·58	39·38	77·47	168·01
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·92 per cent.			207,000			5971	5243	5197	5084	5107	26602	23529	21970	21238	20437	33097	25109	17698	10703	5187	1430
Mean Population, 1881–91. Males				98,862			2939	2579	2575	2513	2549	13155	11608	10802	9834	9255	15775	12222	8500	4946	2226	539
Mean Population, 1881–91. Females				108,138			3032	2664	2622	2571	2558	13447	11921	11168	11404	11182	17322	12887	9198	5757	2961	891
Deaths from All Causes, 1881–90. Persons	22·39			46,348			11873	4122	1601	960	751	19307	1699	791	1103	1301	2826	3472	4093	4684	4496	2576
Deaths from All Causes, 1881–90. Males	24·28			24,001			6631	2120	790	486	367	10394	824	378	591	656	1380	1880	2200	2417	2202	1079
Deaths from All Causes, 1881–90. Females	20·67			22,347			5242	2002	811	474	384	8913	875	413	512	645	1446	1592	1893	2267	2294	1497
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·03	59	31	28	9	1	2	–	2	14	–	3	5	8	17	7	4	1	–	–
Measles	0·47	0·48	0·46	969	473	496	197	401	163	77	65	903	63	–	1	1	–	1	–	–	–	–
Scarlet Fever	0·61	0·64	0·59	1265	631	634	48	164	195	171	193	771	382	70	14	12	15	1	–	–	–	–
Diphtheria	0·08	0·07	0·09	175	73	102	6	15	20	11	34	86	56	16	2	4	3	3	2	3	–	–
Whooping-cough	0·55	0·48	0·61	1139	475	664	445	374	150	87	47	1103	36	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	34	21	13	1	–	–	–	–	1	1	1	4	6	8	10	3	–	–	–
Enteric Fever	0·30	0·35	0·25	616	343	273	3	11	10	9	8	41	70	73	119	85	103	51	40	25	9	–
Simple Continued Fever	0·03	0·03	0·03	62	31	31	6	4	2	3	4	19	11	1	6	4	4	3	5	2	6	1
Diarrhœa and Dysentery	1·09	1·21	0·97	2246	1192	1054	1649	305	49	13	7	2023	22	3	6	5	10	8	17	41	65	46
Cholera	0·02	0·02	0·02	41	23	18	23	4	1	–	–	28	1	–	–	2	–	3	–	5	2	–
Cancer	0·62	0·43	0·79	1288	430	858	4	2	–	–	3	9	3	8	3	19	53	203	340	372	226	52
Tabes Mesenterica	0·30	0·30	0·30	622	301	321	329	124	49	17	9	528	29	21	10	7	10	8	8	–	1	–
Phthisis	1·97	2·34	1·63	4076	2317	1759	27	32	16	12	18	105	87	122	395	516	963	902	585	294	88	16
Other Tub. & Scrof. Dis.	0·55	0·66	0·46	1148	651	497	311	227	90	81	49	758	156	75	46	27	39	24	16	7	–	–
Diseases of: Nervous System	3·11	3·42	2·83	6434	3377	3057	2241	471	178	97	54	3041	177	97	54	63	156	275	478	771	920	402
Diseases of: Circulatory „	1·61	1·62	1·60	3338	1604	1734	19	3	4	2	2	30	39	61	72	74	261	447	655	751	676	272
Diseases of: Respiratory „	4·76	5·31	4·26	9858	5252	4606	2129	1318	473	235	166	4351	268	66	100	129	379	550	941	1229	1242	603
Diseases of: Digestive „	1·11	1·17	1·05	2287	1156	1131	488	256	47	20	11	822	52	37	42	50	109	205	277	324	264	105
Diseases of: Urinary „	0·53	0·66	0·41	1098	655	443	16	23	11	14	10	77	37	8	22	43	84	158	182	232	176	79
Diseases of: Generative „	0·10	0·01	0·18	205	14	191	3	1	–	1	–	5	–	–	2	9	37	67	49	23	9	4
Puerperal Fever	0·09	–	0·17	189	–	189	–	–	–	–	–	–	–	–	6	48	96	35	4	–	–	–
Childbirth	0·08	–	0·15	163	–	163	–	–	–	–	–	–	–	–	4	25	75	57	1	1	–	–
Violence	0·81	1·14	0·51	1677	1124	553	231	54	46	43	44	418	107	52	73	68	163	185	203	204	141	63
Other Causes	3·55	3·89	3·27	7359	3827	3532	3688	332	92	37	25	4174	102	77	117	96	238	269	283	399	671	933

Marriages - - - 20,114

Births { Males - 34,513, Females - 33,747 } 68,260

Annual Rate per 1000 living { Persons Married 19·43, Births - - 32·98 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

502.—DEWSBURY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 21·88			†165	–	–	–	–	69·16	6·60	3·63	5·60	6·12	7·15	11·00	17·22	35·03	76·13	176·24
Annual Death-Rate per 1000. Males	—			23·32			†181	–	–	–	–	75·70	6·69	3·28	5·23	5·58	6·83	11·80	20·00	39·04	86·80	191·36
Annual Death-Rate per 1000. Females	—			20·52			†149	–	–	–	–	62·75	6·51	3·97	5·94	6·58	7·44	10·28	14·73	31·56	67·33	165·81
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·78 per cent.			158,154			4265	3882	3915	3928	3913	19903	18294	17676	17164	15224	24502	18568	13566	8355	3854	1048
Mean Population, 1881–91. Males				75,554			2127	1922	1945	1964	1894	9852	8984	8724	8204	7006	11472	8858	6406	3878	1742	428
Mean Population, 1881–91. Females				82,600			2138	1960	1970	1964	2019	10051	9310	8952	8960	8218	13030	9710	7160	4477	2112	620
Deaths from All Causes, 1881–90. Persons	19·82			31,346			8195	3177	1175	696	522	13765	1207	641	961	932	1753	2043	2336	2927	2934	1847
Deaths from All Causes, 1881–90. Males	21·34			16,120			4570	1677	593	361	257	7458	601	286	429	391	784	1045	1281	1514	1512	819
Deaths from All Causes, 1881–90. Females	18·43			15,226			3625	1500	582	335	265	6307	606	355	532	541	969	998	1055	1413	1422	1028
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·03	35	14	21	3	5	2	–	–	10	7	1	5	2	4	2	4	–	–	–
Measles	0·48	0·51	0·45	756	385	371	163	315	132	61	42	713	43	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·52	0·49	802	394	408	54	117	131	127	103	532	220	34	6	3	3	4	–	–	–	–
Diphtheria	0·11	0·11	0·10	168	83	85	11	26	23	31	16	107	41	8	5	1	1	2	2	1	–	–
Whooping-cough	0·48	0·44	0·50	752	336	416	324	243	88	53	25	733	18	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	20	7	13	–	–	–	–	–	–	1	3	5	1	6	1	2	1	–	–
Enteric Fever	0·25	0·26	0·23	389	197	192	3	5	4	8	14	34	39	41	59	41	73	50	25	19	7	1
Simple Continued Fever	0·06	0·05	0·06	92	41	51	5	6	7	6	6	30	8	8	7	4	5	12	9	8	1	–
Diarrhœa and Dysentery	0·72	0·78	0·67	1139	588	551	694	187	28	11	3	923	14	4	4	4	11	18	16	38	58	49
Cholera	0·02	0·02	0·02	34	18	16	12	2	1	–	1	16	2	1	2	1	1	1	5	1	2	2
Cancer	0·46	0·32	0·60	735	239	496	–	–	1	1	–	2	–	2	2	2	17	105	191	224	159	31
Tabes Mesenterica	0·27	0·29	0·25	430	220	210	166	108	40	9	11	334	31	16	18	10	14	1	4	2	–	–
Phthisis	1·86	1·91	1·81	2936	1444	1492	47	31	21	15	14	128	74	124	393	422	662	537	354	194	45	3
Other Tub. & Scrof. Dis.	0·52	0·62	0·43	822	465	357	215	192	75	41	37	560	102	58	34	26	19	10	9	4	–	–
Diseases of Nervous System	2·97	3·38	2·58	4696	2564	2132	1826	427	164	98	72	2587	177	75	73	43	97	155	288	445	519	237
Diseases of Circulatory „	1·43	1·44	1·41	2256	1088	1168	9	3	2	2	6	22	29	53	88	79	175	274	389	544	470	133
Diseases of Respiratory „	4·30	4·80	3·85	6800	3624	3176	1685	1009	341	163	118	3316	215	65	58	75	196	382	499	806	830	358
Diseases of Digestive „	1·19	1·28	1·11	1883	969	914	485	290	32	17	10	834	42	41	44	43	73	120	184	246	191	65
Diseases of Urinary „	0·34	0·44	0·24	536	336	200	12	12	11	–	6	41	31	16	11	19	52	60	88	95	93	30
Diseases of Generative „	0·06	0·01	0·10	93	9	84	2	1	–	1	–	4	1	–	5	4	5	19	25	10	19	1
Puerperal Fever	0·09	–	0·17	142	–	142	–	–	–	–	–	–	–	–	9	32	64	37	–	–	–	–
Childbirth	0·09	–	0·18	145	–	145	–	–	–	–	–	–	–	–	4	27	70	42	2	–	–	–
Violence	0·46	0·73	0·22	734	550	184	68	19	17	29	19	152	35	36	59	35	86	82	100	68	53	28
Other Causes	3·12	3·40	2·91	4951	2549	2402	2411	179	55	23	19	2687	77	54	70	58	119	129	140	221	487	909

Marriages - - - 13,772

Births - Males - 25,222; Females - 24,396 — 49,618

Annual Rate per 1000 living: Persons Married 17·42; Births - - 31·37

Deaths from Childbirth and Puerperal Fever - - - - 5·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

503.—WAKEFIELD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·35			†150	–	–	–	–	62·90	7·07	3·81	5·48	6·80	8·87	13·91	20·77	39·34	77·86	176·06
Annual Death-Rate per 1000. Males	—			In Standard Population* 23·41			†168	–	–	–	–	68·41	7·13	3·92	5·67	6·10	8·65	14·94	23·19	42·20	86·42	171·86
Annual Death-Rate per 1000. Females	—			In Standard Population* 21·36			†131	–	–	–	–	57·46	7·01	3·69	5·27	7·55	9·11	12·80	18·26	36·57	70·31	179·38
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·88 per cent.			94,409			2870	2649	2659	2679	2568	13425	12013	10684	9210	8500	14381	11059	7501	4546	2340	756
Mean Population, 1881–91. Males				47,960			1413	1336	1307	1314	1297	6667	6006	5106	4830	4409	7441	5717	3821	2232	1097	334
Mean Population, 1881–91. Females				46,449			1457	1313	1352	1365	1271	6758	6007	5278	4380	4091	6940	5342	3680	2308	1243	422
Deaths from All Causes, 1881–90. Persons	21·28			20,094			5077	1822	736	446	363	8444	849	407	505	578	1276	1538	1558	1786	1822	1331
Deaths from All Causes, 1881–90. Males	22·09			10,592			2881	916	378	219	167	4561	428	212	274	269	644	854	886	942	948	574
Deaths from All Causes, 1881–90. Females	20·46			9,502			2196	906	358	227	196	3883	421	195	231	309	632	684	672	844	874	757
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·02	25	15	10	4	2	–	–	1	7	–	1	1	6	2	3	4	1	–	–
Measles	0·38	0·42	0·34	359	200	159	72	149	63	27	25	336	22	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·88	0·84	0·92	827	401	426	42	105	115	135	111	508	244	51	6	6	8	2	1	1	–	–
Diphtheria	0·23	0·21	0·25	220	102	118	11	24	26	24	31	116	77	17	–	1	–	5	1	1	2	–
Whooping-cough	0·45	0·41	0·50	428	196	232	178	150	52	25	13	418	10	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	5	2	3	–	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–
Enteric Fever	0·24	0·27	0·22	230	129	101	–	1	7	2	2	12	20	32	20	31	51	33	17	11	3	–
Simple Continued Fever	0·01	0·01	0·01	13	7	6	–	2	1	1	1	5	1	–	–	–	1	2	2	2	–	–
Diarrhœa and Dysentery	0·85	0·87	0·84	807	419	388	504	147	18	7	7	683	12	5	1	5	6	5	13	16	31	30
Cholera	0·00	0·00	0·01	4	1	3	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–
Cancer	0·44	0·26	0·63	415	123	292	–	1	1	–	–	2	–	1	1	1	23	58	117	129	59	24
Tabes Mesenterica	0·37	0·38	0·36	351	184	167	140	99	19	8	12	278	16	15	8	8	10	2	2	8	4	–
Phthisis	1·91	1·94	1·89	1807	930	877	23	14	13	6	12	68	56	67	191	236	413	363	232	147	30	4
Other Tub. & Scrof. Dis.	0·35	0·38	0·33	333	180	153	87	60	24	14	15	200	36	25	16	9	23	9	8	3	2	2
Diseases of Nervous System	3·31	3·67	2·94	3122	1758	1364	929	204	83	36	28	1280	100	60	58	51	165	306	267	316	358	161
Diseases of Circulatory „	1·40	1·36	1·44	1321	652	669	7	–	1	1	3	12	14	24	35	39	73	172	223	291	305	133
Diseases of Respiratory „	4·43	4·68	4·16	4179	2247	1932	1027	589	224	110	71	2021	121	27	34	53	163	221	316	434	506	283
Diseases of Digestive „	1·15	1·19	1·11	1086	569	517	271	132	27	14	10	454	34	11	19	18	45	93	108	144	109	51
Diseases of Urinary „	0·31	0·37	0·25	292	178	114	1	9	4	5	5	24	12	8	6	10	24	32	36	57	64	19
Diseases of Generative „	0·02	0·00	0·05	23	2	21	–	–	–	–	–	–	–	–	–	1	4	3	4	5	5	1
Puerperal Fever	0·09	–	0·19	88	–	88	–	–	–	–	–	–	–	–	3	14	46	25	–	–	–	–
Childbirth	0·09	–	0·18	85	–	85	–	–	–	–	–	–	–	–	9	13	35	26	2	–	–	–
Violence	0·80	1·24	0·35	756	593	163	43	18	14	20	13	108	35	39	58	40	109	113	101	81	40	32
Other Causes	3·53	3·56	3·46	3318	1704	1614	1737	116	44	11	3	1911	38	22	39	36	73	65	102	137	304	591

Marriages - - - 7,079

Births { Males - 17,176, Females - 16,756 } 33,932

Annual Rate per 1000 living { Persons Married 15·00, Births - - 35·94 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death rates under one year of age are per 1000 Births.

504.—PONTEFRACT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 19·52	†149	–	–	–	–	63·56	7·04	3·34	4·37	5·04	6·30	9·50	13·82	30·30	65·77	159·34
Males	—	20·43	†164	–	–	–	–	69·44	6·92	3·20	3·42	4·02	5·90	9·42	15·77	32·82	68·99	182·52
Females	—	18·67	†133	–	–	–	–	57·66	7·17	3·49	5·59	6·30	6·77	9·60	11·68	27·74	62·87	142·03
Mean Population, 1881–91. Persons	Decennial Increase of Population 18·27 per cent.	52,243	1751	1579	1592	1543	1546	8011	7013	5985	4986	4505	7665	5872	3937	2452	1335	482
Males		27,294	877	788	800	768	782	4015	3483	3094	2805	2489	4105	3174	2054	1237	632	206
Females		24,949	874	791	792	775	764	3996	3530	2891	2181	2016	3560	2698	1883	1215	703	276
Deaths from All Causes, 1881–90. Persons	19·53	10,205	3064	1102	463	267	196	5092	494	200	218	227	483	558	544	743	878	768
Males	19·81	5,407	1716	595	231	144	102	2788	241	99	96	100	242	299	324	406	436	376
Females	19·23	4,798	1348	507	232	123	94	2304	253	101	122	127	241	259	220	337	442	392

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·40	0·41	0·39	208	111	97	49	74	44	14	14	195	13	–	–	–	–	–	–	–
Scarlet Fever	0·94	0·96	0·92	491	261	230	22	68	80	77	61	308	145	26	4	2	2	4	–	–
Diphtheria	0·24	0·21	0·26	123	58	65	8	12	20	19	15	74	33	8	1	–	2	3	1	1
Whooping-cough	0·43	0·38	0·48	224	104	120	92	76	31	17	3	219	5	–	–	–	–	–	–	–
Typhus	0·01	0·00	0·01	3	1	2	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Enteric Fever	0·23	0·23	0·22	119	63	56	–	2	6	5	6	19	18	15	11	13	25	10	5	3
Simple Continued Fever	0·03	0·02	0·04	15	6	9	2	2	–		2	6	5	1	–	–	–	–	–	1
Diarrhœa and Dysentery	0·97	0·89	1·07	508	242	266	307	116	26	8	–	457	8	1	–	–	3	5	3	9
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	0·45	0·29	0·62	234	80	154	–	–	1	–	–	1	–	–	–	2	10	34	58	60
Tabes Mesenterica	0·30	0·30	0·31	159	82	77	62	48	16	7	2	135	8	4	3	2	3	2	–	2
Phthisis	1·42	1·48	1·34	740	405	335	11	14	8	4	8	45	29	34	78	85	169	148	81	50
Other Tub. & Scrof. Dis.	0·34	0·37	0·31	177	100	77	45	38	15	11	4	113	23	12	5	3	3	12	2	3
Diseases of Nervous System	3·16	3·32	2·98	1650	907	743	706	172	58	35	32	1003	69	32	20	14	36	40	58	123
Circulatory "	1·18	1·10	1·27	618	300	318	5	1	3	1	–	10	9	12	13	22	29	56	97	131
Respiratory "	3·49	3·79	3·16	1821	1033	788	538	277	99	50	32	996	57	12	18	19	46	72	102	173
Digestive "	1·03	1·07	0·97	536	293	243	146	78	17	4	3	248	19	6	9	8	27	43	55	59
Urinary "	0·31	0·36	0·26	162	98	64	1	8	6	2	4	21	7	3	3	8	6	24	20	30
Generative "	0·04	0·00	0·08	22	1	21	–	2	–	–	–	2	–	–	3	1	7	5	2	1
Puerperal Fever	0·10	–	0·22	54	–	54	–	–	–	–	–	–	–	–	6	9	29	10	–	–
Childbirth	0·09	–	0·19	48	–	48	–	–	–	–	–	–	–	–	2	11	16	18	1	–
Violence	0·60	0·88	0·30	314	240	74	18	14	9	7	5	53	25	16	31	16	41	41	32	36
Other Causes	3·77	3·75	3·83	1977	1921	956	1051	100	24	6	5	1186	21	16	11	12	28	31	27	60

	75 and upwds.
Diseases of Nervous System	156
Circulatory "	174
Respiratory "	192
Digestive "	48
Urinary "	27
Generative "	1
Puerperal Fever	–
Childbirth	–
Violence	15
Other Causes	177

Marriages - - 3,838

Births - { Males - 10,479, Females - 10,109 } 20,588

Annual Rate per 1000 living { Persons Married 14·69, Births - - 39·41 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

505.—HEMSWORTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·22	†130	–	–	–	–	49·35	4·44	2·25	5·11	6·89	6·40	10·37	12·91	24·43	63·06	172·79
Annual Death-Rate per 1000. Males	—	17·60	†135	–	–	–	–	50·32	4·27	1·93	5·41	6·24	6·49	11·87	16·30	24·72	66·67	172·46
Annual Death-Rate per 1000. Females	—	16·86	†125	–	–	–	–	48·32	4·61	2·62	4·71	7·79	6·28	8·64	8·93	24·12	59·80	173·08
Mean Population, 1881-91. Persons	Decennial Increase of Population 31·74 per cent.	12,869	396	364	368	355	363	1846	1599	1554	1194	1132	1938	1418	999	663	379	147
Mean Population, 1881-91. Males		6,896	211	186	190	185	180	952	796	830	684	657	1078	758	540	352	180	69
Mean Population, 1881-91. Females		5,973	185	178	178	170	183	894	803	724	510	475	860	660	459	311	199	78
Deaths from All Causes, 1881-90. Persons	17·18	2,211	594	185	54	47	31	911	71	35	61	78	124	147	129	162	239	254
Deaths from All Causes, 1881-90. Males	17·13	1,181	314	97	28	23	17	479	34	16	37	41	70	90	88	87	120	119
Deaths from All Causes, 1881-90. Females	17·24	1,030	280	88	26	24	14	432	37	19	24	37	54	57	41	75	119	135

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Measles	0·38	0·38	0·39	49	26	23	8	19	6	5	5	43	5	1	–	–	–	–	–	–
Scarlet Fever	0·41	0·38	0·45	53	26	27	3	5	10	9	8	35	13	3	2	–	–	–	–	–
Diphtheria	0·05	0·04	0·07	7	3	4	–	–	–	1	1	2	3	1	–	–	–	1	–	–
Whooping-cough	0·54	0·61	0·47	70	42	28	36	22	3	5	3	69	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·37	0·39	0·33	47	27	20	2	2	–	1	–	5	1	10	6	5	8	6	5	1
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	1	–	1	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·47	0·51	0·44	61	35	26	37	11	1	–	–	49	1	–	–	–	–	–	–	–
Cholera	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2
Cancer	0·54	0·33	0·77	69	23	46	–	–	–	–	–	–	–	–	–	–	3	11	14	21
Tabes Mesenterica	0·54	0·59	0·47	69	41	28	42	16	2	2	3	65	2	–	1	1	–	–	–	–
Phthisis	1·14	1·17	1·10	147	81	66	–	3	1	–	2	6	2	6	19	27	36	31	11	5
Other Tub. & Scrof. Dis.	0·29	0·25	0·33	37	17	20	10	15	–	4	2	31	3	–	–	2	1	–	–	–
Diseases of Nervous System	2·29	2·10	2·51	295	145	150	126	13	3	2	2	146	7	4	5	2	9	8	11	28
Diseases of Circulatory „	1·55	1·52	1·59	200	105	95	–	–	–	1	–	1	2	2	3	12	9	14	30	36
Diseases of Respiratory „	3·39	3·52	3·23	436	243	193	124	53	14	9	2	202	10	1	3	7	14	31	21	20
Diseases of Digestive „	1·05	0·94	1·17	135	65	70	35	15	2	2	1	55	2	3	1	1	6	4	16	17
Diseases of Urinary „	0·32	0·32	0·32	41	22	19	–	–	1	–	1	2	3	–	–	1	3	1	3	9
Diseases of Generative „	0·02	–	0·03	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Puerperal Fever	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	2	6	3	–	–
Childbirth	0·07	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	3	3	3	–	–
Violence	0·89	1·36	0·35	115	94	21	2	1	7	2	–	12	6	2	16	7	20	22	11	8
Other Causes	2·72	2·64	2·86	350	180	170	169	10	4	3	1	187	10	2	5	6	5	11	7	12

Marriages	768	Annual Rate per 1000 living: Persons Married	11·94	Deaths from Childbirth and Puerperal Fever	4·38 per 1000 Births.
Births: Males 2,325; Females 2,245	4,570	Births	35·51		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

506.—BARNSLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 21·12			†164	–	–	–	–	66·70	6·93	3·61	5·18	5·37	6·84	11·04	16·55	30·31	78·63	170·55
Annual Death-Rate per 1000. Males	—						†179	–	–	–	–	72·74	7·26	3·81	4·74	4·60	6·12	10·65	18·25	32·28	83·11	178·43
Annual Death-Rate per 1000. Females	—						†149	–	–	–	–	60·74	6·61	3·40	5·76	6·36	7·71	11·51	14·62	28·31	74·23	163·73
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·67 per cent.			87,130			2979	2691	2651	2613	2584	13518	11538	9911	8297	7889	13328	9717	6563	3886	1933	550
Mean Population, 1881–91. Males				45,866			1484	1341	1307	1331	1249	6712	5742	5064	4686	4432	7300	5270	3185	1961	959	255
Mean Population, 1881–91. Females				41,264			1495	1350	1344	1282	1335	6806	5796	4847	3611	3457	6028	4447	3078	1925	974	295
Deaths from All Causes, 1881–90. Persons	20·35			17,735			5609	1883	722	457	345	9016	800	358	430	424	912	1073	1086	1178	1520	938
Deaths from All Causes, 1881–90. Males	20·60			9,447			3133	983	367	240	159	4882	417	193	222	204	447	561	636	633	797	455
Deaths from All Causes, 1881–90. Females	20·09			8,288			2476	900	355	217	186	4134	383	165	208	220	465	512	450	545	723	483
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	13	8	5	3	1	1	–	–	5	1	–	–	1	3	1	2	–	–	–
Measles	0·56	0·55	0·57	486	251	235	96	191	87	50	23	447	32	4	1	–	1	1	–	–	–	–
Scarlet Fever	0·86	0·83	0·89	750	381	369	47	126	128	102	120	523	183	29	3	3	8	–	1	–	–	–
Diphtheria	0·11	0·08	0·14	92	36	56	13	6	12	12	9	52	31	4	1	1	2	1	–	–	–	–
Whooping-cough	0·53	0·45	0·62	460	205	255	221	123	62	25	15	446	14	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·28	0·31	258	129	129	9	13	4	8	7	41	28	29	28	24	37	50	22	10	9	–
Simple Continued Fever	0·02	0·02	0·01	16	11	5	–	1	–	2	1	4	6	1	–	–	1	1	2	1	–	–
Diarrhœa and Dysentery	1·11	1·12	1·10	967	513	454	600	201	24	11	5	841	9	6	1	–	4	4	13	17	34	38
Cholera	0·01	0·01	0·01	9	5	4	1	2	–	–	–	3	–	1	–	–	–	1	2	2	–	–
Cancer	0·40	0·24	0·57	347	112	235	–	1	–	1	–	2	2	1	2	–	19	58	85	88	68	22
Tabes Mesenterica	0·21	0·22	0·20	181	99	82	58	49	19	10	7	143	14	5	3	1	4	5	3	3	–	–
Phthisis	1·66	1·62	1·71	1448	742	706	32	41	9	23	10	115	57	64	150	175	298	282	192	73	41	1
Other Tub. & Scrof. Dis.	0·54	0·57	0·50	470	262	208	124	128	34	19	13	318	66	30	11	13	15	10	5	1	1	–
Diseases of Nervous System	2·80	2·87	2·73	2443	1316	1127	1106	200	78	50	35	1469	102	41	31	20	44	58	116	167	258	137
Diseases of Circulatory „	1·38	1·23	1·56	1205	563	642	4	2	1	–	2	9	17	14	33	27	92	148	172	279	310	104
Diseases of Respiratory „	4·11	4·32	3·87	3579	1981	1598	1192	540	194	106	67	2099	110	20	37	39	78	157	199	260	382	198
Diseases of Digestive „	1·05	1·08	1·03	917	493	424	304	124	15	6	5	454	22	17	15	12	30	58	71	93	111	34
Diseases of Urinary „	0·30	0·35	0·25	262	160	102	4	13	5	5	2	29	18	6	8	7	20	35	30	41	49	19
Diseases of Generative „	0·03	0·00	0·05	24	2	22	2	–	–	1	–	3	–	–	–	3	3	3	8	3	–	1
Puerperal Fever	0·11	–	0·24	99	–	99	–	–	–	–	–	–	–	–	9	16	45	28	1	–	–	–
Childbirth	0·07	–	0·15	62	–	62	–	–	–	–	–	–	–	–	4	9	26	21	2	–	–	–
Violence	0·87	1·38	0·31	760	632	128	40	14	17	14	15	100	43	60	66	47	115	112	105	52	45	15
Other Causes	3·31	3·36	3·26	2887	1546	1341	1753	107	32	12	9	1913	45	26	27	26	67	59	55	88	212	369

Marriages - - - 6,106

Births - { Males - 17,521, Females - 16,628 } 34,149

Annual Rate per 1000 living { Persons Married 14·02, Births - - 39·19 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·71 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

507.—WORTLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		21·05	†134	–	–	–	–	50·18	6·26	3·45	5·12	6·91	9·61	15·80	21·27	37·53	79·87	186·91
Males	—					21·60	†145	–	–	–	–	53·54	5·79	3·31	4·74	5·49	8·79	15·71	24·35	41·25	90·97	192·92
Females	—					20·54	†123	–	–	–	–	46·88	6·74	3·59	5·60	8·69	10·55	15·90	18·08	33·86	69·78	181·89
Mean Population, 1881–91. Persons	Decennial Increase of Population. 12·35 per cent.			55,527			1740	1538	1532	1500	1566	7876	6995	6528	5388	4880	8114	6183	4514	3048	1535	466
Males				28,739			835	769	762	740	792	3898	3508	3324	2995	2716	4322	3221	2296	1515	731	212
Females				26,788			905	769	770	760	774	3978	3487	3204	2392	2164	3792	2962	2218	1533	804	254
Deaths from All Causes, 1881–90. Persons	20·15			11,186			2527	760	296	215	154	3952	438	225	276	337	780	977	960	1144	1226	871
Males	20·30			5,835			1386	379	142	100	80	2087	203	110	142	149	380	506	559	625	665	499
Females	19·98			5,351			1141	381	154	115	74	1865	235	115	134	188	400	471	401	519	561	462
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·08	0·04	34	23	11	6	–	–	–	1	7	2	1	4	5	8	4	1	1	1	–
Measles	0·28	0·23	0·33	154	66	88	27	68	21	10	9	135	16	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·52	0·46	0·58	289	133	156	14	36	39	44	37	170	86	21	3	3	5	1	–	–	–	–
Diphtheria	0·21	0·18	0·25	119	52	67	14	9	12	19	13	67	35	5	2	–	5	3	–	2	–	–
Whooping-cough	0·33	0·29	0·37	183	84	99	70	64	20	18	4	176	6	–	–	–	–	–	1	–	–	–
Typhus	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·17	0·18	0·16	95	51	44	3	–	4	1	1	9	10	13	10	14	16	7	8	2	4	2
Simple Continued Fever	0·02	0·03	0·01	13	9	4	1	–	1	1	1	4	1	1	1	–	–	1	1	3	1	–
Diarrhœa and Dysentery	0·43	0·43	0·42	237	124	113	146	20	4	2	2	174	2	2	1	1	–	3	5	8	19	22
Cholera	0·00	0·00	0·00	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·44	0·33	0·57	247	95	152	–	–	1	–	–	1	1	–	1	2	8	22	52	67	75	18
Tabes Mesenterica	0·17	0·19	0·16	97	55	42	47	23	4	1	3	83	4	3	1	2	3	–	1	–	–	–
Phthisis	1·91	1·83	2·00	1060	525	535	8	10	2	4	6	30	27	38	95	134	263	222	131	88	30	2
Other Tub. & Scrof. Dis.	0·50	0·43	0·56	275	125	150	75	59	26	15	8	183	39	20	7	7	9	6	3	–	–	1
Diseases of Nervous System	4·07	4·43	3·68	2260	1275	985	519	106	33	16	19	693	57	29	34	34	146	276	279	276	269	167
Diseases of Circulatory „	1·66	1·51	1·82	920	433	487	4	–	–	2	1	7	9	10	17	27	41	106	122	219	248	114
Diseases of Respiratory „	4·13	4·38	3·86	2292	1259	1033	592	251	91	67	32	1033	80	19	29	30	88	140	168	232	291	182
Diseases of Digestive „	1·06	1·06	1·05	586	305	281	118	45	8	4	4	179	12	15	14	10	34	37	60	104	83	38
Diseases of Urinary „	0·38	0·45	0·31	211	129	82	3	6	2	2	1	14	8	3	4	3	26	28	32	39	35	19
Diseases of Generative „	0·04	0·00	0·09	24	1	23	1	–	–	–	–	1	–	1	–	–	6	6	5	2	1	2
Puerperal Fever	0·13	–	0·26	70	–	70	–	–	–	–	–	–	–	–	2	22	36	10	–	–	–	–
Childbirth	0·08	–	0·17	45	–	45	–	–	–	–	–	–	–	–	10	4	16	14	1	–	–	–
Violence	0·62	0·89	0·33	345	257	88	22	21	11	4	11	69	12	18	23	21	35	41	40	36	36	14
Other Causes	2·94	2·92	2·96	1627	832	795	856	37	17	5	1	916	31	24	18	17	35	50	50	65	131	290

Marriages - - - 3,574

Births - Males - 9,545; Females - 9,293 } 18,838

Annual Rate per 1000 living { Persons Married 12·87; Births - - 33·93

Deaths from Childbirth and Puerperal Fever - - - - - } 6·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

508.—ECCLESALL BIERLOW.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·72	†159	–	–	–	–	64·65	6·45	2·81	3·87	5·23	6·79	10·63	17·46	33·50	76·19	171·35
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·27	†174	–	–	–	–	71·02	6·55	2·68	4·09	5·20	6·84	11·57	19·42	38·97	84·85	185·92
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·25	†143	–	–	–	–	58·34	6·36	2·93	3·69	5·27	6·75	9·72	15·62	28·77	69·36	161·68
Mean Population, 1881–91. Persons	Decennial Increase of Population 20·53 per cent.	126,162	3643	3191	3063	3100	3165	16162	14923	14076	13430	12380	19797	14882	10170	6310	3142	890
Mean Population, 1881–91. Males	Decennial Increase of Population 20·53 per cent.	60,579	1796	1613	1506	1537	1582	8034	7370	6831	6185	5678	9536	7349	4927	2928	1386	355
Mean Population, 1881–91. Females	Decennial Increase of Population 20·53 per cent.	65,583	1847	1578	1557	1563	1583	8128	7553	7245	7245	6702	10261	7533	5243	3382	1756	535
Deaths from All Causes, 1881–90. Persons	18·79	23,710	6371	2276	850	540	411	10448	963	395	520	648	1345	1582	1776	2114	2394	1525
Deaths from All Causes, 1881–90. Males	20·40	12,356	3569	1198	446	286	207	5706	483	183	253	295	652	850	957	1141	1176	660
Deaths from All Causes, 1881–90. Females	17·31	11,354	2802	1078	404	254	204	4742	480	212	267	353	693	732	819	973	1218	865

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·13	0·16	0·10	159	96	63	28	2	3	5	2	40	9	6	17	30	23	16	12	5	1	–
Measles	0·41	0·47	0·36	523	287	236	135	207	75	42	27	486	36	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·64	0·65	0·62	804	396	408	39	116	124	118	110	507	240	35	11	2	6	3	–	–	–	–
Diphtheria	0·08	0·08	0·07	99	50	49	1	14	9	14	8	46	37	9	–	3	1	3	–	–	–	–
Whooping-cough	0·52	0·46	0·57	653	278	375	270	221	74	31	28	624	29	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	10	5	5	–	–	–	–	1	1	2	2	1	–	2	2	–	–	–	–
Enteric Fever	0·15	0·17	0·13	186	102	84	4	3	3	4	5	19	20	19	24	15	36	21	19	8	4	1
Simple Continued Fever	0·02	0·02	0·02	25	11	14	1	2	3	–	1	7	4	–	2	1	1	1	1	5	3	–
Diarrhœa and Dysentery	0·88	0·98	0·78	1104	595	509	773	156	22	13	4	968	9	3	1	5	9	8	12	13	41	35
Cholera	0·01	0·01	0·01	13	7	6	7	2	–	–	–	9	–	–	–	–	1	–	2	–	1	–
Cancer	0·48	0·27	0·67	605	164	441	–	1	1	–	–	2	1	1	2	3	18	86	162	158	127	45
Tabes Mesenterica	0·29	0·31	0·26	363	190	173	184	90	35	13	6	328	13	6	6	2	–	3	2	2	1	–
Phthisis	1·78	2·10	1·49	2246	1271	975	23	29	12	6	13	83	54	70	188	257	547	468	334	183	55	7
Other Tub. & Scrof. Dis.	0·48	0·56	0·40	601	338	263	151	132	68	47	30	428	68	31	15	14	16	14	7	5	–	3
Diseases of Nervous System	2·97	3·40	2·57	3746	2058	1688	1422	286	112	61	45	1926	130	49	57	38	93	108	229	412	502	202
Diseases of Circulatory „	1·33	1·25	1·40	1676	756	920	16	2	2	2	4	26	21	52	41	46	116	213	280	334	407	140
Diseases of Respiratory „	3·99	4·69	3·35	5034	2839	2195	1294	733	239	138	83	2487	163	33	45	64	161	246	342	548	637	308
Diseases of Digestive „	1·02	1·03	1·01	1284	624	660	317	138	15	11	12	493	42	22	21	39	64	102	138	170	137	56
Diseases of Urinary „	0·33	0·43	0·23	412	260	152	3	4	6	6	7	26	10	5	11	13	33	56	87	77	66	28
Diseases of Generative „	0·04	0·00	0·08	54	2	52	–	–	–	1	–	1	–	1	5	2	8	18	5	9	5	–
Puerperal Fever	0·11	–	0·21	136	–	136	–	–	–	–	–	–	–	–	5	46	51	33	1	–	–	–
Childbirth	0·07	–	0·14	94	–	94	–	–	–	–	–	–	–	–	5	9	35	44	1	–	–	–
Violence	0·31	0·44	0·20	396	264	132	66	13	13	11	11	114	20	7	13	23	32	49	47	34	37	20
Other Causes	2·74	2·91	2·63	3487	1763	1724	1637	125	34	17	14	1827	55	43	50	36	92	88	95	151	370	680

Marriages - - - 6,459

Births - Males - 20,478; Females - 19,635 — 40,113

Annual Rate per 1000 living: Persons Married 10·24; Births - - 31·79

Deaths from Childbirth and Puerperal Fever - - - - - 5·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

509.—SHEFFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death-Rate per 1000. Persons	—	In Standard Population* 25·35	†176	–	–	–	–	77·67	7·27	3·91	5·12	6·28	8·93	14·86	23·59	45·27	88·91	184·14
Males	—	27·30	†190	–	–	–	–	83·01	7·27	3·79	5·18	6·37	9·37	16·50	28·36	51·82	102·27	192·60
Females	—	23·51	†163	–	–	–	–	72·42	7·27	4·04	5·06	6·19	8·44	13·03	18·60	39·02	77·80	178·29
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·76 per cent.	193,906	6169	5387	5292	5263	5181	27292	24373	21437	18983	17319	30123	23586	16188	9337	4174	1091
Males		98,401	3049	2628	2642	2638	2587	13544	12017	10736	9741	8923	15770	12493	8276	4560	1895	446
Females		95,505	3120	2759	2650	2625	2594	13748	12356	10701	9245	8396	14353	11093	7912	4777	2279	645
Deaths from All Causes, 1881–90. Persons	23·64	45,832	12752	4688	1872	1106	781	21199	1772	839	973	1088	2689	3506	3819	4227	3711	2099
Males	25·04	24,642	6942	2415	940	554	392	11243	874	407	505	568	1477	2061	2347	2363	1938	859
Females	22·19	21,190	5810	2273	932	552	389	9956	898	432	468	520	1212	1445	1472	1864	1773	1150

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·30	0·35	0·25	582	345	237	75	11	12	12	15	125	49	48	80	89	102	59	19	6	5	–
Measles	0·55	0·56	0·54	1068	551	517	216	426	198	88	77	1005	58	3	–	–	2	–	–	–	–	–
Scarlet Fever	0·82	0·79	0·86	1597	777	820	66	188	262	228	210	954	511	100	12	9	6	4	1	–	–	–
Diphtheria	0·08	0·06	0·10	156	64	92	9	17	16	17	20	79	50	13	4	2	1	3	1	3	–	–
Whooping-cough	0·57	0·47	0·67	1105	467	638	425	355	176	78	37	1071	34	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	40	21	19	–	–	–	2	–	2	2	2	4	6	10	7	4	2	1	–
Enteric Fever	0·23	0·25	0·20	437	242	195	–	9	8	11	17	45	51	42	50	41	70	59	58	18	2	1
Simple Continued Fever	0·03	0·03	0·03	57	27	30	1	4	5	4	4	18	13	3	3	1	5	4	4	2	1	3
Diarrhœa and Dysentery	1·22	1·23	1·21	2362	1208	1154	1587	446	64	16	4	2117	24	3	2	3	3	17	15	44	70	64
Cholera	0·03	0·03	0·03	60	31	29	31	12	3	1	–	47	1	–	1	3	–	1	2	2	3	–
Cancer	0·50	0·34	0·67	976	333	643	1	1	–	–	–	2	3	3	6	7	46	161	287	284	141	36
Tabes Mesenterica	0·46	0·50	0·43	897	487	410	470	239	71	28	14	822	34	12	6	2	8	4	4	3	1	1
Phthisis	1·99	2·40	1·56	3855	2365	1490	44	61	19	12	11	147	91	147	288	387	936	919	565	291	73	11
Other Tub. & Scrof. Dis.	0·51	0·57	0·44	981	564	417	322	219	78	66	38	723	98	50	27	12	26	26	13	5	1	–
Diseases of: Nervous System	3·39	3·64	3·13	6570	3581	2989	2845	571	184	112	73	3785	176	91	65	70	110	269	460	651	639	254
Circulatory „	1·46	1·46	1·47	2833	1434	1399	13	4	2	1	3	23	38	74	94	77	258	464	557	615	484	149
Respiratory „	5·54	6·14	4·92	10742	6042	4700	2537	1520	585	303	171	5116	279	54	104	115	372	679	989	1310	1240	484
Digestive „	1·11	1·11	1·10	2146	1094	1052	547	267	39	17	12	882	56	37	32	40	115	178	258	306	182	60
Urinary „	0·43	0·55	0·30	827	539	288	11	18	12	9	8	58	23	22	24	18	74	115	147	170	130	46
Generative „	0·06	0·01	0·12	122	8	114	1	–	–	–	–	1	1	–	3	9	21	29	29	20	7	2
Puerperal Fever	0·11	–	0·22	214	–	214	–	–	–	–	–	–	–	–	24	39	109	40	2	–	–	–
Childbirth	0·08	–	0·17	159	–	159	–	–	–	–	–	–	–	–	11	24	62	59	3	–	–	–
Violence	0·76	1·04	0·46	1465	1024	441	136	49	64	63	40	352	101	49	65	69	177	192	172	155	86	47
Other Causes	3·39	3·49	3·29	6581	3438	3143	3415	271	74	38	27	3825	79	86	68	65	176	217	229	340	645	851

Marriages - - - 22,718

Births { Males - 36,594 / Females - 35,694 } 72,288

Annual Rate per 1000 living { Persons Married 23·43 / Births - - 37·28

Deaths from Childbirth and Puerperal Fever - - - - 5·16 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

510.—ROTHERHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·43	†150	–	–	–	–	58·12	5·93	3·62	4·77	5·86	6·61	10·01	16·58	31·69	69·66	162·62
Annual Death-Rate per 1000. Males	—	In Standard Population* 19·84	†167	–	–	–	–	62·28	6·04	3·59	4·24	5·10	5·93	9·88	18·39	34·56	74·89	156·09
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·03	†133	–	–	–	–	53·95	5·82	3·66	5·43	6·78	7·38	10·16	14·73	28·84	65·06	167·85
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·25 per cent.	83,549	2762	2555	2434	2530	2454	12735	11448	9831	8006	7099	12147	9448	6369	3872	1984	610
Mean Population, 1881–91. Males		43,161	1393	1277	1214	1259	1230	6373	5661	4935	4414	3886	6454	5008	3301	1930	928	271
Mean Population, 1881–91. Females		40,388	1369	1278	1220	1271	1224	6362	5787	4896	3592	3213	5693	4440	3068	1942	1056	339
Deaths from All Causes, 1881–90. Persons	18·72	15,640	4716	1511	576	319	279	7401	679	356	382	416	803	946	1056	1227	1382	992
Deaths from All Causes, 1881–90. Males	18·86	8,140	2648	737	289	157	138	3969	342	177	187	198	383	495	604	667	695	423
Deaths from All Causes, 1881–90. Females	18·57	7,500	2068	774	287	162	141	3432	337	179	195	218	420	451	452	560	687	569

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	0·06	0·06	0·05	47	28	19	9	2	–	2	–	13	4	2	4	9	5	7	2	1	–	–
Measles	0·49	0·48	0·51	409	205	204	104	159	70	27	20	380	25	2	1	–	1	–	–	–	–	–
Scarlet Fever	0·76	0·72	0·80	634	312	322	49	88	100	72	97	406	182	33	5	2	5	1	–	–	–	–
Diphtheria	0·06	0·06	0·06	51	27	24	4	5	8	4	5	26	14	2	–	3	3	2	–	1	–	–
Whooping-cough	0·54	0·44	0·64	450	191	259	195	133	61	32	13	434	16	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	8	5	3	–	–	–	–	–	–	–	3	2	–	1	1	–	1	–	–
Enteric Fever	0·33	0·37	0·28	274	159	115	7	5	11	3	5	31	34	32	33	29	38	36	23	12	5	1
Simple Continued Fever	0·03	0·03	0·03	26	13	13	1	2	2	1	–	6	6	3	–	–	1	5	2	3	–	–
Diarrhœa and Dysentery	0·81	0·80	0·83	680	344	336	425	126	31	7	3	592	9	–	–	2	3	6	7	10	27	24
Cholera	0·01	0·01	0·00	7	5	2	4	–	–	–	–	4	–	–	1	–	–	1	1	–	–	–
Cancer	0·42	0·29	0·57	354	124	230	–	1	–	–	–	1	1	–	4	3	16	47	97	93	72	20
Tabes Mesenterica	0·31	0·32	0·29	256	138	118	125	57	13	12	5	212	10	7	4	4	5	7	3	3	1	–
Phthisis	1·32	1·28	1·37	1105	553	552	14	17	12	4	6	53	37	54	116	149	261	194	150	70	20	1
Other Tub. & Scrof. Dis.	0·38	0·37	0·38	314	161	153	109	68	33	11	10	231	34	24	7	6	5	6	–	–	1	–
Diseases of: Nervous System	2·80	2·90	2·69	2340	1252	1088	1102	146	44	28	30	1350	83	42	19	11	37	53	118	193	289	145
Diseases of: Circulatory „	1·13	1·03	1·23	940	444	496	1	–	–	–	2	3	11	19	37	34	60	108	160	206	201	101
Diseases of: Respiratory „	3·59	3·71	3·45	3001	1603	1398	810	398	127	86	53	1474	94	29	31	35	88	139	191	296	380	244
Diseases of: Digestive „	1·26	1·22	1·31	1054	526	528	304	162	25	7	4	502	19	18	17	16	52	72	86	126	104	42
Diseases of: Urinary „	0·37	0·42	0·31	308	181	127	2	11	4	1	5	23	9	8	9	7	21	38	46	65	59	23
Diseases of: Generative „	0·05	0·01	0·09	40	4	36	1	1	–	–	–	2	–	–	–	3	5	15	7	3	4	1
Puerperal Fever	0·12	–	0·24	97	–	97	–	–	–	–	–	–	–	–	10	24	45	16	2	–	–	–
Childbirth	0·09	–	0·19	78	–	78	–	–	–	–	–	–	–	–	2	7	29	36	4	–	–	–
Violence	0·79	1·23	0·33	663	529	134	33	15	16	13	11	88	52	46	57	39	73	98	81	64	35	30
Other Causes	2·99	3·10	2·91	2504	1336	1168	1417	115	19	9	10	1570	39	32	23	33	49	58	76	80	184	360

Marriages - - - 5,934

Births - Males - 15,864; Females - 15,564 } 31,428

Annual Rate per 1000 living: Persons Married 14·20; Births - - 37·62

Deaths from Childbirth and Puerperal Fever - - - - - 5·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

511.—DONCASTER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·40			†142	–	–	–	–	53·52	4·75	2·98	3·53	4·91	6·49	9·59	13·71	27·28	59·89	155·08
Annual Death-Rate per 1000. Males	—			18·20			†156	–	–	–	–	58·18	4·88	2·78	3·31	4·38	6·05	9·41	14·95	30·21	66·95	164·61
Annual Death-Rate per 1000. Females	—			16·65			†127	–	–	–	–	48·88	4·62	3·17	3·77	5·47	6·94	9·77	12·45	24·47	53·67	147·24
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·88 per cent.			58,677			1667	1499	1564	1534	1481	7745	7195	6554	5666	5136	8464	6666	4952	3446	2027	826
Mean Population, 1881–91. Males				29,597			809	750	800	765	738	3862	3644	3272	2961	2649	4315	3391	2495	1685	950	373
Mean Population, 1881–91. Females				29,080			858	749	764	769	743	3883	3551	3282	2705	2487	4149	3275	2457	1761	1077	453
Deaths from All Causes, 1881–90. Persons	17·79			10,436			2751	776	301	175	142	4145	342	195	200	252	549	639	679	940	1214	1281
Deaths from All Causes, 1881–90. Males	18·39			5,442			1547	394	140	83	83	2247	178	91	98	116	261	319	373	509	636	614
Deaths from All Causes, 1881–90. Females	17·17			4,994			1204	382	161	92	59	1898	164	104	102	136	288	320	306	431	578	667
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	7	4	3	1	–	–	1	–	2	–	–	1	–	2	1	–	–	–	1
Measles	0·27	0·25	0·29	159	74	85	32	51	28	19	14	144	11	2	–	–	2	–	–	–	–	–
Scarlet Fever	0·40	0·41	0·39	236	122	114	5	39	38	36	35	153	63	14	3	1	–	2	–	–	–	–
Diphtheria	0·10	0·11	0·09	58	32	26	1	4	2	3	11	21	16	8	3	5	1	–	1	1	2	–
Whooping-cough	0·44	0·39	0·50	260	115	145	134	75	25	10	8	252	8	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·16	0·15	0·16	91	44	47	–	–	1	1	5	7	8	11	11	14	16	9	6	7	2	–
Simple Continued Fever	0·02	0·02	0·02	12	6	6	–	1	1	1	–	3	1	3	–	2	–	2	–	1	–	–
Diarrhœa and Dysentery	0·72	0·72	0·70	420	213	207	275	64	9	2	–	350	2	4	1	–	4	4	4	9	17	25
Cholera	0·01	0·01	0·01	5	3	2	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1
Cancer	0·62	0·44	0·80	362	129	233	–	–	1	1	–	2	1	–	2	–	4	38	89	96	91	39
Tabes Mesenterica	0·33	0·36	0·29	192	107	85	108	35	11	6	4	164	10	6	4	3	1	3	1	–	–	–
Phthisis	1·22	1·19	1·26	716	351	365	8	7	7	2	3	27	20	37	65	87	184	154	86	40	14	2
Other Tub. & Scrof. Dis.	0·30	0·32	0·27	175	96	79	50	32	12	4	7	105	22	17	8	7	4	7	2	1	–	2
Diseases of Nervous System	2·57	2·70	2·44	1509	798	711	591	95	34	16	10	746	40	22	12	8	30	52	68	152	215	164
Diseases of Circulatory „	1·35	1·36	1·34	794	402	392	2	–	2	–	–	4	11	7	14	15	55	80	105	156	213	134
Diseases of Respiratory „	3·52	3·88	3·16	2065	1147	918	579	259	94	51	29	1012	45	14	14	14	50	87	117	206	275	231
Diseases of Digestive „	1·04	1·12	0·96	611	331	280	118	43	11	7	5	184	12	11	7	16	36	46	72	105	90	32
Diseases of Urinary „	0·36	0·48	0·23	210	143	67	–	3	2	2	–	7	16	3	2	4	15	20	33	45	37	28
Diseases of Generative „	0·05	0·01	0·09	30	3	27	–	1	–	1	–	2	–	–	–	1	6	4	5	7	1	4
Puerperal Fever	0·08	–	0·17	48	–	48	–	–	–	–	–	–	–	–	2	15	23	8	–	–	–	–
Childbirth	0·09	–	0·18	53	–	53	–	–	–	–	–	–	–	–	3	10	19	20	1	–	–	–
Violence	0·69	1·02	0·36	407	303	104	21	9	10	9	7	56	32	19	29	28	54	56	38	35	36	24
Other Causes	3·43	3·44	3·45	2015	1018	997	822	58	13	3	4	900	24	17	19	22	43	46	50	79	221	594

Marriages - - - 4,010

Births - Males - 9,913; Females - 9,465 — 19,378

Annual Rate per 1000 living: Persons Married 13·67; Births - - 33·02

Deaths from Childbirth and Puerperal Fever - - - - - 5·21 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

512.—THORNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·38	†133	–	–	–	–	48·73	7·01	3·24	5·56	5·72	7·91	8·94	10·39	19·77	52·20	145·41
Annual Death-Rate per 1000. Males	—	16·56	†141	–	–	–	–	51·50	7·24	3·20	4·48	5·04	7·57	8·89	9·38	20·19	55·71	159·80
Annual Death-Rate per 1000. Females	—	16·21	†124	–	–	–	–	45·89	6·79	3·28	6·65	6·38	8·23	8·99	11·33	19·34	48·87	132·13
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·90 per cent.	15,539	377	367	383	354	366	1847	1839	1789	1474	1136	1808	1599	1473	1285	864	425
Mean Population, 1881–91. Males		7,698	184	180	196	183	191	934	911	906	737	556	885	787	714	644	420	204
Mean Population, 1881–91. Females		7,841	193	187	187	171	175	913	928	883	737	580	923	812	759	641	444	221
Deaths from All Causes, 1881–90. Persons	19·28	2,996	607	146	63	37	47	900	129	58	82	65	143	143	153	254	451	618
Deaths from All Causes, 1881–90. Males	19·89	1,531	328	81	35	18	19	481	66	29	33	28	67	70	67	130	234	326
Deaths from All Causes, 1881–90. Females	18·68	1,465	279	65	28	19	28	419	63	29	49	37	76	73	86	124	217	292

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·03	–	2	2	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Measles	0·12	0·13	0·10	18	10	8	9	3	2	–	3	17	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·80	0·82	0·79	125	63	62	4	8	9	11	21	53	55	12	2	1	2	–	–	–	–	–
Diphtheria	0·28	0·29	0·27	43	22	21	2	2	4	4	3	15	14	10	2	–	1	–	–	–	1	–
Whooping-cough	0·37	0·34	0·41	58	26	32	30	17	4	5	1	57	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·10	0·27	29	8	21	–	–	–	–	–	–	2	2	3	3	5	4	4	3	3	–
Simple Continued Fever	0·03	0·03	0·03	4	2	2	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·52	0·53	0·51	81	41	40	40	7	1	2	1	51	1	–	1	1	1	1	1	3	6	15
Cholera	0·03	0·03	0·04	5	2	3	3	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–
Cancer	0·61	0·44	0·78	95	34	61	–	–	–	–	–	–	–	–	–	1	1	8	18	23	30	14
Tabes Mesenterica	0·26	0·29	0·24	41	22	19	11	7	4	2	2	26	4	2	2	3	3	–	–	–	–	1
Phthisis	1·44	1·27	1·59	223	98	125	1	2	1	–	1	5	3	7	35	29	59	33	23	21	7	1
Other Tub. & Scrof. Dis.	0·25	0·25	0·26	39	19	20	9	5	3	–	1	18	5	3	3	2	5	–	1	2	–	–
Diseases of Nervous System	2·74	3·01	2·47	426	232	194	129	18	8	2	–	157	7	4	5	3	9	15	20	34	88	84
Diseases of Circulatory „	1·56	1·64	1·49	243	126	117	1	–	1	–	1	3	2	2	4	4	11	17	24	49	71	56
Diseases of Respiratory „	2·85	3·03	2·68	443	233	210	90	50	18	6	4	168	10	–	4	4	6	8	17	44	93	89
Diseases of Digestive „	1·35	1·45	1·24	209	112	97	45	7	2	1	2	57	3	1	6	5	5	15	17	33	44	23
Diseases of Urinary „	0·33	0·52	0·15	52	40	12	–	–	–	–	1	1	4	–	–	–	1	6	3	5	18	14
Diseases of Generative „	0·08	0·01	0·15	13	1	12	–	–	–	–	–	–	–	–	–	–	2	4	2	3	1	1
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–
Childbirth	0·10	–	0·20	16	–	16	–	–	–	–	–	–	–	–	2	1	6	7	–	–	–	–
Violence	0·61	0·87	0·36	95	67	28	2	2	4	3	3	14	9	6	6	3	9	9	8	8	12	11
Other Causes	4·69	4·81	4·54	727	371	356	230	18	2	1	2	253	7	8	7	2	14	13	15	24	75	309

Marriages - - 1,012

Births - Males - 2,328; Females - 2,243 — 4,571

Annual Rate per 1000 living: Persons Married 13·03; Births - - 29·42

Deaths from Childbirth and Puerperal Fever - - - - 5·25 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

513.—GOOLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·59	†140	–	–	–	–	51·77	5·28	3·35	3·84	5·43	6·39	10·72	14·66	27·20	60·35	155·56
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·41	†154	–	–	–	–	56·55	6·01	3·60	4·01	4·34	5·37	10·60	15·84	30·62	65·83	167·18
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·82	†127	–	–	–	–	47·07	4·59	3·09	3·66	6·55	7·48	10·84	13·44	23·99	55·36	146·86
Mean Population, 1881–91. Persons	Decennial Increase of Population 24·71 per cent.	21,975	638	631	610	615	585	3079	2765	2391	2110	1914	3163	2389	1815	1294	749	306
Mean Population, 1881–91. Males		11,001	326	328	283	302	287	1526	1348	1195	1071	968	1639	1217	922	627	357	131
Mean Population, 1881–91. Females		10,974	312	303	327	313	298	1553	1417	1196	1039	946	1524	1172	893	667	392	175
Deaths from All Causes, 1881–90. Persons	18·24	4,009	1080	275	111	71	57	1594	146	80	81	104	202	256	266	352	452	476
Deaths from All Causes, 1881–90. Males	18·92	2,081	604	153	48	30	28	863	81	43	43	42	88	129	146	192	235	219
Deaths from All Causes, 1881–90. Females	17·57	1,928	476	122	63	41	29	731	65	37	38	62	114	127	120	160	217	257

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·40	0·45	0·36	89	49	40	20	40	12	5	4	81	8	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·38	0·39	0·37	84	43	41	6	8	12	15	9	50	24	10	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	14	6	8	1	1	2	1	2	7	6	1	–	–	–	–	–	–	–	–
Whooping-cough	0·46	0·39	0·53	101	43	58	41	28	15	5	9	98	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·24	0·31	0·17	53	34	19	–	–	–	2	1	3	10	5	6	4	8	9	1	3	3	1
Simple Continued Fever	0·03	0·05	0·02	7	5	2	–	–	–	–	–	–	1	1	2	1	1	–	1	–	–	–
Diarrhœa and Dysentery	0·81	0·85	0·77	177	93	84	113	21	2	–	–	136	2	–	–	–	1	2	2	8	9	17
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·41	0·78	131	45	86	–	–	2	–	–	2	–	–	1	2	1	21	26	27	35	16
Tabes Mesenterica	0·25	0·25	0·26	55	27	28	28	11	2	2	–	43	5	2	2	2	1	–	–	–	–	–
Phthisis	1·31	1·07	1·54	287	118	169	4	3	1	1	1	10	9	15	23	33	67	65	30	30	5	–
Other Tub. & Scrof. Dis.	0·32	0·28	0·36	71	31	40	16	6	5	2	7	36	10	10	6	2	2	3	1	–	1	–
Diseases of Nervous System	2·77	2·84	2·70	608	312	296	240	36	15	8	6	305	9	12	8	3	9	20	48	46	79	69
Diseases of Circulatory „	1·48	1·49	1·47	325	164	161	2	–	–	–	–	2	3	–	6	10	18	29	39	66	96	56
Diseases of Respiratory „	2·94	3·31	2·58	647	364	283	184	52	29	19	11	295	18	–	5	8	19	25	45	67	96	69
Diseases of Digestive „	1·10	1·15	1·05	241	126	115	55	29	3	3	1	91	4	2	2	5	7	18	22	40	31	19
Diseases of Urinary „	0·31	0·45	0·17	69	50	19	–	3	1	–	–	4	3	2	–	1	5	5	10	11	19	9
Diseases of Generative „	0·04	–	0·07	8	–	8	–	–	–	–	–	–	–	1	–	–	1	3	3	–	–	–
Puerperal Fever	0·10	–	0·19	21	–	21	–	–	–	–	–	–	–	–	1	6	9	5	–	–	–	–
Childbirth	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	1	5	8	4	–	–	–	–
Violence	0·95	1·50	0·40	209	165	44	5	6	5	3	3	22	22	14	12	14	28	23	21	23	18	12
Other Causes	3·60	3·66	3·53	790	404	386	365	31	5	5	3	409	9	5	6	7	17	23	16	30	60	208

Marriages - - 1,603

Births - { Males - 3,933, Females - 3,759 } 7,692

Annual Rate per 1000 living { Persons Married 14·59, Births - - 35·00 }

Deaths from Childbirth and Puerperal Fever - - - - 5·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

514.—SELBY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·76	†116	–	–	–	–	42·76	5·46	3·41	4·78	5·48	5·68	9·26	12·74	25·34	56·13	147·87
Males	—					16·17	†134	–	–	–	–	47·94	5·72	3·16	3·88	4·95	5·58	8·65	14·41	27·22	56·46	144·03
Females	—					15·38	† 98	–	–	–	–	37·45	5·21	3·65	5·75	5·98	5·77	9·85	11·13	23·59	55·80	151·48
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·35 per cent.			15,550			413	371	412	365	406	1967	1886	1762	1505	1241	2008	1641	1397	1097	718	328
Males				7,685			207	182	199	188	219	995	927	886	774	606	968	798	687	529	356	159
Females				7,865			206	189	213	177	187	972	959	876	731	635	1040	843	710	568	362	169
Deaths from All Causes, 1881–90. Persons	17·71			2,754			557	132	61	60	31	841	103	60	72	68	114	152	178	278	403	485
Males	18·40			1,414			326	66	32	36	17	477	53	28	30	30	54	69	99	144	201	229
Females	17·04			1,340			231	66	29	24	14	364	50	32	42	38	60	83	79	134	202	256
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·20	0·20	0·20	31	15	16	5	10	3	3	1	22	6	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·30	0·29	0·31	46	22	24	2	7	5	8	5	27	13	3	1	1	1	–	–	–	–	–
Diphtheria	0·17	0·22	0·13	27	17	10	1	1	2	7	1	12	9	4	1	–	–	–	–	–	1	–
Whooping-cough	0·21	0·22	0·19	32	17	15	16	11	2	1	–	30	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·17	0·17	0·18	27	13	14	–	–	–	–	–	–	4	1	5	3	2	1	5	4	1	1
Simple Continued Fever	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–
Diarrhœa and Dysentery	0·54	0·55	0·53	84	42	42	52	6	–	2	2	62	1	1	–	–	–	–	–	5	7	8
Cholera	0·01	0·03	–	2	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·75	0·53	0·97	117	41	76	–	–	–	–	–	–	–	–	1	–	3	12	18	33	35	15
Tabes Mesenterica	0·21	0·25	0·17	32	19	13	17	7	2	3	–	29	2	–	–	–	–	1	–	–	–	–
Phthisis	1·37	1·29	1·45	213	99	114	1	–	–	–	1	2	9	10	28	41	45	32	26	13	7	–
Other Tub. & Scrof. Dis.	0·32	0·38	0·27	50	29	21	12	7	5	4	3	31	7	8	1	1	1	1	–	–	–	–
Diseases of Nervous System	2·40	2·63	2·17	373	202	171	95	16	12	6	4	133	7	7	7	5	7	15	23	37	74	58
Circulatory „	1·78	1·80	1·77	277	138	139	1	–	–	–	–	1	4	4	5	1	7	17	33	61	95	49
Respiratory „	2·83	2·91	2·75	440	224	216	105	35	14	18	10	182	19	3	2	3	12	17	32	47	59	64
Digestive „	0·97	1·13	0·81	151	87	64	27	13	3	–	1	44	5	2	6	3	4	14	8	26	19	20
Urinary „	0·38	0·55	0·22	59	42	17	1	1	1	–	–	3	–	–	1	1	2	7	7	13	13	12
Generative „	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	–
Puerperal Fever	0·08	–	0·17	13	–	13	–	–	–	–	–	–	–	–	1	–	5	7	–	–	–	–
Childbirth	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Violence	0·73	0·98	0·50	114	75	39	8	5	8	6	1	28	10	7	5	4	9	8	11	10	15	7
Other Causes	4·14	4·21	4·03	643	325	318	214	13	3	2	2	234	5	9	7	2	9	17	11	26	72	251

Marriages - - - 914

Births - Males - 2,431; Females - 2,361 } 4,792

Annual Rate per 1000 living { Persons Married 11·76; Births - - 30·82

Deaths from Childbirth and Puerperal Fever - - - - - } 4·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

515.—TADCASTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·23	†141	–	–	–	–	50·71	6·14	3·53	4·41	5·90	6·48	8·87	12·26	24·28	58·86	168·97
Males	—	17·61	†163	–	–	–	–	56·56	6·01	2·97	4·18	4·26	5·82	7·85	13·07	26·20	61·73	177·30
Females	—	16·87	†118	–	–	–	–	44·89	6·27	4·10	4·72	7·75	7·21	9·95	11·43	22·31	55·85	161·62
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·48 per cent.	24,966	743	683	721	660	709	3516	3159	2803	2356	2119	3565	2660	1990	1524	926	348
Males		12,812	387	326	350	330	361	1754	1547	1414	1317	1126	1874	1363	1010	771	473	163
Females		12,154	356	357	371	330	348	1762	1612	1389	1039	993	1691	1297	980	753	453	185
Deaths from All Causes, 1881–90. Persons	18·10	4,519	1182	322	135	76	68	1783	194	99	104	125	231	236	244	370	545	588
Males	18·43	2,361	693	161	72	35	31	992	93	42	55	48	109	107	132	202	292	289
Females	17·76	2,158	489	161	63	41	37	791	101	57	49	77	122	129	112	168	253	299

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·32	0·34	0·30	80	44	36	16	32	10	10	2	70	7	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·61	0·63	0·58	152	81	71	8	20	22	20	25	95	45	4	4	–	3	–	1	–	–	–
Diphtheria	0·18	0·15	0·21	45	19	26	1	11	3	6	4	25	13	4	–	–	1	2	–	–	–	–
Whooping-cough	0·37	0·34	0·40	92	44	48	51	24	12	–	1	88	4	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·24	0·24	0·23	59	31	28	–	3	1	1	1	6	4	7	7	5	14	6	6	2	2	–
Simple Continued Fever	0·04	0·02	0·06	9	2	7	1	–	–	1	–	2	2	–	1	–	–	1	–	1	–	2
Diarrhœa and Dysentery	0·82	0·87	0·77	205	112	93	129	32	5	3	4	173	5	–	–	–	3	2	–	–	10	12
Cholera	0·02	0·04	0·01	6	5	1	–	1	–	–	–	1	1	–	–	–	–	1	3	–	–	–
Cancer	0·40	0·29	0·51	99	37	62	–	1	–	–	–	1	–	–	–	–	1	10	19	32	27	9
Tabes Mesenterica	0·31	0·32	0·30	78	41	37	42	13	5	1	2	63	4	5	1	1	3	1	–	–	–	–
Phthisis	1·44	1·29	1·61	360	165	195	2	1	1	1	–	5	13	17	36	52	92	69	46	24	5	1
Other Tub. & Scrof. Dis.	0·32	0·31	0·33	80	40	40	17	8	5	1	5	36	15	6	7	4	7	1	2	–	2	–
Diseases of: Nervous System	2·53	2·58	2·48	632	331	301	247	32	17	9	5	310	26	11	7	9	9	19	31	53	98	59
Circulatory „	1·30	1·27	1·33	325	163	162	–	–	–	–	–	–	2	10	8	8	10	23	35	76	95	58
Respiratory „	2·97	3·10	2·83	741	397	344	181	87	36	17	16	337	26	9	4	12	16	24	29	78	105	101
Digestive „	1·01	1·07	0·95	253	137	116	47	26	5	–	–	78	10	7	1	6	10	14	24	42	45	16
Urinary „	0·28	0·38	0·17	70	49	21	3	1	–	1	1	6	2	–	–	1	6	3	7	13	23	9
Generative „	0·06	0·02	0·11	15	2	13	1	–	–	–	–	1	–	–	–	–	–	3	2	2	7	–
Puerperal Fever	0·10	–	0·20	24	–	24	–	–	–	–	–	–	–	–	–	7	10	7	–	–	–	–
Childbirth	0·10	–	0·20	24	–	24	–	–	–	–	–	–	–	–	1	1	13	7	2	–	–	–
Violence	0·68	1·06	0·28	170	136	34	10	6	3	2	1	22	8	11	12	10	15	26	23	17	14	12
Other Causes	4·00	4·11	3·89	999	525	474	426	24	10	3	1	464	7	5	14	9	18	17	14	30	112	309

Marriages - - - 1,429

Births - Males - 4,247; Females - 4,129 } 8,376

Annual Rate per 1000 living: Persons Married 11·45; Births - - 33·55

Deaths from Childbirth and Puerperal Fever - - - - - 5·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

516.—YORK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·12	†154	–	–	–	–	55·46	5·08	3·34	5·20	6·32	8·83	13·41	18·43	33·78	70·56	167·38
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·27	†161	–	–	–	–	58·27	4·98	2·79	5·15	6·82	9·32	14·79	21·30	37·88	80·48	179·63
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·03	†146	–	–	–	–	52·61	5·19	3·92	5·24	5·83	8·36	12·08	15·78	30·10	62·37	159·23
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·28 per cent.	79,105	2066	1909	1937	1931	1889	9732	8792	8406	8157	7496	12116	8991	6776	4724	2833	1082
Mean Population, 1881–91. Males		38,975	1058	931	965	1007	937	4898	4381	4272	4115	3754	5931	4422	3253	2236	1281	432
Mean Population, 1881–91. Females		40,130	1008	978	972	924	952	4834	4411	4134	4042	3742	6185	4569	3523	2488	1552	650
Deaths from All Causes, 1881–90. Persons	20·17	15,954	3774	897	329	226	171	5397	447	281	424	474	1070	1206	1249	1596	1999	1811
Deaths from All Causes, 1881–90. Males	21·07	8,213	2031	453	168	113	89	2854	218	119	212	256	553	654	693	847	1031	776
Deaths from All Causes, 1881–90. Females	19·29	7,741	1743	444	161	113	82	2543	229	162	212	218	517	552	556	749	968	1035

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
Measles	0·30	0·32	0·28	239	126	113	67	82	39	17	9	214	23	1	–	–	–	1	–	–	–
Scarlet Fever	0·23	0·20	0·25	180	78	102	10	24	23	29	28	114	47	8	6	2	2	1	–	–	–
Diphtheria	0·08	0·08	0·09	66	31	35	6	1	9	9	7	32	25	2	2	2	2	–	–	1	–
Whooping-cough	0·38	0·34	0·42	303	133	170	151	93	30	16	7	297	6	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	0·00	3	2	1	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
Enteric Fever	0·35	0·38	0·31	275	149	126	2	3	7	5	8	25	28	33	36	39	56	26	21	8	1
Simple Continued Fever	0·01	0·00	0·02	8	1	7	1	–	1	1	–	3	2	–	–	–	–	1	–	1	1
Diarrhœa and Dysentery	1·01	1·07	0·95	799	418	381	615	68	10	5	2	700	1	–	1	1	5	5	10	14	26
Cholera	0·07	0·07	0·07	56	27	29	51	2	–	–	1	54	–	–	–	–	–	–	–	1	1
Cancer	0·62	0·45	0·79	490	174	316	–	–	1	–	–	1	–	2	1	3	18	51	124	131	109
Tabes Mesenterica	0·27	0·29	0·24	210	114	96	101	34	16	9	1	161	12	12	7	3	6	5	1	2	1
Phthisis	1·98	2·10	1·87	1568	819	749	8	10	8	4	6	36	37	65	156	185	402	334	219	101	31
Other Tub. & Scrof. Dis.	0·49	0·48	0·50	389	188	201	90	53	27	26	25	221	65	25	24	15	20	11	7	1	–
Diseases of Nervous System	3·17	3·38	2·98	2509	1315	1194	569	103	27	23	18	740	51	33	45	28	115	198	223	329	464
Diseases of Circulatory „	1·74	1·78	1·70	1375	694	681	7	2	1	2	–	12	6	13	28	30	77	138	181	330	370
Diseases of Respiratory „	3·18	3·43	2·94	2516	1337	1179	582	273	86	50	30	1021	60	15	24	44	99	141	161	292	372
Diseases of Digestive „	1·22	1·29	1·16	968	501	467	261	72	5	5	5	348	12	12	16	18	47	78	88	132	157
Diseases of Urinary „	0·53	0·69	0·38	419	268	151	4	4	2	2	3	15	10	11	6	6	39	48	54	68	107
Diseases of Generative „	0·05	0·01	0·09	39	2	37	–	1	–	–	–	1	–	–	–	1	12	9	9	3	4
Puerperal Fever	0·06	–	0·12	49	–	49	–	–	–	–	–	–	–	–	4	11	18	15	1	–	–
Childbirth	0·07	–	0·14	56	–	56	–	–	–	–	–	–	–	–	2	10	27	17	–	–	–
Violence	0·62	0·92	0·32	489	360	129	57	11	10	12	10	100	29	20	34	29	57	49	58	52	30
Other Causes	3·73	3·77	3·67	2944	1473	1471	1192	61	27	11	10	1301	33	28	32	47	63	78	92	130	325

Marriages	6,186	Annual Rate per 1000 living: Persons Married	15·64
Births: Males 12,588; Females 11,923	24,511	Births	30·99

Deaths from Childbirth and Puerperal Fever: 4·28 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

517.—POCKLINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—			In Standard Population* 15·07			†129	–	–	–	–	41·27	4·51	2·41	3·77	6·22	6·76	8·75	11·66	22·05	52·03	152·17
Annual Death Rate per 1000. Males	—			15·08			†151	–	–	–	–	46·73	4·40	1·97	3·12	4·50	6·08	7·38	10·89	24·74	57·00	142·07
Annual Death Rate per 1000. Females	—			15·06			†106	–	–	–	–	35·84	4·61	2·86	4·62	8·11	7·45	10·09	12·52	19·20	46·15	162·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·70 per cent.			15,020			383	345	357	364	356	1805	1708	1702	1698	1271	1850	1485	1312	1129	738	322
Mean Population, 1881–91. Males				7,737			193	171	180	182	175	901	840	863	962	667	937	732	689	582	400	164
Mean Population, 1881–91. Females				7,283			190	174	177	182	181	904	868	839	736	604	913	753	623	547	338	158
Deaths from All Causes, 1881–90. Persons	16·89			2,537			566	97	31	27	24	745	77	41	64	79	125	130	153	249	384	490
Deaths from All Causes, 1881–90. Males	17·14			1,326			336	49	14	11	11	421	37	17	30	30	57	54	75	144	228	233
Deaths from All Causes, 1881–90. Females	16·63			1,211			230	48	17	16	13	324	40	24	34	49	68	76	78	105	156	257
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·08	0·10	13	6	7	1	4	2	1	1	9	3	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·37	0·27	0·48	56	21	35	2	3	10	10	10	35	18	1	–	1	1	–	–	–	–	–
Diphtheria	0·04	0·03	0·05	6	2	4	–	–	–	2	–	2	1	1	–	–	1	–	1	–	–	–
Whooping-cough	0·25	0·23	0·26	37	18	19	20	14	1	1	1	37	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	0·19	0·21	30	15	15	–	–	–	2	1	3	4	–	3	8	2	4	4	2	–	–
Simple Continued Fever	0·03	0·05	0·01	5	4	1	–	–	–	–	–	–	2	1	–	–	–	–	–	1	1	–
Diarrhœa and Dysentery	0·45	0·48	0·41	67	37	30	42	8	–	–	–	50	1	–	1	–	–	1	1	2	3	8
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·56	0·37	0·76	84	29	55	–	–	–	–	–	–	–	–	–	–	–	4	17	23	27	13
Tabes Mesenterica	0·15	0·13	0·18	23	10	13	8	–	–	1	–	9	3	1	3	–	1	3	–	2	1	–
Phthisis	1·35	1·19	1·51	202	92	110	1	1	–	–	–	2	5	11	30	34	49	31	16	16	7	1
Other Tub. & Scrof. Dis.	0·21	0·21	0·22	32	16	16	7	5	2	3	2	19	4	3	1	1	3	–	1	–	–	–
Diseases of Nervous System	3·00	2·91	3·09	450	225	225	132	15	3	4	2	156	5	4	6	7	13	19	26	44	84	86
Diseases of Circulatory „	2·12	2·11	2·13	318	163	155	–	–	–	–	–	–	2	4	3	10	10	18	27	59	100	85
Diseases of Respiratory „	2·44	2·79	2·07	367	216	151	97	34	10	1	4	146	11	4	4	7	18	13	24	31	51	58
Diseases of Digestive „	1·25	1·33	1·17	188	103	85	34	4	–	–	2	40	10	3	3	3	4	12	21	27	36	29
Diseases of Urinary „	0·36	0·52	0·19	54	40	14	2	1	–	–	–	3	–	1	–	–	1	4	3	10	19	13
Diseases of Generative „	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Violence	0·42	0·59	0·23	63	46	17	5	–	2	1	–	8	3	3	4	4	10	5	2	12	6	6
Other Causes	3·45	3·66	3·27	520	283	237	215	8	1	1	1	226	5	4	5	2	4	11	9	18	46	190

Marriages - - - 891

Births - { Males - 2,228 / Females - 2,163 } 4,391

Annual Rate per 1000 living { Persons Married 11·86 / Births - - 29·23

Deaths from Childbirth and Puerperal Fever - - - - - } 3·42 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

518.—HOWDEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 15·98			†127	–	–	–	–	44·94	5·06	3·74	6·09	6·81	7·45	8·87	12·10	20·08	49·56	153·95
Males	—			16·74			†140	–	–	–	–	50·19	5·22	4·61	7·60	6·37	7·53	7·44	12·67	19·05	55·04	158·33
Females	—			15·26			†113	–	–	–	–	39·95	4·89	2·71	4·17	7·25	7·37	10·38	11·52	21·16	43·88	150·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·51 per cent.			13,054			338	299	327	312	326	1602	1541	1526	1362	1028	1571	1308	1157	986	682	291
Males				6,680			161	144	167	150	159	781	785	824	763	518	770	672	584	504	347	132
Females				6,374			177	155	160	162	167	821	756	702	599	510	801	636	573	482	335	159
Deaths from All Causes, 1881–90. Persons	18·12			2,365			503	110	53	34	20	720	78	57	83	70	117	116	140	198	338	448
Males	18·56			1,240			280	55	28	15	14	392	41	38	58	33	58	50	74	96	191	209
Females	17·65			1,125			223	55	25	19	6	328	37	19	25	37	59	66	66	102	147	239
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–
Measles	0·21	0·30	0·13	28	20	8	4	11	5	4	–	24	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·25	0·24	32	17	15	1	3	6	5	6	21	7	–	3	–	–	1	–	–	–	–
Diphtheria	0·17	0·16	0·17	22	11	11	–	1	1	2	2	6	9	4	1	1	–	–	–	–	1	–
Whooping-cough	0·17	0·13	0·20	22	9	13	16	3	3	–	–	22	–	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Enteric Fever	0·13	0·13	0·13	17	9	8	–	–	–	–	1	1	3	3	1	2	2	1	1	2	1	–
Simple Continued Fever	0·05	0·06	0·03	6	4	2	–	–	1	–	–	1	1	–	–	–	2	–	–	1	1	–
Diarrhœa and Dysentery	0·38	0·36	0·39	49	24	25	29	5	–	–	–	34	–	1	–	–	–	–	2	4	2	6
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·54	0·34	0·75	71	23	48	–	1	–	–	–	1	–	–	–	–	–	10	12	23	18	7
Tabes Mesenterica	0·31	0·31	0·30	40	21	19	26	9	1	–	–	36	1	1	1	–	–	–	1	–	–	–
Phthisis	1·69	1·63	1·74	220	109	111	2	–	–	2	2	6	3	15	29	32	50	35	25	17	6	2
Other Tub. & Scrof. Dis.	0·35	0·40	0·30	46	27	19	11	6	–	4	2	23	4	6	3	3	4	1	2	–	–	–
Diseases of Nervous System	2·28	2·20	2·37	298	147	151	90	11	4	3	–	108	7	5	5	4	7	6	19	24	49	64
Circulatory „	1·58	1·44	1·73	206	96	110	–	–	1	–	1	2	4	2	5	1	10	15	19	41	70	37
Respiratory „	2·80	2·93	2·65	365	196	169	76	34	20	12	5	147	16	3	4	2	8	9	26	31	63	56
Digestive „	1·14	1·41	0·86	149	94	55	31	9	4	1	–	45	4	3	4	3	2	12	9	24	30	13
Urinary „	0·47	0·60	0·33	61	40	21	2	3	–	–	–	5	1	–	2	1	5	2	5	8	20	12
Generative „	0·08	0·03	0·13	10	2	8	–	–	–	–	–	–	–	–	–	1	–	1	4	–	2	2
Puerperal Fever	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–	–	–
Childbirth	0·06	–	0·13	8	–	8	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–
Violence	0·96	1·35	0·55	125	90	35	5	4	4	1	1	15	8	12	14	13	13	13	10	8	9	10
Other Causes	4·38	4·50	4·32	574	298	276	210	10	3	–	–	223	5	2	9	2	5	6	3	15	65	239

Marriages - - 902

Births - { Males - 1,996 / Females - 1,965 } 3,961

Annual Rate per 1000 living { Persons Married 13·82 / Births - - 30·34 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·29 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

519.—BEVERLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·16	†132	–	–	–	–	45·47	4·13	2·73	4·32	6·96	8·71	10·99	14·24	26·31	60·90	164·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·04	†147	–	–	–	–	50·53	4·19	2·71	3·79	6·52	8·20	11·60	16·52	28·61	67·27	171·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·34	†116	–	–	–	–	40·29	4·07	2·76	4·90	7·40	9·21	10·39	11·96	24·09	55·30	160·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·33 per cent.	23,734	620	599	561	592	606	2978	2787	2561	2336	1982	3248	2621	2072	1623	1064	462
Mean Population, 1881–91. Males	Decennial Increase of Population 2·33 per cent.	11,785	312	295	297	285	317	1506	1385	1255	1214	982	1609	1302	1035	797	498	202
Mean Population, 1881–91. Females	Decennial Increase of Population 2·33 per cent.	11,949	308	304	264	307	289	1472	1402	1306	1122	1000	1639	1319	1037	826	566	260
Deaths from All Causes, 1881–90. Persons	18·88	4,481	958	223	70	65	38	1354	115	70	101	138	283	288	295	427	648	762
Deaths from All Causes, 1881–90. Males	19·74	2,326	553	123	35	35	15	761	58	34	46	64	132	151	171	228	335	346
Deaths from All Causes, 1881–90. Females	18·03	2,155	405	100	35	30	23	593	57	36	55	74	151	137	124	199	313	416

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·03	0·01	4	3	1	1	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
Measles	0·16	0·22	0·10	38	26	12	11	16	2	1	4	34	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·27	0·26	0·28	64	31	33	4	12	8	9	6	39	20	1	2	1	–	–	1	–	–	–
Diphtheria	0·13	0·14	0·13	31	16	15	1	3	2	2	3	11	14	2	1	–	1	1	1	–	–	–
Whooping-cough	0·22	0·20	0·23	52	24	28	20	19	9	4	–	52	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·38	0·34	0·41	89	40	49	1	–	–	1	–	2	5	5	10	18	22	14	5	6	2	–
Simple Continued Fever	0·03	0·03	0·04	8	3	5	–	–	1	2	1	4	2	–	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·51	0·60	0·43	122	71	51	86	16	2	–	1	105	1	–	–	–	1	3	–	–	7	5
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	0·36	0·84	142	42	100	–	–	–	–	–	–	–	1	1	–	4	20	24	38	40	14
Tabes Mesenterica	0·23	0·26	0·20	55	31	24	27	9	5	1	1	43	4	2	–	1	2	1	–	1	1	–
Phthisis	1·64	1·66	1·62	390	196	194	4	5	3	–	–	12	4	22	38	50	109	70	51	25	8	1
Other Tub. & Scrof. Dis.	0·17	0·19	0·16	41	22	19	8	5	2	3	3	21	9	6	2	2	–	1	–	–	–	–
Diseases of Nervous System	3·38	3·83	2·94	803	452	351	203	36	11	16	7	273	13	3	12	10	30	58	55	97	132	120
Diseases of Circulatory „	1·86	1·85	1·87	441	218	223	3	–	–	–	–	3	1	7	5	8	19	35	44	82	148	89
Diseases of Respiratory „	2·63	2·86	2·40	624	337	287	165	65	14	15	10	269	10	3	4	6	20	19	37	71	104	81
Diseases of Digestive „	1·06	1·10	1·02	252	130	122	42	16	4	2	–	64	6	3	2	6	14	17	25	39	45	31
Diseases of Urinary „	0·43	0·62	0·25	103	73	30	–	–	2	–	–	2	1	–	1	2	8	9	11	15	37	17
Diseases of Generative „	0·06	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	1	3	3	5	2	1	–
Puerperal Fever	0·07	–	0·13	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·08	–	0·17	20	–	20	–	–	–	–	–	–	–	–	2	5	7	6	–	–	–	–
Violence	0·63	0·89	0·37	149	105	44	16	5	4	4	–	29	10	4	10	11	17	12	15	20	6	15
Other Causes	4·32	4·29	4·30	1021	505	516	366	16	1	5	2	390	13	10	8	13	17	13	21	30	117	389

Marriages - - - 1,560

Births - Males 3,766, Females 3,496 — 7,262

Annual Rate per 1000 living: Persons Married 13·15; Births - - 30·60

Deaths from Childbirth and Puerperal Fever - - - - - 4·96 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

520.—SCULCOATES.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		19·35	†152	–	–	–	–	60·48	6·40	3·25	4·38	5·12	6·45	10·63	15·95	28·83	66·10	161·49
Males	—					20·53	†168	–	–	–	–	65·95	6·66	3·10	4·23	5·07	6·02	10·63	17·46	31·83	76·04	179·51
Females	—					18·24	†134	–	–	–	–	54·96	6·14	3·39	4·52	5·17	6·86	10·62	14·49	26·23	58·61	150·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 35·92 per cent.			117,805			3544	3233	3252	3216	3257	16502	14752	13121	11099	10389	17979	13900	9481	5997	3401	1184
Males				57,438			1778	1641	1633	1590	1642	8284	7293	6552	5324	4934	8750	6941	4663	2787	1461	449
Females				60,367			1766	1592	1619	1626	1615	8218	7459	6569	5775	5455	9229	6959	4818	3210	1940	735
Deaths from All Causes, 1881–90. Persons	19·02			22,406			6390	1985	732	540	333	9980	944	426	486	532	1160	1477	1512	1729	2248	1912
Males	20·04			11,510			3619	1020	380	266	178	5463	486	203	225	250	527	738	814	887	1111	806
Females	18·05			10,896			2771	965	352	274	155	4517	458	223	261	282	633	739	698	842	1137	1106
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·06	0·08	0·05	72	44	28	6	5	1	3	1	16	7	5	10	6	12	8	4	3	1	–
Measles	0·33	0·34	0·32	388	193	195	80	155	57	43	21	356	29	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·71	0·79	0·64	838	453	385	35	102	89	142	106	474	300	39	10	6	6	3	–	–	–	–
Diphtheria	0·08	0·07	0·08	91	40	51	5	10	11	18	6	50	30	4	–	2	2	2	–	1	–	–
Whooping-cough	0·44	0·40	0·48	515	227	288	217	159	66	37	13	492	22	–	–	–	1	–	–	–	–	–
Typhus	0·01	0·00	0·01	7	1	6	–	–	–	–	–	–	–	1	–	1	5	–	–	–	–	–
Enteric Fever	0·21	0·22	0·19	242	128	114	7	7	4	12	8	38	21	26	27	29	43	21	22	9	4	2
Simple Continued Fever	0·03	0·03	0·03	41	20	21	3	2	2	6	2	15	4	2	1	1	2	4	1	6	4	1
Diarrhœa and Dysentery	1·11	1·18	1·04	1307	680	627	936	173	21	10	2	1142	12	–	2	4	9	10	12	22	39	55
Cholera	0·01	0·01	0·00	9	6	3	3	2	–	–	–	5	1	–	–	–	–	1	1	–	–	1
Cancer	0·52	0·35	0·69	618	202	416	1	–	1	–	–	2	2	2	4	2	20	86	143	166	138	53
Tabes Mesenterica	0·38	0·42	0·35	449	239	210	269	92	18	11	8	398	18	11	11	3	1	1	2	2	1	1
Phthisis	1·53	1·54	1·52	1801	884	917	35	22	18	13	10	98	67	103	196	213	393	377	204	102	45	3
Other Tub. & Scrof. Dis.	0·38	0·43	0·33	445	248	197	109	85	47	23	21	285	68	32	22	10	12	11	3	2	–	–
Diseases of: Nervous System	3·06	3·30	2·84	3609	1895	1714	1300	252	91	45	41	1729	89	47	43	35	110	185	240	346	491	294
Circulatory „	1·27	1·37	1·17	1498	789	709	5	2	–	2	1	10	27	27	34	32	102	218	240	258	337	213
Respiratory „	3·62	3·86	3·38	4259	2217	2042	1087	640	238	124	61	2150	108	28	28	46	120	188	296	397	551	347
Digestive „	0·88	0·93	0·84	1039	534	505	280	103	13	5	5	406	20	21	10	16	58	77	109	128	124	70
Urinary „	0·36	0·45	0·28	429	258	171	10	8	9	6	5	38	18	7	6	8	35	60	48	83	87	39
Generative „	0·05	0·01	0·09	59	4	55	2	–	–	–	–	2	1	–	–	1	15	8	18	4	8	2
Puerperal Fever	0·08	–	0·16	97	–	97	–	–	–	–	–	–	–	–	3	23	40	30	1	–	–	–
Childbirth	0·07	–	0·13	78	–	78	–	–	–	–	–	–	–	–	6	10	30	30	2	–	–	–
Violence	0·49	0·75	0·25	580	432	148	50	14	15	17	6	102	52	29	33	45	59	59	54	67	50	30
Other Causes	3·34	3·51	3·18	3935	2016	1919	1950	152	31	23	16	2172	48	41	40	38	84	98	112	133	368	801

Marriages - - - 9,265

Births - { Males - 21,520 / Females - 20,613 } 42,133

Annual Rate per 1000 living { Persons Married 15·73 / Births - - 35·77 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·15 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

521.—HULL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·22	†167	–	–	–	–	68·80	7·25	3·73	4·87	6·55	9·90	15·35	21·27	37·59	77·26	167·90
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·64	†181	–	–	–	–	75·21	7·93	3·69	5·44	7·35	10·37	17·38	24·51	45·10	91·92	189·25
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·93	†152	–	–	–	–	62·59	6·58	3·76	4·36	5·83	9·43	13·24	18·05	30·79	65·71	155·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 0·35 per cent.	78,084	2215	1988	2003	1996	1975	10177	9043	8104	7512	7269	12399	9546	6713	4320	2247	754
Mean Population, 1881–91. Males	Decennial Decrease of Population 0·35 per cent.	38,229	1086	978	994	973	976	5007	4501	4010	3586	3428	6162	4863	3350	2053	990	279
Mean Population, 1881–91. Females	Decennial Decrease of Population 0·35 per cent.	39,855	1129	1010	1009	1023	999	5170	4542	4094	3926	3841	6237	4683	3363	2267	1257	475
Deaths from All Causes, 1881–90. Persons	22·47	17,548	4378	1395	540	403	286	7002	656	302	366	476	1227	1465	1428	1624	1736	1266
Deaths from All Causes, 1881–90. Males	24·55	9,387	2419	724	274	196	153	3766	357	148	195	252	639	845	821	926	910	528
Deaths from All Causes, 1881–90. Females	20·48	8,161	1959	671	266	207	133	3236	299	154	171	224	588	620	607	698	826	738

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	0·01	7	2	5	–	–	–	–	–	–	2	–	1	2	1	1	–	–	–	–
Measles	0·36	0·37	0·35	283	143	140	65	106	49	28	19	267	15	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·80	0·80	0·80	625	307	318	26	56	97	97	96	372	205	28	4	4	7	4	1	–	–	–
Diphtheria	0·09	0·09	0·09	69	34	35	6	7	5	10	5	33	25	1	1	1	5	1	1	–	1	–
Whooping-cough	0·46	0·41	0·51	362	157	205	147	120	44	29	11	351	10	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	6	2	4	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–	–
Enteric Fever	0·24	0·29	0·20	191	112	79	4	2	5	2	6	19	22	17	27	25	38	27	8	5	1	2
Simple Continued Fever	0·08	0·08	0·07	59	32	27	2	2	7	4	7	22	12	5	1	2	4	6	3	1	3	–
Diarrhœa and Dysentery	0·97	1·02	0·93	759	389	370	535	93	19	6	3	656	5	5	1	2	2	8	12	20	24	24
Cholera	0·01	0·01	0·01	7	4	3	4	1	–	–	–	5	–	–	–	–	–	1	1	–	–	–
Cancer	0·65	0·48	0·82	511	183	328	–	–	–	1	–	1	–	2	–	6	29	96	124	126	93	34
Tabes Mesenterica	0·32	0·34	0·31	252	130	122	154	47	14	7	3	225	8	6	3	2	5	1	1	1	–	–
Phthisis	1·90	2·09	1·72	1486	800	686	21	19	8	7	6	61	45	60	120	173	419	350	170	67	16	5
Other Tub. & Scrof. Dis.	0·42	0·51	0·34	330	195	135	72	61	37	22	17	209	49	23	17	9	10	4	7	2	–	–
Diseases of: Nervous System	3·30	3·63	2·99	2577	1386	1191	979	167	32	44	21	1243	59	30	25	30	85	134	190	286	321	174
Diseases of: Circulatory „	1·80	1·96	1·64	1404	751	653	3	2	1	2	3	11	10	34	23	42	150	219	244	261	274	136
Diseases of: Respiratory „	4·56	5·23	3·93	3563	1997	1566	855	510	161	94	51	1671	70	22	23	35	120	225	293	436	445	223
Diseases of: Digestive „	1·12	1·22	1·02	872	467	405	221	81	8	8	7	325	20	13	18	20	56	76	98	111	92	43
Diseases of: Urinary „	0·48	0·65	0·32	376	250	126	4	6	3	5	6	24	13	3	6	12	33	59	69	67	67	23
Diseases of: Generative „	0·08	0·01	0·15	64	4	60	–	–	–	–	–	–	–	–	1	4	14	15	14	9	7	–
Puerperal Fever	0·08	–	0·16	63	–	63	–	–	–	–	–	–	–	–	2	12	25	24	–	–	–	–
Childbirth	0·06	–	0·11	43	–	43	–	–	–	–	–	–	–	–	7	6	17	10	3	–	–	–
Violence	0·94	1·44	0·45	732	552	180	49	17	11	21	17	115	54	28	45	53	88	116	79	79	47	28
Other Causes	3·73	3·90	3·54	2907	1490	1417	1231	98	39	16	8	1392	31	24	40	35	118	87	109	152	345	574

Marriages - - - 8,179

Births - Males - 13,352; Females - 12,912 — 26,264

Annual Rate per 1000 living: Persons Married 20·95; Births - - 33·64

Deaths from Childbirth and Puerperal Fever - - - - - 4·04 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

522.—PATRINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·49	†107	–	–	–	–	33·95	4·21	3·27	4·27	4·79	6·73	7·88	10·89	18·24	49·14	141·38
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·91	†122	–	–	–	–	38·30	5·47	4·00	4·16	3·64	6·86	7·82	10·76	18·21	50·42	138·78
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·09	† 91	–	–	–	–	29·74	3·04	2·57	4·39	5·95	6·61	7·95	11·02	18·27	47·79	143·81
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·75 per cent.	8,594	226	199	217	222	214	1078	1021	917	819	710	1070	888	753	669	466	203
Mean Population, 1881–91. Males	Decennial Decrease of Population 3·75 per cent.	4,265	106	98	97	121	108	530	494	450	409	357	525	435	381	346	240	98
Mean Population, 1881–91. Females	Decennial Decrease of Population 3·75 per cent.	4,329	120	101	120	101	106	548	527	467	410	353	545	453	372	323	226	105
Deaths from All Causes, 1881–90. Persons	15·94	1,370	262	49	16	21	18	366	43	30	35	34	72	70	82	122	229	287
Deaths from All Causes, 1881–90. Males	16·62	709	151	27	7	9	9	203	27	18	17	13	36	34	41	63	121	136
Deaths from All Causes, 1881–90. Females	15·27	661	111	22	9	12	9	163	16	12	18	21	36	36	41	59	108	151

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·03	0·07	–	3	3	–	2	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·52	0·51	44	22	22	1	5	3	10	6	25	10	7	1	–	–	1	–	–	–	–
Diphtheria	0·08	0·12	0·05	7	5	2	–	–	–	–	1	1	3	2	–	–	–	–	–	1	–	–
Whooping-cough	0·26	0·23	0·28	22	10	12	12	5	1	3	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·17	0·16	0·18	15	7	8	–	–	–	–	–	–	2	–	4	2	–	2	1	–	4	–
Simple Continued Fever	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·22	0·28	0·16	19	12	7	14	1	–	–	–	15	1	–	1	–	–	–	–	1	–	1
Cholera	0·02	0·02	0·02	2	1	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	0·52	0·28	0·76	45	12	33	–	–	–	1	–	1	–	–	–	–	–	5	5	13	17	4
Tabes Mesenterica	0·42	0·45	0·39	36	19	17	29	3	1	–	–	33	2	1	–	–	–	–	–	–	–	–
Phthisis	1·20	1·06	1·34	103	45	58	–	–	1	1	–	2	2	7	11	11	29	21	9	8	3	–
Other Tub. & Scrof. Dis.	0·15	0·14	0·16	13	6	7	2	4	1	–	–	7	1	2	–	2	–	–	–	1	–	–
Diseases of: Nervous System	2·61	2·67	2·54	224	114	110	67	13	3	2	4	89	7	2	–	3	7	2	14	20	44	36
Diseases of: Circulatory „	1·58	1·69	1·48	136	72	64	–	–	–	–	–	–	2	2	3	1	7	2	15	28	38	38
Diseases of: Respiratory „	2·04	2·18	1·89	175	93	82	24	8	3	2	4	41	3	–	2	2	4	15	11	11	43	43
Diseases of: Digestive „	1·06	1·03	1·09	91	44	47	11	3	–	–	–	14	2	–	2	–	3	9	8	17	23	13
Diseases of: Urinary „	0·29	0·49	0·09	25	21	4	–	–	1	1	–	2	–	2	–	–	1	1	–	7	6	6
Diseases of: Generative „	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–
Puerperal Fever	0·09	–	0·18	8	–	8	–	–	–	–	–	–	–	–	1	3	2	2	–	–	–	–
Childbirth	0·03	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Violence	0·69	1·24	0·14	59	53	6	2	2	1	1	1	7	3	1	5	6	13	5	5	4	5	5
Other Causes	3·89	3·97	3·80	333	169	164	97	5	1	–	1	104	4	4	4	2	6	3	11	10	44	141

Marriages - - - 410

Births - Males - 1,238; Females - 1,215 } 2,453

Annual Rate per 1000 living { Persons Married 9·54; Births - - 28·54

Deaths from Childbirth and Puerperal Fever - - - - - } 4·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

523.—SKIRLAUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 13·81	†122	–	–	–	–	37·97	4·53	2·77	3·10	4·02	5·89	6·65	9·76	19·41	53·26	155·12
Annual Death-Rate per 1000. Males	—	14·24	†131	–	–	–	–	42·78	5·28	2·75	1·85	2·74	5·62	5·94	10·69	20·36	57·75	162·37
Annual Death-Rate per 1000. Females	—	13·40	†112	–	–	–	–	33·39	3·83	2·79	4·48	5·30	6·14	7·38	8·80	18·39	48·85	149·11
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·01 per cent.	9,550	246	236	236	245	246	1209	1149	1047	1031	797	1171	1037	830	644	430	205
Mean Population, 1881–91. Males		4,724	119	113	119	116	122	589	549	510	540	401	552	522	421	334	213	93
Mean Population, 1881–91. Females		4,826	127	123	117	129	124	620	600	537	491	396	619	515	409	310	217	112
Deaths from All Causes, 1881–90. Persons	15·65	1,495	325	65	25	26	18	459	52	29	32	32	69	69	81	125	229	318
Deaths from All Causes, 1881–90. Males	16·19	765	180	36	13	13	10	252	29	14	10	11	31	31	45	68	123	151
Deaths from All Causes, 1881–90. Females	15·13	730	145	29	12	13	8	207	23	15	22	21	38	38	36	57	106	167

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·05	0·06	0·04	5	3	2	4	1	–	–	–	5	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·47	0·49	0·46	45	23	22	1	3	8	8	6	26	13	5	–	–	–	–	–	1	–	–
Diphtheria	0·06	0·11	0·02	6	5	1	–	–	–	1	1	2	2	2	–	–	–	–	–	–	–	–
Whooping-cough	0·35	0·34	0·35	33	16	17	16	10	2	2	1	31	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·25	0·12	18	12	6	1	1	–	1	1	4	–	2	–	–	3	2	1	3	2	1
Simple Continued Fever	0·07	0·06	0·08	7	3	4	1	–	–	–	–	1	3	–	1	1	1	–	–	–	–	–
Diarrhœa and Dysentery	0·29	0·34	0·25	28	16	12	18	3	–	–	–	21	1	–	–	–	–	–	–	–	3	3
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·72	0·57	0·87	69	27	42	–	–	–	–	–	–	–	–	–	–	3	9	13	19	22	3
Tabes Mesenterica	0·08	0·08	0·08	8	4	4	1	2	1	–	–	4	1	–	–	1	1	–	–	1	–	–
Phthisis	1·07	0·80	1·33	102	38	64	–	1	–	–	1	2	5	6	15	12	24	15	8	4	10	1
Other Tub. & Scrof. Dis.	0·23	0·23	0·23	22	11	11	2	3	2	2	1	10	2	4	4	1	1	–	–	–	–	–
Diseases of: Nervous System	2·23	2·41	2·05	213	114	99	60	5	2	4	3	74	5	3	2	2	8	7	10	16	44	42
Diseases of: Circulatory „	1·81	1·88	1·74	173	89	84	1	–	–	–	–	1	1	1	3	3	3	7	13	28	59	54
Diseases of: Respiratory „	2·49	2·82	2·18	238	133	105	62	20	7	2	3	94	10	2	–	2	5	6	14	25	36	44
Diseases of: Digestive „	0·77	0·68	0·87	74	32	42	13	7	–	–	1	21	1	2	–	–	6	4	4	9	16	11
Diseases of: Urinary „	0·34	0·42	0·25	32	20	12	–	–	–	1	–	1	1	–	–	–	5	1	2	3	9	10
Diseases of: Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Puerperal Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Violence	0·54	0·80	0·29	52	38	14	4	3	3	2	–	12	4	–	4	4	3	8	8	5	2	2
Other Causes	3·79	3·83	3·74	360	180	180	141	6	–	3	–	150	1	2	3	5	3	7	8	10	24	147

Marriages - - - 487

Births { Males - 1,378 / Females - 1,295 } 2,673

Annual Rate per 1000 living { Persons Married 10·20 / Births - - 27·99 }

Deaths from Childbirth and Puerperal Fever - - - - - 2·24 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

524.—DRIFFIELD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·34	†141	–	–	–	–	45·93	4·30	2·73	3·30	5·00	6·97	7·86	10·21	22·54	54·76	147·66
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·76	†140	–	–	–	–	48·06	4·03	1·90	3·23	4·50	7·02	8·43	10·38	26·46	60·14	153·98
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·94	†141	–	–	–	–	43·81	4·59	3·57	3·38	5·53	6·92	7·27	10·04	18·53	49·56	142·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·10 per cent.	19,455	510	460	493	532	496	2491	2393	2195	2002	1601	2482	1998	1694	1322	893	384
Mean Population, 1881–91. Males	Decennial Decrease of Population 6·10 per cent.	9,905	255	216	252	268	247	1238	1216	1104	1115	823	1240	1008	877	669	439	176
Mean Population, 1881–91. Females	Decennial Decrease of Population 6·10 per cent.	9,550	255	244	241	264	249	1253	1177	1091	887	778	1242	990	817	653	454	208
Deaths from All Causes, 1881–90. Persons	17·01	3,310	866	138	65	38	37	1144	103	60	66	80	173	157	173	298	489	567
Deaths from All Causes, 1881–90. Males	17·29	1,713	444	77	31	23	20	595	49	21	36	37	87	85	91	177	264	271
Deaths from All Causes, 1881–90. Females	16·72	1,597	422	61	34	15	17	549	54	39	30	43	86	72	82	121	225	296

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·17	0·09	26	17	9	5	9	2	3	2	21	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·21	0·18	0·24	41	18	23	4	2	5	3	9	23	17	1	–	–	–	–	–	–	–	–
Diphtheria	0·16	0·18	0·14	31	18	13	1	3	4	2	4	14	14	2	–	–	–	–	–	1	–	–
Whooping-cough	0·34	0·23	0·46	67	23	44	41	16	6	2	1	66	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·16	0·15	0·17	31	15	16	–	–	1	–	–	1	2	5	1	5	4	3	4	4	2	–
Simple Continued Fever	0·05	0·07	0·02	9	7	2	1	–	–	–	–	1	–	1	–	1	2	1	1	–	1	1
Diarrhœa and Dysentery	0·54	0·56	0·52	105	55	50	72	5	2	–	–	79	–	–	–	–	1	3	1	1	10	10
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·69	0·57	0·82	134	56	78	–	–	–	1	–	1	–	–	1	–	5	8	24	35	41	19
Tabes Mesenterica	0·20	0·19	0·20	38	19	19	27	2	1	–	–	30	3	2	1	–	2	–	–	–	–	–
Phthisis	1·24	0·99	1·50	241	98	143	12	2	1	–	–	15	5	7	22	38	75	34	26	14	2	3
Other Tub. & Scrof. Dis.	0·19	0·19	0·19	37	19	18	17	5	3	–	1	26	2	3	1	1	3	1	–	–	–	–
Diseases of Nervous System	2·62	2·69	2·54	509	266	243	156	22	10	5	5	198	14	11	9	7	9	11	25	48	91	86
Diseases of Circulatory „	1·68	1·73	1·63	327	171	156	2	–	1	–	–	3	3	5	7	4	5	21	38	44	113	84
Diseases of Respiratory „	2·88	3·04	2·71	560	301	259	171	42	16	14	11	254	14	3	5	2	21	21	18	51	75	96
Diseases of Digestive „	1·09	1·23	0·95	213	122	91	48	5	3	–	–	56	6	4	2	3	12	14	14	37	44	21
Diseases of Urinary „	0·39	0·56	0·22	76	55	21	–	–	–	–	–	–	1	4	1	2	6	5	5	14	19	19
Diseases of Generative „	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	2	–	1	–	4	3	–
Puerperal Fever	0·02	–	0·04	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Childbirth	0·09	–	0·18	17	–	17	–	–	–	–	–	–	–	–	2	2	9	4	–	–	–	–
Violence	0·51	0·78	0·24	100	77	23	8	4	1	2	3	18	7	6	7	5	6	12	10	11	7	11
OTHER CAUSES	3·75	3·77	3·75	732	375	357	301	21	9	6	1	338	9	6	7	7	11	16	7	34	80	217

Marriages - - - 1,223

Births - { Males - 3,172 / Females - 2,987 } 6,159

Annual Rate per 1000 living { Persons Married 12·57 / Births - - 31·66 }

Deaths from Childbirth and Puerperal Fever - - - - - } 3·41 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

525.—BRIDLINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·82	†124	–	–	–	–	40·57	3·49	2·77	3·29	5·76	5·32	7·88	12·27	20·20	59·90	163·13
Annual Death-Rate per 1000. Males	—	15·52	†140	–	–	–	–	45·97	2·97	2·28	3·77	5·02	5·24	9·04	12·88	20·00	68·70	162·33
Annual Death-Rate per 1000. Females	—	14·15	†108	–	–	–	–	35·29	3·98	3·22	2·83	6·40	5·39	6·83	11·73	20·39	51·57	163·73
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·81 per cent.	16,829	436	380	428	407	407	2058	1948	1807	1821	1407	2237	1789	1442	1173	808	339
Mean Population, 1881–91. Males		8,086	214	200	204	201	199	1018	944	876	903	657	1049	852	683	565	393	146
Mean Population, 1881–91. Females		8,743	222	180	224	206	208	1040	1004	931	918	750	1188	937	759	608	415	193
Deaths from All Causes, 1881–90. Persons	16·67	2,805	596	122	58	33	26	835	68	50	60	81	119	141	177	237	484	553
Deaths from All Causes, 1881–90. Males	17·60	1,423	339	72	30	13	14	468	28	20	34	33	55	77	88	113	270	237
Deaths from All Causes, 1881–90. Females	15·81	1,382	257	50	28	20	12	367	40	30	26	48	64	64	89	124	214	316

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Measles	0·12	0·15	0·09	20	12	8	4	8	–	6	1	19	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·11	0·08	16	9	7	–	2	5	3	1	11	1	2	–	1	1	–	–	–	–	–
Diphtheria	0·04	0·05	0·02	6	4	2	–	–	2	–	2	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	0·40	0·32	0·48	68	26	42	40	13	6	2	2	63	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Enteric Fever	0·15	0·14	0·16	25	11	14	–	–	–	–	–	–	4	5	2	2	6	4	1	–	1	–
Simple Continued Fever	0·02	0·02	0·01	3	2	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·48	0·52	0·43	80	42	38	49	6	2	3	–	60	1	–	1	–	1	–	–	2	9	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·41	0·77	100	33	67	–	–	–	–	–	–	–	–	–	–	–	8	20	21	40	11
Tabes Mesenterica	0·14	0·19	0·09	23	15	8	13	2	2	–	2	19	3	–	–	1	–	–	–	–	–	–
Phthisis	1·13	1·04	1·21	190	84	106	10	2	1	2	1	16	6	11	24	29	42	26	20	12	4	–
Other Tub. & Scrof. Dis.	0·28	0·26	0·30	47	21	26	9	6	3	2	2	22	11	6	–	4	3	–	1	–	–	–
Diseases of Nervous System	2·61	2·72	2·52	440	220	220	116	20	9	3	3	151	11	5	2	4	7	14	25	46	99	76
Diseases of Circulatory „	2·04	2·16	1·92	343	175	168	1	–	–	–	–	1	1	5	8	7	7	28	41	60	118	67
Diseases of Respiratory „	2·45	2·77	2·16	413	224	189	96	45	17	9	8	175	9	4	5	8	8	21	23	33	72	55
Diseases of Digestive „	0·99	1·13	0·87	167	91	76	33	9	4	1	–	47	2	3	4	6	7	13	13	16	32	24
Diseases of Urinary „	0·24	0·33	0·15	40	27	13	–	1	–	–	–	1	1	–	–	1	3	2	9	7	8	8
Diseases of Generative „	0·08	–	0·15	13	–	13	–	–	1	–	–	1	–	1	1	–	1	2	2	3	1	1
Puerperal Fever	0·07	–	0·14	12	–	12	–	–	–	–	–	–	–	–	–	4	7	1	–	–	–	–
Childbirth	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Violence	0·61	0·98	0·26	102	79	23	13	3	3	–	2	21	3	1	10	8	12	8	10	11	11	7
Other Causes	4·06	4·28	3·90	686	346	340	212	5	3	2	2	224	7	6	2	3	10	10	12	25	89	298

Marriages - - - 1,045

Births - { Males - 2,421 / Females - 2,387 } 4,808

Annual Rate per 1000 living { Persons Married 12·42 / Births - - 28·57 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

526.—SCARBOROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·54			†142	–	–	–	–	52·43	4·01	2·33	3·82	5·68	7·12	10·04	15·39	27·02	59·83	154·48
Males	—						†156	–	–	–	–	57·63	3·89	2·08	3·45	6·43	7·59	11·01	17·46	29·60	65·98	168·24
Females	—						†128	–	–	–	–	47·36	4·13	2·58	4·12	5·18	6·78	9·27	13·78	24·90	55·12	145·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·43 per cent.			44,657			1055	999	1007	1048	1018	5127	4940	4798	4664	4050	6433	4952	4003	3046	1897	747
Males				20,281			530	486	501	515	498	2530	2495	2358	2116	1617	2729	2189	1753	1375	823	296
Females				24,376			525	513	506	533	520	2597	2445	2440	2548	2433	3704	2763	2250	1671	1074	451
Deaths from All Causes, 1881–90. Persons	18·11			8,089			1834	493	176	105	80	2688	198	112	178	230	458	497	616	823	1135	1154
Males	19·64			3,983			1016	259	95	52	36	1458	97	49	73	104	207	241	306	407	543	498
Females	16·84			4,106			818	234	81	53	44	1230	101	63	105	126	251	256	310	416	592	656
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·17	0·11	61	35	26	14	24	8	6	3	55	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·17	0·12	65	35	30	3	7	12	9	10	41	16	4	2	1	–	–	–	1	–	–
Diphtheria	0·14	0·13	0·15	62	26	36	3	4	6	8	8	29	26	3	2	1	1	–	–	–	–	–
Whooping-cough	0·32	0·32	0·31	141	65	76	69	38	19	7	4	137	3	–	–	–	–	1	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·13	0·16	66	26	40	–	1	1	–	3	5	5	7	6	8	12	5	10	6	2	–
Simple Continued Fever	0·02	0·01	0·02	7	2	5	1	–	–	–	–	1	1	–	1	–	–	–	–	2	1	1
Diarrhœa and Dysentery	0·60	0·70	0·51	267	142	125	182	25	5	1	–	213	2	–	–	–	2	4	3	6	17	20
Cholera	0·00	0·01	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Cancer	0·93	0·65	1·17	416	131	285	–	–	1	1	1	3	1	2	1	2	10	34	103	113	103	44
Tabes Mesenterica	0·17	0·20	0·14	74	41	33	32	16	7	–	1	56	6	2	3	4	2	–	–	1	–	–
Phthisis	1·62	1·65	1·60	725	334	391	17	6	3	4	2	32	20	26	77	100	203	138	78	35	13	3
Other Tub. & Scrof. Dis.	0·43	0·47	0·41	194	95	99	57	36	13	8	9	123	23	9	9	8	8	9	3	–	1	1
Diseases of Nervous System	3·16	3·47	2·91	1413	704	709	440	87	23	13	10	573	24	16	12	14	29	57	74	161	246	207
Circulatory "	1·87	2·00	1·76	834	406	428	2	–	–	1	–	3	5	7	8	12	33	57	101	171	251	186
Respiratory "	2·97	3·37	2·64	1327	684	643	326	165	51	31	16	589	25	10	9	10	28	56	65	127	204	204
Digestive "	1·08	1·31	0·89	482	266	216	100	39	8	6	4	157	7	8	9	11	23	31	58	66	69	43
Urinary "	0·56	0·71	0·44	250	143	107	4	3	5	2	1	15	2	–	4	13	15	18	23	34	78	48
Generative "	0·08	–	0·15	37	–	37	–	1	–	–	–	1	–	–	2	5	3	7	6	7	5	1
Puerperal Fever	0·07	–	0·14	33	–	33	–	–	–	–	–	–	–	–	1	7	13	11	1	–	–	–
Childbirth	0·04	–	0·08	19	–	19	–	–	–	–	–	–	–	–	–	1	9	9	–	–	–	–
Violence	0·52	0·85	0·24	231	172	59	15	5	3	4	5	32	13	9	15	21	28	22	31	25	21	14
Other Causes	3·09	3·32	2·89	1383	674	709	569	36	11	4	3	623	14	8	17	12	39	38	59	68	124	381

Marriages - - - 3,469

Births - { Males - 6,511 / Females - 6,393 } 12,904

Annual Rate per 1000 living { Persons Married 15·54 / Births - - 28·90 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·03 per 1000 Births.

* *See* pages xxxvi–xxxvi

† The death-rates under one year of age are per 1000 Births.

527.—MALTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·06			†116	–	–	–	–	38·62	4·23	2·97	4·52	5·68	7·82	8·44	12·13	22·63	54·48	153·67
Annual Death-Rate per 1000. Males	—			15·13			†129	–	–	–	–	41·20	4·64	2·95	3·73	5·65	5·82	8·73	13·63	24·70	57·75	151·35
Annual Death-Rate per 1000. Females	—			14·99			†103	–	–	–	–	36·11	3·82	2·99	5·46	5·70	9·70	8·15	10·56	20·53	51·24	155·95
Mean Population, 1881-91. Persons	Decennial Decrease of Population 5·94 per cent.			22,347			584	523	556	567	569	2799	2694	2524	2366	1885	2943	2298	1839	1511	1039	449
Mean Population, 1881-91. Males				11,254			288	265	271	285	272	1381	1359	1286	1286	920	1427	1157	939	761	516	222
Mean Population, 1881-91. Females				11,093			296	258	285	282	297	1418	1335	1238	1080	965	1516	1141	900	750	523	227
Deaths from All Causes, 1881-90. Persons	16·69			3,729			781	168	51	51	30	1081	114	75	107	107	230	194	223	342	566	690
Deaths from All Causes, 1881-90. Males	16·92			1,904			435	79	20	22	13	569	63	38	48	52	83	101	128	188	298	336
Deaths from All Causes, 1881-90. Females	16·45			1,825			346	89	31	29	17	512	51	37	59	55	147	93	95	154	268	354
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	0·07	0·08	0·06	16	9	7	4	3	4	2	1	14	1	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·21	0·19	0·23	47	21	26	–	4	5	9	2	20	17	4	1	–	3	1	–	–	1	–
Diphtheria	0·10	0·13	0·07	23	15	8	–	2	1	4	2	9	11	1	–	1	1	–	–	–	–	–
Whooping-cough	0·24	0·17	0·32	54	19	35	30	19	4	1	–	54	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·30	0·32	0·29	68	36	32	–	–	–	–	1	1	5	2	7	5	14	8	9	5	9	3
Simple Continued Fever	0·09	0·12	0·05	19	13	6	–	–	–	–	–	–	4	2	1	–	2	2	–	5	2	1
Diarrhœa and Dysentery	0·44	0·51	0·38	99	57	42	62	13	2	–	1	78	1	1	–	1	–	1	1	3	4	9
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·55	0·49	0·61	123	55	68	–	–	–	–	–	–	–	–	–	1	6	12	25	35	31	13
Tabes Mesenterica	0·13	0·14	0·11	28	16	12	10	2	2	1	2	17	3	3	–	1	2	1	–	1	–	–
Phthisis	1·54	1·24	1·85	345	140	205	3	6	1	1	2	13	14	24	42	59	97	38	30	17	8	3
Other Tub. & Scrof. Dis.	0·34	0·35	0·34	77	39	38	16	13	1	3	3	36	5	7	7	2	10	3	3	3	1	–
Diseases of Nervous System	2·35	2·54	2·16	526	286	240	162	21	5	4	3	195	14	7	10	5	13	18	30	66	85	83
Diseases of Circulatory „	1·90	1·86	1·95	425	209	216	–	1	1	2	–	4	3	3	14	3	13	27	41	72	164	81
Diseases of Respiratory „	2·34	2·47	2·21	523	278	245	127	64	16	14	6	227	11	3	4	7	20	25	23	43	85	75
Diseases of Digestive „	0·96	1·07	0·85	214	120	94	40	5	–	2	2	49	6	4	2	5	7	20	22	36	43	20
Diseases of Urinary „	0·30	0·41	0·20	68	46	22	–	–	1	1	1	3	4	4	–	2	6	5	8	15	14	7
Diseases of Generative „	0·05	0·01	0·10	12	1	11	–	–	–	–	–	–	–	–	–	–	1	2	3	–	5	1
Puerperal Fever	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	2	3	8	2	–	–	–	–
Childbirth	0·08	–	0·16	18	–	18	–	–	–	–	–	–	–	–	3	2	10	3	–	–	–	–
Violence	0·49	0·71	0·27	110	80	30	4	6	4	2	3	19	9	5	7	4	2	8	14	17	18	7
Other Causes	4·14	4·10	4·10	918	463	455	323	9	4	5	1	342	6	5	7	5	15	18	14	24	96	386

Marriages - - - 1,333

Births - { Males - 3,375 / Females - 3,362 } 6,737

Annual Rate per 1000 living { Persons Married 11·93 / Births - - 30·15

Deaths from Childbirth and Puerperal Fever - - - - } 4·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

528.—EASINGWOLD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·97	† 98	–	–	–	–	32·79	4·05	2·61	1·88	4·55	5·75	7·21	10·20	22·16	51·51	139·75
Annual Death-Rate per 1000. Males	—	12·81	†106	–	–	–	–	34·45	4·21	1·96	1·42	3·23	5·27	6·89	10·41	22·65	57·60	138·71
Annual Death-Rate per 1000. Females	—	13·13	† 90	–	–	–	–	31·07	3·90	3·28	2·48	5·99	6·26	7·52	10·00	21·65	45·34	140·83
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·20 per cent.	9,190	219	214	225	231	221	1110	1062	998	1009	769	1147	902	784	668	497	244
Mean Population, 1881–91. Males		4,712	112	113	114	112	115	566	523	510	565	402	588	450	394	340	250	124
Mean Population, 1881–91. Females		4,478	107	101	111	119	106	544	539	488	444	367	559	452	390	328	247	120
Deaths from All Causes, 1881–90. Persons	15·70	1,443	257	54	25	19	9	364	43	26	19	35	66	65	80	148	256	341
Deaths from All Causes, 1881–90. Males	15·79	744	140	28	16	7	4	195	22	10	8	13	31	31	41	77	144	172
Deaths from All Causes, 1881–90. Females	15·61	699	117	26	9	12	5	169	21	16	11	22	35	34	39	71	112	169

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	11	3	8	1	2	3	2	1	9	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·16	15	8	7	–	3	2	5	–	10	4	–	–	–	–	–	1	–	–	–
Diphtheria	0·24	0·23	0·25	22	11	11	1	–	4	3	3	11	10	1	–	–	–	–	–	–	–	–
Whooping-cough	0·21	0·28	0·13	19	13	6	6	8	2	2	1	19	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·11	0·04	7	5	2	–	–	1	–	–	1	–	1	–	–	–	3	–	–	1	1
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·32	0·22	25	15	10	13	1	1	–	–	15	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	8
Cancer	0·55	0·47	0·65	51	22	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	0·19	0·17	0·20	17	8	9	7	3	2	–	–	12	–	3	1	–	1	–	2	5	17	17
Phthisis	1·11	0·98	1·25	102	46	56	–	1	–	–	–	1	1	7	9	17	26	17	12	7	4	1
Other Tub. & Scrof. Dis.	0·17	0·17	0·18	16	8	8	7	–	2	–	–	9	–	4	–	–	2	–	–	1	–	–
Diseases of Nervous System	2·15	2·27	2·03	198	107	91	39	11	1	–	–	51	5	–	2	3	6	5	9	20	46	51
Diseases of Circulatory „	2·01	1·95	2·08	185	92	93	–	–	–	–	–	–	2	3	–	4	2	6	9	34	70	55
Diseases of Respiratory „	2·49	2·42	2·57	229	114	115	44	18	5	5	2	74	6	1	–	1	6	9	16	25	41	50
Diseases of Digestive „	0·85	0·79	0·92	78	37	41	11	2	–	–	–	13	2	1	–	2	3	–	8	14	19	16
Diseases of Urinary „	0·52	0·66	0·38	48	31	17	–	–	–	–	–	–	1	–	–	1	1	7	3	6	18	11
Diseases of Generative „	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–
Puerperal Fever	0·05	–	0·11	5	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Childbirth	0·08	–	0·16	7	–	7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–
Violence	0·60	0·81	0·38	55	38	17	3	1	–	1	2	7	5	1	6	2	4	3	5	9	8	5
Other Causes	3·79	3·93	3·59	347	186	161	125	4	2	1	–	132	5	4	1	3	7	9	9	14	29	134

Marriages - - 544

Births - { Males - 1,318 / Females - 1,293 } 2,611

Annual Rate per 1000 living { Persons Married 11·84 / Births - - 28·41

Deaths from Childbirth and Puerperal Fever - - - - - } 4·60 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

529.—THIRSK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·55	†105	–	–	–	–	36·02	5·26	3·30	4·26	4·94	6·32	7·69	11·46	25·41	55·24	147·46
Males	—					14·17	†113	–	–	–	–	37·83	6·19	3·03	3·54	4·70	5·61	6·66	11·17	25·06	55·67	143·05
Females	—					14·90	† 97	–	–	–	–	34·18	4·33	3·55	4·98	5·17	6·96	8·69	11·74	25·78	54·82	152·08
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·14 per cent.			12,518			307	305	332	314	333	1591	1539	1425	1245	992	1550	1340	1099	850	592	295
Males				6,182			163	152	158	157	171	801	776	692	622	489	731	661	537	431	291	151
Females				6,336			144	153	174	157	162	790	763	733	623	503	819	679	562	419	301	144
Deaths from All Causes, 1881–90. Persons	16·84			2,108			383	94	37	36	23	573	81	47	53	49	98	103	126	216	327	435
Males	16·95			1,048			209	46	18	18	12	303	48	21	22	23	41	44	60	108	162	216
Females	16·73			1,060			174	48	19	18	11	270	33	26	31	26	57	59	66	108	165	219
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·11	0·06	11	7	4	–	5	2	1	1	9	–	–	–	–	2	–	–	–	–	–
Scarlet Fever	0·30	0·36	0·25	38	22	16	2	–	5	4	3	14	14	3	1	2	2	1	1	–	–	–
Diphtheria	0·25	0·26	0·24	31	16	15	1	1	3	5	6	16	8	3	1	–	–	2	–	1	–	–
Whooping-cough	0·27	0·26	0·28	34	16	18	17	11	4	–	1	33	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·20	0·16	0·24	25	10	15	–	1	–	1	2	4	4	2	3	1	3	1	3	3	1	–
Simple Continued Fever	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·38	0·34	0·41	47	21	26	24	3	–	–	1	28	–	–	–	1	1	2	1	1	4	9
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·77	0·52	1·03	97	32	65	–	–	–	–	–	–	–	1	–	–	1	7	23	23	28	14
Tabes Mesenterica	0·09	0·05	0·13	11	3	8	4	2	1	1	–	8	1	2	–	–	–	–	–	–	–	–
Phthisis	1·39	1·28	1·50	174	79	95	2	–	1	–	2	5	5	12	25	30	44	22	15	14	2	–
Other Tub. & Scrof. Dis.	0·23	0·24	0·22	29	15	14	6	–	4	1	1	12	7	5	1	–	2	1	–	–	1	–
Diseases of Nervous System	2·22	2·38	2·07	278	147	131	67	14	2	4	–	87	13	5	2	3	3	7	13	38	52	55
Circulatory	2·01	1·80	2·23	252	111	141	–	1	1	–	–	2	1	5	5	2	4	10	21	52	81	69
Respiratory	3·16	3·56	2·76	395	220	175	73	42	12	9	3	139	14	–	5	3	10	16	15	33	69	91
Digestive	0·89	0·92	0·85	111	57	54	15	6	–	2	–	23	4	2	1	1	6	10	12	15	23	14
Urinary	0·22	0·29	0·16	28	18	10	–	–	–	1	–	1	1	–	–	–	–	1	2	5	11	7
Generative	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Puerperal Fever	0·02	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Childbirth	0·06	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–
Violence	0·53	0·68	0·38	66	42	24	4	1	1	2	3	11	2	3	2	2	5	7	7	9	6	12
Other Causes	3·72	3·70	3·72	467	230	237	168	7	1	5	–	181	6	4	7	3	9	12	12	21	49	163

Marriages - - - 755

Births - { Males - 1,844 / Females - 1,797 } 3,641

Annual Rate per 1000 living { Persons Married 12·06 / Births - - 29·09 }

Deaths from Childbirth and Puerperal Fever - - - - 2·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

530.—HELMSLEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 13·86			†104	–	–	–	–	32·41	3·76	2·80	3·17	6·36	6·38	7·76	11·04	22·63	56·78	151·36
Annual Death-Rate per 1000. Males	—			12·80			†107	–	–	–	–	33·28	3·70	1·97	2·37	4·40	4·79	5·02	12·73	22·68	55·82	152·24
Annual Death-Rate per 1000. Females	—			14·86			†101	–	–	–	–	31·55	3·83	3·81	4·15	8·56	8·13	10·68	9·21	22·57	57·87	150·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·25 per cent.			11,076			273	257	262	269	244	1305	1249	1287	1230	944	1395	1121	951	791	546	257
Mean Population, 1881–91. Males				5,799			134	133	124	130	131	652	622	709	676	500	731	578	495	410	292	134
Mean Population, 1881–91. Females				5,277			139	124	138	139	113	653	627	578	554	444	664	543	456	381	254	123
Deaths from All Causes, 1881–90. Persons	15·93			1,764			304	65	22	18	14	423	47	36	39	60	89	87	105	179	310	389
Deaths from All Causes, 1881–90. Males	15·16			879			161	34	10	5	7	217	23	14	16	22	35	29	63	93	163	204
Deaths from All Causes, 1881–90. Females	16·77			885			143	31	12	13	7	206	24	22	23	38	54	58	42	86	147	185
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Measles	0·05	0·07	0·02	5	4	1	–	4	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·22	0·28	28	13	15	1	4	3	5	4	17	6	3	1	–	1	–	–	–	–	–
Diphtheria	0·09	0·07	0·11	10	4	6	–	1	–	2	1	4	6	–	–	–	–	–	–	–	–	–
Whooping-cough	0·23	0·16	0·30	25	9	16	17	2	2	2	1	24	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Enteric Fever	0·16	0·12	0·21	18	7	11	–	–	–	–	–	–	1	3	2	2	4	2	3	1	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·28	0·42	38	16	22	18	2	–	–	1	21	1	1	–	1	1	1	–	1	5	6
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	0·79	0·60	1·00	88	35	53	–	–	–	–	–	–	–	1	–	–	1	14	14	23	23	12
Tabes Mesenterica	0·12	0·12	0·11	13	7	6	7	1	–	–	–	8	1	1	1	1	–	–	1	–	–	–
Phthisis	1·27	1·05	1·52	141	61	80	1	–	1	–	–	2	3	7	13	25	37	15	12	16	8	3
Other Tub. & Scrof. Dis.	0·28	0·29	0·27	31	17	14	4	2	1	–	–	7	8	5	3	2	5	1	–	–	–	–
Diseases of Nervous System	2·31	2·22	2·41	256	129	127	68	10	4	2	–	84	4	2	–	8	3	4	9	25	58	59
Diseases of Circulatory „	1·96	1·71	2·24	217	99	118	–	1	–	–	–	1	–	3	2	2	2	14	18	39	81	55
Diseases of Respiratory „	2·37	2·60	2·10	262	151	111	58	23	6	3	3	93	7	2	1	3	6	10	13	16	57	54
Diseases of Digestive „	1·08	1·17	0·99	120	68	52	17	5	1	–	–	23	3	5	5	4	4	4	6	24	24	18
Diseases of Urinary „	0·56	0·74	0·36	62	43	19	–	–	–	1	–	1	–	–	–	2	–	4	9	14	15	17
Diseases of Generative „	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1
Puerperal Fever	0·10	–	0·21	11	–	11	–	–	–	–	–	–	–	–	1	3	4	3	–	–	–	–
Childbirth	0·08	–	0·17	9	–	9	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–	–
Violence	0·43	0·59	0·27	48	34	14	3	1	2	3	3	12	3	–	3	1	4	1	5	7	5	7
Other Causes	3·33	3·09	3·57	368	179	189	110	9	1	–	1	121	3	3	5	4	13	8	10	12	32	157

Marriages - - - 611

Births - Males 1,508, Females 1,421 — 2,929

Annual Rate per 1000 living: Persons Married 11·03; Births 26·44

Deaths from Childbirth and Puerperal Fever - - - - 6·83 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

531.—PICKERING.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and under.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·07	†129	–	–	–	–	41·76	4·11	2·73	4·98	5·81	6·31	8·40	14·41	24·93	64·65	162·63
Annual Death-Rate per 1000. Males	—	15·90	†149	–	–	–	–	47·60	4·00	2·47	2·56	6·46	4·56	7·17	15·42	24·30	64·50	162·89
Annual Death-Rate per 1000. Females	—	16·22	†108	–	–	–	–	36·01	4·22	3·00	7·55	5·21	8·02	9·63	13·30	25·63	64·81	162·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·91 per cent.	10,576	276	279	267	291	271	1384	1363	1207	984	809	1331	1119	944	750	495	190
Mean Population, 1881–91. Males		5,326	138	142	133	138	136	687	675	607	507	387	658	558	493	395	262	97
Mean Population, 1881–91. Females		5,250	138	137	134	153	135	697	688	600	477	422	673	561	451	355	233	93
Deaths from All Causes, 1881–90. Persons	17·90	1,893	441	72	29	20	16	578	56	33	49	47	84	94	136	187	320	309
Deaths from All Causes, 1881–90. Males	18·33	976	257	33	17	10	10	327	27	15	13	25	30	40	76	96	169	158
Deaths from All Causes, 1881–90. Females	17·47	917	184	39	12	10	6	251	29	18	36	22	54	54	60	91	151	151

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·17	0·13	16	9	7	4	4	3	2	1	14	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·21	26	15	11	–	1	6	2	4	13	9	3	1	–	–	–	–	–	–
Diphtheria	0·09	0·09	0·08	9	5	4	–	–	1	1	1	3	4	1	–	1	–	–	–	–	–
Whooping-cough	0·35	0·30	0·40	37	16	21	23	6	3	3	1	36	1	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·14	0·08	0·21	15	4	11	1	–	–	–	–	1	1	3	3	–	1	1	1	3	1	–
Simple Continued Fever	0·05	0·06	0·04	5	3	2	–	–	–	–	1	1	1	1	–	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·39	0·38	0·40	41	20	21	24	–	–	–	–	24	–	1	–	–	4	1	3	2	4	2
Cholera	0·02	0·02	0·02	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cancer	0·64	0·43	0·86	68	23	45	–	–	–	–	–	–	1	1	–	–	1	4	16	14	21	10
Tabes Mesenterica	0·18	0·19	0·17	19	10	9	10	2	1	–	–	13	2	1	–	–	–	–	–	2	1	–
Phthisis	1·39	1·18	1·60	147	63	84	3	–	1	1	–	5	6	4	22	23	33	25	16	8	5	–
Other Tub. & Scrof. Dis.	0·37	0·45	0·29	39	24	15	10	6	5	1	–	22	6	2	2	2	4	1	–	–	–	–
Diseases of Nervous System	3·38	3·79	2·97	358	202	156	117	13	1	3	2	136	6	5	6	5	5	12	19	42	69	53
Diseases of Circulatory "	1·71	1·61	1·81	181	86	95	–	–	–	–	–	–	1	–	–	–	4	9	20	41	69	37
Diseases of Respiratory "	2·72	2·91	2·53	288	155	133	67	22	5	4	2	100	8	1	4	5	7	9	22	24	55	53
Diseases of Digestive "	1·36	1·37	1·35	144	73	71	25	10	1	–	1	37	3	2	3	2	4	9	14	24	34	12
Diseases of Urinary "	0·42	0·60	0·23	44	32	12	1	–	–	–	–	1	–	–	1	–	2	2	3	8	11	16
Diseases of Generative "	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	–
Puerperal Fever	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Childbirth	0·11	–	0·23	12	–	12	–	–	–	–	–	–	–	–	1	1	6	4	–	–	–	–
Violence	0·43	0·60	0·25	45	32	13	4	1	1	3	–	9	5	3	1	2	3	3	3	3	7	6
Other Causes	3·61	3·80	3·44	383	202	181	152	7	1	–	3	163	1	5	4	5	7	9	16	13	42	118

Marriages	709	Annual Rate per 1000 living	Persons Married 13·41	Deaths from Childbirth and Puerperal Fever 4·96 per 1000 Births.
Births Males 1,725	3,425		Births 32·38	
Births Females 1,700				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

532.—WHITBY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·77	†114	–	–	–	–	47·59	4·46	3·04	4·21	6·00	8·09	8·08	14·52	26·24	58·97	149·80
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·78	†125	–	–	–	–	51·36	4·28	3·71	4·39	6·78	8·18	7·97	17·72	29·33	65·95	150·00
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·82	†103	–	–	–	–	43·88	4·64	2·39	4·05	5·36	8·00	8·18	11·62	23·49	53·10	149·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·83 per cent.	25,438	717	627	671	648	676	3339	3183	2894	2471	2016	3326	2711	2163	1719	1126	490
Mean Population, 1881–91. Males	Decennial Decrease of Population, 7·83 per cent.	12,173	376	307	326	309	339	1657	1589	1428	1163	915	1552	1318	1027	808	514	202
Mean Population, 1881–91. Females	Decennial Decrease of Population, 7·83 per cent.	13,265	341	320	345	339	337	1682	1594	1466	1308	1101	1774	1393	1136	911	612	288
Deaths from All Causes, 1881–90. Persons	18·46	4,695	980	333	147	72	57	1589	142	88	104	121	269	219	314	451	664	734
Deaths from All Causes, 1881–90. Males	19·54	2,378	542	167	73	37	32	851	68	53	51	62	127	105	182	237	339	303
Deaths from All Causes, 1881–90. Females	17·47	2,317	438	166	74	35	25	738	74	35	53	59	142	114	132	214	325	431

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·25	0·28	0·22	63	34	29	13	24	17	3	–	57	5	–	1	–	–	–	–	–	–
Scarlet Fever	0·18	0·20	0·16	45	24	21	2	7	5	6	7	27	9	4	1	–	3	–	1	–	–
Diphtheria	0·12	0·12	0·13	31	14	17	2	2	5	7	2	18	10	3	–	–	–	–	–	–	–
Whooping-cough	0·44	0·37	0·50	111	45	66	53	32	17	3	3	108	3	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Enteric Fever	0·15	0·17	0·14	39	21	18	–	–	–	2	–	2	4	3	7	3	11	4	4	1	–
Simple Continued Fever	0·02	0·04	0·01	6	5	1	–	–	–	1	–	1	–	1	–	–	1	–	–	2	1
Diarrhœa and Dysentery	0·45	0·51	0·40	115	62	53	71	15	4	–	–	90	1	–	–	–	1	–	1	4	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·65	0·81	186	79	107	–	–	–	1	–	1	1	1	–	–	4	15	29	41	67
Tabes Mesenterica	0·29	0·29	0·29	73	35	38	28	19	10	2	–	59	5	3	2	–	2	1	1	–	–
Phthisis	1·54	1·52	1·55	391	185	206	1	3	2	1	–	7	5	18	44	55	125	60	40	25	12
Other Tub. & Scrof. Dis.	0·36	0·36	0·35	91	44	47	20	17	7	3	4	51	23	4	3	5	1	1	1	1	1
Diseases of: Nervous System	2·49	2·67	2·33	634	325	309	136	42	11	8	9	206	16	8	7	6	12	15	38	85	137
Diseases of: Circulatory "	1·40	1·49	1·32	356	181	175	1	–	–	–	1	2	2	4	7	–	20	24	44	69	104
Diseases of: Respiratory "	3·59	3·85	3·35	913	468	445	217	126	50	16	17	426	27	6	9	12	25	31	52	82	129
Diseases of: Digestive "	1·35	1·34	1·36	344	163	181	86	33	8	3	4	134	6	6	1	10	11	17	32	44	51
Diseases of: Urinary "	0·38	0·59	0·18	96	72	24	1	–	–	–	2	3	2	7	3	5	6	5	7	18	23
Diseases of: Generative "	0·07	0·02	0·12	18	2	16	–	–	–	–	–	–	–	–	1	1	1	2	9	–	1
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	3	7	4	–	–	–
Childbirth	0·07	–	0·14	19	–	19	–	–	–	–	–	–	–	–	1	2	5	11	–	–	–
Violence	0·68	1·14	0·26	173	139	34	14	2	3	6	2	27	13	9	8	11	16	14	21	26	13
Other Causes	3·83	3·90	3·73	973	477	496	335	11	8	9	6	369	10	11	8	8	17	15	34	52	117

Marriages - - 1,758

Births - Males - 4,325; Females - 4,258 — 8,583

Annual Rate per 1000 living: Persons Married 13·82; Births - - 33·74

Deaths from Childbirth and Puerperal Fever - - - - - 3·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

533.—GUISBROUGH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·43	†136	–	–	–	–	49·33	4·41	2·74	4·85	5·74	7·11	9·00	12·15	25·52	55·43	138·92
Males	—	17·04	†151	–	–	–	–	55·08	3·97	2·80	5·03	5·02	6·90	8·16	13·33	25·71	61·17	139·88
Females	—	15·85	†119	–	–	–	–	43·49	4·87	2·68	4·66	6·45	7·33	9·96	10·80	25·33	49·91	138·07
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·28 per cent.	41,556	1289	1169	1243	1240	1270	6211	5781	4965	3917	3378	5908	4700	3169	2006	1115	406
Males		21,178	643	589	637	613	648	3130	2925	2468	1987	1672	3044	2511	1688	1019	546	188
Females		20,378	646	580	606	627	622	3081	2856	2497	1930	1706	2864	2189	1481	987	569	218
Deaths from All Causes, 1881–90. Persons	16·27	6,761	2024	563	241	150	86	3064	255	136	190	194	420	423	385	512	618	564
Males	16·96	3,592	1176	302	129	76	41	1724	116	69	100	84	210	205	225	262	334	263
Females	15·55	3,169	848	261	112	74	45	1340	139	67	90	110	210	218	160	250	284	301

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	0·00	3	2	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
Measles	0·26	0·26	0·25	106	55	51	27	47	15	8	3	100	4	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·47	0·49	0·45	194	103	91	9	34	37	29	23	132	48	10	1	–	3	–	–	–	–	–
Diphtheria	0·08	0·09	0·07	33	19	14	2	3	3	2	5	15	14	2	1	–	–	–	1	–	–	–
Whooping-cough	0·37	0·33	0·42	155	69	86	82	47	12	13	–	154	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–
Enteric Fever	0·26	0·23	0·28	106	48	58	–	–	2	4	3	9	15	13	15	9	17	14	6	6	2	–
Simple Continued Fever	0·03	0·02	0·04	14	5	9	–	–	–	1	2	3	1	2	–	–	2	–	1	2	–	3
Diarrhœa and Dysentery	0·44	0·44	0·44	183	94	89	122	23	8	1	1	155	3	–	2	1	6	2	–	1	5	8
Cholera	0·04	0·05	0·02	15	10	5	4	2	–	1	–	7	2	–	–	–	1	2	1	1	1	–
Cancer	0·41	0·31	0·51	170	66	104	–	–	–	–	–	–	–	–	1	–	6	14	33	54	40	22
Tabes Mesenterica	0·45	0·49	0·42	189	103	86	113	31	8	7	2	161	11	3	–	2	7	4	–	1	–	–
Phthisis	1·33	1·18	1·48	551	250	301	7	4	2	1	1	15	19	27	73	98	126	106	50	28	8	1
Other Tub. & Scrof. Dis.	0·45	0·46	0·44	187	98	89	66	34	12	13	10	135	27	6	4	2	7	2	2	1	1	–
Diseases of Nervous System	2·43	2·57	2·28	1009	544	465	416	61	33	14	5	529	23	17	15	12	28	29	52	97	118	89
Circulatory „	1·16	1·14	1·19	483	241	242	3	–	–	–	1	4	5	7	10	14	40	53	67	100	118	65
Respiratory „	2·78	3·07	2·48	1156	651	505	351	171	75	40	17	654	38	6	10	13	30	54	53	75	122	101
Digestive „	1·21	1·24	1·17	501	262	239	137	71	16	9	4	237	16	13	10	9	23	35	36	51	52	19
Urinary „	0·29	0·36	0·21	119	76	43	4	4	1	1	3	13	1	1	5	4	10	17	16	14	27	11
Generative „	0·06	0·01	0·10	23	2	21	–	–	–	–	–	–	–	–	–	–	3	8	5	6	–	1
Puerperal Fever	0·09	–	0·18	36	–	36	–	–	–	–	–	–	–	–	2	5	19	10	–	–	–	–
Childbirth	0·09	–	0·19	38	–	38	–	–	–	–	–	–	–	–	1	5	17	14	1	–	–	–
Violence	0·65	1·10	0·18	269	232	37	15	5	10	3	4	37	8	10	26	12	41	35	35	35	20	10
Other Causes	2·90	3·10	2·75	1217	659	558	666	26	7	3	2	704	17	17	14	8	32	23	25	40	103	234

Marriages - - - 2,745

Births - Males - 7,782; Females - 7,115 } 14,897

Annual Rate per 1000 living { Persons Married 13·21; Births - - 35·85

Deaths from Childbirth and Puerperal Fever - - - - - 4·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

534.—MIDDLESBROUGH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 22·57			†161	–	–	–	–	68·61	6·01	3·87	5·46	6·87	8·72	13·08	20·41	38·14	78·74	164·18
Annual Death-Rate per 1000. Males	—			23·88			†177	–	–	–	–	75·00	6·04	4·19	5·90	6·84	8·52	13·60	23·06	41·02	80·81	175·22
Annual Death-Rate per 1000. Females	—			21·33			†146	–	–	–	–	62·28	5·98	3·54	4·97	6·90	8·96	12·41	17·02	34·89	76·74	154·47
Mean Population, 1881–91. Persons	Decennial Increase of Population 34·82 per cent.			105,533			3457	2887	3162	3107	3105	15718	14041	12104	10510	9648	16567	12501	8053	4158	1750	483
Mean Population, 1881–91. Males				55,705			1725	1465	1539	1557	1531	7817	7036	6032	5556	5245	9177	7022	4528	2206	860	226
Mean Population, 1881–91. Females				49,828			1732	1422	1623	1550	1574	7901	7005	6072	4954	4403	7390	5479	3525	1952	890	257
Deaths from All Causes, 1881–90. Persons	20·67			21,813			6734	2284	842	530	394	10784	844	468	574	663	1444	1635	1644	1586	1378	793
Deaths from All Causes, 1881–90. Males	21·55			12,005			3761	1201	445	250	206	5863	425	253	328	359	782	955	1044	905	695	396
Deaths from All Causes, 1881–90. Females	19·68			9,808			2973	1083	397	280	188	4921	419	215	246	304	662	680	600	681	683	397
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·05	0·02	36	27	9	3	–	–	–	–	3	2	1	7	7	6	7	2	1	–	–
Measles	0·49	0·49	0·48	516	275	241	100	218	91	48	28	485	30	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·57	0·55	0·59	602	306	296	35	97	90	94	63	379	161	38	6	4	9	5	–	–	–	–
Diphtheria	0·06	0·04	0·08	63	24	39	5	8	7	11	8	39	16	2	3	2	1	–	–	–	–	–
Whooping-cough	0·61	0·52	0·72	648	291	357	277	200	81	45	20	623	25	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	3	–	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Enteric Fever	0·44	0·46	0·41	460	255	205	1	2	4	8	19	34	53	52	79	68	80	48	32	9	5	–
Simple Continued Fever	0·05	0·05	0·05	53	27	26	5	9	4	3	4	25	3	4	2	3	2	5	4	2	2	1
Diarrhœa and Dysentery	0·88	0·90	0·85	927	502	425	607	176	17	8	8	816	10	3	1	2	6	8	14	15	29	23
Cholera	0·02	0·03	0·01	21	14	7	10	3	1	–	–	14	1	–	–	–	–	–	3	2	1	–
Cancer	0·40	0·27	0·55	426	151	275	–	–	1	2	–	3	1	–	1	3	19	80	126	108	62	23
Tabes Mesenterica	0·63	0·64	0·62	667	359	308	353	176	60	19	8	616	26	11	2	2	4	3	3	–	–	–
Phthisis	1·48	1·48	1·47	1557	823	734	15	24	16	10	15	80	50	85	162	193	412	297	181	73	24	–
Other Tub. & Scrof. Dis.	0·43	0·45	0·41	456	253	203	101	116	39	24	23	303	62	31	12	17	15	10	5	1	–	–
Diseases of: Nervous System	2·76	2·88	2·62	2910	1605	1305	1311	267	107	66	53	1804	108	41	35	40	49	114	161	227	237	94
Diseases of: Circulatory „	1·20	1·22	1·17	1265	682	583	6	1	2	–	–	9	24	23	35	27	107	181	236	280	242	101
Diseases of: Respiratory „	4·75	5·48	3·93	5009	3050	1959	1209	664	241	139	103	2356	133	38	78	112	307	418	490	517	406	154
Diseases of: Digestive „	1·07	1·09	1·05	1130	606	524	364	115	17	9	6	511	38	18	21	28	73	94	123	124	81	19
Diseases of: Urinary „	0·35	0·40	0·30	370	223	147	10	9	3	2	7	31	12	10	17	13	38	70	63	55	38	23
Diseases of: Generative „	0·04	0·00	0·08	44	2	42	2	1	–	–	–	3	2	–	3	3	10	10	8	3	2	–
Puerperal Fever	0·14	–	0·30	149	–	149	–	–	–	–	–	–	–	–	5	39	63	41	1	–	–	–
Childbirth	0·08	–	0·16	80	–	80	–	–	–	–	–	–	–	–	3	13	32	32	–	–	–	–
Violence	0·80	1·19	0·37	849	663	186	77	34	17	21	15	164	39	55	59	52	124	114	114	68	33	27
Other Causes	3·39	3·36	3·43	3572	1867	1705	2243	164	44	21	14	2486	48	56	43	33	86	98	78	100	216	328

Marriages - - - 8,682

Births - { Males - 21,283 / Females - 20,424 } 41,707

Annual Rate per 1000 living { Persons Married 16·45 / Births - - 39·52 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

535.—STOKESLEY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·13	† 98	–	–	–	–	34·00	3·35	2·95	4·84	6·22	6·74	7·17	11·09	23·93	56·55	146·86
Annual Death-Rate per 1000. Males	—	In Standard Population* 14·13	†114	–	–	–	–	39·26	3·71	2·84	3·54	7·11	6·01	6·62	10·22	20·10	60·59	145·45
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·13	† 81	–	–	–	–	28·73	2·95	3·07	6·13	5·48	7·42	7·73	12·00	27·83	52·67	148·20
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·41 per cent.	11,564	293	265	284	282	282	1406	1405	1321	1198	965	1484	1171	974	819	550	271
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·41 per cent.	5,748	152	124	142	144	141	703	728	669	594	436	716	589	499	413	269	132
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·41 per cent.	5,816	141	141	142	138	141	703	677	652	604	529	768	582	475	406	281	139
Deaths from All Causes, 1881–90. Persons	16·25	1,879	324	91	27	20	16	478	47	39	58	60	100	84	108	196	311	398
Deaths from All Causes, 1881–90. Males	16·44	945	194	49	15	8	10	276	27	19	21	31	43	39	51	83	163	192
Deaths from All Causes, 1881–90. Females	16·06	934	130	42	12	12	6	202	20	20	37	29	57	45	57	113	148	206

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·03	0·05	0·02	4	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·15	0·17	0·12	17	10	7	3	7	3	2	1	16	1	–	–	–	–	2	1
Scarlet Fever	0·23	0·30	0·17	27	17	10	1	1	1	7	5	15	9	3	–	–	–	–	–
Diphtheria	0·03	0·03	0·03	4	2	2	–	–	–	–	1	1	1	–	1	–	1	–	–
Whooping-cough	0·42	0·35	0·48	48	20	28	28	13	3	–	3	47	1	–	–	–	–	–	–
Typhus	0·03	0·07	–	4	4	–	–	–	–	1	–	1	–	–	1	1	–	–	1
Enteric Fever	0·08	0·09	0·07	9	5	4	–	–	–	–	–	–	–	1	4	2	1	–	–
Simple Continued Fever	0·05	0·07	0·03	6	4	2	–	–	–	–	1	1	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·26	0·30	0·22	30	17	13	19	3	–	–	–	22	1	–	–	–	–	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·61	0·86	85	35	50	–	–	–	–	–	–	–	–	–	1	–	5	14
Tabes Mesenterica	0·25	0·19	0·31	29	11	18	7	4	2	–	1	14	4	2	1	1	3	2	2
Phthisis	1·29	0·97	1·60	149	56	93	–	–	–	–	–	–	4	8	23	23	43	18	11
Other Tub. & Scrof. Dis.	0·33	0·40	0·26	38	23	15	6	7	3	3	–	19	5	5	5	1	–	1	1
Diseases of Nervous System	2·20	2·30	2·10	254	132	122	60	10	4	1	1	76	4	2	6	4	10	6	13
Diseases of Circulatory „	1·80	1·43	2·17	208	82	126	–	1	–	–	1	2	3	4	4	4	9	13	21
Diseases of Respiratory „	2·68	3·11	2·25	310	179	131	60	33	4	1	1	99	5	2	2	4	9	11	18
Diseases of Digestive „	1·17	1·15	1·19	135	66	69	29	9	2	1	–	41	4	3	4	2	5	3	7
Diseases of Urinary „	0·42	0·63	0·21	48	36	12	1	–	1	–	–	2	1	–	1	1	1	2	4
Diseases of Generative „	0·03	–	0·07	4	–	4	–	–	–	–	–	–	–	–	–	–	1	–	1
Puerperal Fever	0·09	–	0·17	10	–	10	–	–	–	–	–	–	–	–	–	4	3	3	–
Childbirth	0·10	–	0·21	12	–	12	–	–	–	–	–	–	–	–	3	2	4	3	–
Violence	0·54	0·75	0·33	62	43	19	6	2	2	3	–	13	1	2	2	4	5	6	6
Other Causes	3·33	3·47	3·19	386	200	186	104	1	2	1	1	109	3	6	1	5	5	9	7

	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–
Measles	2	1	–	–	–	–
Scarlet Fever	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–
Typhus	1	–	–	–	–	–
Enteric Fever	–	–	–	1	–	–
Simple Continued Fever	–	–	–	–	2	2
Diarrhœa and Dysentery	2	–	–	–	2	3
Cholera	–	–	–	–	–	–
Cancer	27	20	18			
Tabes Mesenterica	–	–	–			
Phthisis	15	4	–			
Other Tub. & Scrof. Dis.	–	1	1	–	1	–
Nervous System	32	50	51			
Circulatory „	31	61	56			
Respiratory „	42	55	63			
Digestive „	21	32	13			
Urinary „	6	22	8			
Generative „	–	2	–			
Puerperal Fever	–	–	–			
Childbirth	–	–	–			
Violence	5	12	6			
Other Causes	15	48	178			

Marriages - - - 595

Births - { Males - 1,696 / Females - 1,597 } 3,293

Annual Rate per 1000 living { Persons Married 10·29 / Births - - 28·48

Deaths from Childbirth and Puerperal Fever - - - - - } 6·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

536.—NORTHALLERTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·32	†104	–	–	–	–	34·08	3·02	2·42	4·61	6·35	8·06	8·19	11·11	24·94	57·22	143·60
Annual Death-Rate per 1000. Males	—	14·53	†114	–	–	–	–	36·34	2·62	2·73	2·58	5·66	7·91	8·66	9·49	26·99	69·64	149·15
Annual Death-Rate per 1000. Females	—	14·13	† 95	–	–	–	–	31·87	3·43	2·12	6·81	7·04	8·19	7·75	12·65	22·78	44·53	138·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·15 per cent.	11,578	294	259	304	283	298	1438	1359	1320	1192	960	1502	1221	972	810	554	256
Mean Population, 1881–91. Males		5,762	145	122	157	134	152	710	688	659	619	477	733	589	474	415	280	118
Mean Population, 1881–91. Females		5,816	149	137	147	149	146	728	671	661	573	483	769	632	498	395	274	132
Deaths from All Causes, 1881–90. Persons	16·29	1,836	346	72	26	29	17	490	41	32	55	61	121	100	108	202	317	359
Deaths from All Causes, 1881–90. Males	16·90	974	187	34	14	13	10	258	18	18	16	27	58	51	45	112	195	176
Deaths from All Causes, 1881–90. Females	15·68	912	159	38	12	16	7	232	23	14	39	34	63	49	63	90	122	183

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·10	0·12	0·09	12	7	5
Scarlet Fever	0·14	0·12	0·15	16	7	9
Diphtheria	0·06	0·05	0·07	7	3	4
Whooping-cough	0·25	0·19	0·31	29	11	18
Typhus	–	–	–	–	–	–
Enteric Fever	0·26	0·28	0·24	30	16	14
Simple Continued Fever	0·02	0·02	0·02	2	1	1
Diarrhœa and Dysentery	0·29	0·35	0·22	33	20	13
Cholera	–	–	–	–	–	–
Cancer	0·77	0·75	0·79	89	43	46
Tabes Mesenterica	0·11	0·12	0·10	13	7	6
Phthisis	1·38	1·23	1·53	160	71	89
Other Tub. & Scrof. Dis.	0·33	0·33	0·33	38	19	19
Diseases of Nervous System	2·65	2·97	2·34	307	171	136
Diseases of Circulatory "	1·72	1·54	1·89	199	89	110
Diseases of Respiratory "	2·57	2·88	2·25	297	166	131
Diseases of Digestive "	0·88	0·90	0·86	102	52	50
Diseases of Urinary "	0·49	0·69	0·29	57	40	17
Diseases of Generative "	0·05	–	0·10	6	–	6
Puerperal Fever	0·07	–	0·14	8	–	8
Childbirth	0·07	–	0·14	8	–	8
Violence	0·42	0·62	0·22	49	36	13
Other Causes	3·66	3·74	3·60	424	215	209

Persons.

	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	5	3	3	–	11	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	2	3	1	1	8	6	2	–	–	–	–	–	–	–	–
Diphtheria	2	–	–	1	1	4	2	–	–	–	–	–	1	–	–	–
Whooping-cough	17	5	1	3	1	27	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	1	3	1	3	5	5	4	5	3	1	–	–
Simple Continued Fever	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	12	3	–	1	–	16	1	–	–	1	1	–	1	1	4	8
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	1	3	3	9	28	34	11
Tabes Mesenterica	6	1	1	–	–	8	–	–	2	1	–	1	1	–	–	–
Phthisis	–	3	–	–	1	4	4	5	25	26	46	19	19	7	4	1
Other Tub. & Scrof. Dis.	12	1	3	3	2	21	–	5	3	2	4	2	–	1	–	–
Diseases of Nervous System	71	11	4	6	4	96	3	9	4	5	8	11	13	39	79	40
Diseases of Circulatory "	–	–	–	–	–	–	2	3	1	2	5	15	19	42	59	51
Diseases of Respiratory "	71	24	6	7	3	111	10	1	4	5	6	12	13	24	44	67
Diseases of Digestive "	11	5	3	1	–	20	4	2	2	1	7	8	3	20	17	18
Diseases of Urinary "	–	1	–	–	–	1	1	–	3	1	8	5	3	7	17	11
Diseases of Generative "	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	1	5	2	–	–	–	–
Violence	3	–	–	1	1	5	2	2	2	3	7	2	4	7	10	5
Other Causes	139	10	1	2	2	154	2	–	3	4	11	14	16	24	49	147

Marriages - - - 628

Births - { Males - 1,646 / Females - 1,677 } 3,323

Annual Rate per 1000 living { Persons Married 10·85 / Births - - 28·70 }

Deaths from Childbirth and Puerperal Fever - - - - 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

537.—BEDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		13·72	†103	–	–	–	–	34·36	4·61	1·96	3·68	5·05	6·74	8·16	10·61	24·01	51·48	136·05
Annual Death-Rate per 1000. Males	—					13·85	†113	–	–	–	–	37·57	4·94	2·06	2·82	4·41	6·16	7·39	11·95	25·68	48·23	147·06
Annual Death-Rate per 1000. Females	—					13·61	† 92	–	–	–	–	30·84	4·26	1·84	4·62	5·63	7·26	8·85	9·34	22·44	54·93	127·48
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 0·52 per cent.			8,249			186	190	199	197	206	978	912	919	815	713	1128	797	707	608	439	233
Mean Population, 1881–91. Males				4,109			84	102	109	106	110	511	466	485	425	340	536	379	343	296	226	102
Mean Population, 1881–91. Females				4,140			102	88	90	91	96	467	446	434	390	373	592	418	364	312	213	131
Deaths from All Causes, 1881–90. Persons	16·57			1,367			229	59	21	12	15	336	42	18	30	36	76	65	75	146	226	317
Deaths from All Causes, 1881–90. Males	16·77			689			130	36	12	8	6	192	23	10	12	15	33	28	41	76	109	150
Deaths from All Causes, 1881–90. Females	16·38			678			99	23	9	4	9	144	19	8	18	21	43	37	34	70	117	167
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	–	0·07	3	–	3	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Measles	0·15	0·15	0·14	12	6	6	2	2	1	1	2	8	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·15	0·24	16	6	10	1	3	1	–	1	6	6	1	1	1	1	–	–	–	–	–
Diphtheria	0·05	0·07	0·02	4	3	1	–	–	–	–	1	1	2	–	–	–	–	1	–	–	–	–
Whooping-cough	0·41	0·32	0·51	34	13	21	16	11	3	–	2	32	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·10	0·07	7	4	3	–	–	–	–	–	–	1	–	1	2	–	2	–	1	–	–
Simple Continued Fever	0·05	0·07	0·02	4	3	1	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·32	0·32	0·31	26	13	13	11	2	–	–	1	14	–	–	–	–	–	2	2	1	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·66	0·75	58	27	31	–	–	–	–	–	–	–	–	–	–	3	3	6	16	18	12
Tabes Mesenterica	0·06	0·02	0·10	5	1	4	1	–	–	–	–	1	1	2	–	–	–	–	–	–	1	–
Phthisis	1·37	1·29	1·45	113	53	60	–	1	–	–	–	1	1	4	15	17	31	20	12	8	4	–
Other Tub. & Scrof. Dis.	0·50	0·61	0·39	1	25	16	5	10	4	3	1	23	6	2	4	1	–	3	1	1	–	–
Diseases of Nervous System	1·92	1·83	2·00	158	75	83	29	10	1	2	1	43	4	2	–	2	3	4	8	19	42	31
Diseases of Circulatory „	1·37	1·24	1·50	113	51	62	1	–	–	–	–	1	1	1	–	1	5	2	9	26	42	25
Diseases of Respiratory „	2·53	2·70	2·37	209	111	98	54	11	8	4	2	79	4	1	1	1	9	8	12	22	32	40
Diseases of Digestive „	0·98	1·05	0·92	81	43	38	15	3	–	1	1	20	2	–	–	1	2	5	5	16	19	11
Diseases of Urinary „	0·59	0·71	0·48	49	29	20	1	–	–	–	–	1	1	–	–	–	3	5	3	8	18	10
Diseases of Generative „	0·05	0·02	0·07	4	1	3	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Puerperal Fever	0·10	–	0·19	8	–	8	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–
Childbirth	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Violence	0·51	0·68	0·34	42	28	14	1	–	–	1	–	2	3	1	3	2	5	3	4	6	7	6
Other Causes	4·56	·78	4·37	377	197	180	91	6	3	–	3	103	2	4	3	4	4	5	12	22	41	177

Marriages 471

Births { Males 1,152, Females 1,073 } 2,225

Annual Rate per 1000 living { Persons Married 11·42, Births 26·97 }

Deaths from Childbirth and Puerperal Fever 4·94 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

538.—LEYBURN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·17	† 94	–	–	–	–	26·76	3·44	1·83	4·51	4·41	8·12	7·88	15·63	22·94	49·48	140·39
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·20	†105	–	–	–	–	29·98	2·99	1·59	4·20	4·06	7·16	7·75	15·43	25·25	54·63	136·36
Annual Death-Rate per 1000. Females	—	In Standard Population* 13·15	† 82	–	–	–	–	23·74	3·88	2·12	4·82	4·75	8·97	7·98	15·82	20·80	44·92	144·23
Mean Population, 1881-91. Persons	Decennial Decrease of Population 8·27 per cent.	7,980	167	189	188	175	204	923	873	929	799	657	1010	825	646	632	483	203
Mean Population, 1881-91. Males		3,902	76	93	92	87	99	447	435	504	405	320	475	374	311	305	227	99
Mean Population, 1881-91. Females		4,078	91	96	96	88	105	476	438	425	394	337	535	451	335	327	256	104
Deaths from All Causes, 1881-90. Persons	15·99	1,276	183	31	17	9	7	247	30	17	36	29	82	65	101	145	239	285
Deaths from All Causes, 1881-90. Males	16·20	632	103	16	7	5	3	134	13	8	17	13	34	29	48	77	124	135
Deaths from All Causes, 1881-90. Females	15·79	644	80	15	10	4	4	113	17	9	19	16	48	36	53	68	115	150

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·08	0·05	0·10	6	2	4	1	1	1	–	1	4	–	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·23	0·21	0·24	18	8	10	–	–	5	–	–	5	7	2	2	2	–	–	–	–	–	–
Diphtheria	0·04	–	0·07	3	–	3	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·21	0·32	21	8	13	14	6	1	–	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·21	0·10	12	8	4	–	–	–	–	1	1	1	2	1	3	1	–	1	2	–	–
Simple Continued Fever	0·03	0·03	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Diarrhœa and Dysentery	0·35	0·41	0·29	28	16	12	18	1	1	–	–	20	–	–	–	–	–	–	–	3	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·69	0·49	0·88	55	19	36	–	–	–	–	–	–	–	–	1	–	–	1	10	16	21	6
Tabes Mesenterica	0·13	0·08	0·17	10	3	7	1	–	1	1	–	3	2	1	1	–	2	1	–	–	–	–
Phthisis	1·43	1·33	1·52	114	52	62	1	–	–	–	–	1	2	3	11	16	32	21	14	8	6	–
Other Tub. & Scrof. Dis.	0·21	0·18	0·25	17	7	10	6	1	–	1	–	8	4	1	2	–	1	–	1	–	–	–
Diseases of Nervous System	2·14	2·08	2·21	171	81	90	28	5	1	–	–	34	3	1	3	1	4	6	13	30	39	37
Diseases of Circulatory „	1·85	2·00	1·72	148	78	70	–	–	–	–	–	–	–	–	4	1	4	5	14	28	50	42
Diseases of Respiratory „	2·22	2·56	1·89	177	100	77	28	13	2	3	2	48	2	–	2	3	7	3	14	17	35	46
Diseases of Digestive „	1·01	1·08	0·96	81	42	39	10	2	1	–	1	14	2	–	3	1	8	4	8	17	15	9
Diseases of Urinary „	0·35	0·49	0·22	28	19	9	–	–	–	–	–	–	–	2	1	–	1	2	2	3	11	6
Diseases of Generative „	0·04	–	0·07	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
Puerperal Fever	0·15	–	0·29	12	–	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Childbirth	0·11	–	0·22	9	–	9	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	0·46	0·62	0·32	37	24	13	3	–	–	1	–	4	1	3	3	–	3	4	3	2	7	7
Other Causes	4·06	4·17	3·93	324	164	160	73	2	3	3	1	82	4	1	2	–	8	9	17	19	54	128

Marriages - - 443

Births - { Males - 978, Females - 978 } 1,956

Annual Rate per 1000 living { Persons Married 11·10; Births - - 24·51 }

Deaths from Childbirth and Puerperal Fever - - - - 1·07 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

539.—AYSGARTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·79	†117	–	–	–	–	37·27	4·06	2·50	4·72	6·51	11·00	11·93	11·01	24·02	56·16	148·18
Annual Death-Rate per 1000. Males	—	14·52	†114	–	–	–	–	37·80	3·39	1·67	4·33	3·37	8·91	10·53	11·42	23·67	56·03	149·12
Annual Death-Rate per 1000. Females	—	17·00	†121	–	–	–	–	37·24	4·78	3·44	5·11	9·46	13·07	13·36	10·64	24·38	56·30	147·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 13·61 per cent.	5,109	132	122	123	117	115	609	567	561	466	430	700	528	454	408	276	110
Mean Population, 1881–91. Males		2,590	62	62	70	63	62	319	295	299	231	208	348	266	219	207	141	57
Mean Population, 1881–91. Females		2,519	70	60	53	54	53	290	272	262	235	222	352	262	235	201	135	53
Deaths from All Causes, 1881–90. Persons	18·01	920	169	28	10	11	9	227	23	14	22	28	77	63	50	98	155	163
Deaths from All Causes, 1881–90. Males	17·30	448	85	14	5	8	7	119	10	5	10	7	31	28	25	49	79	85
Deaths from All Causes, 1881–90. Females	18·74	472	84	14	5	3	2	108	13	9	12	21	46	35	25	49	76	78

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·20	0·12	0·28	10	3	7	–	2	2	1	–	5	1	1	1	–	–	2	–	–	–	–
Scarlet Fever	0·22	0·19	0·24	11	5	6	1	–	1	2	4	8	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·08	0·08	0·08	4	2	2	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–
Whooping-cough	0·14	0·08	0·20	7	2	5	7	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·45	0·50	0·40	23	13	10	–	–	–	1	–	1	5	3	4	–	4	1	2	2	1	–
Simple Continued Fever	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·25	0·27	0·24	13	7	6	3	–	–	–	–	3	–	–	–	1	1	1	1	1	2	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·43	0·31	0·56	22	8	14	–	–	–	–	–	–	1	–	–	–	–	4	4	7	6	–
Tabes Mesenterica	0·45	0·42	0·48	23	11	12	13	1	2	1	–	17	1	1	–	2	–	1	1	–	–	–
Phthisis	1·41	1·08	1·75	72	28	44	–	1	–	–	–	1	–	1	7	12	24	16	3	7	1	–
Other Tub. & Scrof. Dis.	0·23	0·23	0·24	12	6	6	2	2	1	1	–	6	1	2	1	–	1	–	–	1	–	–
Diseases of: Nervous System	2·23	2·43	2·02	114	63	51	14	4	–	–	1	19	4	2	1	–	4	4	6	19	27	28
Diseases of: Circulatory „	1·43	1·43	1·43	73	37	36	1	–	–	–	–	1	–	–	–	1	7	3	9	16	28	8
Diseases of: Respiratory „	2·78	2·78	2·78	142	72	70	31	10	2	5	1	49	3	2	1	3	6	8	7	15	27	21
Diseases of: Digestive „	1·25	1·16	1·35	64	30	34	10	4	1	–	–	15	1	–	3	1	4	8	6	11	10	5
Diseases of: Urinary „	0·63	0·66	0·60	32	17	15	1	–	–	–	–	1	–	1	–	2	6	–	3	3	8	8
Diseases of: Generative „	0·16	–	0·32	8	–	8	–	–	–	–	–	–	–	–	2	1	2	1	–	1	1	–
Puerperal Fever	0·08	–	0·16	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Childbirth	0·16	–	0·32	8	–	8	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–
Violence	0·49	0·62	0·36	25	16	9	3	1	–	–	–	4	–	–	1	1	3	3	4	4	3	2
Other Causes	4·92	4·90	4·93	252	127	125	83	3	1	–	1	88	3	–	–	3	7	7	4	11	41	88

Marriages - - - 336

Births - Males - 744; Females - 695 — 1,439

Annual Rate per 1000 living: Persons Married 13·15; Births - - 28·17

Deaths from Childbirth and Puerperal Fever - - - - - 8·34 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

540.—REETH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		16·63	†91	–	–	–	–	29·48	4·29	4·00	4·03	6·42	8·02	11·91	20·33	34·83	66·84	171·62
Annual Death-Rate per 1000. Males	—					17·91	†97	–	–	–	–	32·76	5·11	4·05	1·54	7·65	10·16	10·08	20·56	48·36	77·11	191·30
Annual Death-Rate per 1000. Females	—					15·42	†86	–	–	–	–	26·48	3·46	3·94	6·78	5·10	6·12	13·96	20·11	23·45	59·09	162·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 31·80 per cent.			3,967			97	93	103	93	99	485	466	425	372	327	524	470	364	267	193	74
Mean Population, 1881–91. Males				1,956			45	40	52	46	49	232	235	222	195	170	246	248	180	122	83	23
Mean Population, 1881–91. Females				2,011			52	53	51	47	50	253	231	203	177	157	278	222	184	145	110	51
Deaths from All Causes, 1881–90. Persons	18·58			737			102	20	7	11	3	143	20	17	15	21	42	56	74	93	129	127
Deaths from All Causes, 1881–90. Males	18·76			367			53	14	2	6	1	76	12	9	3	13	25	25	37	59	64	44
Deaths from All Causes, 1881–90. Females	18·40			370			49	6	5	5	2	67	8	8	12	8	17	31	37	34	65	83
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·26	0·20	9	5	4	1	4	1	1	–	7	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·08	0·05	0·10	3	1	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	0·10	0·05	0·15	4	1	3	–	–	1	–	1	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	0·05	0·05	0·05	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·15	0·10	5	3	2	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
Simple Continued Fever	0·10	0·15	0·05	4	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Diarrhœa and Dysentery	0·15	0·20	0·10	6	4	2	3	1	–	1	–	5	–	–	–	–	–	–	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·68	0·66	0·70	27	13	14	–	–	–	–	–	–	–	–	–	–	1	–	5	9	6	6
Tabes Mesenterica	0·05	0·05	0·05	2	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Phthisis	2·55	2·56	2·54	101	50	51	1	–	–	–	1	2	3	5	5	11	19	19	14	16	6	1
Other Tub. & Scrof. Dis.	0·28	0·10	0·45	11	2	9	1	–	–	2	–	3	3	2	2	–	–	–	–	1	–	–
Diseases of: Nervous System	1·79	1·33	2·24	71	26	45	12	–	1	–	–	13	2	2	3	–	–	4	5	8	18	16
Diseases of: Circulatory „	2·44	2·20	2·69	97	43	54	–	–	–	–	–	–	–	–	–	–	1	9	16	8	33	30
Diseases of: Respiratory „	2·65	3·58	1·74	105	70	35	11	7	3	3	–	24	4	2	3	3	2	2	11	16	25	13
Diseases of: Digestive „	1·31	1·33	1·29	52	26	26	7	6	–	–	–	13	2	–	1	–	3	3	10	5	10	5
Diseases of: Urinary „	0·63	0·66	0·60	25	13	12	–	–	–	–	–	–	–	–	–	1	2	2	2	5	10	3
Diseases of: Generative „	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·10	–	0·20	4	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Violence	0·50	0·77	0·25	20	15	5	3	–	1	2	1	7	–	2	–	2	1	5	–	3	–	–
Other Causes	4·76	4·61	4·90	189	90	99	61	2	–	–	–	63	1	2	1	3	9	10	9	17	21	53

Marriages - - 275

Births - Males - 547, Females - 573 } 1,120

Annual Rate per 1000 living { Persons Married 13·86; Births - - 28·23

Deaths from Childbirth and Puerperal Fever - - - - - } 3·57 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

541.—RICHMOND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		14·33	†95	–	–	–	–	34·92	4·07	2·39	3·89	5·64	5·62	9·26	11·26	24·54	62·85	141·29
Annual Death-Rate per 1000. Males	—					14·79	†97	–	–	–	–	37·95	3·05	1·93	3·82	6·48	5·88	9·82	11·51	27·96	61·92	155·63
Annual Death-Rate per 1000. Females	—					13·90	†93	–	–	–	–	31·79	5·16	2·89	3·96	4·85	5·39	8·70	11·01	21·30	63·75	127·67
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·12 per cent.			13,046			326	308	329	314	301	1578	1524	1505	1364	1117	1744	1350	1075	868	611	310
Mean Population, 1881–91. Males				6,507			167	156	173	155	150	801	787	778	707	540	817	672	530	422	302	151
Mean Population, 1881–91. Females				6,539			159	152	156	159	151	777	737	727	657	577	927	678	545	446	309	159
Deaths from All Causes, 1881–90. Persons	16·43			2,144			350	106	31	34	30	551	62	36	53	63	98	125	121	213	384	438
Deaths from All Causes, 1881–90. Males	17·21			1,120			190	58	16	25	15	304	24	15	27	35	48	66	61	118	187	235
Deaths from All Causes, 1881–90. Females	15·66			1,024			160	48	15	9	15	247	38	21	26	28	50	59	60	95	197	203
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Measles	0·13	0·12	0·14	17	8	9	5	4	1	1	2	13	3	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·12	0·17	0·08	16	11	5	1	2	2	6	1	12	1	1	1	–	–	–	1	–	–	–
Diphtheria	0·18	0·12	0·23	23	8	15	–	2	1	2	4	9	12	1	1	–	–	–	–	–	–	–
Whooping-cough	0·26	0·22	0·31	34	14	20	17	11	2	2	1	33	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·06	0·03	6	4	2	–	–	–	–	–	–	–	–	2	–	2	1	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·12	0·14	0·11	16	9	7	6	2	–	–	–	8	–	–	–	–	1	–	–	–	4	3
Cholera	0·02	0·03	0·02	3	2	1	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·74	0·73	96	48	48	–	–	–	–	–	–	–	–	–	–	1	4	8	21	41	21
Tabes Mesenterica	0·10	0·06	0·14	13	4	9	4	4	–	1	–	9	–	–	1	1	2	–	–	–	–	–
Phthisis	1·62	1·49	1·74	211	97	114	2	2	1	–	1	6	4	11	26	29	41	38	25	13	13	5
Other Tub. & Scrof. Dis.	0·37	0·37	0·37	48	24	24	10	8	5	1	1	25	8	1	5	2	2	3	2	–	–	–
Diseases of: Nervous System	2·44	2·86	2·02	318	186	132	63	9	5	4	5	86	5	3	2	4	10	20	14	36	64	74
Diseases of: Circulatory „	1·59	1·51	1·68	208	98	110	–	–	–	–	–	–	1	5	2	4	1	9	12	40	71	63
Diseases of: Respiratory „	2·99	3·17	2·81	390	206	184	64	33	8	7	9	121	11	1	1	4	5	12	18	36	81	100
Diseases of: Digestive „	1·06	0·98	1·13	138	64	74	22	14	1	–	1	38	3	3	3	4	6	4	12	17	29	19
Diseases of: Urinary „	0·54	0·65	0·44	71	42	29	1	2	–	–	–	3	1	1	3	–	4	7	7	15	15	15
Diseases of: Generative „	0·08	–	0·15	10	–	10	–	–	–	–	–	–	1	–	–	–	1	–	2	1	4	1
Puerperal Fever	0·05	–	0·11	7	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Childbirth	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–
Violence	0·53	0·85	0·21	69	55	14	4	4	1	5	–	14	6	2	2	3	4	9	5	11	8	5
Other Causes	3·38	3·64	3·13	443	238	205	149	9	4	5	5	172	4	7	4	10	11	13	14	23	53	132

Marriages - - 772

Births - Males - 1,949; Females - 1,726 } 3,675

Annual Rate per 1000 living { Persons Married 11·84; Births - - 28·17

Deaths from Childbirth and Puerperal Fever - - - - - 3·27 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

542.—DARLINGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		17·24	†128	–	–	–	–	46·49	5·31	3·16	4·48	5·65	7·74	9·75	13·90	28·02	63·89	161·86
Annual Death-Rate per 1000. Males	—					17·74	†137	–	–	–	–	50·28	4·87	3·53	4·58	5·30	6·85	9·35	15·35	30·42	70·96	165·52
Annual Death-Rate per 1000. Females	—					16·77	†118	–	–	–	–	42·73	5·75	2·80	4·39	5·97	8·60	10·14	12·50	25·74	57·97	159·18
Mean Population, 1881-91. Persons	Decennial Increase of Population 3·85 per cent.			48,594			1319	1206	1299	1285	1303	6412	6103	5570	5177	4405	6922	5305	4057	2630	1465	548
Mean Population, 1881-91. Males				23,780			651	610	655	621	657	3194	3059	2780	2465	2058	3387	2662	1993	1282	668	232
Mean Population, 1881-91. Females				24,814			668	596	644	664	646	3218	3044	2790	2712	2347	3535	2643	2064	1348	797	316
Deaths from All Causes, 1881-90. Persons	16·75			8,139			2003	542	214	126	96	2981	324	176	232	249	536	517	564	737	936	887
Deaths from All Causes, 1881-90. Males	17·28			4,110			1085	287	109	75	50	1606	149	98	113	109	232	249	306	390	474	384
Deaths from All Causes, 1881-90. Females	16·24			4,029			918	255	105	51	46	1375	175	78	119	140	304	268	258	347	462	503
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	6	4	2	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–
Measles	0·22	0·26	0·19	108	61	47	21	46	14	5	6	92	15	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·19	0·20	0·17	91	48	43	4	11	17	13	12	57	21	10	–	1	2	–	–	–	–	–
Diphtheria	0·07	0·07	0·06	32	16	16	2	4	1	6	4	17	9	1	1	–	3	–	–	1	–	–
Whooping-cough	0·30	0·26	0·35	149	61	88	76	46	16	6	2	146	2	1	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·21	0·24	0·19	104	58	46	–	1	1	3	–	5	7	14	17	12	20	10	9	7	2	1
Simple Continued Fever	0·01	0·02	0·01	6	4	2	–	–	1	–	–	1	–	1	1	1	–	1	–	–	–	1
Diarrhœa and Dysentery	0·58	0·60	0·56	282	143	139	187	28	4	–	1	220	4	1	–	1	4	5	2	8	20	17
Cholera	0·01	0·02	0·01	6	4	2	3	–	–	–	–	3	1	1	–	–	–	–	–	–	–	1
Cancer	0·50	0·34	0·65	241	81	160	–	–	1	–	–	1	–	–	2	2	6	21	52	71	57	29
Tabes Mesenterica	0·35	0·33	0·36	168	79	89	80	36	15	3	–	134	19	2	4	4	2	2	–	1	–	–
Phthisis	1·59	1·54	1·64	773	366	407	5	3	6	–	3	17	20	40	85	101	224	126	95	47	17	1
Other Tub. & Scrof. Dis.	0·57	0·60	0·54	276	142	134	62	57	28	13	17	177	44	20	6	5	11	7	2	4	–	–
Diseases of: Nervous System	2·52	2·72	2·33	1223	646	577	442	65	25	11	11	554	44	19	24	13	26	52	53	118	174	146
Diseases of: Circulatory "	1·68	1·66	1·69	814	395	419	2	–	–	–	2	4	17	11	25	18	33	69	111	149	227	150
Diseases of: Respiratory "	2·97	3·19	2·75	1441	759	682	349	158	63	42	21	633	46	12	12	16	61	78	84	151	184	164
Diseases of: Digestive "	1·19	1·13	1·24	577	269	308	131	51	5	6	5	198	23	4	11	15	35	36	58	84	78	35
Diseases of: Urinary "	0·36	0·43	0·29	176	103	73	4	2	–	1	–	7	3	2	5	10	14	23	26	27	35	24
Diseases of: Generative "	0·02	0·00	0·04	11	1	10	–	–	–	–	–	–	–	–	1	–	2	2	–	2	3	1
Puerperal Fever	0·08	–	0·15	38	–	38	–	–	–	–	–	–	–	–	1	10	16	11	–	–	–	–
Childbirth	0·07	–	0·14	34	–	34	–	–	–	–	–	–	–	–	1	4	17	12	–	–	–	–
Violence	0·52	0·80	0·24	251	191	60	13	10	7	9	8	47	29	10	16	8	27	30	27	25	19	13
Other Causes	2·73	2·85	2·63	1331	679	652	622	24	10	8	4	668	20	27	18	27	32	31	42	42	120	304

Marriages - - 3,553

Births - { Males - 7,929 / Females - 7,760 } 15,689

Annual Rate per 1000 living { Persons Married 14·62 / Births - - 32·29 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

543.—STOCKTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·10	†146	–	–	–	–	59·66	6·18	3·81	5·14	7·24	8·85	14·27	20·35	35·95	69·20	159·70
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·37	†160	–	–	–	–	64·81	6·47	4·11	5·32	7·32	8·80	14·64	22·38	39·95	74·52	171·88
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·90	†131	–	–	–	–	54·63	5·89	3·51	4·96	7·14	8·91	13·81	17·98	31·72	64·10	149·39
Mean Population, 1881–91. Persons	Decennial Increase of Population 19·05 per cent.	74,783	2300	2078	2132	2107	2087	10704	9601	8270	7468	6896	11558	8650	5842	3433	1753	608
Mean Population, 1881–91. Males	Decennial Increase of Population 19·05 per cent.	38,676	1115	1026	1100	1032	1015	5288	4778	4087	3819	3647	6238	4768	3155	1762	856	278
Mean Population, 1881–91. Females	Decennial Increase of Population 19·05 per cent.	36,107	1185	1052	1032	1075	1072	5416	4823	4183	3649	3249	5320	3882	2687	1671	897	330
Deaths from All Causes 1881–90. Persons	20·11	15,041	3973	1311	534	321	247	6386	593	315	384	499	1023	1234	1189	1234	1213	971
Deaths from All Causes 1881–90. Males	21·06	8,147	2197	691	270	146	123	3427	309	168	203	267	549	698	706	704	638	478
Deaths from All Causes 1881–90. Females	19·09	6,894	1776	620	264	175	124	2959	284	147	181	232	474	536	483	530	575	493

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·04	0·03	25	14	11	6	1	1	–	1	9	2	5	1	1	3	3	1	–	–	–
Measles	0·47	0·48	0·45	351	187	164	76	121	54	37	25	313	32	3	1	1	1	–	–	–	–	–
Scarlet Fever	0·54	0·52	0·56	402	200	202	21	51	64	54	56	246	112	23	11	4	5	–	–	–	1	–
Diphtheria	0·11	0·11	0·11	85	44	41	4	12	14	17	5	52	26	4	1	–	1	1	–	–	–	–
Whooping-cough	0·46	0·40	0·53	343	153	190	147	102	42	18	15	324	17	2	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–
Enteric Fever	0·34	0·34	0·34	256	133	123	–	2	5	15	8	30	34	28	34	36	37	26	21	8	1	1
Simple Continued Fever	0·02	0·03	0·02	16	10	6	1	2	1	1	2	7	1	–	–	–	5	1	–	1	–	1
Diarrhœa and Dysentery	0·73	0·77	0·69	545	297	248	325	112	18	6	5	466	3	–	–	–	4	3	7	24	20	18
Cholera	0·01	0·01	0·01	7	5	2	2	–	–	–	–	2	1	–	–	–	1	1	1	–	1	–
Cancer	0·44	0·34	0·55	329	132	197	–	–	–	–	–	–	1	–	1	1	13	51	82	83	71	26
Tabes Mesenterica	0·49	0·45	0·49	353	175	178	172	95	23	11	5	306	16	9	2	5	3	5	1	5	1	–
Phthisis	1·83	1·79	1·88	1372	692	680	12	19	12	3	5	51	40	62	137	187	351	278	179	68	18	1
Other Tub. & Scrof. Dis.	0·52	0·54	0·51	392	209	183	100	93	36	16	18	263	41	27	8	16	13	13	4	6	1	–
Diseases of: Nervous System	3·24	3·59	2·87	2426	1390	1036	770	170	65	39	29	1064	69	27	25	41	115	254	225	228	248	130
Diseases of: Circulatory „	1·48	1·44	1·53	1107	556	551	9	2	2	1	1	15	11	20	23	29	71	130	172	247	257	132
Diseases of: Respiratory „	3·45	3·92	2·96	2583	1515	1068	590	320	141	67	54	1172	92	18	21	42	127	184	227	286	254	160
Diseases of: Digestive „	1·11	1·08	1·14	828	416	412	244	102	15	7	7	375	17	14	13	10	49	69	93	86	86	25
Diseases of: Urinary „	0·26	0·32	0·21	198	123	75	4	8	2	2	1	17	12	5	8	7	21	27	25	36	23	17
Diseases of: Generative „	0·03	–	0·06	20	–	20	–	–	1	–	–	1	–	–	–	–	2	5	6	3	3	–
Puerperal Fever	0·10	–	0·20	72	–	72	–	–	–	–	–	–	–	–	6	17	40	9	–	–	–	–
Childbirth	0·08	–	0·17	60	–	60	–	–	–	–	–	–	–	–	2	13	19	26	–	–	–	–
Violence	0·81	1·28	0·32	608	494	114	27	19	18	16	13	93	33	42	60	59	79	80	60	58	32	12
Other Causes	3·55	3·60	3·45	2659	1400	1259	1463	80	20	11	6	1580	32	26	30	29	71	68	85	95	195	448

Marriages - - - 5,563

Births - Males - 13,701, Females - 13,514 } 27,215

Annual Rate per 1,000 living { Persons Married 14·88; Births - - 36·39

Deaths from Childbirth and Puerperal Fever - - - - - } 4·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

544.—HARTLEPOOL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·84	†144	–	–	–	–	59·29	6·23	3·65	4·61	6·24	7·24	11·40	17·03	31·84	67·27	163·94
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·59	†155	–	–	–	–	63·36	6·59	3·48	5·20	5·96	7·08	11·17	17·43	34·87	69·17	181·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 19·13	†131	–	–	–	–	55·14	5·86	3·83	4·01	6·53	7·40	11·66	16·59	28·69	65·43	150·45
Mean Population, 1881–91. Persons	Decennial Increase of Population 37·08 per cent.	57,626	1872	1689	1715	1657	1638	8571	7453	6275	6013	5355	8858	6492	4309	2635	1274	391
Mean Population, 1881–91. Males		29,620	958	855	868	844	804	4329	3732	3222	3019	2752	4644	3517	2266	1342	626	171
Mean Population, 1881–91. Females		28,006	914	834	847	813	834	4242	3721	3053	2994	2603	4214	2975	2043	1293	648	220
Deaths from All Causes, 1881–90. Persons	18·81	10,838	3155	1091	419	257	160	5082	464	229	277	334	641	740	734	839	857	641
Deaths from All Causes, 1881–90. Males	19·41	5,750	1746	576	212	127	82	2743	246	112	157	164	329	393	395	468	433	310
Deaths from All Causes, 1881–90. Females	18·17	5,088	1409	515	207	130	78	2339	218	117	120	170	312	347	339	371	424	331

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·10	0·10	0·09	57	31	26	8	2	1	2	1	14	8	1	2	10	10	6	2	1	3	–
Measles	0·29	0·29	0·28	165	86	79	37	60	22	22	7	148	17	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·58	0·60	0·56	334	178	156	19	50	51	48	34	202	96	26	2	4	3	–	–	–	1	–
Diphtheria	0·05	0·04	0·06	27	11	16	2	6	5	2	2	17	7	–	2	–	–	–	–	–	–	1
Whooping-cough	0·47	0·44	0·51	273	129	144	97	94	42	19	9	261	11	1	–	–	–	–	–	–	–	–
Typhus	0·07	0·08	0·05	39	24	15	–	–	–	–	–	–	1	2	2	–	7	9	8	7	3	–
Enteric Fever	0·24	0·23	0·25	138	68	70	3	5	1	3	6	18	18	16	23	23	13	11	7	5	3	1
Simple Continued Fever	0·04	0·03	0·04	21	9	12	–	–	3	3	1	7	6	1	1	–	1	2	1	1	–	1
Diarrhœa and Dysentery	0·76	0·78	0·74	436	230	206	300	74	10	2	5	391	3	2	–	1	3	4	6	9	7	10
Cholera	0·01	0·02	0·01	8	5	3	1	1	–	–	–	2	–	–	–	–	1	1	2	1	1	–
Cancer	0·53	0·37	0·69	303	110	193	–	–	1	–	–	1	1	3	1	2	12	45	68	88	64	18
Tabes Mesenterica	0·35	0·36	0·34	202	107	95	71	59	24	5	4	163	13	5	5	7	3	3	2	1	–	–
Phthisis	1·52	1·49	1·56	877	440	437	12	9	7	6	3	37	27	53	95	121	212	170	100	42	14	6
Other Tub. & Scrof. Dis.	0·53	0·54	0·52	307	160	147	71	60	31	19	8	189	40	19	15	8	12	11	10	2	1	–
Diseases of Nervous System	2·67	2·83	2·50	1536	837	699	579	132	46	30	18	805	64	24	23	20	52	67	73	131	189	88
Diseases of Circulatory „	1·18	1·26	1·10	682	373	309	3	1	–	1	1	6	12	13	15	20	52	101	133	135	132	63
Diseases of Respiratory „	3·43	3·63	3·21	1975	1076	899	560	373	113	60	35	1141	61	18	16	34	61	98	122	167	176	81
Diseases of Digestive „	1·17	1·23	1·10	672	364	308	237	72	7	8	6	330	18	4	9	10	31	52	55	84	59	20
Diseases of Urinary „	0·31	0·32	0·30	180	96	84	10	3	4	6	4	27	11	2	2	5	13	21	26	34	27	12
Diseases of Generative „	0·05	–	0·10	28	–	28	1	–	–	–	–	1	–	–	–	2	6	3	6	7	2	1
Puerperal Fever	0·09	–	0·18	50	–	50	–	–	–	–	–	–	–	–	4	11	28	6	1	–	–	–
Childbirth	0·09	–	0·18	50	–	50	–	–	–	–	–	–	–	–	2	9	26	11	2	–	–	–
Violence	0·65	1·00	0·28	374	295	79	14	14	11	7	10	56	21	16	39	29	56	51	40	27	26	13
Other Causes	3·63	3·77	3·52	2104	1121	983	1130	76	40	14	6	1266	29	23	19	18	39	68	70	97	149	326

Marriages - - - 4,734

Births { Males - 11,260 / Females - 10,718 } 21,978

Annual Rate per 1000 living { Persons Married 16·43 / Births - - 38·14 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

545.—AUCKLAND.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 1935			†156	–	–	–	–	59·32	5·84	4·30	5·83	6·42	7·44	9·46	13·53	29·21	68·79	156·39
Annual Death-Rate per 1000. Males	—			In Standard Population* 1964			†171	–	–	–	–	64·55	5·48	4·52	5·61	5·57	6·01	8·41	13·12	31·14	72·92	166·67
Annual Death-Rate per 1000. Females	—			In Standard Population* 1909			†140	–	–	–	–	54·17	6·19	4·08	6·07	7·36	9·07	10·66	14·00	27·05	64·38	147·56
Mean Population, 1881–91. Persons	Decennial Increase of Population 6·49 per cent.			86,285			2901	2433	2553	2518	2533	12938	11790	10137	8857	7788	12380	9143	6483	4098	2022	649
Mean Population, 1881–91. Males				44,619			1441	1216	1269	1262	1233	6421	5898	5063	4689	4077	6589	4885	3491	2161	1045	300
Mean Population, 1881–91. Females				41,666			1460	1217	1284	1256	1300	6517	5892	5074	4168	3711	5731	4258	2992	1937	977	349
Deaths from All Causes, 1881–90. Persons	18·64			16,081			5094	1437	539	351	254	7675	688	436	516	500	921	865	877	1197	1391	1015
Deaths from All Causes, 1881–90. Males	18·80			8,387			2847	747	274	158	119	4145	323	229	263	227	396	411	458	673	762	500
Deaths from All Causes, 1881–90. Females	18·47			7,694			2247	690	265	193	135	3530	365	207	253	273	525	454	419	524	629	515
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	18	11	7	1	1	1	1	–	4	–	1	1	3	3	4	1	1	–	–
Measles	0·39	0·40	0·37	336	180	156	77	132	48	34	19	310	21	3	2	–	–	–	–	–	–	–
Scarlet Fever	0·60	0·58	0·62	517	260	257	28	52	68	81	68	297	163	43	3	6	3	1	–	–	1	–
Diphtheria	0·06	0·04	0·08	54	20	34	7	5	4	3	7	26	20	2	3	1	1	1	–	–	–	–
Whooping-cough	0·38	0·33	0·43	328	147	181	173	86	34	19	6	318	10	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·04	0·03	29	16	13	–	–	–	–	–	–	2	4	6	2	2	4	4	2	3	–
Enteric Fever	0·37	0·35	0·38	318	158	160	3	9	6	6	7	31	54	45	46	32	47	29	16	15	3	–
Simple Continued Fever	0·04	0·03	0·05	33	12	21	1	3	2	1	1	8	9	4	8	1	–	–	2	1	–	–
Diarrhœa and Dysentery	0·64	0·63	0·66	555	281	274	367	95	8	4	4	478	4	1	3	3	3	7	5	10	28	13
Cholera	0·01	0·02	0·01	10	7	3	2	2	–	–	1	5	–	1	–	–	–	1	1	1	1	–
Cancer	0·36	0·25	0·47	310	113	197	–	1	–	–	–	1	–	–	1	3	12	40	86	81	66	20
Tabes Mesenterica	0·57	0·59	0·54	488	261	227	269	124	30	17	5	445	17	13	4	2	3	2	2	–	–	–
Phthisis	1·48	1·29	1·68	1276	574	702	6	4	5	4	1	20	42	94	196	213	313	202	119	58	17	2
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	331	187	144	77	59	36	20	10	202	52	30	13	9	15	5	3	1	1	–
Diseases of: Nervous System	2·86	3·02	2·70	2469	1346	1123	1147	169	75	39	29	1459	93	58	35	18	56	81	100	217	229	123
Diseases of: Circulatory „	1·18	1·10	1·26	1016	491	525	1	4	–	2	2	9	22	25	31	31	85	115	138	231	238	91
Diseases of: Respiratory „	3·45	3·65	3·24	2975	1626	1349	944	448	158	82	66	1698	86	21	30	37	94	96	145	263	307	198
Diseases of: Digestive „	1·20	1·15	1·25	1036	514	522	313	135	28	7	7	490	19	12	14	25	53	69	97	124	103	30
Diseases of: Urinary „	0·32	0·38	0·24	273	171	102	6	19	4	6	2	37	14	6	8	7	27	25	28	40	53	28
Diseases of: Generative „	0·04	0·00	0·07	31	2	29	–	–	–	–	–	–	–	–	1	2	4	5	5	6	7	1
Puerperal Fever	0·13	–	0·26	108	–	108	–	–	–	–	–	–	–	–	2	22	59	25	–	–	–	–
Childbirth	0·08	–	0·16	67	–	67	–	–	–	–	–	–	–	–	9	13	21	22	2	–	–	–
Violence	0·62	1·00	0·21	533	445	88	18	19	20	10	10	77	30	43	66	38	57	61	66	42	32	21
Other Causes	3·43	3·51	3·39	2970	1565	1405	1654	70	12	15	9	1760	30	30	34	32	63	70	57	104	302	488

Marriages - - - 6,741

Births - Males - 16,683; Females - 16,043 — 32,726

Annual Rate per 1000 living: Persons Married 15·62; Births - - 37·93

Deaths from Childbirth and Puerperal Fever - - - - - 5·35 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

546.—TEESDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 15·81	†115	–	–	–	–	38·68	4·86	2·83	4·19	6·11	6·99	9·52	13·40	27·20	59·96	164·44
Males	—	Standard 16·15	†122	–	–	–	–	42·48	5·48	2·58	3·59	5·16	5·80	9·93	14·95	27·26	63·86	174·85
Females	—	Population* 15·48	†107	–	–	–	–	34·84	4·21	3·11	4·77	6·96	8·13	9·12	11·83	27·14	56·17	155·44
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·90 per cent.	20,870	519	475	506	497	542	2539	2409	2435	2220	1849	2819	2153	1806	1386	894	360
Males		10,408	263	243	245	251	274	1276	1222	1279	1087	872	1380	1067	910	708	440	167
Females		10,462	256	232	261	246	268	1263	1187	1156	1133	977	1439	1086	896	678	454	193
Deaths from All Causes, 1881–90. Persons	16·88	3,523	684	156	61	50	31	982	117	69	93	113	197	205	242	377	536	592
Males	17·43	1,814	378	85	34	29	16	542	67	33	39	45	80	106	136	193	281	292
Females	16·34	1,709	306	71	27	21	15	440	50	36	54	68	117	99	106	184	255	300

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	3	2	1	–	–	1	–	–	1	–	–	–	·1	–	–	1	–	–	–
Measles	0·12	0·17	0·07	25	18	7	6	9	2	1	–	18	3	1	1	–	1	–	1	–	–	–
Scarlet Fever	0·27	0·32	0·22	56	33	23	1	7	5	10	7	30	20	2	1	1	2	–	–	–	–	–
Diphtheria	0·07	0·07	0·07	14	7	7	2	2	–	2	1	7	3	1	3	–	–	–	–	–	–	–
Whooping-cough	0·17	0·20	0·14	36	21	15	19	9	2	3	3	36	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·11	0·11	0·11	23	11	12	1	–	–	2	–	3	1	2	1	2	7	4	2	–	1	–
Simple Continued Fever	0·06	0·06	0·06	12	6	6	1	–	1	–	–	2	–	–	–	2	–	–	2	1	4	1
Diarrhœa and Dysentery	0·21	0·21	0·20	43	22	21	24	3	1	1	1	30	3	–	–	–	1	2	–	–	4	3
Cholera	0·01	0·01	0·01	2	1	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·56	0·39	0·73	117	41	76	–	–	–	–	–	–	–	1	–	–	3	8	15	40	30	20
Tabes Mesenterica	0·28	0·23	0·33	58	24	34	26	13	2	2	–	43	3	3	3	2	2	–	2	–	–	–
Phthisis	1·55	1·49	1·61	323	155	168	3	1	2	1	–	7	7	16	39	55	74	57	40	20	8	–
Other Tub. & Scrof. Dis.	0·39	0·40	0·37	81	42	39	25	16	7	2	3	53	10	3	2	2	8	1	1	–	1	–
Diseases of Nervous System	2·38	2·26	2·50	496	235	261	125	25	10	4	–	164	12	5	6	8	8	14	25	71	91	92
Circulatory „	2·14	2·27	2·02	447	236	211	2	–	–	1	–	3	3	6	6	2	6	20	34	81	160	126
Respiratory „	2·66	3·08	2·25	556	321	235	118	45	16	13	9	201	24	6	5	6	14	22	32	55	90	101
Digestive „	1·38	1·43	1·32	287	149	138	48	8	4	2	3	65	12	4	9	11	13	19	26	43	47	38
Urinary „	0·46	0·49	0·44	97	51	46	1	2	1	1	–	5	3	2	1	3	6	11	6	20	21	19
Generative „	0·05	0·01	0·09	10	1	9	–	–	–	–	–	–	–	–	1	–	4	1	2	–	1	1
Puerperal Fever	0·09	–	0·17	18	–	18	–	–	–	–	–	–	–	–	1	3	8	5	1	–	–	–
Childbirth	0·07	–	0·14	15	–	15	–	–	–	–	–	–	–	–	1	2	8	3	1	–	–	–
Violence	0·50	0·73	0·27	104	76	28	7	2	3	1	3	16	5	5	6	5	11	12	9	9	9	17
Other Causes	3·34	3·47	3·21	699	361	338	275	13	4	4	1	297	8	12	7	8	21	25	41	37	69	174

Marriages - - - 1,410

Births - { Males - 3,089 / Females - 2,871 } 5,960

Annual Rate per 1000 living { Persons Married 13·51 / Birth - - 28·56

Deaths from Childbirth and Puerperal Fever - - - - - } 5·54 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

547.—WEARDALE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 1865			†125	–	–	–	–	43·53	4·38	4·38	6·57	9·02	8·17	10·36	17·19	33·37	74·14	175·42
Annual Death-Rate per 1000. Males	—			In Standard Population* 1902			†141	–	–	–	–	47·70	4·97	4·25	5·26	7·72	6·19	9·23	18·50	38·60	81·82	191·14
Annual Death-Rate per 1000. Females	—			In Standard Population* 1829			†109	–	–	–	–	39·49	3·81	4·51	7·98	10·41	10·28	11·64	15·75	28·02	66·55	163·00
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·29 per cent.			16,814			454	406	437	428	432	2157	2076	1940	1797	1475	2386	1854	1408	989	553	179
Mean Population, 1881–91. Males				8,553			223	207	207	218	208	1063	1027	964	932	764	1228	986	735	500	275	79
Mean Population, 1881–91. Females				8,261			231	199	230	210	224	1094	1049	976	865	711	1158	868	673	489	278	100
Deaths from All Causes, 1881–90. Persons	18·13			3,049			653	146	57	37	46	939	91	85	118	133	195	192	242	330	410	314
Deaths from All Causes, 1881–90. Males	18·46			1,579			376	64	33	17	17	507	51	41	49	59	76	91	136	193	225	151
Deaths from All Causes, 1881–90. Females	17·79			1,470			277	82	24	20	29	432	40	44	69	74	119	101	106	137	185	163
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·04	0·01	4	3	1	2	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–
Measles	0·15	0·13	0·18	26	11	15	10	9	3	–	4	26	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	0·12	0·16	23	10	13	–	4	5	4	5	18	4	–	–	–	1	–	–	–	–	–
Diphtheria	0·04	0·02	0·05	6	2	4	–	1	1	–	1	3	2	–	–	1	–	–	–	–	–	–
Whooping-cough	0·26	0·21	0·30	43	18	25	22	10	6	1	3	42	–	–	–	–	–	–	–	1	–	–
Typhus	0·02	0·01	0·02	3	1	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Enteric Fever	0·26	0·30	0·21	43	26	17	–	–	1	1	1	3	8	6	7	5	7	4	3	–	–	–
Simple Continued Fever	0·08	0·02	0·13	13	2	11	–	–	–	3	–	3	–	1	1	1	1	2	2	1	1	–
Diarrhœa and Dysentery	0·43	0·33	0·54	73	28	45	35	6	–	1	–	42	3	2	2	–	2	4	2	7	5	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·39	0·32	0·46	65	27	38	–	–	1	1	–	2	–	–	–	–	–	6	19	16	14	8
Tabes Mesenterica	0·27	0·28	0·25	45	24	21	13	9	3	2	1	28	6	3	5	2	1	–	–	–	–	–
Phthisis	2·30	2·10	2·51	387	180	207	–	1	1	–	–	2	4	20	45	69	83	56	48	40	19	1
Other Tub. & Scrof. Dis.	0·50	0·63	0·36	84	54	30	16	14	5	4	4	43	13	7	10	3	3	3	–	1	1	–
Diseases of Nervous System	2·05	2·10	1·99	344	180	164	78	8	7	1	2	96	7	10	5	4	3	14	37	48	79	41
Diseases of Circulatory „	1·65	1·51	1·80	278	129	149	–	–	–	–	–	–	2	5	2	5	15	23	31	63	86	46
Diseases of Respiratory „	3·40	3·91	2·88	572	334	238	118	61	20	10	10	219	15	7	11	12	22	18	39	75	98	56
Diseases of Digestive „	1·30	1·43	1·16	218	122	96	36	10	2	2	5	55	8	5	7	4	6	18	22	38	36	19
Diseases of Urinary „	0·24	0·32	0·17	41	27	14	–	–	–	2	2	4	1	–	1	2	–	4	6	5	9	9
Diseases of Generative „	0·04	–	0·08	7	–	7	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	1
Puerperal Fever	0·11	–	0·22	18	–	18	–	–	–	–	–	–	–	–	2	5	8	3	–	–	–	–
Childbirth	0·12	–	0·25	21	–	21	–	–	–	–	–	–	–	–	2	2	8	9	–	–	–	–
Violence	0·58	0·88	0·27	97	75	22	7	4	1	1	3	16	6	2	6	12	18	12	11	5	4	5
Other Causes	3·78	3·80	3·79	638	326	312	316	9	1	4	5	335	11	17	10	5	15	15	18	30	58	124

Marriages - - - 1,107

Births - { Males - 2,670 / Females - 2,538 } 5,208

Annual Rate per 1000 living { Persons Married 13·17 / Births - - 30·97

Deaths from Childbirth and Puerperal Fever - - - - - 7·49 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

548.—LANCHESTER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·80	†150	–	–	–	–	56·58	5·55	4·22	5·51	5·81	6·81	9·06	14·56	30·35	65·53	155·24
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·81	†164	–	–	–	–	61·42	5·71	4·06	5·25	4·97	4·90	8·01	15·38	31·49	67·18	155·98
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·80	†136	–	–	–	–	51·74	5·39	4·38	5·80	6·90	9·20	10·37	13·56	29·05	63·65	154·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·17 per cent.	61,648	1998	1684	1810	1771	1811	9074	8236	7255	6664	5832	8812	6465	4658	2886	1346	420
Mean Population, 1881–91. Males	Decennial Increase of Population 13·17 per cent.	32,698	1011	832	928	864	899	4534	4062	3718	3597	3282	4901	3583	2556	1540	716	209
Mean Population, 1881–91. Females	Decennial Increase of Population 13·17 per cent.	28,950	987	852	882	907	912	4540	4174	3537	3067	2550	3911	2882	2102	1346	630	211
Deaths from All Causes, 1881–90. Persons	17·64	10,877	3393	1029	340	209	163	5134	457	306	367	339	600	586	678	876	882	652
Deaths from All Causes, 1881–90. Males	17·53	5,732	1884	541	171	107	82	2785	232	151	189	163	240	287	393	485	481	326
Deaths from All Causes, 1881–90. Females	17·77	5,145	1509	488	169	102	81	2349	225	155	178	176	360	299	285	391	401	326

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·01	0·02	10	3	7	–	–	–	–	–	–	–	–	1	2	3	1	3	–	–	–
Measles	0·45	0·44	0·46	275	143	132	43	123	45	20	15	246	27	–	–	1	1	–	–	–	–	–
Scarlet Fever	0·54	0·50	0·59	332	162	170	16	37	46	44	47	190	94	33	9	2	3	–	1	–	–	–
Diphtheria	0·08	0·07	0·09	51	24	27	6	9	7	5	9	36	9	5	1	–	–	–	–	–	–	–
Whooping-cough	0·40	0·38	0·42	246	125	121	136	61	23	13	6	239	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	8	5	3	–	–	–	–	–	–	–	1	1	1	2	2	1	–	–	–
Enteric Fever	0·29	0·28	0·29	176	91	85	1	5	2	6	8	22	30	14	25	22	24	14	13	5	5	2
Simple Continued Fever	0·03	0·04	0·02	18	12	6	–	–	–	2	–	2	4	1	2	–	1	–	4	2	1	1
Diarrhœa and Dysentery	0·58	0·58	0·58	358	191	167	211	75	9	1	1	297	3	1	1	4	3	–	6	6	22	15
Cholera	0·01	0·01	0·01	5	3	2	2	–	–	–	1	3	–	–	–	–	–	1	1	–	–	–
Cancer	0·42	0·35	0·51	261	114	147	–	–	–	1	–	1	–	–	–	2	11	37	59	85	52	14
Tabes Mesenterica	0·30	0·30	0·29	182	99	83	93	37	10	7	3	150	8	9	3	3	3	2	2	2	–	–
Phthisis	1·50	1·25	1·78	924	408	516	15	19	10	2	5	51	30	64	123	132	233	134	86	50	20	1
Other Tub. & Scrof. Dis.	0·58	0·55	0·60	355	181	174	95	78	26	16	10	225	63	35	12	11	5	1	1	1	1	–
Diseases of Nervous System	2·01	2·09	1·93	1240	682	558	500	85	29	13	12	639	32	18	29	15	31	48	82	122	144	80
Diseases of Circulatory „	1·18	1·09	1·29	730	356	374	6	2	1	1	4	14	11	24	30	12	50	71	110	171	168	69
Diseases of Respiratory „	3·20	3·49	2·87	1973	1142	831	639	305	91	56	25	1116	63	23	27	22	45	91	110	186	178	112
Diseases of Digestive „	1·33	1·31	1·35	820	429	391	315	106	13	7	8	449	25	12	18	14	26	34	78	78	68	18
Diseases of Urinary „	0·34	0·39	0·28	210	129	81	5	14	7	4	2	32	8	8	5	9	21	17	20	36	34	20
Diseases of Generative „	0·04	0·00	0·08	23	1	22	–	1	1	–	–	2	–	–	3	4	4	1	1	5	3	–
Puerperal Fever	0·14	–	0·31	89	–	89	–	–	–	–	–	–	–	–	7	25	35	19	3	–	–	–
Childbirth	0·10	–	0·22	63	–	63	–	–	–	–	–	–	–	–	4	9	27	23	–	–	–	–
Violence	0·61	0·97	0·20	376	317	59	24	14	8	7	1	54	19	32	42	20	32	50	53	34	25	15
Other Causes	3·48	3·41	3·57	2152	1115	1037	1286	58	12	4	6	1366	24	26	24	29	40	40	44	93	161	305

Marriages - - - 4,120

Births - { Males - 11,477, Females - 11,121 } 22,598

Annual Rate per 1000 living { Persons Married 13·37, Births - - 36·66 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

549.—DURHAM.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 19·58			†153	–	–	–	–	60·64	5·75	3·81	5·29	6·31	7·16	9·98	14·80	30·51	69·17	156·98
Annual Death-Rate per 1000. Males	—			19·95			†170	–	–	–	–	65·22	5·50	3·45	5·63	5·88	6·59	9·08	15·33	31·67	73·30	160·22
Annual Death-Rate per 1000. Females	—			19·22			†136	–	–	–	–	56·02	6·01	4·17	4·94	6·76	7·79	10·98	14·22	28·69	65·09	154·30
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·19 per cent.			66,956			2139	1855	1903	1901	1899	9697	8868	7825	7147	6022	9410	7246	5096	3310	1719	616
Mean Population, 1881–91. Males				34,192			1074	951	940	947	956	4868	4422	3937	3662	3095	4917	3823	2649	1686	854	279
Mean Population, 1881–91. Females				32,764			1065	904	963	954	943	4829	4446	3888	3485	2927	4493	3423	2447	1624	865	337
Deaths from All Causes, 1881–90. Persons	19·05			12,753			3763	1211	437	258	211	5880	510	298	378	380	674	723	754	1000	1189	967
Deaths from All Causes, 1881–90. Males	19·38			6,626			2113	606	225	123	108	3175	243	136	206	182	324	347	406	534	626	447
Deaths from All Causes, 1881–90. Females	18·70			6,127			1650	605	212	135	103	2705	267	162	172	198	350	376	348	466	563	520
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·14	0·16	0·12	95	56	39	12	6	2	1	4	25	12	11	9	7	17	6	7	1	–	–
Measles	0·46	0·39	0·53	310	135	175	56	134	39	22	23	274	31	3	–	1	1	–	–	–	–	–
Scarlet Fever	0·43	0·43	0·43	288	147	141	20	38	51	43	41	193	82	9	2	–	–	1	–	1	–	–
Diphtheria	0·04	0·04	0·03	24	13	11	2	4	2	1	7	16	6	–	1	–	–	–	–	–	1	–
Whooping-cough	0·37	0·30	0·45	251	102	149	116	69	33	19	7	244	7	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·03	0·03	18	9	9	–	1	–	–	–	1	1	2	1	2	4	5	2	–	–	–
Enteric Fever	0·27	0·25	0·30	184	87	97	–	7	6	5	7	25	28	22	20	20	26	17	11	9	6	–
Simple Continued Fever	0·06	0·06	0·06	42	21	21	–	3	4	2	4	13	6	1	1	3	6	1	1	4	5	1
Diarrhœa and Dysentery	0·66	0·67	0·66	444	229	215	269	84	16	1	–	370	8	3	1	2	6	3	6	13	17	15
Cholera	0·01	0·02	0·01	9	6	3	1	2	–	–	–	3	–	–	–	–	2	1	1	–	2	–
Cancer	0·32	0·23	0·41	212	79	133	–	1	–	–	1	2	1	–	2	2	11	32	55	59	37	11
Tabes Mesenterica	0·69	0·71	0·66	459	243	216	257	114	29	10	10	420	18	7	5	1	1	4	3	–	–	–
Phthisis	1·54	1·34	1·75	1032	458	574	11	10	9	8	4	42	44	68	125	163	246	180	98	52	14	–
Other Tub. & Scrof. Dis.	0·36	0·41	0·30	238	141	97	71	50	13	9	9	152	39	19	9	6	5	4	2	2	–	–
Diseases of Nervous System	2·72	2·94	2·49	1822	1005	817	785	148	52	26	22	1,033	65	32	24	19	30	59	81	162	194	123
Diseases of Circulatory „	1·20	1·17	1·23	803	401	402	2	–	–	–	1	3	11	16	34	21	51	98	126	181	191	71
Diseases of Respiratory „	3·37	3·62	3·12	2259	1236	1023	707	318	134	78	47	1,284	75	24	21	28	55	78	122	191	261	120
Diseases of Digestive „	1·24	1·23	1·25	830	420	410	224	127	14	14	6	385	30	15	10	15	44	51	80	102	79	19
Diseases of Urinary „	0·31	0·35	0·27	210	121	89	4	10	2	4	5	25	5	5	8	8	17	19	23	37	44	19
Diseases of Generative „	0·05	0·01	0·10	36	2	34	–	2	–	–	–	2	–	1	1	1	3	8	11	6	3	–
Puerperal Fever	0·10	–	0·20	66	–	66	–	–	–	–	–	–	–	–	5	15	26	20	–	–	–	–
Childbirth	0·09	–	0·18	60	–	60	–	–	–	–	–	–	–	–	6	13	25	16	–	–	–	–
Violence	0·77	1·28	0·24	516	437	79	18	9	14	12	6	59	14	34	59	36	57	75	72	60	39	11
Other Causes	3·82	3·74	3·88	2545	1278	1267	1,208	74	17	3	7	1,309	27	26	34	17	41	45	53	120	296	577

Marriages - - - 5,219

Births - Males - 12,463; Females - 12,151 — 24,614

Annual Rate per 1000 living: Persons Married 15·59; Births - - 36·76

Deaths from Childbirth and Puerperal Fever - - - - - 5·12 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

550.—EASINGTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·26	†158	–	–	–	–	64·38	7·01	4·38	5·46	6·88	8·01	8·90	13·62	29·62	62·57	173·94
Annual Death-Rate per 1000. Males	—	20·35	†175	–	–	–	–	69·61	6·82	4·63	4·84	6·17	6·57	7·97	13·48	31·56	63·35	175·17
Annual Death-Rate per 1000. Females	—	20·17	†141	–	–	–	–	59·12	7·21	4·13	6·18	7·66	9·64	9·98	13·78	27·59	61·81	172·93
Mean Population 1881–91. Persons	Decennial Increase of Population 11·50 per cent.	43,462	1540	1313	1358	1349	1340	6900	6059	5158	4470	3764	5918	4537	3260	1992	1074	330
Mean Population 1881–91. Males		22,437	772	648	684	671	683	3458	3037	2569	2415	1976	3137	2433	1714	1017	532	149
Mean Population 1881–91. Females		21,025	768	665	674	678	657	3442	3022	2589	2055	1788	2781	2104	1546	975	542	181
Deaths from All Causes, 1881–90. Persons	20·14	8,754	2807	939	341	212	143	4442	425	226	244	259	474	404	444	590	672	574
Deaths from All Causes, 1881–90. Males	20·15	4,522	1589	480	177	100	61	2407	207	119	117	122	206	194	231	321	337	261
Deaths from All Causes, 1881–90. Females	20·13	4,232	1218	459	164	112	82	2035	218	107	127	137	268	210	213	269	335	313

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·10	0·12	0·08	42	26	16	7	–	1	3	2	13	4	2	6	3	6	4	3	1	–	–
Measles	0·43	0·39	0·48	188	88	100	38	59	33	28	11	169	16	1	–	–	–	–	2	–	–	–
Scarlet Fever	0·63	0·60	0·67	274	134	140	12	41	40	38	32	163	90	17	2	–	2	–	–	–	–	–
Diphtheria	0·10	0·09	0·12	45	20	25	2	7	5	5	1	20	17	7	1	–	–	–	–	–	–	–
Whooping-cough	0·34	0·32	0·36	148	72	76	71	43	11	11	4	140	8	–	–	–	–	–	–	–	–	–
Typhus	0·06	0·06	0·07	27	13	14	–	–	–	1	1	2	5	4	5	1	5	2	1	2	–	–
Enteric Fever	0·42	0·47	0·37	183	106	77	1	3	8	6	4	22	35	21	26	21	27	13	6	6	6	–
Simple Continued Fever	0·06	0·05	0·08	27	11	16	3	3	5	–	–	11	10	–	3	–	1	2	–	–	–	–
Diarrhœa and Dysentery	0·89	0·92	0·87	388	206	182	221	99	13	2	2	337	7	1	–	2	3	4	4	2	10	18
Cholera	0·04	0·03	0·05	16	6	10	9	1	1	–	–	11	–	–	–	–	2	1	1	–	1	–
Cancer	0·36	0·30	0·42	156	68	88	–	–	–	–	–	–	–	–	1	2	6	23	34	50	26	14
Tabes Mesenterica	0·89	0·99	0·78	385	222	163	163	125	34	9	7	338	18	8	4	7	4	4	–	1	1	–
Phthisis	1·45	1·19	1·73	629	266	363	11	11	5	6	7	40	23	53	83	110	161	77	49	23	8	2
Other Tub. & Scrof. Dis.	0·47	0·49	0·45	203	109	94	49	48	19	13	10	139	25	13	7	2	9	3	4	1	–	–
Diseases of: Nervous System	2·70	2·74	2·65	1172	614	558	535	85	30	20	20	690	40	20	19	6	20	27	59	92	131	68
Diseases of: Circulatory „	1·10	1·03	1·18	480	232	248	3	–	–	–	–	3	4	14	13	13	35	50	82	118	101	47
Diseases of: Respiratory „	3·05	3·27	2·81	1324	733	591	393	222	75	44	25	759	46	8	10	11	47	48	58	123	124	90
Diseases of: Digestive „	1·34	1·23	1·46	583	276	307	194	107	25	5	3	334	10	4	6	9	14	29	50	59	53	15
Diseases of: Urinary „	0·37	0·37	0·37	162	84	78	2	13	5	6	2	28	13	4	2	5	14	20	16	16	28	16
Diseases of: Generative „	0·04	0·00	0·08	18	1	17	–	1	–	–	–	1	–	–	1	1	2	2	4	2	4	1
Puerperal Fever	0·12	–	0·25	52	–	52	–	–	–	–	–	–	–	–	5	9	26	12	–	–	–	–
Childbirth	0·11	–	0·23	49	–	49	–	–	–	–	–	–	–	–	3	14	15	16	1	–	–	–
Violence	0·81	1·28	0·30	351	288	63	20	12	7	4	5	48	25	34	34	24	40	40	37	30	24	15
Other Causes	4·26	4·21	4·27	1852	947	905	1073	59	24	11	7	1174	29	15	13	19	35	27	33	64	155	288

Marriages - - - 3,132

Births - { Males - 9,080 / Females - 8,643 } 17,723

Annual Rate per 1000 living { Persons Married 14·41 / Births - - 40·78

Deaths from Childbirth and Puerperal Fever - - - - 5·70 per 1000 Births.

* *See* pages xxxvi–xxxviii

† The death-rates under one year of age are per 1000 Births.

551.—HOUGHTON-LE-SPRING.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 20·28			†165	–	–	–	–	66·28	5·50	3·95	6·10	6·66	7·01	8·54	15·61	29·52	68·02	160·49
Annual Death-Rate per 1000. Males	—			20·33			†177	–	–	–	–	70·36	5·18	4·10	6·61	6·13	5·61	6·87	15·53	29·87	73·81	160·49
Annual Death-Rate per 1000. Females	—			20·23			†152	–	–	–	–	62·09	5·82	3·80	5·51	7·25	8·57	10·45	15·69	29·19	62·39	160·48
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·06 per cent.			36,033			1277	1065	1101	1072	1078	5593	4889	4226	3722	3199	5039	3663	2633	1802	938	329
Mean Population, 1881–91. Males				18,626			646	538	555	552	543	2834	2433	2172	1981	1696	2658	1950	1384	894	462	162
Mean Population, 1881–91. Females				17,407			631	527	546	520	535	2759	2456	2054	1741	1503	2381	1713	1249	908	476	167
Deaths from All Causes, 1881–90. Persons	20·42			7,358			2430	792	241	149	95	3707	269	167	227	213	353	313	411	532	638	528
Deaths from All Causes, 1881–90. Males	20·46			3,810			1331	426	123	70	44	1994	126	89	131	104	149	134	215	267	341	260
Deaths from All Causes, 1881–90. Females	20·30			3,548			1099	366	118	79	51	1713	143	78	96	109	204	179	196	265	297	268
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	–	0·02	3	–	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Measles	0·49	0·46	0·53	177	85	92	38	62	39	17	8	164	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·55	0·49	0·61	197	91	106	10	32	32	26	27	127	58	9	1	1	1	–	–	–	–	–
Diphtheria	0·03	0·02	0·04	10	3	7	1	3	–	3	–	7	2	–	–	–	–	–	–	–	1	–
Whooping-cough	0·37	0·30	0·45	134	55	79	68	43	11	7	2	131	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	1	2	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–
Enteric Fever	0·47	0·49	0·44	168	91	77	–	3	4	3	4	14	24	19	28	24	30	14	11	3	1	–
Simple Continued Fever	0·11	0·10	0·13	41	19	22	7	8	5	2	1	23	5	3	1	2	1	–	–	2	2	2
Diarrhœa and Dysentery	1·37	1·33	1·41	493	247	246	296	117	12	2	3	430	2	2	–	2	6	1	2	13	16	19
Cholera	0·02	0·03	0·02	9	6	3	2	1	–	–	1	4	1	–	–	–	1	–	–	2	1	–
Cancer	0·41	0·30	0·52	146	56	90	–	–	–	1	1	2	1	2	–	1	4	22	34	42	31	7
Tabes Mesenterica	0·55	0·57	0·53	198	106	92	95	63	15	5	1	179	5	4	4	–	4	1	1	–	–	–
Phthisis	1·50	1·31	1·71	542	244	298	24	8	4	4	2	42	19	28	87	89	129	72	46	24	4	2
Other Tub. & Scrof. Dis.	0·40	0·47	0·32	144	88	56	39	36	11	4	7	97	24	11	5	2	2	1	2	–	–	–
Diseases of Nervous System	2·52	2·69	2·33	908	502	406	373	69	27	21	4	494	32	17	14	5	10	18	63	69	109	77
Diseases of Circulatory „	1·02	0·93	1·10	366	174	192	–	–	1	–	–	1	7	10	18	10	23	36	53	92	86	30
Diseases of Respiratory „	3·62	3·83	3·39	1305	714	591	410	205	52	32	19	718	39	9	16	18	38	36	72	108	138	113
Diseases of Digestive „	1·20	1·15	1·26	433	214	219	114	55	10	3	2	184	12	8	4	7	10	24	44	70	50	20
Diseases of Urinary „	0·32	0·36	0·28	116	68	48	3	9	1	2	2	17	4	5	3	2	10	11	14	21	20	9
Diseases of Generative „	0·06	0·01	0·11	20	1	19	2	1	–	–	–	3	–	1	–	–	5	3	5	3	–	–
Puerperal Fever	0·11	–	0·22	39	–	39	–	–	–	–	–	–	–	–	3	10	17	8	1	–	–	–
Childbirth	0·09	–	0·18	32	–	32	–	–	–	–	–	–	–	–	5	5	8	14	–	–	–	–
Violence	0·74	1·22	0·23	268	228	40	21	7	6	5	4	43	11	25	26	18	32	24	31	28	23	7
Other Causes	4·45	4·39	4·54	1606	817	789	927	70	11	11	7	1026	8	13	12	15	22	26	32	54	156	242

Marriages - - - 2,831

Births - Males - 7,503; Females - 7,221 — 14,724

Annual Rate per 1000 living: Persons Married 15·71; Births - - 40·86

Deaths from Childbirth and Puerperal Fever - - - - - 4·82 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

552.—CHESTER-LE-STREET.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 19·93	†165	–	–	–	–	64·38	5·27	3·40	6·01	6·97	7·63	9·15	14·75	27·15	65·32	169·16
Annual Death-Rate per 1000. Males	—	Standard 20·06	†178	–	–	–	–	68·14	5·00	3·22	6·22	6·58	5·93	8·37	14·39	28·81	73·29	169·11
Annual Death-Rate per 1000. Females	—	Population* 19·80	†152	–	–	–	–	60·53	5·55	3·59	5·77	7·43	9·59	10·05	15·15	25·37	57·17	169·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·53 per cent.	46,973	1562	1330	1350	1409	1360	7011	6334	5562	4923	4144	6578	4875	3567	2350	1214	415
Mean Population, 1881–91. Males		24,493	799	645	665	727	714	3550	3160	2860	2653	2219	3524	2617	1890	1215	614	191
Mean Population, 1881–91. Females		22,480	763	685	685	682	646	3461	3174	2702	2270	1925	3054	2258	1677	1135	600	224
Deaths from All Causes, 1881–90. Persons	19·65	9,229	2990	863	338	183	140	4514	334	189	296	289	502	446	526	638	793	702
Deaths from All Causes, 1881–90. Males	19·61	4,803	1642	436	179	94	68	2419	158	92	165	146	209	219	272	350	450	323
Deaths from All Causes, 1881–90. Females	19·69	4,426	1348	427	159	89	72	2095	176	97	131	143	293	227	254	288	343	379

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·02	0·01	7	5	2	2	–	–	–	–	2	–	–	2	–	2	1	–	–	–	–
Measles	0·46	0·48	0·45	218	117	101	44	79	45	25	9	202	15	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·51	0·49	0·54	240	119	121	14	40	41	35	25	155	66	15	4	–	–	–	–	–	–	–
Diphtheria	0·04	0·04	0·04	18	10	8	1	3	1	4	2	11	3	1	–	1	–	–	–	1	–	1
Whooping-cough	0·32	0·27	0·37	149	65	84	70	43	22	2	6	143	6	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·04	0·02	14	9	5	–	–	–	–	–	–	1	–	4	1	4	3	1	–	–	–
Enteric Fever	0·27	0·32	0·21	126	78	48	1	3	2	5	3	14	20	12	22	13	23	8	6	5	3	–
Simple Continued Fever	0·04	0·04	0·03	17	10	7	–	1	–	3	2	6	5	1	1	–	1	1	1	1	–	–
Diarrhœa and Dysentery	0·75	0·71	0·80	353	173	180	207	80	11	4	2	304	4	1	–	2	2	2	3	7	13	15
Cholera	0·02	0·02	0·02	9	5	4	1	1	–	1	–	3	–	–	–	–	1	1	1	1	1	1
Cancer	0·38	0·27	0·49	178	67	111	–	–	1	–	1	2	–	–	–	–	5	24	43	47	39	18
Tabes Mesenterica	0·62	0·56	0·68	289	136	153	146	85	30	4	2	267	8	5	1	–	4	1	3	–	–	–
Phthisis	1·53	1·30	1·77	717	318	399	6	9	3	6	5	29	21	35	106	136	178	100	71	29	12	–
Other Tub. & Scrof. Dis.	0·69	0·69	0·70	326	168	158	86	54	24	17	14	195	49	25	23	8	15	4	4	2	1	–
Diseases of Nervous System	2·40	2·51	2·28	1127	615	512	463	39	25	11	13	551	35	21	15	10	21	37	64	109	160	104
Diseases of Circulatory „	1·25	1·18	1·32	585	289	296	3	1	–	–	2	6	10	7	15	9	34	50	94	122	164	74
Diseases of Respiratory „	3·51	3·77	3·22	1647	923	724	557	236	72	43	27	935	39	14	23	16	50	61	81	137	174	117
Diseases of Digestive „	1·34	1·29	1·39	630	317	313	197	105	17	5	9	333	13	4	14	15	23	28	45	66	54	35
Diseases of Urinary „	0·32	0·31	0·32	148	76	72	2	11	8	5	2	28	5	3	3	3	16	13	13	18	26	20
Diseases of Generative „	0·04	0·01	0·08	20	2	18	1	2	–	–	–	3	–	–	–	–	6	4	5	1	1	–
Puerperal Fever	0·14	–	0·29	65	–	65	–	–	–	–	–	–	–	–	6	17	31	11	–	–	–	–
Childbirth	0·08	–	0·17	38	–	38	–	–	–	–	–	–	–	–	2	8	13	15	–	–	–	–
Violence	0·82	1·35	0·25	387	331	56	16	10	15	6	5	52	11	26	40	30	45	52	51	41	24	15
Other Causes	4·08	3·94	4·24	1921	970	951	1173	61	21	7	11	1273	23	19	15	20	28	30	39	51	121	302

Marriages - - - 3,269

Births - { Males - 9,249 / Females - 8,863 } 18,112

Annual Rate per 1000 living { Persons Married 13·92 / Births - - 38·56

Deaths from Childbirth and Puerperal Fever - - - - - 5·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

553.—SUNDERLAND.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 22·96	†160	–	–	–	–	71·92	8·10	4·40	5·35	6·76	8·10	12·46	18·26	37·27	74·11	173·63
Annual Death-Rate per 1000. Males	—	In Standard Population* 24·01	†173	–	–	–	–	77·40	8·59	4·39	5·71	6·46	7·61	12·62	19·31	39·71	79·35	193·79
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·96	†147	–	–	–	–	66·41	7·60	4·41	4·99	7·05	8·59	12·30	17·20	35·06	69·96	161·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 14·08 per cent.	149,040	4721	4284	4230	4267	4109	21611	19207	16499	15367	13411	22291	16774	11646	7266	3785	1183
Mean Population, 1881–91. Males		73,817	2358	2155	2107	2164	2060	10844	9606	8208	7578	6504	11125	8553	5827	3450	1671	451
Mean Population, 1881–91. Females		75,223	2363	2129	2123	2103	2049	10767	9601	8291	7789	6907	11166	8221	5819	3816	2114	732
Deaths from All Causes, 1881–90. Persons	22·24	33,142	9328	3340	1443	818	614	15543	1555	726	822	907	1806	2090	2126	2708	2805	2054
Deaths from All Causes, 1881–90. Males	23·10	17,052	5138	1796	735	411	313	8393	825	360	433	420	847	1079	1125	1370	1326	874
Deaths from All Causes, 1881–90. Females	21·39	16,090	4190	1544	708	407	301	7150	730	366	389	487	959	1011	1001	1338	1479	1180

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·11	0·13	0·10	170	95	75	22	8	8	6	2	46	17	13	14	18	26	20	9	4	1	2
Measles	0·75	0·77	0·74	1123	569	554	192	384	215	122	100	1013	103	5	–	1	–	–	–	–	1	–
Scarlet Fever	0·58	0·60	0·55	860	443	417	48	127	151	130	96	552	251	39	7	2	5	4	–	–	–	–
Diphtheria	0·11	0·10	0·11	157	73	84	18	22	19	19	14	92	43	10	2	–	3	4	1	2	–	–
Whooping-cough	0·47	0·42	0·53	705	309	396	291	237	97	38	19	682	22	–	–	1	–	–	–	–	–	–
Typhus	0·11	0·12	0·10	164	86	78	1	–	1	1	5	8	15	10	26	16	25	30	16	15	3	–
Enteric Fever	0·23	0·27	0·19	338	196	142	2	3	8	12	11	36	40	37	47	42	63	41	14	13	5	–
Simple Continued Fever	0·05	0·05	0·05	73	36	37	2	4	5	4	4	19	17	11	9	4	3	5	2	1	2	–
Diarrhœa and Dysentery	1·05	1·07	1·02	1559	793	766	1006	327	55	17	10	1415	18	5	2	1	9	19	8	16	35	31
Cholera	0·02	0·02	0·02	29	12	17	10	2	1	1	1	15	3	–	–	–	1	2	2	3	3	–
Cancer	0·53	0·34	0·71	785	250	535	1	–	–	–	2	3	–	4	2	5	42	109	195	231	152	42
Tabes Mesenterica	0·30	0·33	0·27	440	241	199	136	127	45	32	13	353	46	10	14	5	9	–	2	1	–	–
Phthisis	1·84	1·83	1·85	2740	1349	1391	45	53	29	19	17	163	120	152	311	384	623	502	291	145	46	3
Other Tub. & Scrof. Dis.	0·54	0·60	0·49	806	441	365	200	183	100	41	49	573	112	47	21	17	16	8	7	4	1	–
Diseases of Nervous System	3·07	3·30	2·85	4578	2435	2143	1627	387	161	105	67	2347	193	70	55	32	92	168	279	476	570	296
Diseases of Circulatory „	1·51	1·54	1·48	2254	1139	1115	9	5	3	4	1	22	27	43	41	57	172	317	344	481	511	239
Diseases of Respiratory „	4·32	4·63	4·02	6437	3415	3022	1698	951	383	188	126	3346	182	59	61	73	204	277	432	672	707	424
Diseases of Digestive „	1·20	1·21	1·19	1786	893	893	434	220	30	9	18	711	55	34	36	37	72	148	188	271	174	60
Diseases of Urinary „	0·37	0·43	0·31	548	315	233	11	20	13	9	9	62	24	18	18	17	52	67	61	84	101	44
Diseases of Generative „	0·06	0·01	0·11	87	6	81	1	2	1	2	–	6	–	1	6	4	20	21	15	4	6	4
Puerperal Fever	0·12	–	0·24	178	–	178	–	–	–	–	–	–	–	–	14	44	84	34	2	–	–	–
Childbirth	0·09	–	0·19	141	–	141	–	–	–	–	–	–	–	–	8	18	61	54	–	–	–	–
Violence	0·88	1·29	0·47	1305	955	350	122	42	41	24	21	250	202	96	69	71	126	137	131	102	87	34
Other Causes	3·93	4·04	3·80	5879	3001	2878	3452	236	77	35	29	3829	65	62	59	58	98	123	127	183	400	875

Marriages - - - 13,868

Births - { Males - 29,695 / Females - 28,490 } 58,185

Annual Rate per 1000 living { Persons Married 18·61 / Births - - 39·04 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

554.—SOUTH SHIELDS.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·76	†146	–	–	–	–	62·87	7·09	3·94	5·52	6·52	7·88	12·15	19·01	36·81	77·07	181·43
Annual Death-Rate per 1000. Males	—	In Standard Population* 22·37	†156	–	–	–	–	66·11	7·28	3·83	5·93	5·66	7·22	12·24	20·56	40·20	81·58	195·27
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·18	†136	–	–	–	–	59·56	6·90	4·04	5·08	7·46	8·62	12·05	17·26	33·40	73·03	172·71
Mean Population, 1881–91. Persons	Decennial Increase of Population 37·00 per cent.	122,354	4087	3501	3710	3601	3524	18423	15961	13874	12217	11000	18558	14207	9634	5335	2434	711
Mean Population, 1881–91. Males		62,853	2076	1782	1873	1818	1767	9316	8006	6948	6237	5775	9789	7575	5102	2679	1151	275
Mean Population, 1881–91. Females		59,501	2011	1719	1837	1783	1757	9107	7955	6926	5980	5225	8769	6632	4532	2656	1283	436
Deaths from All Causes, 1881–90. Persons	20·27	24,802	6926	2598	998	625	436	11583	1132	546	674	717	1463	1726	1831	1964	1876	1290
Deaths from All Causes, 1881–90. Males	20·59	12,941	3774	1354	510	309	212	6159	583	266	370	327	707	927	1049	1077	939	537
Deaths from All Causes, 1881–90. Females	19·93	11,861	3152	1244	488	316	224	5424	549	280	304	390	756	799	782	887	937	753

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·02	0·03	0·02	26	16	10	4	–	4	1	–	9	3	1	2	3	3	–	4	1	–	–
Measles	0·49	0·51	0·47	596	319	277	137	236	86	57	33	549	46	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·51	0·48	0·55	628	303	325	42	94	98	91	75	400	174	30	11	4	5	4	–	–	–	–
Diphtheria	0·13	0·12	0·14	159	76	83	14	27	23	29	18	111	39	4	2	1	2	–	–	–	–	–
Whooping-cough	0·51	0·41	0·61	621	260	361	221	210	87	46	27	591	29	1	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	24	13	11	–	–	–	1	–	1	1	4	2	1	1	5	6	2	1	–
Enteric Fever	0·18	0·19	0·18	224	119	105	1	2	4	2	6	15	19	27	35	27	52	25	15	4	4	1
Simple Continued Fever	0·02	0·01	0·02	22	9	13	–	1	2	2	–	5	6	–	1	2	3	1	–	3	1	–
Diarrhœa and Dysentery	0·89	0·89	0·88	1086	559	527	673	261	39	8	6	987	10	4	2	3	4	7	3	16	23	27
Cholera	0·02	0·03	0·01	24	17	7	8	2	–	–	–	10	1	–	–	1	2	4	–	1	4	1
Cancer	0·44	0·32	0·57	542	204	338	–	–	1	–	–	1	1	2	–	6	27	89	144	161	90	21
Tabes Mesenterica	0·40	0·39	0·40	484	245	239	146	160	61	30	16	413	32	14	7	3	5	3	4	3	–	–
Phthisis	1·84	1·78	1·91	2252	1118	1134	25	28	19	18	17	107	123	142	254	299	550	399	243	111	22	2
Other Tub. & Scrof. Dis.	0·71	0·73	0·70	871	457	414	248	183	88	47	43	609	124	57	34	11	17	9	10	–	–	–
Diseases of Nervous System	2·59	2·68	2·49	3169	1685	1484	1099	256	113	84	54	1606	169	59	52	29	78	152	216	304	342	162
Diseases of Circulatory „	1·49	1·50	1·48	1820	940	880	4	3	1	3	6	17	28	31	33	46	146	252	373	428	342	124
Diseases of Respiratory „	4·01	4·28	3·73	4910	2691	2219	1360	785	281	143	81	2650	165	50	54	67	193	293	389	447	404	198
Diseases of Digestive „	1·04	0·98	1·09	1267	618	649	330	153	23	11	7	524	34	24	20	35	55	116	137	174	115	33
Diseases of Urinary „	0·35	0·39	0·31	432	247	185	3	25	9	14	9	60	23	13	16	15	47	62	70	55	54	17
Diseases of Generative „	0·04	0·01	0·07	49	5	44	–	4	–	–	–	4	–	1	2	3	8	12	7	8	3	1
Puerperal Fever	0·09	–	0·17	104	–	104	–	–	–	–	–	–	–	–	8	30	41	25	–	–	–	–
Childbirth	0·07	–	0·15	88	–	88	–	–	–	–	–	–	–	–	10	25	28	24	1	–	–	–
Violence	0·78	1·18	0·36	956	740	216	109	23	13	15	18	178	48	41	80	67	105	146	123	97	50	21
Other Causes	3·63	3·66	3·60	4448	2300	2148	2502	145	46	23	20	2736	57	41	48	39	91	98	86	149	421	682

Marriages - - 9,732

Births - { Males - 24,200, Females - 23,243 } 47,443

Annual Rate per 1000 living { Persons Married 15·91, Births - - 38·78 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·05 per 1000 Births.

* *See* pages xxxvi–xxxviii.

The death-rates under one year of age are per 1000 Births.

555.—GATESHEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·70	†159	–	–	–	–	65·88	6·33	4·66	5·84	6·84	8·00	11·61	18·40	35·33	72·18	174·59
Males	—	22·33	†170	–	–	–	–	70·23	6·24	3·93	5·30	6·04	7·33	11·52	19·37	38·55	79·42	185·80
Females	—	21·11	†149	–	–	–	–	61·47	6·43	4·18	6·42	7·66	8·71	11·71	17·40	32·22	65·97	166·80
Mean Population, 1881-91. Persons	Decennial Increase of Population 24·54 per cent.	118,329	3811	3381	3518	3435	3477	17622	15636	13711	11816	10268	17466	13385	9128	5596	2843	858
Males		60,022	1932	1727	1748	1715	1765	8887	7954	6814	6100	5213	8958	7025	4657	2750	1312	352
Females		58,307	1879	1654	1770	1720	1712	8735	7682	6897	5716	5055	8508	6360	4471	2846	1531	506
Deaths from All Causes, 1881-90. Persons	20·88	24,707	7234	2436	1001	569	370	11610	990	556	690	702	1398	1554	1680	1977	2052	1498
Males	21·27	12,767	3964	1259	524	305	189	6241	496	268	323	315	657	809	902	1060	1042	654
Females	20·48	11,940	3270	1177	477	264	181	5369	494	288	367	387	741	745	778	917	1010	844

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·09	0·09	0·09	111	56	55	10	5	7	9	3	34	14	11	17	7	8	10	4	4	1	1
Measles	0·45	0·45	0·44	530	273	257	93	220	119	50	19	501	25	1	–	2	1	–	–	–	–	–
Scarlet Fever	0·47	0·46	0·48	556	279	277	34	76	87	82	64	343	162	35	7	3	4	2	–	–	–	–
Diphtheria	0·09	0·07	0·10	100	44	56	12	12	17	7	13	61	27	1	4	–	1	3	1	1	–	1
Whooping-cough	0·48	0·40	0·56	566	242	324	221	172	79	43	26	541	25	–	–	–	–	–	–	–	–	–
Typhus	0·08	0·07	0·08	89	41	48	–	–	–	1	–	1	1	6	8	8	17	16	17	9	3	3
Enteric Fever	0·26	0·26	0·26	309	155	154	3	6	8	8	10	35	47	33	47	41	45	37	12	6	6	–
Simple Continued Fever	0·05	0·05	0·05	56	27	29	2	2	4	2	2	12	14	5	5	1	6	4	6	1	2	–
Diarrhœa and Dysentery	1·01	1·03	0·99	1195	620	575	750	263	43	7	10	1073	8	2	–	2	4	6	10	26	35	29
Cholera	0·01	0·01	0·02	16	7	9	6	2	1	–	–	9	–	2	–	–	–	1	–	1	2	1
Cancer	0·45	0·27	0·64	533	161	372	–	1	2	–	1	4	–	3	–	2	16	80	131	157	106	34
Tabes Mesenterica	0·50	0·55	0·44	588	329	259	266	182	43	21	10	522	28	12	12	4	3	3	3	–	1	–
Phthisis	1·94	1·92	1·97	2296	1150	1146	18	30	15	10	11	84	69	139	286	321	581	422	253	110	28	3
Other Tub. & Scrof. Dis.	0·67	0·72	0·61	787	432	355	184	158	72	52	32	498	138	60	34	17	18	10	6	5	1	–
Diseases of Nervous System	3·15	3·30	3·00	3730	1978	1752	1645	261	109	54	42	2111	112	59	29	29	73	143	218	338	390	223
Circulatory „	1·46	1·48	1·43	1724	889	835	6	1	–	5	3	15	24	34	42	32	139	204	271	371	415	186
Respiratory „	3·81	4·16	3·46	4510	2496	2014	1128	691	273	144	86	2322	137	39	34	62	141	230	342	475	462	266
Digestive „	1·12	1·08	1·17	1328	647	681	336	154	30	10	3	533	31	17	31	25	57	86	173	168	151	56
Urinary „	0·34	0·36	0·32	399	215	184	9	22	13	18	7	69	23	11	16	23	36	57	34	53	50	27
Generative „	0·04	0·01	0·07	42	4	38	3	1	1	–	–	5	–	1	4	3	8	5	4	6	3	3
Puerperal Fever	0·09	–	0·18	107	–	107	–	–	–	–	–	–	–	–	7	28	52	19	1	–	–	–
Childbirth	0·09	–	0·18	104	–	104	–	–	–	–	–	–	–	–	6	17	44	36	1	–	–	–
Violence	0·65	0·92	0·38	774	555	219	120	26	22	26	13	207	52	40	50	40	79	81	86	70	43	26
Other Causes	3·58	3·61	3·56	4257	2167	2090	2388	151	56	20	15	2630	53	45	51	35	74	99	107	176	353	634

Marriages - - - 8,905

Births - { Males - 23,362, Females - 22,013 } 45,375

Annual Rate per 1000 living { Persons Married 15·05, Births - - 38·35 }

Deaths from Childbirth and Puerperal Fever - - - - 4·65 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

556.—NEWCASTLE-UPON-TYNE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 23·38	†162	–	–	–	–	68·32	6·77	4·00	5·33	7·03	9·77	14·83	22·34	40·09	79·43	163·68
Annual Death-Rate per 1000. Males	—	In Standard Population* 25·07	†177	–	–	–	–	75·83	6·78	4·20	5·72	7·39	10·13	16·12	24·92	46·02	91·53	169·74
Annual Death-Rate per 1000. Females	—	In Standard Population* 21·79	†147	–	–	–	–	62·90	6·76	3·82	4·96	6·70	9·40	13·48	19·78	34·86	70·33	160·14
Mean Population, 1881–91. Persons	Decennial Increase of Population 30·99 per cent.	173,535	5175	4676	4667	4639	4572	23729	20676	18552	17709	17006	27686	20327	14063	8283	4152	1352
Mean Population, 1881–91. Males		85,403	2592	2339	2269	2338	2238	11776	10279	9120	8562	8104	13946	10430	7019	3885	1783	499
Mean Population, 1881–91. Females		88,132	2583	2337	2398	2301	2334	11953	10397	9432	9147	8902	13740	9897	7044	4398	2369	853
Deaths from All Causes, 1881–90. Persons	22·01	38,188	10104	3389	1317	788	614	16212	1400	743	944	1195	2705	3015	3142	3321	3298	2213
Deaths from All Causes, 1881–90. Males	23·39	19,973	5585	1747	664	394	304	8694	697	383	490	599	1413	1681	1749	1788	1632	847
Deaths from All Causes, 1881–90. Females	20·67	18,215	4519	1642	653	394	310	7518	703	360	454	596	1292	1334	1393	1533	1666	1366

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·08	0·10	0·07	146	84	62	15	6	1	2	5	29	23	17	17	10	25	6	15	4	–	–
Measles	0·62	0·63	0·61	1071	536	535	228	421	203	96	49	997	64	3	1	1	4	–	1	–	–	–
Scarlet Fever	0·40	0·42	0·38	691	358	333	51	100	96	100	97	444	184	47	1	4	6	4	–	–	1	–
Diphtheria	0·14	0·13	0·15	237	108	129	14	34	36	34	32	150	57	7	8	2	6	3	1	3	–	–
Whooping-cough	0·51	0·46	0·56	886	392	494	367	274	109	64	31	845	41	–	–	–	–	–	–	–	–	–
Typhus	0·06	0·06	0·06	104	55	49	–	–	–	–	–	–	2	4	11	7	22	28	16	9	5	–
Enteric Fever	0·21	0·24	0·18	365	203	162	2	6	6	5	7	26	43	42	50	58	73	38	16	13	4	2
Simple Continued Fever	0·03	0·03	0·03	52	28	24	2	4	2	4	3	15	6	2	8	5	4	1	4	3	3	1
Diarrhœa and Dysentery	0·92	0·97	0·87	1595	828	767	999	280	50	18	8	1355	5	6	4	3	9	19	25	54	72	43
Cholera	0·02	0·03	0·02	39	23	16	14	7	–	–	–	21	1	–	–	2	3	2	2	5	3	–
Cancer	0·59	0·47	0·71	1024	400	624	2	–	–	3	1	6	2	1	5	9	45	152	283	300	175	46
Tabes Mesenterica	0·42	0·46	0·38	732	396	336	315	189	56	21	22	603	40	26	12	12	21	10	4	3	–	1
Phthisis	2·22	2·55	1·90	3855	2182	1673	34	39	20	15	25	133	134	167	371	496	1014	793	488	209	43	7
Other Tub. & Scrof. Dis.	0·56	0·61	0·51	972	519	453	242	181	94	64	56	637	149	66	32	18	33	16	16	3	2	–
Diseases of Nervous System	3·10	3·33	2·88	5384	2843	2541	2007	378	151	92	85	2713	175	73	68	57	176	207	353	585	668	309
Diseases of Circulatory „	1·67	1·70	1·62	2892	1461	1431	7	2	2	3	2	16	35	54	62	78	235	450	534	616	554	258
Diseases of Respiratory „	3·64	3·98	3·29	6308	3395	2913	1538	946	339	159	115	3097	178	50	61	96	272	379	526	663	643	343
Diseases of Digestive „	1·19	1·19	1·18	2062	1018	1044	559	226	34	12	12	843	44	21	33	54	126	207	220	262	195	57
Diseases of Urinary „	0·47	0·55	0·39	812	467	345	16	24	20	13	14	87	38	23	28	35	66	117	120	125	115	58
Diseases of Generative „	0·09	0·01	0·17	162	11	151	4	6	2	–	–	12	1	2	1	11	28	38	41	10	14	4
Puerperal Fever	0·09	–	0·19	165	–	165	–	–	–	–	–	–	–	–	13	56	63	33	–	–	–	–
Childbirth	0·08	–	0·15	135	–	135	–	–	–	–	–	–	–	–	5	28	61	40	1	–	–	–
Violence	0·88	1·27	0·50	1524	1084	440	224	42	33	40	29	368	69	55	76	80	194	210	173	150	101	48
Other Causes	4·02	4·20	3·87	6975	3582	3393	3464	224	63	43	21	3815	109	77	77	73	219	262	303	304	700	1036

Marriages - - - 18,543

Births - Males - 31,618, Females - 30,759 } 62,377

Annual Rate per 1000 living { Persons Married 21·37, Births - - 35·94

Deaths from Childbirth and Puerperal Fever - - - - - } 4·81 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

557.—TYNEMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·32	†148	–	–	–	–	59·44	6·07	3·91	5·64	6·55	7·76	11·33	16·50	31·94	72·54	170·12
Males	—	20·71	†159	–	–	–	–	63·47	5·84	3·97	5·60	6·16	6·83	11·12	17·40	34·27	75·96	177·14
Females	—	19·95	†136	–	–	–	–	55·30	6·31	3·84	5·68	6·97	8·80	11·56	15·55	29·74	69·61	165·50
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·63 per cent.	123,692	3876	3419	3352	3459	3434	17540	15859	14107	12628	11079	18198	13586	9950	6391	3263	1091
Males		63,158	1967	1707	1704	1769	1737	8884	7964	7153	6505	5726	9571	7169	5145	3102	1506	433
Females		60,534	1909	1712	1648	1690	1697	8656	7895	6954	6123	5353	8627	6417	4805	3289	1757	658
Deaths from All Causes, 1881–90. Persons	19·59	24,236	6542	2163	836	507	378	10426	963	551	712	726	1413	1539	1642	2041	2367	1856
Males	19·67	12,425	3637	1144	418	261	179	5639	465	284	364	353	654	797	895	1063	1144	767
Females	19·51	11,811	2905	1019	418	246	199	4787	498	267	348	373	759	742	747	978	1223	1089

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·02	0·02	27	15	12	4	1	–	–	1	6	2	–	3	2	10	3	1	–	–	–
Measles	0·38	0·39	0·38	474	246	228	92	183	79	37	34	425	47	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·44	0·45	0·44	550	285	265	32	94	94	81	60	361	147	27	8	1	4	1	–	–	1	–
Diphtheria	0·10	0·10	0·10	123	60	63	6	19	17	13	17	72	31	6	4	2	2	2	2	1	1	–
Whooping-cough	0·42	0·37	0·48	524	232	292	202	177	61	38	23	501	21	–	1	–	–	1	–	–	–	–
Typhus	0·01	0·01	0·01	13	8	5	–	–	–	–	–	–	1	2	3	2	2	1	1	1	–	–
Enteric Fever	0·25	0·26	0·23	304	167	137	–	3	2	3	7	15	36	41	45	39	51	34	22	18	2	1
Simple Continued Fever	0·05	0·05	0·06	64	29	35	–	4	7	4	5	20	10	5	5	4	1	7	3	4	5	–
Diarrhœa and Dysentery	0·71	0·71	0·71	873	446	427	548	159	22	10	–	739	4	4	1	3	4	7	9	19	43	40
Cholera	0·01	0·01	0·01	13	8	5	4	–	–	2	–	6	1	–	–	1	–	–	2	2	1	–
Cancer	0·45	0·30	0·61	560	190	370	1	–	1	1	1	4	4	1	1	–	14	60	125	184	127	40
Tabes Mesenterica	0·59	0·61	0·56	727	387	340	290	238	57	29	8	622	44	21	15	5	11	3	3	2	1	–
Phthisis	1·97	1·85	2·09	2434	1169	1265	42	26	18	10	25	121	75	150	302	323	567	426	286	124	58	2
Other Tub. & Scrof. Dis.	0·46	0·48	0·45	573	300	273	147	103	60	35	30	375	97	38	16	16	11	6	6	6	2	–
Diseases of Nervous System	2·72	2·80	2·64	3368	1769	1599	1073	267	107	64	41	1552	121	58	40	26	80	118	228	392	494	259
Circulatory „	1·50	1·53	1·47	1855	967	888	10	1	–	3	1	15	22	28	35	42	107	220	286	434	469	197
Respiratory „	3·02	3·13	2·90	3732	1974	1758	984	512	209	116	76	1897	139	29	47	48	139	187	219	353	413	261
Digestive „	1·18	1·20	1·15	1455	760	695	393	179	24	15	13	624	37	24	28	30	67	112	133	178	147	75
Urinary „	0·37	0·43	0·29	452	274	178	9	27	18	13	10	77	18	4	6	22	34	53	50	67	92	29
Generative „	0·06	0·01	0·11	74	6	68	2	–	1	–	–	3	–	1	4	5	16	10	15	10	9	1
Puerperal Fever	0·10	–	0·20	122	–	122	–	–	–	–	–	–	–	1	3	31	56	30	1	–	–	–
Childbirth	0·09	–	0·18	107	–	107	–	–	–	–	–	–	–	–	8	21	39	37	2	–	–	–
Violence	0·76	1·17	0·33	935	738	197	63	18	14	15	17	127	46	59	88	69	106	124	128	82	72	34
Other Causes	3·93	3·79	4·09	4877	2395	2482	2640	152	45	18	9	2864	60	52	48	34	91	97	120	164	430	917

Marriages - - - 8,955

Births - Males - 22,872; Females - 21,411 — 44,283

Annual Rate per 1000 living: Persons Married 14·48; Births - - 35·80

Deaths from Childbirth and Puerperal Fever - - - - - 5·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

558.—CASTLE WARD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·47			†120	–	–	–	–	40·07	4·83	4·29	6·16	7·47	8·57	12·92	15·19	26·65	62·71	176·00
Males	—			18·09			†133	–	–	–	–	44·81	4·16	3·80	6·91	7·68	8·36	13·73	16·12	25·61	68·90	185·71
Females	—			16·88			†106	–	–	–	–	35·42	5·53	4·85	5·32	7·27	8·78	12·10	14·22	27·71	56·99	168·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 23·31 per cent.			22,018			594	570	541	569	581	2855	2630	2585	2372	1982	3116	2445	1830	1212	716	275
Males				11,142			295	278	272	276	294	1415	1345	1368	1244	964	1555	1238	937	613	344	119
Females				10,876			299	292	269	293	287	1440	1285	1217	1128	1018	1561	1207	893	599	372	156
Deaths from All Causes, 1881–90. Persons	17·23			3,793			801	182	67	51	43	1144	127	111	146	148	267	316	278	323	449	484
Males	17·66			1,968			455	102	29	26	22	634	56	52	86	74	130	170	151	157	237	221
Females	16·78			1,825			346	80	38	25	21	510	71	59	60	74	137	146	127	166	212	263
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·04	0·06	0·01	8	7	1	–	–	–	–	–	–	–	–	1	2	4	–	–	1	–	–
Measles	0·18	0·22	0·14	39	24	15	7	13	6	3	–	29	6	3	–	–	1	–	–	–	–	–
Scarlet Fever	0·18	0·17	0·18	39	19	20	4	3	5	3	6	21	12	4	1	–	–	1	–	–	–	–
Diphtheria	0·04	0·04	0·06	10	4	6	1	1	–	2	–	4	3	–	–	2	–	–	–	–	1	–
Whooping-cough	0·26	0·24	0·29	58	27	31	34	14	4	4	1	57	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	4	2	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–
Enteric Fever	0·34	0·41	0·26	74	46	28	–	1	1	5	1	8	11	8	16	9	10	5	6	1	–	–
Simple Continued Fever	0·04	0·04	0·04	8	4	4	2	–	–	–	1	3	–	1	1	–	1	1	1	–	–	–
Diarrhœa and Dysentery	0·56	0·56	0·56	123	62	61	82	11	5	1	1	100	2	–	1	1	5	–	2	3	1	8
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·46	0·33	0·59	101	37	64	–	–	–	1	–	1	–	–	1	–	6	16	25	15	21	16
Tabes Mesenterica	0·35	0·38	0·32	77	42	35	24	13	8	2	1	48	6	12	4	3	2	2	–	–	–	–
Phthisis	1·76	1·70	1·82	387	189	198	5	–	1	2	–	8	9	19	51	66	99	62	48	16	9	–
Other Tub. & Scrof. Dis.	0·40	0·38	0·42	88	42	46	29	13	2	4	7	55	15	6	5	3	2	2	–	–	–	–
Diseases of Nervous System	2·71	2·86	2·55	596	319	277	102	24	8	4	6	144	13	12	10	10	31	73	56	77	90	80
Circulatory „	1·86	1·71	2·02	410	190	220	1	–	–	1	–	2	2	7	8	5	17	38	43	83	123	82
Respiratory „	2·61	2·83	2·38	574	315	259	128	62	17	14	8	229	18	8	10	14	21	31	35	54	66	88
Digestive „	1·14	1·17	1·12	252	130	122	36	16	4	1	7	64	9	11	8	5	8	25	27	26	43	26
Urinary „	0·34	0·48	0·19	75	54	21	–	1	2	–	–	3	1	–	2	1	5	5	7	8	21	22
Generative „	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	1
Puerperal Fever	0·12	–	0·24	26	–	26	–	–	–	–	–	–	–	–	–	3	13	10	–	–	–	–
Childbirth	0·11	–	0·22	24	–	24	–	–	–	–	–	–	–	–	1	5	9	8	1	–	–	–
Violence	0·60	0·90	0·29	132	100	32	6	3	1	2	1	13	8	6	13	10	17	17	11	16	15	6
Other Causes	3·06	3·15	2·97	677	354	323	340	7	3	2	3	355	11	13	12	8	16	17	12	20	58	155

Marriages - - - 842

Births - { Males - 3,431 / Females - 3,269 } 6,700

Annual Rate per 1000 living { Persons Married 7·65 / Births - - 30·43 }

Deaths from Childbirth and Puerperal Fever - - - - 7·46 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

559.—HEXHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 16·75	†116	–	–	–	–	39·39	4·87	3·53	5·27	6·73	8·45	10·47	15·62	27·57	60·88	165·98
Annual Death-Rate per 1000. Males	—	17·01	†135	–	–	–	–	44·65	4·71	2·72	4·63	6·08	7·38	10·75	16·01	27·95	67·24	166·94
Annual Death-Rate per 1000. Females	—	16·50	† 97	–	–	–	–	34·24	5·04	4·37	5·89	7·31	9·43	10·19	15·22	27·20	54·96	165·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·27 per cent.	33,516	847	835	787	838	831	4138	3936	3707	3493	3047	4770	3620	2875	2071	1324	535
Mean Population, 1881–91. Males		16,470	413	428	388	415	403	2047	1953	1878	1726	1432	2289	1805	1430	1027	638	245
Mean Population, 1881–91. Females		17,046	434	407	399	423	428	2091	1983	1829	1767	1615	2481	1815	1445	1044	686	290
Deaths from All Causes, 1881–90. Persons	17·42	5,838	1141	264	101	65	59	1630	192	131	184	205	403	379	449	571	806	888
Deaths from All Causes, 1881–90. Males	17·86	2,941	665	133	49	36	31	914	92	51	80	87	169	194	229	287	429	409
Deaths from All Causes, 1881–90. Females	17·00	2,897	476	131	52	29	28	716	100	80	104	118	234	185	220	284	377	479

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·17	0·20	0·14	57	33	24	11	16	7	7	3	44	11	–	–	–	1	–	–	–	1	–
Scarlet Fever	0·22	0·26	0·18	74	43	31	2	10	10	8	10	40	25	3	–	3	1	2	–	–	–	–
Diphtheria	0·12	0·10	0·13	39	17	22	2	2	6	4	2	16	13	5	1	–	2	1	–	–	1	–
Whooping-cough	0·23	0·25	0·21	76	41	35	34	25	7	3	4	73	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–
Enteric Fever	0·19	0·21	0·16	62	34	28	–	–	3	1	3	7	6	7	11	8	11	4	5	3	–	–
Simple Continued Fever	0·02	0·02	0·01	6	4	2	1	–	–	–	–	1	1	–	–	–	2	1	–	1	–	–
Diarrhœa and Dysentery	0·39	0·44	0·35	132	72	60	82	21	3	1	–	107	1	–	1	–	1	2	1	3	2	14
Cholera	0·01	0·01	0·01	3	1	2	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–
Cancer	0·55	0·36	0·72	183	60	123	–	–	–	–	–	–	–	1	2	2	2	15	43	56	39	23
Tabes Mesenterica	0·34	0·40	0·29	115	66	49	58	13	4	2	4	81	12	5	3	5	3	4	–	1	1	–
Phthisis	2·05	1·82	2·28	687	299	388	7	5	3	–	–	15	8	35	89	95	173	113	93	40	18	8
Other Tub. & Scrof. Dis.	0·49	0·55	0·43	165	91	74	36	20	8	8	7	79	26	15	11	7	15	4	4	3	1	–
Diseases of Nervous System	2·27	2·40	2·15	762	396	366	158	38	13	10	9	228	22	12	13	8	20	25	56	79	158	141
Diseases of Circulatory „	2·11	2·11	2·11	706	347	359	2	1	1	1	1	6	4	8	13	11	27	43	74	142	205	173
Diseases of Respiratory „	2·60	2·76	2·45	871	454	417	183	71	19	13	11	297	28	5	12	12	28	43	61	97	161	127
Diseases of Digestive „	1·16	1·11	1·21	388	182	206	68	19	8	1	1	97	10	7	4	11	20	27	42	67	68	35
Diseases of Urinary „	0·41	0·56	0·28	139	92	47	1	1	2	–	2	6	5	2	4	9	13	12	18	14	30	26
Diseases of Generative „	0·07	–	0·13	22	–	22	–	–	–	–	–	–	–	–	–	–	3	7	3	5	4	–
Puerperal Fever	0·12	–	0·23	39	–	39	–	–	–	–	–	–	–	–	–	6	22	11	–	–	–	–
Childbirth	0·07	–	0·15	25	–	25	–	–	–	–	–	–	–	–	–	5	10	8	2	–	–	–
Violence	0·56	0·85	0·28	187	140	47	19	7	4	3	2	35	7	7	10	12	17	23	21	24	18	13
Other Causes	3·26	3·43	3·09	1095	566	529	477	14	3	3	–	497	9	19	10	10	31	32	25	36	98	328

Marriages - - - 1,997

Births - { Males - 4,911 / Females - 4,928 } 9,839

Annual Rate per 1000 living { Persons Married 11·92 / Births - - 29·36

Deaths from Childbirth and Puerperal Fever - - - - - } 6·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

560.—HALTWHISTLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·50	†101	–	–	–	–	34·43	4·80	4·39	7·24	8·42	8·64	8·34	14·35	29·10	68·21	160·87
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·05	†110	–	–	–	–	36·07	6·08	3·73	5·81	6·89	7·48	7·21	13·53	29·32	75·18	163·51
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·93	† 93	–	–	–	–	32·80	3·53	5·09	8·71	9·91	9·78	9·47	15·20	28·85	61·54	157·81
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·97 per cent.	7,824	210	207	187	204	194	1002	958	888	815	677	1077	863	669	457	280	138
Mean Population, 1881-91. Males	Decennial Decrease of Population 1·97 per cent.	3,944	106	98	97	103	95	499	477	456	413	334	535	430	340	249	137	74
Mean Population, 1881-91. Females	Decennial Decrease of Population 1·97 per cent.	3,880	104	109	90	101	99	503	481	432	402	343	542	433	329	208	143	64
Deaths from All Causes, 1881-90. Persons	17·29	1,353	237	66	11	19	12	345	46	39	59	57	93	72	96	133	191	222
Deaths from All Causes, 1881-90. Males	17·42	687	129	30	5	10	6	180	29	17	24	23	40	31	46	73	103	121
Deaths from All Causes, 1881-90. Females	17·16	666	108	36	6	9	6	165	17	22	35	34	53	41	50	60	88	101

	Persons.	Males.	Females	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·18	0·21	15	7	8	4	3	–	2	–	9	6	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·20	0·05	10	8	2	–	3	2	–	–	5	2	2	–	–	1	–	–	–
Diphtheria	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Whooping-cough	0·24	0·13	0·36	19	5	14	7	8	–	2	–	17	2	–	–	–	–	–	–	–
Typhus	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·17	0·13	0·21	13	5	8	–	–	–	–	–	–	–	2	4	3	2	–	1	1
Simple Continued Fever	0·04	0·03	0·05	3	1	2	–	–	–	–	–	–	2	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·33	0·38	0·28	26	15	11	17	2	–	–	–	19	–	2	–	–	–	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	0·63	0·54	46	25	21	–	–	–	–	–	–	–	–	–	–	2	3	6	18
Tabes Mesenterica	0·23	0·20	0·26	18	8	10	8	1	–	–	–	9	2	2	–	2	1	–	2	–
Phthisis	2·38	1·88	2·89	186	74	112	–	2	–	–	–	2	3	13	31	29	45	24	18	14
Other Tub. & Scrof. Dis.	0·43	0·51	0·36	34	20	14	8	5	1	1	1	16	9	4	1	2	1	–	1	–
Diseases of Nervous System	2·28	2·36	2·19	178	93	85	32	11	2	3	3	51	1	–	7	–	4	3	8	18
Diseases of Circulatory „	1·94	1·83	2·06	152	72	80	–	–	–	–	–	–	–	2	2	2	1	4	15	33
Diseases of Respiratory „	2·85	3·07	2·63	223	121	102	39	18	6	7	3	73	7	2	2	4	5	12	14	16
Diseases of Digestive „	0·96	1·12	0·80	75	44	31	9	6	–	1	–	16	3	2	3	1	1	6	10	11
Diseases of Urinary „	0·38	0·48	0·28	30	19	11	–	–	–	–	–	–	–	–	1	–	3	4	5	4
Diseases of Generative „	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Puerperal Fever	0·12	–	0·23	9	–	9	–	–	–	–	–	–	–	–	–	3	4	2	–	–
Childbirth	0·18	–	0·36	14	–	14	–	–	–	–	–	–	–	–	–	3	5	4	2	–
Violence	0·63	0·86	0·39	49	34	15	4	1	–	1	4	10	3	2	4	2	8	5	4	5
Other Causes	3·19	3·37	2·98	250	134	116	109	6	–	2	1	118	6	5	3	6	10	5	9	12

Marriages	456	Annual Rate per 1000 living	Persons Married 11·66	Deaths from Childbirth and Puerperal Fever 9·82 per 1000 Births.
Births Males 1,177	2,341		Births 29·92	
Births Females 1,164				

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

561.—BELLINGHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 13·75	† 89	–	–	–	–	26·50	2·96	3·86	3·05	6·60	9·08	9·89	12·50	26·27	50·33	145·95
Males	—	13·70	†110	–	–	–	–	30·67	4·49	3·75	1·92	6·47	6·72	8·97	13·77	29·46	47·74	140·51
Females	—	13·80	† 68	–	–	–	–	22·62	1·30	3·96	4·04	6·72	11·22	10·77	11·23	22·86	53·06	152·17
Mean Population. 1881–91. Persons	Decennial Decrease of Population, 10·89 per cent.	5,775	129	122	130	135	133	649	641	621	557	485	749	637	552	434	302	148
Males		2,835	62	56	63	65	67	313	334	293	260	232	357	312	276	224	155	79
Females		2,940	67	66	67	70	66	336	307	328	297	253	392	325	276	210	147	69
Deaths from All Causes, 1881–90. Persons	16·38	946	121	25	12	8	6	172	19	24	17	32	68	63	69	114	152	216
Males	17·04	483	76	8	7	3	2	96	15	11	5	15	24	28	38	66	74	111
Females	15·75	463	45	17	5	5	4	76	4	13	12	17	44	35	31	48	78	105

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·04	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	0·03	0·04	0·03	2	1	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·21	0·25	0·17	12	7	5	2	1	2	–	1	6	3	2	–	1	–	–	–	–	–
Diphtheria	0·17	0·21	0·14	10	6	4	–	2	1	–	1	4	3	2	–	–	–	–	1	–	–
Whooping-cough	0·17	0·14	0·20	10	4	6	3	4	2	–	–	9	1	–	–	–	–	–	–	–	–
Typhus	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·17	0·11	0·24	10	3	7	–	–	–	–	–	–	–	3	1	–	3	2	–	1	–
Simple Continued Fever	0·13	0·21	0·03	7	6	1	2	–	–	1	1	4	1	–	–	–	–	1	–	–	1
Diarrhœa and Dysentery	0·14	0·21	0·07	8	6	2	3	–	–	–	–	3	–	–	–	–	–	1	–	–	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·87	0·78	0·95	50	22	28	–	–	–	–	–	–	–	–	–	–	–	1	9	21	9
Tabes Mesenterica	0·02	0·04	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	1·71	1·66	1·77	99	47	52	–	–	–	–	–	–	2	3	6	18	28	15	16	9	2
Other Tub. & Scrof. Dis.	0·38	0·39	0·37	22	11	11	3	2	1	2	1	9	2	4	2	3	1	1	–	–	–
Diseases of Nervous System	2·01	1·80	2·21	116	51	65	8	2	1	–	–	11	3	2	2	2	5	4	3	15	27
Diseases of Circulatory „	2·04	2·29	1·80	118	65	53	1	–	–	–	–	1	1	–	–	–	5	6	10	22	38
Diseases of Respiratory „	2·06	2·22	1·90	119	63	56	13	4	4	4	–	25	–	–	1	1	6	10	10	16	20
Diseases of Digestive „	1·52	1·38	1·67	88	39	49	12	5	–	1	2	20	1	3	1	2	2	7	7	11	23
Diseases of Urinary „	0·61	0·88	0·34	35	25	10	–	–	–	–	–	–	1	1	–	–	2	4	3	3	13
Diseases of Generative „	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Puerperal Fever	0·03	–	0·07	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Childbirth	0·05	–	0·10	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Violence	0·38	0·49	0·27	22	14	8	1	1	–	–	–	2	1	–	–	–	2	2	–	7	2
Other Causes	3·59	3·90	3·29	207	111	96	72	3	1	–	–	76	–	4	4	5	7	9	7	8	14

Marriages	231	Annual Rate per 1000 living: Persons Married	8·00	Deaths from Childbirth and Puerperal Fever: 3·70 per 1000 Births.
Births: Males 693, Females 659	1,352	Births	23·41	

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

562.—MORPETH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 19·38	†130	–	–	–	–	50·20	5·17	3·94	6·63	7·94	8·76	11·94	15·85	30·53	69·59	180·00
Annual Death-Rate per 1000. Males	—	In Standard Population.* 19·33	†142	–	–	–	–	54·01	5·08	3·86	5·76	7·29	7·50	10·38	16·63	30·56	71·72	199·49
Annual Death-Rate per 1000. Females	—	In Standard Population.* 19·43	†117	–	–	–	–	46·34	5·27	4·03	7·65	8·68	10·14	13·63	15·02	30·51	67·58	164·37
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·92 per cent.	39,314	1197	1048	1050	1054	1097	5446	5102	4589	4015	3451	5505	4281	3141	2132	1207	445
Mean Population, 1881–91. Males	Decennial Increase of Population 17·92 per cent.	20,210	599	512	529	546	556	2742	2560	2306	2172	1838	2881	2226	1630	1070	587	198
Mean Population, 1881–91. Females	Decennial Increase of Population 17·92 per cent.	19,104	598	536	521	508	541	2704	2542	2283	1843	1613	2624	2055	1511	1062	620	247
Deaths from All Causes, 1881–90. Persons	19·08	7,502	1854	483	194	101	102	2734	264	181	266	274	482	511	498	651	840	801
Deaths from All Causes, 1881–90. Males	18·90	3,820	1042	247	91	48	53	1481	130	89	125	134	216	231	271	327	421	395
Deaths from All Causes, 1881–90. Females	19·27	3,682	812	236	103	53	49	1253	134	92	141	140	266	280	227	324	419	406

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·07	0·06	0·07	26	13	13	2	1	–	–	–	3	2	2	2	3	4	2	5	1	2	–
Measles	0·40	0·42	0·38	157	84	73	32	44	35	11	18	140	15	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·27	0·24	0·30	105	48	57	6	20	15	12	16	69	27	4	2	1	2	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	35	16	19	–	6	3	2	4	15	12	4	1	1	1	1	–	–	–	–
Whooping-cough	0·28	0·20	0·37	110	40	70	47	36	12	8	5	108	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	7	5	2	–	–	–	–	–	–	–	–	4	–	–	1	–	2	–	–
Enteric Fever	0·32	0·26	0·38	126	53	73	1	1	2	3	2	9	18	13	23	23	19	9	5	3	3	1
Simple Continued Fever	0·09	0·11	0·07	36	22	14	2	1	1	4	2	10	10	3	1	1	–	1	2	2	3	3
Diarrhœa and Dysentery	0·58	0·65	0·51	228	131	97	123	49	6	1	–	179	2	–	–	–	1	2	2	3	20	19
Cholera	0·01	0·01	0·02	5	2	3	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1
Cancer	0·46	0·35	0·58	180	70	110	–	–	–	–	–	–	1	–	1	1	7	18	34	55	47	16
Tabes Mesenterica	0·56	0·60	0·52	220	121	99	109	54	17	5	–	185	11	10	4	4	4	2	–	–	–	–
Phthisis	2·41	2·08	2·75	946	420	526	7	7	3	3	5	25	33	60	136	133	211	168	90	66	21	3
Other Tub. & Scrof. Dis.	0·44	0·49	0·39	174	99	75	66	24	15	7	6	118	26	7	6	6	3	5	1	2	–	–
Diseases of Nervous System	2·87	2·97	2·75	1127	601	526	337	51	27	8	13	436	27	18	12	19	33	62	95	132	171	122
Diseases of Circulatory "	1·61	1·59	1·64	635	321	314	6	–	–	–	–	6	9	12	19	10	29	61	78	134	164	113
Diseases of Respiratory "	2·40	2·45	2·34	942	495	447	254	109	32	25	16	436	26	7	5	8	29	39	64	98	139	91
Diseases of Digestive "	1·29	1·35	1·24	509	272	237	142	46	10	3	4	205	11	5	7	10	18	45	43	66	73	26
Diseases of Urinary "	0·31	0·35	0·26	121	71	50	3	6	3	1	2	15	3	2	1	5	7	11	6	18	29	24
Diseases of Generative "	0·06	0·00	0·12	23	1	22	1	–	–	–	–	1	–	–	–	2	3	4	3	4	4	2
Puerperal Fever	0·10	–	0·21	40	–	40	–	–	–	–	–	–	–	–	4	10	12	14	–	–	–	–
Childbirth	0·09	–	0·19	37	–	37	–	–	–	–	–	–	–	–	2	7	24	3	1	–	–	–
Violence	0·65	0·99	0·30	257	200	57	15	9	7	5	4	40	15	15	18	16	38	28	31	26	19	11
Other Causes	3·70	3·63	3·77	1456	735	721	700	19	6	3	5	733	14	18	18	14	37	34	37	38	144	369

Marriages - - - 2,700

Births - { Males - 7,315 / Females - 6,934 } 14,249

Annual Rate per 1000 living { Persons Married 13·74 / Births - - 36·24 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

563.—ALNWICK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·91	†115	–	–	–	–	41·11	4·40	3·06	5·43	7·42	9·88	9·53	14·18	28·04	61·31	159·95
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·95	†125	–	–	–	–	44·74	3·82	2·11	5·26	7·06	10·23	10·29	17·21	31·45	71·16	181·17
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·93	†105	–	–	–	–	37·44	5·00	4·02	5·61	7·72	9·56	8·81	11·47	24·90	53·07	146·77
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·75 per cent.	21,607	548	479	562	528	527	2644	2477	2284	2191	1915	3127	2383	1819	1437	928	402
Mean Population, 1881–91. Males	Decennial Increase of Population 2·75 per cent.	10,510	277	253	267	277	256	1330	1256	1140	1103	892	1505	1157	860	690	423	154
Mean Population, 1881–91. Females	Decennial Increase of Population 2·75 per cent.	11,097	271	226	295	251	271	1314	1221	1144	1088	1023	1622	1226	959	747	505	248
Deaths from All Causes, 1881–90. Persons	18·22	3,936	746	179	82	48	32	1087	109	70	119	142	309	227	258	403	569	643
Deaths from All Causes, 1881–90. Males	19·09	2,006	416	92	49	21	17	595	48	24	58	63	154	119	148	217	301	279
Deaths from All Causes, 1881–90. Females	17·39	1,930	330	87	33	27	15	492	61	46	61	79	155	108	110	186	268	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·04	0·07	0·02	9	7	2	–	1	–	–	1	2	–	–	1	–	3	–	1	1	–	1
Measles	0·27	0·25	0·30	59	26	33	14	18	12	3	2	49	9	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·24	0·27	0·22	52	28	24	3	5	9	8	3	28	14	6	2	1	1	–	–	–	–	–
Diphtheria	0·04	0·03	0·05	8	3	5	–	2	1	1	–	4	2	–	1	–	–	1	–	–	–	–
Whooping-cough	0·29	0·27	0·31	62	28	34	27	21	4	5	1	58	3	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·15	0·17	0·14	33	18	15	–	–	–	1	–	1	6	4	8	6	2	4	2	–	–	–
Simple Continued Fever	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·44	0·42	0·46	95	44	51	47	9	1	–	1	58	1	–	–	2	2	2	–	3	7	20
Cholera	0·01	0·03	–	3	3	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–
Cancer	0·64	0·52	0·76	139	55	84	–	–	–	–	–	–	1	–	–	1	1	10	23	42	37	24
Tabes Mesenterica	0·20	0·23	0·18	44	24	20	18	8	2	2	–	30	1	4	3	2	2	–	1	1	–	–
Phthisis	2·41	2·45	2·37	520	257	263	5	3	3	3	3	17	16	22	61	77	157	74	46	37	12	1
Other Tub. & Scrof. Dis.	0·21	0·19	0·23	45	20	25	11	8	4	1	1	25	9	4	4	1	–	–	–	1	1	–
Diseases of Nervous System	2·95	3·03	2·87	637	318	319	151	29	14	4	7	205	18	4	6	5	19	19	37	77	131	116
Diseases of Circulatory „	1·97	2·03	1·92	426	213	213	2	2	–	–	–	4	2	4	3	8	11	26	42	83	137	106
Diseases of Respiratory „	2·45	2·74	2·18	530	288	242	117	47	19	15	6	204	11	6	4	8	20	13	30	49	85	100
Diseases of Digestive „	1·16	1·22	1·10	250	128	122	50	15	4	1	1	71	4	7	5	5	17	12	14	47	43	25
Diseases of Urinary „	0·36	0·52	0·21	78	55	23	1	1	–	–	–	2	2	1	2	4	8	8	11	9	18	13
Diseases of Generative „	0·05	–	0·10	11	–	11	–	–	–	–	–	–	–	–	1	–	1	1	2	1	5	–
Puerperal Fever	0·09	–	0·17	19	–	19	–	–	–	–	–	–	–	–	–	5	9	5	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	2	3	9	2	–	–	–	–
Violence	0·63	1·08	0·21	136	113	23	5	1	1	1	2	10	4	4	6	7	19	22	26	20	13	5
Other Causes	3·53	3·54	3·44	760	375	385	294	9	8	3	4	318	4	3	9	7	27	27	23	31	79	232

Marriages - - - 1,301

Births - { Males - 3,333 / Females - 3,154 } 6,487

Annual Rate per 1000 living { Persons Married 12·04 / Births - - 30·02

Deaths from Childbirth and Puerperal Fever - - - - - - - } 5·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

564.—BELFORD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 12·88	†77	–	–	–	–	25·28	2·90	3·37	4·63	5·07	5·67	9·16	13·32	22·31	50·61	144·83
Annual Death-Rate per 1000. Males	—	In Standard Population* 13·60	†82	–	–	–	–	28·16	2·67	2·31	3·60	5·68	7·74	10·98	13·21	21·08	56·25	173·68
Annual Death-Rate per 1000. Females	-	In Standard Population* 12·21	†71	–	–	–	–	22·44	3·14	4·47	5·57	4·58	4·02	7·62	13·41	23·41	45·93	130·77
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·35 per cent.	5,440	132	121	124	114	130	621	587	594	583	513	759	557	473	390	247	116
Mean Population, 1881–91. Males	Decennial Decrease of Population 10·35 per cent.	2,557	70	61	53	58	67	309	300	303	278	229	336	255	212	185	112	38
Mean Population, 1881–91. Females	Decennial Decrease of Population 10·35 per cent.	2,883	62	60	71	56	63	312	287	291	305	284	423	302	261	205	135	78
Deaths from All Causes, 1881–90. Persons	14·41	784	111	23	7	9	7	157	17	20	27	26	43	51	63	87	125	168
Deaths from All Causes, 1881–90. Males	14·67	375	60	15	3	5	4	87	8	7	10	13	26	28	28	39	63	66
Deaths from All Causes, 1881–90. Females	14·19	409	51	8	4	4	3	70	9	13	17	13	17	23	35	48	62	102

	Persons.	Males.	Females.	Persons.	Males.	Females.
Small-pox	–	–	–	–	–	–
Measles	0·06	0·08	0·03	3	2	1
Scarlet Fever	0·17	0·12	0·21	9	3	6
Diphtheria	0·11	0·16	0·07	6	4	2
Whooping-cough	0·07	0·08	0·07	4	2	2
Typhus	–	–	–	–	–	–
Enteric Fever	0·06	0·04	0·07	3	1	2
Simple Continued Fever	–	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·27	0·17	12	7	5
Cholera	0·06	0·12	–	3	3	–
Cancer	0·55	0·43	0·66	30	11	19
Tabes Mesenterica	0·15	0·12	0·17	8	3	5
Phthisis	1·51	1·33	1·66	82	34	48
Other Tub. & Scrof. Dis.	0·37	0·35	0·38	20	9	11
Diseases of Nervous System	2·08	2·15	2·01	113	55	58
Diseases of Circulatory "	2·43	2·31	2·53	132	59	73
Diseases of Respiratory "	2·04	2·31	1·80	111	59	52
Diseases of Digestive "	1·10	1·02	1·18	60	26	34
Diseases of Urinary "	0·37	0·35	0·38	20	9	11
Diseases of Generative "	0·06	–	0·10	3	–	3
Puerperal Fever	0·11	–	0·21	6	–	6
Childbirth	–	–	–	–	–	–
Violence	0·62	1·13	0·17	34	29	5
Other Causes	2·27	2·30	2·32	125	59	66

Persons.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
–	1	1	2	–	4	2	1	–	–	–	1	–	1	–	–
–	–	–	1	1	2	–	1	–	1	1	1	–	–	–	–
4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	7	–	–	–	–	–	–	–	1	1	3
–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–
–	–	–	–	–	–	–	–	–	–	1	2	6	8	7	6
1	–	2	–	–	3	1	–	–	–	3	1	–	–	–	–
–	–	–	–	–	–	2	7	13	10	18	14	10	6	2	–
4	2	2	–	3	11	4	4	1	–	–	–	–	–	–	–
8	3	1	1	–	13	1	2	1	3	2	1	8	15	34	33
1	–	–	–	–	1	1	1	3	4	2	7	15	23	42	33
20	9	1	2	3	35	–	1	5	4	2	1	8	13	20	22
12	2	–	–	–	14	2	1	2	1	2	2	8	11	8	9
–	–	–	–	–	–	–	–	–	–	–	4	2	4	3	7
–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1
–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	2	–	–	–	4	2	–	1	2	9	6	3	3	–	4
52	3	–	–	–	55	1	–	1	–	1	5	2	2	8	50

Marriages - - 330

Births - { Males - 731, Females - 717 } 1,448

Annual Rate per 1000 living { Persons Married 12·13, Births - - 26·62

Deaths from Childbirth and Puerperal Fever - - - - - } 4·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

565.—BERWICK.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·02			†102	–	–	–	–	40·34	5·71	3·21	4·49	6·46	8·52	11·29	13·51	28·37	65·60	166·84
Annual Death-Rate per 1000. Males	—			17·81			†109	–	–	–	–	42·43	5·97	2·89	4·32	7·46	9·45	11·99	14·98	30·92	75·96	169·18
Annual Death-Rate per 1000. Females	—			16·27			† 95	–	–	–	–	38·26	5·44	3·54	4·67	5·50	7·71	10·69	12·27	26·34	57·75	165·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·19 per cent.			20,397			505	467	532	472	503	2479	2383	2241	2092	1735	2757	2241	1799	1371	907	392
Mean Population, 1881–91. Males				9,777			247	224	267	236	261	1235	1189	1140	1065	844	1291	1034	821	608	391	159
Mean Population, 1881–91. Females				10,620			258	243	265	236	242	1244	1194	1101	1027	891	1466	1207	978	763	516	233
Deaths from All Causes, 1881–90. Persons	18·55			3,783			609	199	82	60	50	1000	136	72	94	112	235	253	243	389	595	654
Deaths from All Causes, 1881–90. Males	19·02			1,860			326	104	36	32	26	524	71	33	46	63	122	124	123	188	297	269
Deaths from All Causes, 1881–90. Females	18·11			1,923			283	95	46	28	24	476	65	39	48	49	113	129	120	201	298	385
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Measles	0·29	0·33	0·26	60	32	28	10	21	14	3	5	53	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·24	0·26	51	23	28	5	9	5	9	7	35	12	3	–	–	1	–	–	–	–	–
Diphtheria	0·24	0·20	0·27	49	20	29	5	16	4	10	6	41	6	1	–	–	–	–	–	1	–	–
Whooping-cough	0·32	0·27	0·37	65	26	39	26	17	9	4	4	60	5	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·31	0·32	0·30	63	31	32	1	1	1	1	2	6	12	12	7	10	11	1	1	3	–	–
Simple Continued Fever	0·06	0·07	0·06	13	7	6	–	–	–	–	–	–	2	2	1	–	1	3	1	2	–	1
Diarrhœa and Dysentery	0·48	0·50	0·45	97	49	48	48	7	3	1	1	60	4	1	–	–	2	1	1	4	11	13
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·81	0·64	0·97	166	63	103	–	–	–	–	–	–	–	–	1	–	3	11	31	48	51	21
Tabes Mesenterica	0·14	0·16	0·11	28	16	12	4	7	2	3	1	17	8	1	2	–	–	–	–	–	–	–
Phthisis	1·67	1·76	1·57	340	173	167	1	–	–	1	1	3	8	10	45	49	89	62	36	22	15	1
Other Tub. & Scrof. Dis.	0·44	0·53	0·35	89	52	37	17	14	9	5	2	47	22	10	3	2	3	1	1	–	–	–
Diseases of Nervous System	2·61	2·56	2·67	533	250	283	59	15	6	8	4	92	6	7	6	7	10	26	41	78	135	125
Diseases of Circulatory „	2·44	2·38	2·49	497	233	264	1	–	–	–	–	1	3	5	–	7	20	38	38	100	164	121
Diseases of Respiratory „	2·45	2·59	2·32	499	253	246	115	55	19	8	3	200	9	4	7	5	15	25	32	39	88	75
Diseases of Digestive „	1·47	1·47	1·47	300	144	156	55	24	2	1	3	85	4	6	6	6	11	23	21	42	47	49
Diseases of Urinary „	0·35	0·41	0·30	72	40	32	–	1	1	1	2	5	2	–	2	4	7	6	5	14	12	15
Diseases of Generative „	0·11	0·02	0·19	22	2	20	–	–	–	–	–	–	–	–	–	1	4	3	4	1	5	4
Puerperal Fever	0·11	–	0·21	22	–	22	–	–	–	–	–	–	–	–	–	2	16	4	–	–	–	–
Childbirth	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	1	–	4	5	–	–	–	–
Violence	0·74	1·29	0·24	151	126	25	11	2	3	2	6	24	8	1	5	14	27	26	13	18	7	8
Other Causes	3·20	3·26	3·14	652	318	334	251	10	4	3	3	271	19	7	7	5	10	18	18	17	60	220

Marriages - - - 1,286

Births - { Males - 2,991 / Females - 2,972 } 5,963

Annual Rate per 1000 living { Persons Married 12·61 / Births - - 29·23 }

Deaths from Childbirth and Puerperal Fever - - - - 5·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

566.—GLENDALE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	--	In Standard Population.* 13·33	†88	–	–	–	–	27·30	3·52	2·55	5·08	4·67	7·30	7·62	10·72	23·76	59·06	150·76
Annual Death-Rate per 1000. Males	—	13·03	†97	–	–	–	–	29·35	3·52	1·72	3·93	3·64	8·37	8·11	8·78	23·60	63·13	141·86
Annual Death-Rate per 1000. Females	—	13·62	†78	–	–	–	–	25·25	3·52	3·35	6·16	5·49	6·47	7·19	12·38	23·91	55·56	157·66
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·11 per cent.	10,544	233	220	233	251	239	1176	1193	1177	1103	986	1452	1142	942	707	469	197
Mean Population, 1881–91. Males		4,975	124	107	111	123	121	586	596	580	535	440	633	530	433	339	217	86
Mean Population, 1881–91. Females		5,569	109	113	122	128	118	590	597	597	568	546	819	612	509	368	252	111
Deaths from All Causes, 1881–90. Persons	14·52	1,531	233	46	14	11	17	321	42	30	56	46	106	87	101	168	277	297
Deaths from All Causes, 1881–90. Males	14·33	713	132	19	7	7	7	172	21	10	21	16	53	43	38	80	137	122
Deaths from All Causes, 1881–90. Females	14·69	818	101	27	7	4	10	149	21	20	35	30	53	44	63	88	140	175

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	–	0·02	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·07	0·10	0·04	7	5	2	2	2	–	–	–	4	1	2	–	–	–	–	–	–
Scarlet Fever	0·19	0·18	0·20	20	9	11	1	1	–	2	4	8	8	2	2	–	–	–	–	–
Diphtheria	0·09	0·12	0·05	9	6	3	–	–	–	–	2	2	3	3	1	–	–	–	–	–
Whooping-cough	0·25	0·26	0·23	26	13	13	17	2	1	1	1	22	4	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·10	0·22	17	5	12	–	–	–	–	–	–	1	2	4	4	–	5	–	1
Simple Continued Fever	0·06	0·06	0·05	6	3	3	–	–	–	–	–	–	1	–	2	–	–	–	1	1
Diarrhœa and Dysentery	0·28	0·38	0·18	29	19	10	11	3	–	1	–	15	–	–	–	–	1	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·60	0·97	84	30	54	–	–	–	–	–	–	–	1	1	–	2	3	12	22
Tabes Mesenterica	0·03	–	0·05	3	–	3	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Phthisis	1·23	1·19	1·28	130	59	71	–	1	–	–	–	1	–	4	17	17	41	30	12	4
Other Tub. & Scrof. Dis.	0·28	0·18	0·38	30	9	21	5	6	–	1	1	13	5	1	4	2	4	–	–	–
Diseases of Nervous System	1·55	1·47	1·62	163	73	90	20	5	3	–	1	29	1	4	4	3	4	2	8	24
Diseases of Circulatory „	2·30	2·31	2·30	243	115	128	–	–	–	–	–	–	–	3	1	3	7	8	16	55
Diseases of Respiratory „	2·07	2·23	1·92	218	111	107	35	17	5	3	4	64	9	2	6	–	11	8	13	22
Diseases of Digestive „	1·10	1·07	1·13	116	53	63	21	2	1	–	3	27	1	1	4	6	6	9	12	12
Diseases of Urinary „	0·46	0·70	0·23	48	35	13	2	–	–	–	–	2	2	–	–	4	2	6	2	7
Diseases of Generative „	0·09	–	0·18	10	–	10	–	–	–	–	–	–	–	–	–	–	2	–	4	–
Puerperal Fever	0·03	–	0·05	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Childbirth	0·07	–	0·13	7	–	7	–	–	–	–	–	–	–	–	–	1	5	–	1	–
Violence	0·41	0·56	0·27	43	28	15	–	2	–	1	–	3	1	1	2	1	6	4	6	7
Other Causes	2·99	2·82	3·19	318	140	178	118	5	4	1	1	129	4	4	7	5	13	10	12	13

Marriages	569	Annual Rate per 1000 living: Persons Married	10·79
Births: Males	1,355	Births	25·09
Births: Females	1,291	Deaths from Childbirth and Puerperal Fever	3·78 per 1000 Births.
Births	2,646		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

567.—ROTHBURY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·08	† 91	–	–	–	–	31·28	2·65	4·05	4·93	7·14	9·29	10·48	11·24	27·98	56·64	158·99
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·35	†103	–	–	–	–	36·71	4·25	2·88	6·17	5·94	6·55	11·17	12·32	28·38	52·86	174·19
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·82	† 79	–	–	–	–	26·16	0·92	5·07	3·87	8·23	11·93	9·76	10·29	27·59	60·27	146·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·33 per cent.	6,396	136	127	157	143	150	713	680	667	670	602	904	687	587	461	286	139
Mean Population, 1881–91. Males	Decennial Decrease of Population 9·33 per cent.	3,104	64	58	75	70	79	346	353	312	308	286	443	349	276	229	140	62
Mean Population, 1881–91. Females	Decennial Decrease of Population 9·33 per cent.	3,292	72	69	82	73	71	367	327	355	362	316	461	338	311	232	146	77
Deaths from All Causes, 1881–90. Persons	16·85	1,078	148	32	20	15	8	223	18	27	33	43	84	72	66	129	162	221
Deaths from All Causes, 1881–90. Males	17·27	536	86	20	9	6	6	127	15	9	19	17	29	39	34	65	74	108
Deaths from All Causes, 1881–90. Females	16·46	542	62	12	11	9	2	96	3	18	14	26	55	33	32	64	88	113

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·16	0·23	0·09	10	7	3	3	3	2	1	1	10	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	0·32	0·27	19	10	9	1	3	2	2	2	10	4	2	1	–	2	–	–	–	–	–
Diphtheria	0·13	0·16	0·09	8	5	3	–	1	–	2	–	3	1	1	1	–	–	–	1	1	–	–
Whooping-cough	0·20	0·19	0·21	13	6	7	8	4	1	–	–	13	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·13	0·18	10	4	6	1	–	–	–	–	1	2	–	1	2	–	3	1	–	–	–
Simple Continued Fever	0·09	0·03	0·15	6	1	5	–	2	–	–	1	3	–	2	–	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·31	0·29	0·33	20	9	11	10	1	1	1	–	13	–	–	–	–	–	1	1	–	2	3
Cholera	0·02	–	0·03	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·86	0·77	0·94	55	24	31	–	–	–	–	–	–	–	–	–	–	1	5	6	9	19	15
Tabes Mesenterica	0·05	0·03	0·06	3	1	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Phthisis	2·20	2·03	2·37	141	63	78	1	–	–	–	–	1	1	11	16	25	42	23	10	9	2	1
Other Tub. & Scrof. Dis.	0·38	0·42	0·33	24	13	11	2	2	3	4	1	12	2	–	1	4	3	2	–	–	–	–
Diseases of Nervous System	2·30	2·29	2·31	147	71	76	19	3	4	–	–	26	2	2	2	1	9	3	8	31	25	38
Diseases of Circulatory „	2·17	2·03	2·31	139	63	76	–	–	–	–	–	–	1	1	1	2	2	3	10	32	44	43
Diseases of Respiratory „	2·02	2·16	1·88	129	67	62	29	7	4	4	3	47	3	1	3	1	–	7	4	10	26	27
Diseases of Digestive „	1·39	1·51	1·28	89	47	42	12	3	2	1	–	18	1	1	2	2	3	8	8	20	16	10
Diseases of Urinary „	0·34	0·45	0·24	22	14	8	–	–	–	–	–	–	–	–	–	–	5	1	3	2	6	5
Diseases of Generative „	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Fever	0·09	–	0·18	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Childbirth	0·05	–	0·09	3	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Violence	0·45	0·64	0·27	29	20	9	1	2	–	–	–	3	–	1	2	2	1	4	6	4	–	6
Other Causes	3·14	3·59	2·79	202	111	91	60	1	1	–	–	62	1	4	2	1	9	9	8	11	22	73

Marriages - - 305

Births - Males 835, Females 788 } 1,623

Annual Rate per 1000 living { Persons Married 9·54; Births 25·38

Deaths from Childbirth and Puerperal Fever 5·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

568.—ALSTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·80	† 92	–	–	–	–	32·41	3·30	4·01	4·37	8·28	9·87	11·55	21·45	34·11	79·52	172·88
Annual Death-Rate per 1000. Males	—	In Standard Population* 18·90	†110	–	–	–	–	38·12	1·67	2·59	4·46	6·79	9·30	10·76	26·53	43·38	87·14	205·56
Annual Death-Rate per 1000. Females	—	In Standard Population* 16·76	† 71	–	–	–	–	26·42	5·12	5·53	4·29	9·66	10·41	12·29	16·59	26·51	73·96	158·54
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 26·77 per cent.	4,003	95	73	83	88	96	435	455	449	412	338	527	459	401	302	166	59
Mean Population, 1881–91. Males		1,960	55	33	39	46	50	223	240	232	202	162	258	223	196	136	70	18
Mean Population, 1881–91. Females		2,043	40	40	44	42	46	212	215	217	210	176	269	236	205	166	96	41
Deaths from All Causes, 1881–90. Persons	18·69	748	88	22	14	9	8	141	15	18	18	28	52	53	86	103	132	102
Deaths from All Causes, 1881–90. Males	18·98	372	57	13	8	4	3	85	4	6	9	11	24	24	52	59	61	37
Deaths from All Causes, 1881–90. Females	18·40	376	31	9	6	5	5	56	11	12	9	17	28	29	34	44	71	65

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·07	0·05	0·10	3	1	2	–	1	–	–	2	3	–	–	–	–	–	–
Scarlet Fever	0·30	0·36	0·24	12	7	5	1	1	2	2	2	8	4	–	–	–	–	–
Diphtheria	0·02	–	0·05	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Whooping-cough	0·27	0·31	0·24	11	6	5	5	4	2	–	–	11	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·02	–	0·05	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Simple Continued Fever	0·05	0·05	0·05	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–
Diarrhœa and Dysentery	0·10	0·20	–	4	4	–	1	1	–	–	–	2	–	–	–	1	1	–
Cholera	0·02	0·05	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·65	0·46	0·83	26	9	17	–	–	–	–	–	–	–	–	–	1	1	9	6	8	1
Tabes Mesenterica	0·22	0·26	0·20	9	5	4	–	–	–	–	–	–	3	–	–	2	1	2	1	–	–
Phthisis	1·75	1·79	1·71	70	35	35	–	–	–	–	–	–	–	2	4	10	16	16	16	5	1
Other Tub. & Scrof. Dis.	0·77	0·71	0·83	31	14	17	3	3	2	1	2	11	4	5	2	3	–	4	2	–	–
Diseases of Nervous System	2·50	2·04	2·94	100	40	60	9	3	–	1	–	13	2	1	3	3	5	6	14	21	23	9
Diseases of Circulatory „	2·22	1·94	2·50	89	38	51	2	–	–	–	–	2	–	2	1	–	3	4	10	19	33	15
Diseases of Respiratory „	2·80	3·98	1·66	112	78	34	10	3	4	3	–	20	2	1	3	1	2	8	13	23	23	16
Diseases of Digestive „	1·25	1·07	1·42	50	21	29	4	2	2	–	–	8	–	2	1	–	7	3	5	8	9	7
Diseases of Urinary „	0·32	0·31	0·34	13	6	7	–	1	–	–	1	2	–	1	–	1	2	–	1	4	1	1
Diseases of Generative „	0·05	0·05	0·05	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Puerperal Fever	0·05	–	0·10	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Childbirth	0·05	–	0·10	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Violence	0·55	0·87	0·24	22	17	5	1	1	–	–	1	3	–	1	2	3	5	1	2	3	2	–
Other Causes	4·66	4·48	4·75	185	88	97	51	2	2	2	–	57	–	3	2	4	6	7	12	11	30	53

Marriages - - 226

Births - { Males - 518, Females - 437 } 955

Annual Rate per 1000 living { Persons Married 11·29, Births - - 23·86 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·19 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

569.—PENRITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·63	†100	–	–	–	–	34·42	3·15	2·00	3·48	4·91	6·45	8·45	13·53	29·84	58·69	159·35
Annual Death-Rate per 1000. Males	—	15·44	†112	–	–	–	–	38·62	3·46	1·66	3·06	4·95	6·49	9·61	15·27	33·46	58·16	171·63
Annual Death-Rate per 1000. Females	—	13·86	+ 87	–	–	–	–	29·99	2·82	2·34	3·94	4·87	6·41	7·34	11·88	26·33	59·21	148·57
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·90 per cent.	22,909	570	512	567	542	514	2705	2698	2502	2384	1977	3101	2426	1996	1595	1065	460
Mean Population, 1881–91. Males		11,347	312	245	276	294	261	1388	1387	1265	1241	929	1448	1186	969	786	533	215
Mean Population, 1881–91. Females		11,562	258	267	291	248	253	1317	1311	1237	1143	1048	1653	1240	1027	809	532	245
Deaths from All Causes, 1881–90. Persons	16·39	3,755	640	153	57	48	33	931	85	50	83	97	200	205	270	476	625	733
Deaths from All Causes, 1881–90. Males	17·51	1,987	374	94	29	22	17	536	48	21	38	46	94	114	148	263	310	369
Deaths from All Causes, 1881–90. Females	15·29	1,768	266	59	28	26	16	395	37	29	45	51	106	91	122	213	315	364

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·20	0·28	0·12	46	32	14	12	19	2	4	4	41	3	–	1	–	1	–	–	–
Scarlet Fever	0·09	0·11	0·08	21	12	9	3	1	5	4	3	16	5	–	–	–	–	–	–	–
Diphtheria	0·15	0·14	0·16	34	16	18	–	5	4	6	4	19	10	–	1	1	–	1	1	1
Whooping-cough	0·26	0·18	0·34	59	20	39	30	13	7	5	3	58	1	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·09	0·09	0·09	20	10	10	1	–	–	–	–	1	2	3	4	2	3	1	1	–
Simple Continued Fever	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·21	0·22	0·20	48	25	23	21	11	2	1	–	35	–	1	1	–	1	–	–	–
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	0·67	0·56	0·78	154	64	90	–	–	–	–	–	–	–	–	–	1	6	14	23	49
Tabes Mesenterica	0·08	0·07	0·09	18	8	10	4	1	1	2	–	8	1	3	3	1	1	1	–	–
Phthisis	1·45	1·55	1·34	331	176	155	2	2	1	–	–	5	2	11	31	50	79	55	47	36
Other Tub. & Scrof. Dis.	0·38	0·45	0·32	88	51	37	28	15	8	4	2	57	13	7	2	3	2	3	1	–
Diseases of Nervous System	2·44	2·56	2·33	559	290	269	112	18	6	5	6	147	14	5	4	7	17	23	35	81
Diseases of Circulatory „	2·08	2·02	2·14	476	229	247	2	–	2	–	2	6	3	5	3	5	12	24	48	88
Diseases of Respiratory „	2·33	2·66	2·00	533	302	231	110	43	16	7	5	181	12	4	3	5	17	20	32	75
Diseases of Digestive „	1·14	1·25	1·02	260	142	118	26	10	–	2	2	40	4	3	7	4	12	22	28	53
Diseases of Urinary „	0·38	0·50	0·26	87	57	30	1	–	–	3	–	4	2	–	–	–	12	8	6	23
Diseases of Generative „	0·07	0·02	0·13	17	2	15	1	–	–	–	–	1	–	–	1	–	–	–	5	7
Puerperal Fever	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	1	2	1	4	1	–
Childbirth	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	1	3	8	3	–	–
Violence	0·53	0·83	0·24	122	94	28	6	5	3	4	2	20	5	5	9	3	8	10	19	18
Other Causes	3·72	3·99	3·41	852	454	398	281	10	–	1	–	292	8	3	11	10	19	16	22	44

	75 and upwds.
Persons.	159·35
Males.	171·63
Females.	148·57
Persons.	460
Males.	215
Females.	245
Persons.	733
Males.	369
Females.	364
Persons.	22
Males.	–
Females.	–
Persons.	2
Males.	–
Females.	–
Persons.	117
Males.	116
Females.	92
Persons.	28
Males.	13
Females.	2
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	733
Persons.	369
Males.	364
Persons.	22
Males.	–
Females.	–
Persons.	2
Males.	–
Females.	–
Persons.	117
Males.	116
Females.	92
Persons.	28
Males.	13
Females.	2
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	12
Males.	19
Females.	322

Marriages - 1,393

Births - Males 3,331, Females 3,067 } 6,398

Annual Rate per 1000 living { Persons Married 12·16; Births 27·93

Deaths from Childbirth and Puerperal Fever 3·75 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

570.—BRAMPTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·16	† 94	–	–	–	–	34·09	3·83	3·13	5·71	7·14	7·09	10·12	14·14	22·71	55·95	168·10
Annual Death-Rate per 1000. Males	—	In Standard Population* 15·42	†103	–	–	–	–	37·52	3·54	2·68	5·41	6·29	6·32	9·82	16·47	23·39	58·26	180·18
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·92	† 83	–	–	–	–	30·31	4·13	3·61	6·02	7·96	7·81	10·43	11·96	22·07	53·59	157·02
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·68 per cent.	10,160	240	208	237	223	230	1138	1150	1086	1051	910	1397	1126	891	700	479	232
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·68 per cent.	5,107	128	114	118	122	115	597	593	560	536	445	680	570	431	342	242	111
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·68 per cent.	5,053	112	94	119	101	115	541	557	526	515	465	717	556	460	358	237	121
Deaths from All Causes, 1881–90. Persons	17·19	1,747	258	66	24	20	20	388	44	34	60	65	99	114	126	159	268	390
Deaths from All Causes, 1881–90. Males	17·78	908	153	37	14	12	8	224	21	15	29	28	43	56	71	80	141	200
Deaths from All Causes, 1881–90. Females	16·60	839	105	29	10	8	12	164	23	19	31	37	56	58	55	79	127	190

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·17	0·22	0·12	17	11	6	6	3	4	–	2	15	1	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·26	0·31	0·20	26	16	10	–	6	4	2	5	17	7	2	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·02	0·16	9	1	8	1	–	–	1	2	4	3	1	1	–	–	–	–	–	–	–
Whooping-cough	0·24	0·29	0·18	24	15	9	12	7	1	–	2	22	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Simple Continued Fever	0·03	0·02	0·04	3	1	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·34	0·43	0·26	35	22	13	19	3	–	2	–	24	1	–	–	–	1	–	2	–	5	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·80	0·84	0·75	81	43	38	–	1	–	–	–	1	–	–	–	–	2	5	15	24	22	12
Tabes Mesenterica	0·15	0·22	0·08	15	11	4	5	3	2	1	–	11	–	1	1	–	2	–	–	–	–	–
Phthisis	2·06	1·96	2·16	209	100	109	1	2	–	–	–	3	1	8	28	45	50	34	21	15	4	–
Other Tub. & Scrof. Dis.	0·25	0·22	0·28	25	11	14	5	2	1	4	3	15	4	4	2	–	–	–	–	–	–	–
Diseases of Nervous System	2·09	2·13	2·04	212	109	103	40	7	2	2	1	52	6	3	2	2	2	8	13	24	39	61
Diseases of Circulatory „	2·94	2·84	3·05	299	145	154	1	–	–	–	–	1	1	1	6	3	8	19	25	43	90	102
Diseases of Respiratory „	2·61	2·66	2·55	265	136	129	60	20	6	5	2	93	10	2	2	2	6	10	15	16	43	66
Diseases of Digestive „	0·94	1·10	0·79	96	56	40	11	3	1	1	2	18	2	3	4	3	1	4	10	17	20	14
Diseases of Urinary „	0·45	0·57	0·34	46	29	17	–	–	1	1	–	2	–	–	1	1	2	5	3	5	12	15
Diseases of Generative „	0·05	–	0·10	5	–	5	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–
Puerperal Fever	0·08	–	0·16	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–
Violence	0·51	0·74	0·28	52	38	14	3	1	2	–	–	6	2	1	2	1	4	8	12	6	3	7
Other Causes	3·01	3·17	2·86	308	162	146	94	7	–	1	1	103	3	8	9	6	9	14	8	9	29	110

Marriages - - - 591

Births - { Males - 1,483 / Females - 1,268 } 2,751

Annual Rate per 1000 living { Persons Married 11·63 / Births - - 27·08 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·45 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

571.—LONGTOWN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·30	†104	–	–	–	–	36·74	5·05	2·25	5·45	8·59	7·52	8·82	12·58	22·01	56·75	155·06
Males	—	15·57	†121	–	–	–	–	42·36	4·17	1·76	4·74	10·16	6·09	9·74	12·35	22·99	60·38	146·67
Females	—	15·03	†186	–	–	–	–	31·07	6·00	2·74	6·32	7·08	8·93	7·91	12·80	20·99	52·66	163·64
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·87 per cent.	7,446	170	155	181	171	183	860	832	799	770	640	997	782	652	536	400	178
Males		3,782	89	75	88	89	91	432	432	398	422	315	493	390	324	274	212	90
Females		3,664	81	80	93	82	92	428	400	401	348	325	504	392	328	262	188	88
Deaths from All Causes, 1881–90. Persons	17·73	1,320	216	43	26	22	9	316	42	18	42	55	75	69	82	118	227	276
Males	18·27	691	132	25	12	11	3	183	18	7	20	32	30	38	40	63	128	132
Females	17·17	629	84	18	14	11	6	133	24	11	22	23	45	31	42	55	99	144

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·08	0·30	14	3	11	2	5	2	1	1	11	–	–	1	1	–	1	–	–	–	–
Scarlet Fever	0·20	0·13	0·27	15	5	10	1	–	3	2	1	7	7	–	–	–	1	–	–	–	–	–
Diphtheria	0·04	–	0·08	3	–	3	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Whooping-cough	0·26	0·24	0·27	19	9	10	13	3	–	2	–	18	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·16	0·08	9	6	3	–	–	1	–	–	1	–	1	1	2	1	1	–	1	1	–
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·23	0·16	0·30	17	6	11	9	1	1	–	–	11	–	–	–	–	–	–	–	–	3	3
Cholera	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·62	0·42	0·82	46	16	30	–	–	–	–	–	–	–	1	–	–	2	3	9	7	15	9
Tabes Mesenterica	0·17	0·19	0·16	13	7	6	5	2	4	1	–	12	–	–	–	1	–	–	–	–	–	–
Phthisis	2·11	1·80	2·43	157	68	89	1	–	1	–	1	3	3	5	24	31	38	21	15	10	7	–
Other Tub. & Scrof. Dis.	0·32	0·32	0·33	24	12	12	3	5	–	–	2	10	7	1	2	2	2	–	–	–	–	–
Diseases of Nervous System	2·15	2·27	1·99	160	86	74	32	1	1	4	–	38	5	2	1	2	5	4	4	16	48	35
Circulatory „	2·44	2·62	2·27	182	99	83	1	–	–	–	–	1	2	–	–	1	5	9	17	31	57	59
Respiratory „	3·18	3·68	2·68	237	139	98	42	17	8	9	1	77	6	2	2	4	6	6	13	20	40	61
Digestive „	1·26	1·40	1·12	94	53	41	22	4	3	–	1	30	4	1	1	2	4	4	7	14	16	11
Urinary „	0·51	0·77	0·25	38	29	9	–	–	–	–	1	1	2	–	1	2	2	3	2	1	10	14
Generative „	0·08	0·03	0·14	6	1	5	1	–	–	–	–	1	–	–	–	–	1	–	2	1	–	1
Puerperal Fever	0·08	–	0·16	6	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Childbirth	0·01	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Violence	0·62	0·98	0·25	46	37	9	1	–	2	2	–	5	4	1	2	4	3	5	4	6	7	5
Other Causes	3·12	2·99	3·21	231	114	117	83	5	–	1	–	89	2	3	5	2	–	11	9	11	22	77

Marriages - - - 461

Births - { Males - 1,091 / Females - 981 } 2,072

Annual Rate per 1000 living { Persons Married 12·38 / Births - 27·83 }

Deaths from Childbirth and Puerperal Fever - - - - - 3·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

572.—CARLISLE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·68	†133	–	–	–	–	51·84	5·26	3·16	4·70	6·86	9·60	13·17	18·44	34·53	68·73	162·79
Annual Death-Rate per 1000. Males	—	In Standard Population* 20·67	†148	–	–	–	–	56·72	5·35	3·06	4·52	6·80	10·19	14·38	20·14	37·71	74·42	162·94
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·75	†118	–	–	–	–	46·92	5·17	3·26	4·87	6·91	9·10	12·08	16·96	31·99	64·34	162·67
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·61 per cent.	53,973	1411	1314	1420	1288	1313	6746	6193	5723	5507	4900	8051	6189	4598	3301	1983	782
Mean Population, 1881–91. Males	Decennial Increase of Population 4·61 per cent.	25,727	722	666	692	662	645	3387	3101	2839	2652	2265	3730	2935	2145	1469	864	340
Mean Population, 1881–91. Females	Decennial Increase of Population 4·61 per cent.	28,246	639	648	728	626	668	3359	3092	2884	2855	2635	4321	3254	2453	1832	1119	442
Deaths from All Causes, 1881–90. Persons	20·03	10,811	2249	633	289	177	149	3497	326	181	259	336	773	815	848	1140	1363	1273
Deaths from All Causes, 1881–90. Males	21·12	5,433	1276	308	166	89	82	1921	166	87	120	154	380	422	432	554	643	554
Deaths from All Causes, 1881–90. Females	19·04	5,378	973	325	123	88	67	1576	160	94	139	182	393	393	416	586	720	719
	Persons.	Males.	Females.	Persons.	Males.	Females.		Persons.										
Small-pox	0·01	0·01	0·00	4	3	1	–	–	–	–	–	2	1	–	–	–	1	–
Measles	0·30	0·35	0·25	162	90	72	32	64	24	12	10	142	19	1	–	–	–	–
Scarlet Fever	0·40	0·40	0·41	218	102	116	13	26	40	25	35	139	62	10	3	1	1	1	–	1	–	–
Diphtheria	0·08	0·11	0·05	41	28	13	1	6	6	10	11	34	6	–	–	–	1	–	–	–	–	–
Whooping-cough	0·46	0·49	0·42	247	127	120	121	72	28	16	4	241	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	5	3	2	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
Enteric Fever	0·17	0·17	0·17	91	43	48	–	1	4	2	2	9	9	11	14	12	9	11	6	7	2	1
Simple Continued Fever	0·01	0·01	0·00	4	3	1	1	1	–	–	–	2	1	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·47	0·54	0·40	253	139	114	173	32	5	3	–	213	3	–	–	–	1	2	3	9	12	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·86	0·66	1·03	462	171	291	1	–	–	–	–	1	1	1	3	6	19	53	91	123	116	48
Tabes Mesenterica	0·29	0·32	0·27	159	82	77	96	26	7	3	1	133	8	5	3	1	2	1	3	–	3	–
Phthisis	2·18	2·34	2·03	1175	602	573	12	9	10	4	6	41	18	36	101	153	322	258	123	83	31	9
Other Tub. & Scrof. Dis.	0·56	0·65	0·48	301	166	135	70	52	34	15	19	190	48	21	15	5	11	6	2	2	1	–
Diseases of Nervous System	2·71	2·92	2·53	1465	751	714	329	64	22	13	9	437	29	17	15	20	60	91	126	206	254	210
Diseases of Circulatory „	2·48	2·42	2·52	1336	623	713	2	1	–	1	1	5	12	17	27	26	59	112	158	286	365	269
Diseases of Respiratory „	3·23	3·39	3·08	1742	871	871	434	204	77	51	25	791	40	7	15	12	58	60	119	187	239	214
Diseases of Digestive „	0·89	0·87	0·91	483	225	258	118	27	5	4	4	158	14	9	10	14	37	50	61	52	42	36
Diseases of Urinary „	0·49	0·63	0·35	262	163	99	1	3	7	5	4	20	7	6	9	7	26	36	35	42	44	30
Diseases of Generative „	0·06	0·01	0·11	33	2	31	–	–	–	–	–	–	–	–	–	2	8	5	9	4	3	2
Puerperal Fever	0·08	–	0·16	44	–	44	–	–	–	–	–	–	–	–	–	11	24	8	1	–	–	–
Childbirth	0·08	–	0·16	44	–	44	–	–	–	–	–	–	–	–	3	10	13	16	2	–	–	–
Violence	0·78	1·19	0·40	419	305	114	27	14	13	7	10	71	19	15	17	14	60	47	57	48	41	30
Other Causes	3·43	3·63	3·30	1861	934	927	818	31	7	6	8	870	24	25	24	39	59	57	51	89	209	414

Marriages - - - 4,050

Births { Males - 8,641 / Females - 8,220 } 16,861

Annual Rate per 1000 living { Persons Married 15·01 / Births - - 31·24

Deaths from Childbirth and Puerperal Fever - - - - - - - - - } 5·22 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

573.—WIGTON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·95			†114	–	–	–	–	37·88	3·52	3·37	3·88	5·71	6·21	8·06	13·20	27·26	56·78	148·54
Males	—						†125	–	–	–	–	42·10	3·32	3·16	3·20	6·12	5·63	7·75	15·85	29·40	59·92	149·57
Females	—						†102	–	–	–	–	33·58	3·71	3·57	4·60	5·33	6·76	8·37	10·71	25·38	53·99	147·69
Mean Population, 1881–91. Persons	Decennial Increase of Population 2·19 per cent.			23,696			616	574	591	587	578	2946	2757	2612	2372	1997	3171	2567	2061	1585	1113	515
Males				11,589			310	300	287	297	293	1487	1355	1296	1219	947	1528	1264	997	738	524	234
Females				12,107			306	274	304	290	285	1459	1402	1316	1153	1050	1643	1303	1064	847	589	281
Deaths from All Causes, 1881–90. Persons	16·93			4,012			783	168	75	57	33	1116	97	88	92	114	197	207	272	432	632	765
Males	17·54			2,032			442	85	43	34	22	626	45	41	39	58	86	98	158	217	314	350
Females	16·35			1,980			341	83	32	23	11	490	52	47	53	56	111	109	114	215	318	415
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·02	0·02	0·02	4	2	2	–	1	–	–	–	1	–	–	–	–	3	–	–	–	–	–
Measles	0·17	0·20	0·15	41	23	18	9	18	4	5	2	38	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·13	0·18	0·08	31	21	10	–	5	4	9	5	23	5	2	–	–	1	–	–	–	–	–
Diphtheria	0·06	0·05	0·07	15	6	9	–	–	4	6	3	13	2	–	–	–	–	–	–	–	–	–
Whooping-cough	0·24	0·22	0·26	57	26	31	33	18	2	2	1	56	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Enteric Fever	0·13	0·17	0·08	30	20	10	–	–	–	2	–	2	2	7	2	2	9	1	4	–	1	–
Simple Continued Fever	0·01	–	0·02	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·29	0·31	0·26	68	36	32	31	8	1	1	–	41	–	–	–	1	1	1	1	1	9	13
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·76	0·65	0·88	181	75	106	–	–	–	–	–	–	1	1	–	–	3	8	31	58	53	26
Tabes Mesenterica	0·12	0·14	0·10	28	16	12	9	4	5	1	–	19	6	1	–	1	–	1	–	–	–	–
Phthisis	1·56	1·33	1·78	370	154	216	5	2	5	–	1	13	10	30	39	58	81	51	43	30	15	–
Other Tub. & Scrof. Dis.	0·49	0·49	0·50	117	57	60	47	16	8	4	5	80	12	7	5	3	4	1	3	1	–	1
Diseases of: Nervous System	2·30	2·37	2·23	545	275	270	129	23	3	7	1	163	15	8	8	8	6	21	33	70	105	108
Circulatory	1·92	1·96	1·89	456	227	229	5	–	–	1	–	6	1	6	6	8	10	23	41	78	151	126
Respiratory	2·77	3·11	2·44	656	360	296	155	59	34	15	12	275	18	3	6	3	10	17	27	85	99	113
Digestive	0·80	0·92	0·68	189	107	82	30	4	1	2	2	39	4	3	10	1	9	15	17	26	40	25
Urinary	0·45	0·57	0·34	107	66	41	2	–	–	–	–	2	3	1	2	1	5	11	15	19	33	15
Generative	0·05	–	0·10	12	–	12	–	–	–	–	–	–	–	–	–	–	1	4	1	4	2	–
Puerperal Fever	0·08	–	0·17	20	–	20	–	–	–	–	–	–	–	–	1	3	9	7	–	–	–	–
Childbirth	0·08	–	0·15	18	–	18	–	–	–	–	–	–	–	–	2	2	9	5	–	–	–	–
Violence	0·66	1·07	0·27	157	124	33	4	3	2	–	1	10	6	7	6	9	11	18	27	28	18	17
Other Causes	3·83	3·78	3·85	905	437	468	322	7	2	2	–	333	9	11	5	14	24	23	28	31	106	321

Marriages - - - 1,498

Births - { Males 3,537 / Females - 3,352 } 6,889

Annual Rate per 1000 living { Persons Married 12·64 / Births - - 29·07 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·52 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

574.—COCKERMOUTH.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 18·55			†135	–	–	–	–	54·14	4·78	3·11	4·25	5·32	7·10	9·62	16·84	31·28	70·52	155·51
Males	—			19·54			†148	–	–	–	–	58·42	5·13	3·04	4·31	5·48	7·22	10·37	19·51	32·50	77·29	159·09
Females	—			17·62			†121	–	–	–	–	49·76	4·42	3·17	4·19	5·16	6·98	8·83	14·19	30·15	65·01	152·93
Mean Population, 1881–91. Persons	Decennial Increase of Population 26·21 per cent.			64,232			2030	1829	1818	1819	1774	9270	8307	7305	6191	5728	9292	7057	4952	3424	1971	735
Males				32,445			1023	954	937	893	883	4690	4169	3651	3159	2994	4849	3626	2471	1643	885	308
Females				31,787			1007	875	881	926	891	4580	4138	3654	3032	2734	4443	3431	2481	1781	1086	427
Deaths from All Causes, 1881–90. Persons	18·66			11,988			3192	988	409	263	167	5019	397	227	263	305	660	679	834	1071	1390	1143
Males	19·36			6,281			1816	521	205	128	70	2740	214	111	136	164	350	376	482	534	684	490
Females	17·95			5,707			1376	467	204	135	97	2279	183	116	127	141	310	303	352	537	706	653
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·66	0·72	0·59	421	233	188	86	182	62	34	20	384	34	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·15	0·15	96	49	47	6	11	16	14	9	56	29	5	1	2	2	–	–	–	1	–
Diphtheria	0·12	0·12	0·13	80	38	42	3	8	11	12	13	47	20	3	3	–	2	1	1	2	1	–
Whooping-cough	0·40	0·32	0·48	258	105	153	128	72	23	20	8	251	6	–	–	–	–	–	–	–	–	1
Typhus	0·04	0·04	0·03	24	13	11	–	–	–	–	1	1	4	1	2	1	5	3	4	1	1	1
Enteric Fever	0·19	0·21	0·16	120	68	52	1	5	6	2	6	20	18	12	11	13	19	15	6	3	3	–
Simple Continued Fever	0·01	0·02	0·01	8	6	2	–	–	1	–	–	1	–	–	1	1	1	–	1	–	2	1
Diarrhœa and Dysentery	0·61	0·62	0·60	392	201	191	262	52	10	3	2	329	3	1	1	1	4	5	2	10	22	14
Cholera	0·02	0·03	0·02	14	9	5	3	1	–	–	–	4	4	–	–	–	–	–	1	1	3	1
Cancer	0·52	0·41	0·64	335	133	202	–	1	–	–	–	1	–	–	1	–	12	34	57	93	101	36
Tabes Mesenterica	0·17	0·18	0·15	107	60	47	34	19	16	8	3	80	10	4	4	1	2	2	1	2	1	–
Phthisis	1·16	1·10	1·22	745	357	388	12	13	5	6	2	38	22	34	70	109	185	132	88	46	17	4
Other Tub. & Scrof. Dis.	0·45	0·47	0·42	286	154	132	92	44	17	19	19	191	42	18	11	5	9	2	6	1	–	1
Diseases of Nervous System	2·47	2·53	2·40	1584	821	763	487	96	41	30	16	670	48	21	19	17	42	52	99	173	264	179
Circulatory „	1·65	1·56	1·75	1062	505	557	1	1	–	1	2	5	7	18	18	12	40	77	134	228	327	196
Respiratory „	3·83	4·29	3·36	2458	1391	1067	649	340	137	83	45	1254	70	22	17	27	101	107	194	235	254	177
Digestive „	1·01	0·94	1·07	646	306	340	182	34	14	6	4	240	21	15	18	15	30	36	60	89	80	42
Urinary „	0·40	0·46	0·34	259	150	109	4	11	6	5	4	30	11	8	6	13	22	22	31	42	54	20
Generative „	0·06	0·01	0·11	36	2	34	1	–	1	–	–	2	–	–	1	1	3	5	3	11	7	3
Puerperal Fever	0·10	–	0·20	64	–	64	–	–	–	–	–	–	–	–	3	12	33	16	–	–	–	–
Childbirth	0·07	–	0·14	44	–	44	–	–	–	–	–	–	–	–	5	6	17	16	–	–	–	–
Violence	0·85	1·35	0·34	546	439	107	28	9	13	12	5	67	21	27	42	44	79	88	62	44	39	33
Other Causes	3·72	3·83	3·64	2402	1240	1162	1213	89	30	8	8	1348	27	35	29	25	52	65	84	90	213	434

Marriages - - - 4,625

Births - { Males - 12,299 / Females - 11,417 } 23,716

Annual Rate per 1000 living { Persons Married 14·40 / Births - - 36·92 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

575.—WHITEHAVEN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	19·71		†122	–	–	–	–	52·98	5·24	3·29	4·84	5·49	7·65	11·13	19·06	38·00	75·85	161·60
Males	—				20·94		†136	–	–	–	–	58·11	5·19	3·31	4·57	5·49	7·53	11·10	20·58	43·41	83·78	188·94
Females	—				18·55		†107	–	–	–	–	47·97	5·29	3·26	5·14	5·49	7·78	11·16	17·55	33·14	69·81	145·59
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·24 per cent.			58,628			1826	1627	1670	1722	1620	8465	7788	6906	5948	5208	8207	6415	4665	2934	1553	539
Males				29,450			873	817	833	847	817	4187	3892	3470	3086	2658	4276	3298	2323	1389	672	199
Females				29,178			953	810	837	875	803	4278	3896	3436	2862	2550	3931	3117	2342	1545	881	340
Deaths from All Causes, 1881–90. Persons	18·91			11,089			2633	1035	398	245	174	4485	408	227	288	286	628	714	889	1115	1178	871
Males	19·51			5,745			1501	535	198	126	73	2433	202	115	141	146	322	366	478	603	563	376
Females	18·32			5,344			1132	500	200	119	101	2052	206	112	147	140	306	348	411	512	615	495
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·64	0·69	0·60	377	203	174	67	176	49	39	18	349	26	–	–	–	1	–	1	–	–	–
Scarlet Fever	0·26	0·27	0·26	155	80	75	16	31	29	21	12	109	42	3	1	–	–	–	–	–	–	–
Diphtheria	0·05	0·06	0·04	30	17	13	4	5	2	6	5	22	3	1	–	–	2	1	–	1	–	–
Whooping-cough	0·51	0·47	0·55	300	139	161	125	95	40	15	15	290	10	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·03	14	6	8	–	–	–	–	–	–	–	–	3	1	3	3	2	1	1	–
Enteric Fever	0·09	0·09	0·09	53	26	27	–	1	3	–	–	4	7	4	10	6	8	7	1	5	1	–
Simple Continued Fever	0·02	0·01	0·02	9	4	5	1	–	–	–	1	2	1	–	1	–	1	2	1	1	–	–
Diarrhœa and Dysentery	0·49	0·48	0·49	285	141	144	157	48	12	2	2	221	6	1	2	1	3	2	5	7	21	16
Cholera	0·01	0·02	0·01	7	5	2	–	1	–	–	–	1	–	–	–	1	1	1	1	1	1	–
Cancer	0·43	0·33	0·53	253	98	155	–	–	–	–	–	–	–	3	1	3	7	35	83	69	43	9
Tabes Mesenterica	0·24	0·25	0·23	140	73	67	51	33	13	7	1	105	10	8	3	4	2	3	3	1	1	–
Phthisis	1·65	1·64	1·67	970	483	487	7	18	5	6	4	40	44	53	106	147	223	158	124	54	17	4
Other Tub. & Scrof. Dis.	0·43	0·47	0·39	251	138	113	73	51	22	11	10	167	31	20	9	6	9	7	1	1	–	–
Diseases of: Nervous System	2·28	2·29	2·27	1336	673	663	365	94	43	28	20	550	74	22	12	7	40	54	108	169	190	110
Circulatory „	1·43	1·48	1·39	841	436	405	2	2	–	3	1	8	8	16	12	13	45	81	132	203	227	96
Respiratory „	4·00	4·17	3·82	2343	1229	1114	564	310	101	64	53	1092	53	19	28	17	55	111	163	287	312	206
Digestive „	1·17	1·16	1·17	683	341	342	170	62	18	10	6	266	20	13	16	6	36	46	80	93	77	30
Urinary „	0·40	0·50	0·31	237	147	90	6	4	4	5	2	21	10	4	5	4	20	27	32	47	47	20
Generative „	0·04	0·01	0·07	23	3	20	1	1	1	–	–	3	–	1	–	3	4	4	2	3	3	–
Puerperal Fever	0·07	–	0·15	43	–	43	–	–	–	–	–	–	–	–	–	11	20	12	–	–	–	–
Childbirth	0·09	–	0·18	53	–	53	–	–	–	–	–	–	–	–	3	6	18	25	1	–	–	–
Violence	0·94	1·44	0·44	551	423	128	41	19	16	12	9	97	23	28	36	37	73	75	75	56	33	18
Other Causes	3·65	3·66	3·61	2134	1080	1054	983	84	40	16	15	1138	40	30	40	13	57	60	74	116	204	362

Marriages - - 4,127

Births - Males - 11,071 / Females - 10,532 } 21,603

Annual Rate per 1000 living { Persons Married 14·08 / Births - - 36·85

Deaths from Childbirth and Puerperal Fever - - - - 4·44 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

576.—BOOTLE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 15·25			†107	–	–	–	–	40·26	3·81	2·42	4·18	5·70	6·12	10·15	13·63	28·45	55·04	131·88
Annual Death-Rate per 1000. Males	—			15·71			†114	–	–	–	–	43·95	2·82	2·39	3·70	5·24	5·03	9·48	14·74	34·20	62·09	134·62
Annual Death-Rate per 1000. Females	—			14·82			† 99	–	–	–	–	36·51	4·88	2·45	4·75	6·23	7·31	10·89	12·40	22·58	48·15	129·27
Mean Population, 1881–91. Persons	Decennial Increase of Population 21·69 per cent.			13,551			419	396	387	384	381	1967	1783	1612	1339	1157	1929	1468	1020	689	427	160
Mean Population, 1881–91. Males				7,006			219	194	193	198	188	992	923	795	729	611	1013	770	536	348	211	78
Mean Population, 1881–91. Females				6,545			200	202	194	186	193	975	860	817	610	546	916	698	484	341	216	82
Deaths from All Causes, 1881–90. Persons	15·27			2,069			522	156	63	28	23	792	68	39	56	66	118	149	139	196	235	211
Deaths from All Causes, 1881–90. Males	15·67			1,098			291	88	30	16	11	436	26	19	27	32	51	73	79	119	131	105
Deaths from All Causes, 1881–90. Females	14·84			971			231	68	33	12	12	356	42	20	29	34	67	76	60	77	104	106
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	0·02	2	1	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Measles	0·45	0·57	0·32	61	40	21	12	30	12	–	3	57	1	–	–	–	1	1	–	1	–	–
Scarlet Fever	0·10	0·10	0·11	14	7	7	–	4	2	1	2	9	5	–	–	–	–	–	–	–	–	–
Diphtheria	0·04	0·06	0·03	6	4	2	–	–	2	1	1	4	1	–	1	–	–	–	–	–	–	–
Whooping-cough	0·35	0·27	0·43	47	19	28	22	14	5	3	2	46	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	2	1	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·15	0·14	0·17	21	10	11	–	–	1	–	1	2	5	–	–	4	3	4	2	1	–	–
Simple Continued Fever	0·07	0·09	0·06	10	6	4	–	–	–	1	–	1	1	–	3	1	2	–	1	–	–	1
Diarrhœa and Dysentery	0·57	0 66	0·47	77	46	31	50	12	2	1	1	66	1	–	–	1	1	1	–	2	4	1
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·41	0·27	0·55	55	19	36	–	–	–	–	–	–	–	–	–	–	2	8	13	15	13	4
Tabes Mesenterica	0·19	0·14	0·24	26	10	16	11	5	1	1	–	18	2	1	2	1	1	1	–	–	–	–
Phthisis	1·22	0·97	1·48	165	68	97	3	2	–	–	–	5	7	10	15	26	44	32	10	11	5	–
Other Tub. & Scrof. Dis.	0·26	0·29	0·23	35	20	15	9	3	1	3	2	18	2	3	3	3	3	1	1	1	–	–
Diseases of Nervous System	1·82	1·84	1·79	246	129	117	69	14	9	4	2	98	11	7	4	1	4	19	20	19	42	21
Diseases of Circulatory „	1·11	1·10	1·12	150	77	73	–	–	–	–	–	–	4	1	2	1	6	12	20	41	37	26
Diseases of Respiratory „	3·50	3·88	3·09	474	272	202	122	52	25	10	5	214	13	2	9	6	9	25	33	54	66	43
Diseases of Digestive „	0·78	0·81	0·75	106	57	49	26	4	–	–	1	31	4	3	2	5	5	9	6	16	14	11
Diseases of Urinary „	0·31	0·39	0·23	42	27	15	–	–	1	1	–	2	1	3	–	1	3	3	5	8	10	6
Diseases of Generative „	0·04	–	0·08	5	–	5	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–
Puerperal Fever	0·10	–	0·20	13	–	13	–	–	–	–	–	–	–	–	2	4	5	2	–	–	–	–
Childbirth	0·09	–	0·18	12	–	12	–	–	–	–	–	–	–	–	–	–	5	7	–	–	–	–
Violence	0·64	0·96	0·31	87	67	20	9	3	–	–	1	13	3	4	8	7	11	11	10	7	8	5
Other Causes	3·04	3·10	2·96	412	217	195	187	13	2	2	2	206	5	5	5	4	12	10	18	19	35	93

Marriages - - - 915

Births - Males - 2,554; Females - 2,337 — 4,891

Annual Rate per 1000 living: Persons Married 13·50; Births - - 36·09

Deaths from Childbirth and Puerperal Fever - - - - - 5·11 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

577.—EAST WARD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†107	–	–	–	–	35·62	3·96	2·62	3·42	6·91	5·95	8·24	11·76	23·46	52·22	151·97
Annual Death-Rate per 1000. Males	—	14·46	†127	–	–	–	–	41·67	3·20	1·83	2·79	5·92	4·88	8·19	11·93	22·42	57·89	155·70
Annual Death-Rate per 1000. Females	—	14·02	† 88	–	–	–	–	30·11	4·75	3·40	4·08	7·74	6·91	8·28	11·60	23·51	46·41	148·39
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·43 per cent.	14,121	362	350	346	341	339	1738	1666	1527	1344	1114	1900	1554	1275	1023	676	304
Mean Population, 1881–91. Males		6,974	183	158	166	158	163	828	845	763	682	507	902	781	637	538	342	149
Mean Population, 1881–91. Females		7,147	179	192	180	183	176	910	821	764	662	607	998	773	638	485	334	155
Deaths from All Causes, 1881–90. Persons	16·25	2,294	436	107	33	21	22	619	66	40	46	77	113	128	150	240	353	462
Deaths from All Causes, 1881–90. Males	16·85	1,175	251	57	13	12	12	345	27	14	19	30	44	64	76	126	198	232
Deaths from All Causes, 1881–90. Females	15·66	1,119	185	50	20	9	10	274	39	26	27	47	69	64	74	114	155	230

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·14	0·11	18	10	8	4	2	3	2	3	14	3	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·15	0·11	0·18	21	8	13	2	6	2	3	1	14	4	1	–	1	1	–	–	–	–	–
Diphtheria	0·04	0·01	0·06	5	1	4	–	–	–	1	1	2	1	1	–	1	–	–	–	–	–	–
Whooping-cough	0·18	0·19	0·17	25	13	12	7	15	1	–	2	25	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·07	0·06	9	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	0·02	0·01	0·03	3	1	2	–	–	–	–	–	–	–	–	–	3	1	2	–	2	–	1
Diarrhœa and Dysentery	0·14	0·13	0·15	20	9	11	7	3	–	–	1	11	1	–	–	–	–	1	–	1	–	–
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3
Cancer	0·59	0·46	0·73	84	32	52	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Tabes Mesenterica	0·11	0·11	0·11	16	8	8	3	4	–	1	–	8	–	–	1	–	1	3	18	24	22	15
Phthisis	1·24	1·18	1·30	175	82	93	–	–	–	–	3	3	3	10	20	30	36	25	17	23	7	1
Other Tub. & Scrof. Dis.	0·39	0·42	0·36	55	29	26	6	8	3	1	1	19	10	5	1	4	6	5	5	–	–	–
Diseases of Nervous System	2·22	2·31	2·14	314	161	153	95	13	9	3	3	123	13	5	5	3	9	11	16	30	57	42
Diseases of Circulatory „	1·76	1·72	1·79	248	120	128	–	–	–	–	–	–	1	2	4	9	8	12	31	51	70	60
Diseases of Respiratory „	2·37	2·47	2·27	334	172	162	96	43	5	6	1	151	10	4	1	6	6	13	14	31	48	50
Diseases of Digestive „	1·05	1·22	0·88	148	85	63	22	5	3	–	3	33	5	3	4	4	12	16	10	28	24	9
Diseases of Urinary „	0·47	0·63	0·31	66	44	22	2	–	–	–	–	2	1	–	1	–	7	6	6	14	17	12
Diseases of Generative „	0·06	–	0·11	8	–	8	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1
Puerperal Fever	0·11	–	0·21	15	–	15	–	–	–	–	–	–	–	–	–	3	7	5	–	–	–	–
Childbirth	0·04	–	0·07	5	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Violence	0·62	0·99	0·27	88	69	19	4	3	4	3	2	16	6	3	2	5	5	8	12	10	14	7
Other Causes	4·48	4·66	4·34	634	324	310	188	5	3	1	1	198	7	6	6	4	8	17	16	22	89	261

Marriages - - - 876

Births - Males - 1,969; Females - 2,099 } 4,068

Annual Rate per 1000 living { Persons Married 12·41; Births - - 28·81

Deaths from Childbirth and Puerperal Fever - - - - - } 4·92 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

37.—WEST WARD.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 12·46			†79	–	–	–	–	26·42	3·26	1·65	4·05	6·20	5·13	6·52	11·93	21·58	54·45	150·00
Annual Death-Rate per 1000. Males	—			13·00			†88	–	–	–	–	28·75	2·89	1·30	3·79	5·19	5·94	7·33	12·74	26·46	61·41	146·67
Annual Death-Rate per 1000. Females	—			11·95			†69	–	–	–	–	23·87	3·68	2·03	4·32	7·23	4·36	5·70	11·14	16·72	47·98	153·41
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·27 per cent.			7,967			192	181	197	172	189	931	920	907	766	693	1033	844	729	584	382	178
Mean Population, 1881–91. Males				4,032			100	87	102	96	102	487	485	463	396	347	505	423	361	291	184	90
Mean Population, 1881–91. Females				3,935			92	94	95	76	87	444	435	444	370	346	528	421	368	293	198	88
Deaths from All Causes, 1881–90. Persons	14·57			1,161			170	33	14	20	9	246	30	15	31	43	53	55	87	126	208	267
Deaths from All Causes, 1881–90. Males	15·43			622			101	16	8	10	5	140	14	6	15	18	30	31	46	77	113	132
Deaths from All Causes, 1881–90. Females	13·70			539			69	17	6	10	4	106	16	9	16	25	23	24	41	49	95	135
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·09	0·07	0·10	7	3	4	2	2	1	–	–	5	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·10	0·13	10	5	5	–	–	–	4	–	4	1	2	1	1	1	–	–	–	–	–
Diphtheria	0·09	0·12	0·08	7	4	3	–	–	2	1	2	5	2	–	–	–	–	–	–	–	–	–
Whooping-cough	0·18	0·15	0·20	14	6	8	8	4	–	1	–	13	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·12	0·10	8	4	4	–	–	–	–	–	–	1	1	–	1	–	1	2	–	1	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·20	0·30	0·10	16	12	4	5	–	–	1	–	6	1	–	–	–	–	–	–	2	3	4
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·72	0·60	0·84	57	24	33	–	–	–	–	–	–	–	–	–	–	2	–	7	22	15	11
Tabes Mesenterica	0·09	0·07	0·10	7	3	4	5	–	1	–	–	6	–	–	1	–	–	–	–	–	–	–
Phthisis	1·48	1·49	1·47	118	60	58	1	–	1	–	–	2	3	2	13	21	25	19	18	10	5	–
Other Tub. & Scrof. Dis.	0·40	0·40	0·41	32	16	16	4	6	1	2	2	15	8	1	–	1	4	2	1	–	–	–
Diseases of Nervous System	1·63	1·84	1·42	130	74	56	21	5	2	2	2	32	1	2	2	3	2	5	10	14	36	23
Diseases of Circulatory „	2·65	2·83	2·47	211	114	97	1	–	–	–	–	1	–	1	1	4	2	5	17	39	69	72
Diseases of Respiratory „	2·17	2·21	2·13	173	89	84	42	14	4	6	–	66	5	2	5	3	2	5	10	14	24	37
Diseases of Digestive „	0·84	1·04	0·64	67	42	25	7	–	1	2	2	12	2	–	2	1	1	5	7	11	18	8
Diseases of Urinary „	0·21	0·30	0·13	17	12	5	1	–	–	–	–	1	–	–	–	–	1	–	4	3	2	6
Diseases of Generative „	0·03	–	0·05	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Puerperal Fever	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
Childbirth	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Violence	0·45	0·67	0·23	36	27	9	1	1	1	–	–	3	1	1	2	–	9	6	4	3	6	1
Other Causes	3·00	3·10	2·90	240	126	114	72	1	–	1	1	75	2	3	3	4	1	6	7	7	28	104

Marriages - - - 483

Births - Males - 1,154; Females - 998; 2,152

Annual Rate per 1000 living: Persons Married 12·12; Births - - 27·01

Deaths from Childbirth and Puerperal Fever - - - - 3·72 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

579.—KENDAL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·72	†101	–	–	–	–	35·77	3·64	2·18	4·17	4·76	6·35	8·82	12·91	25·78	59·46	158·97
Annual Death-Rate per 1000. Males	—	15·39	†117	–	–	–	–	40·34	3·51	2·14	3·60	4·80	6·37	9·73	14·03	28·18	62·71	161·36
Annual Death-Rate per 1000. Females	—	14·09	† 85	–	–	–	–	31·31	3·76	2·22	4·71	4·73	6·34	7·94	11·85	23·45	56·45	156·75
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·71 per cent.	43,177	1128	1037	1079	1060	1035	5339	5141	4902	4481	3758	6076	4764	3601	2696	1717	702
Mean Population, 1881–91. Males		20,979	549	510	528	533	520	2640	2564	2385	2166	1771	2875	2333	1753	1327	826	339
Mean Population, 1881–91. Females		22,198	579	527	551	527	515	2699	2577	2517	2315	1987	3201	2431	1848	1369	891	363
Deaths from All Causes, 1881–90. Persons	15·45	6,673	1264	338	147	95	66	1910	187	107	187	179	386	420	465	695	1021	1116
Deaths from All Causes, 1881–90. Males	16·51	3,464	743	170	77	44	31	1065	90	51	78	85	183	227	246	374	518	547
Deaths from All Causes, 1881–90. Females	14·46	3,209	521	168	70	51	35	845	97	56	109	94	203	193	219	321	503	569

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	–	3	3	–	1	–	–	–	–	1	–	–	–	–	1	–	–
Measles	0·14	0·13	0·15	62	28	34	19	25	6	2	3	55	5	–	1	1	–	–	–
Scarlet Fever	0·09	0·10	0·09	40	20	20	1	4	2	10	4	21	16	–	2	–	–	–	–
Diphtheria	0·11	0·09	0·14	49	19	30	3	2	5	6	6	22	14	4	1	2	–	1	3
Whooping-cough	0·20	0·19	0·22	87	39	48	45	22	11	3	2	83	3	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	0·17	0·21	82	36	46	1	–	–	3	2	6	7	4	18	7	16	8	10
Simple Continued Fever	0·02	0·04	0·01	10	8	2	–	1	–	1	1	3	1	1	–	–	–	1	1
Diarrhœa and Dysentery	0·26	0·31	0·21	113	66	47	60	12	5	–	–	77	2	–	2	–	4	3	1
Cholera	0·02	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	–	–	1	2	1
Cancer	0·64	0·55	0·72	275	115	160	–	1	–	–	–	1	–	–	1	1	9	19	47
Tabes Mesenterica	0·14	0·16	0·13	62	34	28	20	16	3	3	–	42	7	4	1	3	3	1	1
Phthisis	1·44	1·39	1·50	623	291	332	10	8	1	6	1	26	11	25	59	88	165	109	67
Other Tub. & Scrof. Dis.	0·39	0·41	0·37	169	86	83	46	35	18	9	5	113	21	8	13	4	6	2	–
Diseases of Nervous System	2·33	2·49	2·18	1007	523	484	267	49	22	9	5	352	20	19	15	6	17	34	73
Diseases of Circulatory "	1·66	1·61	1·70	715	338	377	1	1	2	–	1	5	4	7	8	9	20	35	71
Diseases of Respiratory "	2·62	3·04	2·22	1131	638	493	263	112	44	25	24	468	27	4	12	10	33	45	69
Diseases of Digestive "	1·06	1·12	0·99	456	236	220	67	14	6	1	3	91	11	7	9	11	26	36	34
Diseases of Urinary "	0·40	0·58	0·23	172	121	51	5	1	1	2	1	10	2	4	5	3	13	22	14
Diseases of Generative "	0·04	0·00	0·07	16	1	15	–	–	1	–	–	1	–	–	1	1	2	2	3
Puerperal Fever	0·09	–	0·18	41	–	41	–	–	–	–	–	–	–	–	3	8	15	15	–
Childbirth	0·04	–	0·08	18	–	18	–	–	–	–	–	–	–	–	–	–	8	9	1
Violence	0·65	1·01	0·31	279	211	68	11	8	8	12	6	45	17	8	14	15	29	43	38
Other Causes	2·91	3·09	2·74	1255	646	609	444	27	12	3	2	488	19	12	22	10	19	33	29

	75 and upwds.
Persons.	158·97
Males.	161·36
Females.	156·75
Persons.	702
Males.	339
Females.	363
Persons.	1116
Males.	547
Females.	569
Small-pox	–
Measles	–
Scarlet Fever	–
Diphtheria	1
Whooping-cough	–
Typhus	–
Enteric Fever	1
Simple Continued Fever	1
Diarrhœa and Dysentery	14
Cholera	–
Cancer	37
Tabes Mesenterica	–
Phthisis	5
Other Tub. & Scrof. Dis.	–
Diseases of Nervous System	178
Diseases of Circulatory "	178
Diseases of Respiratory "	189
Diseases of Digestive "	58
Diseases of Urinary "	33
Diseases of Generative "	–
Puerperal Fever	–
Childbirth	–
Violence	14
Other Causes	416

Marriages - - - 2,798

Births - { Males - 6,339 / Females - 6,122 } 12,461

Annual Rate per 1000 living { Persons Married 12·96 / Births - - 28·86 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

580.—CHEPSTOW.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	15·63		†106	–	–	–	–	39·13	5·03	2·60	4·74	6·19	8·23	9·04	12·29	25·46	57·69	153·13
Annual Death-Rate per 1000. Males	—				16·75		†120	–	–	–	–	44·14	4·79	2·49	3·95	6·65	9·71	9·70	13·59	27·57	67·30	153·14
Annual Death-Rate per 1000. Females	—				14·56		† 92	–	–	–	–	34·12	5·26	2·71	5·60	5·74	6·80	8·40	10·98	23·21	49·03	153·13
Mean Population, 1881–91. Persons	Decennial Increase of Population 4·08 per cent.			19,082			511	459	485	519	472	2446	2328	2194	1752	1469	2515	2079	1693	1355	884	367
Mean Population, 1881–91. Males				9,551			268	230	241	246	236	1221	1149	1125	912	737	1236	1031	846	700	419	175
Mean Population, 1881–91. Females				9,531			243	229	244	273	236	1225	1179	1069	840	732	1279	1048	847	655	465	192
Deaths from All Causes, 1881–90. Persons	17·42			3,325			633	172	67	52	33	957	117	57	83	91	207	188	208	345	510	562
Deaths from All Causes, 1881–90. Males	18·69			1,785			362	94	43	23	17	539	55	28	36	49	120	100	115	193	282	268
Deaths from All Causes, 1881–90. Females	16·16			1,540			271	78	24	29	16	418	62	29	47	42	87	88	93	152	228	294
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·14	0·15	0·14	27	14	13	2	–	1	1	1	5	2	1	2	1	7	4	4	1	–	–
Measles	0·40	0·41	0·39	76	39	37	11	20	8	13	3	55	16	3	–	–	1	–	1	–	–	–
Scarlet Fever	0·15	0·16	0·14	28	15	13	5	4	4	4	2	19	8	–	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·19	0·17	34	18	16	2	1	8	3	3	17	8	6	3	–	–	–	–	–	–	–
Whooping-cough	0·29	0·32	0·26	55	30	25	32	13	7	2	–	54	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·12	0·17	27	11	16	–	2	–	–	2	4	2	4	4	3	5	1	2	–	1	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·14	0·17	0·12	27	16	11	12	–	–	–	–	12	2	–	–	–	–	–	1	2	1	9
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·62	0·42	0·83	119	40	79	–	–	–	–	–	–	–	–	–	–	3	9	20	41	31	15
Tabes Mesenterica	0·19	0·21	0·17	36	20	16	20	8	2	1	2	33	1	2	–	–	–	–	–	–	–	–
Phthisis	1·47	1·50	1·44	280	143	137	6	5	1	4	2	18	5	5	28	33	76	46	30	23	13	3
Other Tub. & Scrof. Dis.	0·39	0·43	0·35	74	41	33	17	17	3	1	4	42	14	7	4	2	1	1	1	1	–	1
Diseases of: Nervous System	2·60	2·92	2·29	497	279	218	159	21	5	1	2	188	8	4	7	10	14	21	18	49	92	86
Diseases of: Circulatory „	2·16	2·34	1·98	412	223	189	1	1	1	–	–	3	6	5	4	4	10	28	35	84	129	104
Diseases of: Respiratory „	2·54	2·88	2·20	485	275	210	113	44	17	12	6	192	22	2	7	9	19	18	24	37	72	83
Diseases of: Digestive „	1·07	1·06	1·09	205	101	104	34	15	3	2	1	55	6	1	4	3	10	11	8	39	46	22
Diseases of: Urinary „	0·79	0·97	0·60	150	93	57	–	–	–	1	–	1	1	1	3	5	12	14	20	29	44	20
Diseases of: Generative „	0·07	0·02	0·12	13	2	11	–	–	–	–	–	–	–	–	–	1	3	–	5	3	–	1
Puerperal Fever	0·05	–	0·10	10	–	10	–	–	–	–	–	–	–	–	–	3	3	4	–	–	–	–
Childbirth	0·04	–	0·07	7	–	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–
Violence	0·84	1·30	0·39	161	124	37	7	7	4	4	4	26	10	7	12	11	24	15	24	11	13	8
Other Causes	3·13	3·11	3·12	599	300	299	212	14	3	3	1	233	5	9	4	4	16	13	15	24	67	209

Marriages - - - 1,036

Births - { Males - 3,025 / Females - 2,938 } 5,963

Annual Rate per 1000 living { Persons Married 10·86 / Births - - 31·25

Deaths from Childbirth and Puerperal Fever - - - - - 2·85 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

581.—MONMOUTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·50	†107	–	–	–	–	36·01	3·81	2·49	3·94	4·88	6·83	7·62	12·67	26·43	58·57	142·14
Annual Death-Rate per 1000. Males	—	14·66	†113	–	–	–	–	38·08	3·48	2·18	3·32	4·53	6·26	7·61	14·06	29·87	61·39	145·82
Annual Death-Rate per 1000. Females	—	14·34	†100	–	–	–	–	33·88	4·15	2·81	4·70	5·23	7·37	7·63	11·36	23·10	55·88	138·87
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·70 per cent.	29,310	765	701	746	781	723	3716	3752	3456	2820	2174	3559	3046	2613	2126	1412	636
Mean Population, 1881–91. Males		14,788	382	349	381	405	366	1883	1895	1785	1566	1104	1741	1512	1266	1048	689	299
Mean Population, 1881–91. Females		14,522	383	352	365	376	357	1833	1857	1671	1254	1070	1818	1534	1347	1078	723	337
Deaths from All Causes, 1881–90. Persons	16·66	4,883	894	233	88	60	63	1338	143	86	111	106	243	232	331	562	827	904
Deaths from All Causes, 1881–90. Males	16·89	2,498	487	133	40	27	30	717	66	39	52	50	109	115	178	313	423	436
Deaths from All Causes, 1881–90. Females	16·42	2,385	407	100	48	33	33	621	77	47	59	56	134	117	153	249	404	468

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	0·25	0·26	75	37	38	14	27	12	5	6	64	8	3	–	–	–	–	–	–	–
Scarlet Fever	0·15	0·21	0·09	44	31	13	3	8	5	5	8	29	11	3	1	–	–	–	–	–	–
Diphtheria	0·16	0·16	0·17	47	23	24	1	3	6	4	5	19	14	5	1	2	1	2	2	–	1
Whooping-cough	0·26	0·22	0·30	75	32	43	37	22	8	4	1	72	2	–	–	–	1	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·06	0·08	0·04	18	12	6	–	–	–	1	–	1	–	1	4	5	4	1	–	1	1
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·29	0·29	0·30	86	43	43	32	7	1	1	1	42	5	3	–	–	1	–	6	2	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·77	0·63	0·92	226	93	133	1	–	–	–	–	1	1	–	1	–	4	14	37	64	68
Tabes Mesenterica	0·11	0·13	0·10	33	19	14	20	2	3	2	–	27	2	–	1	–	–	2	–	1	–
Phthisis	1·19	1·14	1·24	349	169	180	12	11	1	–	1	25	5	14	36	44	82	57	28	42	15
Other Tub. & Scrof. Dis.	0·30	0·26	0·35	89	38	51	22	10	5	2	9	48	14	7	6	4	3	3	4	–	–
Diseases of Nervous System	2·06	2·10	2·03	605	310	295	168	18	8	3	6	203	15	9	12	8	12	14	41	71	113
Diseases of Circulatory „	1·85	1·73	1·96	541	256	285	5	–	–	–	1	6	5	8	7	7	25	28	47	94	199
Diseases of Respiratory „	3·86	4·37	3·33	1130	646	484	207	76	26	17	14	340	35	7	7	3	25	25	64	126	229
Diseases of Digestive „	1·12	0·98	1·27	329	145	184	61	15	4	2	3	85	7	5	8	4	13	17	35	54	59
Diseases of Urinary „	0·52	0·59	0·45	152	87	65	3	2	1	1	–	7	3	5	5	4	7	13	17	28	33
Diseases of Generative „	0·05	0·01	0·09	15	2	13	1	–	–	–	–	1	–	–	–	–	2	3	5	3	1
Puerperal Fever	0·08	–	0·16	23	–	23	–	–	–	–	–	–	–	–	–	5	9	9	–	–	–
Childbirth	0·06	–	0·13	19	–	19	–	–	–	–	–	–	–	–	–	2	12	4	1	–	–
Violence	0·58	0·89	0·27	171	132	39	8	7	2	6	6	29	8	6	12	6	15	12	18	24	18
Other Causes	2·92	2·83	2·95	851	420	431	299	25	6	7	2	339	6	10	9	11	27	27	26	52	78

Persons.

Marriages - - - 1,848

Births - Males - 4,326; Females - 4,066 — 8,392

Annual Rate per 1000 living: Persons Married 12·61; Births - - 28·63

Deaths from Childbirth and Puerperal Fever - - - - - 5·00 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

582.—ABERGAVENNY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000, Persons	—	In Standard Population* 20·59	†139	–	–	–	–	54·78	4·35	3·17	4·96	6·61	9·13	13·15	21·02	38·51	79·61	157·03
Annual Death-Rate per 1000, Males	—	In Standard Population* 22·05	†157	–	–	–	–	62·53	4·72	3·29	4·36	5·96	9·36	13·80	24·00	45·33	85·36	150·26
Annual Death-Rate per 1000, Females	—	In Standard Population* 19·20	†119	–	–	–	–	47·23	3·99	3·06	5·63	7·28	8·89	12·46	17·98	32·09	73·93	163·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 10·58 per cent.	24,818	636	559	589	621	594	2999	2850	2741	2420	2149	3536	2889	2264	1610	976	384
Mean Population, 1881–91. Males	Decennial Increase of Population 10·58 per cent.	12,545	308	277	295	306	295	1481	1398	1369	1283	1091	1837	1485	1146	781	485	189
Mean Population, 1881–91. Females	Decennial Increase of Population 10·58 per cent.	12,273	328	282	294	315	299	1518	1452	1372	1137	1058	1699	1404	1118	829	491	195
Deaths from All Causes, 1881–90. Persons	21·34	5,295	1048	338	134	75	48	1643	124	87	120	142	323	380	476	620	777	603
Deaths from All Causes, 1881–90. Males	22·81	2,862	614	171	78	38	25	926	66	45	56	65	172	205	275	354	414	284
Deaths from All Causes, 1881–90. Females	19·82	2,433	434	167	56	37	23	717	58	42	64	77	151	175	201	266	363	319

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·44	0·49	0·40	110	61	49	15	43	28	10	3	99	9	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·24	0·25	0·22	59	32	27	3	11	12	6	6	38	14	5	–	–	1	–	1	–	–	–
Diphtheria	0·08	0·07	0·08	19	9	10	–	3	2	4	2	11	4	3	–	1	–	–	–	–	–	–
Whooping-cough	0·44	0·33	0·55	110	42	68	63	32	9	4	1	109	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·02	3	1	2	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Enteric Fever	0·09	0·10	0·08	23	13	10	–	–	1	–	–	1	3	5	5	3	4	2	–	–	–	–
Simple Continued Fever	0·07	0·06	0·08	18	8	10	1	1	–	–	–	2	3	1	1	2	2	–	1	1	1	4
Diarrhœa and Dysentery	0·30	0·33	0·27	75	42	33	24	12	1	2	–	39	–	–	–	–	1	1	4	6	11	13
Cholera	0·00	–	0·01	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·40	0·74	141	50	91	–	–	–	–	–	–	–	–	1	1	4	18	26	36	40	15
Tabes Mesenterica	0·21	0·23	0·18	51	29	22	23	15	–	2	–	40	3	3	–	2	1	1	1	–	–	–
Phthisis	1·66	1·49	1·83	411	187	224	5	11	4	2	2	24	10	13	32	54	120	71	59	16	11	1
Other Tub. & Scrof. Dis.	0·50	0·57	0·43	125	72	53	45	25	7	4	4	85	15	8	6	1	4	1	2	2	1	–
Diseases of: Nervous System	3·63	3·97	3·28	901	498	403	209	35	12	9	8	273	20	9	11	19	53	82	105	111	131	87
Diseases of: Circulatory „	2·20	2·12	2·27	545	266	279	–	1	1	–	–	2	4	8	11	7	25	45	67	123	165	88
Diseases of: Respiratory „	4·39	5·23	3·54	1090	656	434	214	108	36	21	19	398	15	3	13	13	33	54	94	153	184	130
Diseases of: Digestive „	1·15	1·17	1·12	285	147	138	57	10	5	–	–	72	4	4	8	3	13	19	39	45	53	25
Diseases of: Urinary „	0·49	0·65	0·33	121	81	40	4	3	1	2	–	10	3	2	2	3	9	17	17	25	18	15
Diseases of: Generative „	0·02	–	0·04	5	–	5	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	1	3	5	5	–	–	–	–
Childbirth	0·08	–	0·16	20	–	20	–	–	–	–	–	–	–	–	1	4	11	4	–	–	–	–
Violence	0·75	1·13	0·36	186	142	44	9	1	5	3	2	20	8	12	17	13	20	21	21	26	18	10
Other Causes	3·96	4·21	3·72	982	526	456	375	27	10	6	1	419	8	9	10	12	16	36	38	76	143	215

Marriages - - - 1,592

Births - { Males - 3,916 / Females - 3,647 } - 7,563

Annual Rate per 1000 living { Persons Married 12·83 / Births - - 30·47

Deaths from Childbirth and Puerperal Fever - - - - - 4·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

583.—BEDWELLTY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 24·90			†166	–	–	–	–	76·91	10·74	4·78	6·12	7·03	8·86	13·62	22·25	45·09	84·71	141·15
Annual Death-Rate per 1000. Males	—						†180	–	–	–	–	84·47	10·71	4·79	6·15	7·12	7·92	13·53	26·71	51·63	94·10	157·34
Annual Death-Rate per 1000. Females	—						†150	–	–	–	–	69·57	10·77	4·78	6·06	6·91	10·12	13·74	17·15	37·67	74·93	127·09
Mean Population, 1881–91. Persons	Decennial Increase of Population 16·16 per cent.			60,353			1882	1582	1629	1642	1648	8383	7543	6564	6623	5959	8901	6475	4737	3169	1530	469
Mean Population, 1881–91. Males				32,442			922	787	794	824	800	4127	3772	3360	3820	3498	5077	3578	2527	1685	780	218
Mean Population, 1881–91. Females				27,911			960	795	835	818	848	4256	3771	3204	2803	2461	3824	2897	2210	1484	750	251
Deaths from All Causes, 1881–90. Persons	24·04			14,507			3691	1316	643	466	331	6447	810	314	405	419	789	882	1054	1429	1296	662
Deaths from All Causes, 1881–90. Males	24·79			8,043			2054	675	335	235	187	3486	404	161	235	249	402	484	675	870	734	343
Deaths from All Causes, 1881–90. Females	23·16			6,464			1637	641	308	231	144	2961	406	153	170	170	387	398	379	559	562	319
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	9	7	2	2	–	–	1	1	4	1	–	1	1	–	1	1	–	–	–
Measles	0·91	0·82	1·01	548	267	281	103	202	90	64	33	492	50	2	2	–	2	–	–	–	–	–
Scarlet Fever	1·36	1·33	1·40	821	430	391	58	89	128	103	101	479	274	51	11	5	1	–	–	–	–	–
Diphtheria	0·41	0·34	0·49	246	110	136	10	20	27	43	38	138	87	11	2	1	5	1	1	–	–	–
Whooping-cough	0·72	0·60	0·86	437	196	241	174	134	63	34	12	417	19	–	1	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	9	5	4	–	–	1	–	–	1	3	1	2	1	1	–	–	–	–	–
Enteric Fever	0·37	0·41	0·32	221	133	88	2	1	3	5	8	19	32	22	37	38	43	17	6	5	2	–
Simple Continued Fever	0·03	0·04	0·03	21	13	8	2	1	4	3	–	10	5	–	–	2	1	2	1	–	–	–
Diarrhœa and Dysentery	0·47	0·46	0·49	285	149	136	114	63	8	5	2	192	4	2	–	2	5	5	9	18	29	19
Cholera	0·01	0·01	0·01	7	3	4	–	–	–	–	1	1	–	2	–	–	–	–	2	1	–	1
Cancer	0·46	0·36	0·58	278	116	162	–	–	–	–	–	–	–	1	2	3	5	28	71	91	57	20
Tabes Mesenterica	0·29	0·27	0·30	173	88	85	54	48	29	4	5	140	11	7	6	3	2	2	2	–	–	–
Phthisis	1·35	1·21	1·52	816	393	423	21	20	12	8	4	65	25	29	100	103	206	146	72	55	12	3
Other Tub. & Scrof. Dis.	0·46	0·47	0·46	279	152	127	84	51	29	14	14	192	34	20	10	6	9	5	3	–	–	–
Diseases of Nervous System	3·01	3·10	2·91	1817	1006	811	860	119	44	29	24	1076	77	31	27	21	39	49	83	167	182	65
Diseases of Circulatory „	1·35	1·33	1·38	816	430	386	2	1	2	–	1	6	6	20	24	23	53	87	143	215	176	63
Diseases of Respiratory „	6·17	7·03	5·16	3721	2280	1441	846	404	152	112	67	1581	102	26	39	54	136	244	350	539	467	183
Diseases of Digestive „	1·12	1·05	1·20	676	340	336	171	51	6	8	8	244	20	6	8	13	36	65	108	102	59	15
Diseases of Urinary „	0·45	0·46	0·44	274	150	124	7	7	7	9	1	31	6	6	12	10	24	32	43	47	50	13
Diseases of Generative „	0·04	–	0·09	26	–	26	–	–	–	–	–	–	–	–	1	1	8	6	7	3	–	–
Puerperal Fever	0·14	–	0·29	82	–	82	–	–	–	–	–	–	–	–	5	18	37	21	1	–	–	–
Childbirth	0·10	–	0·23	63	–	63	–	–	–	–	–	–	–	–	7	11	21	24	–	–	–	–
Violence	1·15	1·86	0·31	696	610	86	18	18	16	11	6	69	35	54	75	68	88	87	90	75	41	14
Other Causes	3·65	3·60	3·66	2186	1165	1021	1163	87	22	13	5	1290	19	23	33	35	67	60	61	111	221	266

Marriages - - - 4,886

Births - Males - 11,388, Females - 10,898 } 22,286

Annual Rate per 1000 living: Persons Married 16·19; Births - - 36·93

Deaths from Childbirth and Puerperal Fever - - - - - 6·51 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

584.—PONTYPOOL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·19	†133	–	–	–	–	51·08	4·49	3·90	5·54	6·16	7·92	10·12	15·79	31·53	66·00	143·10
Annual Death-Rate per 1000. Males	—	19·18	†147	–	–	–	–	55·62	4·34	4·96	5·62	6·48	7·89	10·20	17·77	34·31	69·36	148·73
Annual Death-Rate per 1000. Females	—	17·25	†119	–	–	–	–	46·67	4·63	2·81	5·44	5·78	7·95	10·04	13·73	28·63	62·71	137·60
Mean Population, 1881–91. Persons	Decennial Increase of Population 12·54 per cent.	37,555	1099	1029	1035	1086	1016	5215	4924	4309	3882	3329	5165	3883	3039	2131	1200	478
Mean Population, 1881–91. Males		19,407	528	498	529	519	497	2571	2463	2177	2154	1790	2749	2030	1553	1090	594	236
Mean Population, 1881–91. Females		18,148	571	531	506	517	519	2644	2461	2132	1728	1539	2416	1853	1486	1041	606	242
Deaths from All Causes, 1881–90. Persons	18·38	6,903	1702	496	240	123	103	2664	221	168	215	205	409	393	480	672	792	684
Deaths from All Causes, 1881–90. Males	19·16	3,719	944	260	119	57	50	1430	107	108	121	116	217	207	276	374	412	351
Deaths from All Causes, 1881–90. Females	17·54	3,184	758	236	121	66	53	1234	114	60	94	89	192	186	204	298	380	333

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·39	0·42	0·36	147	82	65	30	53	28	12	6	129	17	–	1	–	–	–	–	–	–
Scarlet Fever	0·29	0·26	0·32	109	51	58	6	13	19	20	15	73	28	6	–	–	–	2	–	–	–
Diphtheria	0·09	0·08	0·10	35	16	19	1	1	7	5	5	19	6	3	4	1	1	–	1	–	–
Whooping-cough	0·41	0·35	0·48	155	67	88	76	37	17	10	8	148	7	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·16	0·17	0·15	60	33	27	–	2	3	3	1	9	5	5	10	10	11	4	3	1	1
Simple Continued Fever	0·01	0·02	0·01	5	4	1	–	–	1	–	–	1	2	1	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·27	0·30	0·24	101	58	43	56	15	4	1	1	77	1	1	1	–	2	3	2	2	6
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
Cancer	0·33	0·29	0·37	123	56	67	–	–	–	–	–	–	1	2	1	1	7	16	26	32	22
Tabes Mesenterica	0·15	0·17	0·12	55	33	22	30	12	4	–	2	48	3	2	–	1	1	–	–	–	–
Phthisis	1·27	1·09	1·47	477	211	266	9	6	3	4	4	26	14	25	60	62	132	89	42	21	6
Other Tub. & Scrof. Dis.	0·44	0·46	0·43	167	89	78	44	27	17	4	11	103	25	8	5	4	12	2	7	1	–
Diseases of Nervous System	2·59	2·64	2·52	971	513	458	404	56	13	11	12	496	23	22	13	13	16	44	71	96	113
Diseases of Circulatory „	1·59	1·49	1·69	597	290	307	–	1	1	–	1	3	6	12	17	15	35	53	90	158	155
Diseases of Respiratory „	3·91	4·19	3·62	1470	813	657	379	194	84	42	20	719	33	4	13	16	35	51	97	176	210
Diseases of Digestive „	1·02	1·04	1·00	383	202	181	110	36	12	2	8	168	10	9	8	4	20	26	41	45	35
Diseases of Urinary „	0·36	0·43	0·28	134	83	51	3	–	3	2	3	11	7	3	4	3	11	11	15	24	28
Diseases of Generative „	0·03	0·01	0·05	10	1	9	1	1	–	–	–	2	–	–	–	1	1	3	1	2	–
Puerperal Fever	0·08	–	0·17	31	–	31	–	–	–	–	–	–	–	–	3	8	14	6	–	–	–
Childbirth	0·09	–	0·18	32	–	32	–	–	–	–	–	–	–	–	–	3	15	14	–	–	–
Violence	1·17	2·00	0·28	439	389	50	9	6	10	5	4	34	23	50	60	49	72	40	44	40	18
Other Causes	3·72	3·74	3·70	1409	726	674	544	36	14	2	1	597	10	15	15	14	24	29	39	73	198

Marriages - - - 3,265

Births - Males - 6,428; Females - 6,390 — 12,818

Annual Rate per 1000 living: Persons Married 17·39; Births - - 34·13

Deaths from Childbirth and Puerperal Fever - - - - - 4·91 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

585.—NEWPORT.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In 1861	†141	–	–	–	–	56·34	4·48	2·66	4·27	5·83	7·70	12·37	17·04	31·16	61·90	131·85
Annual Death-Rate per 1000. Males	—	Standard 1937	†154	–	–	–	–	60·97	4·32	3·29	3·89	5·28	7·09	13·34	18·21	32·70	65·42	140·00
Annual Death-Rate per 1000. Females	—	Population* 1789	†127	–	–	–	–	51·66	4·63	2·05	4·66	6·41	8·36	11·30	15·83	29·62	58·63	124·90
Mean Population, 1881-91. Persons	Decennial Increase of Population 37·22 per cent.	83,669	2524	2268	2346	2326	2206	11670	10413	9150	8481	7987	12890	9194	6466	4181	2330	901
Mean Population, 1881-91. Males		42,416	1253	1135	1186	1180	1113	5867	5230	4468	4317	4056	6731	4814	3295	2098	1125	415
Mean Population, 1881-91. Females		41,253	1271	1133	1160	1146	1093	5803	5183	4682	4164	3931	6159	4380	3171	2083	1211	486
Deaths from All Causes, 1881-90. Persons	18·26	15,280	4283	1301	473	289	229	6575	466	243	362	466	992	1137	1102	1303	1446	1188
Deaths from All Causes, 1881-90. Males	18·99	8,054	2404	674	239	139	121	3577	226	147	168	214	477	642	600	686	736	581
Deaths from All Causes, 1881-90. Females	17·52	7,226	1879	627	234	150	108	2998	240	96	194	252	515	495	502	617	710	607

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·02	0·01	12	9	3	1	–	–	–	–	1	–	1	1	2	3	2	1	1	–	–
Measles	0·44	0·47	0·41	369	198	171	57	158	55	33	30	333	29	1	2	2	1	1	–	–	–	–
Scarlet Fever	0·30	0·33	0·26	249	142	107	23	55	42	39	28	187	50	8	1	1	2	–	–	–	–	–
Diphtheria	0·10	0·08	0·12	86	36	50	6	10	7	11	19	53	22	3	3	2	2	–	–	1	–	–
Whooping-cough	0·50	0·44	0·55	415	188	227	183	131	47	20	16	397	16	1	1	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·00	4	2	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Enteric Fever	0·22	0·22	0·22	183	94	89	2	7	3	8	3	23	24	16	21	29	32	20	12	4	2	–
Simple Continued Fever	0·02	0·03	0·01	17	11	6	1	–	1	1	3	6	2	2	–	–	3	2	–	–	1	1
Diarrhœa and Dysentery	0·58	0·60	0·56	483	254	229	328	57	10	1	4	400	1	–	1	3	4	4	11	14	25	20
Cholera	0·02	0·02	0·03	20	9	11	13	1	1	–	–	15	1	–	–	–	–	–	–	1	2	1
Cancer	0·41	0·26	0·56	340	111	229	2	–	–	–	–	2	3	2	2	3	16	61	73	84	70	24
Tabes Mesenterica	0·25	0·26	0·23	207	112	95	117	45	13	4	4	183	3	9	5	2	2	1	–	2	–	–
Phthisis	1·51	1·37	1·64	1,261	583	678	16	17	10	2	2	47	26	37	135	182	350	249	136	76	21	2
Other Tub. & Scrof. Dis.	0·36	0·39	0·34	304	165	139	101	56	27	14	6	204	41	18	12	6	8	10	3	2	–	–
Diseases of Nervous System	2·27	2·44	2·11	1903	1034	869	840	92	45	18	19	1014	50	25	25	20	47	80	115	181	227	119
Diseases of Circulatory „	1·21	1·22	1·19	1009	519	490	3	3	–	1	2	9	9	20	27	28	71	134	166	236	223	86
Diseases of Respiratory „	3·85	4·14	3·54	3218	1758	1460	886	476	143	98	63	1666	82	15	20	30	105	175	235	319	361	210
Diseases of Digestive „	1·23	1·26	1·19	1025	534	491	319	107	20	12	6	464	17	6	20	24	56	77	99	135	95	32
Diseases of Urinary „	0·37	0·41	0·33	310	173	137	6	5	4	–	3	18	2	4	4	17	29	45	48	53	67	23
Diseases of Generative „	0·04	0·00	0·08	37	2	35	–	–	–	–	–	–	1	–	1	2	8	9	4	5	5	2
Puerperal Fever	0·11	–	0·22	92	–	92	–	–	–	–	–	–	–	–	3	17	51	21	–	–	–	–
Childbirth	0·08	–	0·17	70	–	70	–	–	–	–	–	–	–	–	2	14	25	26	3	–	–	–
Violence	0·84	1·37	0·30	703	579	124	27	17	22	14	17	97	54	44	41	59	108	119	78	49	33	21
Other Causes	3·54	3·66	3·45	2,963	1541	1422	1,352	64	23	13	4	1456	33	31	34	22	69	99	118	140	314	647

Marriages - - - 7,592

Births - Males - 15,649; Females - 14,759 — 30,408

Annual Rate per 1000 living: Persons Married 18·15; Births - - 36·34

Deaths from Childbirth and Puerperal Fever - - - - - 5·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

586.—CARDIFF.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·18	†148	–	–	–	–	59·84	5·35	3·14	5·15	6·65	8·65	12·56	19·15	34·88	64·95	145·80
Annual Death-Rate per 1000. Males	—	In Standard Population* 21·49	†162	–	–	–	–	64·00	5·56	3·15	6·12	7·08	8·46	13·48	21·67	37·84	71·78	157·14
Annual Death-Rate per 1000. Females	—	In Standard Population* 18·95	†133	–	–	–	–	55·66	5·14	3·13	4·18	6·21	8·87	11·48	16·35	31·91	58·65	136·61
Mean Population, 1881–91. Persons	Decennial Increase of Population 63·71 per cent.	139,980	4086	3825	3830	3823	3648	19212	16472	14540	13860	14360	23920	16628	10823	6238	2879	1048
Mean Population, 1881–91. Males	Decennial Increase of Population 63·71 per cent.	71,735	2040	1894	1928	1918	1856	9636	8267	7264	6940	7269	12688	8986	5705	3129	1382	469
Mean Population, 1881–91. Females	Decennial Increase of Population 63·71 per cent.	68,245	2046	1931	1902	1905	1792	9576	8205	7276	6920	7091	11232	7642	5118	3109	1497	579
Deaths from All Causes, 1881–90. Persons	18·80	26,310	7522	2139	865	557	414	11497	882	457	714	955	2070	2088	2073	2176	1870	1528
Deaths from All Causes, 1881–90. Males	19·84	14,230	4216	1065	418	278	190	6167	460	229	425	515	1074	1211	1236	1184	992	737
Deaths from All Causes, 1881–90. Females	17·70	12,080	3306	1074	447	279	224	5330	422	228	289	440	996	877	837	992	878	791

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·03	0·03	0·02	39	25	14	3	–	–	3	2	8	1	1	5	7	13	4	–	–	–
Measles	0·54	0·53	0·56	760	379	381	151	306	127	63	45	692	58	7	1	2	–	–	–	–	–
Scarlet Fever	0·31	0·27	0·36	436	193	243	24	73	80	73	68	318	89	18	5	2	1	2	–	1	–
Diphtheria	0·18	0·15	0·21	251	109	142	8	29	25	41	36	139	78	15	2	4	8	3	2	–	–
Whooping-cough	0·50	0·44	0·57	706	318	388	331	212	80	45	19	687	19	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	24	16	8	–	–	1	–	–	1	1	3	4	4	3	5	2	–	1
Enteric Fever	0·24	0·28	0·19	331	200	131	3	4	5	9	4	25	35	32	56	60	64	31	17	8	2
Simple Continued Fever	0·04	0·04	0·03	51	28	23	1	3	2	6	2	14	4	3	4	4	8	5	4	3	2
Diarrhœa and Dysentery	0·86	0·88	0·83	1198	629	569	908	117	28	6	3	1062	8	1	1	1	8	11	12	32	26
Cholera	0·02	0·03	0·01	23	18	5	6	2	–	–	1	9	–	1	–	–	1	3	8	1	–
Cancer	0·45	0·32	0·59	633	230	403	–	–	2	–	–	2	1	2	2	1	29	106	161	186	105
Tabes Mesenterica	0·17	0·19	0·15	243	138	105	111	52	19	11	4	197	11	12	5	5	5	5	2	–	1
Phthisis	1·87	1·97	1·76	2614	1416	1198	47	39	13	12	6	117	52	60	239	364	756	527	295	152	44
Other Tub. & Scrof. Dis.	0·45	0·48	0·42	635	346	289	173	108	61	43	42	427	80	41	31	15	22	12	4	3	–
Diseases of Nervous System	2·51	2·63	2·38	3508	1884	1624	1603	250	85	58	32	2028	104	44	40	46	110	139	234	306	300
Diseases of Circulatory „	1·41	1·45	1·37	1975	1039	936	13	1	1	2	2	19	31	50	44	59	190	289	337	411	358
Diseases of Respiratory „	3·70	3·99	3·40	5185	2863	2322	1507	686	230	131	95	2649	132	39	56	83	207	304	412	507	470
Diseases of Digestive „	0·90	0·96	0·85	1266	689	577	358	60	15	14	9	456	29	23	25	41	79	109	155	179	120
Diseases of Urinary „	0·43	0·55	0·31	606	393	213	7	6	4	2	3	22	14	6	17	26	82	103	117	110	77
Diseases of Generative „	0·05	0·01	0·09	67	8	59	2	–	1	–	1	4	1	1	2	3	19	12	12	9	2
Puerperal Fever	0·07	–	0·14	97	–	97	–	–	–	–	–	–	–	–	3	17	54	23	–	–	–
Childbirth	0·10	–	0·20	136	–	136	–	–	–	–	–	–	–	–	9	20	61	44	2	–	–
Violence	0·99	1·56	0·40	1388	1118	270	87	51	34	29	27	228	80	52	124	123	212	224	172	95	50
Other Causes	2·96	3·06	2·85	4138	2191	1947	2179	140	52	9	13	2393	54	46	39	68	138	127	125	173	312

Marriages - - - 13,159

Births - Males - 26,064; Females - 24,864 } 50,928

Annual Rate per 1000 living: Persons Married 18·80; Births - - 36·38

Deaths from Childbirth and Puerperal Fever - - - - - 4·58 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

587.—PONTYPRIDD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 21·77	†171	–	–	–	–	70·78	6·98	4·14	6·26	6·85	8·05	11·52	16·89	34·52	69·77	144·37
Annual Death-Rate per 1000. Males	—	In Standard Population* 23·03	†190	–	–	–	–	78·04	7·12	4·44	6·43	6·46	7·37	10·97	18·41	38·13	76·08	152·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 20·59	†152	–	–	–	–	63·51	6·84	3·82	6·01	7·48	9·05	12·26	15·02	30·34	63·33	137·43
Mean Population, 1881–91. Persons	Decennial Increase of Population 57·03 per cent.	120,153	3992	3370	3335	3329	3248	17274	14688	12693	12752	13275	20030	13108	8536	4896	2200	701
Mean Population, 1881–91. Males		66,402	2020	1702	1658	1674	1593	8647	7418	6486	7495	8183	11890	7505	4714	2625	1112	327
Mean Population, 1881–91. Females		53,751	1972	1668	1677	1655	1655	8627	7270	6207	5257	5092	8140	5603	3822	2271	1088	374
Deaths from All Causes, 1881–90. Persons	20·21	24,287	7921	2353	880	640	433	12227	1025	525	798	910	1613	1510	1442	1690	1535	1012
Deaths from All Causes, 1881–90. Males	20·31	13,487	4492	1253	447	336	220	6748	528	288	482	529	876	823	868	1001	846	498
Deaths from All Causes, 1881–90. Females	20·09	10,800	3429	1100	433	304	213	5479	497	237	316	381	737	687	574	689	689	514

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·00	0·00	0·00	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	0·61	0·56	0·67	728	370	358	160	292	110	63	43	668	55	2	1	1	–	1	–	–
Scarlet Fever	0·85	0·81	0·91	1026	539	487	63	159	154	150	123	649	293	45	16	11	7	4	1	–
Diphtheria	0·07	0·05	0·09	87	36	51	4	10	9	11	8	42	30	7	1	–	–	5	2	–
Whooping-cough	0·45	0·38	0·55	542	249	293	264	159	49	35	17	524	18	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	12	9	3	–	–	–	1	–	1	2	2	1	3	1	–	1	1
Enteric Fever	0·45	0·53	0·35	541	351	190	3	9	9	11	16	48	73	66	74	82	103	40	31	14
Simple Continued Fever	0·02	0·03	0·02	28	17	11	–	1	4	2	2	9	6	1	2	1	1	3	2	2
Diarrhœa and Dysentery	0·59	0·56	0·63	714	374	340	434	109	24	8	3	578	8	1	1	2	8	16	12	23
Cholera	0·01	0·01	0·01	13	9	4	1	1	–	2	–	4	–	–	1	1	1	3	1	1
Cancer	0·32	0·20	0·46	381	136	245	–	1	–	–	–	1	–	–	3	1	18	59	96	122
Tabes Mesenterica	0·22	0·23	0·21	261	150	111	116	64	27	8	3	218	15	10	6	6	4	1	–	1
Phthisis	1·36	1·13	1·64	1630	751	879	19	18	4	6	5	52	46	79	226	255	421	290	156	82
Other Tub. & Scrof. Dis.	0·34	0·34	0·33	404	225	179	92	64	30	22	20	228	62	42	22	14	18	9	5	2
Diseases of Nervous System	3·49	3·54	3·43	4189	2347	1842	2700	274	80	59	32	3145	103	45	37	37	82	90	153	200
Diseases of Circulatory „	1·09	0·97	1·22	1304	647	657	6	3	–	–	1	10	20	29	40	45	108	178	231	284
Diseases of Respiratory „	4·49	4·70	4·23	5395	3119	2276	1092	853	289	195	111	3140	158	31	57	83	179	255	315	506
Diseases of Digestive „	1·13	1·13	1·13	1358	749	609	503	186	15	14	12	730	31	29	49	29	70	87	117	119
Diseases of Urinary „	0·38	0·42	0·34	461	276	185	14	5	4	1	8	32	18	9	18	15	51	51	65	88
Diseases of Generative „	0·04	0·00	0·08	47	2	45	–	–	–	–	–	–	–	–	3	7	8	14	8	4
Puerperal Fever	0·17	–	0·38	205	–	205	–	–	–	–	–	–	–	–	15	58	76	53	3	–
Childbirth	0·14	–	0·30	163	–	163	–	–	–	–	–	–	–	–	6	32	69	54	2	–
Violence	1·30	2·11	0·31	1567	1400	167	57	38	48	35	18	196	52	90	173	187	308	217	161	111
Other Causes	2·68	2·60	2·79	3229	1730	1499	1793	107	24	17	11	1952	35	37	46	40	78	80	80	130

	75 and upwds.
Diseases of Nervous System	102
Diseases of Circulatory	104
Diseases of Respiratory	220
Diseases of Digestive	25
Diseases of Urinary	24
Diseases of Generative	1
Puerperal Fever	–
Childbirth	–
Violence	–
Other Causes	12
	474

Marriages - - 10,391

Births - Males - 23,651, Females - 22,537 } 46,188

Annual Rate per 1000 living { Persons Married 17·30; Births - - 38·44

Deaths from Childbirth and Puerperal Fever - - - 7·97 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

588.—MERTHYR TYDFIL.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 23·46			†164	–	–	–	–	70·19	8·23	4·79	6·55	7·39	8·80	12·73	20·59	41·02	81·47	150·92
Annual Death-Rate per 1000. Males	—			24·64			†175	–	–	–	–	74·87	8·52	5·28	6·42	6·98	7·84	12·25	22·87	46 41	91·58	167·49
Annual Death-Rate per 1000. Females	—			22·34			†153	–	–	–	–	65·52	7·94	4·30	6·70	7·92	9·98	13·31	18·15	35·57	72·51	140·11
Mean Population, 1881–91. Persons	Decennial Increase of Population 15·54 per cent.			109,323			3298	2782	2909	2855	2824	14668	13296	12021	11717	10866	16520	11905	8806	5790	2807	927
Mean Population, 1881–91. Males				57,373			1665	1416	1421	1416	1404	7322	6656	6065	6435	6106	9148	6488	4557	2911	1319	366
Mean Population, 1881–91. Females				51,950			1633	1366	1488	1439	1420	7346	6640	5956	5282	4760	7372	5417	4249	2879	1488	561
Deaths from All Causes, 1881–90. Persons	22·30			24,378			6125	2065	978	672	455	10295	1094	576	767	803	1453	1516	1813	2375	2287	1399
Deaths from All Causes, 1881–90. Males	22·54			12,934			3355	1072	482	350	223	5482	567	320	413	426	717	795	1042	1351	1208	613
Deaths from All Causes, 1881–90. Females	22·03			11,444			2770	993	496	322	232	4813	527	256	354	377	736	721	771	1024	1079	786
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0 01	0·00	5	3	2	–	1	–	–	–	1	–	–	–	2	2	–	–	–	–	–
Measles	0·60	0·63	0·58	659	359	300	148	228	100	73	44	593	55	2	3	1	3	1	1	–	–	–
Scarlet Fever	1·20	1·15	1·26	1316	659	657	74	196	221	223	145	859	342	85	17	4	8	1	–	–	–	–
Diphtheria	0·11	0·10	0·12	117	55	62	2	14	15	13	16	60	37	4	2	3	6	1	3	–	1	–
Whooping-cough	0·54	0·49	0·59	586	282	304	272	167	72	33	18	562	22	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	12	6	6	–	–	–	–	–	–	1	2	1	1	1	2	2	2	–	–
Enteric Fever	0·23	0·20	0·25	249	117	132	5	4	8	10	7	34	45	34	37	29	30	13	17	9	–	1
Simple Continued Fever	0·02	0·01	0·03	17	4	13	1	3	1	–	1	6	4	1	–	–	1	1	1	–	3	–
Diarrhœa and Dysentery	0·48	0·46	0·50	524	262	262	278	83	14	6	3	384	4	2	–	2	10	12	10	15	46	39
Cholera	0·01	0·01	0·01	9	6	3	3	1	–	–	–	4	–	–	–	1	–	1	2	1	–	–
Cancer	0·47	0·36	0·58	509	209	300	1	1	–	–	–	2	2	3	4	7	19	57	132	158	93	32
Tabes Mesenterica	0·18	0·21	0·16	202	118	84	72	48	18	6	6	150	12	13	6	2	8	7	2	2	–	–
Phthisis	2·05	1·82	2·31	2244	1046	1198	68	58	33	18	15	192	85	92	256	288	516	356	250	160	44	5
Other Tub. & Scrof. Dis.	0·50	0·54	0·46	549	310	239	112	80	37	29	24	282	96	57	45	18	24	14	8	4	1	–
Diseases of Nervous System	3·33	3·30	3·36	3638	1892	1746	1904	204	94	44	33	2279	73	50	30	39	63	114	163	304	356	167
Diseases of Circulatory „	1·76	1·62	1·90	1919	932	987	5	5	1	–	4	15	17	31	48	41	107	203	322	461	495	179
Diseases of Respiratory „	4·84	5·42	4·19	5286	3110	2176	1266	691	272	154	86	2469	150	39	53	91	168	259	444	693	639	281
Diseases of Digestive „	1·15	1·10	1·20	1254	629	625	347	140	26	21	8	542	29	21	20	28	67	104	126	164	110	43
Diseases of Urinary „	0·42	0·48	0·36	463	277	186	6	12	12	6	9	45	16	11	14	18	44	47	72	88	79	29
Diseases of Generative „	0·05	0·00	0·09	51	2	49	–	–	–	–	–	–	–	–	5	5	8	11	10	5	5	2
Puerperal Fever	0·14	–	0·29	153	–	153	–	–	–	–	–	–	–	–	8	40	78	26	1	–	–	–
Childbirth	0·11	–	0·22	115	–	115	–	–	–	–	–	–	–	–	4	25	47	39	–	–	–	–
Violence	1·16	1·86	0·39	1266	1066	200	36	34	33	24	21	148	57	91	154	112	164	150	147	140	75	28
Other Causes	2·94	2·76	3·17	3235	1590	1645	1525	95	21	12	15	1668	47	37	59	46	79	97	100	169	340	593

Marriages - - 9,349

Births - Males - 19,147; Females - 18,155 — 37,302

Annual Rate per 1000 living: Persons Married 17·10; Births - - 34·12

Deaths from Childbirth and Puerperal Fever - - - - - 7·18 per 1000 Births.

* *See* pages xxxvi-xxxviii.

† The death-rates under one year of age are per 1000 Births.

589.—BRIDGEND.‡

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Annual Death-Rate per 1000. Persons	—			In Standard Population.* 19·70			†147	–	–	–	–	55·60	6·15	3·25	5·58	6·94	9·11	14·18	18·27	31·85	64·49	137·07
Annual Death-Rate per 1000. Males	—			In Standard Population.* 20·98			†160	–	–	–	–	61·31	6·41	3·36	5·74	6·64	8·97	15·08	20·65	34·20	68·38	151·90
Annual Death-Rate per 1000. Females	—			In Standard Population.* 18·48			†132	–	–	–	–	49·95	5·88	3·14	5·40	7·33	9·28	13·09	15·71	29·31	60·72	124·64
Mean Population, 1881–91. Persons	Decennial Increase of Population 25·48 per cent.			44,770			1243	1128	1218	1134	1149	5872	5399	4832	4549	4177	6696	5051	3623	2515	1422	634
Mean Population, 1881–91. Males				23,456			623	553	625	571	551	2923	2728	2440	2457	2321	3657	2759	1879	1304	699	289
Mean Population, 1881–91. Females				21,314			620	575	593	563	598	2949	2671	2392	2092	1856	3039	2292	1744	1211	723	345
Deaths from All Causes, 1881–90. Persons	19·82			8,873			2113	586	247	183	136	3265	332	157	254	290	610	716	662	801	917	869
Deaths from All Causes, 1881–90. Males	20·63			4,839			1176	301	144	99	72	1792	175	82	141	154	328	416	388	446	478	439
Deaths from All Causes, 1881–90. Females	18·93			4,034			937	285	103	84	64	1473	157	75	113	136	282	300	274	355	439	430
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·36	0·38	0·35	163	88	75	34	62	24	16	9	145	15	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·72	0·67	0·77	322	158	164	29	36	53	50	45	213	78	22	5	–	3	–	–	1	–	–
Diphtheria	0·08	0·06	0·10	35	13	22	3	3	2	4	1	13	11	4	–	2	2	1	1	–	–	1
Whooping-cough	0·39	0·29	0·51	176	67	109	84	53	14	14	8	173	3	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·02	9	5	4	–	–	–	–	–	–	1	3	2	–	2	–	1	–	–	–
Enteric Fever	0·42	0·43	0·41	190	102	88	3	1	3	4	6	17	24	22	35	15	35	27	7	4	3	1
Simple Continued Fever	0·06	0·05	0·07	26	11	15	1	2	1	4	3	11	7	–	–	–	2	1	1	3	1	–
Diarrhœa and Dysentery	0·25	0·26	0·25	113	60	53	51	18	1	2	1	73	–	–	–	–	2	3	5	11	9	10
Cholera	0·02	0·02	0·03	11	5	6	2	2	–	1	–	5	–	–	1	–	–	–	–	3	1	1
Cancer	0·42	0·35	0·50	188	82	106	–	–	–	–	–	–	–	–	1	–	1	18	29	72	51	16
Tabes Mesenterica	0·17	0·16	0·18	76	37	39	40	17	–	2	1	60	5	–	1	1	5	1	–	1	2	–
Phthisis	1·74	1·55	1·96	781	363	418	4	7	3	4	2	20	22	22	80	110	191	157	100	58	19	2
Other Tub. & Scrof. Dis.	0·50	0·54	0·45	222	126	96	69	32	17	12	5	135	22	13	12	11	16	5	4	2	2	–
Diseases of Nervous System	3·75	4·14	3·31	1677	971	706	675	76	26	16	9	802	31	16	19	24	87	176	149	142	141	90
Diseases of Circulatory "	1·53	1·37	1·70	683	321	362	5	–	1	–	–	6	5	9	13	21	38	66	85	135	185	120
Diseases of Respiratory "	3·79	4·04	3·52	1697	948	749	417	201	74	39	27	758	57	10	14	25	49	72	109	179	246	178
Diseases of Digestive "	0·88	0·91	0·85	395	214	181	71	27	5	2	3	108	9	8	5	11	24	30	49	60	58	33
Diseases of Urinary "	0·42	0·55	0·27	187	130	57	3	1	5	1	3	13	7	4	7	8	8	12	20	33	52	23
Diseases of Generative "	0·04	0·01	0·07	17	3	14	1	–	–	–	–	1	1	1	1	1	2	4	4	–	2	–
Puerperal Fever	0·10	–	0·22	46	–	46	–	–	–	–	–	–	–	–	2	6	26	12	–	–	–	–
Childbirth	0·08	–	0·16	35	–	35	–	–	–	–	–	–	–	–	1	6	17	11	–	–	–	–
Violence	1·04	1·72	0·30	467	404	63	16	13	11	10	10	60	14	12	41	37	73	83	66	40	24	17
Other Causes	3·04	3·11	2·93	1356	731	625	605	35	7	2	3	652	20	9	14	11	26	37	32	57	121	377

Marriages - - - 3,167

Births - Males - 7,345; Females - 7,077 — 14,422

Annual Rate per 1000 living: Persons Married 14·15; Births - - 32·21

Deaths from Childbirth and Puerperal Fever - - - - - 5·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 737.

590.—NEATH.‡

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·16	†133	–	–	–	–	53·08	6·39	4·04	5·45	6·82	7·81	10·79	16·11	33·25	68·73	148·92
Males	—	20·14	†143	–	–	–	–	57·58	5·84	3·65	5·23	6·37	7·01	10·35	18·09	37·65	77·44	180·10
Females	—	18·24	†122	–	–	–	–	48·65	6·94	4·45	5·69	7·29	8·69	11·27	14·09	28·96	61·40	129·52
Mean Population, 1881–91. Persons	Decennial Increase of Population 13·36 per cent.	54,792	1622	1468	1542	1514	1505	7651	7107	6332	5872	5059	7748	5920	4289	2800	1503	511
Males		27,752	804	733	767	746	745	3795	3547	3206	3059	2589	4054	3071	2167	1381	687	196
Females		27,040	818	735	775	768	760	3856	3560	3126	2813	2470	3694	2849	2122	1419	816	315
Deaths from All Causes, 1881–90. Persons	18·43	10,096	2546	775	348	236	156	4061	454	256	320	345	605	639	691	931	1033	761
Males	18·86	5,233	1383	404	191	122	85	2185	207	117	160	165	284	318	392	520	532	353
Females	17·98	4,863	1163	371	157	114	71	1876	247	139	160	180	321	321	299	411	501	408

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·52	0·58	0·45	285	162	123	46	113	49	32	17	257	27	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·69	0·65	0·73	379	181	198	24	56	77	57	44	258	101	15	1	2	2	–	–	–	–	–
Diphtheria	0·05	0·04	0·05	26	12	14	1	1	2	2	4	10	9	5	1	–	–	–	1	–	–	–
Whooping-cough	0·47	0·38	0·57	260	106	154	110	78	28	22	10	248	12	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·02	0·01	9	6	3	–	–	–	–	1	1	–	1	1	3	1	2	–	–	–	–
Enteric Fever	0·32	0·28	0·35	173	79	94	–	4	2	4	1	11	29	25	30	23	25	14	6	8	1	1
Simple Continued Fever	0·02	0·02	0·03	13	6	7	–	–	–	3	1	4	4	2	–	1	1	1	–	–	–	–
Diarrhœa and Dysentery	0·32	0·27	0·36	173	76	97	104	24	1	2	2	133	1	–	–	1	1	3	–	7	18	9
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·51	0·34	0·68	278	93	185	–	–	1	–	–	1	1	–	–	–	14	39	74	79	55	15
Tabes Mesenterica	0·11	0·10	0·11	58	28	30	16	16	7	3	1	43	3	2	3	3	1	2	–	1	–	–
Phthisis	2·06	1·92	2·22	1131	532	599	48	64	15	3	9	139	47	67	126	150	209	177	100	76	36	4
Other Tub. & Scrof. Dis.	0·46	0·49	0·42	251	137	114	40	30	15	9	18	112	57	23	13	13	12	12	4	5	–	–
Diseases of: Nervous System	2·53	2·71	2·34	1384	751	633	691	74	21	19	5	810	45	16	19	10	27	38	71	118	138	92
Circulatory „	1·47	1·29	1·65	805	359	446	6	2	1	–	1	10	13	24	22	21	56	71	113	193	213	69
Respiratory „	3·24	3·62	2·84	1774	1006	768	479	203	80	53	23	838	42	13	21	30	53	81	120	203	254	119
Digestive „	0·84	0·83	0·84	458	231	227	121	37	8	4	4	174	7	15	15	8	26	40	39	65	48	21
Urinary „	0·41	0·54	0·29	227	149	78	3	3	3	3	1	13	9	7	4	11	13	24	40	51	43	12
Generative „	0·03	0·01	0·05	17	3	14	–	–	–	–	–	–	–	–	–	4	2	3	5	1	2	–
Puerperal Fever	0·08	–	0·16	43	–	43	–	–	–	–	–	–	–	–	4	11	18	10	–	–	–	–
Childbirth	0·08	–	0·17	46	–	46	–	–	–	–	–	–	–	1	–	2	24	18	1	–	–	–
Violence	0·98	1·60	0·34	537	444	93	23	18	22	11	8	82	31	27	49	34	83	74	68	49	39	10
Other Causes	3·22	3·17	3·32	1767	870	897	834	52	16	9	6	917	16	12	11	18	36	30	49	74	195	409

Marriages - - - 3,938

Births - { Males - 9,700, Females - 9,505 } 19,205

Annual Rate per 1000 living { Persons Married 14·37, Births - - 35·05 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ An adjustment of the mean population was rendered necessary by changes of boundary, *see* page 738.

591.—PONTARDAWE.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·18			†121	–	–	–	–	42·17	5·25	4·82	7·29	8·29	7·55	11·09	13·71	26·83	63·29	145·30
Males	—						†134	–	–	–	–	45·22	6·15	5·25	6·99	7·03	6·54	9·56	15·90	32·42	72·04	153 78
Females	—						†108	–	–	–	–	39·12	4·37	4·39	7·61	9·63	8·60	12·61	11·55	21·09	55·73	139·29
Mean Population, 1881–91. Persons	Decennial Increase of Population 7·51 per cent.			20,942			639	560	601	602	598	3000	2817	2530	2278	1906	2821	2056	1568	1077	602	287
Males				10,527			342	267	294	286	308	1497	1398	1276	1188	982	1437	1025	780	546	279	119
Females				10,415			297	293	307	316	290	1503	1419	1254	1090	924	1384	1031	788	531	323	168
Deaths from All Causes, 1881–90. Persons	17·20			3,602			860	173	100	70	62	1265	148	122	166	158	213	228	215	289	381	417
Males	17·66			1,859			480	85	50	26	36	677	86	67	83	69	94	98	124	177	201	183
Females	16·74			1,743			380	88	50	44	26	588	62	55	83	89	119	130	91	112	180	234
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·17	0·20	0·13	35	21	14	8	13	6	2	2	31	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·29	0·36	69	31	38	5	10	13	12	5	45	22	1	1	–	–	–	–	–	–	–
Diphtheria	0·03	–	0·06	6	–	6	–	1	–	2	–	3	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·33	0·29	0·37	70	31	39	32	18	9	5	2	66	4	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·24	0·29	0·19	51	31	20	–	–	–	2	–	2	2	7	13	8	5	8	4	1	1	–
Simple Continued Fever	0·05	0·05	0·06	11	5	6	–	1	3	–	1	5	1	1	2	–	2	–	–	–	–	–
Diarrhœa and Dysentery	0·27	0·23	0·31	56	24	32	35	1	–	3	–	39	–	–	–	–	–	1	3	3	5	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·44	0·47	0·40	92	50	42	–	–	–	–	–	–	–	1	–	1	4	5	22	31	23	5
Tabes Mesenterica	0·12	0·15	0·10	26	16	10	6	2	–	–	4	12	2	3	4	3	2	–	–	–	–	–
Phthisis	2·57	2·22	2·93	539	234	305	2	4	6	8	7	27	15	36	76	89	109	71	56	41	16	3
Other Tub. & Scrof. Dis.	0·50	0·63	0·37	105	66	39	16	9	13	8	8	54	16	14	5	5	3	4	2	1	1	–
Diseases of Nervous System	2·33	2·40	2·26	488	253	235	253	23	12	5	5	298	14	13	9	8	11	16	13	31	53	22
Diseases of Circulatory „	1·35	1·34	1·35	282	141	141	–	–	–	–	–	–	10	10	5	7	9	27	34	41	93	46
Diseases of Respiratory „	2·63	3·02	2·23	550	318	232	113	52	29	15	21	230	31	–	9	5	12	27	36	76	79	45
Diseases of Digestive „	0·95	0·99	0·91	199	104	95	47	15	2	3	2	69	4	5	13	5	15	10	15	23	30	10
Diseases of Urinary „	0·29	0·33	0·25	61	35	26	1	–	–	–	–	1	3	1	2	4	5	10	3	7	12	13
Diseases of Generative „	0·05	0·01	0·09	10	1	9	–	–	–	–	–	–	–	–	–	–	2	5	3	–	–	–
Puerperal Fever	0·05	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	1	4	5	–	–	–	–
Childbirth	0·11	–	0·22	23	–	23	–	–	–	–	–	–	–	–	–	6	6	11	–	–	–	–
Violence	0·79	1·23	0·33	165	130	35	3	5	5	3	4	20	11	22	18	9	13	18	13	19	11	11
Other Causes	3·60	3·52	3·71	753	368	385	339	19	2	2	1	363	6	8	8	7	11	10	11	15	57	257

Marriages - - - 1,392

Births - Males - 3,579; Females - 3,532 } 7,111

Annual Rate per 1000 living { Persons Married 13·29; Births - - 33·96

Deaths from Childbirth and Puerperal Fever - - - - - } 4·78 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

592.—SWANSEA.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 20·28	†141	–	–	–	–	61·63	6·13	3·40	4·93	6·84	7·96	12·27	17·02	33·82	66·77	145·54
Annual Death-Rate per 1000. Males	—	21·64	†156	–	–	–	–	67·03	5·96	3·55	4·85	7·13	7·91	13·31	19·32	39·44	71·17	158·28
Annual Death-Rate per 1000. Females	—	18·99	†126	–	–	–	–	56·21	6·31	3·26	5·00	6·55	8·01	11·21	14·78	28·73	63·36	137·80
Mean Population, 1881-91. Persons	Decennial Increase of Population, 20·34 per cent.	104,664	3221	2819	2984	2819	2831	14674	13290	11994	11086	10049	15794	11529	8120	4906	2359	863
Mean Population, 1881-91. Males		52,127	1586	1404	1490	1430	1431	7341	6649	6005	5583	4951	8053	5853	4006	2330	1030	326
Mean Population, 1881-91. Females		52,537	1635	1415	1494	1389	1400	7333	6641	5989	5503	5098	7741	5676	4114	2576	1329	537
Deaths from All Causes, 1881-90. Persons	19·15	20,043	5418	1802	865	573	385	9043	815	408	546	687	1257	1415	1382	1659	1575	1256
Deaths from All Causes, 1881-90. Males	20·17	10,512	3075	938	423	286	199	4921	396	213	271	353	637	779	774	919	733	516
Deaths from All Causes, 1881-90. Females	18·14	9,531	2343	864	442	287	186	4122	419	195	275	334	620	636	608	740	842	740

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.												
Small-pox	0·01	0·01	0·00	6	5	1	2	–	–	–	–	2	–	–	1	1	1	1	–	–	–	–
Measles	0·64	0·63	0·66	675	327	348	129	207	126	90	54	606	65	1	1	2	–	–	–	–	–	–
Scarlet Fever	0·69	0·67	0·72	726	350	376	50	115	144	128	84	521	166	20	8	4	5	2	–	–	–	–
Diphtheria	0·05	0·06	0·04	52	31	21	2	4	7	8	7	28	16	4	2	1	–	–	1	–	–	–
Whooping-cough	0·49	0·47	0·50	509	246	263	238	139	61	41	16	495	14	–	–	–	–	–	–	–	–	–
Typhus	0·00	0·00	0·01	5	2	3	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–
Enteric Fever	0·34	0·38	0·30	353	196	157	1	1	5	5	15	27	40	47	62	62	66	30	15	3	1	–
Simple Continued Fever	0·02	0·02	0·02	21	11	10	–	1	2	1	5	9	2	4	3	–	2	–	–	1	–	–
Diarrhœa and Dysentery	0·35	0·38	0 33	369	198	171	232	62	6	4	2	306	6	–	–	2	8	6	3	9	17	12
Cholera	0·01	0·01	0·01	10	4	6	1	1	–	1	–	3	1	–	–	–	–	1	–	3	1	1
Cancer	0·45	0·40	0·50	475	211	264	1	–	–	–	–	1	1	–	1	5	24	62	107	141	107	26
Tabes Mesenterica	0·23	0·25	0·21	237	128	109	104	56	25	8	6	199	13	7	9	2	2	2	1	–	2	–
Phthisis	1·86	1·82	1·89	1943	948	995	28	24	15	8	12	87	50	85	188	285	491	386	231	106	29	5
Other Tub. & Scrof. Dis.	0·44	0·46	0·42	463	242	221	122	86	45	22	23	298	64	45	17	14	10	7	5	3	–	–
Diseases of: Nervous System	2·97	3·17	2·76	3105	1653	1452	1600	176	65	47	24	1912	73	29	34	29	38	123	169	264	278	156
Diseases of: Circulatory „	1·08	1·10	1·07	1135	571	564	3	3	–	1	1	8	18	32	37	38	102	180	188	238	205	89
Diseases of: Respiratory „	4·24	4·73	3·75	4438	2467	1971	1193	647	250	162	97	2349	137	27	34	57	150	200	308	480	475	221
Diseases of: Digestive „	0·96	1·01	0·91	1006	528	478	232	105	35	12	10	394	20	17	24	29	53	105	123	128	77	36
Diseases of: Urinary „	0·35	0·42	0·28	367	218	149	3	8	7	5	3	26	14	8	9	16	30	65	62	67	47	23
Diseases of: Generative „	0·05	0·01	0·09	52	5	47	2	1	1	–	–	4	–	–	1	5	7	8	14	8	3	2
Puerperal Fever	0·11	–	0·21	112	–	112	–	–	–	–	–	–	–	–	4	32	54	21	1	–	–	–
Childbirth	0·09	–	0·19	98	–	98	–	–	–	–	–	–	–	–	2	12	42	41	1	–	–	–
Violence	0·71	1·14	0·28	742	595	147	20	25	28	16	18	107	61	46	61	63	100	102	74	73	38	17
Other Causes	3·01	3·03	2·99	3144	1576	1568	1455	141	43	14	8	1661	54	36	47	27	71	72	79	134	295	668

Marriages - - - 9,267

Births - { Males - 19,681 / Females - 18,614 } 38,295

Annual Rate per 1000 living { Persons Married 17·71 / Births - - 36·59

Deaths from Childbirth and Puerperal Fever - - - - - } 5·48 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

593.—GOWER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·81	†113	–	–	–	–	36·47	4·14	2·87	4·32	6·94	8·72	10·02	10·67	24·82	52·38	129·39
Annual Death-Rate per 1000. Males	—	15·82	†122	–	–	–	–	39·69	2·87	2·59	4·82	8·77	10·65	12·01	11·51	23·96	59·26	138·05
Annual Death-Rate per 1000. Females	—	13·86	†103	–	–	–	–	33·29	5·43	3·13	3·85	5·45	7·09	8·26	9·88	25·62	46·34	122·82
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·05 per cent.	11,104	288	291	275	283	289	1426	1378	1255	1110	894	1433	1208	975	701	462	262
Mean Population, 1881–91. Males		5,318	136	136	141	145	150	708	696	617	539	399	657	566	469	338	216	113
Mean Population, 1881–91. Females		5,786	152	155	134	138	139	718	682	638	571	495	776	642	506	363	246	149
Deaths from All Causes, 1881–90. Persons	16·46	1,828	359	76	42	28	15	520	57	36	48	62	125	121	104	174	242	339
Deaths from All Causes, 1881–90. Males	17·58	935	202	38	20	16	5	281	20	16	26	35	70	68	54	81	128	153
Deaths from All Causes, 1881–90. Females	15·43	893	157	38	22	12	10	239	37	20	22	27	55	53	50	93	114	183

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·33	0·30	0·36	37	16	21	5	9	7	5	2	28	8	1	–	–	–	–	–	–
Scarlet Fever	0·06	0·04	0·09	7	2	5	–	–	2	2	–	4	2	1	–	–	–	–	–	–
Diphtheria	0·07	0·09	0·05	8	5	3	1	–	–	–	1	2	2	–	–	1	–	–	1	–
Whooping-cough	0·39	0·39	0·38	43	21	22	25	7	4	4	2	42	1	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·29	0·30	0·28	32	16	16	–	–	–	1	1	2	4	4	1	6	6	4	2	2
Simple Continued Fever	0·02	0·04	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Diarrhœa and Dysentery	0·14	0·19	0·10	16	10	6	12	3	–	–	–	15	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·62	0·78	78	33	45	–	–	–	–	–	–	–	–	–	1	–	7	13	19
Tabes Mesenterica	0·19	0·13	0·24	21	7	14	11	4	2	–	1	18	1	1	–	–	1	–	–	–
Phthisis	1·68	1·69	1·68	187	90	97	5	1	2	–	–	8	3	2	20	23	55	36	18	16
Other Tub. & Scrof. Dis.	0·34	0·36	0·33	38	19	19	12	5	2	3	1	23	8	4	2	–	–	–	1	–
Diseases of Nervous System	2·50	2·65	2·37	278	141	137	115	10	11	1	3	140	5	2	2	–	4	6	15	21
Diseases of Circulatory „	1·61	1·69	1·54	179	90	89	–	–	–	1	–	1	–	2	2	4	7	7	14	33
Diseases of Respiratory „	2·27	2·61	1·95	252	139	113	53	23	7	7	2	92	11	5	4	4	8	11	9	31
Diseases of Digestive „	0·94	1·11	0·78	104	59	45	23	2	–	–	–	25	4	3	3	2	2	9	8	13
Diseases of Urinary „	0·45	0·66	0·26	50	35	15	1	–	–	1	–	2	–	1	1	4	1	6	3	5
Diseases of Generative „	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	1	–	–	1	1	2
Puerperal Fever	0·14	–	0·26	15	–	15	–	–	–	–	–	–	–	–	1	2	11	1	–	–
Childbirth	0·06	–	0·12	7	–	7	–	–	–	–	–	–	–	–	1	2	2	2	–	–
Violence	0·94	1·50	0·41	104	80	24	4	3	4	2	–	13	3	6	5	8	21	20	11	11
Other Causes	3·29	3·21	3·36	365	170	195	92	9	1	1	2	105	5	4	5	5	7	10	8	18

	75 and upwds.
Persons.	129·39
Males.	138·05
Females.	122·82
Persons.	262
Males.	113
Females.	149
Persons.	339
Males.	153
Females.	183
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	13
Males.	25
Females.	1
Persons.	42
Males.	46
Females.	33
Persons.	19
Males.	1
Females.	1
Persons.	42
Males.	46
Females.	33
Persons.	12
Males.	10
Females.	12
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	–
Males.	–
Females.	–
Persons.	11
Males.	11
Females.	3
Persons.	3
Males.	3
Females.	3
Persons.	167
Males.	31
Females.	18

Marriages - - - 537

Births - { Males - 1,660 / Females - 1,528 } 3,188

Annual Rate per 1000 living { Persons Married 9·67 / Births - - 28·71

Deaths from Childbirth and Puerperal Fever - - - } 6·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

594.—LLANELLY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·23			†127	–	–	–	–	47·01	4·95	3·83	5·73	7·45	7·64	9·94	13·93	26·68	64·46	133·57
Annual Death-Rate per 1000. Males	—			In Standard Population* 18·02			†142	–	–	–	–	52·73	4·64	3·59	6·18	6·88	7·41	9·14	15·01	28·79	72·27	139·01
Annual Death-Rate per 1000. Females	—			In Standard Population* 16·48			†110	–	–	–	–	41·42	5·27	4·07	5·25	8·02	7·87	10·72	12·93	24·78	58·11	130·00
Mean Population, 1881–91. Persons	Decennial Increase of Population 17·41 per cent.			48,499			1502	1338	1361	1386	1352	6939	6418	5795	5253	4494	6782	4951	3683	2335	1286	563
Mean Population, 1881–91. Males				23,973			732	658	681	680	678	3429	3231	2899	2684	2238	3362	2450	1772	1108	577	223
Mean Population, 1881–91. Females				24,526			770	680	680	706	674	3510	3187	2896	2569	2256	3420	2501	1911	1227	709	340
Deaths from All Causes, 1881–90. Persons	16·84			8,165			2143	565	224	192	138	3262	318	222	301	335	518	492	513	623	829	752
Deaths from All Causes, 1881–90. Males	17·88			4,167			1230	300	123	97	58	1808	150	104	166	154	249	224	266	319	417	310
Deaths from All Causes, 1881–90. Females	16·30			3,998			913	265	101	95	80	1454	168	118	135	181	269	268	247	304	412	442
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·37	0·23	146	89	57	47	50	14	18	8	137	8	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·33	0·33	0·33	160	78	82	14	21	26	25	28	114	36	8	2	–	–	–	–	–	–	–
Diphtheria	0·06	0·06	0·05	28	15	13	2	1	4	5	2	14	11	1	1	–	–	–	–	–	1	–
Whooping-cough	0·54	0·55	0·53	264	133	131	128	70	32	16	12	258	6	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·00	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·34	0·35	0·33	165	85	80	–	1	4	5	2	12	22	31	29	17	30	9	8	4	3	–
Simple Continued Fever	0·01	0·01	0·01	5	2	3	1	2	–	–	–	3	1	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·24	0·25	0·24	118	59	59	70	15	3	–	1	89	1	1	–	1	2	4	1	2	10	7
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·41	0·33	0·55	215	79	136	–	–	–	–	–	–	–	–	3	1	2	19	50	61	55	24
Tabes Mesenterica	0·16	0·19	0·13	77	45	32	32	14	4	3	2	55	8	2	3	1	3	1	1	1	1	1
Phthisis	2·04	1·93	2·14	988	463	525	8	11	6	5	9	39	31	50	138	156	239	145	89	71	26	4
Other Tub. & Scrof. Dis.	0·44	0·43	0·44	212	104	108	24	23	14	19	13	93	38	31	21	10	5	6	7	1	–	–
Diseases of Nervous System	2·74	2·98	2·51	1330	715	615	746	62	23	18	13	862	26	12	11	13	19	30	55	81	133	88
Diseases of Circulatory „	1·07	1·06	1·07	518	255	263	9	1	1	–	1	12	10	17	15	16	35	56	76	102	134	45
Diseases of Respiratory „	3·16	3·52	2·81	1534	844	690	380	220	69	57	31	757	67	11	19	26	45	49	81	142	224	113
Diseases of Digestive „	0·83	0·79	0·88	404	189	215	110	42	4	2	4	162	11	12	6	10	13	31	38	54	49	18
Diseases of Urinary „	0·46	0·54	0·39	225	130	95	1	4	1	2	4	12	5	5	10	15	17	23	41	34	41	22
Diseases of Generative „	0·02	0·00	0·03	8	1	7	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	–
Puerperal Fever	0·12	–	0·23	56	–	56	–	–	–	–	–	–	–	–	1	16	25	12	2	–	–	–
Childbirth	0·11	–	0·21	51	–	51	–	–	–	–	–	–	–	–	3	9	15	22	2	–	–	–
Violence	0·55	0·88	0·23	266	210	56	6	7	14	7	4	38	19	22	27	30	28	41	19	14	17	11
Other Causes	2·88	2·81	2·96	1393	670	723	565	21	5	10	4	605	18	19	12	14	38	42	40	55	132	418

Marriages - - - 3,317

Births - Males - 8,639; Females - 8,274 — 16,913

Annual Rate per 1000 living: Persons Married 13·68; Birth - - 34·87

Deaths from Childbirth and Puerperal Fever - - - - - 6·33 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

595.—LLANDOVERY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population.*		16·11	†126	–	–	–	–	41·48	4·40	4·40	6·75	8·15	8·12	11·04	11·40	20·76	55·17	142·23
Males	—					17·05	†140	–	–	–	–	46·15	3·95	4·44	6·05	9·47	8·37	10·93	13·52	23·24	59·60	152·94
Females	—					15·22	†111	–	–	–	–	36·88	4·86	4·35	7·42	7·17	7·93	11·13	9·43	18·49	50·96	135·12
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·95 per cent.			12,194			274	263	250	275	300	1362	1408	1386	1319	1068	1552	1214	1044	891	609	341
Males				5,783			136	133	125	141	141	676	708	720	645	454	669	549	503	426	297	136
Females				6,411			138	130	125	134	159	686	700	666	674	614	883	665	541	465	312	205
Deaths from All Causes, 1881–90. Persons	18·44			2,249			422	58	41	22	22	565	62	61	89	87	126	134	119	185	336	485
Males	19·40			1,122			241	34	19	9	9	312	28	32	39	43	56	60	68	99	177	208
Females	17·58			1,127			181	24	22	13	13	253	34	29	50	44	70	74	51	86	159	277
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·07	0·09	0·05	8	5	3	–	3	–	3	–	6	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·13	0·14	0·12	16	8	8	2	2	2	2	–	8	7	1	–	–	–	–	–	–	–	–
Diphtheria	0·06	0·03	0·08	7	2	5	–	–	–	–	1	1	4	1	1	–	–	–	–	–	–	–
Whooping-cough	0·21	0·17	0·25	26	10	16	14	4	3	3	1	25	–	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·25	0·31	0·20	31	18	13	–	–	1	–	–	1	2	3	8	1	3	3	4	2	3	1
Simple Continued Fever	0·04	0·07	0·02	5	4	1	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·16	0·16	19	9	10	6	3	1	1	–	11	–	1	–	–	–	–	–	1	2	4
Cholera	0·02	0·03	0·02	3	2	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Cancer	0·65	0·78	0·53	79	45	34	–	–	–	–	–	–	–	–	–	–	–	3	6	25	32	13
Tabes Mesenterica	0·07	0·03	0·11	9	2	7	1	–	–	–	–	1	–	2	1	3	1	1	–	–	–	–
Phthisis	2·39	2·46	2·32	291	142	149	1	–	–	–	–	1	3	13	32	40	66	41	36	23	32	4
Other Tub. & Scrof. Dis.	0·32	0·29	0·34	39	17	22	–	–	–	4	1	5	4	10	5	7	2	1	2	2	1	–
Diseases of Nervous System	3·99	4·70	3·35	487	272	215	268	14	12	3	3	300	17	10	10	4	6	9	8	23	38	62
Circulatory „	1·57	1·52	1·62	192	88	104	–	–	–	–	–	–	3	1	9	5	7	14	18	32	58	45
Respiratory „	2·72	2·92	2·54	332	169	163	44	26	13	4	11	98	11	4	7	7	8	10	15	25	72	75
Digestive „	1·06	1·11	1·01	129	64	65	11	4	2	–	–	17	3	4	2	4	8	12	13	22	23	21
Urinary „	0·52	0·76	0·30	63	44	19	–	–	–	–	1	1	–	–	–	1	4	7	5	7	25	13
Generative „	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Puerperal Fever	0·11	–	0·20	13	–	13	–	–	–	–	–	–	–	–	–	1	4	8	–	–	–	–
Childbirth	0·07	–	0·14	9	–	9	–	–	–	–	–	–	–	–	1	–	3	5	–	–	–	–
Violence	0·41	0·54	0·30	50	31	19	–	–	3	1	2	6	1	4	2	2	4	6	2	6	8	9
Other Causes	3·60	3·27	3·90	439	189	250	75	2	4	1	2	84	4	5	9	9	10	13	10	16	42	237

Marriages - - - 813

Births - { Males - 1,720 / Females - 1,638 } 3,358

Annual Rate per 1000 living { Persons Married 13·33 / Births - - 27·54 }

Deaths from Childbirth and Puerperal Fever - - - - 6·55 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

596.—LLANDILOFAWR.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·14			†116	–	–	–	–	38·11	4·94	4·38	6·73	6·84	7·77	8·67	12·27	24·26	47·78	128·51
Annual Death-Rate per 1000. Males	—			15·37			†124	–	–	–	–	40·06	4·77	3·61	6·76	7·55	7·02	6·83	13·54	26·64	54·43	139·79
Annual Death-Rate per 1000. Females	—			14·92			†107	–	–	–	–	36·08	5·11	5·18	6·71	6·27	8·39	10·37	11·16	22·21	42·37	120·59
Mean Population, 1881–91. Persons	Decennial Increase of Population 8·96 per cent.			19,641			506	476	498	508	510	2498	2471	2284	2079	1637	2548	1983	1606	1216	856	463
Mean Population, 1881–91. Males				9,462			249	247	253	250	274	1273	1257	1165	1050	728	1154	951	746	563	384	191
Mean Population, 1881–91. Females				10,179			257	229	245	258	236	1225	1214	1119	1029	909	1394	1032	860	653	472	272
Deaths from All Causes, 1881–90. Persons	16·76			3,292			658	134	61	49	50	952	122	100	140	112	198	172	197	295	409	595
Deaths from All Causes, 1881–90. Males	17·03			1,611			362	61	35	28	24	510	60	42	71	55	81	65	101	150	209	267
Deaths from All Causes, 1881–90. Females	16·51			1,681			296	73	26	21	26	442	62	58	69	57	117	107	96	145	200	328
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·06	0·18	24	6	18	5	9	–	2	2	18	5	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·23	0·23	0·24	46	22	24	10	5	4	4	8	31	11	4	–	–	–	–	–	–	–	–
Diphtheria	0·09	0·08	0·10	18	8	10	–	2	2	2	4	10	6	–	–	2	–	–	–	–	–	–
Whooping-cough	0·23	0·23	0·23	45	22	23	26	11	4	2	2	45	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·18	0·14	0·22	35	13	22	–	–	–	1	–	1	7	1	5	1	6	1	7	3	3	–
Simple Continued Fever	0·04	0·03	0·04	7	3	4	–	–	2	–	–	2	–	1	1	–	–	–	–	–	3	–
Diarrhœa and Dysentery	0·22	0·18	0·27	44	17	27	17	3	1	1	–	22	1	–	1	–	–	1	2	3	4	10
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Cancer	0·53	0·47	0·59	104	44	60	–	–	–	–	–	–	–	–	–	–	5	7	21	19	30	22
Tabes Mesenterica	0·06	0·10	0·03	12	9	3	6	1	–	1	–	8	2	1	–	1	–	–	–	–	–	–
Phthisis	2·74	2·45	3·02	539	232	307	11	7	1	2	3	24	16	43	74	62	103	62	58	50	39	8
Other Tub. & Scrof. Dis.	0·42	0·45	0·38	82	43	39	6	8	4	1	4	23	19	15	7	2	4	4	3	1	4	–
Diseases of: Nervous System	3·09	3·26	2·93	606	308	298	324	15	13	12	11	375	14	11	6	9	13	11	16	36	54	61
Diseases of: Circulatory „	1·28	1·29	1·28	252	122	130	–	–	–	–	–	–	5	7	12	6	14	21	26	43	62	56
Diseases of: Respiratory „	2·50	3·01	2·02	491	285	206	96	57	22	15	8	198	18	3	5	6	10	16	18	57	84	76
Diseases of: Digestive „	0·79	0·73	0·85	156	69	87	20	3	2	2	–	27	5	4	6	5	5	12	10	26	33	23
Diseases of: Urinary „	0·35	0·49	0·23	69	46	23	–	–	–	1	–	1	3	–	–	2	4	5	6	9	16	23
Diseases of: Generative „	0·05	0·01	0·09	10	1	9	1	–	–	–	–	1	–	–	1	–	2	2	2	1	–	1
Puerperal Fever	0·08	–	0·16	16	–	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Childbirth	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	1	–	5	5	–	–	–	–
Violence	0·55	0·80	0·31	108	76	32	3	5	2	3	4	17	3	7	10	7	11	9	11	12	7	14
Other Causes	3·14	3·01	3·22	615	284	331	133	8	4	–	4	149	7	3	8	6	8	12	17	34	70	301

Marriages - - 1,198

Births - Males 2,927, Females 2,764 — 5,691

Annual Rate per 1000 living: Persons Married 12·20; Births 28·98

Deaths from Childbirth and Puerperal Fever 4·74 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

597.—CARMARTHEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·63	†108	–	–	–	–	39·07	5·83	4·65	6·02	8·78	10·63	11·90	16·13	30·09	57·61	147·89
Males	—	19·00	†122	–	–	–	–	43·15	5·39	4·68	6·26	11·27	12·04	12·54	18·59	34·04	63·76	160·00
Females	—	16·33	† 93	–	–	–	–	34·95	6·28	4·62	5·81	6·92	9·56	11·39	14·17	26·93	53·07	140·08
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·67 per cent.	34,606	806	781	839	818	826	4070	3997	3827	3602	3029	4592	3522	2969	2443	1701	854
Males		15,988	403	387	427	403	424	2044	2024	1923	1710	1295	1977	1555	1318	1084	723	335
Females		18,618	403	394	412	415	402	2026	1973	1904	1892	1734	2615	1967	1651	1359	978	519
Deaths from All Causes, 1881–90. Persons	19·79	6,848	1058	247	117	96	72	1590	233	178	217	266	488	419	479	735	980	1263
Males	21·13	3,378	596	128	68	53	37	882	109	90	107	146	238	195	245	369	461	536
Females	18·64	3,470	462	119	49	43	35	708	124	88	110	120	250	224	234	366	519	727

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·17	0·12	50	27	23	9	19	8	6	–	42	5	2	–	–	1	–	–	–	–
Scarlet Fever	0·25	0·28	0·23	86	44	42	5	12	8	11	14	50	29	6	–	–	1	–	–	–	–
Diphtheria	0·09	0·08	0·10	32	13	19	1	–	2	4	8	15	14	2	–	–	1	–	–	–	–
Whooping-cough	0·18	0·18	0·19	64	29	35	31	18	7	4	3	63	1	–	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·10	0·11	0·10	36	18	18	–	–	–	–	2	2	2	6	5	7	6	2	1	2	3
Simple Continued Fever	0·02	0·02	0·02	7	3	4	–	1	–	–	–	1	2	3	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·23	0·21	0·25	79	33	46	30	7	1	1	–	39	1	1	–	–	–	–	2	5	9
Cholera	0·01	–	0·02	4	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–
Cancer	0·64	0·56	0·72	223	89	134	–	–	–	–	–	–	–	–	1	–	2	18	35	67	65
Tabes Mesenterica	0·16	0·19	0·13	54	30	24	8	–	2	–	–	10	12	9	9	1	5	1	3	1	3
Phthisis	2·76	2·91	2·63	956	466	490	15	6	3	2	1	27	19	49	102	145	239	138	103	78	50
Other Tub. & Scrof. Dis.	0·44	0·49	0·40	152	78	74	17	8	7	5	7	44	25	24	13	12	15	3	8	5	2
Diseases of: Nervous System	3·26	3·83	2·78	1129	612	517	421	45	24	17	5	512	30	13	18	16	44	64	73	110	132
Circulatory „	1·60	1·46	1·71	552	234	318	4	–	1	2	1	8	10	15	7	18	23	35	63	129	145
Respiratory „	3·55	3·94	3·22	1230	630	600	200	93	38	31	22	384	52	14	18	19	35	47	61	130	233
Digestive „	1·08	1·18	1·00	374	188	186	56	10	9	2	2	79	9	8	13	10	17	31	41	59	56
Urinary „	0·83	1·09	0·61	288	175	113	1	2	–	–	1	4	11	2	2	3	18	22	19	56	78
Generative „	0·03	0·01	0·06	12	1	11	1	–	–	–	–	1	–	–	–	1	1	3	3	1	–
Puerperal Fever	0·08	–	0·14	26	–	26	–	–	–	–	–	–	–	–	–	6	12	8	–	–	–
Childbirth	0·09	–	0·17	32	–	32	–	–	–	–	–	–	–	–	–	5	18	8	1	–	–
Violence	0·49	0·76	0·25	169	122	47	6	4	5	7	1	23	6	12	13	6	27	15	22	16	18
Other Causes	3·76	3·65	3·79	1292	585	707	253	22	2	4	5	286	5	12	15	15	22	22	44	76	186

Marriages - - - 2,373

Births - Males 4,883, Females 4,943 — 9,826

Annual Rate per 1000 living: Persons Married 13·71; Births 28·39

Deaths from Childbirth and Puerperal Fever 5·90 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

598.—NARBERTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·61	† 95	–	–	–	–	34·08	5·21	4·67	7·29	8·49	9·11	9·36	12·44	24·22	51·34	148·08
Annual Death-Rate per 1000. Males	—	16·46	†104	–	–	–	–	36·51	5·32	4·08	7·50	8·85	10·64	9·06	14·86	27·55	58·22	155·28
Annual Death-Rate per 1000. Females	—	14·82	† 87	–	–	–	–	31·63	5·10	5·29	7·09	8·25	7·94	9·59	10·59	21·54	46·31	143·24
Mean Population, 1881–91. Persons	Decennial Decrease of Population 6·91 per cent.	18,865	451	418	477	465	510	2321	2284	2186	1879	1460	2315	1892	1616	1408	1609	495
Mean Population, 1881–91. Males		8,775	235	214	244	229	242	1164	1166	1128	920	599	1006	839	700	628	426	199
Mean Population, 1881–91. Females		10,090	216	204	233	236	268	1157	1118	1058	959	861	1309	1053	916	780	583	296
Deaths from All Causes, 1881–90. Persons	18·31	3,454	514	132	64	40	41	791	119	102	137	124	211	177	201	341	518	733
Deaths from All Causes, 1881–90. Males	19·05	1,672	287	73	36	14	15	425	62	46	69	53	107	76	104	173	248	309
Deaths from All Causes, 1881–90. Females	17·66	1,782	227	59	28	26	26	366	57	56	68	71	104	101	97	168	270	424

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
							Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·13	0·14	0·13	25	12	13	6	2	5	4	2	19	4	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·27	0·19	0·33	50	17	33	6	4	7	9	8	34	10	4	1	–	1	–	–	–	–	–
Diphtheria	0·21	0·18	0·23	39	16	23	2	3	4	2	7	18	14	5	1	–	1	–	–	–	–	–
Whooping-cough	0·25	0·27	0·24	48	24	24	22	16	3	4	2	47	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·21	0·18	0·23	39	16	23	–	–	–	–	–	–	7	9	5	5	6	2	3	1	1	–
Simple Continued Fever	0·01	–	0·01	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·08	0·09	0·08	16	8	8	10	1	–	–	–	11	–	–	–	–	1	–	–	1	1	2
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·48	0·32	0·61	90	28	62	–	–	–	–	–	–	–	–	2	2	–	7	17	29	21	12
Tabes Mesenterica	0·12	0·13	0·12	23	11	12	7	5	–	–	1	13	2	3	4	–	–	1	–	–	–	–
Phthisis	2·90	2·72	3·06	548	239	309	6	2	6	1	1	16	17	37	72	65	107	80	56	49	47	2
Other Tub. & Scrof. Dis.	0·27	0·34	0·20	50	30	20	2	4	4	1	2	13	12	4	6	5	6	2	–	2	–	–
Diseases of Nervous System	2·36	2·54	2·21	446	223	223	148	23	7	5	5	188	11	11	8	8	11	14	16	40	72	67
Diseases of Circulatory „	1·16	1·31	1·03	219	115	104	–	–	–	–	–	–	–	3	8	6	9	12	27	52	73	29
Diseases of Respiratory „	2·60	3·23	2·04	490	284	206	79	34	15	9	8	145	23	7	5	4	19	12	22	64	116	73
Diseases of Digestive „	0·81	0·89	0·73	152	78	74	8	12	3	–	1	24	2	6	2	4	8	10	18	26	31	21
Diseases of Urinary „	0·36	0·56	0·19	68	49	19	–	–	–	–	–	–	1	–	2	3	5	9	4	12	17	15
Diseases of Generative „	0·06	0·01	0·11	12	1	11	–	–	–	–	–	–	–	–	1	–	1	2	3	4	1	–
Puerperal Fever	0·07	–	0·13	13	–	13	–	–	–	–	–	–	–	–	–	5	5	3	–	–	–	–
Childbirth	0·07	–	0·14	14	–	14	–	–	–	–	–	–	–	–	–	4	4	6	–	–	–	–
Violence	0·47	0·76	0·22	89	67	22	3	2	4	3	2	14	7	3	4	3	11	9	8	12	11	7
Other Causes	5·40	5·17	5·62	1020	452	568	215	24	6	1	2	248	8	10	15	9	15	8	27	48	127	505

Marriages - - - 1,149

Births - { Males - 2,772 / Females - 2,613 } 5,385

Annual Rate per 1000 living { Persons Married 12·18 / Births - - 28·54 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·01 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

599.—PEMBROKE.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·62	†119	–	–	–	–	44·57	5·03	3·29	5·44	7·02	7·66	9·57	13·69	25·77	60·45	140·89
Annual Death-Rate per 1000. Males	—	17·71	†135	–	–	–	–	49·85	5·54	2·91	6·06	7·83	8·53	9·02	15·47	27·27	65·60	144·83
Annual Death-Rate per 1000. Females	—	15·59	†103	–	–	–	–	39·17	4·52	3·68	4·84	6·21	6·91	10·06	12·08	24·42	56·22	138·11
Mean Population, 1881–91. Persons	Decennial Increase of Population 3·08 per cent.	30,815	797	752	775	800	762	3886	3697	3439	3162	2792	4125	3280	2674	1956	1244	560
Mean Population, 1881–91. Males		14,957	408	380	393	394	391	1966	1860	1753	1551	1392	1910	1541	1267	924	561	232
Mean Population, 1881–91. Females		15,858	389	372	382	406	371	1920	1837	1686	1611	1400	2215	1739	1407	1032	683	328
Deaths from All Causes, 1881–90. Persons	17·65	5,440	1171	342	111	64	44	1732	186	113	172	196	316	314	366	504	752	789
Deaths from All Causes, 1881–90. Males	18·66	2,791	684	193	55	30	18	980	103	51	94	109	163	139	196	252	368	336
Deaths from All Causes, 1881–90. Females	16·70	2,649	487	149	56	34	26	752	83	62	78	87	153	175	170	252	384	453

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·29	0·35	0·23	90	53	37	21	35	10	1	2	69	16	1	2	1	–	–	–	–	1	–
Scarlet Fever	0·12	0·14	0·09	36	21	15	1	2	5	2	4	14	16	5	–	–	–	–	1	–	–	–
Diphtheria	0·12	0·10	0·13	36	15	21	–	–	4	7	2	13	16	6	–	1	–	–	–	–	–	–
Whooping-cough	0·30	0·27	0·32	92	41	51	46	30	6	4	2	88	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·03	0·01	5	4	1	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–
Enteric Fever	0·12	0·14	0·09	36	21	15	–	–	–	2	–	2	4	6	6	5	2	6	4	1	–	–
Simple Continued Fever	0·03	0·01	0·04	8	2	6	–	–	–	–	–	–	3	2	1	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·20	0·21	0·18	61	32	29	33	7	1	–	–	41	1	–	1	1	1	–	1	2	6	7
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Cancer	0·59	0·54	0·64	182	81	101	–	–	–	–	–	–	–	–	–	1	3	20	40	34	65	19
Tabes Mesenterica	0·34	0·39	0·29	104	58	46	61	21	4	1	1	88	5	2	2	1	1	2	1	1	1	–
Phthisis	1·93	1·94	1·93	596	290	306	8	8	4	2	–	22	8	20	73	105	148	99	67	36	13	5
Other Tub. & Scrof. Dis.	0·57	0·64	0·50	175	96	79	36	29	16	4	7	92	20	18	15	6	7	5	2	7	2	1
Diseases of Nervous System	2·63	3·02	2·27	810	451	359	327	56	13	12	1	409	18	14	4	8	20	23	36	73	110	95
Diseases of Circulatory „	2·17	2·07	2·27	669	309	360	4	–	1	–	–	5	3	9	11	11	28	49	66	115	219	153
Diseases of Respiratory „	2·83	3·00	2·68	873	449	424	212	114	30	23	18	397	38	7	10	13	12	30	52	91	128	95
Diseases of Digestive „	0·79	0·84	0·74	243	126	117	39	10	1	1	–	51	16	4	4	2	11	20	24	52	39	20
Diseases of Urinary „	0·49	0·60	0·40	152	89	63	1	2	2	–	2	7	2	3	5	5	15	9	19	25	40	22
Diseases of Generative „	0·05	–	0·09	14	–	14	–	–	–	–	–	–	–	–	1	–	–	3	7	3	–	–
Puerperal Fever	0·05	–	0·09	15	–	15	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–
Childbirth	0·07	–	0·13	21	–	21	–	–	–	–	–	–	–	–	2	5	9	5	–	–	–	–
Violence	0·56	0·90	0·24	172	134	38	2	4	7	2	4	19	5	10	16	13	24	22	20	22	12	9
Other Causes	3·37	3·46	3·33	1048	518	530	380	24	7	3	1	415	11	6	17	14	27	17	21	41	116	363

Marriages - - - 2,249

Births - { Males - 5,079 / Females - 4,721 } 9,800

Annual Rate per 1000 living { Persons Married 14·60 / Births - - 31·80 }

Deaths from Childbirth and Puerperal Fever - - - - 3·67 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

600.—HAVERFORDWEST.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·18			†123	–	–	–	–	42·55	4·54	3·63	4·95	7·26	8·78	8·88	12·29	24·33	55·07	151·34
Annual Death-Rate per 1000. Males	—			16·82			†138	–	–	–	–	47·52	4·71	2·55	4·76	8·10	9·27	8·71	12·38	25·11	58·18	162·82
Annual Death-Rate per 1000. Females	—			15·58			†107	–	–	–	–	37·78	4·37	4·72	5·14	6·56	8·37	9·02	12·22	23·66	52·49	142·61
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·73 per cent.			33,160			833	780	831	819	822	4085	3833	3746	3353	2795	4203	3300	2912	2384	1727	822
Mean Population, 1881–91. Males				15,694			404	381	415	381	418	1999	1932	1880	1661	1271	1909	1481	1325	1099	782	355
Mean Population, 1881–91. Females				17,466			429	399	416	438	404	2086	1901	1866	1692	1524	2294	1819	1587	1285	945	467
Deaths from All causes, 1881–90. Persons	18·73			6,212			1208	271	119	81	59	1738	174	136	166	203	369	293	358	580	951	1244
Deaths from All causes, 1881–90. Males	19·43			3,050			694	128	62	36	30	950	91	48	79	103	177	129	164	276	455	578
Deaths from All causes, 1881–90. Females	18·10			3,162			514	143	57	45	29	788	83	88	87	100	192	164	194	304	496	666
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·16	0·16	53	25	28	11	16	6	2	6	41	10	–	–	–	2	–	–	–	–	–
Scarlet Fever	0·27	0·25	0·28	88	39	49	8	10	12	11	10	51	22	11	1	1	1	1	–	–	–	–
Diphtheria	0·08	0·10	0·06	26	15	11	2	3	–	4	1	10	8	4	2	1	–	1	–	–	–	–
Whooping-cough	0·30	0·30	0·30	100	47	53	52	19	15	7	2	95	3	1	1	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	3	2	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·19	0·16	0·21	62	25	37	2	1	1	1	1	6	4	4	9	15	10	4	6	1	2	1
Simple Continued Fever	0·05	0·04	0·06	18	7	11	1	2	1	–	–	4	3	1	2	2	2	1	–	–	1	2
Diarrhœa and Dysentery	0·25	0·27	0·23	82	42	40	50	5	1	2	1	59	–	–	1	–	–	–	1	2	9	10
Cholera	0·01	0·01	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Cancer	0·61	0·51	0·70	202	80	122	–	–	1	–	–	1	1	2	–	1	5	13	36	56	59	28
Tabes Mesenterica	0·16	0·15	0·18	54	23	31	17	13	2	–	3	35	6	3	4	1	2	2	1	–	–	–
Phthisis	2·14	2·08	2·20	711	327	384	11	7	4	5	1	28	18	44	75	105	177	94	61	67	39	3
Other Tub. & Scrof. Dis.	0·25	0·29	0·22	84	45	39	12	12	2	1	4	31	17	9	2	6	6	8	3	2	–	–
Diseases of Nervous System	2·94	3·41	2·51	974	535	439	428	57	15	10	5	515	18	22	5	9	17	21	40	75	140	112
Diseases of Circulatory „	1·59	1·49	1·68	528	234	294	–	–	–	–	–	–	1	7	14	3	21	42	51	100	182	107
Diseases of Respiratory „	2·61	2·82	2·41	864	443	421	141	66	33	18	13	271	27	4	9	6	23	22	45	109	180	168
Diseases of Digestive „	0·76	0·78	0·74	253	123	130	28	12	3	1	2	46	9	12	9	3	15	14	33	42	50	20
Diseases of Urinary „	0·56	0·78	0·37	187	122	65	–	–	–	2	1	3	2	5	4	8	13	13	24	32	57	26
Diseases of Generative „	0·04	0·01	0·07	14	1	13	–	–	–	–	–	–	–	–	1	2	2	–	5	2	1	1
Puerperal Fever	0·07	–	0·14	24	–	24	–	–	–	–	–	–	–	–	1	6	13	3	1	–	–	–
Childbirth	0·11	–	0·21	36	–	36	–	–	–	–	–	–	–	–	1	6	19	9	1	–	–	–
Violence	0·53	0·87	0·23	177	137	40	6	3	7	9	3	28	15	3	9	12	19	20	17	22	18	14
Other Causes	5·04	4·94	5·13	1670	776	894	439	45	16	8	5	513	9	4	16	15	21	25	33	70	212	752

Persons.

Marriages - - - 2,180

Births - Males - 5,026; Females - 4,809 — 9,835

Annual Rate per 1000 living: Persons Married 13·15; Births - - 29·66

Deaths from Childbirth and Puerperal Fever - - - - - 6·10 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

601.—CARDIGAN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·71	† 94	–	–	–	–	33·04	5·74	4·26	5·22	7·15	9·64	11·01	14·13	22·78	53·53	148·28
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·02	†104	–	–	–	–	36·39	6·00	3·97	6·17	8·70	11·08	13·62	18·18	24·44	58·27	152·71
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·47	† 83	–	–	–	–	29·62	5·47	4·55	4·41	6·21	8·79	9·48	11·57	21·70	50·41	145·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·57 per cent.	16,948	356	349	410	403	383	1901	1900	1856	1591	1217	2136	1790	1621	1365	1020	551
Mean Population, 1881–91. Males	Decennial Decrease of Population 7·57 per cent.	7,260	166	176	212	208	197	959	950	932	729	460	794	661	627	540	405	203
Mean Population, 1881–91. Females	Decennial Decrease of Population 7·57 per cent.	9,688	190	173	198	195	186	942	950	924	862	757	1342	1129	994	825	615	348
Deaths from All Causes, 1881–90. Persons	19·42	3,292	410	91	46	48	33	628	109	79	83	87	206	197	229	311	546	817
Deaths from All Causes, 1881–90. Males	20·63	1,498	234	58	19	23	15	349	57	37	45	40	88	90	114	132	236	310
Deaths from All Causes, 1881–90. Females	18·52	1,794	176	33	27	25	18	279	52	42	38	47	118	107	115	179	310	507

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·06	0·13	17	4	13	3	2	4	2	–	11	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·31	0·40	0·25	53	29	24	4	9	5	9	4	31	19	2	–	–	–	1	–	–	–	–
Diphtheria	0·12	0·15	0·10	21	11	10	2	1	3	4	1	11	3	3	–	–	–	2	1	1	–	–
Whooping-cough	0·31	0·28	0·34	53	20	33	26	15	3	4	2	50	3	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·06	0·06	0·06	10	4	6	–	–	–	–	–	–	–	–	–	3	2	1	4	–	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·19	0·28	0·12	32	20	12	19	1	–	1	–	21	–	–	–	–	–	1	–	1	2	7
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·52	0·88	123	38	85	–	–	–	–	–	–	–	–	1	–	2	3	23	28	40	26
Tabes Mesenterica	0·14	0·19	0·10	24	14	10	5	2	–	–	1	8	1	3	5	–	2	4	–	1	–	–
Phthisis	2·69	3·20	2·31	456	232	224	3	1	3	2	1	10	13	31	48	48	114	66	43	39	35	9
Other Tub. & Scrof. Dis.	0·37	0·43	0·32	62	31	31	5	6	1	2	4	18	16	11	4	2	8	1	2	–	–	–
Diseases of Nervous System	2·38	2·54	2·26	403	184	219	129	15	6	5	2	157	11	4	3	4	6	12	21	33	87	65
Diseases of Circulatory „	1·50	1·57	1·45	254	114	140	–	–	–	1	1	2	2	1	3	4	10	12	23	56	84	57
Diseases of Respiratory „	2·99	3·68	2·48	507	267	240	57	23	11	12	12	115	18	4	6	5	15	29	43	57	109	106
Diseases of Digestive „	1·02	1·06	0·99	173	77	96	16	6	1	1	2	26	3	2	3	5	7	8	26	28	40	25
Diseases of Urinary „	0·49	0·68	0·35	83	49	34	–	1	–	–	–	1	–	3	2	4	4	8	8	15	18	20
Diseases of Generative „	0·08	0·03	0·11	13	2	11	2	–	–	–	–	2	–	–	–	–	1	4	3	1	1	1
Puerperal Fever	0·09	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	1	9	5	–	–	–	–
Childbirth	0·14	–	0·25	24	–	24	–	–	–	–	–	–	–	–	–	3	8	13	–	–	–	–
Violence	0·42	0·59	0·30	72	43	29	4	1	3	2	–	10	5	3	2	4	5	11	9	6	6	11
Other Causes	5·28	4·90	5·56	895	358	537	135	8	6	3	3	155	10	11	6	4	12	16	23	45	123	490

Marriages - - - 988

Births - { Males - 2,245 / Females - 2,121 } 4,366

Annual Rate per 1000 living { Persons Married 11·66 / Births - - - 25·76 }

Deaths from Childbirth and Puerperal Fever - - - - - } 8·93 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

602.—NEWCASTLE-IN-EMLYN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·76			† 96	–	–	–	–	31·71	6·01	3·64	7·11	9·43	8·30	9·69	11·31	22·79	47·30	133·11
Males	—			15·96			†114	–	–	–	–	36·13	6·84	3·17	7·91	10·58	9·50	8·72	11·44	28·05	56·00	138·70
Females	—			13·63			† 76	–	–	–	–	27·22	5·16	4·13	6·35	8·59	7·45	10·38	11·22	18·95	41·05	129·49
Mean Population, 1881–91. Persons	Decennial Increase of Population 0·49 per cent.			19,061			427	414	455	452	453	2201	2197	2115	1912	1506	2457	1888	1706	1417	1076	586
Males				8,642			218	218	228	221	225	1110	1111	1073	936	633	1021	780	699	599	450	230
Females				10,419			209	196	227	231	228	1091	1086	1042	976	873	1436	1108	1007	818	626	356
Deaths from All Causes, 1881–90. Persons	17·72			3,377			493	95	42	47	21	698	132	77	136	142	204	183	193	323	509	780
Males	18·93			1,636			301	51	16	25	8	401	76	34	74	67	97	68	80	168	252	319
Females	16·71			1,741			192	44	26	22	13	297	56	43	62	75	107	115	113	155	257	461
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·10	0·16	0·06	20	14	6	9	5	–	–	2	16	1	1	1	1	–	–	–	–	–	–
Scarlet Fever	0·29	0·36	0·24	56	31	25	4	12	4	13	5	38	15	2	–	–	–	1	–	–	–	–
Diphtheria	0·06	0·07	0·05	11	6	5	–	–	–	–	1	1	7	2	–	–	–	–	–	1	–	–
Whooping-cough	0·19	0·27	0·13	37	23	14	19	8	6	1	1	35	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·17	0·16	0·17	32	14	18	–	1	–	1	1	3	2	2	11	–	4	4	4	2	–	–
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·27	0·25	0·28	51	22	29	16	3	2	–	–	21	–	1	–	1	2	1	–	5	3	17
Cholera	0·02	0·01	0·03	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–
Cancer	0·70	0·59	0·79	133	51	82	–	–	–	–	–	–	–	–	–	–	1	4	19	38	33	38
Tabes Mesenterica	0·06	0·06	0·07	12	5	7	2	–	1	–	–	3	2	2	3	1	–	1	–	–	–	–
Phthisis	2·92	3·08	2·79	557	266	291	11		3	–	–	22	17	19	70	82	123	69	57	45	38	15
Other Tub. & Scrof. Dis.	0·51	0·54	0·48	97	47	50	5		1	3	3	21	19	17	10	16	6	3	2	1	1	1
Diseases of: Nervous System	2·39	2·71	2·12	455	234	221	150	13	5	9	1	178	11	12	9	8	16	13	11	34	62	101
Circulatory „	1·18	1·15	1·21	225	99	126	1	–	–	–	1	2	1	2	4	4	8	19	10	46	74	55
Respiratory „	2·64	2·90	2·42	503	251	252	47	21	12	14	2	96	34	5	7	6	3	12	25	48	135	132
Digestive „	1·05	1·05	1·06	201	91	110	17	3	1	1	–	22	5	2	3	2	6	14	26	37	52	32
Urinary „	0·63	0·87	0·44	121	75	46	–	1	2	1	3	7	5	2	2	4	6	–	9	22	34	30
Generative „	0·05	0·03	0·07	10	3	7	–	–	–	–	–	–	–	–	1	–	2	2	2	2	1	–
Puerperal Fever	0·09	–	0·17	18	–	18	–	–	–	–	–	–	–	–	–	3	4	10	1	–	–	–
Childbirth	0·09	–	0·16	17	–	17	–	–	–	–	–	–	–	–	–	2	7	7	1	–	–	–
Violence	0·53	0·75	0·35	101	65	36	7	3	4	2	1	17	7	6	4	3	6	11	11	11	13	12
Other Causes	3·76	3·90	3·62	714	336	378	205	8	1	2	–	216	4	2	10	9	10	12	13	30	61	347

Marriages - - - 1,022

Births { Males - 2,633, Females - 2,521 } 5,154

Annual Rate per 1000 living { Persons Married 10·72, Births - - 27·04 }

Deaths from Childbirth and Puerperal Fever - - - - - } 6·79 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

603.—LAMPETER.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 14·02			†115	–	–	–	–	35·47	4·49	3·71	4·57	7·22	7·46	10·39	9·76	18·66	45·87	122·22
Annual Death-Rate per 1000. Males	—			15·22			†121	–	–	–	–	39·05	4·53	4·76	5·73	8·38	9·37	11·01	9·63	18·98	51·63	133·61
Annual Death-Rate per 1000. Females	—			12·89			†108	–	–	–	–	31·97	4·45	2·73	3·54	6·32	5·99	9·93	9·86	18·39	41·64	113·75
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·00 per cent.			9,885			219	220	230	238	249	1156	1114	1132	963	789	1273	1030	912	729	508	279
Mean Population, 1881–91. Males				4,531			103	110	109	120	129	571	552	546	454	346	555	436	405	332	215	119
Mean Population, 1881–91. Females				5,354			116	110	121	118	120	585	562	586	509	443	718	594	507	397	293	160
Deaths from All Causes, 1881–90. Persons	16·23			1,604			309	46	26	13	16	410	50	42	44	57	95	107	89	136	233	341
Deaths from All Causes, 1881–90. Males	17·68			801			166	29	14	11	3	223	25	26	26	29	52	48	39	63	111	159
Deaths from All Causes, 1881–90. Females	15·00			803			143	17	12	2	13	187	25	16	18	28	43	59	50	73	122	182
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·18	0·09	13	8	5	4	1	2	2	–	9	3	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·11	0·13	0·09	11	6	5	–	–	2	3	–	5	3	3	–	–	–	–	–	–	–	–
Diphtheria	0·14	0·13	0·15	14	6	8	–	2	–	–	1	3	3	6	2	–	–	–	–	–	–	–
Whooping-cough	0·22	0·26	0·19	22	12	10	14	4	1	–	2	21	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Simple Continued Fever	0·03	0·04	0·02	3	2	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
Diarrhœa and Dysentery	0·09	0·11	0·07	9	5	4	3	1	–	–	–	4	–	–	–	–	–	3	–	–	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	0·40	0·64	52	18	34	–	–	–	–	–	–	–	1	–	–	1	5	5	9	20	11
Tabes Mesenterica	0·13	0·18	0·09	13	8	5	4	2	2	–	1	9	2	–	–	1	–	1	–	–	–	–
Phthisis	1·96	2·30	1·68	194	104	90	1	1	2	2	1	7	2	7	22	28	49	30	15	23	10	1
Other Tub. & Scrof. Dis.	0·27	0·33	0·22	27	15	12	3	1	–	1	–	5	5	4	5	2	2	1	–	3	–	–
Diseases of Nervous System	2·85	2·98	2·75	282	135	147	109	8	4	2	5	128	7	9	3	4	7	8	10	16	38	52
Diseases of Circulatory "	1·10	1·21	1·01	109	55	54	–	–	–	–	–	–	2	2	–	3	6	8	9	13	28	38
Diseases of Respiratory "	3·19	3·58	2·86	315	162	153	40	17	5	3	5	70	12	2	5	5	10	16	13	28	74	80
Diseases of Digestive "	0·90	0·97	0·84	89	44	45	4	–	–	–	–	4	1	2	–	3	4	7	12	19	19	18
Diseases of Urinary "	0·43	0·57	0·32	43	26	17	–	–	–	–	–	–	–	1	–	2	3	2	7	5	8	15
Diseases of Generative "	0·08	0·04	0·11	8	2	6	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	–
Puerperal Fever	0·17	–	0·32	17	–	17	–	–	–	–	–	–	–	–	–	3	4	10	–	–	–	–
Childbirth	0·05	–	0·09	5	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Violence	0·56	0·79	0·35	55	36	19	–	5	5	–	–	10	3	1	3	3	1	7	5	10	4	8
Other Causes	3·26	3·48	3·05	320	157	163	127	4	3	–	1	135	6	3	2	2	5	2	11	9	29	116

Marriages - - - 617

Births - { Males - 1,373 / Females - 1,321 } 2,694

Annual Rate per 1000 living { Persons Married 12·48 / Births - - 27·25 }

Deaths from Childbirth and Puerperal Fever - - - - } 8·17 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

604.—ABERAYRON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·24	†89	–	–	–	–	27·90	4·76	3·37	5·23	9·04	10·55	10·11	11·43	20·95	47·58	128·19
Males	—	15·12	†96	–	–	–	–	29·09	4·71	3·40	5·94	10·85	12·19	11·19	15·15	23·97	48·84	135·50
Females	—	13·42	†82	–	–	–	–	26·69	4·81	3·34	4·69	8·02	9·70	9·50	9·29	19·06	46·73	123·17
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·56 per cent.	12,069	297	251	283	284	297	1412	1366	1395	1110	819	1412	1217	1172	1007	744	415
Males		5,076	149	128	146	141	151	715	680	706	471	295	484	438	429	388	301	169
Females		6,993	148	123	137	143	146	697	686	689	639	524	928	779	743	619	443	246
Deaths from All Causes, 1881–90. Persons	17·74	2,141	279	44	29	27	15	394	65	47	58	74	149	123	134	211	354	532
Males	19·03	966	154	21	13	13	7	208	32	24	28	32	59	49	65	93	147	229
Females	16·80	1,175	125	23	16	14	8	186	33	23	30	42	90	74	69	118	207	303

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·22	0·04	14	11	3	4	1	1	2	–	8	5	1	–	–	–	–	–	–
Scarlet Fever	0·12	0·14	0·11	15	7	8	3	2	1	3	1	10	3	–	1	–	1	–	–	–
Diphtheria	0·14	0·18	0·11	17	9	8	1	–	–	4	–	5	7	3	–	1	–	–	–	–
Whooping-cough	0·27	0·30	0·24	32	15	17	13	10	5	1	1	30	2	–	–	–	–	–	–	1
Typhus	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·08	0·10	11	4	7	–	–	–	1	–	1	1	–	2	3	2	2	–	1
Simple Continued Fever	0·05	0·06	0·04	6	3	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–
Diarrhœa and Dysentery	0·22	0·20	0·24	27	10	17	11	1	–	–	–	12	–	–	–	–	1	2	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·75	0·73	0·76	90	37	53	–	–	–	–	–	–	–	–	–	1	–	1	16	30
Tabes Mesenterica	0·04	0·02	0·06	5	1	4	–	–	–	–	1	1	–	1	2	–	1	–	–	–
Phthisis	2·67	3·03	2·40	322	154	168	9	6	3	1	2	21	5	18	29	45	79	42	28	30
Other Tub. & Scrof. Dis.	0·33	0·39	0·29	40	20	20	1	1	5	2	1	10	8	6	7	3	3	1	–	2
Diseases of Nervous System	2·54	2·72	2·40	306	138	168	78	8	3	3	2	94	5	4	2	4	10	9	12	22
Diseases of Circulatory „	1·83	1·75	1·89	221	89	132	–	–	1	–	1	2	3	2	1	3	4	15	18	42
Diseases of Respiratory „	2·62	2·96	2·37	316	150	166	46	11	4	4	4	69	9	3	1	1	8	11	19	31
Diseases of Digestive „	0·87	1·02	0·76	105	52	53	3	1	1	3	1	9	3	1	2	1	8	4	14	18
Diseases of Urinary „	0·55	0·77	0·39	66	39	27	1	–	1	–	–	2	1	–	1	3	4	5	4	14
Diseases of Generative „	0·07	–	0·13	9	–	9	–	–	–	–	–	–	–	–	1	–	2	2	2	1
Puerperal Fever	0·16	–	0·27	19	–	19	–	–	–	–	–	–	–	–	–	5	9	5	–	–
Childbirth	0·06	–	0·10	7	–	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–
Violence	0·37	0·69	0·14	45	35	10	3	–	1	2	–	6	3	6	4	–	3	6	4	5
Other Causes	3·86	3·77	3·95	467	192	275	106	3	3	1	1	114	8	2	4	3	11	15	14	14

Marriages	586	Annual Rate per 1000 living: Persons Married	9·71
Births: Males	1,612	Births	25·93
Females	1,518	Deaths from Childbirth and Puerperal Fever	8·31 per 1000 Births.
	3,130		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

605.—ABERYSTWITH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·60	† 97	–	–	–	–	35·19	5·30	3·93	4·70	8·39	9·05	9·91	15·98	29·71	63·65	151·62
Annual Death-Rate per 1000. Males	—	In Standard Population* 17·66	†104	–	–	–	–	36·69	4·98	3·54	4·23	11·29	10·22	9·43	19·42	36·73	73·33	159·57
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·61	† 90	–	–	–	–	33·71	5·62	4·32	5·13	6·37	8·22	10·26	13·39	24·22	56·66	146·73
Mean Population, 1881–91. Persons	Decennial Decrease of Population 17·59 per cent.	23,354	510	434	503	533	509	2489	2602	2723	2573	2002	2894	2472	2265	1767	1073	494
Mean Population, 1881–91. Males		10,572	243	225	250	255	267	1240	1304	1356	1229	824	1203	1029	973	776	450	188
Mean Population, 1881–91. Females		12,782	267	209	253	278	242	1249	1298	1367	1344	1178	1691	1443	1292	991	623	306
Deaths from All Causes, 1881–90. Persons	18·14	4,236	530	155	89	54	48	876	138	107	121	168	262	245	362	525	683	749
Deaths from All Causes, 1881–90. Males	19·27	2,037	288	75	49	21	22	455	65	48	52	93	123	97	189	285	330	300
Deaths from All Causes, 1881–90. Females	17·20	2,199	242	80	40	33	26	421	73	59	69	75	139	148	173	240	353	449

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·12	0·15	0·10	29	16	13	6	8	6	1	4	25	4	–	–	–	–	–	–	–
Scarlet Fever	0·36	0·38	0·34	83	40	43	6	11	12	8	10	47	24	8	1	–	2	–	–	–	–
Diphtheria	0·08	0·08	0·08	18	8	10	1	–	1	–	1	3	6	3	3	2	1	–	–	–	1
Whooping-cough	0·13	0·13	0·13	31	14	17	17	6	5	2	–	30	1	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Enteric Fever	0·11	0·12	0·10	26	13	13	–	–	–	–	–	–	2	–	3	2	5	3	3	3	5
Simple Continued Fever	0·02	0·02	0·02	5	2	3	–	–	–	1	–	1	–	2	–	–	–	–	–	2	–
Diarrhœa and Dysentery	0·18	0·20	0·16	41	21	20	14	2	–	–	–	16	–	–	1	2	1	–	1	4	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	0·46	0·65	132	49	83	–	–	–	–	–	–	–	–	–	3	3	11	24	38	30
Tabes Mesenterica	0·12	0·12	0·11	27	13	14	4	2	3	1	–	10	6	3	2	2	1	–	–	2	1
Phthisis	2·90	3·32	2·55	677	351	326	4	5	3	3	–	15	14	30	45	86	135	107	117	86	36
Other Tub. & Scrof. Dis.	0·23	0·26	0·20	53	28	25	8	6	4	3	2	23	5	2	7	6	5	2	3	–	–
Diseases of Nervous System	2·91	3·11	2·74	679	329	350	206	35	16	9	5	271	18	20	7	10	14	20	32	61	125
Diseases of Circulatory „	1·54	1·60	1·49	359	169	190	1	–	–	–	2	3	1	6	13	11	15	16	51	76	96
Diseases of Respiratory „	3·28	3·94	2·75	767	416	351	83	50	28	22	19	202	29	11	11	13	26	16	46	126	156
Diseases of Digestive „	1·09	1·10	1·09	255	116	139	22	11	4	1	1	39	6	6	8	6	11	21	29	44	52
Diseases of Urinary „	0·38	0·49	0·28	88	52	36	–	1	–	–	–	1	2	2	3	3	6	5	10	15	26
Diseases of Generative „	0·06	0·02	0·09	14	2	12	–	–	–	–	–	–	–	–	1	–	2	–	2	5	3
Puerperal Fever	0·06	–	0·11	14	–	14	–	–	–	–	–	–	–	–	–	1	7	6	–	–	–
Childbirth	0·09	–	0·17	22	–	22	–	–	–	–	–	–	–	–	1	2	9	10	–	–	–
Violence	0·40	0·61	0·23	94	65	29	2	2	1	1	–	6	10	5	9	7	9	8	10	8	15
Other Causes	3·50	3·15	3·79	819	332	487	156	16	6	2	4	184	10	9	5	12	10	19	33	55	133

Marriages	1,458	Annual Rate per 1000 living: Persons Married 12·49; Births 23·41	Deaths from Childbirth and Puerperal Fever	6·58 per 1000 Births.
Births: Males 2,765; Females 2,702	5,467			

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

606.—TREGARON.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	14·26		† 88	–	–	–	–	28·27	3·60	3·44	5·49	8·39	10·23	8·24	14·73	23·74	45·10	138·33
Males	—				15·54		† 98	–	–	–	–	32·55	3·97	2·03	6·94	11·47	12·20	6·70	17·81	26·73	44·98	162·39
Females	—				13·06		† 78	–	–	–	–	23·94	3·21	4·86	4·19	6·25	8·91	9·35	12·50	21·66	45·20	121·76
Mean Population, 1881–91. Persons	Decennial Decrease of Population 16·15 per cent.			9,442			203	200	228	232	230	1093	1139	1077	948	679	1144	959	869	737	510	287
Males				4,273			101	99	111	120	119	550	579	542	447	279	459	403	365	303	229	117
Females				5,169			102	101	117	112	111	543	560	535	501	400	685	556	504	434	281	170
Deaths from All Causes, 1881–90. Persons	17·18			1,692			215	47	22	16	9	309	41	37	52	57	117	79	128	175	230	397
Males	18·68			798			125	29	11	10	4	179	23	11	31	32	56	27	65	81	103	190
Females	15·94			824			90	18	11	6	5	130	18	26	21	25	61	52	63	94	127	207
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·06	0·05	0·08	6	2	4	1	1	1	–	–	3	1	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·07	0·12	9	3	6	–	2	–	–	1	3	5	–	1	–	–	–	–	–	–	–
Diphtheria	0·18	0·28	0·10	17	12	5	–	–	–	1	1	2	6	4	3	–	2	–	–	–	–	–
Whooping-cough	0·15	0·09	0·19	14	4	10	9	–	1	1	1	12	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·14	0·14	0·14	13	6	7	–	–	1	–	–	1	–	1	2	–	4	2	1	2	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Diarrhœa and Dysentery	0·21	0·26	0·17	20	11	9	7	–	–	–	–	7	–	–	–	–	–	–	1	–	3	9
Cholera	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	0·56	0·54	0·58	53	23	30	–	–	–	–	–	–	–	–	–	1	1	1	11	18	11	10
Tabes Mesenterica	0·11	0·09	0·12	10	4	6	2	–	–	–	–	2	1	3	2	–	2	–	–	–	–	–
Phthisis	2·80	3·02	2·61	264	129	135	–	2	–	1	2	5	3	10	23	35	62	30	44	31	17	4
Other Tub. & Scrof. Dis.	0·38	0·42	0·35	36	18	18	1	2	1	3	–	7	11	4	2	3	3	1	2	1	2	–
Diseases of: Nervous System	1·78	2·11	1·51	168	90	78	26	2	3	2	1	34	2	3	4	2	4	9	15	22	27	46
Circulatory „	1·09	0·98	1·18	103	42	61	–	–	–	–	–	–	–	1	1	3	5	6	7	25	27	28
Respiratory „	2·39	2·57	2·24	226	110	116	25	14	8	4	1	52	4	2	3	1	4	6	11	27	58	58
Digestive „	1·02	1·19	0·87	96	51	45	5	5	2	–	–	12	1	–	2	4	1	4	17	21	18	16
Urinary „	0·48	0·73	0·27	45	31	14	–	–	–	–	–	–	–	–	–	2	4	2	4	5	15	13
Generative „	0·03	–	0·06	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Puerperal Fever	0·08	–	0·15	8	–	8	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–
Childbirth	0·06	–	0·12	6	–	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Violence	0·47	0·68	0·29	44	29	15	–	4	2	3	–	9	–	2	3	1	9	4	2	4	5	5
Other Causes	5·06	5·46	4·73	478	233	245	139	15	3	1	2	160	5	5	5	4	8	8	11	19	45	208

Marriages - - - 493

Births - Males - 1,275; Females - 1,157 — 2,432

Annual Rate per 1000 living: Persons Married 10·44; Births - - 25·76

Deaths from Childbirth and Puerperal Fever - - - - - 5·76 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

607.—BUILTH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·46	†106	–	–	–	–	36·56	4·88	4·89	4·34	6·99	7·78	11·53	12·90	22·32	51·76	152·75
Annual Death-Rate per 1000. Males	—	16·08	†116	–	–	–	–	40·76	4·60	4·70	3·90	4·93	8·98	11·78	15·20	21·74	63·39	142·86
Annual Death-Rate per 1000. Females	—	14·87	† 95	–	–	–	–	32·32	5·17	5·06	4·77	8·76	6·71	11·28	10·63	22·93	40·32	162·64
Mean Population, 1881 91. Persons	Decennial Decrease of Population 4·25 per cent.	8,008	196	194	197	199	207	993	942	921	829	658	1067	815	690	542	369	182
Mean Population, 1881 91. Males		3,946	95	89	108	101	105	498	478	447	410	304	501	416	342	276	183	91
Mean Population, 1881 91. Females		4,062	101	105	89	98	102	495	464	474	419	354	566	399	348	266	186	91
Deaths from All Causes, 1881–90. Persons	17·38	1,392	249	54	33	12	15	363	46	45	36	46	83	94	89	121	191	278
Deaths from All Causes, 1881–90. Males	18·47	729	140	33	17	7	6	203	22	21	16	15	45	49	52	60	116	130
Deaths from All Causes, 1881–90. Females	16·32	663	109	21	16	5	9	160	24	24	20	31	38	45	37	61	75	148

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·02	0·05	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Measles	0·12	0·13	0·12	10	5	5	1	3	1	1	1	7	1	1	–	1	–	–	–	–	–
Scarlet Fever	0·29	0·28	0·30	23	11	12	1	4	6	2	1	14	6	2	–	–	–	1	–	–	–
Diphtheria	0·15	0·23	0·07	12	9	3	–	–	2	–	2	4	4	1	1	–	–	2	–	–	–
Whooping-cough	0·41	0·41	0·42	33	16	17	15	10	2	2	2	31	2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·11	0·13	0·10	9	5	4	–	–	–	–	–	–	1	–	1	–	2	1	2	1	1
Simple Continued Fever	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery	0·16	0·18	0·15	13	7	6	7	1	–	1	–	9	–	–	–	–	–	–	–	–	4
Cholera	0·01	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·91	0·91	0·91	73	36	37	–	–	–	1	–	1	–	–	–	1	1	5	10	19	26	10
Tabes Mesenterica	0·14	0·20	0·07	11	8	3	2	3	1	–	1	7	–	3	–	–	1	–	–	–	–	–
Phthisis	2·10	1·75	2·44	168	69	99	–	1	–	–	–	1	2	10	16	24	37	27	21	14	10	6
Other Tub. & Scrof. Dis.	0·26	0·25	0·27	21	10	11	3	1	–	–	–	4	4	4	2	2	1	4	–	–	–	–
Diseases of Nervous System	2·16	2·64	1·70	173	104	69	52	6	3	2	2	65	9	8	6	1	–	3	14	13	27	27
Diseases of Circulatory „	1·30	1·37	1·23	104	54	50	–	–	–	–	–	–	1	5	5	–	5	12	7	20	26	23
Diseases of Respiratory „	2·65	2·69	2·61	212	106	106	36	13	10	–	4	63	6	3	1	5	7	5	7	19	36	60
Diseases of Digestive „	0·96	1·11	0·81	77	44	33	10	6	–	1	–	17	3	1	–	3	5	8	7	9	10	14
Diseases of Urinary „	0·42	0·63	0·22	34	25	9	–	–	–	–	–	–	1	1	–	2	2	4	6	5	5	8
Diseases of Generative „	0·05	–	0·10	4	–	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Puerperal Fever	0·06	–	0·12	5	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Childbirth	0·11	–	0·22	9	–	9	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–
Violence	0·45	0·66	0·25	36	26	10	–	1	1	–	–	2	1	4	1	2	5	8	4	–	4	5
Other Causes	4·53	4·79	4·21	361	190	171	122	5	7	2	2	138	5	2	3	2	10	6	10	20	40	125

Marriages - - - 433

Births - Males - 1,204; Females - 1,149 } 2,353

Annual Rate per 1000 living { Persons Married 10·81; Births - - 29·38

Deaths from Childbirth and Puerperal Fever - - - - - } 5·95 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

608.—BRECKNOCK.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·18	†117	–	–	–	–	42·32	4·69	3·69	5·09	5·97	8·67	9·59	12·76	23·78	55·47	155·37
Annual Death-Rate per 1000. Males	—	16·59	†126	–	–	–	–	45·68	4·69	3·88	4·92	5·72	8·66	9·61	13·29	24·34	59·51	160·61
Annual Death-Rate per 1000. Females	—	15·80	†106	–	–	–	–	38·95	4·69	3·50	5·29	6·22	8·68	9·57	12·29	23·25	51·75	150·79
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·30 per cent.	16,551	381	334	361	375	347	1798	1813	1841	1846	1524	2225	1731	1465	1186	768	354
Mean Population, 1881–91. Males		8,229	187	180	186	187	162	902	938	927	976	752	1085	853	692	571	368	165
Mean Population, 1881–91. Females		8,322	194	154	175	188	185	896	875	914	870	772	1140	878	773	615	400	189
Deaths from All Causes, 1881–90. Persons	17·54	2,903	504	123	55	42	37	761	85	68	94	91	193	166	187	282	426	550
Deaths from All Causes, 1881–90. Males	17·91	1,474	281	67	19	23	22	412	44	36	48	43	94	82	92	139	219	265
Deaths from All Causes, 1881–90. Females	17·17	1,429	223	56	36	19	15	349	41	32	46	48	99	84	95	143	207	285

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·23	0·17	0·29	38	14	24	4	7	7	4	5	27	8	2	1	–	–	–	–	–	–
Scarlet Fever	0·32	0·28	0·36	53	23	30	4	5	6	11	6	32	12	5	2	1	–	–	1	–	–
Diphtheria	0·15	0·15	0·16	25	12	13	1	2	2	3	2	10	10	2	2	–	–	–	1	–	–
Whooping-cough	0·27	0·26	0·28	44	21	23	21	12	3	6	2	44	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·10	0·09	0·11	16	7	9	–	–	–	–	–	–	1	5	2	1	2	2	2	1	–
Simple Continued Fever	0·03	0·04	0·02	5	3	2	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–
Diarrhœa and Dysentery	0·10	0·13	0·06	16	11	5	7	4	–	–	1	12	–	–	–	–	–	1	–	–	–
Cholera	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3
Cancer	0·93	0·81	1·05	154	67	87	–	–	–	–	–	–	–	1	1	–	3	9	20	32	53	35
Tabes Mesenterica	0·07	0·06	0·07	11	5	6	4	2	–	–	–	6	2	2	–	–	–	–	–	1	–	–
Phthisis	1·95	2·22	1·68	323	183	140	6	8	2	–	2	18	3	11	46	50	79	48	30	20	16	2
Other Tub. & Scrof. Dis.	0·34	0·49	0·20	57	40	17	13	4	4	–	3	24	9	5	2	6	4	2	4	1	–	–
Diseases of Nervous System	2·33	2·36	2·31	386	194	192	130	12	9	3	4	158	11	8	7	1	10	9	18	35	69	60
Diseases of Circulatory „	1·92	1·74	2·10	318	143	175	–	–	–	–	1	1	1	1	4	5	16	22	36	65	87	80
Diseases of Respiratory „	3·01	3·22	2·81	499	265	234	105	46	18	6	6	181	8	4	4	5	23	23	20	42	93	96
Diseases of Digestive „	1·01	1·20	0·83	168	99	69	26	14	–	2	–	42	3	4	3	1	11	13	23	25	25	18
Diseases of Urinary „	0·45	0·57	0·34	75	47	28	–	1	–	2	–	3	4	–	1	1	4	3	5	20	16	18
Diseases of Generative „	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Puerperal Fever	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	2	3	6	4	–	–	–	–
Childbirth	0·07	–	0·13	11	–	11	–	–	–	–	–	–	–	–	1	1	6	3	–	–	–	–
Violence	0·59	0·91	0·28	98	75	23	5	–	1	3	3	12	4	4	5	5	14	13	11	14	9	7
Other Causes	3·56	3·21	3·89	589	265	324	178	6	3	2	2	191	9	12	10	11	14	13	15	25	58	231

Marriages - - - 1,030

Births - { Males - 2,224 / Females - 2,096 } 4,320

Annual Rate per 1000 living { Persons Married 12·45 / Births - - 26·10

Deaths from Childbirth and Puerperal Fever - - - - } 6·02 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

609.—CRICKHOWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 20·77	†146	–	–	–	–	62·24	7·35	4·01	4·70	6·95	8·12	11·32	18·04	37·74	67·95	141·08
Annual Death-Rate per 1000. Males	—	21·16	†154	–	–	–	–	65·91	7·69	4·48	3·85	6·18	6·77	9·70	18·79	40·94	78·21	145·33
Annual Death-Rate per 1000. Females	—	20·40	†138	–	–	–	–	58·56	7·02	3·55	5·63	7·80	9·56	13·07	17·27	34·60	58·63	137·20
Mean Population, 1881–91. Persons	Decennial Increase of Population 5·16 per cent.	19,037	572	450	508	526	502	2558	2394	2096	1893	1569	2575	2059	1624	1203	752	314
Mean Population, 1881–91. Males		9,645	283	224	247	278	247	1279	1197	1026	987	825	1330	1072	825	596	358	150
Mean Population, 1881–91. Females		9,392	289	296	261	248	255	1279	1197	1070	906	744	1245	987	799	607	394	164
Deaths from All Causes, 1881–90. Persons	22·03	4,193	951	296	153	106	86	1592	176	84	89	109	209	233	293	454	511	443
Deaths from All Causes, 1881–90. Males	22·41	2,161	515	157	76	55	40	843	92	46	38	51	90	104	155	244	280	218
Deaths from All Causes, 1881–90. Females	21·64	2,032	436	139	77	51	46	749	84	38	51	58	119	129	138	210	231	225

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	0·01	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	0·67	0·69	0·64	127	67	60	20	51	18	9	12	110	14	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·98	1·03	0·93	186	99	87	8	22	31	36	24	121	53	8	1	2	–	–	1	–	–	–
Diphtheria	0·32	0·24	0·39	60	23	37	2	4	10	8	11	35	16	6	2	–	1	–	–	–	–	–
Whooping-cough	0·49	0·38	0·60	93	37	56	55	19	6	3	2	85	7	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·43	0·46	0·39	81	44	37	1	1	3	2	4	11	7	14	7	6	18	6	5	6	1	–
Simple Continued Fever	0·03	0·03	0·02	5	3	2	–	1	–	–	–	1	1	–	1	–	1	–	–	1	–	–
Diarrhœa and Dysentery	0·42	0·44	0·39	79	42	37	34	11	1	–	–	46	1	–	1	–	1	1	3	6	10	10
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·49	0·43	0·56	94	41	53	–	–	–	–	–	–	–	–	–	–	1	11	19	24	23	16
Tabes Mesenterica	0·10	0·09	0·11	19	9	10	3	3	2	3	–	11	4	2	–	–	–	–	1	1	–	–
Phthisis	1·33	1·23	1·44	254	119	135	3	4	2	1	–	10	5	12	23	35	64	45	35	18	7	–
Other Tub. & Scrof. Dis.	0·42	0·40	0·44	80	39	41	24	12	3	5	–	44	10	5	8	1	6	2	2	2	–	–
Diseases of Nervous System	3·17	3·31	3·03	604	319	285	265	31	15	12	8	331	11	5	5	9	7	19	36	69	63	49
Diseases of Circulatory "	1·75	1·71	1·80	334	165	169	–	–	–	–	–	–	1	5	7	6	14	24	33	71	102	71
Diseases of Respiratory "	4·74	5·36	4·10	902	517	385	171	97	44	21	20	353	21	1	10	19	36	45	64	137	136	80
Diseases of Digestive "	1·26	1·31	1·21	240	126	114	67	12	6	–	1	86	4	6	6	5	12	15	31	37	27	11
Diseases of Urinary "	0·59	0·59	0·60	113	57	56	2	4	–	2	1	9	4	2	3	5	6	8	17	21	24	14
Diseases of Generative "	0·05	–	0·10	9	–	9	–	–	–	–	–	–	–	–	–	1	2	2	2	–	2	–
Puerperal Fever	0·12	–	0·24	23	–	23	–	–	–	–	–	–	–	–	1	5	10	7	–	–	–	–
Childbirth	0·14	–	0·29	27	–	27	–	–	–	–	–	–	–	–	3	1	11	12	–	–	–	–
Violence	0·67	1·07	0·27	128	103	25	7	5	5	1	1	19	9	10	5	5	9	18	15	22	11	5
Other Causes	3·85	3·64	4·08	734	351	383	289	19	7	3	2	320	8	4	6	8	10	18	29	39	105	187

Marriages - - - 1,686

Births - { Males - 3,355 / Females - 3,153 } 6,508

Annual Rate per 1000 living { Persons Married 17·71 / Births - - 34·19 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·68 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

610.—HAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·78	†136	–	–	–	–	42·58	4·13	1·65	3·81	6·33	7·70	8·13	13·34	24·93	61·19	151·01
Annual Death-Rate per 1000. Males	—	16·54	†144	–	–	–	–	45·73	4·36	0·92	4·40	7·71	8·03	7·33	14·25	26·10	68·13	169·44
Annual Death-Rate per 1000. Females	—	15·05	†127	–	–	–	–	39·47	3·92	2·39	3·24	5·19	7·40	8·94	12·39	23·78	55·09	136·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 6·09 per cent.	9,911	257	214	233	245	251	1200	1138	1089	971	774	1272	1058	892	734	536	247
Mean Population, 1881–91. Males		4,842	123	103	123	119	129	597	551	546	477	350	610	532	456	364	251	108
Mean Population, 1881–91. Females		5,069	134	111	110	126	122	603	587	543	494	424	662	526	436	370	285	139
Deaths from All Causes, 1881–90. Persons	18·66	1,849	386	77	25	11	12	511	47	18	37	49	98	86	119	183	328	373
Deaths from All Causes, 1881–90. Males	19·66	952	209	43	10	5	6	273	24	5	21	27	49	39	65	95	171	183
Deaths from All Causes, 1881–90. Females	17·70	897	177	34	15	6	6	238	23	13	16	22	49	47	54	88	157	190

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·19	0·19	0·20	19	9	10	4	5	3	–	–	12	6	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·25	0·29	0·22	25	14	11	2	5	2	4	3	16	5	1	–	1	1	1	–	–	–	–
Diphtheria	0·12	0·08	0·16	12	4	8	–	1	–	–	2	3	5	1	1	1	–	–	1	–	–	–
Whooping-cough	0·30	0·29	0·32	30	14	16	19	7	1	1	1	29	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·07	0·10	0·04	7	5	2	–	–	–	–	–	–	2	1	2	1	–	1	–	–	–	–
Simple Continued Fever	0·02	–	0·04	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Diarrhœa and Dysentery	0·21	0·35	0·08	21	17	4	11	–	–	–	–	11	–	–	–	–	–	–	1	1	4	4
Cholera	0·04	0·02	0·06	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–
Cancer	0·85	0·72	0·97	84	35	49	–	–	–	–	–	–	–	–	–	–	–	5	15	23	31	10
Tabes Mesenterica	0·13	0·14	0·12	13	7	6	5	4	1	–	–	10	1	1	1	–	–	–	–	–	–	–
Phthisis	1·47	1·78	1·18	146	86	60	3	1	–	–	–	4	3	3	10	26	43	25	21	7	4	–
Other Tub. & Scrof. Dis.	0·20	0·17	0·24	20	8	12	4	4	1	1	–	10	4	–	–	3	2	–	–	–	1	–
Diseases of Nervous System	2·43	2·60	2·27	241	126	115	73	10	5	–	1	89	3	1	3	3	2	4	13	29	47	47
Diseases of Circulatory „	2·48	2·23	2·72	246	108	138	2	–	–	–	–	2	1	3	2	3	7	14	20	51	81	62
Diseases of Respiratory „	2·84	3·10	2·58	281	150	131	75	25	4	2	2	108	6	–	3	3	9	4	12	39	49	48
Diseases of Digestive „	0·96	0·93	0·99	95	45	50	16	2	–	–	–	18	5	3	3	1	7	3	11	7	19	18
Diseases of Urinary „	0·51	0·78	0·26	51	38	13	–	–	–	–	–	–	–	–	–	1	3	8	10	6	12	11
Diseases of Generative „	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Puerperal Fever	0·09	–	0·18	9	–	9	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–
Childbirth	0·07	–	0·14	7	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Violence	0·46	0·70	0·24	46	34	12	1	1	4	2	1	9	3	2	6	2	4	4	7	3	5	1
Other Causes	4·95	5·19	4·65	488	251	237	171	12	4	1	2	190	2	2	5	2	9	10	7	15	74	172

Marriages - - - 651

Births - { Males - 1,448 / Females - 1,399 } 2,847

Annual Rate per 1000 living { Persons Married 13·14 / Births - - 28·73 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·62 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

611.—KNIGHTON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 14·89	†115	–	–	–	–	39·08	3·87	2·55	6·36	6·62	6·99	7·28	12·31	19·61	51·19	161·11
Annual Death-Rate per 1000. Males	—	14·81	†126	–	–	–	–	42·82	3·71	2·60	5·50	6·52	5·60	6·48	13·08	19·81	55·68	154·10
Annual Death-Rate per 1000. Females	—	14·97	†105	–	–	–	–	35·40	4·02	2·49	7·30	6·74	8·43	8·12	11·49	19·38	46·69	167·69
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·60 per cent.	11,240	278	256	275	281	284	1374	1345	1295	1116	951	1444	1140	967	811	545	252
Mean Population, 1881–91. Males		5,715	133	122	142	140	145	682	673	653	582	491	732	586	497	424	273	122
Mean Population, 1881–91. Females		5,525	145	134	133	141	139	692	672	642	534	460	712	554	470	387	272	130
Deaths from All Causes, 1881–90. Persons	16·93	1,903	381	91	24	17	24	537	52	33	71	63	101	83	119	159	279	406
Deaths from All Causes, 1881–90. Males	16·90	966	207	49	12	8	16	292	25	17	32	32	41	38	65	84	152	188
Deaths from All Causes, 1881–90. Females	16·96	937	174	42	12	9	8	245	27	16	39	31	60	45	54	75	127	218

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.											
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	0·16	0·16	18	9	9	5	6	–	1	–	12	4	1	–	–	1	–	–	–	–
Scarlet Fever	0·10	0·09	0·11	11	5	6	–	–	1	2	3	6	1	2	1	–	1	–	–	–	–	–
Diphtheria	0·13	0·12	0·14	15	7	8	1	3	–	2	2	8	4	1	–	–	–	1	1	–	–	–
Whooping-cough	0·42	0·31	0·53	47	18	29	28	10	3	2	–	43	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	–	0·02	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	0·12	0·07	0·16	13	4	9	–	–	–	1	1	2	2	–	–	–	5	1	1	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·16	0·16	18	9	9	9	–	–	1	–	10	–	–	1	1	–	–	–	–	2	4
Cholera	0·01	0·02	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·65	0·56	0·74	73	32	41	–	–	–	–	–	–	–	–	–	–	1	2	16	21	20	13
Tabes Mesenterica	0·14	0·16	0·13	16	9	7	3	4	1	1	1	10	4	2	–	–	–	–	–	–	–	–
Phthisis	1·65	1·61	1·70	186	92	94	1	1	–	–	–	2	3	11	38	37	32	29	21	9	4	–
Other Tub. & Scrof. Dis.	0·36	0·46	0·27	41	26	15	10	5	4	–	3	22	2	3	4	–	4	3	1	1	1	–
Diseases of Nervous System	2·19	2·33	2·05	246	133	113	69	12	2	–	2	85	4	2	4	4	2	5	12	20	36	72
Diseases of Circulatory „	1·78	1·43	2·14	200	82	118	1	1	–	–	–	2	1	3	4	3	11	6	19	35	65	51
Diseases of Respiratory „	2·54	2·89	2·19	286	165	121	65	31	5	1	6	108	5	3	5	4	11	8	12	27	49	54
Diseases of Digestive „	1·11	1·05	1·18	125	60	65	20	9	3	1	2	35	4	1	2	4	5	5	12	16	23	18
Diseases of Urinary „	0·36	0·47	0·24	40	27	13	–	–	–	–	–	–	–	–	1	1	3	–	5	8	12	10
Diseases of Generative „	0·06	–	0·13	7	–	7	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	1
Puerperal Fever	0·07	–	0·14	8	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Childbirth	0·12	–	0·25	14	–	14	–	–	–	–	–	–	–	–	–	2	2	10	–	–	–	–
Violence	0·60	0·84	0·36	68	48	20	6	1	3	3	3	16	7	1	4	1	7	3	5	4	6	14
Other Causes	4·19	4·17	4·16	469	239	230	163	8	2	2	1	176	7	3	6	4	11	7	12	17	57	169

Marriages	759	Annual Rate per 1000 living: Persons Married 13·51; Births 29·38	Deaths from Childbirth and Puerperal Fever 6·66 per 1000 Births.
Births: Males 1,649; Females 1,653	3,302		

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

612.—RHAYADER.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·91	†111	–	–	–	–	37·01	3·32	2·96	5·26	7·43	8·47	8·19	12·95	22·30	52·62	143·83
Males	—	14·74	†127	–	–	–	–	43·37	2·09	1·68	4·06	3·73	8·19	6·25	9·79	27·10	59·15	150·63
Females	—	15·06	† 96	–	–	–	–	30·86	4·57	4·15	6·36	10·77	8·74	10·11	16·30	17·65	46·67	137·35
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·84 per cent.	6,581	162	142	165	164	164	797	754	744	666	565	850	708	556	435	344	162
Males		3,230	77	70	84	84	77	392	382	358	320	268	415	352	286	214	164	79
Females		3,351	85	72	81	80	87	405	372	386	346	297	435	356	270	221	180	83
Deaths from All Causes, 1881–90. Persons	17·20	1,132	195	46	28	10	16	295	25	22	35	42	72	58	72	97	181	233
Males	17·49	565	111	22	17	7	13	170	8	6	13	10	34	22	28	58	97	119
Females	16·92	567	84	24	11	3	3	125	17	16	22	32	38	36	44	39	84	114

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·14	0·12	0·15	9	4	5	5	1	–	–	1	7	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·36	0·40	0·33	24	13	11	2	3	3	2	4	14	2	2	1	1	1	–	3	–	–	–
Diphtheria	0·12	0·09	0·15	8	3	5	–	–	2	1	2	5	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·24	0·28	0·21	16	9	7	8	4	3	1	–	16	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·09	6	3	3	–	–	–	–	1	1	1	–	–	1	1	1	–	1	–	–
Simple Continued Fever	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Diarrhœa and Dysentery	0·17	0·15	0·18	11	5	6	3	–	–	–	–	3	1	–	1	–	–	–	–	–	3	3
Cholera	0·06	0·09	0·03	4	3	1	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1
Cancer	0·76	0·81	0·72	50	26	24	–	–	–	1	–	1	–	–	–	–	–	5	4	11	20	9
Tabes Mesenterica	0·14	0·03	0·24	9	1	8	1	–	–	1	–	2	1	–	1	2	1	2	–	–	–	–
Phthisis	2·16	2·20	2·12	142	71	71	–	–	–	–	1	1	1	4	19	18	34	15	23	17	8	2
Other Tub. & Scrof. Dis.	0·56	0·46	0·66	37	15	22	4	3	2	1	3	13	6	4	1	4	3	4	1	1	–	–
Diseases of Nervous System	2·34	2·26	2·42	154	73	81	40	10	5	1	1	57	–	3	4	2	4	5	11	15	21	32
Circulatory „	1·53	1·67	1·40	101	54	47	1	–	–	–	–	1	–	–	2	–	5	3	4	13	35	38
Respiratory „	3·39	3·53	3·25	223	114	109	52	15	8	–	2	77	6	2	3	5	8	4	9	10	40	59
Digestive „	0·84	0·84	0·84	55	27	28	4	1	–	1	1	7	–	1	–	2	1	4	8	9	14	9
Urinary „	0·53	0·65	0·42	35	21	14	–	–	1	–	–	1	1	2	1	–	3	2	1	4	10	10
Generative „	0·08	–	0·15	5	–	5	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–
Puerperal Fever	0·08	–	0·15	5	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Childbirth	0·06	–	0·12	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Violence	0·26	0·31	0·21	17	10	7	–	1	1	–	–	2	–	–	2	–	–	–	2	3	7	1
Other Causes	3·26	3·48	3·05	215	112	103	74	8	3	1	–	86	2	3	–	3	5	7	5	12	23	69

Marriages - - - 391

Births - { Males - 877, Females - 875 } 1,752

Annual Rate per 1000 living { Persons Married 11·88, Births - - 26·62

Deaths from Childbirth and Puerperal Fever - - - - - } 5·14 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

613.—MACHYNLLETH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·23	†104	–	–	–	–	37·54	5·39	4·19	6·27	9·03	9·19	10·09	13·52	26·08	52·87	146·60
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·62	†123	–	–	–	–	41·85	6·47	2·71	6·04	9·43	8·36	7·71	15·55	31·19	54·58	147·33
Annual Death-Rate per 1000. Females	—	In Standard Population* 15·86	† 85	–	–	–	–	33·18	4·33	5·66	6·50	8·71	9·89	12·30	11·71	21·32	51·49	146·01
Mean Population, 1881 91. Persons	Decennial Decrease of Population 13·79 per cent.	11,672	251	247	265	265	264	1292	1318	1335	1196	963	1491	1189	1080	905	609	294
Mean Population, 1881 91. Males	Decennial Decrease of Population 13·79 per cent.	5,595	129	130	132	137	122	650	649	664	596	435	682	571	508	436	273	131
Mean Population, 1881 91. Females	Decennial Decrease of Population 13·79 per cent.	6,077	122	117	133	128	142	642	669	671	600	528	809	618	572	469	336	163
Deaths from All Causes, 1881–90. Persons	18·56	2,166	296	74	56	33	26	485	71	56	75	87	137	120	146	236	322	431
Deaths from All Causes, 1881–90. Males	19·07	1,067	178	33	34	16	11	272	42	18	36	41	57	44	79	136	149	193
Deaths from All Causes, 1881–90. Females	18·08	1,099	118	41	22	17	15	213	29	38	39	46	80	76	67	100	173	238

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	0·16	0·15	18	9	9	3	2	5	1	–	11	3	3	–	–	–	1	–	–	–	–
Scarlet Fever	0·44	0·43	0·44	51	24	27	2	5	7	6	8	28	17	2	1	1	1	1	–	–	–	–
Diphtheria	0·08	0·07	0·08	9	4	5	–	2	–	1	–	3	2	2	1	–	–	–	–	1	–	–
Whooping-cough	0·31	0·36	0·26	36	20	16	16	7	6	1	1	31	4	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·05	0·02	0·08	6	1	5	–	–	1	–	–	1	–	–	1	2	–	2	–	–	–	–
Simple Continued Fever	0·01	–	0·02	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·21	0·14	0·26	24	8	16	11	3	–	–	1	15	–	1	–	–	1	–	1	–	1	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·87	0·77	0·95	101	43	58	–	–	–	–	–	–	1	–	–	–	–	9	14	35	27	15
Tabes Mesenterica	0·10	0·14	0·07	12	8	4	4	4	–	1	–	9	–	1	–	1	–	1	–	–	–	–
Phthisis	2·68	2·52	2·83	313	141	172	2	1	–	–	2	5	7	17	36	47	69	48	29	37	13	5
Other Tub. & Scrof. Dis.	0·31	0·34	0·28	36	19	17	9	2	2	2	1	16	4	4	3	3	1	2	2	–	–	1
Diseases of Nervous System	3·21	3·29	3·13	374	184	190	98	7	11	5	5	126	14	9	10	8	14	7	10	29	60	87
Diseases of Circulatory „	1·89	2·02	1·78	221	113	108	–	–	1	–	–	1	1	4	3	3	8	11	25	35	55	75
Diseases of Respiratory „	3·03	3·49	2·60	353	195	158	32	26	16	10	7	91	6	2	4	7	9	10	22	39	79	84
Diseases of Digestive „	0·93	0·93	0·92	108	52	56	8	2	–	4	–	14	5	4	2	3	5	4	10	19	28	14
Diseases of Urinary „	0·56	0·66	0·46	65	37	28	–	–	1	1	–	2	–	–	–	1	5	6	6	12	15	18
Diseases of Generative „	0·08	–	0·15	9	–	9	–	–	–	–	–	–	–	–	–	–	1	2	4	–	1	1
Puerperal Fever	0·09	–	0·16	10	–	10	–	–	–	–	–	–	–	–	–	1	8	–	1	–	–	–
Childbirth	0·09	–	0·18	11	–	11	–	–	–	–	–	–	–	–	–	3	5	3	–	–	–	–
Violence	0·52	0·68	0·38	61	38	23	2	2	3	–	–	7	5	4	8	4	3	3	6	7	6	8
Other Causes	2·95	3·05	2·90	347	171	176	109	11	3	1	1	125	1	2	6	3	7	11	15	22	37	118

Marriages - - - 694

Births - Males - 1,449; Females - 1,387 — 2,836

Annual Rate per 1000 living: Persons Married 11·89; Births - - 24·30

Deaths from Childbirth and Puerperal Fever - - - 7·40 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

614.—NEWTOWN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·50			†105	–	–	–	–	36·14	4·70	3·30	5·22	7·62	8·49	9·32	13·47	24·61	57·14	146·62
Males	—			16·32			†122	–	–	–	–	42·47	5·06	3·28	5·02	8·63	7·64	9·35	14·93	25·10	62·84	143·58
Females	—			14·73			† 86	–	–	–	–	29·87	4·34	3·33	5·40	6·70	9·29	9·29	12·04	24·14	51·93	149·31
Mean Population, 1881–91. Persons	Decennial Decrease of Population 14·61 per cent.			23,580			587	545	639	592	587	2950	2896	2815	2511	1942	2897	2371	2027	1532	1092	547
Males				11,570			297	264	328	282	296	1467	1423	1434	1234	927	1401	1155	1005	745	522	257
Females				12,010			290	281	311	310	291	1483	1473	1381	1277	1015	1496	1216	1022	787	570	290
Deaths from All Causes, 1881–90. Persons	17·46			4,117			694	175	85	59	53	1066	136	93	131	148	246	221	273	377	624	802
Males	18·44			2,133			419	99	49	27	29	623	72	47	62	80	107	108	150	187	328	369
Females	16·52			1,984			275	76	36	32	24	443	64	46	69	68	139	113	123	190	296	433
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·02	0·01	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Measles	0·11	0·15	0·08	27	17	10	6	6	3	2	2	19	3	1	2	–	–	1	1	–	–	–
Scarlet Fever	0·37	0·47	0·27	87	54	33	4	10	14	16	14	58	16	4	1	1	3	2	2	–	–	–
Diphtheria	0·11	0·13	0·10	27	15	12	–	2	2	2	4	10	10	4	1	1	1	–	–	–	–	–
Whooping-cough	0·29	0·29	0·30	69	33	36	38	15	6	4	4	67	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·12	0·14	0·10	28	16	12	–	–	–	1	–	1	1	2	7	5	2	5	3	2	–	–
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Dysentery	0·34	0·35	0·32	80	41	39	42	7	–	–	–	49	–	–	1	–	1	1	2	4	7	15
Cholera	0·01	0·02	–	2	2	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·70	0·54	0·87	166	62	104	1	–	–	–	–	1	1	–	–	1	4	14	25	39	50	31
Tabes Mesenterica	0·09	0·09	0·09	21	10	11	4	4	1	2	–	11	3	–	4	1	–	1	1	–	–	–
Phthisis	2·04	2·13	1·97	482	246	236	3	4	4	2	2	15	10	19	58	73	109	73	52	48	24	1
Other Tub. & Scrof. Dis.	0·22	0·33	0·12	53	38	15	10	5	5	1	4	25	5	6	6	3	4	1	–	2	1	–
Diseases of Nervous System	2·65	2·77	2·55	626	320	306	186	26	14	7	7	240	24	15	8	11	19	18	20	52	105	114
Circulatory „	2·02	2·04	2·01	477	236	241	2	2	1	–	–	5	7	11	11	4	10	21	50	85	140	133
Respiratory „	2·94	3·17	2·71	693	367	326	128	57	18	10	9	222	22	6	8	14	25	16	40	52	132	156
Digestive „	1·04	1·16	0·92	245	134	111	29	9	4	–	1	43	7	5	6	8	11	15	28	37	49	36
Urinary „	0·48	0·63	0·33	113	73	40	–	1	1	2	1	5	3	3	3	5	10	8	14	16	19	27
Generative „	0·04	–	0·07	9	–	9	–	–	–	–	–	–	–	–	–	–	2	–	3	1	2	1
Puerperal Fever	0·06	–	0·11	13	–	13	–	–	–	–	–	–	–	–	1	4	7	1	–	–	–	–
Childbirth	0·08	–	0·17	20	–	20	–	–	–	–	–	–	–	–	–	1	7	11	1	–	–	–
Violence	0·51	0·75	0·28	121	87	34	4	1	10	4	3	22	10	4	3	4	11	14	10	9	17	17
Other Causes	3·23	3·26	3·12	753	380	373	237	25	2	5	2	271	12	13	11	11	19	19	20	29	77	271

Marriages - - - 1,389

Births - { Males - 3,427, Females - 3,180 } 6,607

Annual Rate per 1000 living { Persons Married 11·78, Births - - 28·02

Deaths from Childbirth and Puerperal Fever - - - - - 4·99 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

615.—FORDEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·82	†104	–	–	–	–	34·09	3·84	2·81	4·55	7·18	8·01	8·45	11·06	23·50	61·40	158·75
Annual Death-Rate per 1000. Males	—	15·47	†115	–	–	–	–	37·30	3·57	2·71	3·79	5·84	7·97	8·49	13·20	25·77	67·27	183·72
Annual Death-Rate per 1000. Females	—	14·20	† 93	–	–	–	–	30·86	4·11	2·91	5·48	8·54	8·05	8·41	8·80	21·04	55·61	139·91
Mean Population, 1881–91. Persons	Decennial Decrease of Population 10·74 per cent.	17,297	412	390	411	418	396	2027	2085	1958	1691	1364	2134	1846	1591	1315	886	400
Mean Population, 1881–91. Males		8,793	214	197	202	205	198	1016	1063	996	924	685	1066	930	818	683	440	172
Mean Population, 1881–91. Females		8,504	198	193	209	213	198	1011	1022	962	767	679	1068	916	773	632	446	228
Deaths from All Causes, 1881–90. Persons	17·30	2,992	500	90	45	32	24	691	80	55	77	98	171	156	176	309	544	635
Deaths from All Causes, 1881–90. Males	17·96	1,579	278	44	22	21	14	379	38	27	35	40	85	79	108	176	296	316
Deaths from All Causes, 1881–90. Females	16·62	1,413	222	46	23	11	10	312	42	28	42	58	86	77	68	133	248	319

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	0·02	0·03	0·01	4	3	1	1	1	–	–	–	2	–	–	–	–	1	–	–	1	–	–
Measles	0·15	0·17	0·13	26	15	11	9	2	4	3	–	18	7	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·16	0·17	0·15	28	15	13	1	4	7	3	6	21	5	–	–	1	–	1	–	–	–	–
Diphtheria	0·16	0·15	0·18	28	13	15	1	3	2	6	3	15	7	1	2	1	1	–	–	–	1	–
Whooping-cough	0·19	0·14	0·24	32	12	20	17	7	–	4	1	29	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	0·09	0·07	0·12	16	6	10	–	–	–	–	–	–	2	2	4	2	2	–	1	1	2	–
Simple Continued Fever	0·02	0·02	0·02	4	2	2	–	1	–	–	–	1	–	–	–	1	1	–	1	–	–	–
Diarrhœa and Dysentery	0·24	0·22	0·27	42	19	23	19	2	–	1	–	22	–	–	–	–	–	–	1	3	4	12
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·48	0·99	126	42	84	–	–	–	–	–	–	–	1	1	–	2	6	14	32	56	14
Tabes Mesenterica	0·11	0·11	0·09	18	10	8	6	3	3	2	–	14	1	1	–	2	–	–	–	–	–	–
Phthisis	1·42	1·22	1·62	245	107	138	2	1	1	–	–	4	3	10	23	44	54	50	30	17	8	2
Other Tub. & Scrof. Dis.	0·41	0·41	0·41	71	36	35	19	9	3	2	2	35	7	8	2	6	7	2	1	2	1	–
Diseases of Nervous System	2·36	2·58	2·14	409	227	182	114	10	5	4	1	134	3	10	10	4	9	12	15	31	96	85
Diseases of Circulatory „	2·15	2·21	2·09	372	194	178	1	–	–	–	1	2	3	3	7	5	16	17	26	73	119	101
Diseases of Respiratory „	3·10	3·56	2·65	538	313	225	94	35	10	3	3	145	15	3	5	6	18	10	26	61	122	127
Diseases of Digestive „	1·05	1·16	0·94	182	102	80	43	3	3	2	2	53	3	5	5	5	7	10	15	22	36	21
Diseases of Urinary „	0·60	0·81	0·38	103	71	32	–	–	–	1	2	3	6	1	2	2	5	10	9	18	25	22
Diseases of Generative „	0·02	0·01	0·04	4	1	3	1	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
Puerperal Fever	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	2	2	7	4	–	–	–	–
Childbirth	0·10	–	0·21	18	–	18	–	–	–	–	–	–	–	–	2	2	6	8	–	–	–	–
Violence	0·72	1·01	0·42	125	89	36	5	7	6	–	1	19	10	5	6	5	9	11	15	19	11	15
Other Causes	3·40	3·42	3·34	585	301	284	167	2	1	1	2	173	5	5	6	7	24	15	22	29	63	236

Marriages - - - 1,077

Births - Males - 2,410; Females - 2,383 — 4,793

Annual Rate per 1000 living: Persons Married 12·45; Births - - 27·71

Deaths from Childbirth and Puerperal Fever - - - - - 6·89 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

616.—LLANFYLLIN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*	16·58		†109	–	–	–	–	40·48	5·28	3·53	5·13	8·47	10·00	10·47	13·04	23·41	58·33	151·59
Males	—				17·53		†121	–	–	–	–	46·66	6·63	3·83	4·12	7·85	9·07	10·11	15·21	25·71	64·02	158·85
Females	—				15·69		† 97	–	–	–	–	34·74	3·92	3·24	6·18	9·10	10·88	10·84	10·86	21·00	52·84	145·65
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·47 per cent.			19,198			448	416	437	489	448	2238	2310	2209	1949	1416	2321	1948	1794	1508	1003	502
Males				9,549			200	204	209	243	222	1078	1162	1098	995	713	1135	979	901	770	492	226
Females				9,649			248	212	228	246	226	1160	1148	1111	954	703	1186	969	893	738	511	276
Deaths from All Causes, 1881–90. Persons	19·25			3,695			613	130	74	56	33	906	122	78	100	120	232	204	234	353	585	761
Males	20·21			1,930			343	65	44	33	18	503	77	42	41	56	103	99	137	198	315	359
Females	18·29			1,765			270	65	30	23	15	403	45	36	59	64	129	105	97	155	270	402
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·05	0·01	6	5	1	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–
Measles	0·11	0·12	0·10	21	11	10	3	5	3	5	–	16	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·28	0·28	0·27	53	27	26	2	2	4	6	5	19	20	7	4	3	–	–	–	–	–	–
Diphtheria	0·13	0·12	0·13	24	11	13	–	3	2	2	3	10	10	–	1	3	–	–	–	–	–	–
Whooping-cough	0·37	0·32	0·41	71	31	40	33	19	7	5	1	65	6	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·08	0·07	0·09	16	7	9	–	–	–	–	–	–	2	5	2	1	1	2	2	–	1	–
Simple Continued Fever	0·04	0·06	0·02	8	6	2	–	–	–	–	1	1	1	–	–	–	2	1	1	2	–	–
Diarrhœa and Dysentery	0·23	0·25	0·22	45	24	21	20	1	–	–	1	22	1	–	–	–	–	1	3	2	6	10
Cholera	0·02	0·03	0·01	4	3	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–
Cancer	0·81	0·81	0·82	156	77	79	–	–	1	–	–	1	–	–	–	2	4	13	24	44	48	20
Tabes Mesenterica	0·13	0·15	0·10	24	14	10	6	3	3	1	1	14	2	3	1	–	1	–	1	2	–	–
Phthisis	1·82	1·53	2·10	349	146	203	3	1	3	1	1	9	6	17	49	56	96	45	34	22	11	4
Other Tub. & Scrof. Dis.	0·32	0·41	0·24	62	39	23	4	8	6	4	6	28	15	10	2	2	2	3	–	–	–	–
Diseases of Nervous System	2·68	3·08	2·29	515	294	221	174	22	12	5	1	214	11	10	8	8	9	15	21	35	90	94
Circulatory „	1·91	1·70	2·12	367	162	205	3	–	–	–	1	4	3	2	5	6	21	17	35	63	119	92
Respiratory „	3·46	3·97	2·95	664	379	285	91	41	19	14	8	173	25	6	2	6	22	16	46	80	130	158
Digestive „	1·30	1·42	1·18	250	136	114	36	6	4	1	2	49	3	6	6	7	14	21	26	42	47	29
Urinary „	0·50	0·67	0·33	96	64	32	5	–	–	–	–	5	2	1	3	1	6	10	6	16	21	25
Generative „	0·06	–	0·11	11	–	11	–	–	–	–	–	–	–	–	–	–	3	3	2	–	3	–
Puerperal Fever	0·10	–	0·20	19	–	19	–	–	–	–	–	–	–	–	–	3	9	7	–	–	–	–
Childbirth	0·08	–	0·17	16	–	16	–	–	–	–	–	–	–	–	1	4	7	4	–	–	–	–
Violence	0·65	1·06	0·24	124	101	23	4	3	6	5	–	18	4	3	7	3	12	20	16	13	11	17
Other Causes	4·14	4·11	4·18	794	393	401	229	16	4	7	2	258	6	6	9	14	23	25	15	30	96	312

Marriages - - - 1,117

Births - { Males - 2,845, Females - 2,775 } 5,620

Annual Rate per 1000 living { Persons Married 11·64, Births - - 29·27

Deaths from Childbirth and Puerperal Fever - - - - - } 6·23 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

617.—HOLYWELL.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 17·31	†109	–	–	–	–	41·27	5·46	3·14	5·02	6·52	7·89	10·23	14·25	31·55	70·53	161·76
Males	—	17·65	†124	–	–	–	–	44·08	5·42	2·96	4·04	5·78	6·38	10·02	15·72	35·32	82·34	171·48
Females	—	16·98	† 94	–	–	–	–	38·38	5·50	3·31	6·23	7·38	9·57	10·45	12·83	28·02	61·15	156·10
Mean Population, 1881–91. Persons	Decennial Decrease of Population 7·01 per cent.	44,170	1144	1030	1097	1124	1103	5498	5510	5158	4246	3437	5790	4925	4097	3017	1778	714
Males		22,295	580	522	567	566	551	2786	2693	2530	2353	1852	3043	2504	2023	1461	787	263
Females		21,875	564	508	530	558	552	2712	2817	2628	1893	1585	2747	2421	2074	1556	991	451
Deaths from All Causes, 1881–90. Persons	18·28	8,075	1382	441	197	132	117	2269	301	162	213	224	457	504	584	952	1254	1155
Males	18·07	4,029	789	231	93	62	53	1228	146	75	95	107	194	251	318	516	648	451
Females	18·50	4,046	593	210	104	70	64	1041	155	87	118	117	263	253	266	436	606	704
	Persons. Males. Females.	Persons. Males. Females.	Persons.															
Small-pox	0·00 0·00 –	1 1 –	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	0·28 0·30 0·27	125 66 59	29	40	17	14	9	109	14	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·38 0·40 0·36	168 90 78	6	18	26	17	24	91	61	14	1	–	–	1	–	–	–	–
Diphtheria	0·13 0·12 0·15	59 26 33	2	3	4	7	6	22	26	4	3	2	–	–	–	1	1	–
Whooping-cough	0·36 0·31 0·40	157 70 87	52	40	30	19	8	149	8	–	–	–	–	–	–	–	–	–
Typhus	0·02 0·01 0·03	10 3 7	–	–	–	–	–	–	–	–	2	2	3	1	2	–	–	–
Enteric Fever	0·21 0·18 0·24	93 41 52	1	1	4	2	2	10	6	12	8	9	16	14	9	3	4	2
Simple Continued Fever	0·02 0·01 0·02	7 3 4	1	–	–	–	–	1	–	2	–	–	1	–	1	1	1	–
Diarrhœa and Dysentery	0·16 0·12 0·20	69 26 43	30	7	2	–	2	41	1	–	1	–	1	–	2	3	10	10
Cholera	0·00 0·01 –	2 2 –	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Cancer	0·63 0·50 0·76	279 112 167	–	–	–	–	–	–	–	1	–	1	5	23	65	88	80	16
Tabes Mesenterica	0·21 0·21 0·22	94 46 48	31	20	8	1	4	64	7	5	4	3	5	2	2	2	–	–
Phthisis	1·78 1·71 1·84	785 382 403	6	5	5	1	3	20	17	30	92	113	193	145	84	57	32	2
Other Tub. & Scrof. Dis.	0·30 0·29 0·31	132 64 68	17	26	11	5	5	64	22	12	9	5	7	8	2	3	–	–
Diseases of: Nervous System	3·26 3·17 3·36	1442 706 736	561	75	18	21	9	684	36	18	18	10	22	44	78	154	217	161
Circulatory „	1·53 1·42 1·63	674 317 357	1	–	–	2	–	3	7	9	10	9	27	55	91	167	186	110
Respiratory „	3·40 3·91 2·87	1500 872 628	226	119	43	29	35	452	51	7	15	18	36	59	108	231	335	188
Digestive „	1·05 1·04 1·06	464 231 233	57	36	6	2	3	104	10	12	5	7	29	34	47	93	86	37
Urinary „	0·48 0·52 0·43	210 115 95	1	4	3	1	1	10	4	5	6	4	21	26	24	43	42	25
Generative „	0·03 0·01 0·05	12 2 10	–	–	–	–	–	–	–	–	–	–	1	2	3	4	1	1
Puerperal Fever	0·08 – 0·17	37 – 37	–	–	–	–	–	–	–	–	1	7	20	9	–	–	–	–
Childbirth	0·07 – 0·14	31 – 31	–	–	–	–	–	–	–	–	2	2	17	10	–	–	–	–
Violence	0·61 0·92 0·29	269 206 63	10	8	8	7	2	35	19	18	27	19	28	39	28	16	20	20
Other Causes	3·29 2·91 3·70	1455 648 807	351	39	12	4	4	410	12	11	8	13	25	31	38	85	239	583

Marriages - - - 2,350

Births - Males - 6,387; Females - 6,280 — 12,667

Annual Rate per 1000 living: Persons Married 10·64; Births - - 28·68

Deaths from Childbirth and Puerperal Fever - - - - 5·37 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

618.—WREXHAM.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 19·27	†136	–	–	–	–	50·58	5·55	3·82	5·09	6·96	7·89	11·29	17·08	33·08	74·67	168·71
Males	—	19·91	†149	–	–	–	–	54·58	5·97	3·82	4·87	6·07	6·56	11·44	18·76	35·76	84·09	177·90
Females	—	18·67	†122	–	–	–	–	46·49	5·14	3·82	5·38	8·06	9·38	11·13	15·35	30·41	66·36	161·97
Mean Population, 1881–91. Persons	Decennial Increase of Population 11·95 per cent.	58,477	1654	1531	1586	1575	1549	7895	7328	6807	5854	4943	8209	6394	5104	3467	1824	652
Males		30,213	823	765	793	792	814	3987	3652	3432	3328	2734	4330	3295	2590	1734	855	276
Females		28,264	831	766	793	783	735	3908	3676	3375	2526	2209	3879	3099	2514	1733	969	376
Deaths from All Causes, 1881–90. Persons	19·07	11,153	2567	747	325	199	155	3993	407	260	298	344	648	722	872	1147	1362	1100
Males	19·30	5,830	1464	387	148	103	74	2176	218	131	162	166	284	377	486	620	719	491
Females	18·83	5,323	1103	360	177	96	81	1817	189	129	136	178	364	345	386	527	643	609

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	0·01	0·01	–	3	3	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
Measles	0·31	0·30	0·33	184	90	94	31	78	32	21	8	170	11	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·35	0·34	0·36	206	103	103	15	30	34	23	23	125	55	18	4	2	1	1	–	–	–	–
Diphtheria	0·15	0·14	0·16	87	43	44	4	9	9	10	13	45	33	2	3	1	1	–	–	1	1	–
Whooping-cough	0·35	0·28	0·43	205	84	121	88	59	35	9	7	198	7	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	0·01	8	5	3	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1	–
Enteric Fever	0·11	0·13	0·09	65	40	25	–	–	–	3	1	4	7	8	9	13	13	9	–	2	–	–
Simple Continued Fever	0·03	0·02	0·04	17	6	11	–	–	1	–	2	3	–	4	3	2	1	2	–	1	–	1
Diarrhœa and Dysentery	0·37	0·31	0·42	215	95	120	100	31	1	1	1	134	2	1	–	–	7	7	6	13	24	21
Cholera	0·00	0·00	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·54	0·37	0·72	314	111	203	–	–	–	–	–	–	–	2	–	1	5	31	89	86	69	31
Tabes Mesenterica	0·16	0·16	0·16	95	49	46	45	15	9	2	–	71	6	4	7	1	3	3	–	–	–	–
Phthisis	1·46	1·41	1·51	852	426	426	5	3	2	2	2	14	21	35	97	122	223	168	110	46	16	–
Other Tub. & Scrof. Dis.	0·24	0·28	0·19	141	86	55	22	22	9	10	7	70	29	14	3	6	10	5	1	3	–	–
Diseases of Nervous System	3·11	3·18	3·05	1820	959	861	793	102	41	21	18	975	56	47	22	20	48	59	101	167	205	120
Diseases of Circulatory	1·24	1·13	1·37	728	342	386	2	–	–	–	2	4	8	15	8	17	28	74	123	183	181	87
Diseases of Respiratory	4·06	4·44	3·66	2376	1342	1034	531	264	99	61	48	1003	84	26	30	38	71	118	160	318	345	183
Diseases of Digestive	1·18	1·16	1·21	693	351	342	124	58	17	8	8	215	18	20	13	21	40	54	85	114	88	25
Diseases of Urinary	0·46	0·55	0·37	270	165	105	6	2	8	2	3	21	7	4	7	7	22	33	39	46	60	24
Diseases of Generative	0·05	0·01	0·08	27	3	24	–	–	1	–	–	1	–	–	2	1	4	4	9	2	4	–
Puerperal Fever	0·14	–	0·29	83	–	83	–	–	–	–	–	–	–	–	1	17	46	19	–	–	–	–
Childbirth	0·13	–	0·28	79	–	79	–	–	–	–	–	–	–	–	3	15	28	31	2	–	–	–
Violence	0·88	1·42	0·31	517	428	89	7	15	12	15	7	56	39	28	59	37	58	56	68	50	40	26
Other Causes	3·73	3·64	3·79	2167	1098	1069	794	59	15	11	5	884	23	30	26	22	37	46	76	114	327	582

Marriages - - - 4,415

Births - Males - 9,813; Females - 9,057 — 18,870

Annual Rate per 1000 living: Persons Married 15·10; Births - - 32·27

Deaths from Childbirth and Puerperal Fever - - - - - 8·59 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

619.—RUTHIN.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 15·06			†117	–	–	–	–	36·68	5·21	2·50	4·96	6·96	7·72	8·30	11·13	26·58	57·34	140·38
Males	—			15·18			†126	–	–	–	–	39·29	4·56	1·69	4·03	6·90	7·54	8·59	12·13	27·16	57·43	157·67
Females	—			14·95			†107	–	–	–	–	33·94	5·82	3·32	6·03	7·02	7·90	8·02	10·17	25·99	57·26	126·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 8·98 per cent.			13,576			308	271	288	305	303	1475	1479	1523	1391	1092	1723	1410	1294	1110	715	364
Males				6,811			166	139	145	144	162	756	723	770	744	565	862	687	635	556	350	163
Females				6,765			142	132	143	161	141	719	756	753	647	527	861	723	659	554	365	201
Deaths from All Causes, 1881–90. Persons	17·76			2,411			399	59	40	20	23	541	77	38	69	76	133	117	144	295	410	511
Males	17·94			1,222			222	31	22	11	11	297	33	13	30	39	65	59	77	151	201	257
Females	17·58			1,189			177	28	18	9	12	244	44	25	39	37	68	58	67	144	209	254
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·12	0·13	17	8	9	2	4	3	1	1	11	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·10	0·07	0·13	14	5	9	–	2	1	1	3	7	6	–	1	–	–	–	–	–	–	–
Diphtheria	0·27	0·31	0·22	36	21	15	1	–	4	4	3	12	15	4	2	2	–	1	–	–	–	–
Whooping-cough	0·15	0·16	0·13	20	11	9	11	3	4	–	1	19	1	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·07	0·07	0·06	9	5	4	1	–	–	–	–	1	2	–	1	3	1	–	–	–	1	–
Simple Continued Fever	0·06	0·04	0·07	8	3	5	–	–	1	1	–	2	–	–	–	–	2	1	1	1	1	–
Diarrhœa and Dysentery	0·15	0·16	0·15	21	11	10	7	–	1	–	–	8	1	–	–	–	1	–	–	3	4	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·86	0·87	0·86	117	59	58	–	–	–	–	–	–	–	–	1	3	3	7	13	32	40	18
Tabes Mesenterica	0·10	0·04	0·15	13	3	10	4	1	2	–	2	9	3	1	–	–	–	–	–	–	–	–
Phthisis	1·94	2·03	1·85	263	138	125	3	2	2	2	1	10	4	11	38	43	59	35	26	25	9	3
Other Tub. & Scrof. Dis.	0·14	0·16	0·12	19	11	8	1	3	1	–	1	6	1	4	2	2	3	–	–	–	1	–
Diseases of Nervous System	3·78	3·77	3·78	513	257	256	236	15	6	3	4	264	15	5	4	5	4	17	17	53	73	56
Circulatory „	1·76	1·72	1·80	239	117	122	1	1	–	–	–	2	1	1	2	–	9	11	30	52	77	54
Respiratory „	2·41	2·56	2·26	327	174	153	39	21	8	4	4	76	12	2	4	4	14	20	16	59	64	56
Digestive „	1·14	1·17	1·11	155	80	75	16	1	–	–	–	17	4	2	5	5	6	8	17	27	38	26
Urinary „	0·38	0·54	0·22	52	37	15	–	1	–	–	–	1	1	1	–	2	3	1	9	7	12	15
Generative „	0·04	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–
Puerperal Fever	0·04	–	0·09	6	–	6	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–
Childbirth	0·10	–	0·21	14	–	14	–	–	–	–	–	–	–	–	–	–	9	5	–	–	–	–
Violence	0·43	0·66	0·21	59	45	14	1	1	3	2	3	10	3	4	1	3	7	5	4	10	6	6
Other Causes	3·71	3·49	3·94	503	237	266	76	4	4	2	–	86	3	2	8	3	6	4	9	25	84	273

Marriages - - - 689

Births - Males - 1,763; Females - 1,647 — 3,410

Annual Rate per 1000 living: Persons Married 10·15; Births - - 25·12

Deaths from Childbirth and Puerperal Fever - - - - - 5·87 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

620.—ST. ASAPH.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000. Persons	—	In Standard Population* 18·51	†115	–	–	–	–	39·73	5·05	3·89	5·74	8·16	10·46	13·34	20·11	32·75	67·11	161·62
Males	—	19·70	†128	–	–	–	–	44·22	5·47	4·06	5·97	8·28	10·98	14·71	22·44	34·78	74·15	171·53
Females	—	17·40	†101	–	–	–	–	35·27	4·60	3·72	5·53	8·06	10·02	12·16	18·15	30·92	61·38	153·95
Mean Population, 1881-91. Persons	Decennial Decrease of Population 1·71 per cent.	29,206	648	587	633	612	646	3126	3161	3266	2894	2354	3912	3320	2820	2284	1441	628
Males		13,736	328	294	295	321	320	1558	1573	1652	1340	1002	1776	1543	1288	1084	646	274
Females		15,470	320	293	338	291	326	1568	1588	1614	1554	1352	2136	1777	1532	1200	795	354
Deaths from All Causes, 1881–90. Persons	20·66	6,035	846	192	88	63	53	1242	159	127	166	192	409	443	567	748	967	1015
Males	22·15	3,042	483	97	47	37	25	689	86	67	80	83	195	227	289	377	479	470
Females	19·35	2,993	363	95	41	26	28	553	73	60	86	109	214	216	278	371	488	545

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	0·17	0·08	37	24	13	8	12	4	4	4	32	5	–	–	–	–	–	–	–
Scarlet Fever	0·17	0·21	0·14	51	29	22	–	8	11	5	7	31	12	3	1	3	–	–	1	–
Diphtheria	0·17	0·17	0·16	49	24	25	2	2	2	5	5	16	18	7	3	1	1	2	–	1
Whooping-cough	0·25	0·29	0·21	72	40	32	35	14	9	5	4	67	5	–	–	–	–	–	–	–
Typhus	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·14	0·17	0·12	41	23	18	–	1	1	–	–	2	5	3	4	7	9	4	3	3
Simple Continued Fever	0·01	0·01	0·01	4	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·25	0·23	70	35	35	33	7	–	–	–	40	3	–	1	1	1	3	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·94	0·79	1·08	275	108	167	–	–	–	–	–	–	–	–	1	–	5	13	55	86
Tabes Mesenterica	0·14	0·17	0·11	40	23	17	13	3	3	1	2	22	5	5	1	–	2	–	1	1
Phthisis	2·09	2·18	2·00	609	299	310	2	2	–	1	1	6	8	19	54	91	141	99	95	61
Other Tub. & Scrof. Dis.	0·31	0·36	0·27	92	50	42	12	10	3	1	3	29	14	12	8	2	12	3	4	4
Diseases of: Nervous System	4·09	4·55	3·68	1195	625	570	317	44	12	15	6	394	25	18	18	16	48	74	98	143
Circulatory „	2·32	2·24	2·39	677	308	369	1	–	2	–	–	3	5	10	10	15	35	54	81	132
Respiratory „	3·39	3·85	2·99	991	529	462	120	61	28	10	9	228	23	13	12	13	48	60	75	117
Digestive „	1·44	1·43	1·45	420	196	224	42	7	4	3	4	60	10	7	9	9	35	33	55	79
Urinary „	0·68	0·89	0·49	198	122	76	1	1	–	1	2	5	3	6	4	4	14	19	27	31
Generative „	0·05	0·01	0·08	14	1	13	1	–	–	–	–	1	–	–	1	–	1	4	3	1
Puerperal Fever	0·04	–	0·07	11	–	11	–	–	–	–	–	–	–	–	–	1	8	2	–	–
Childbirth	0·07	–	0·14	21	–	21	–	–	–	–	–	–	–	–	1	2	3	14	1	–
Violence	0·55	0·79	0·33	160	109	51	7	3	4	5	3	22	7	9	16	9	16	18	14	23
OTHER CAUSES	3·44	3·61	3·32	1007	494	513	252	17	5	6	3	283	11	15	21	18	30	41	53	63

Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	75	40	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	31	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Tub. & Scrof. Dis.	184	177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of: Nervous System	194	138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Circulatory „	193	209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory „	81	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Digestive „	46	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Urinary „	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative „	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence	11	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OTHER CAUSES	134	338	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Marriages - - - 1,726

Births - { Males - 3,780 / Females - 3,591 } 7,371

Annual Rate per 1000 living { Persons Married 11·82 / Births - - 25·24 }

Deaths from Childbirth and Puerperal Fever - - - - - } 4·34 per 1000 Births.

* *See* pages xxxvi–xxxviii

† The death-rates under one year of age are per 1000 Births.

621.—LLANRWST.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population.* 15·65	†113	–	–	–	–	38·11	3·71	3·57	5·92	7·89	8·33	9·61	14·00	25·51	51·48	145·33
Annual Death-Rate per 1000. Males	—	15·90	†127	–	–	–	–	40·56	3·57	3·03	5·23	7·26	7·48	9·54	14·33	29·22	59·33	149·41
Annual Death-Rate per 1000. Females	—	15·42	† 99	–	–	–	–	35·62	3·86	4·12	6·59	8·51	9·16	9·67	13·68	21·89	44·61	141·75
Mean Population, 1881-91. Persons	Decennial Decrease of Population 7·78 per cent.	13,560	319	300	307	323	307	1556	1509	1456	1352	1141	1872	1509	1221	937	643	364
Mean Population, 1881-91. Males		6,707	158	148	155	163	160	784	757	727	669	565	922	744	607	462	300	170
Mean Population, 1881-91. Females		6,853	161	152	152	160	147	772	752	729	683	576	950	765	614	475	343	194
Deaths from All Causes, 1881-90. Persons	18·01	2,442	403	90	39	27	34	593	56	52	80	90	156	145	171	239	331	529
Deaths from All Causes, 1881-90. Males	18·44	1,237	225	42	14	19	18	318	27	22	35	41	69	71	87	135	178	254
Deaths from All Causes, 1881-90. Females	17·58	1,205	178	48	25	8	16	275	29	30	45	49	87	74	84	104	153	275

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·03	0·03	0·03	4	2	2	–	–	–	–	–	–	–	–	–	–	–	4	–	–
Measles	0·16	0·13	0·19	22	9	13	4	7	3	3	1	18	2	2	–	–	–	–	–	–
Scarlet Fever	0·08	0·01	0·15	11	1	10	–	2	1	–	1	4	4	1	–	–	1	1	–	–
Diphtheria	0·16	0·22	0·10	22	15	7	–	3	1	3	5	12	9	1	–	–	–	–	–	–
Whooping-cough	0·29	0·27	0·32	40	18	22	13	15	7	2	1	38	2	–	–	–	–	–	–	–
Typhus	0·04	0·04	0·03	5	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·10	0·09	0·12	14	6	8	–	–	–	–	–	–	–	–	3	1	4	3	2	–
Simple Continued Fever	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·26	0·24	0·28	35	16	19	11	–	2	–	2	15	–	–	1	–	1	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·73	0·70	0·76	99	47	52	1	–	–	–	–	1	–	–	–	–	3	5	16	21
Tabes Mesenterica	0·15	0·16	0·15	21	11	10	11	3	1	–	–	15	2	1	1	–	2	–	–	–
Phthisis	2·22	1·73	2·70	301	116	185	–	2	–	1	–	3	4	20	28	52	71	46	31	25
Other Tub. & Scrof. Dis.	0·38	0·46	0·31	52	31	21	9	6	4	3	2	24	2	6	8	2	4	2	1	1
Diseases of Nervous System	3·52	3·40	3·63	477	228	249	202	19	3	2	4	230	10	7	13	7	3	6	13	42
Diseases of Circulatory "	1·74	1·76	1·72	236	118	118	–	–	–	–	–	1	1	2	3	6	7	15	27	55
Diseases of Respiratory "	3·15	3·85	2·47	427	258	169	69	22	15	7	8	121	8	2	3	3	14	16	34	39
Diseases of Digestive "	0·82	0·89	0·74	111	60	51	12	–	–	–	–	12	4	1	8	1	6	8	13	14
Diseases of Urinary "	0·58	0·81	0·35	78	54	24	1	–	–	1	1	3	2	2	2	–	8	15	7	8
Diseases of Generative "	0·04	0·01	0·07	6	1	5	–	–	–	–	–	–	–	–	1	–	–	1	–	2
Puerperal Fever	0·08	–	0·16	11	–	11	–	–	–	–	–	–	–	–	–	4	6	1	–	–
Childbirth	0·15	–	0·31	21	–	21	–	–	–	–	–	–	–	–	–	4	9	7	1	–
Violence	0·53	0·89	0·18	72	60	12	–	–	1	1	4	6	3	–	6	8	8	3	12	11
Other Causes	2·79	2·72	2·81	375	181	194	70	11	1	3	5	90	3	7	3	2	8	15	14	16

	75 and upwds.
Persons	145·33
Males	149·41
Females	141·75
Persons	364
Males	170
Females	194
Persons	529
Males	254
Females	275
Persons	2
Persons	1
Persons	–
Persons	12
Persons	19
Persons	5
Persons	2
Persons	91
Persons	66
Persons	100
Persons	26
Persons	16
Persons	1
Persons	–
Persons	–
Persons	7
Persons	181

Marriages - - - 823

Births - Males - 1,772; Females - 1,790 } 3,562

Annual Rate per 1000 living { Persons Married 12·14; Births - - 26·27

Deaths from Childbirth and Puerperal Fever - - - - } 8·98 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 100 Births.

622.—CORWEN.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·33	†109	–	–	–	–	37·49	4·10	2·74	5·71	5·72	9·05	9·81	11·99	24·67	55·72	141·33
Males	—	15·36	†123	–	–	–	–	41·66	3·35	1·93	5·19	5·60	7·08	8·87	14·44	25·62	55·33	155·87
Females	—	15·31	† 94	–	–	–	–	33·40	4·83	3·56	6·29	5·86	11·01	10·76	9·60	23·71	56·09	129·11
Mean Population, 1881-91. Persons	Decennial Decrease of Population, 3·42 per cent.	16,546	385	365	399	418	380	1947	1978	1861	1575	1345	2122	1774	1526	1204	822	392
Males		8,300	184	173	205	211	192	965	984	934	828	697	1059	891	755	605	403	179
Females		8,246	201	192	194	207	188	982	994	927	747	648	1063	883	771	599	419	213
Deaths from All Causes, 1881–90. Persons	17·45	2,887	485	120	57	41	27	730	81	51	90	77	192	174	183	297	458	554
Males	17·53	1,455	281	65	28	15	13	402	33	18	43	39	75	79	109	155	223	279
Females	17·37	1,432	204	55	29	26	14	328	48	33	47	38	117	95	74	142	235	275

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	..	–	–	–	–	–	–	–	–	–
Measles	0·21	0·24	0·18	35	20	15	12	10	4	2	2	30	2	–	3	–	–	–	–	–	–
Scarlet Fever	0·25	0·28	0·23	42	23	19	1	3	5	8	7	24	13	4	–	–	1	–	–	–	–
Diphtheria	0·09	0·08	0·10	15	7	8	–	1	1	2	3	7	4	1	2	–	1	–	–	–	–
Whooping-cough	0·32	0·30	0·34	53	25	28	22	17	4	5	1	49	4	–	–	–	–	–	–	–	–
Typhus	0·01	0·02	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Enteric Fever	0·09	0·08	0·10	15	7	8	–	–	–	–	–	–	1	5	2	4	1	1	1	–	–
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Diarrhœa and Dysentery	0·21	0·22	0·19	34	18	16	14	1	–	1	–	16	–	1	–	–	1	3	–	2	6	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·74	0·78	0·69	122	65	57	–	1	–	–	–	1	–	–	–	–	5	7	18	37	44	10
Tabes Mesenterica	0·15	0·16	0·15	25	13	12	7	6	3	1	–	17	2	–	1	–	2	3	–	–	–	–
Phthisis	1·86	1·88	1·83	307	156	151	1	3	–	–	1	5	6	8	39	42	88	55	29	24	9	2
Other Tub. & Scrof. Dis.	0·24	0·19	0·28	39	16	23	4	6	4	2	–	16	7	6	2	4	2	1	–	–	1	–
Diseases of Nervous System	3·28	3·22	3·35	543	267	276	235	25	10	8	2	280	12	4	5	3	8	16	23	42	64	86
Circulatory "	1·58	1·42	1·75	262	118	144	1	–	–	–	–	1	1	1	5	–	10	17	22	54	78	73
Respiratory "	3·07	3·23	2·91	508	268	240	76	32	20	7	8	143	16	7	9	–	16	15	33	47	105	117
Digestive "	1·15	1·33	0·98	191	110	81	14	2	3	2	3	24	4	4	5	4	11	16	25	36	42	20
Urinary "	0·37	0·47	0·27	61	39	22	1	–	–	–	–	1	–	2	2	–	5	7	9	11	12	12
Generative "	0·04	–	0·07	6	–	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–
Puerperal Fever	0·13	–	0·27	22	–	22	–	–	–	–	–	–	–	–	1	4	11	6	–	–	–	–
Childbirth	0·09	–	0·18	15	–	15	–	–	–	–	–	–	–	–	–	1	8	5	1	–	–	–
Violence	0·46	0·66	0·25	76	55	21	3	4	2	1	–	10	5	3	6	3	8	7	7	12	8	7
Other Causes	3·10	2·96	3·24	512	245	267	94	9	1	2	–	106	4	5	7	11	11	15	13	31	87	222

Marriages - - - 907

Births - { Males 2,277 / Females 2,173 } 4,450

Annual Rate per 1000 living { Persons Married 10·96 / Births - - 26·89

Deaths from Childbirth and Puerperal Fever - - - - - } 8·31 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The deaths under one year of age are per 1000 Births.

623.—BALA.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 15·32	†133	–	–	–	–	42·17	3·44	3·67	4·87	5·88	7·22	10·00	10·19	21·74	52·40	147·40
Annual Death-Rate per 1000. Males	—	In Standard Population* 16·24	†148	–	–	–	–	49·23	4·91	3·06	3·85	5·50	6·47	9·79	12·58	22·36	51·81	168·29
Annual Death-Rate per 1000. Females	—	In Standard Population* 14·45	†117	–	–	–	–	35·48	1·99	4·24	6·12	6·32	8·03	10·23	7·81	21·08	53·06	131·82
Mean Population, 1881–91. Persons	Decennial Decrease of Population 9·27 per cent.	6,428	143	115	134	133	139	664	697	681	616	578	859	730	638	460	313	192
Mean Population, 1881–91. Males	Decennial Decrease of Population 9·27 per cent.	3,272	68	55	68	66	66	323	346	327	338	309	448	378	318	237	166	82
Mean Population, 1881–91. Females	Decennial Decrease of Population 9·27 per cent.	3,156	75	60	66	67	73	341	351	354	278	269	411	352	320	223	147	110
Deaths from All Causes, 1881–90. Persons	17·73	1,140	218	35	10	7	10	280	24	25	30	34	62	73	65	100	164	283
Deaths from All Causes, 1881–90. Males	18·31	599	125	19	4	2	9	159	17	10	13	17	29	37	40	53	86	138
Deaths from All Causes, 1881–90. Females	17·14	541	93	16	6	5	1	121	7	15	17	17	33	36	25	47	78	145

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	1–	2–	3–	4–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·15	0·10	8	5	3	2	2	–	1	–	5	2	–	–	1	–	–	–	–	–
Scarlet Fever	0·08	0·12	0·03	5	4	1	–	1	–	–	1	2	1	1	–	–	–	–	1	–	–
Diphtheria	0·02	0·03	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Whooping-cough	0·25	0·24	0·25	16	8	8	7	6	2	–	–	15	1	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·09	0·09	0·10	6	3	3	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–
Simple Continued Fever	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Dysentery	0·23	0·15	0·32	15	5	10	6	–	–	2	–	8	–	–	–	–	–	1	–	3	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1·07	0·79	1·36	69	26	43	–	–	–	–	–	–	–	–	1	1	4	6	16	26	15
Tabes Mesenterica	0·08	0·12	0·03	5	4	1	2	–	–	–	1	3	–	1	–	–	–	1	–	–	–
Phthisis	1·88	1·80	1·96	121	59	62	–	1	1	–	2	4	–	6	16	14	30	22	13	9	6	1
Other Tub. & Scrof. Dis.	0·26	0·34	0·19	17	11	6	6	2	1	1	1	11	3	1	–	–	–	1	–	1	–	–
Diseases of Nervous System	3·00	3·15	2·85	193	103	90	66	9	3	–	2	80	7	7	3	6	3	8	6	12	32	29
Diseases of Circulatory "	1·60	1·62	1·58	103	53	50	1	–	–	–	–	1	–	–	1	1	5	5	5	17	30	38
Diseases of Respiratory "	3·22	3·88	2·53	207	127	80	31	10	–	2	2	45	2	2	1	2	3	10	11	23	30	78
Diseases of Digestive "	1·12	1·28	0·95	72	42	30	7	2	–	–	–	9	1	3	1	3	7	8	8	6	9	17
Diseases of Urinary "	0·72	0·86	0·57	46	28	18	–	–	–	–	–	–	1	1	1	–	2	4	2	6	13	16
Diseases of Generative "	0·03	0·03	0·03	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Puerperal Fever	0·12	–	0·25	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	–
Childbirth	0·02	–	0·03	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Violence	0·34	0·52	0·16	22	17	5	–	–	2	–	–	2	1	1	2	2	2	4	–	2	1	5
Other Causes	3·46	3·14	3·82	222	102	120	90	2	1	1	1	95	4	2	4	5	3	2	8	5	13	81

Marriages - - - 377

Births - { Males - 843, Females - 794 } 1,637

Annual Rate per 1000 living { Persons Married 11·73, Births - - 25·47 }

Deaths from Childbirth and Puerperal Fever - - - - - } 5·50 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

624.—DOLGELLY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·08			†109	–	–	–	–	36·57	6·31	3·33	5·31	8·06	9·20	9·89	13·22	23·49	56·85	160·16
Annual Death-Rate per 1000. Males	—			In Standard Population* 17·23			†115	–	–	–	–	39·93	5·96	3·21	5·15	9·50	9·72	10·10	14·81	25·55	68·44	184·77
Annual Death-Rate per 1000. Females	—			In Standard Population* 15·00			†102	–	–	–	–	33·10	6·66	3·45	5·46	6·87	8·76	9·71	11·75	21·80	47·79	142·72
Mean Population, 1881–91. Persons	Decennial Decrease of Population 4·27 per cent.			14,836			336	327	353	363	349	1728	1712	1681	1413	1142	1989	1698	1414	1009	686	364
Mean Population, 1881–91. Males				7,048			166	174	181	183	175	879	856	811	680	516	916	802	682	454	301	151
Mean Population, 1881–91. Females				7,788			170	153	172	180	174	849	856	870	733	626	1073	896	732	555	385	213
Deaths from All Causes, 1881–90. Persons	18·27			2,711			426	78	50	43	35	632	108	56	75	92	183	168	187	237	390	583
Deaths from All Causes, 1881–90. Males	19·64			1,384			236	41	31	27	16	351	51	26	35	49	89	81	101	116	206	279
Deaths from All Causes, 1881–90. Females	17·04			1,327			190	37	19	16	19	281	57	30	40	43	94	87	86	121	184	304
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·20	0·18	0·21	29	13	16	8	10	2	2	3	25	2	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·28	0·34	0·22	41	24	17	2	1	8	7	6	24	10	3	2	1	–	–	1	–	–	–
Diphtheria	0·13	0·13	0·13	19	9	10	1	–	–	4	3	8	10	1	–	–	–	–	–	–	–	–
Whooping-cough	0·26	0·24	0·28	39	17	22	20	6	4	4	3	37	2	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·11	0·13	18	8	10	–	–	–	–	–	–	3	1	1	2	2	3	1	2	2	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·16	0·17	24	11	13	8	1	–	1	–	10	1	–	–	–	1	1	–	1	2	8
Cholera	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·94	0·87	1·00	139	61	78	–	–	–	–	–	–	–	–	–	–	3	14	23	34	44	21
Tabes Mesenterica	0·24	0·18	0·28	35	13	22	15	2	–	2	–	19	3	2	2	3	1	3	1	1	–	–
Phthisis	2·01	2·06	1·97	298	145	153	2	–	1	1	2	6	13	10	37	29	74	55	34	26	11	3
Other Tub. & Scrof. Dis.	0·44	0·48	0·40	65	34	31	8	6	4	2	2	22	17	9	2	5	4	2	2	–	1	1
Diseases of Nervous System	2·70	2·95	2·48	401	208	193	95	11	6	2	1	115	6	8	3	6	14	11	20	31	76	111
Diseases of Circulatory „	2·01	1·90	2·11	298	134	164	2	–	–	–	–	2	–	3	1	3	6	11	16	47	78	131
Diseases of Respiratory „	3·48	3·96	3·04	516	279	237	120	28	21	10	11	190	16	3	5	10	19	21	32	35	87	98
Diseases of Digestive „	1·23	1·38	1·10	183	97	86	33	5	3	3	–	44	5	4	5	6	14	11	17	22	26	20
Diseases of Urinary „	0·56	0·81	0·33	83	57	26	–	1	–	1	1	3	1	–	2	5	8	4	9	11	20	20
Diseases of Generative „	0·05	0·01	0·09	8	1	7	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	2
Puerperal Fever	0·06	–	0·12	9	–	9	–	–	–	–	–	–	–	–	1	2	3	3	–	–	–	–
Childbirth	0·13	–	0·26	20	–	20	–	–	–	–	–	–	–	–	1	4	7	8	–	–	–	–
Violence	0·68	1·09	0·31	101	77	24	3	–	–	3	1	7	8	4	6	10	12	8	13	11	9	13
Other Causes	2·57	2·77	2·41	383	194	189	109	7	1	1	2	120	11	7	6	6	11	11	16	16	34	145

Marriages - - - 807

Births - { Males - 2,058 / Females - 1,866 } 3,924

Annual Rate per 1000 living { Persons Married 10·88 / Births - - 26·45 }

Deaths from Childbirth and Puerperal Fever - - - - - } 7·39 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

625.—FESTINIOG.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 17·79			†130	–	–	–	–	47·10	5·98	3·29	7·50	8·18	8·90	11·19	14·21	27·44	55·73	143·76
Males	—			18·75			†149	–	–	–	–	53·15	6·13	2·46	6·20	7·30	7·84	11·44	15·84	31·75	69·37	148·74
Females	—			16·89			†110	–	–	–	–	41·11	5·83	4·14	8·92	9·16	9·99	10·94	12·54	23·52	44·73	140·15
Mean Population, 1881–91. Persons	Decennial Decrease of Population 5·64 per cent.			28,693			732	759	747	789	735	3762	3559	3314	2641	2385	4092	3377	2456	1640	994	473
Males				14,476			375	373	377	374	373	1872	1828	1670	1386	1260	2079	1713	1244	781	444	199
Females				14,217			357	386	370	415	362	1890	1731	1644	1255	1125	2013	1664	1212	859	550	274
Deaths from All Causes, 1881–90. Persons	18·34			5,262			1181	303	130	95	63	1772	213	109	198	195	364	378	349	450	554	680
Males	18·89			2,734			694	160	61	46	34	995	112	41	86	92	163	196	197	248	308	296
Females	17·78			2,528			487	143	69	49	29	777	101	68	112	103	201	182	152	202	246	384
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·30	0·30	0·30	86	43	43	18	28	11	8	4	69	12	2	–	–	2	1	–	–	–	–
Scarlet Fever	0·35	0·35	0·34	100	51	49	7	17	12	13	14	63	24	8	2	1	1	1	–	–	–	–
Diphtheria	0·20	0·20	0·19	56	29	27	6	6	6	6	6	30	18	1	2	1	–	1	1	–	2	–
Whooping-cough	0·45	0·50	0·39	128	72	56	71	29	15	3	3	121	7	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·13	0·12	0·13	36	18	18	–	–	–	1	–	1	1	4	4	6	2	11	2	3	2	–
Simple Continued Fever	0·02	0·01	0·04	7	2	5	2	–	2	–	–	4	–	–	1	1	–	–	1	–	–	–
Diarrhœa and Dysentery	0·20	0·19	0·22	58	27	31	31	2	4	–	–	37	–	–	–	–	2	1	–	2	6	10
Cholera	0·03	0·02	0·05	10	3	7	1	–	–	–	–	1	1	–	–	–	2	1	1	–	4	–
Cancer	0·77	0·62	0·91	220	90	130	–	–	1	–	–	1	–	–	1	–	4	22	33	63	62	34
Tabes Mesenterica	0·36	0·32	0·40	103	46	57	28	27	4	3	2	64	12	2	7	6	5	4	2	1	–	–
Phthisis	2·51	2·24	2·78	719	324	395	4	9	1	3	2	19	23	33	89	85	168	116	68	73	35	10
Other Tub. & Scrof. Dis.	0·53	0·54	0·52	152	78	74	19	21	10	5	6	61	32	17	16	7	10	4	2	3	–	–
Diseases of Nervous System	3·44	3·68	3·20	988	533	455	503	45	20	17	1	586	19	16	14	7	15	22	30	53	97	129
Circulatory „	1·34	1·38	1·29	384	200	184	2	1	–	–	–	3	5	2	9	10	16	25	43	63	96	112
Respiratory „	3·25	3·66	2·83	933	530	403	185	86	27	22	13	333	29	3	10	17	27	44	61	94	117	198
Digestive „	0·92	0·90	0·93	263	131	132	72	12	6	3	4	97	7	3	3	6	13	22	26	22	41	23
Urinary „	0·60	0·72	0·49	173	104	69	1	1	1	2	3	8	2	3	4	7	9	17	19	26	44	34
Generative „	0·04	0·01	0·07	11	1	10	–	–	–	–	–	–	–	–	–	1	2	3	1	2	1	1
Puerperal Fever	0·10	–	0·21	30	–	30	–	–	–	–	–	–	–	–	–	7	12	10	1	–	–	–
Childbirth	0·13	–	0·26	37	–	37	–	–	–	–	–	–	–	–	1	5	15	16	–	–	–	–
Violence	0·75	1·22	0·27	215	176	39	4	4	5	7	4	24	9	3	14	10	33	31	33	24	18	16
Other Causes	1·92	1·91	1·96	553	276	277	227	15	5	2	1	250	12	12	21	18	26	26	25	21	29	113

Marriages - - - 1,642

Births - Males - 4,661, Females - 4,420 } 9,081

Annual Rate per 1000 living: Persons Married 11·45; Births - - 31·65

Deaths from Childbirth and Puerperal Fever - - - - 7·38 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

626.—PWLLHELI.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population*		15·01	†102	–	–	–	–	35·26	5·47	3·83	5·03	8·00	8·85	8·85	13·27	21·36	47·90	143·16
Annual Death-Rate per 1000. Males	—					15·40	†114	–	–	–	–	37·71	4·84	2·94	5·10	8·65	8·97	9·29	14·60	22·97	50·26	153·72
Annual Death-Rate per 1000. Females	—					14·63	† 90	–	–	–	–	32·74	6·13	4·78	4·96	7·42	8·75	8·49	12·15	19·98	45·96	134·37
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·78 per cent.			22,592			529	498	544	520	518	2609	2521	2431	2069	1801	2938	2474	2073	1737	1288	651
Mean Population, 1881–91. Males				10,821			266	260	271	274	255	1326	1282	1259	1040	844	1326	1119	945	801	583	296
Mean Population, 1881–91. Females				11,771			263	238	273	246	263	1283	1239	1172	1029	957	1612	1355	1128	936	705	355
Deaths from All Causes, 1881–90. Persons	18·03			4,073			607	138	62	62	51	920	138	93	104	144	260	219	275	371	617	932
Deaths from All Causes, 1881–90. Males	18·65			2,018			348	68	30	29	25	500	62	37	53	73	119	104	138	184	293	455
Deaths from All Causes, 1881–90. Females	17·46			2,055			259	70	32	33	26	420	76	56	51	71	141	115	137	187	324	477
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	0·20	0·18	0·23	46	19	27	13	12	5	5	1	36	4	4	–	–	2	–	–	–	–	–
Scarlet Fever	0·17	0·18	0·16	39	20	19	2	3	6	9	2	22	12	3	2	–	–	–	–	–	–	–
Diphtheria	0·40	0·39	0·41	90	42	48	1	2	6	12	13	34	43	7	2	–	4	–	–	–	–	–
Whooping cough	0·23	0·28	0·20	53	30	23	28	6	6	3	4	47	3	1	–	2	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Enteric Fever	0·10	0·10	0·10	23	11	12	–	–	–	–	–	–	–	3	3	2	8	2	1	1	2	1
Simple Continued Fever	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Dysentery	0·16	0·14	0·18	36	15	21	11	1	–	–	1	13	–	–	1	–	–	1	2	2	5	12
Cholera	0·00	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·83	0·67	0·98	187	72	115	–	–	–	–	–	–	–	–	1	1	6	13	26	41	66	33
Tabes Mesenterica	0·21	0·26	0·17	48	28	20	15	11	–	1	2	29	–	4	4	1	2	2	3	2	1	–
Phthisis	2·06	1·90	2·22	466	205	261	7	3	1	1	3	15	10	26	51	60	142	68	46	34	9	5
Other Tub. & Scrof. Dis.	0·29	0·21	0·36	65	23	42	5	5	–	3	1	14	14	11	5	7	3	4	4	1	1	1
Diseases of Nervous System	3·23	3·37	3·10	730	365	365	291	19	15	7	3	335	8	6	2	10	7	11	29	56	108	158
Diseases of Circulatory „	1·46	1·57	1·36	330	170	160	2	–	–	–	–	2	1	2	6	4	7	21	31	52	97	107
Diseases of Respiratory „	2·96	3·16	2·78	669	342	327	72	43	15	16	12	158	24	7	5	10	15	32	44	65	142	167
Diseases of Digestive	1·37	1·53	1·23	310	165	145	26	14	2	–	2	44	8	4	3	7	9	17	36	52	73	57
Diseases of Urinary „	0·93	1·09	0·77	209	118	91	–	–	1	1	2	4	–	3	–	6	9	8	25	32	51	71
Diseases of Generative „	0·05	0·01	0·08	11	1	10	–	–	–	–	–	–	–	–	–	1	4	2	1	2	1	–
Puerperal Fever	0·09	–	0·17	20	–	20	–	–	–	–	–	–	–	–	1	6	6	7	–	–	–	–
Childbirth	0·07	–	0·14	16	–	16	–	–	–	–	–	–	–	–	–	4	6	6	–	–	–	–
Violence	0·55	0·88	0·25	125	95	30	10	9	4	2	1	26	4	3	8	11	21	13	12	11	7	9
Other Causes	2·66	2·70	2·55	595	294	301	124	10	1	2	4	141	7	9	10	11	7	12	13	20	54	311

Marriages - - - 1,230

Births - Males - 3,055; Females - 2,888 } 5,943

Annual Rate per 1000 living { Persons Married 10·89; Births - - 26·31

Deaths from Childbirth and Puerperal Fever - - - } 6·06 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

627.—CARNARVON.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·99	†135	–	–	–	–	48·31	6·26	4·09	7·80	9·04	10·30	11·36	14·81	28·53	64·66	159·39
Annual Death-Rate per 1000. Males	—	18·88	†149	–	–	–	–	52·85	5·90	3·50	7·47	9·68	9·77	11·23	16·11	33·57	70·78	175·39
Annual Death-Rate per 1000. Females	—	18·16	†119	–	–	–	–	43·72	6·66	4·70	8·17	8·38	10·80	11·49	13·62	23·95	59·56	147·59
Mean Population, 1881–91. Persons	Decennial Decrease of Population, 7·47 per cent.	42,354	1070	952	1041	1063	1010	5136	4885	4790	4113	3452	6037	5033	3809	2685	1658	756
Mean Population, 1881–91. Males		20,947	543	471	525	543	499	2581	2527	2429	2143	1746	2927	2423	1819	1278	753	321
Mean Population, 1881–91. Females		21,407	527	481	516	520	511	2555	2358	2361	1970	1706	3110	2610	1990	1407	905	435
Deaths from All Causes, 1881–90. Persons	19·87	8,417	1618	443	184	134	102	2481	306	196	321	312	622	572	564	766	1072	1205
Deaths from All Causes, 1881–90. Males	20·54	4,303	928	215	106	64	51	1364	149	85	160	169	286	272	293	429	533	563
Deaths from All Causes, 1881–90. Females	19·22	4,114	690	228	78	70	51	1117	157	111	161	143	336	300	271	337	539	642

	Persons.	Males.	Females.	Persons.	Males.	Females.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
							PERSONS.															
Small-pox	0·01	–	0·01	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Measles	0·31	0·33	0·28	130	70	60	29	39	16	10	6	100	24	4	1	–	1	–	–	–	–	–
Scarlet Fever	0·29	0·28	0·29	122	59	63	17	21	16	18	17	89	19	7	1	3	2	–	1	–	–	–
Diphtheria	0·15	0·14	0·16	63	29	34	2	3	6	4	7	22	25	9	4	2	1	–	–	–	–	–
Whooping-cough	0·37	0·40	0·35	158	84	74	70	49	15	10	9	153	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	0·01	0·00	4	3	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–
Enteric Fever	0·24	0·26	0·21	100	54	46	–	1	–	1	3	5	4	8	22	14	18	10	12	2	3	2
Simple Continued Fever	0·02	0·02	0·02	10	5	5	1	1	2	–	–	4	2	–	–	–	1	1	1	–	1	–
Diarrhœa and Dysentery	0·24	0·26	0·22	103	55	48	44	13	2	1	–	60	–	–	–	–	–	1	1	3	5	33
Cholera	0·01	0·01	0·00	4	3	1	1	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–
Cancer	0·65	0·49	0·82	277	102	175	–	–	1	–	–	1	–	–	1	2	6	19	52	77	80	39
Tabes Mesenterica	0·16	0·18	0·14	67	38	29	18	9	4	–	4	35	13	7	6	1	3	–	1	–	1	–
Phthisis	2·96	2·89	3·04	1255	605	650	17	13	4	4	4	42	33	60	168	168	300	210	135	91	45	3
Other Tub. & Scrof. Dis.	0·31	0·30	0·32	131	63	68	15	12	11	11	4	53	25	13	11	12	7	3	3	3	1	–
Diseases of: Nervous System	3·76	3·80	3·72	1594	797	797	597	73	28	25	11	734	44	27	33	12	27	44	68	119	230	256
Diseases of: Circulatory „	1·33	1·47	1·19	562	307	255	2	–	2	–	–	4	12	3	23	13	27	42	63	101	161	113
Diseases of: Respiratory „	3·54	3·93	3·16	1500	824	676	302	146	50	32	21	551	51	9	8	12	47	59	71	150	259	283
Diseases of: Digestive „	1·21	1·14	1·28	514	239	275	88	24	7	3	2	124	14	12	11	14	28	38	52	73	104	44
Diseases of: Urinary „	0·64	0·74	0·53	269	155	114	3	4	–	1	4	12	7	4	3	8	24	27	29	46	64	45
Diseases of: Generative „	0·07	–	0·14	31	–	31	1	1	–	–	–	2	1	–	1	1	1	10	2	10	3	–
Puerperal Fever	0·16	–	0·32	68	–	68	–	–	–	–	–	–	–	–	2	12	35	18	1	–	–	–
Childbirth	0·12	–	0·23	49	–	49	–	–	–	–	–	–	–	–	1	7	20	21	–	–	–	–
Violence	0·66	1·07	0·25	278	224	54	7	2	11	6	7	33	13	7	10	15	51	36	40	29	24	20
Other Causes	2·65	2·82	2·54	1126	587	539	404	32	9	8	3	456	14	26	15	14	20	33	30	61	90	367

Marriages - - - 2,867

Births - { Males - 6,238 / Females - 5,788 } 12,026

Annual Rate per 1000 living { Persons Married 13·54 / Births - - 28·39 }

Deaths from Childbirth and Puerperal Fever - - - - - } 9·73 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

628.—BANGOR.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 18·46	†121	–	–	–	–	47·32	6·15	3·78	6·34	7·77	9·83	11·60	15·43	29·30	61·50	155·90
Males	—	19·06	†131	–	–	–	–	50·68	5·75	3·36	5·22	8·59	9·98	12·22	16·81	31·96	67·43	159·66
Females	—	17·91	†111	–	–	–	–	43·89	6·54	4·23	7·47	7·07	9·70	11·04	14·21	26·94	56·39	152·95
Mean Population, 1881–91. Persons	Decennial Decrease of Population 1·30 per cent.	38,272	880	808	868	851	826	4233	4133	4235	3720	3190	5319	4345	3662	2829	1792	814
Males		18,527	428	410	450	408	441	2137	2052	2201	1859	1478	2506	2062	1713	1333	829	357
Females		19,745	452	398	418	443	385	2096	2081	2034	1861	1712	2813	2283	1949	1496	963	457
Deaths from All Causes, 1881–90. Persons	20·10	7,693	1245	366	163	124	105	2003	254	160	236	248	523	504	565	829	1102	1269
Males	20·75	3,844	683	195	93	65	47	1083	118	74	97	127	250	252	288	426	559	570
Females	19·49	3,849	562	171	70	59	58	920	136	86	139	121	273	252	277	403	543	699

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.														
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·24	0·26	0·22	93	49	44	17	33	15	9	7	81	10	2	–	–	–	–	–	–	–
Scarlet Fever	0·33	0·37	0·29	126	68	58	5	14	27	11	21	78	38	4	4	1	1	–	–	–	–
Diphtheria	0·13	0·13	0·13	50	24	26	2	2	7	11	6	28	16	2	1	2	–	–	1	–	–
Whooping-cough	0·36	0·35	0·36	136	64	72	59	42	13	11	7	132	4	–	–	–	–	–	–	–	–
Typhus	0·00	–	0·01	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·37	0·44	0·31	143	82	61	–	–	2	1	–	3	6	10	23	20	35	21	12	9	3
Simple Continued Fever	0·03	0·03	0·02	10	6	4	–	1	–	1	–	2	–	3	1	–	1	1	–	2	–
Diarrhœa and Dysentery	0·26	0·26	0·27	101	48	53	38	4	2	3	–	47	–	2	1	–	1	3	4	10	12
Cholera	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Cancer	0·74	0·60	0·87	283	112	171	1	–	–	–	–	1	1	–	–	–	8	31	54	87	75
Tabes Mesenterica	0·20	0·21	0·19	76	38	38	28	11	3	3	3	48	14	3	2	4	4	1	–	–	–
Phthisis	2·52	2·64	2·41	966	490	476	7	7	6	–	2	22	16	31	123	126	251	184	113	78	18
Other Tub. & Scrof. Dis.	0·47	0·46	0·47	178	86	92	30	33	11	12	15	101	29	22	4	3	5	6	4	3	1
Diseases of Nervous System	3·85	4·04	3·68	1475	749	726	517	76	25	17	9	644	34	21	11	14	24	33	57	143	244
Circulatory "	1·41	1·36	1·46	540	252	288	3	–	–	–	–	3	2	10	10	13	29	52	72	121	142
Respiratory "	3·68	3·96	3·43	1410	733	677	184	91	36	27	21	359	45	7	14	22	42	40	82	172	295
Digestive "	1·36	1·38	1·34	521	256	265	69	31	5	4	7	116	10	9	9	8	27	42	75	76	82
Urinary "	0·64	0·80	0·49	245	148	97	3	3	2	1	1	10	6	5	7	4	19	13	33	42	65
Generative "	0·05	0·01	0·09	18	1	17	–	–	–	–	–	–	–	–	–	1	3	2	4	3	3
Puerperal Fever	0·05	–	0·11	21	–	21	–	–	–	–	–	–	–	–	1	6	6	6	2	–	–
Childbirth	0·10	–	0·20	39	–	39	–	–	–	–	–	–	–	–	2	3	16	18	–	–	–
Violence	0·46	0·77	0·18	177	142	35	5	2	1	6	1	15	8	10	7	13	21	18	22	20	27
Other Causes	2·84	2·67	2·95	1082	495	587	277	16	8	7	5	313	15	19	16	8	30	33	29	63	133

Marriages - - 2,576

Births - { Males - 5,216 / Females - 5,065 } 10,281

Annual Rate per 1000 living { Persons Married 13·46 / Births - - 26·86

Deaths from Childbirth and Puerperal Fever - - - - - } 5·84 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

629.—CONWAY.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 14·78	†104	–	–	–	–	34·72	4·88	2·89	3·80	5·87	6·15	9·54	14·05	26·77	56·50	141·10
Annual Death-Rate per 1000. Males	—	15·65	†117	–	–	–	–	38·00	5·19	2·44	3·75	5·79	6·63	12·26	13·90	27·68	63·71	152·80
Annual Death-Rate per 1000. Females	—	13·96	† 92	–	–	–	–	31·45	4·57	3·36	3·83	5·93	5·76	7·40	14·17	25·99	50·22	131·86
Mean Population, 1881–91. Persons	Decennial Increase of Population, 33·81 per cent.	21,465	501	471	490	497	443	2402	2232	2281	2160	2027	3318	2412	1965	1457	846	365
Mean Population, 1881–91. Males		9,942	251	238	242	250	219	1200	1117	1149	986	846	1479	1060	878	672	394	161
Mean Population, 1881–91. Females		11,523	250	233	248	247	224	1202	1115	1132	1174	1181	1839	1352	1087	785	452	204
Deaths from All Causes, 1881–90. Persons	15·39	3,303	572	121	62	39	40	834	109	66	82	119	204	230	276	390	478	515
Deaths from All Causes, 1881–90. Males	16·71	1,661	328	56	33	18	21	456	58	28	37	49	98	130	122	186	251	246
Deaths from All Causes, 1881–90. Females	14·25	1,642	244	65	29	21	19	378	51	38	45	70	106	100	154	204	227	269

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	0·11	0·12	25	11	14	7	5	2	3	2	19	5	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·10	0·13	0·08	22	13	9	3	1	2	2	2	10	11	1	–	–	–	–	–	–	–	–
Diphtheria	0·27	0·29	0·25	58	29	29	1	3	5	6	13	28	23	5	–	1	1	–	–	–	–	–
Whooping-cough	0·20	0·19	0·21	43	19	24	29	8	1	2	1	41	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	0·04	–	4	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–
Enteric Fever	0·14	0·17	0·11	30	17	13	–	–	–	–	–	–	1	–	5	4	6	6	3	4	1	–
Simple Continued Fever	0·06	0·08	0·04	13	8	5	1	–	–	–	–	1	1	1	1	–	2	1	1	3	2	–
Diarrhœa and Dysentery	0·29	0·23	0·34	62	23	39	30	3	2	–	–	35	–	–	1	–	1	–	5	2	7	11
Cholera	0·02	0·04	0·01	5	4	1	2	1	–	–	–	3	–	–	–	–	–	2	–	–	–	–
Cancer	0·67	0·53	0·79	144	53	91	–	–	–	1	–	1	–	–	–	2	2	14	34	44	29	18
Tabes Mesenterica	0·27	0·37	0·17	57	37	20	29	5	5	1	3	43	5	–	3	1	3	1	1	–	–	–
Phthisis	1·69	1·66	1·72	363	165	198	3	4	2	–	1	10	8	16	35	47	82	74	43	31	14	3
Other Tub. & Scrof. Dis.	0·29	0·28	0·30	62	28	34	15	7	5	3	5	35	11	3	5	–	3	2	1	1	–	1
Diseases of Nervous System	3·00	3·27	2·78	645	325	320	219	20	12		2	257	9	9	4	11	17	21	47	78	115	77
Diseases of Circulatory „	1·53	1·58	1·48	328	157	171	1	–	–	–	–	1	2	7	4	5	14	9	36	69	104	77
Diseases of Respiratory „	2·41	2·64	2·20	516	262	254	77	42	15	12	9	155	19	5	3	8	14	21	41	61	83	106
Diseases of Digestive „	1·09	1·36	0·86	234	135	99	21	11	2	2	1	37	4	4	3	11	10	25	21	50	45	24
Diseases of Urinary „	0·45	0·55	0·36	96	55	41	–	2	2	–	–	4	–	2	3	3	7	12	12	17	16	20
Diseases of Generative „	0·04	–	0·08	9	–	9	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	–
Puerperal Fever	0·05	–	0·09	10	–	10	–	–	–	–	–	–	–	–	–	3	2	5	–	–	–	–
Childbirth	0·07	–	0·13	15	–	15	–	–	–	–	–	–	–	–	–	3	6	6	–	–	–	–
Violence	0·54	0·88	0·25	116	87	29	3	3	4	3	1	14	1	6	11	12	22	10	10	9	11	10
Other Causes	2·07	2·31	1·88	446	229	217	131	6	3	–	–	140	7	6	4	6	11	17	19	19	49	168

Marriages - - - 1,394

Births - { Males - 2,814 / Females - 2,666 } 5,480

Annual Rate per 1000 living { Persons Married 12·99 / Births - - 25·53 }

Deaths from Childbirth and Puerperal Fever - - - - - 4·56 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

630.—ANGLESEY.

Causes of Death.	Crude Death-Rate per 1000.			All Ages.			Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—			In Standard Population* 16·33			†121	–	–	–	–	40·66	4·07	4·57	5·85	8·13	8·69	10·32	13·46	24·27	55·06	147·12
Annual Death-Rate per 1000. Males	—			17·08			†135	–	–	–	–	46·20	3·85	3·43	5·99	8·69	8·49	11·05	13·00	27·77	59·31	151·61
Annual Death-Rate per 1000. Females	—			15·63			†105	–	–	–	–	35·14	4·28	5·72	5·71	7·65	8·85	9·73	13·85	21·36	51·45	143·49
Mean Population, 1881–91. Persons	Decennial Decrease of Population 3·30 per cent.			14,897			312	289	312	336	335	1584	1648	1575	1420	1083	1887	1589	1441	1294	890	486
Mean Population, 1881–91. Males				6,982			162	139	152	170	167	790	831	788	684	495	813	715	654	587	408	217
Mean Population, 1881–91. Females				7,915			150	150	160	166	168	794	817	787	736	588	1074	874	787	707	482	269
Deaths from All Causes, 1881–90. Persons	20·10			2,995			458	84	44	32	26	644	67	72	83	88	164	164	194	314	490	715
Deaths from All Causes, 1881–90. Males	21·13			1,475			269	45	21	17	13	365	32	27	41	43	69	79	85	163	242	329
Deaths from All Causes, 1881–90. Females	19·20			1,520			189	39	23	15	13	279	35	45	42	45	95	85	109	151	248	386
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.															
Small-pox	0·01	0·03	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	0·11	0·17	0·06	17	12	5	2	6	4	–	–	12	2	1	–	2	–	–	–	–	–	–
Scarlet Fever	0·12	0·11	0·13	18	8	10	1	1	–	1	2	5	6	4	2	1	–	–	–	–	–	–
Diphtheria	0·15	0·16	0·15	23	11	12	–	1	1	2	1	5	7	10	–	1	–	–	–	–	–	–
Whooping-cough	0·31	0·36	0·27	46	25	21	22	11	6	2	3	44	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	0·01	0·05	5	1	4	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
Enteric Fever	0·10	0·13	0·08	15	9	6	–	–	–	–	–	–	1	–	4	3	4	–	1	–	1	1
Simple Continued Fever	0·01	0·01	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Dysentery	0·21	0·24	0·19	32	17	15	10	–	–	–	–	10	–	–	–	–	2	1	4	2	5	8
Cholera	0·02	0·04	–	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
Cancer	0·84	0·82	0·86	125	57	68	–	–	–	–	–	–	–	–	–	–	2	13	15	39	35	21
Tabes Mesenterica	0·12	0·13	0·11	18	9	9	2	2	–	–	2	6	2	1	5	1	2	–	–	1	–	–
Phthisis	2·32	2·48	2·19	346	173	173	–	–	–	1	–	1	2	16	41	50	83	66	38	30	17	2
Other Tub. & Scrof. Dis.	0·42	0·42	0·43	63	29	34	7	7	2	3	4	23	9	8	5	2	8	3	2	2	1	–
Diseases of Nervous System	3·93	4·27	3·63	585	298	287	208	24	10	5	5	252	11	11	4	6	12	14	20	49	105	101
Diseases of Circulatory „	1·32	1·29	1·35	197	90	107	–	–	–	1	–	1	–	4	2	1	8	7	24	41	67	42
Diseases of Respiratory „	3·16	3·54	2·83	471	247	224	53	19	17	12	5	106	11	4	3	3	12	19	30	65	125	93
Diseases of Digestive „	1·26	1·35	1·18	187	94	93	24	3	–	1	1	29	2	2	2	3	5	11	22	39	49	23
Diseases of Urinary „	0·48	0·64	0·33	71	45	26	–	–	1	1	–	2	2	1	2	2	4	3	3	14	18	20
Diseases of Generative „	0·03	–	0·05	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1
Puerperal Fever	0·05	–	0·10	8	–	8	–	–	–	–	–	–	–	–	1	–	5	2	–	–	–	–
Childbirth	0·04	–	0·08	6	–	6	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–
Violence	0·34	0·50	0·20	51	35	16	2	2	3	1	1	9	2	2	1	2	5	8	10	7	3	2
Other Causes	4·72	4·43	4·93	701	309	392	127	8	–	2	2	139	8	8	9	8	9	12	21	23	63	401

Marriages - - - 1,975‡

Births - { Males - 1,993 / Females - 1,803 } 3,796

Annual Rate per 1000 living { Persons Married 11·39‡ / Births - - 25·48

Deaths from Childbirth and Puerperal Fever - - - - - 3·69 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ These figures relate to the two Registration Districts of Anglesey and Holyhea as the Marriages in these two Districts were not separately returned until the 1st January 1885.

631.—HOLYHEAD.

Causes of Death.	Crude Death-Rate per 1000.	All Ages.	Under 1 Year.	1–	2–	3–	4–	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death-Rate per 1000. Persons	—	In Standard Population* 16·37	†113	–	–	–	–	39·84	6·07	3·43	4·97	8·33	9·34	10·30	14·67	25·00	52·78	144·57
Annual Death-Rate per 1000. Males	—	16·94	†121	–	–	–	–	42·49	6·70	3·00	4·83	8·62	9·89	8·35	16·92	27·54	59·00	149·39
Annual Death-Rate per 1000. Females	—	15·84	†104	–	–	–	–	37·15	5·40	3·86	5·12	8·04	8·83	12·16	12·59	22·67	47·35	140·22
Mean Population, 1881–91. Persons	Decennial Decrease of Population 2·02 per cent.	19,783	449	441	478	482	459	2309	2174	2129	1871	1585	2740	2184	1806	1480	989	516
Mean Population, 1881–91. Males		9,775	222	224	259	248	212	1165	1119	1067	973	777	1325	1066	869	708	461	245
Mean Population, 1881–91. Females		10,008	227	217	219	234	247	1144	1055	1062	898	808	1415	1118	937	772	528	271
Deaths from All Causes, 1881–90. Persons	18·87	3,734	600	152	72	53	43	920	132	73	93	132	256	225	265	370	522	746
Deaths from All Causes, 1881–90. Males	19·60	1,916	332	84	29	23	27	495	75	32	47	67	131	89	147	195	272	366
Deaths from All Causes, 1881–90. Females	18·17	1,818	268	68	43	30	16	425	57	41	46	65	125	136	118	175	250	380

	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.													
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	0·20	0·16	36	20	16	12	7	–	5	1	26	7	1	–	1	–	1	–	–
Scarlet Fever	0·08	0·06	0·09	15	6	9	–	2	2	2	3	9	5	–	–	–	1	–	–	–
Diphtheria	0·22	0·26	0·19	44	25	19	–	5	6	7	2	20	20	1	3	–	–	–	–	–
Whooping-cough	0·36	0·36	0·36	71	35	36	27	23	6	6	3	65	4	2	–	–	–	–	–	–
Typhus	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·12	0·13	0·10	23	13	10	–	–	–	2	–	2	–	2	2	6	2	3	4	1
Simple Continued Fever	0·01	0·01	0·01	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·24	0·26	0·23	48	25	23	12	1	1	–	1	15	–	–	–	–	1	1	2	1
Cholera	0·02	0·02	0·01	3	2	1	1	–	–	–	–	1	–	–	–	–	–	–	1	1
Cancer	0·81	0·73	0·90	161	71	90	–	–	–	–	–	–	–	1	–	1	4	16	20	48
Tabes Mesenterica	0·29	0·35	0·24	58	34	24	16	11	2	2	1	32	5	7	1	1	5	2	3	1
Phthisis	2·24	2·17	2·31	443	212	231	3	1	4	1	1	10	13	15	35	66	135	67	43	39
Other Tub. & Scrof. Dis.	0·55	0·54	0·56	109	53	56	23	16	8	6	6	59	26	12	6	1	2	1	1	1
Diseases of Nervous System	3·70	3·80	3·61	732	371	361	221	31	13	5	6	276	9	8	5	10	13	18	52	68
Diseases of Circulatory "	1·54	1·58	1·51	305	154	151	1	1	–	–	–	2	2	4	5	7	18	18	28	47
Diseases of Respiratory "	3·25	3·35	3·16	643	327	316	105	43	16	10	6	180	16	4	8	5	11	29	39	69
Diseases of Digestive "	1·17	1·27	1·07	231	124	107	25	6	2	2	–	35	6	2	6	6	13	12	23	38
Diseases of Urinary "	0·82	1·05	0·59	162	103	59	3	1	1	–	2	7	1	2	–	4	10	14	14	20
Diseases of Generative "	0·07	0·03	0·10	13	3	10	–	–	–	1	–	1	–	–	1	–	–	4	3	–
Puerperal Fever	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	9	4	–	–
Childbirth	0·08	–	0·15	15	–	15	–	–	–	–	–	–	–	–	–	2	8	3	2	–
Violence	0·59	0·93	0·26	117	91	26		–	4	1	5	17	7	5	9	16	12	10	14	16
Other Causes	2·44	2·49	2·40	486	245	241	144	4	6	3	6	163	11	7	12	4	12	22	15	20

Marriages	1,975‡	55·39	52·78	144·57	52·78	144·57	52·78	144·57
Births Males 2,747	5,325	149·39	59·00	149·39	59·00	149·39	59·00	149·39
Births Females 2,578		140·22	47·35	140·22	47·35	140·22	47·35	140·22

Annual Rate per 1000 living { Persons Married 11·39‡ / Births 26·92 }

Deaths from Childbirth and Puerperal Fever 5·63 per 1000 Births.

* *See* pages xxxvi–xxxviii.

† The death-rates under one year of age are per 1000 Births.

‡ These figures relate to the two Registration Districts of Anglesey and Holyhead, as the Marriages in these two Districts were not separately returned until the 1st January 1885.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90.**

N.B.—The Populations quoted in this Table are the Numbers enumerated at the Census of 1881.

No. of District.	Name of District.	Date of Change.	Nature of Change.
1*a*	Paddington* - -	14 June 1883	Part of the parish of St. Mary Paddington (population 160) was transferred from *St. Mary Paddington* sub-district to the parish of Willesden, Hendon, *Willesden* (127 : 3). [*See* Local Government Board Order, No. 14,714, "confirming agreement as to boundaries under the Willesden "Local Board Act, 1876."]
"	" † - -	1 Jan. 1885	The parish of Paddington, consisting of *St. Mary Paddington* and *St. John Paddington* sub-districts (aggregate population 107,058), was separated from Kensington and created a separate Registration District named Paddington (1*a*).
1*b*	Kensington † - -	"	The parish of Paddington, consisting of *St. Mary Paddington* and *St. John Paddington* sub-districts (aggregate population 107,058), was separated from Kensington and created a separate Registration District named Paddington (1*a*).
3	Chelsea - - -	1 Oct. 1890	*Chelsea North-west* and *Chelsea North-east* sub-districts were re-divided as *Chelsea Kensal Town* sub-district (population 15,049) and *Chelsea North* sub-district (population 42,683).
4	St. George Hanover Square.	1 Jan. 1887	*Hanover Square* and *May Fair* sub-districts were united under the name of *May Fair* sub-district (population 30,353).
5	Westminster - -	1 Apr. 1884	*Golden Square* and *Berwick Street* sub-districts were united under the name of *St. James Westminster* sub-district (population 29,941).
9	Islington - - -	1 Jan. 1884	This Registration District was re-divided into four sub-districts, namely, *Upper Holloway* sub-district (population 67,946), *Islington South-west* sub-district (population 100,976), *Islington South-east* sub-district (population 61,895), and *Highbury* sub-district (population 52,048).
14	London City - -	1 Jan. 1882	*Castle Baynard* and *Allhallows Barking* sub-districts were united under the name of *Allhallows Barking* sub-district (population 13,666).
15	Shoreditch - -	1 Apr. 1890	*Holywell* and *St. Leonards* sub-districts were united under the name of *Shoreditch South* sub-district (population 22,343).
16	Bethnal Green -	1 Oct. 1889	This Registration District was re-divided into three sub-districts, namely, *Bethnal Green North* sub-district (population 51,157), *Bethnal Green South* sub-district (population 34,399), and *Bethnal Green East* sub-district (population 41,405).
17	Whitechapel - -	1 Jan. 1884	*Whitechapel North* and *Whitechapel Church* sub-districts were united under the name of *Whitechapel Church* sub-district (population 17,490).
18	St. George in the East.	1 Apr. 1884	*St. Mary* and *St. Paul* sub-districts were united under the name of *St. George North* sub-district (population 38,747).
23	St. Olave Southwark.	1 Feb. 1883	*St. Olave Southwark* and *St. John Horsleydown* sub-districts were united under the name of *St. Olave Southwark* sub-district (population 11,956).
25	Wandsworth - -	1 July 1883	*Battersea* sub-district was divided into *Battersea East* sub-district (population 54,675) and *Battersea West* sub-district (population 52,587).
28	Lewisham - -	10 June 1881	*Lewisham Village* sub-district was re-named *Lewisham*.
"	" * - -	1 Apr. 1887	The parish of Mottingham (population 779) was transferred from *Eltham* sub-district to Bromley, *Chislehurst* (41 : 2).
32	Guildford - -	1 July 1881	The parish of Merrow (population 595) was transferred rom *Albury* sub-district to *Guildford* sub-district.

* This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

† This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
36	Reigate	1 Apr. 1883	The parish of Merstham (population 903) was transferred from *Horley* sub-district to *Reigate* sub-district.
41	Bromley*	1 Apr. 1887	The parish of Mottingham (population 779) was transferred to *Chislehurst* sub-district from Lewisham, *Eltham* (28 : 1).
44	North Aylesford-Stood	26 Dec. 1884	The name of this Registration District was changed from North Aylesford to Stood.
50	Maidstone	1 Oct. 1890	*Marden* sub-district was abolished and *Yalding* and *Loose* sub-districts were re-divided; the parishes of Yalding, Nettlestead, Marden, and Staplehurst (aggregate population 7095) were constituted *Yalding* sub-district, and the parishes of West Farleigh, Teston, West Barming, Barming, East Farleigh, Hunton, Linton, Loose, Boughton Monchelsea, Otham, and Bearstead (aggregate population 8397) were constituted *Loose* sub-district.
53	Tenterden	1 July 1884	*Tenterden* and *Rolvenden* sub-districts were united under the name of *Tenterden* sub-district (population 10,461).
55	East Ashford	1 Aug. 1883	*Aldington* and *Brabourne* sub-districts were united under the name of *Brabourne* sub-district (population 7627).
69	Battle	21 Feb. 1888	The parish of Westfield (population 1051) was transferred from *Bexhill* sub-district to *Ewhurst* sub-district.
"	"	1 July 1888	*Ewhurst* sub-district was dissolved, and the Battle Registration District was re-divided as follows:—The parishes of Hollington, Bexhill, Crowhurst, Catsfield, Penhurst, Ashburnham, Dallington, and Brightling (aggregate population 7239) were constituted *Bexhill* sub-district; and the parishes of Mountfield, Whatlington, Ewhurst, Sedlescombe, Westfield, and Battle (aggregate population 7113) were constituted *Battle* sub-district.
75	Cuckfield	1 Jan. 1883	The parishes of Bolney and Cowfold (aggregate population 1842) were transferred from *Cuckfield* sub-district to *Hurstpierpoint* sub-district.
82	East Preston	1 Oct. 1883	Parts of the parishes of Angmering and Lyminster (aggregate population 544) were transferred from *Littlehampton* sub-district to *Arundel* sub-district.
91	Isle of Wight	1 Jan. 1890	*Ryde* sub-district was divided, the parishes of Binstead, Ryde, and St. Helens (aggregate population 17,973) were constituted *Ryde* sub-district; and the parishes of Brading, Yaverland, Shanklin, and part of Newchurch (aggregate population 10,386) were constituted *Brading* sub-district.
100	Stockbridge*	1 Jan. 1884	The parish of West Dean (population 227) was transferred from *Broughton* sub-district to Alderbury, *Alderbury* (254 : 1).
101	Winchester	1 Nov. 1884	The parish of Chilcombe (population 300) was transferred from *Twyford* sub-district to *Winchester* sub-district.
115	Abingdon	1 Jan. 1883	*Cumnor* and *Fyfield* sub-districts were united under the name of *Fyfield* sub-district (population 4652).
117	Wallingford	1 Mar. 1887	The parish of Dorchester (population 813) was transferred from *Cholsey* sub-district to *Wallingford* sub-district.
119	Reading	1 Feb. 1885	*St. Lawrence* and *St. Giles* sub-districts were united under the name of *St. Giles* sub-district (population 30,254).
127	Hendon*	14 June 1883	Part of the parish of St. Mary, Paddington (population 160) was transferred to *Willesden* sub-district from Paddington, *St. Mary Paddington* (127 : 3). [*See* Local Government Board Order, No. 14,714, "confirming agreement as "to boundaries under the Willesden Local Board Act, "1876."]

* This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1881–90—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
143	Aylesbury - -	1 Oct. 1885	*Aylesbury* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parish of Aylesbury (population 7878) was transferred to *Aston Clinton* sub-district, and the parishes of Aston Sandford, Dinton, Stone, and Hartwell (aggregate population 2291) were transferred to *Haddenham* sub-district. The parish of Wingrave-with-Rowsham (population 908) was transferred from *Aston Clinton* sub-district to *Waddesdon* sub-district. The name of *Aston Clinton* sub-district was altered to *Aylesbury*.
146	Buckingham - -	1 Apr. 1886	*Leckhampstead* sub-district was dissolved, and the parishes composing it, together with the parish of Buckingham (aggregate population 7216), were constituted *Buckingham* sub-district; the remaining parishes (aggregate population 5202) were constituted *Tingewick* sub-district.
147	Henley - - -	1 Apr. 1886	This Registration District was re-divided as follows:—The parishes of Remenham, Medmenham, Hambleden, Fawley, Henley-on-Thames, Rotherfield Greys, Rotherfield Peppard, Shiplake, Harpsden, and Checkendon (aggregate population 10,066) were constituted *Henley* sub-district; the parishes of Eye and Dunsden and Caversham (aggregate population 4446) were constituted *Caversham* sub-district; and the parishes of Ipsden, Nuffield, and Nettlebed, together with the parishes composing the former *Watlington* sub-district (aggregate population 5480) were constituted *Watlington* sub-district.
148	Thame - - -	1 Apr. 1888	*Brill* sub-district was dissolved and Thame Registration District was re-divided. The parishes composing the former *Lewknor* sub-district, together with the parishes of Tetsworth, Aston Rowant, Crowell, Sydenham, Emmington, Albury, Tiddington, and Waterstock (aggregate population 5481), were constituted *Lewknor* sub-district; and the remaining parishes (aggregate population 8381) were constituted *Thame* sub-district.
156	Brackley - - -	1 April 1884	*Brackley* and *Sulgrave* sub-districts were united under the name of *Brackley* sub-district (population 12,308).
162	Brixworth - -	1 July 1882	*Spratton* and *Brixworth* sub-districts were united under the name of *Brixworth* sub-district (population 8847).
"	" - -	1 July 1883	*Moulton* and *Brixworth* sub-districts were united under the name of *Brixworth* sub-district (population 13,336).
181	Newmarket - -	1 Feb. 1886	*Bottisham* and *Newmarket* sub-districts were united under the name of *Newmarket* sub-district (population 10,061).
"	" - -	1 Oct. 1890	The parish of Newmarket All Saints (population 1364) was transferred from *Cheveley* sub-district to *Newmarket* sub-district: and *Gazeley* and *Cheveley* sub-districts were united under the name of *Cheveley* sub-district (population 8442).
186	West Ham - -	1 Jan. 1890	The parishes of East Ham and Little Ilford (aggregate population 10,706) were separated from *West Ham* sub-trict and were constituted *East Ham* sub-district.
191	Billericay - -	1 April 1883	*Great Burstead* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of Hutton, Mountnessing, Little Burstead, and Dunton (aggregate population 1664) were transferred to *Brentwood* sub-district; and the parishes of Great Burstead, Laindon, Lee Chapel, Ramsden-Crays, and Ramsden-Bellhouse (aggregate population 3047) were transferred to *Wickford* sub-district.
194	Maldon - - -	1 Aug. 1890	*St. Peter Maldon* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of St. Peter Maldon, St. Mary Maldon, Langford, and Ulting (aggregate population 4713) were transferred to *All Saints Maldon* sub-district (re-named *Maldon*); and the parishes of Wickham Bishops, Great Braxted, Little Braxted, Great Totham, Little Totham, and Heybridge (aggregate population 3774) were transferred to *Tollesbury* sub-district.
197	Lexden - - -	1 July 1887	The parish of Layer-de-la-Haye (population 687) was transferred from *Stanway* sub-district to *Peldon* sub-district.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
209	Hartismere - -	1 Oct. 1881	*Eye* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of Stoke Ash, Thorndon, Occold, Redlingfield, Eye, and Braiseworth (aggregate population 4113) were transferred to *Mendlesham* sub-district; and the parishes of Thornham Parva, Thornham Magna, Yaxley, Thrandeston, Stuston, Brome, and Oakley (aggregate population 1799) were transferred to *Botesdale* sub-district.
213	Ipswich - - -	1 Jan. 1890	*St. Margaret* sub-district was dissolved, and the parishes composing it were distributed as follows:—The parishes of St. Mary-at-the-Tower, St. Stephen, and Westerfield (aggregate population 1715) were transferred to *St. Matthew* sub-district (re-named *Ipswich Western*); and the parishes of St. Helen and St. Margaret (aggregate population 16,234) were transferred to *St. Clement* sub-district (re-named *Ipswich Eastern*).
214	Woodbridge - -	1 April 1886	The parishes of Bromeswell, Melton, and Ufford (aggregate population 2164) were transferred from *Carlford* sub-district to *Woodbridge and Wilford* sub-district.
215	Plomesgate - -	1 July 1882	*Earl Soham* and *Framlingham* sub-districts were united under the name of *Framlingham* sub-district (population 5820).
"	" - -	1 April 1887	*Aldeburgh* and *Saxmundham* sub-districts were united under the name of *Aldeburgh* sub-district (population 7329).
221	Smallburgh* - -	1 June 1884	The parish of North Walsham (population 3234) was transferred to *Bacton* sub-district (re-named *North Walsham*) from Erpingham, *Repps* (222 : 1).
222	Erpingham* - -	"	The parish of North Walsham (population 3234) was transferred from *North Walsham* sub-district (re-named *Repps*) to Smallburgh, *North Walsham* (221 : 4).
235	Docking - - -	1 Aug. 1887	*Docking* sub-district was dissolved, and Docking Registration District was re-divided; the parishes of Waterden, South Creake, North Creake, Burnham Thorpe, Burnham Sutton and Burnham Ulph, Burnham Westgate, Burnham Overy, Burnham Norton, Burnham Deepdale, Brancaster, Stanhoe, Barwick, Barmer, Bagthorpe, Syderstone, East Rudham, Broomsthorpe, West Rudham, and Houghton (aggregate population 7507) were constituted *Burnham* sub-district; and the parishes of Titchwell, Choseley, Thornham, Great Bircham, Bircham Tofts, Bircham Newton, Fring, and Docking, together with the parishes composing the former *Snettisham* sub-district (aggregate population 10,003) were constituted *Snettisham* sub-district.
237	King's Lynn -	1 Oct. 1881	*King's Lynn North* and *King's Lynn South* sub-districts were united as *King's Lynn* sub-district (population 19,206).
241	Highworth - -	29 Sept. 1890	Parts of the parishes of Stratton St. Margaret and Rodbourne Cheney (aggregate population 2592) were transferred from *Highworth* sub-district to the parish and sub-district of *Swindon*. [*See* Order of the Wilts County Council, confirmed by Local Government Order, No. 25,937.]
242	Cricklade† - -	1 July 1882	The parish of Marston Maisey (population 185) was transferred to *Cricklade* sub-district from Cirencester, *Fairford* (331 : 3).
243	Malmesbury -	1 Oct. 1885	The part of the parish of Malmesbury St. Paul (population 1330) in *Malmesbury Eastern* sub-district was transferred to *Malmesbury Western* sub-district; and the parts of the parishes of Charlton, Hankerton, and Crudwell (aggregate population 368) in *Malmesbury Western* sub-district were transferred to *Malmesbury Eastern* sub-district.

* This change affects the boundaries of the Registration District.
† This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
247	Devizes - -	1 Jan. 1882	*Bromham* sub-district was dissolved and the Devizes Registration District was re-divided as follows:—The parishes of Alton Barnes, Stanton St. Bernard, All Cannings, Allington, Etchilhampton, Fullaway, Bishops Cannings, Stert, St. James, Devizes St. John the Baptist, Devizes St. Mary the Virgin, Poulshot, Rowde, Bromham, and Chittoe (aggregate population 13,256) were constituted *Devizes* sub-district; and the parishes of Beechingstoke, Marden, Chirton, Patney, Potterne, Marston, and Worton, together with the parishes composing the former *Lavington* sub-district (aggregate population 7274) were constituted *Lavington* sub-district.
249	Bradford on-Avon*	1 Jan. 1883	The parish of Freshford (population 615) was transferred from *Bradford South-eastern* sub-district to Bath, *Twerton* (317 : 1).
250	Westbury - -	1 Aug. 1882	*Edington* sub-district was dissolved and the parishes composing it were distributed as follows:—The parishes of Steeple Ashton, Great Hinton, Keevil, and Bulkington (aggregate population 1414) were transferred to *Bradley* sub-district; and the parishes of East Coulston, Edington, and part of Westbury (aggregate population 1686) were transferred to *Westbury* sub-district.
254	Alderbury † -	1 Jan. 1884	The parish of West Dean (population 227) was transferred to *Alderbury* sub-district from Stockbridge, *Broughton* (100 : 1).
"	" -	1 July 1888	*Britford* sub-district was dissolved and Alderbury Registration District was re-divided as follows:—The parishes of Winterslow, Alderbury, Farley and Pitton, Clarendon Park, West Grimstead, East Grimstead, West Dean, Laverstock, Milford, Old Sarum, Stratford under the Castle, and Fisherton Anger (aggregate population 10,628) were constituted *Alderbury* sub-district; the parishes composing the former *Downton* sub-district, together with the parishes of Whiteparish, Earldoms, and Landford (aggregate population 6113), were constituted *Downton* sub-district; and the parishes composing the former *Salisbury* sub-district, together with the parishes of The Close of the Canons of the Cathedral Church of Salisbury, West Harnham, and Britford (aggregate population 10,780), were constituted *Salisbury* sub-district.
261	Wimborne - -	1 Aug. 1888	*Witchampton* and *Wimborne* sub-districts were united under the name of *Wimborne* sub-district (population 10,284).
284	South Molton -	1 Jan. 1886	The parish of Exmoor (population 313) was separated from *South Molton* sub-district, and was constituted *Exmoor* sub-district; *Chulmleigh* sub-district was dissolved and the parishes composing it were distributed as follows:—The parishes of East Worlington, Cheldon, and Meshaw (aggregate population 645) were transferred to *Witheridge* sub-district; and the parishes of Chulmleigh, Burrington, Warkleigh, Satterleigh, Kings Nympton, Romansleigh, and George Nympton (aggregate population 3450) were transferred to *South Molton* sub-district.
285	Barnstaple - -	1 Jan. 1887	The parish of Sherwill (population 408) was transferred from *Combmartin* sub-district to *Braunton* sub-district.
"	" - -	1 July 1888	*Braunton* sub-district was dissolved and the parishes composing it, together with *Barnstaple*, *Combmartin*, and *Ilfracombe* sub-districts, were re-divided as follows:—The parish of Barnstaple (population 10,617) was constituted *Barnstaple* sub-district; the parishes composing the former *Combmartin* sub-district, together with the parishes of East Down and Berrynabor (aggregate population 3872) were constituted *Combmartin* sub-district; the parishes composing the dissolved *Braunton* sub-district, together with the parishes of Bittadon, Ilfracombe, West Down, and Goodleigh (aggregate population 14,191) were constituted *Ilfracombe* sub-district; and the parishes of Swimbridge and Landkey (aggregate population 1815) were transferred to *Bishops Tawton* sub-district.

* This change affects the boundaries of the Registration County as well as of the Registration District.
† This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
303	Williton - -	1 May 1889	The parish of West Quantoxhead (population 278) was transferred from *Stogumber* sub-district to *Williton* sub-district.
306	Taunton - -	1 Apr. 1887	The parish of Curland (population 153) was transferred from *North Curry* sub-district to *Pitminster* sub-district.
311	Wincanton - -	1 July 1883	The parishes of Kington Magna and Buckhorn Weston (aggregate population 982) were transferred from *Wincanton* sub-district to *Milborne Port* sub-district.
315	Axbridge - -	16 Jan. 1888	*Banwell* sub-district was re-named *Weston-super-Mare*.
317	Bath * - -	1 Jan. 1883	The parish of Freshford (population 615) was transferred to *Twerton* sub-district from Bradford-on-Avon, *Bradford South-eastern* (249 : 1).
	" - - -	1 July 1884	*Walcot* and *Lansdown* sub-districts were united under the name of *Walcot* sub-district (population 34,370).
321	Barton Regis -	1 Oct. 1884	The parish of Filton (population 296) was transferred from *Stapleton* sub-district to *Ashley* sub-district.
331	Cirencester † -	1 July 1882	The parish of Marston Maisey (population 185) was transferred from *Fairford* sub-district to Cricklade, *Cricklade* (242 : 2).
333	Stow-on-the-Wold	1 June 1885	The parish of Bledington (population 367) was transferred from *Bourton-on-the-Water* sub-district to *Stow-on-the-Wold* sub-district.
336	Tewkesbury - -	1 Oct. 1888	*Tewkesbury* and *Overbury* sub-districts were united under the name of *Tewkesbury* sub-district (population 12,892).
337	Ledbury - - -	1 Apr. 1887	The parishes of Castle Frome and Canon Frome (aggregate population 265) were transferred from *Ledbury* sub-district to *Yarkhill* sub-district.
351	Atcham - - -	1 July 1887	*Condover* and *Atcham* sub-districts were united under the name of *Condover* sub-district (population 7416).
356	Market Drayton -	1 Apr, 1887	*Market Drayton* and *Hodnet* sub-districts were united under the name of *Market Drayton* sub-district (population 10,824).
367	Burton-upon-Trent‡	29 Sept. 1890	Parts of the parish of Foston and Scropton in *Tutbury* sub-district were transferred respectively to the parish of Tattenhill (population 87) in *Burton-upon-Trent* sub-district and to the parish of Yoxall (population 11), Lichfield, *Rugeley* (369 : 1). [*See* Order of the County Councils of Derby and Stafford, confirmed by Local Government Board Order, No. 26,017.]
369	Lichfield - -	1 Aug. 1890	*Yoxall* and *Rugeley* sub-districts were united under the name of *Rugeley* sub-district (population 14,805).
"	" ‡ - -	29 Sept. 1890	Part of the parish of Foston and Scropton (population 11) was transferred to the parish of Yoxall in *Rugeley* sub-district from Burton-upon-Trent, *Tutbury*, (367 : 1). [*See* Order of the County Councils of Derby and Stafford, confirmed by Local Government Board Order, No. 26,017.]
370	Cannock - - -	1 Jan. 1887	*Penkridge* and *Brewood* sub-districts were united under the name of *Brewood* sub-district (population 10,017).
377	Tenbury - - -	1 May 1889	*Tenbury* and *Bockleton* sub-districts were united under the name of *Tenbury* sub-district (population 7588).

* This change affects the boundaries of the Registration County as well as of the Registration District.
† This change affects the boundaries of the Registration Division as well as of the Registration County and of the Registration District.
‡ This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
378	Martley* - - -	1 Oct. 1885	The parish of South Hallow (population 500) was transferred from *Holt* sub-district to Worcester, *South Worcester* (379 : 3). [*See* Worcester Extension Act, 1885.]
379	Worcester* - -	"	The parish of South Hallow (population 500) was transferred to *South Worcester* sub-district from Martley, *Holt* (378 : 1). The parish of South Claines (population 8582) was transferred to *North Worcester* sub-district from Droitwich, *Claines* (383 : 1). [*See* Worcester Extension Act, 1885.]
"	" - - -	1 Jan. 1886	*West Worcester* and *South Worcester* sub-districts were united under the name of *Worcester South-west* sub-district (population 22,933.)
382	Pershore - -	1 June 1885	*Pershore* and *Upton Snodsbury* sub-districts were united under the name of *Pershore* sub-district (population 9730).
383	Droitwich* - -	1 Oct. 1885	The parish of South Claines (population 8582) was transferred from *Claines* sub-district to Worcester, *North Worcester* (379 : 2). [*See* Worcester Extension Act, 1885.]
387	Aston - - -	1 Apr. 1889	*Erdington* sub-district was divided into *Erdington* sub-district (population 15,802) and *Aston Manor* sub-district (population 53,842).
396	Stratford-on-Avon	1 Mar. 1883	*Kineton* and *Wellesbourne* sub-districts were united under the name of *Wellesbourne* sub-district (population 6118).
"	" - - -	1 June 1883	The parish of Alveston (population 963) was transferred from *Old Stratford* sub-district to *Wellesbourne* sub-district.
"	" - - -	1 Dec. 1890	*Stratford-on-Avon* sub-district was dissolved, and the parishes composing it were distributed as follows; the parish of Snitterfield (population 817) was transferred to *Wootten Wawen* sub-district; and the remaining parishes (aggregate population 5521) were transferred to *Old Stratford* sub-district, which was re-named *Stratford-on-Avon.*
398	Shipston-on-Stour	1 Aug. 1887	*Moreton* sub-district was dissolved, and the Shipston-on-Stour Registration District was re-divided as follows: the parishes of Quintin, Admington, Mickleton, Clopton, Hidcote Bartrim, Ebrington, Chipping Campden, Blockley, Bourton-on-the-Hill, and Stretton-on-the-Foss (population 6796) were constituted *Blockley* sub-district; the parishes of Batsford, Moreton-in-the-Marsh, Lower Lemington, Todenham, Great Wolford, Little Wolford, Tidmington, Shipston-on-Stour, Burmington, Cherrington, Wichford, Stourton, Sutton-under-Brailes, and Barcheston (aggregate population 1424) were constituted *Shipston-on-Stour* sub-district; and the parishes of Ilmington, Brailes, and Honington, together with the parishes composing the former *Halford* sub-district (aggregate population 5547) were constituted *Halford* sub-district.
418	Sleaford - - -	1 Nov. 1883	*Heckington* sub-district was dissolved, and *Sleaford* sub-district was re-divided; the parishes of Bloxholm, Ashby-de-la-Launde, Digby, Dorrington, Ruskington, Anwick, Haverholme Priory, Leasingham, Roxholme, Holdingham, and South Kyme (aggregate population 3680) were transferred to *Billinghay* sub-district; the parishes of New Sleaford, Old Sleaford, Quarrington, Silk Willoughby, Swarby, Aunsby, Dembleby, Culverthorpe, Kelby, Ewerby, Evendon, Kirkby-la-Thorpe, Asgarby, Howell, Heckington, Great Hale, Little Hale, and Burton Pedwardine (aggregate population 9726) were constituted *Sleaford* sub-district; and the parishes of Temple Bruer and Braunceweil (aggregate population 374) were transferred to *Leadenham* sub-district.
419	Grantham - -	1 April 1882	This Registration District was re-divided into two sub-districts as follows: The parishes composing the former sub-districts of *Colsterworth* (except part of the parish of Somerby) and *Denton*, and the parish of Barrowby (aggregate population 12,202) were constituted *Grantham South* sub-district; and the parishes composing the former *Grantham* sub-district (except the parish of Barrowby) and part of the parish of Somerby (aggregate population 21,477) were constituted *Grantham North* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
431	NOTTINGHAM -	1 July 1882	*Castle* and *Park* sub-districts were united under the name of *Park* sub-district (population 16,237). *Radford* and *Hyson Green* sub-districts were united under the name of *Radford* sub-district (population 20,954).
"	" - -	1 Jan. 1885	*St. Mary* and *Exchange* sub-districts were united under the name of *Exchange* sub-district (population 24,822).
"	" - -	1 April 1885	*Snenton* and *Exchange* sub-districts were united under the name of *Exchange* sub-district (population 40,295).
"	" - -	1 Feb. 1887	*Sherwood* and *Radford* sub-districts were united under the name of *Radford* sub-district (population 39,574).
"	" - -	1 April 1889	*Park* and *Lenton* sub-districts were united under the name of *Lenton* sub-district (population 25,483).
"	" - -	1 April 1890	*St. Ann* and *Byron* sub-districts were united under the name of *Nottingham North-east* sub-district (population 53,911); *Lenton* sub-district was re-named *Nottingham South-west*, *Radford* sub-district was re-named *Nottingham North-west*, and *Exchange* sub-district was re-named *Nottingham South-east*.
434	BINGHAM - -	1 Nov. 1883	*Bingham* and *Ratcliffe-upon-Trent* sub-districts were united under the name of *Bingham* sub-district (population 14,721).
435	SHARDLOW* - -	4 July 1890	Part of the parish of Littleover (added to the parish of St. Werburgh) and the parish of New Normanton (aggregate population 2983) were transferred from the *Shardlow* sub-district to DERBY, *Derby* (436:). [*See* Derby Corporation Act, 1890.]
436	DERBY* - -	4 July 1890	Part of the parish of Littleover (added to the parish of St. Werburgh) and the parish of New Normanton (aggregate population 2983) were transferred to *Derby* sub-district from SHARDLOW, *Shardlow* (435: 3), and the parish of Rowditch (population 549) was also transferred to *Derby* sub-district from BELPER, *Duffield* (437:1). [*See* Derby Corporation Act, 1890.]
437	BELPER* - - -	4 July 1890	The parish of Rowditch (population 549) was transferred from *Duffield* sub-district to DERBY, *Derby* (436:1). [*See* Derby Corporation Act, 1890.]
439	CHESTERFIELD -	1 Feb. 1884	The parishes of North Wingfield and Tupton (aggregate population 3555) were transferred from *Chesterfield* sub-district to *Ashover* sub-district.
449	NANTWICH - -	14 July 1881	*Wybunbury* sub-district was re-named *Crewe*.
455	WEST DERBY - -	1 May 1885	*Everton* sub-district was divided into *South Everton* sub-district (population 65,044) and *North Everton* sub-district (population 44,768).
461	BOLTON - - -	1 Feb. 1884	*West Houghton* and *Horwich* sub-districts were united under the name of *Horwich* sub-district (population 13,740).
"	" - - -	1 Feb. 1886	*Bolton Eastern* and *Bolton Western* sub-districts were united under the name of *Great Bolton* sub-district (population 45,694).
466	MANCHESTER - -	1 Dec. 1881	*Deansgate* and *Market Street* sub-districts were united under the name of *Central* sub-district (population 41,683).
468	ASHTON-UNDER-LYNE	1 Jan. 1883	*Dukinfield* and *Staley* sub-districts were united under the name of *Dukinfield* sub-district (population 38,573).
"	" "	"	"Walkmill," part of the parish of Ashton-under-Lyne (population 1270) was transferred from *Audenshaw* sub-district to *Ashton Town* sub-district; and "The Stakes," also a part of the parish of Ashton-under- Lyne (population 629), was transferred from *Ashton Town* sub-district to *Hartshead* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
474	Blackburn - - -	1 Oct. 1885	*Blackburn* sub-district was divided into *Blackburn Northern* sub-district (population 50,853) and *Blackburn Southern* sub-district (population 41,105).
477	Fylde - - -	1 Jan. 1890	*Poulton-le-Fylde* sub-district was dissolved, and the parishes composing it were distributed as follows: The parishes of Bispham with Norbreck, Layton with Warbreck, Hardhorn with Newton and part of Marton (aggregate population 15,799) were constituted *Blackpool* sub-district: and the parishes of Carleton, Poulton-le-Fylde, Thornton, and Singleton, together with the parishes of Little Eccleston and Elswick, which were transferred from *Kirkham* sub-district (aggregate population 9987), were constituted *Fleetwood* sub-district.
496	Halifax - - -	1 Apr. 1889	Part of the parish of Skircoat (population 2538) was transferred from *Halifax* sub-district to *Sowerby* sub-district.
497*a*	Bradford - -	1 Aug. 1882	The parish of Manningham (population 37,304) was transferred from *Horton* sub-district to *Bradford West End* sub-district.
518	Howden - - -	"	*Newport* sub-district re-named *Wallingfen*.
548	Lanchester - -	1 Apr. 1888	*Lanchester* sub-district was divided as follows: The parishes of Medomsley, Benfieldside, Healeyfield, Conside-cum-Knitsley, Iveston, Ebchester, and Muggleswick (aggregate population 23,491) were constituted *Consett* sub-district: and the parishes of Greencroft, Lanchester, Langley, Esh, Satley, Cornsay, and Hedleyhope (aggregate population 16,194) were constituted *Lanchester* sub-district.
553	Sunderland - -	1 Feb. 1887	*East Sunderland* and *West Sunderland* sub-districts were united under the name of *Sunderland* sub-district (population 15,824).
557	Tynemouth - -	1 Oct. 1888	The parishes of Cramlington, East Hartford, and West Hartford (aggregate population 5939) were transferred from *Blyth* sub-district to *Earsdon* sub-district.
565	Berwick - - -	1 Nov. 1881	*Islandshire* and *Norhamshire* sub-districts were united under the name of *Norham and Islandshire* sub-district (population 6449).
574	Cockermouth - -	1 Apr. 1887	The parishes of Embleton and Wythop (aggregate population 480) were transferred from *Keswick* sub-district to *Cockermouth* sub-district.
586	Cardiff - - -	1 Jan. 1883	The parish of Llanilterne (population 118) was transferred from *St. Nicholas* sub-district to *Whitchurch* sub-district.
587	Pontypridd - -	1 Oct. 1890	*Pontypridd* sub-district was divided, the parishes of Llanfabon and Eglwysilan (aggregate population 11,958) were constituted *Eglwysilan* sub-district; and the parish of Llanwonno (population 18,652) was constituted *Llanwonno* sub-district.
589	Bridgend - - -	1 Nov. 1882	The parishes of Llanharan, Llanilid, and Peterstone (aggregate population 880) were transferred from *Maesteg* sub-district to *Cowbridge* sub-district; and the parishes of Coychurch Higher, Coychurch Lower, and Pencoed (aggregate population 1365) were transferred from the same sub-district to *Bridgend* sub-district.
"	" * - -	1 Apr. 1888	The parish of Llangynwyd Higher (population 2084) was transferred to *Maesteg* sub-district from Neath, *Margam* (590 : 1).
"	" - - -	1 May 1888	*Maesteg* sub-district was divided, the parishes of Llangynwyd Higher, Llangynwyd Middle, Llangynwyd Lower, and Cwmdu (aggregate population 9422) were constituted *Maesteg* sub-district; and the parishes of Bettws, Llangeinor, Llandyfodwg, St. Bride's Minor, and Ynysawdre (aggregate population 8632) were constituted *Ogmore* sub-district.

* This change affects the boundaries of the Registration District.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1881–90**—*cont.*

No. of District.	Name of District.	Date of Change.	Nature of Change.
590	NEATH* - - -	1 Apr. 1888	The parish of Llangynwyd Higher (population 2084) was transferred from *Margam* sub-district to BRIDGEND, *Maesteg* (589 : 1).
613	MACHYNLLETH - -	22 Apr. 1886	*Pennal* sub-district was re-named *Towyn*.
628	BANGOR - - -	1 Aug. 1886	The parish of Llandegai (population 3587) was transferred from *Bangor* sub-district to *Llanllechid* sub-district : and the parishes of Aber and Llanfair-fechan (aggregate population 2483) were transferred from *Llanllechid* sub-district to *Bangor* sub-district.
629	CONWAY - - -	1 Oct. 1882	*Conway* and *Llechwedd Isaf* sub-districts were united under the name of *Conway* sub-district (population 6801).
630	ANGLESEY* - -	1 Jan. 1885	The union of Holyhead, consisting of *Bryngwran*, *Llanddeusaint*, and *Holyhead* sub-districts (aggregate population 19,940) was separated from ANGLESEY and created a separate Registration District named HOLYHEAD (631).
"	" * - -	30 Apr. 1885	The parishes of Bodewryd and Rhosbeirio (aggregate population 68) were transferred to *Llandyfrydog* sub-district from HOLYHEAD, *Llanddeusaint* (631 : 2).
631	HOLYHEAD* - -	1 Jan. 1885	For the constitution of this new Registration District, *see* ANGLESEY (630).
"	" * - -	30 Apr. 1885	The parishes of Bodewryd and Rhosbeirio (aggregate population 68) were transferred from *Llanddeusaint* sub-district to ANGLESEY, *Llandyfrydog* (630 : 3).

* This change affects the boundaries of the Registration District.

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 631.

In addition to other uses, this Index will enable the reader to refer to Tables, showing *for each District*—

(1.) The comparative Density of Population, and the Annual Mortality during the Five Decennia beginning with 1841, 1851, 1861, 1871, and 1881, Table 1, pp. lxii–lxxxi.

(2.) The mortality from All Causes and from certain Zymotic and other causes among children under Five Years of Age. Table 2, pp. lxxxii–xcvi.

(3.) The mean Population living at Sixteen Age-periods, and the Deaths at each of those Age-periods from Twenty-four Causes or Groups of Causes, pp. 96–728.

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115.
Alcester, 397.
Alderbury (Salisbury), 254.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Altrincham, 445.
Alverstoke, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashbourne, 438.
Ashby-de-la-Zouch, 406.
Ashton-under-Lyne, 468.
Aston, 387.
Atcham (Shrewsbury), 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow-in-Furness, 482.
Barrow-upon-Soar, 408.
Barton Regis, 321.
Barton-upon-Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath, 317.
Battle, 69.
Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedminster, 319.
Bedwelty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourn, 414.
Brackley, 156.
Bradfield, 118.
Bradford-on-Avon, 249.
Bradford (Yorkshire), 497.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport, 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.
Buckingham, 146.
Builth, 607.
Burnley, 472.
Burton-upon-Trent, 367.
Bury, 462.
Bury St. Edmunds, 206.

C

Caistor, 424.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock, 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel-en-le-Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester-le-Street, 552.
Chesterton, 178.
Chichester, 84.

Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clitheroe, 473.
Clun, 345.
Clutton, 316.
Cockermouth, 574.
Colchester, 196.
Congleton, 448.
Conway, 629.
Cookham, 121.
Corwen, 622.
Cosford, 204.
Coventry, 392.
Cranbrook, 52.
Crediton, 282.
Crickhowell, 609.
Cricklade, 242.
Croydon, 38.
Cuckfield, 75.

D

Darlington, 542.
Dartford, 42.
Daventry, 161.
Depwade, 230.
Derby, 436.
Devizes, 247.
Dewsbury, 502.
Docking, 235.
Dolgelly, 624.
Doncaster, 511.
Dorchester, 265.
Dorking, 35.
Dover, 64.
Downham, 238.
Driffield, 524.
Droitwich, 383.
Droxford, 102.
Dudley, 374.
Dulverton, 304.
Dunmow, 200.
Durham, 549.
Dursley, 324.

E

Easington, 550.
Easingwold, 528.
East Ashford, 55.
Eastbourne, 70.
East Grinstead, 74.
Easthampstead, 122.
East Preston (Worthing), 82.
East Retford, 427.
Eastry, 63.
East Stonehouse, 278.
East Ward, 577.
Ecclesall Bierlow, 508.
Edmonton, 129.
Elham, 65.
Ellesmere, 353.
Ely, 182.
Epping, 187.
Epsom, 30.
Erpingham, 222.
Eton, 141.
Evesham, 381.
Exeter, 272.

F

Falmouth, 298.
Fareham, 90.
Faringdon, 114.
Farnham, 33.
Faversham, 59.
Festiniog, 625.
Flegg, 220.
Foleshill, 391.
Forden (Montgomery), 615.
Fordingbridge, 95.
Forehoe, 226.
Freebridge Lynn, 236.
Frome, 312.
Fulham, 2.
Fylde, 477.

G

Gainsborough, 426.
Garstang, 478.
Gateshead, 555.
Glanford Brigg, 425.
Glendale, 566.
Gloucester, 327.
Godstone, 37.
Goole, 513.
Gower, 593.
Grantham, 419.
Gravesend, 43.
Great Ouseburn, 488.
Greenwich, 27.
Guildford, 32.
Guiltcross, 231.
Guisbrough, 533.

H

Hackney, 10.
Hailsham, 71.
Halifax, 496.
Halstead, 198.
Haltwhistle, 560.
Hambledon, 34.
Hampstead, 7.
Hardingstone, 159.
Hartismere, 209.
Hartlepool, 544.
Hartley Wintney, 107.
Hasliugden, 471.
Hastings, 68.
Hatfield, 135.
Havant, 87.
Haverfordwest, 600.
Hay, 610.
Hayfield, 442.
Headington, 149.
Helmsley, 530.
Helston, 299.
Hemel Hempstead, 138.
Hemsworth, 505.
Hendon, 127.
Henley, 147.
Henstead, 227.
Hereford, 339.
Hertford, 134.
Hexham, 559.
Highworth, 241.
Hinckley, 404.
Hitchin, 133.
Holbeach, 416.
Holbeck, 499.
Holborn, 13.
Hollingbourn, 51.
Holsworthy, 288.
Holyhead, 631.
Holywell, 617.
Honiton, 270.
Hoo, 45.
Horncastle, 421.
Horsham, 79.
Houghton-le-Spring, 551.
Howden, 518.
Hoxne, 210.
Huddersfield, 495.
Hull, 521.
Hungerford, 113.
Hunslet, 498.
Huntingdon, 168.

I

Ipswich, 213.
Isle of Wight, 91.
Islington, 9.

K

Keighley, 492.
Kendal, 579.
Kensington, *ib.*
Kettering, 164.
Keynsham, 318.
Kidderminster, 376.
Kingsbridge, 275.
Kingsclere, 111.
Kings Lynn, 237.
Kings Norton, 385.
Kingston, 39.
Kington, 343.
Knaresborough, 489.
Knighton, 611.

L

Lambeth, 24.
Lampeter, 603.
Lancaster, 479.
Lanchester, 548.
Langport, 308.
Launceston, 291.
Ledbury, 337.
Leeds, 501.
Leek, 364.
Leicester, 409.
Leigh, 460.
Leighton Buzzard, 175.
Leominster, 342.
Lewes, 76.
Lewisham, 28.
Lexden, 197.
Leyburn, 538.
Lichfield, 369.
Lincoln, 420.
Linton, 180.
Liskeard, 293.
Liverpool, 453.
Llandilofawr, 596.
Llandovery, 595.
Llanelly, 594.
Llanfyllin, 616.
Llanrwst, 621.
Loddon, 229.
London City, 14.
Longtown, 571.
Loughborough, 407.
Louth, 423.
Ludlow, 344.
Lunesdale, 480.
Luton, 176.
Lutterworth, 400.
Lymington, 92.

M

Macclesfield, 444.
Machynlleth, 613.
Madeley, 350.
Maidstone, 50.
Maldon, 194.
Malling, 47.
Malmsbury, 243.
Malton, 527.
Manchester, 466.
Mansfield, 429.
Market Bosworth, 405.
Market Drayton, 356.
Market Harborough, 401.
Marlborough, 246.
Martley, 378.
Marylebone, 6.
Medway, 46.
Melksham, 248.
Melton Mowbray, 410.
Mere, 257.
Meriden, 388.
Merthyr Tydfil, 588.
Middlesbrough, 534.
Midhurst, 85.
Mildenhall, 207.
Mile End Old Town, 20.
Milton, 60.
Mitford, 233.
Monmouth, 581.
Morpeth, 562.
Mutford, 218.

N

Nantwich, 449.
Narberth, 598.
Neath, 590.
Newark, 433.
Newbury, 112.
Newcastle-in-Emlyn, 602.
Newcastle-under-Lyme, 361.
Newcastle-upon-Tyne, 556.
Newent, 326.
New Forest, 96.
Newmarket, 181.
Newport (Monmouth), 585.
Newport (Salop), 358.
Newport Pagnell, 145.
Newton Abbot, 273.
Newtown, 614.
Northallerton, 536.
Northampton, 160.
Northleach, 332.
Northwich, 447.
North Witchford, 183.
Norwich, 225.
Nottingham, 431.
Nuneaton, 390.

O

Oakham, 411.
Okehampton, 281.
Oldham, 469.
Ongar, 188.
Ormskirk, 457.
Orsett, 190.
Oswestry, 352.
Oundle, 166.
Oxford, 150.

P

Paddington, 1*a*.
Pancras, 8.
Pateley Bridge, 486.
Patrington, 522.
Pembroke, 599.
Penrith, 569.
Penzance, 301.
Pershore, 382.
Peterborough, 167.
Petersfield, 104.
Petworth, 80.
Pewsey, 252.
Pickering, 531.
Plomesgate, 215.
Plymouth, 277.
Plympton St. Mary, 276.
Pocklington, 517.
Pontardawe, 591.
Pontefract, 504.
Pontypool, 584.
Pontypridd, 587.
Poole, 262.
Poplar, 21.
Portsea Island, 88.
Potterspury, 158.
Prescot, 456.
Preston, 476.
Prestwich, 467.
Pwllheli, 626.

R

Reading, 119.
Redruth, 300.
Reeth, 540.
Reigate, 36.
Rhayader, 612.
Richmond (Surrey), 40.
Richmond (Yorkshire), 541.
Ringwood, 94.
Ripon, 487.
Risbridge, 202.
Rochdale, 470.
Rochford, 193.
Romford, 189.
Romney Marsh, 66.
Romsey, 99.
Ross, 338.
Rothbury, 567.
Rotherham, 510.
Royston, 132.
Rugby, 393.
Runcorn, 446.
Ruthin, 619.
Rye, 67.

S

Saddleworth, 494.
Saffron Walden, 201.
St. Albans, 136.
St. Asaph, 620.
St. Austell, 296.
St. Columb, 295.
St. Faith's, 224.
St. George Hanover Sq., 4.
St. George-in-the-East, 18.
St. Germans, 292.
St. Giles, 11.
St. Ives, 169.
St. Neots, 170.
St. Olave, Southwark, 23.
St. Saviour, Southwark, 22.
St. Thomas, 271.
Salford, 465.
Samford, 212.
Scarborough, 526.
Scilly Islands, 302.
Sculcoates, 520.
Sedbergh, 483.

Selby, 514.
Settle, 484.
Sevenoaks, 48.
Shaftesbury, 258.
Shardlow, 435.
Sheffield, 509.
Sheppey, 61.
Shepton Mallet, 313.
Sherborne, 266.
Shiffnal, 349.
Shipston-on-Stour, 398.
Shoreditch, 15.
Skipton, 485.
Skirlaugh, 523.
Sleaford, 418.
Smallburgh, 221.
Solihull, 394.
Southam, 399.
Southampton, 97.
South Molton, 284.
South Shields, 554.
South Stoneham, 98.
Southwell, 432.
Spalding, 415.
Spilsby, 422.
Stafford, 359.
Staines, 124.
Stamford, 413.
Stepney, 19.
Steyning, 78.
Stockbridge, 100.
Stockport, 443.
Stockton, 543.
Stoke Damerel, 279.
Stokesley, 535.
Stoke-upon-Trent, 363.
Stone, 360.
Stourbridge, 375.
Stow, 208.
Stow-on-the-Wold, 333.
Strand, 12.
Stratford-on-Avon, 396.
Stratton, 289.
Strood, 44.
Stroud, 329.
Sturminster, 259.
Sudbury, 203.
Sunderland, 553.
Swaffham, 239.
Swansea, 592.

T

Tadcaster, 515.
Tamworth, 368.
Taunton, 306.
Tavistock, 280.
Teesdale, 546.
Tenbury, 377.
Tendring, 195.
Tenterden, 53.
Tetbury, 330.
Tewkesbury, 336.
Thakeham, 81.
Thame, 148.
Thanet, 62.
Thetford, 240.
Thingoe, 205.
Thirsk, 529.
Thornbury, 323.
Thorne, 512.
Thrapston, 165.
Ticehurst, 72.
Tisbury, 256.
Tiverton, 283.
Todmorden, 493.
Torrington, 286.
Totnes, 274.
Towcester, 157.
Toxteth Park, 454.
Tregaron, 606.
Truro, 297.
Tunbridge, 49.
Tynemouth, 557.

U

Uckfield, 73.
Ulverston, 481.
Uppingham, 412.
Upton-on-Severn, 380.
Uttoxeter, 366.
Uxbridge, 125.

W

Wakefield, 503.
Wallingford, 117.
Walsall, 372.
Walsingham, 234.
Wandsworth, 25.
Wangford, 217.
Wantage, 116.
Ware, 130.
Wareham, 263.
Warminster, 251.
Warrington, 459.
Warwick, 395.
Watford, 137.
Wayland, 232.
Weardale, 547.
Wellingborough, 163.
Wellington (Salop), 357.
Wellington (Somerset), 305.
Wells, 314.
Wem, 354.
Weobly, 340.
West Ashford, 54.
Westbourne, 86.
West Bromwich, 373.
Westbury, 250.
Westbury-on-Severn, 325.
West Derby, 455.
West Ham, 186.
Westhampnett, 83.
Westminster, 5.
West Ward, 578.
Wetherby, 490.
Weymouth, 264.
Wharfedale, 491.
Wheatenhurst, 328.
Whitby, 532.
Whitchurch (Hants), 109.
Whitchurch (Salop), 355.
Whitechapel, 17.
Whitehaven, 575.
Whittlesey, 184.
Wigan, 458.
Wigton, 573.
Williton, 303.
Wilton, 255.
Wimborne, 261.
Wincanton, 311.
Winchcomb, 334.
Winchester, 101.
Windsor, 123.
Winslow, 144.
Wirral, 451.
Wisbech, 185.
Witney, 153.
Woburn, 174.
Wokingham, 120.
Wolstanton, 362.
Wolverhampton, 371.
Woodbridge, 214.
Woodstock, 152.
Woolwich, 29.
Worcester, 379.
Worksop, 428.
Wortley, 507.
Wrexham, 618.
Wycombe, 142.

Y

Yarmouth, 219.
Yeovil, 310.
York, 516.

LIST OF URBAN SANITARY DISTRICTS

With Populations exceeding 15,000, whose Names differ from those of the Registration Districts in which they are situated.

Name of Urban Sanitary District.	Number of District.
Aberdare	588
Abersychan	584
Accrington	471
Acton	126
Aldershot	33
Alfreton	437
Aston Manor	387
Atherton	460
Bacup	470 471
Batley	502
Beckenham	41
Bedlingtonshire	562
Bilston	371
Blackpool	477
Bootle	455
Bournemouth	93
Burslem	362
Chadderton	469
Chatham	46
Chiswick	126
Colne and Marsden	472
Coseley	374
Crewe	449
Darwen	474
Devonport	279
Dukinfield	468
Ealing	126
East Ham	186
Ebbw Vale	583 609
Eccles	463
Enfield	129
Farnworth	461
Felling	555
Fenton	363
Finchley	128
Folkestone	65
Gillingham	46
Glossop	442
Gorton	464
Gosport and Alverstoke	89 90
Grimsby	424
Handsworth	373
Hanley	363
Hebburn	554
Heston and Isleworth	126
Heywood	462 470
Hindley	458
Hornsey	129
Hove	78
Hyde	443 468
Ilkeston	430
Ince-in-Makerfield	458
Jarrow	554
Leyton	186
Longton	360 363 365
Lowestoft	218
Margate	62
Middleton	462 467 469
Morley	499 502 503
Moss Side	464
Mountain Ash	587 588
Nelson	472
Oldbury	373
Pemberton	458
Portsmouth	88
Radcliffe	462
Ramsbottom	462 471
Ramsgate	62
Rawtenstall	471
Rochester	44 46 47
Rowley Regis	374
Royal Leamington Spa	395
Saint George	321
Saint Helens	456
Salisbury	254
Shipley	497*b*
Shirley and Freemantle	98
Shrewsbury	351
Smethwick	385
South Hornsey	129
Southport	457
Stalybridge	468
Stretford	463
Swindon New Town	241
Swinton and Pendlebury	463 465
Thornaby-on-Tees	534
Tipton	374
Torquay	273
Tottenham	129
Tredegar	583 609
Tunbridge Wells	49 72
Tunstall	362
Twickenham	126
Wallasey	452
Walthamstow	186
Walton-on-the-Hill	455
Waterloo-with-Seaforth	455
Wednesbury	373
Wenlock	350
Weston-super-Mare	315
Widnes	456
Willenhall	371
Willesden	127
Wimbledon	39
Withington	464
Wood Green	129
Workington	574
Worthing	82
Ystradyfodwg	587

ALPHABETICAL INDEX

TO

PART I.

OF THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S FIFTY-FIFTH ANNUAL REPORT.

N.B.—The lettered Tables (A. to Z.) in the following Index are interpolated in the Report on pages iii–lx, and the numbered Tables (1 to 6) on pages lxi–cxvii.

PAGES

ACT; Local Government (Boundaries), 1887. Effect of, in Simplifying Boundaries v

AGE INCIDENCE OF MORTALITY from various Causes. (*See* under the several headings.)

AGES; Expectation of Life at different. (Tables C. to G.) x
See also DEATH-RATES.

AGE AND SEX CONSTITUTION OF POPULATION; in three Decennia. (Table B.) viii
Effect of changing, upon Death-rates in different periods . . viii
Method of Correcting Death-rates for xxxvii
Another method of Correcting Death-rates for (footnote) . . xxxvi
Effect of Correction for, on Death-rates in Counties (*also* Table N.) xxxix
On Cancer Mortality (*also* Tables W. and X.) . . . liii
On Phthisis Mortality. (Table Z.) lix

AGGREGATION OF POPULATION in relation to Death-rates xlvi
(*See also* Tables Q. and R.)

ALCOHOLISM; Relation of, to Liver Diseases xxxiv

ASCITES AND LIVER DISEASES; Mortality from, in three Decennia; Males and Females. (Table L.) xxxiv

BIRTHS of Males and Females in England, in Counties, and in Districts . 3

BIRTH-RATES; In England and in Counties, 1881–90. (Table 6.) . . cxv
in Districts, 1881–90 97
Effect of changes in, upon the death-rate viii

BRAIN FEVER; Change in Classification of, in 1881 (*see also* Table H.) . xx

BRIGHT'S DISEASE; *see* NEPHRITIS.

BRONCHITIS; Changes in Mortality at all Ages from xxxiii
Changes in Age Incidence of Mortality from xxxiii
Mortality from, at each year of age under Five (footnote) . . xxxiii
Mortality from, at all Ages, and at eleven Groups of ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

PAGES

CANCER; Change of Classification affecting mortality from. (Table H.) . xxi
Increase of Mortality at all Ages from. (Table I.) xxiii
Increase of Mortality from, steadily progressive xxviii
Increase of mortality ascribed to, partly due to a system of inquiry, and partly to improved diagnosis xxix
Increase of Mortality from, greater among Males than among Females xxix
Local Incidence of Mortality from lii
Result of Correction for Age and Sex Constitution of Population upon Mortality from liii
Apparently high Mortality from, around Huntingdonshire and Cambridgeshire . . . . . liii, lv
Crude Death-rates at all Ages from, in Counties, in three Decennia; Persons, Males, and Females. (Table V.) liv
Corrected Death-rates from, at Ages over 35 years, in Counties, 1881–90. (Table W.) lv
Change in the Comparative Mortality from, due to Correction for Age and Sex lv
Crude and Corrected Mortality from, at Ages over 35 years, in Counties, 1881–90; Persons, Males, and Females. (Table X.) lvi
No connection between general prevalence and sex incidence of - lvii
Mortality from, in Counties, 1881–90; Persons, Males, and Females. (Table 4) c
Mortality from, at all Ages and at eleven Groups of Ages in three Decennia; Persons, Males, and Females. (Table 5.) . . cxi
Mortality from, in England and in Counties, 1881–90; Persons. (Table 6) cxv
Mortality and Ages at Death, in England, in Counties, and in Districts 3

CAUSES OF DEATH; Increase or decrease of Mortality from certain (Table I.) xxiii
Mortality from several, among children under 5 years of age, in England, in Counties, and in Districts. (Table 2.) . . . lxxxii
Mortality from several, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from several, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality from several, in England and in Counties, in 1881–90; Persons. (Table 6.) cxv
Mortality and Ages at Death from several, in England, in Counties, and in Districts, 1881–90 3

CHANGES in the Constitution of Registration Counties, Districts, and Sub-districts during 1881–90 729

CHANGES in the Death-rates; *see* DEATH-RATES.

CHILDBIRTH AND PUERPERAL FEVER; Decrease of Mortality from. (Table I.) xxiii
Mortality from, per 1000 births, in three Decennia . . . xxviii
Deaths classed under, as the result of special inquiries . . . xxiii, xxviii
Mention of, often omitted from medical certificates . . . xxviii
Local incidence of Mortality from lii
Deaths from, per 1000 Births, in Counties, 1881–90. (Table U.) . lii
Mortality from, in Counties, 1881–90. (Table 4.) . . . c
Mortality from, at all Ages and at Groups of Ages, in three Decennia. (Table 5.) cx

CHILDBIRTH AND PUERPERAL FEVER—*continued.* PAGES

Mortality from, in Counties, 1881–90. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties and in Districts, 1881–90 3

CHILDREN UNDER FIVE YEARS OF AGE; Age incidence of Mortality from Measles among xxiv

Age incidence of Mortality from Scarlet Fever among . . xxv

Age incidence of Mortality from Diphtheria among . . . xxv

Age incidence of Mortality from Whooping-cough among . . xxvi

Age incidence of Mortality from "Fever" among . . . xxvi

Age incidence of Mortality from Diarrhœa among . . . xxvii

Age incidence of Mortality from Croup among xxxii

Age incidence of Mortality from Bronchitis among . . . xxxiii

Age incidence of Mortality from Pneumonia among . . . xxxiii

Age incidence of Mortality from Laryngitis among . . . xxxiii

Mortality among, from all Causes and from Several Causes in England, in Counties, and in Districts. (Table 2.) . . lxxxii

CHOLERA; Deaths from, included with Diarrhœal diseases (*also* Table 5, p. cx) xxviii

Annual Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

CIRCULATORY SYSTEM, DISEASES OF:—

Changes of classification affecting Mortality from (Table H.) . xxi

Increase of Mortality at all Ages from (Table I.) . . . xxiii

Change in Age Incidence of Mortality from xxxii

Probable cause of increase of Mortality from xxxii

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

Mortality from, in England and in Counties, 1881-90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

CIRRHOSIS OF LIVER; Increase of Mortality at all Ages from . . . xxxv

CLASSIFICATION of Diseases, Changes in xx

CONSTITUTIONAL DISEASES; Mortality from, in three Decennia, imperfectly comparable xxviii

Changes of Classification affecting (*also* Table H.) . . . xxviii

CORRECTION OF DEATH-RATES for Age and Sex Constitution of Population xxxvi, xxxvii

for error of using arithmetical means of Census Populations . xlii

(*also* Table P.) xliv

COUNTIES; Crude and Corrected Death-rates, and Comparative Mortality, 1881–90. (Table N.) xxxix

Crude Death-rates from Enteric Fever, 1871–80 and 1881–90. (Table T.) li

Deaths from Puerperal Fever and Childbirth per 1000 births, 1881–90. (Table U.) lii

Crude Death-rates at all Ages from Cancer, in three Decennia; Persons, Males, and Females. (Table V.) liv

COUNTIES—*continued.* PAGES

Corrected Death-rates over 35 years of age from Cancer, 1881–90; Persons. (Table W.) lv

Crude and Corrected Death-rates over 35 years of age from Cancer, 1881–90; Persons, Males, and Females. (Table X.) . . lvi

Crude Death-rates at all Ages from Phthisis, in three Decennia; Persons, Males, Females. (Table Y.) lviii

Corrected Death-rates at all Ages from Phthisis, 1881–90; Persons, Males, Females. (Table Z.) lix

Density of Population and Annual Mortality, in five Decennia. (Table 1.) lxii

Mortality from several Causes among Children under Five years of age, 1881–90. (Table 2.) lxxxii

Mortality at all Ages and at twelve Groups of Ages, 1881–90; Persons, Males, and Females. (Table 3.) xcvii

Mortality at all Ages from several Causes, 1881–90; Persons, Males, and Females. (Table 4.) c

Mean Population, Increase of Population, and Marriage-, Birth-, and Death-rates, 1881–90; Persons. (Table 6.) . . . cxv

Marriages, Births, and Mean Populations, Death-rates, and Causes of Death at different Ages, 1881–90; Males and Females . . 6

CROUP; Change of Classification respecting Deaths from. (Table H.) . xxi

Age Incidence of Mortality from, at each year of Age under Five, in three Decennia (footnote) xxxii

High Mortality from, in Childhood xxxiii

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

DEATHS, Faulty Certification of Causes of xxii

Classification of Causes of, revised in 1881 xx

List of Changes in Classification of. (Table H.) xxi

in Sanitary Areas of London before and after distribution of deaths in Public Institutions. (Table O.) xli

in earlier Decennia corrected, as far as practicable, for changes of Classification xx

from all Causes and from Several Causes, at Groups of Ages, in England, in Counties, and in Districts; 1881–90 . . . 3

DEATH-RATES; General decline in vi

Decline in, among Infants under one year of Age . . . vi

among Persons, Males, and Females, at successive Ages in five Decennia. (Table A.) vii

affected by changing Birth-rates viii

Balance of Gain and Loss in the, from certain Causes. (Table I.) xxiii

from Measles at each Year of Age under Five, in three Decennia (footnote) xxiv

from Scarlet Fever, at each Year of Age under Five, in three Decennia (footnote). xxv

from Diphtheria, at each Year of Age under Five, in three Decennia (footnote.) xxv

from Whooping-cough, at each Year of Age under Five, in three Decennia (footnote) xxvi

from "Fever," at each Year of Age under Five, in three Decennia (footnote) xxvi

from Diarrhœal Diseases, at each Year of Age under Five, in three Decennia (footnote.) xxvii

DEATH-RATES—*continued.* PAGES

from Croup, at each Year of Age under Five, in three Decennia (footnote) xxxii

from Bronchitis, at each Year of Age under Five, in three Decennia (footnote.) xxxiii

from Pneumonia, at each Year of Age under Five, in three Decennia (footnote) xxxiii

from Laryngitis, at each Year of Age under Five, in three Decennia (footnote) xxxiii

from Phthisis, 1851–1890; Persons, Males, and Females. (Table K.) xxx

from Diphtheria and Croup, as a measure of increase of Diphtheria xxxiv

from certain Liver Diseases, in three Decennia; Males and Females. (Table L.) xxxiv

from Nephritis and Bright's Disease, at successive Ages, in three Decennia; Persons, Males, and Females. (Table M.) . . xxxv

Local Variations in the; 1881–90. (*See also* Separate Diseases). xxxvi

in Urban and Rural England; Comparison of xxxvi

in Urban and Rural England; Method of correcting for Age and Sex Constitution of Population (footnote) xxxvi

Crude, Definition of xxxvi

Standard, Definition of xxxvi

Crude, in different Districts not comparable xxxvi

Method of reducing, to a uniform basis xxxviii

in Standard Population (Corrected Death-rates), Definition of . xxxviii

Crude and Corrected, Comparison of, in several Districts . . xxxviii

Crude and Corrected, and Comparative Mortality in Counties, 1881–90. (Table N.) xxxix

of Industrial Counties increased, and those of Rural Counties decreased, by correction for Age and Sex constitution . . xxxix

Error in, due to Deaths in Public Institutions xl

Some effects of migration on xlii

Error in, due to estimates of Population; and Method of Correction xlii

Table of Factors for Correction, Table P. xliv

in Relation to Density of Population (*also* Tables Q. and R.) . xlvi

Crude, in England, in Large Towns, and in Rural England, from all Causes, and from the principal Zymotic Diseases. (Table S.) xlviii

Crude, generally overstate Mortality of healthy, and understate that of unhealthy districts xlviii

Corrected, value of, incidentally confirmed by Tables Q. and R. . xlviii

Crude, from Enteric Fever, in England and in Counties, in two Decennia. (Table T.) li

Crude, from Cancer, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table V.) liv

Corrected, at Ages over 35 Years, from Cancer, in England and in Counties, 1881–90; Persons. (Table W.) lv

Crude and Corrected, at Ages over 35, from Cancer, in England and in Counties, 1881–90; Persons, Males, and Females. (Table X.) lvi

Crude, at all Ages, from Phthisis, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table Y.) . lviii

Corrected, at all Ages, from Phthisis, in England and in Counties, 1881–90; Persons, Males, and Females. (Table Z.) . . lix

and Density of Population, in Divisions, in Counties, and in Districts, in five Decennia. (Table 1.) lxii

among Children under Five, from all Causes and from Several Causes, in Counties and in Districts, 1881–90. (Table 2.) . lxxxii

DEATH-RATES—*continued.* PAGES

at all Ages, and at twelve Groups of Ages, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 3.) xcvii

from Several Causes in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

from Several Causes, at successive Age Groups, in England, in three Decennia; Persons, Males, and Females. (Table 5.) . cviii

from Several Causes, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

from Several Causes, and at successive Age Groups, in England, in Counties, and in Districts 3

DENSITY OF POPULATION; in relation to Death-rates (*also* Tables Q. and R.) xlvi

in Divisions, in Counties, and in Districts, in five Decennia. (Table 1.) lxii

DIABETES MELLITUS; Increase of Mortality at all Ages from. (Table I.) xxiii

seldom fatal under 25 years of age xxxi

Mortality from, higher among Males than among Females . . xxxi

Mortality from, at all Ages and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table 5.) . . cxi

DIARRHŒAL DISEASES; Decrease of Mortality at all Ages from. (Table I.) xxiii

most fatal at extremes of Life xxvii

Mortality from, at each Year of Age under Five (footnote) . . xxvii

Decrease of Mortality from, due in part to improved diagnosis . xxviii

more fatal to Males than to Females xxviii

List of terms included under head of xxviii

Mortality from, affected by Meteorological and Sanitary conditions xxviii

Mortality from, in Urban and in Rural England. (Table S.) . xlviii

Local incidence of Mortality from l

Mortality from, among Children under Five Years of Age, in England, in Counties, and in Districts, 1881–90. (Table 2.) . lxxxii

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cx

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881-90 3

DIFFERENCES OF AGE AND SEX CONSTITUTION OF POPULATION; (*see* AGE AND SEX).

DIGESTIVE SYSTEM, DISEASES OF; Changes of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii

Changes of Classification affecting xxxiv

Effect of improved certification on Mortality from . . . xxxiv

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

PAGES

DIPHTHERIA; Increase of Mortality at all Ages from. (Table I.) . . xxiii
Age Incidence of Mortality from xxv
Increase of Mortality from, among children xxv
Mortality from, at each Year of Age under Five (footnote.) . . xxv
Confusion in Certification of Deaths from xxvi
and Croup, aggregate Mortality from, as a measure of actual increase of Diphtheria xxxiv
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in Divisions, in Counties, and in Districts, 1881–90. (Table 2.) . . . lxxxii
Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix
Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

DISTRIBUTION OF INSTITUTION DEATHS xl
Effects of, on Mortality of London Sanitary Areas. (Table O.) . xli, lx

DISTRICTS, REGISTRATION; Comparison of Crude and Corrected Death-rates in certain, 1881–90 xxxviii
of London, which constitute the London Sanitary Areas . . . xl
with highest Mortality from Typhus xlix
Group of, with high Mortality from Cancer liii
Density of Population and Death-rates in, in five Decennia. (Table 1.) lxiv
Mortality from Several Causes in, among children under Five Years of Age. (Table 2.) lxxxiv
Mortality, and Ages at Death in, from Several Causes. . . 97
Alphabetical List of 739

DIVISIONS, REGISTRATION; Density of Population and Death-rates in, in five Decennia. (Table 1.) lxii

DROPSY; Inquiries addressed to Medical Practitioners concerning Deaths ascribed to xxii

EFFECT OF DIFFERENCE IN AGE AND SEX CONSTITUTION OF POPULATION upon death-rates of England in several years . . viii
upon death-rates in Groups of Districts. (Tables Q. and R.) . . xlvii
upon Cancer Mortality in Counties. (Table X.) lvi
upon Phthisis Mortality. (Tables Y. and Z.) . . . . . lviii, lix

ENGLAND AND WALES; Density of Population and Annual Mortality, in five Decennia. (Table 1.) lxii
Mortality from all Causes and from Several Causes, among Children under Five. (Table 2.) lxxxii
Death-rates at all Ages and at twelve Groups of Ages, 1881–90; Persons, Males, and Females. (Table 3.) xcvii
Death-rates from all Causes and from Several Causes, 1881–90; Persons, Males, and Females. (Table 4.) c
Death-rates from all Causes and from Several Causes, in Groups of Ages in three Decennia; Persons, Males, and Females. (Table 5.) cviii

ENGLAND AND WALES—*continued.* PAGES

Mean Population, Increase of Population, and Marriage-, Birth-, and Death-rates, 1881–90; Persons. (Table 6.) cxv

Mean Population, Death-rates, and Causes of Death, in successive Age Periods, 1881–90; Persons, Males, and Females . . . 3

ENTERIC FEVER; Change of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii

Mortality from, in England, in Four Quinquennia, 1871–90; Persons, Males, and Females. (Table J.) xxvii

Age and Sex Incidence of Mortality from xxvii

Local Incidence of Mortality from l

Mortality from, in Counties, in two Decennia. (Table T.) . li

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England in two Decennia; Persons, Males, and Females, (Table 5.) cx

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

EXPECTATION OF LIFE at different Ages. (Tables C. to G.) x

"FEVER"; Changes of Classification affecting mortality from. (Table H.) xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii, xxvi

Mortality from, at each year of age under Five (footnote) . . xxvi

Decrease of Mortality from, greatest among Children and Elderly Persons xxvi

Mortality from, in Urban and in Rural England. (Table S.) . xlviii, xlix

Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) lxxxii

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix

(*See also* BRAIN FEVER, ENTERIC FEVER, REMITTENT FEVER, SIMPLE CONTINUED FEVER, and TYPHUS).

FIBROID TUMOUR, Change in Classification of, in 1881 (*also* Table H.) . . xx

GENERATIVE SYSTEM, DISEASES OF; Changes of Classification affecting. (Table H.) xxi

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

HÆMORRHAGE, Change in Classification of, in 1881. (Table H.) . . xxi, xxii

HYDROCEPHALUS, CHRONIC; Change in Classification of, in 1881. (Table H.) xxi, xxii

INDEX of Registration Districts 739

of certain Urban Sanitary Districts 743

PAGES

INFANT MORTALITY; Decline of, in 1881–90 vi
in Urban and in Rural England, 1881–90. (Table S.) . . xlviii
in England and in Counties, 1881–90; Persons, Males, and Females. (Table 3.) xcvii
in England, in Counties, and in Districts, 1881–90 3

INQUIRY; Letters of, addressed to Medical Practitioners xxii

INSTITUTIONS, PUBLIC; Distribution of Deaths occurring in xl
Effect of, on Deaths in London Sanitary Areas. (Table O.) . xli
Mortality, 1881–90, in certain. (Table 1., footnote.) lxiv

LARYNGISMUS STRIDULUS; Change in Classification of, in 1881 (*also* Table H.) . . . . . xxvi, xxxii

LARYNGITIS; High Mortality from, in Childhood xxxiii
Mortality from, at each Year of Age under Five, in three Decennia (footnote.) xxxiii
Mortality from, in England, at all Ages, and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

LIFE TABLE, NEW ENGLISH; Compared with earlier Tables . . . . ix, xx
Males. (Table C.) x
Females. (Table D.) xii
Persons. (Table E.) xiv

LIFE TABLES; Comparison of three English; Males. (Table F.) . . . xvi
Females. (Table G.) . . . xviii

LIVER DISEASES, and their Relation to Intemperance xxxiv
Mortality from, in three Decennia; Males and Females. (Table L.) xxxiv
Decrease of Mortality at all Ages from xxxiv
(*See also* ASCITES and CIRRHOSIS OF LIVER.)

LOCAL GOVERNMENT (BOUNDARIES) ACT, 1887; Effect of, in simplifying Boundaries v

LOCAL INCIDENCE of Mortality from several Causes xxxvi
(*See also* under separate headings.)

LONDON; Effect of Distribution of Institution Deaths in (*also* Table O.) . xl

MALIGNANT DISEASES; *see* CANCER.

MARRIAGES in England, in Counties, and in Districts 3

MARRIAGE RATES in England and in Counties, 1881–90. (Table 6.) . cxv
in England, 1881–90 3
in Districts, 1881–90 97

MEASLES; Change of Classification affecting Mortality from (*also* Table H.) xx, xxi
Increase of Mortality at all Ages from. (Table I.) . . . . xxiii, xxiv
Mortality from, at each year of Age, under Five (footnote.) . . xxiv
Mortality from, in Urban and in Rural England. (Table S.) . xlviii
Local Incidence of Mortality from xlviii
Mortality from, among Children under Five, in England, in Counties and in Districts, 1881–90. (Table 2.) lxxxii
Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

MEASLES—*continued.* PAGES

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii

Mortality from, at all Ages, in England and in Counties, 1881–90. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

MIGRATION OF POPULATION; Some effects of, on death-rates . . . xlii

MORTALITY; *see* DEATH-RATES and INFANT MORTALITY.

NEPHRITIS AND BRIGHT'S DISEASE; Mortality from, at all Ages, and at eleven Groups of Ages, in three Decennia; Persons, Males, and Females. (Table M.) xxxv

Rapid Increase of Mortality from xxxv

Increase of Mortality from, greater among Females than among Males xxxv

NERVOUS SYSTEM, DISEASES OF; Changes of Classification affecting Mortality from. (Table H.) xxi

Decrease of Mortality at all Ages, from. (Table I.) . . . xxiii

Changes in Age Incidence of Mortality from xxxi

Probable Cause of Decreased Mortality from xxxii

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts 3

PERITONITIS; Inquiries addressed to Medical Practitioners concerning Deaths ascribed to xxii

PHTHISIS; Decrease of Mortality at all Ages from. (Table I.) . . xxiii

Decrease of Mortality from, greater among Females than among Males xxix

Mortality from, in England, in each Year, 1851–90; Persons, Males, and Females. (Table K.) xxx

Change in Sex Incidence of Mortality from xxxi

Local Incidence of Mortality from lvii

Crude Mortality from, in England and in Counties, in three Decennia; Persons, Males, and Females. (Table Y.) . . lviii

Corrected Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table Z.) lix

Mortality from, in London, affected by Deaths in Public Institutions: Nature of correction to be applied in future lx

Mortality from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxi

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

PAGES

PLEURISY; Mortality from, inconsiderable except at later Ages . . xxxiii

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

PNEUMONIA; Change in Age Incidence of Mortality from . . . xxxiii

Mortality from, at each Year of Age under 5 (footnote) . . xxxiii

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiii

POPULATION; of England and Wales, in three Decennia, Age and Sex constitution of. (Table B.) viii

Standard Million, 1881–90 (footnote) xxxvii

Decennial Increase or Decrease of, in England and in Counties, 1881–90 (Table 6.) cxv

Mean, 1881–90, in England, in Counties, and in Districts, at groups of ages; Persons, Males, and Females 3

Decennial Increase or Decrease of, in Districts 97

PRELIMINARY REMARKS iii

PRELIMINARY TABLES; List of, with explanatory note lxi

PUERPERAL FEVER; *see* CHILDBIRTH.

REGISTRATION DISTRICTS; *see* DISTRICTS, REGISTRATION.

REGISTRATION DIVISIONS; *see* DIVISIONS, REGISTRATION.

REMITTENT FEVER; Change in Classification of Deaths of Children from. (*See also* Table H.) xx

RESPIRATORY SYSTEM, DISEASES OF; Decrease of Mortality at all Ages, from. (Table I.) xxiii

Effect of Influenza upon Mortality from xxxii

Changes in Classification respecting (*also* Table H.) . . . . xxi, xxxii

Age and Sex Incidence of Mortality from xxxii

Mortality from, among Children under Five Years of Age, in England, in Counties, and in Districts, 1881–90. (Table 2.) . lxxxii

Mortality from, at all Ages, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxii

Mortality from, at all Ages, in England and in Counties, 1881–90. Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

ROTHELN; Changes of Classification of Deaths from, in 1881 (*also* Table H.) xx

RURAL ENGLAND; Crude and Corrected Death-rates in, 1881–90 . . . xxxvi

Birth-rate, and Crude Death-rates from all Causes and from certain Zymotic Diseases (Table S.) xlviii

SANITARY AREAS OF LONDON, and equivalent Registration Districts . . xl

Mortality in, from all Causes, and from certain Zymotic Diseases, before and after distribution of Institution Deaths, 1885–90. (Table O.) xli

PAGES

SCARLET FEVER; Decline of Mortality at all Ages from. (Table I.) . xxiii
Decline of Mortality from, uncertain whether due to diminished prevalence or to milder type xxv
Sex Incidence of Mortality from xxv
Comparatively low Mortality from, in first Year of Life . . xxv
Mortality from, at each Year of Age under Five, in three Decennia (footnote) xxv
Mortality from, in Urban and in Rural England. (Table S.) . xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) . . . lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality at all Ages from, in England and in Counties, 1881–90. Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts 3

SCROFULA; *see* TUBERCULAR DISEASES.

SEXES; *see* AGE AND SEX, and DEATH-RATES.

SIMPLE CONTINUED FEVER; Change of Classification affecting Mortality from. (Table H.) xxi
Decrease of Mortality at all Ages from. (Table I.) . . . xxiii
Confusion of, with Enteric Fever and Typhus xxvii
Local Incidence of Mortality from l
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in two Decennia; Persons, Males, and Females. (Table 5.) cx
Mortality from, at all Ages, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

SMALL-POX; Change of Classification affecting Mortality from. (Table H.) xxi
Decrease of Mortality at all Ages from. (Table I.) . . . xxiii
Decrease of Mortality from, common to all Ages and to both Sexes xxiv
Effects of Vaccination upon Mortality from xxiv
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females (Table 4.) c
Mortality from, at all Ages, and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cviii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

STANDARD MILLION POPULATION; *see* POPULATION.
Death-rates in, *see* DEATH-RATES.

PAGES

SUICIDE; Increase in Mortality by xxxvi

Mortality by, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females, (Table 5.) cxiv

TABES MESENTERICA; Mainly fatal among Young Children . . . xxix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females.. (Table 4.) c

Mortality at all Ages from, in England and in Counties, 1881–90. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

TOWNS, PRINCIPAL; Mortality in, 1881–90. (Table S.) xlviii

(*See also* URBAN SANITARY DISTRICTS).

TUBERCULAR DISEASES; Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 2.) . lxxxii

Changes in Classification affecting Mortality from. (Table H.) . xxi

Excluding Phthisis; Decrease of Mortality at all Ages from. (Table I.) xxiii

Age Incidence of Mortality from different forms of . . xxix

Mortality from, higher among Males than among Females . xxxi

Mortality at all Ages from, in England, and in Counties, 1881–90; Persons, Males, and Females (Table 4.) . c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxi

Excluding Phthisis and Tabes Mesenterica; Mortality at all Ages from, in England, and in Counties 1881–90. (Table 6.) . cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90. 3

TYPHOID FEVER. (*See* ENTERIC FEVER.)

TYPHOID PNEUMONIA; Letters of Inquiry to Medical Practitioners respecting deaths ascribed to xxiii

TYPHUS; Change in Classification affecting Mortality from. (Table H.) . xxi

Decrease of Mortality at all Ages from. (Table I.) . . . xxiii

Apparently becoming extinct in England xxvii

Local Incidence of Mortality from xlix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in two Decennia; Persons, Males, and Females. (Table 5.) cix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

URBAN ENGLAND; Crude and Corrected Death-rates in, 1881–90 . . xxxvi

Birth-rates, and Crude Death-rates from all Causes, and from certain Zymotic Diseases in. (Table S.) xlviii

URBAN SANITARY DISTRICTS; List of certain 743

PAGES

URINARY SYSTEM, DISEASES OF; Change in Classification, affecting Mortality from. (Table H.) . . . . . xxi, xxxv
Increase of Mortality at all Ages from. (Table I.) . . . xxiii, xxxv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

VACCINATION; Condition as to, of Small-pox victims xxiv

VIOLENCE; Decrease of Mortality at all Ages from. (Table I.) . . xxiii
Deaths from, more frequent among Males than among Females . xxxvi
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

WHOOPING-COUGH; Decrease of Mortality at all Ages from. (Table I.) . xxiii
Age Incidence of Mortality from xxvi
Mortality from, at each year of age under Five (footnote) . . xxvi
Mortality from, in Urban and in Rural England, 1881–90. (Table S.) xlviii
Local Incidence of Mortality from xlix
Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90 (Table 2.) lxxxii
Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 4.) c
Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix
Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 6.) cxv
Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 3

ZYMOTIC DISEASES; General Decline of Mortality from xxiv
(*See also* Separate Heading for each of the Principal Zymotic Diseases.)

PAGES

Urinary System, Diseases of: Changes in Classification, affecting Mortality from. (Table II.) . . . . . xxii, xxxv

Increase of Mortality at all Ages from. (Table I.) . . . . xxiii, xxxv

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 5.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 5.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 8

Vaccination: Conditions as to, of Small-pox victims xxiv

Violence: Decrease of Mortality at all Ages from. (Table I.) xxiii

Deaths from, more frequent among Males than among Females xxxvi

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 5.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cxiv

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 5.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 8

Whooping-cough: Decrease of Mortality at all Ages from. (Table I.) xxiii

Age Incidence of Mortality from xxvi

Mortality from, at each year of age under Five (Females) xxvi

Mortality from, in Urban and in Rural England, 1881–90. (Table 3.) xlviii

Local Incidence of Mortality from xlix

Mortality from, among Children under Five, in England, in Counties, and in Districts, 1881–90. (Table 3.) lxxxii

Mortality at all Ages from, in England and in Counties, 1881–90; Persons, Males, and Females. (Table 5.) c

Mortality from, at all Ages and at eleven Groups of Ages, in England, in three Decennia; Persons, Males, and Females. (Table 5.) cix

Mortality at all Ages from, in England and in Counties, 1881–90; Persons. (Table 5.) cxv

Mortality, and Ages at Death, in England, in Counties, and in Districts, 1881–90 8

Zymotic Diseases; General Decline of Mortality from xxiv

(See also Sequence Heading for each of the Principal Zymotic Diseases.)